

## INDEX

- abdominal aortic aneurysms (AAA) 21–6, 90, 126
  - aetiology 21–2, 90
  - clinical features 23
  - diagnosis 23
  - differential diagnosis 91
  - investigations 91
  - prognosis 23–5, 93
  - risk factors 90
  - rupture 90–3
    - management in A&E 91–3
    - presentation in A&E 90–1
  - screening 25–6
  - treatment options 25, 92–3
    - see also* abdominal aortic surgery; endovascular aneurysm repair
- abdominal aortic surgery 126–8, 157–9, 165–8
  - anaesthesia 156–7
    - special requirements 158–9
  - assessment 157–8, 163–4
  - complications 167–8
  - emergency surgery 157–8, 159–60
    - post-operative management 93–4, 160
    - pre-operative management 159
  - indications 165
  - operative technique 166–7
  - post-operative care 127–8
  - pre-operative care 127
  - premedications 158
  - thoraco-abdominal aneurysm repair 168–69
    - see also* abdominal aortic aneurysms (AAA)
- above-knee amputation 185–6
  - see also* amputations
- acute limb ischaemia 94–5
  - aetiology 94
  - classification 94
  - definition 94
  - diagnosis 95
  - investigations 95
  - management 95–6, 120–1
  - presentation 95
  - prognosis 96
  - revascularisation 96
  - surgical intervention 96
- acute mesenteric ischaemia 68–9
- advice 222–3
- age
  - as cardiovascular risk factor 4
  - post-operative complications and 211
- amaurosis fugax 17
- amputations 130–8, 182–7, 184–9
  - assessment 184
  - complications 188–9
  - double amputees 135–7
  - in diabetes 58, 130
  - indications 184
  - mobilisation 131
  - operative technique 185–6
    - above-knee amputation 185–6
    - below-knee amputation 186–9
    - toe amputation 187–8
    - transmetatarsal (forefoot) amputation 187
  - prosthetic phase 131–8
    - immediate post-operative prostheses (IPOP) 131
    - prosthetic construction 132–5
    - temporary prostheses 132

## INDEX

- amputations (*cont'd*)
  - rehabilitation 130–1
  - upper limb 137–8
- anaesthesia
  - abdominal aortic surgery 157–9
    - emergency surgery 159–60
    - special requirements 158–9
  - carotidendarterectomy 155–7
    - general anaesthesia 156
    - local anaesthesia 157
  - post-operative care 201–6
  - regional 214
  - revascularisation of the lower limbs 160–1
  - vascular patient considerations 154–5
- analgesia 140, 213–14
  - adjunctive 144
  - epidural 142–3, 214
  - patient controlled (PCA) 131, 143–4, 213
  - see also* pain management
- aneurysms 23
  - screening 25–6
  - see also* abdominal aortic aneurysms (AAA); popliteal aneurysms
- angiography 111–13, 116, 123
  - carotid artery 18
  - post-procedure care 123
  - pre-procedure care 123
- angioplasty 124
  - balloon angioplasty 113–15
    - aftercare 114–15
    - complications 113
  - carotid artery 115
  - chronic limb ischaemia
- ankle brachial pressure index (ABPI) 10–11
  - interpretation 11
- antiplatelet medication 7, 8
- aortic cross-clamping 159
- aorto-bi-femoral bypass for occlusive disease 169–70
  - assessment 169–70
  - complications 171
  - indications 169
  - operative technique 170–1
- arterial blockage 53
- arterial examination 105–6
- arterial leg ulcers *see* leg ulcers
- arterial stenosis 53
- aspirin 7, 8
- assessment *see* pre-assessment
- atheromatous plaques 3
- atherosclerosis 3–4, 51
  - aneurysms and 22
  - carotid arteries 16
  - signs and symptoms 4
- audit 238, 241–6
  - audit cycle 242
  - comparing practice with standard practice 244
  - data collection 244
  - definition 241
  - modifying practice 244–5
  - setting criteria and standards 243
  - what to audit 243
- axillo-femoral bypass 177
- balloon angioplasty 113–15
  - aftercare 114–15
  - complications 113
- bandages
  - elastic 45
  - inelastic 49
  - multi-layer lymphoedema bandaging (MLLB) 86
- below-knee amputation 186–7
  - see also* amputations
- blood pressure, post-operative 203
  - see also* hypertension
- brachial embolectomy 190
- Buerger's disease (thromboangiitis obliterans) 34–5
- bypass procedures *see* revascularisation, lower limb
- cancellation prevention 153
- CAPRIE Trial 7
- cardiovascular risk factors 4–8
  - age 7
  - diabetes 6
  - gender 7
  - hyperlipidaemia 6–7
  - hypertension 6
  - role of nurses in management 7–8
  - smoking 5
- cardiovascular support, post-operative 207–8
- care pathways *see* integrated care pathways (ICPs)

## INDEX

- carotid artery
  - angioplasty and stenting 115
  - disease 16–20
    - investigations 18
  - examination 104
- carotid endarterectomy 18, 124–6, 155–7, 162–5
  - anaesthesia 155–7
  - assessment 156, 162
  - complications 164–5
  - indications 162
  - operative technique 162–4
  - post-operative complications 125–6, 157
    - haemorrhage 126
    - hypertension 125
    - hypotension 125
    - nerve injury 126
    - stroke 126
  - post-operative management 157
  - pre-operative care 125
  - pre-operative health education 124–5
  - pre-operative investigations 124
- Charcot arthropathy 66–7
- cholesterol level
  - as cardiovascular risk factor 6–7
  - lowering 7, 8
- chronic limb ischaemia (CLI) 12–13
  - clinical features 12
  - management 12–13
    - see also* lower limb ischaemia (LLI)
- chronic mesenteric ischaemia (CMI) 69
- chronic obstructive pulmonary disease (COPD), anaesthesia and 155
- cigarette smoking *see* smoking
- circulating nurse responsibilities 197–8
  - duties before operation 197
  - duties during operation 197–8
  - duties on completion of operation 198
- clinical audit *see* audit
- clinical governance 234–9
  - clinical risk management 237–8
  - patient involvement 235
    - patient's and relatives' experiences 236
  - process 234–5
  - research and effectiveness 238–9
  - staffing and staff management 236–7
  - training and continuous professional development 237
    - see also* audit
- clopidogrel 7, 8
- colour flow ultrasound 104
- compression therapy
  - lymphoedema management 84–5
  - varicose veins 73–4
  - venous leg ulcers 45–51
  - compression hosiery and aftercare 49–50
  - elastic bandages 45
    - factors affecting compression 50–1
    - inelastic bandages 49
- computed tomography (CT) 110–11, 116
- conscious level 203–5
- consent 239
- continuous professional development 237
- contrast 117
- critical care units (CCUs) 203
  - discharge from 218
  - muscle weakness 217
  - nutritional issues 217
  - patients who are sedated 216
  - prolonged stay 217
  - psychological disturbances 217–18
    - see also* post-operative care
- cross over femoro-femoral bypass 177
- cross-clamping, aortic 159
- deep vein thrombosis (DVT) 75–8
  - causes of 75
  - clinical features 76
  - complications 78
  - diagnosis 77
  - prevention 77
  - risk factors 76
  - treatment 77
- deterioration, sudden 208
  - monitoring 208–11
- diabetes
  - amputations and 57, 130
  - anaesthesia and 155
  - as cardiovascular risk factor 6, 13
  - management 6, 8
  - post-operative complications and 212
  - St. Vincent's declaration 57
- diabetic foot 57–67
  - Charcot arthropathy 66–7
  - clinical features 57–8
    - callus or deformities 58
    - decreased resistance to infection 58

## INDEX

- diabetic foot (*cont'd*)
  - clinical features (*cont'd*)
    - peripheral neuropathy 57
    - peripheral vascular disease 58
  - diabetic ulcers 58–62
  - management 58–65
  - see also* diabetes
- discharge planning 153
- Doppler ultrasound 102
  - advantages 108
  - arterial examination 106
  - disadvantages 108
  - varicose vein investigation 72
- duplex scan 104
  - arterial examination 105–6
  - carotid artery 18
  - varicose veins 72
- education *see* patient education; staff education
- elastic bandages 45
- embolectomy 189–90
  - brachial 190
  - femoral 189–90
- emboli, postoperative 216
- embolisation 119
- endarterectomy *see* carotid endarterectomy
- endoscopic thoracic sympathectomy 41–2, 179–80
  - assessment 179
  - benefits 42
  - complications 42, 180
  - indications 179
  - operative technique 179
- endovascular aneurysm repair 25, 116
  - emergency 93
  - see also* abdominal aortic aneurysms (AAA)
- epidural analgesia 142–3, 214
- ethics governance 239
- exercise 8
  - lymphoedema management 84
- femoral embolectomy 189–90
- femoro-popliteal bypass grafts
  - 171–2
  - assessment 171
  - complications 172
  - indications 171
  - operative technique 171–2
- femoro-tibial bypass grafts 172–5
  - assessment 172
  - complications 175
  - indications 172
  - operative technique 173–4
- forefoot amputation 187
- gangrene 12, 57
- governance 234
  - see also* clinical governance
- haemorrhage, post-operative 126, 215
- health education *see* patient education
- heart disease, anaesthesia and 154–5
- hyperhydrosis 40–2
  - definition 40
  - management 41–2
    - endoscopic thoracic sympathectomy 41–2, 179–80
  - primary 40
    - manifestations 40–1
  - secondary 40
- hyperlipidaemia
  - as cardiovascular risk factor 6–7
  - lipid lowering 7
- hypertension
  - anaesthesia and 154
  - as cardiovascular risk factor 6
  - management 6, 8
  - post-operative 123
- hypotension, post-operative 123
- inelastic bandages 49
- informed consent 239
- integrated care pathways (ICPs) 226–33
  - benefits of 227, 232–3
  - categories 228
  - criticisms of 227–8
  - definition 226–7
  - implementation of 233
  - key to success 232–3
  - purpose 227
  - quality control 232
  - variances 228
- intermittent claudication 4, 8, 51
  - management 11, 12
  - smoking cessation 5

## INDEX

- invasive positive pressure ventilation (IPPV) 206, 207
- investigations *see* specific conditions;  
 vascular laboratory
- iontophoresis 41
- ischaemia, limb *see* acute limb ischaemia;  
 chronic limb ischaemia; lower limb  
 ischaemia; upper limb ischaemia
- ischaemic heart disease (IHD)  
 anaesthesia and 152–3  
 post-operative complications and 212
- kidney disease *see* renal disease
- leg ulcers 43–54  
 arterial ulcers 51–3  
 signs and symptoms 51–2  
 treatment 52–3  
 wound maintenance 53  
 mixed aetiology ulcers 53  
 treatment 53–4  
 nurse role in outpatient department  
 54–5  
 patient assessment 43–4  
 patient education 55  
 patient involvement and compliance 54  
 staff education 54  
 types of 43  
 venous leg ulcers 44–51  
 compression therapy 45–51  
 signs and symptoms 45  
 wound management 55
- levels of care 200–1
- limb ischaemia *see* acute limb ischaemia;  
 chronic limb ischaemia; lower limb  
 ischaemia; upper limb ischaemia
- limb volume measurement, leg 86–7
- low-density lipoprotein (LDL)  
 cholesterol, in diabetes 6
- lower limb ischaemia (LLI) 8–12  
 assessment 9–11  
 management 11  
 prognosis 11  
 signs 9  
 stages 9  
 symptoms 8–9
- lymphatic drainage  
 manual (MLD) 86  
 simple (SLD) 85, 86
- lymphoedema 79–86  
 diagnosis 79  
 management 80–6  
 limb volume measurement 86–7  
 non-surgical approach 83–7  
 surgery 83  
 primary 79  
 secondary 79
- lymphoedema clinics 81–2  
 education 81  
 key-worker role 80  
 patient intervention 82–3
- magnetic resonance imaging (MRI) 111,  
 116–17
- manual lymphatic drainage (MLD) 86
- MASS trial 26
- mechanical ventilation 206
- medical audit *see* audit
- mesenteric ischaemia 68–9  
 acute 68–9  
 chronic 69
- minimally invasive investigation  
 110–11
- monitoring 208–11
- multi-layer lymphoedema bandaging  
 (MLLB) 86
- muscle weakness 217
- myocardial infarction, anaesthesia and  
 154–5
- National Institute for Clinical Excellence  
 (NICE) 241, 243
- National Vascular Database  
 245–6
- nerve injury 126
- NMDA antagonists 141
- non-invasive positive pressure  
 ventilation (NIPPV) 206, 207
- non-steroidal anti-inflammatory drugs  
 (NSAIDs) 140
- nutrition, in critical care units 217
- opioid analgesics 213–4
- optimum health status achievement 152–3
- oxygen therapy 206, 207
- pain 139  
 assessment 144–5  
 consequences of 139–40  
 pathophysiology 140–1

## INDEX

- pain (*cont'd*)
    - phantom pain 131, 145–6
      - definition and classification 145
      - incidence 146
      - treatment 130, 146
  - pain management 139–46
    - adjunctive analgesia 144
    - epidural analgesia 142–3, 214
    - following amputation 130
    - patient controlled analgesia (PCA) 131, 143–4, 213
    - phantom pain 131, 145–6
    - role of pain clinical nurse specialist 141–3
    - post-operative pain management 142–4
    - pre-operative pain management 142
  - patient controlled analgesia (PCA) 131, 143–4, 213
  - patient education 222
    - leg ulcer management 52
    - pre-operative 122–3, 124, 125, 150, 151
  - peri-operative nursing 194–5
    - circulating nurse responsibilities 197–8
    - vascular scrub nurse responsibilities 195–7
  - peripheral arterial disease (PAD)
    - atherosclerosis 3–4
    - cardiovascular risk factors 4–8
    - critical limb ischaemia (CLI) 12–13
    - chronic lower limb ischaemia (LLI) 8–12
    - see also* specific forms of disease
  - peripheral neuropathy 57
  - peripheral vascular disease (PVD) 120
    - in diabetes 58
    - see also* specific forms of disease
  - phantom pain 131, 145–6
    - definition and classification 145
    - incidence 146
    - treatment 130, 146
  - popliteal aneurysms 177
    - repair 177–9
  - POSSUM scale 244, 245
    - V-POSSUM 245–6
  - post-operative care 200–1
    - abdominal aortic surgery 126–7
    - basic nursing considerations 203–6
    - carotid endarterectomy 155
    - critical care units (CCUs) 203
    - immediately after anaesthetic 201–2
    - levels of care 200–1
    - pain management 142–4, 213–14
    - patients at risk of sudden deterioration 208–300
    - patients who require cardiovascular support 207–8
    - patients who require respiratory support 206–7
    - revascularisation procedures 128, 160
    - see also* critical care units (CCUs)
  - post-operative complications 211–6
    - abdominal aortic surgery 157–9
    - thoraco-abdominal aneurysm repair 168
  - amputations 184–7
  - carotid endarterectomy 162–3
  - co-existing medical disease and 211–14
  - emboli/blockages 216
  - endoscopic thoracic sympathectomy 179
  - haemorrhage 126, 215
  - prolonged procedures 214–15
- renal failure 215–16
    - revascularisation procedures 169, 170, 175, 176
    - varicose vein surgery 180–2
    - see also* post-operative care
  - pre-assessment 150–3
    - abdominal aortic surgery 157–8, 165–6
    - advantages of 151
    - amputations 184
    - cancellation prevention 153
    - carotid endarterectomy 155, 162
    - disadvantages of 151
    - discharge planning commencement 153
    - endoscopic thoracic sympathectomy 179
    - general aims of 150
    - optimum health status achievement 152–3
    - physical preparation of patients 151
    - procedures which are pre-assessed 151
    - psychological preparation of patients 152
    - revascularisation procedures 128, 160–1, 169–70, 170, 171
    - varicose vein surgery 180
  - profundoplasty 175–6
    - complications 175
    - indications 175
    - operative technique 175–6

## INDEX

- prolonged procedures 214–15  
 prostheses 131–8  
   double amputees 135–7  
   immediate post-operative prostheses (IPOP) 131  
   prosthetic construction 132–3  
   rehabilitation 130  
   temporary (pneumatic) prostheses 132  
   upper limb 137  
 psychological issues  
   critical care units 200, 203  
   patient preparation 150  
 pulse rate, post-operative 203  
  
 quality control 232  
  
 Raynaud's phenomenon (RP) 29–33  
   clinical manifestations 29–30  
   investigations 31  
   pathophysiology 29  
   primary 31  
   secondary 31  
   treatment 31–2  
     drug therapy 32  
     role of nurse 32  
     surgical intervention 32  
 regional anaesthesia 214  
 rehabilitation, amputees 130, 131  
 renal disease  
   anaesthesia and 155  
   post-operative complications and 211  
   post-operative renal failure 212  
 research 223, 235, 238  
   consent 239  
 respiratory rate, post-operative 203  
 respiratory support, post-operative 206  
 resuscitation 98  
 revascularisation, lower limbs 128, 154, 160, 169  
   acute limb ischaemia 94  
   anaesthesia 160  
   aorto-bi-femoral bypass for occlusive disease 167–9  
   axillo-femoral bypass 176  
   chronic limb ischaemia 12  
   cross over femoro-femoral bypass 176  
   femoral-popliteal bypass grafts 171, 172  
   femoral-tibial bypass grafts 172–4  
   post-operative care 127, 159  
   pre-operative care 125  
   pre-operative investigations 128, 156  
   premedication 161  
   profundoplasty 175  
 risk management 237  
  
 St. Vincent's declaration 57  
 sapheno-popliteal junction ligation 180–1  
 screening, for aneurysms 25–6  
 sedation, in critical care units 216  
 simple lymphatic drainage (SLD) 81, 82  
 smoking  
   as cardiovascular risk factor 5  
   cessation 5, 7  
   intermittent claudication and 5  
   post-operative complications and 211  
 spinal anaesthesia 212  
 staff education 222  
   leg ulcer management 54  
   lymphoedema clinics 81  
   training for vascular nurses 224–5  
 staff management 235–6  
 statins 7  
 stents 118  
   carotid artery 115  
 stroke 16–17  
   haemorrhagic 17  
   ischaemic 16–17  
   post-operative 125, 211  
 subclavian steal syndrome (SSS) 27  
 support 222–3  
 sweating, excessive *see* hyperhydrosis  
 Takayasu's arteritis 35–6  
 temperature, post-operative 206  
 thoracic outlet 37  
 thoracic outlet syndrome (TOS) 37–9  
   aetiology 37  
   causes of 37  
   definition 37  
   diagnosis 38  
   neurological symptoms 37–8  
   treatment 38–9  
   vascular symptoms 38  
 thoracic sympathectomy *see* endoscopic thoracic sympathectomy  
 thoraco-abdominal aneurysm repair 168–9  
   assessment 168  
   complications 169

## INDEX

- thoraco-abdominal aneurysm repair (*cont'd*)  
   indications 168  
   operative technique 169  
   *see also* abdominal aortic surgery
- thromboangiitis obliterans 34–5
- thrombolysis 119
- thrombophilia 76
- toe amputation 187
- training 237  
   for vascular nurses 224, 225  
   *see also* staff education
- transient ischaemic attack (TIA) 17
- transmetatarsal amputation 187
- trauma *see* vascular trauma
- ulcers *see* diabetic foot; leg ulcers
- ultrasound 102, 110, 118  
   arterial examination 105, 106  
   colour flow ultrasound 104  
   Doppler ultrasound 102  
     advantages and disadvantages 108  
     varicose vein investigation 72
- upper limb ischaemia 27–8
- V-POSSUM 245–6
- varicose veins 69–73  
   assessment 71, 180  
   integrated care pathway 227–9  
   investigations 71–2  
   pathophysiology 69–70  
   surgical treatment 179–83  
     complications 183  
     indications 180  
     perforators 183  
     sapheno-popliteal junction ligation 182, 183  
     veins affecting long saphenous system 180, 181  
   treatment options 73
- vascular laboratory 102–8  
   duplex scan 104  
   examinations 104–8  
     arterial examination 105, 106  
     venous examination 106–8  
   ultrasound 102  
     colour flow ultrasound 104  
     Doppler ultrasound 102–3
- vascular nurse specialist  
   role 222–3  
     advice and support 222–3  
     education 222  
     research and development 223  
   training 224–5
- vascular pain *see* pain; pain management
- vascular scrub nurse responsibilities 195–7  
   duties at end of operation 197  
   duties before operation 195  
   duties during operation 196–7  
   vascular instrumentation 195–6
- vascular trauma 97–9  
   diagnosis 99  
   operative management 100, 189–90  
   pathophysiology 98  
   resuscitation 98  
   signs 99, 100  
   sites of injury 98  
   types of injury 97
- vasculitis 34–6  
   Buerger's disease (thromboangiitis obliterans) 34–5  
   causes of 34  
   definition 34  
   symptoms 34  
   Takayasu's arteritis 35–6
- vasodilators, Raynaud's phenomenon  
   treatment 31, 32
- venous examination 106, 108
- venous incompetence 106
- venous leg ulcers *see* leg ulcers
- venous system, legs 70
- wound management 54, 55
- X-rays 119