

Index

- abietic acid (rosin) 322, 334, 338–9
- acid–base balance
 in glasses 123–5
 in silicate rocks 17
- acid–base (AB) cements
 crystallinity in 8–10, 205–13
 formation 7–11, 307–8
 theory 1–5, **5–26**, 307–8
- acid–base concepts **12–26**
 aprotic acids 6, 17–20
 Arrhenius theory 14–5, 19
 Brønsted–Lowry theory 15–6, 19–20, 48, 284
 Cartledge theory 20–1
 classification 22–3
 hard acids and bases *see* HSAB theory
 history 12–4
 HSAB theory 24–6
 ionic potential 20–1
 ionization potential 21–2
 Lewis theory 17–20
 Lux–Flood theory 17, 19–20
 relevance 19–20
 soft acids and bases *see* HSAB theory
 solvent system theory 16–7, 19
 strength 20–2
 Usanovich theory 18–20
- acid-decomposable glasses 6, *see also*
 aluminosilicate glasses,
 aluminoborate glasses
- acid-etching of enamel 93
- acids for cement-formation *see* cement-forming acids
- acrylic acid
 copolymers *see* poly(alkenoic acid)s
 homopolymer *see* poly(acrylic acid),
 poly(alkenoic acid)s
- adhesion 1, 4, 56, **92–7**, 107, 152–4, 381
 to bone 94–6, 111
 to dentine and enamel (tooth) 92–6
 of glass polyalkenoate cements 152–4
 to hydroxyapatite 95–6
- obstacles to 93–4
 of polyalkenoates 94–6
 of zinc polycarboxylates 107
- adsorption of carboxylates (alkenoates) 96–7
- agriculture 4
- Al_2O_3 cements 102
- Al_2O_3 – P_2O_5 – H_2O 199–201
- aldehydic aromatic acid cements 318, 321
- alkanoate adsorption on hydroxyapatite 96–7
- alkanoate bonding modes 363
- alkanoic acids 5–6, 308, 315, 318, 320–1, 337, 348, 351
- alkoxy aromatic acids 318, 320, 337
- citric acid 308
- dimer (dimerized fatty) acids 351
- 2-ethoxybenzoic acid 6, 318, 320–1, 337, *see also* EBA cement
- malic acid 6, 308, 315
- mellitic acid (benzenehexacarboxylic acid) 6, 315
- 1,2,3-propanetricarboxylic acid 6, 315
- pyruvic acid 6, 308, 315
- salicylates 318, 348
- tartaric acid 6, 308, 315
- tricarballic acid 6
- alkenoic acid polymers *see* poly(alkenoic acid)s
- alkoxy aromatic acid cements 318, 320, 337
- allyl-2-methoxyphenol cements 318, 321
- aluminium coordination 101–2, 120–1, 123, 125, 129, 131, 137–8
- alumino complexes 244
 fluoride 135–8, 244
 phosphate 57, 85, 200–1, 210, 244–5
- aluminoborate glasses 165–6
- aluminophosphoric acids 57, 200–1
- aluminosilicate gels 91

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- aluminosilicate glass cements 307–9, *see also* glass polyalkenoate cement, dental silicate cements
- aluminosilicate glasses 2, 6, 9, 90, 117–32, 236–40, 310, 314–5
- acid–base balance in 123
- acid-decomposition of 119–23, 127–8
- acid-washing of 163
- Al_2O_3 : SiO_2 123–7
- aluminium coordination 120–1, 123–5, 128–9, 130, 137
- anorthite in 122, 130
- apatite in 125
- beryllium-containing 236
- Ca:Al 123–5
- calcium-containing 6, 118–20, 123–33, 236–7, 310, 314–5
- composition and properties 118–9, 122–9, 238–41
- coordination polyhedra 119–21
- corundum in 125–6
- electron micrographs 128, 238–9
- fluoride role 118–9, 129–30, 236
- fluoride type 117–9, 125–132, 135, 140, 236–40
- fluorite in 125–6, 129–30
- indium-containing 237
- lanthanum-containing 117–9
- NMR studies 121, 125, 128, 131
- oxide type 117, 122–6, 135, 236–40
- phase-separation 126–8, 130–1, 238–9
- SiO_2 – Al_2O_3 – CaF_2 119, 126–9, 238
- SiO_2 – Al_2O_3 – CaF_2 – AlPO_4 119, 131
- SiO_2 – Al_2O_3 – CaF_2 – AlPO_4 – Na_3AlF_6 – AlF_3 119, 131–2
- SiO_2 – Al_2O_3 – CaO 118, 123–6, 237–40
- SiO_2 – Al_2O_3 – CaO – CaF_2 119, 130
- SiO_2 – Al_2O_3 – CaO – Na_2O 118
- SiO_2 – Al_2O_3 – CaO – P_2O_5 118, 239–40
- spinodal decomposition 130
- strontium-containing 117–9
- structure 118–131, 238–9
- transition temperatures 130
- types 118–9, 235–7
- animal husbandry 4
- applications
- agriculture 4
- animal husbandry 4
- architecture 283
- battlefield dental material 333
- bone cements 2, 90–1, 117, 147, 161–2, 168
- bone substitute 4, 161–2, 169
- controlled release devices *see* sustained release devices
- dental cements 2, 90–1, 103, 116–7, 147, 166–8, 204, 214, 235–6, 320–1, 333
- fire resistant materials 283
- floor fabrication 2, 290
- floor repair 222
- foundry sands 2
- handyman materials 3
- horticulture 4
- human health care 4
- impression material 335
- insulating materials 283
- investment materials 222
- nuclear 283
- plasters 290
- pulp capping 347
- road repairs 222
- runway repairs 222
- slip casting 2–3, 91, 169
- soil consolidation 90
- splint bandage 2, 91, 117, 168
- surfacing 4
- sustained release devices 3, 4, 157–8, 222, 304
- underwater cements 2, 91
- architectural applications 283
- aromatic carboxylic acid 96–7, 347
- attenuated total reflectance (infrared) spectroscopy (ATR) 359; *see also* infrared spectroscopy
- B_2O_3 cements 102, 312
- BaO cements 204, 318, 338
- bactericides 335
- bases for cement formation *see* cement-forming liquids
- battlefield dental material 333
- BeO and Be(OH)₂ cements 201–2
- Bi_2O_3 cements 102, 201–2, 312–3, 318
- bioactive materials 3
- bioadhesion *see* adhesion
- bis-GMA 170–1
- Bjerrum ion-pairs 67
- Boltzmann distribution 61
- bone 2
- adhesion to 94–6, 111
- bone cements 2, 90–1, 117, 147, 161–2, 168
- bone substitute 4, 161–2, 169
- Born–Oppenheimer approximation 32
- Bragg equation 367
- Brønsted–Lowry theory 15–6, 19–20, 48, 284
- 3-butene 1,2,3-tricarboxylic acid/acrylic acid copolymer 91, 103–4, 131–2, *see also* poly(alkenoic acid)s

Index

- CaO cements 204, 318, 321, 338
 Ca(OH)₂ cements *see* calcium hydroxide
 chelate cements, calcium hydroxide
 dimer (dimerized) acid cements
 calcium aluminosilicate glasses *see*
 aluminosilicate glasses
 calcium hydroxide chelate cements 318,
347–50
 applications 347
 composition 348
 properties 350–1
 setting 348–9
 calcium hydroxide dimer (dimerized) acid
 cements 351
 carboxylate adsorption on
 hydroxyapatite 95–7
 carboxylate bonding modes 363
 carboxylic acids *see* alkanolic acids,
 poly(alkenoic acids)
 caries, effect of fluoride on 258
 CdO cements 201–2, 204, 312, 318, 321,
 338
 cement classification 7
 cement-forming acids 3, 5–6, 308
 aldehydic aromatic acids 318, 321
 alkoxy aromatic acids 318, 321, 337
 allyl-2-methoxyphenol 318–9, 321
 aromatic carboxylic acids 347
 citric acid 308
 cobalt chloride, selenate, sulphate 6
 copper chloride, selenate, sulphate 6
 creosote 321
 β -diketones 318–9, 321
 dimer (dimerized fatty) acids 351–2
 2,5-dimethoxyphenol 318
 2-ethoxybenzoic acid 318, 320–1, 337,
see also EBA cements
 eugenol 318, 320, *see also* zinc oxide
 eugenol cements
 fluoboric acid 308
 gallic acid 6, 315
 glycerol phosphoric acid 308
 guaiacol (2-methoxyphenol) 318–9,
 321
 ketoacids 318, 321
 ketoesters 318, 321
 magnesium chloride 6, 283–4, 290,
292–6
 magnesium selenate 6
 magnesium sulphate 6, 283–4,
 299–302
 malic acid 6
 mellitic acid (benzene hexacarboxylic
 acid) 6, 315
 methoxyhydroxybenzoic acids **342–6**
 2-methoxyphenols **318–9**, 321
 oil of cloves 320–1
 orthophosphoric acid *see* phosphoric
 acid
 phosphoric acid 6, 22, 56, 85,
197–201
 phytic acid 3, 5, 309–10
 poly(acrylic acid) 6, 22, 56–8, 69,
 70–1, 74–5, 78–9, 90–4, 97–8, 103–4
 poly(alkenoic acids) 56–8, 69–71,
 74–5, 78–9, 90–1, 97–8, 103–5, 360
 poly(phosphonic acid)s 310–1
 poly(vinyl phosphonic acid) *see*
 poly(phosphonic acid)s
 propylene-2-methoxyphenol 321
 pyruvic acid 6
 salicylates 348
 syringic acid *see*
 methoxyhydroxybenzoic acids
 tannic acid 6, 308, 315
 tartaric acid 6, 308, 315
 tricarballic acid 6
 vanillic acid *see*
 methoxyhydroxybenzoic acids
 zinc chloride 6, 283–9
 zinc selenate 6
 zinc sulphate 6
 cement-forming cations 9, **19–22**,
 198–9, **201–4**, 244
 cement-forming liquids *see* cement-
 forming acids
 cement-forming metal oxides 5–6, 102,
 201–2, 312–6, 318, 321
 Al₂O₃ 102
 B₂O₃ 102, 312
 BaO 204, 318, 338
 BeO and Be(OH)₂ 201–2
 Bi₂O₃ 102, 201–2, 312–3, 318
 CaO 312, 318
 Ca(OH)₂ 204, 311–2, 318, 321, 338
 CdO 201–2, 312, 318, 321, 338
 CoO 312
 Co(OH)₂ 6, 202, 222, 312, 315–6
 Cr₂O₃, CrO₃ 312
 CuO 6, 102, 201–2, 204, 311–2,
 315–6, 318, 321, *see also* CuO
 cements
 Cu₂O 201–2, 311–2, *see also* Cu₂O
 cements
 Fe₂O₃ 312
 HgO 102, 312, 318, 321, 338
 In₂O₃ 312
 La₂O₃ 102, 312
 MgO 6, 102, 201–2, 204, 311–3, 321,
 338, *see also* magnesium phosphate
 cements
 MoO₃ 312

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- MnO₂ 312
 PbO 102, 312, 318, 321, 338
 Pb₃O₄ 201–2, 312
 SnO 201–2, 312
 WO₃ 312
 Y₂O₃ 102, 312
 ZnO 6, 102, 201–2, 204, 311–3, 318,
 see also zinc polyalkenoate cement,
 zinc phosphate cement, zinc oxide
 eugenol cements, EBA cements
 cement gels **8–10**
 cementitious bonding **7–11**, 307–8
 cementitious substances
 mortars 1
 plaster of Paris 1, 7
 Portland cement 1, 2, 5, 7
 refractory cements 197
 silicate/silica gel cements 140
 chelate agents 6
 chelate cements **318–52**
 chelate formation 71
 citric acid cement 308
 cloves, oil of 321
 CoO cements 312
 Co(OH)₂ cements 202, 222, 312, 315–6
 composite resin 154–6, 235
 compressive strength 359, 370–2, *see*
 also experimental techniques
 concrete 1
 condensation *see* counterion
 condensation
 condensation cements 7
 configuration *see* polymer conformation
 conformation *see* polymer conformation
 consistency 375, 378
 controlled release devices *see* sustained
 release devices
 copper phosphate cements 201–2, 221–2
 coulombic forces 80–2
 counterion
 binding 7–8, **59–83**, 106, *see also* ion
 binding
 distribution **59–63**, 82
 condensation **63–7**, 78
 creosote cement 321
 Cr₂O₃, CrO₃ cements 312
 crystallinity in cements 8–10, 205–13
 CuO cements 102, 201–2, 221–2, 231,
 311–2, 315–6, 318, 321
 chelate 231
 miscellaneous 315–6
 phosphate 201–2, 221–2
 polyalkenoate 101–2
 polyphosphonate 311–2
 Cu₂O cements 6, 201–2, 220–1, 311–2
 phosphate 201–2, 220–1
 polyalkenoate 101–2
 polyphosphonate 311–2
 Debye–Hückel theory 43–5, 67
 degradative studies (chemical) 105,
 136–9, 244–7, 339, 360–1
 dehydration
 and gelation 72, 84
 and precipitation 77–9
 dental cements 90–1, 103, 106–13,
 116–7, 146–7, 166–8, 204, 214,
 235–6, 320–1, 333
 dental impression material 335
 dental materials 2
 dental plaque 379
 dental silicate cement **235–63**, 366, 369,
 381
 applications 236–7, 249
 composition: glasses 238–9, *see also*
 aluminosilicate glasses; liquids 218,
 241–3, *see also* phosphoric acid
 history 235–7
 modified materials 237–8: acid-
 resistant 237; indium-containing
 237
 properties **253–65**: acid erosion
 259–60; bacterial contamination
 261; biological 260–1; erosion
 255–8; fluoride release 255–6,
 257–8; physical 253–7;
 powder: liquid effect 256;
 translucency 255; water absorption
 256–7
 setting **243–9**: electrical conductance
 247, 366–7; exotherm 381;
 hydration 247, 249; ion release
 25–7; infrared spectra 243; NMR
 spectra 245, 252, **365–6**;
 permittivity 367; pH changes
 249; precipitation of ions 243–8;
 salt formation 244–8; silica
 formation 247, 250–1; water
 deficiency effect 249
 structure **249–53**: electron
 microscopy 250–1; electron probe
 analysis 250–2, 369; element
 distribution 250–3; optical
 microscopy 250
 dentine 91
 bonding to **92–5**, 111, 152–4
 composition 94
 treatment 152–4
 desolvation
 and gelation 72, 84
 and precipitation 77–9
 diffusion in water 37

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- β*-diketone cements 318–9, 321
dilatometry 59
dimer acid (dimerized fatty acid) cements 351–2
2,5-dimethoxyphenol cements 318
dipole interactions 82
dissolution
 of polymers in water 45–7
 of salts in water 41
distribution functions for ion-pairs 67–8, 72–3
double-torsion test of fracture toughness 374
dual-cure resin cement *see* resin glass polyalkenoate cement
- EBA 6, 318, 320, 337
EBA cements 320, **337–47**
EBA divanillate cements 344–5
EBA eugenol cement 337–42
 composition 338–9
 physical properties 340–2
 setting 339–40
 structure 339–40
EBA-methoxyhydroxybenzoate cements 342–4
 composition 343–3
 properties 342–4
 setting 343–4
EBA polymer cement 344–6
EBA syringate cement *see* EBA-methoxyhydroxybenzoate cements
EBA vanillate cement *see* EBA-methoxyhydroxybenzoate cements
‘egg-box’ model for gelation 85
electrical conductance 247, 325–6, 359, 366–7
electron diffraction 33, 35
electron probe microanalysis 105, 144–5, 233, 247, 250, 369–70
electrons, hydrated 44
enamel (tooth)
 acid-etching 93, 153–4
 aluminium uptake 258
 bonding to 92–6, 111–2, 152–4
 composition 94
 conditioning 153–4
 fluoride uptake 158, 258
 opacity 152
 translucency 152
erosion measurement 378–9
2-ethoxybenzoic acid *see* EBA
ethylene glycol dimethacrylate 170
eugenol 2, 6, 318, 321, *see also* zinc oxide eugenol cements
exotherm measurements 147, 308–1
- experimental techniques **359–381**
 adsorption 95–7
 compressive strength 359, 370–2
 degradative studies (chemical) 105, 136–9, 244–7, 339, 360–1
 diametral compressive strength 372
 dilatometry 59
 dipole interactions 82
 double torsion test of fracture toughness 374
 electrical conductance 247, 325–6, 359, 366–7
 electron diffraction 33, 35
 electron probe analysis 105, 144–5, 233, 247, 250
 erosion 378–9
 exotherm measurements 147, 380–1
 flexural strength 359, 370, 372–3
 four-point bend test 374
 Fourier transform infrared spectroscopy (FTIR) 105, 359, 364, *see also* infrared spectroscopy
 fracture toughness 373–4
 impinging jet 158–9, 216–8, 341, 379
 infrared spectroscopy 99–101, 105–6, 137, 142, 198, 210, 243–4, 247, 250–2, 311, 323–5, 337, 339–40, 343, **348–9**, 351, 359, **361–4**
 leaching studies 106, 378–80
 mass spectrometry 42
 mechanical properties 370–4
 neutron diffraction 33, 35–6, 42
 NMR spectroscopy 59, 141, 198, 200–1, 245, 359, **364–66**
 NMR spectroscopy solid state 121, 125, 131, 145–6, 252
 opacity 127, 148, 151–2, 379–80, *see also* translucency
 optical microscopy 143, 249
 optical properties 127, 146–8, 151–2, 166, 379–80
 parallel plate plastometer 377
 permittivity 325–6, 359, 367
 Raman spectroscopy 198
 rheometry 141, 374–8
 scanning electron microscopy 106, 128, **226–30**, 232–3, 329, 331
 setting measurements **374–8**
 tensile strength 370
 titrimetric methods 311
 transition temperatures 130
 translucency 147, 151–2, 166, 359, 379, *see also* opacity
 transmission electron microscopy 145
 viscosity measurements 141
 water analysis 105–6

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- X-ray diffraction (XRD) spectroscopy
9–10, 33, 35, 47, 51, 105, 125–6, 130,
198, 202–3, 208–9, 224–31, 250,
283–6, 293, 323, 359, 367–8
- Fe₂O₃ cement 312
- fire-resistant materials 283
- flexural strength 359, 370, 372–3
- floor fabrication 290
- floor repair 222
- fluoboric acid cement 308
- fluoride
additive to glass polyalkenoate cement
133
alumino complexes **135–8**, 244
bone remineralization 161–2
and caries 258
cement reaction 106–8
glass polyalkenoate cement reactions
133–41
release from cements 117, 147, 157–8,
255–8, 379
- fluoride glasses 136–46
- foundry sand 2
- four-point bend test 374
- Fourier transform infrared spectroscopy
(FTIR) 105, 359, 364, *see also*
infrared spectroscopy
- fracture toughness 373–4
- freezing point of water, D-structure 38
- Fuoss distribution 68–9
- gallic acid cement 6
- gelatinising minerals 6, 114–6
- gels and gelation **8–11**, 49, 56, 64, **83–5**,
138
cations, gel-forming 9
'egg-box' model 85
hydration 72, 83–4
ion binding 84–5
models 10–1, 85
neutralization 84
polyion interaction 84
polymer conformation 77, 84
structures 10–1, 85
- Gibbs equation 40
- Gillmore needle 375
- glass-ionomer cement *see* glass
polyalkenoate cement, glass
polyphosphonate cement
- glass polyalkenoate cement 2–4, 56,
90–1, **116–175**, 235
applications 117, 147, 160–2, 166–9
composition **123–46**, 162–3: additives
133–4, 376; fluoride glasses
136–46; glass effect on properties
123–31; glasses *see* aluminosilicate
glasses; liquids *see* poly(alkenoic
acid)s; metal fluoride additives
134, 163; oxide glasses 135;
poly(alkenoic acid), molecular mass
effect 163; poly(alkenoic acid)
type, effect on properties 132;
tartaric acid effect 133–4, 376
history 116–7
light-cured *see* resin glass
polyalkenoate cement
properties 94–7, 117, **146–165**, 174:
acid erosion 158–9; acid-etching of
155–6; adhesion **94–7**, 117, 147,
152–6, 164, 174–5; biological
159–61; bonding to composite resins
154–6; bonding to tooth material
152–4; bone remineralization
161–2; consistency of pastes 148;
creep 148; erosion 148, **156–9**,
165; exotherm 147; fluoride release
157–8, 379; glass composition, effect
123–31; modulus 149, 164;
opacity, *see* translucency; plasticity
147–8; poly(alkenoic acid),
molecular mass effect 163;
poly(alkenoic acid) type, effect 132;
setting behaviour **122–8**, 132–3,
165; strength 122, 125, 127, 132–4,
138–9, **147–50**, **163–6**, 372–3; stress
relaxation 148–9; tartaric acid,
effect 133–4; translucency 127,
147–8, 151–2, 166, 380;
viscoelasticity 148–9; water
absorption 156–7; wear 159
- resin hybrids *see* resin glass
polyalkenoate cement
- setting reaction 98–9, **134–43**:
aluminumfluoride complexes in 137–8;
coordination changes 145–6;
desolvation 135; exotherm 147;
fluoride, effect of 13–41, 134,
163; Fourier transform infrared
spectra 364; gelation **134–5**, **137–8**;
glass ions release 361; hydration
139; infrared spectra 137, 362,
364; ion binding during setting
137–9; NMR spectra 145–6, 366;
pH changes 134, 136, 138; polymer
configuration 135; precipitation of
ions 137–8; release of ions from
134, 137–8; rheometry 376; salt
formation 135; silicic acid and
silica gel formation 134, 139–40,
145–6; solvation 139; strength
increases 139, 148–9; tartaric acid,

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- setting reaction (*cont.*)
 effect 131–5, 141–3, 162–3;
 viscosity increases 135, 141
 structure 138, **142–6**: electron
 microscopy 143–145; electron
 probe analysis 145–6, 369–70;
 element distribution 144–5;
 molecular structure 99–101; optical
 microscopy 142–3; reptation
 model 139; water states 31, 49,
 146
 glass polyphosphonate cement 117,
 314–5
 glass transition temperatures 52
 glasses *see* aluminoborate glasses,
 aluminosilicate glasses
 glycerol phosphoric acid cement 308
 guaiacol cement 318, 321
 Gurney potential 45
- handyman materials 3
 hard acids *see* HSAB theory
 hard and soft acids and bases *see* HSAB
 theory
 hard bases *see* HSAB theory
 HEMA *see* hydroxyethyl methacrylate
 hexaquo cations 16, 47, 284
 HgO cements 102, 312, 318, 321
 horticulture 4
 HSAB theory 24–6, 47–8
 human health care 4
 hybrid light-cured cements *see* resin glass
 polyalkenoate cements
 hydrated electrons 44
 hydration **74–9**, 139, 247, 249, 307
 and gelation 49–50, 72, 77–9, 84
 and ion binding 76–7
 and ionization 74–7
 of ions 31, 41–4, 47–8
 of polyions 31, 73–5
 and precipitation 77–9
 in solid state 47
 hydration number 42
 hydration regions *see* hydration shells
 hydration shells 42–3, 49–50, 72–7
 hydration states 31, 49–50, 59
 hydration zones *see* hydration shells
 hydraulic cements 7
 hydrides 33
 hydrogel 1
 hydrogen bonding
 in cements 9, 203
 in 2-ethoxybenzoic acid 338
 in phenols 321–2
 in phosphoric acid 198
 of water 38
- hydrologic cycle 32
 hydrophobic interactions 40–1
 hydrosphere 32
 hydroxyapatite 95–7
 adsorption on 95–7
 aluminium uptake 258
 carboxylate uptake 95–7
 fluoride uptake 258
 hydroxydimethyl acrylates 170
 hydroxyethyl methacrylate (HEMA) 3,
169–173
- ice structures 35–6
 impinging jet test 158–9, 216–8, 341,
 379
 In₂O₃ cement 312
 infrared spectroscopy 359, **361–4**
 attenuated total reflectance (ATR)
 359
 calcium hydroxide chelate cements
 348–9
 calcium hydroxide dimer cements 351
 dental silicate cement 243, 247, 250–1
 EBA (2-ethoxybenzoic acid) cements
 339–40
 EBA-methoxyhydroxybenzoate
 cements 343
 2-ethoxybenzoic acid (EBA) 337
 eugenol 323–4
 Fourier transform (FTIR) 105, 359,
 364
 glass polyalkenoate cement 136–7,
 142
 metal oxide polyphosphonate cements
 311
 molecular structure of polyalkenoate
 (polyelectrolyte) cements 99–101
 phosphate bonded cements 198, 210,
 244, 247, 250–2
 polyalkenoate cements 104–5, 136–7,
 142
 zinc phosphate cement 210
 zinc polycarboxylate cement 104–5
 ZOE cements 323–6
- insulating materials 283
 investment materials 222
 ion binding 7–8, **59–83**, 106
 cation effect 65–67
 cements 106
 complex formation effect 69–70
 density changes 73–4
 dipole changes 7
 electric conductance changes 59
 hydration effects 72–9
 molar volume changes 74
 polymer type effect 70–2

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- refractive index changes 63, 73–5
 turbidity 79
 ultrasonic changes 74
 viscosity changes 78
- ion coordination 47–8, 69, 99–101, 117
- ion-ion interactions 44–5, *see also* ion pairs
- ion-pairs 49, 72–3, 79
 contact 72–3, 79
 distribution functions 67–8, 72–3
 hydration (solvation) of 72–3
 solvent separated 72–3, 79
 types 72–3
- Irving–Williams series 69–70
- itaconic acid/acrylic acid copolymer 56,
 91, 97–8, 103–4, 132–3, *see also*
 poly(alkenoic acid)s
- jet test *see* impinging jet test
- ketoacid cements 318, 321
 ketoester cements 318, 321
- La_2O_3 cements 102, 312
- leaching studies 106
- Lewis acids 6, 18, 22–4, 47, 284
- Lewis theory 17–20
- light-cured cements 3–4, *see also* resin
 glass polyalkenoate cement
- liquids for cement formation *see* cement-
 forming acids
- Lux–Flood theory 17–20
- magnesia cements 283, *see also*
 magnesium oxychloride cement,
 magnesium oxysulphate cement,
 magnesium phosphate cements
- magnesia phosphate cements *see*
 magnesium phosphate cements
- magnesium chloride solution 6, 283–4,
 290, **292–6**
- magnesium oxide 103–4, 290–1
 cements 283, *see also* magnesium
 oxychloride cement, magnesium
 oxysulphate cement, magnesium
 phosphate cements
- deactivation 290–1
- magnesium oxychloride cement 2, 31,
 51, 283, **290–9**
 applications 290
 components 290
 phases 294: $\text{MgO-MgCl}_2\text{-H}_2\text{O}$
 294–5
 setting chemistry 291–3
 setting kinetics 293–4
- magnesium oxysulphate cement
299–304
 phases 300–2: $\text{MgO-H}_2\text{SO}_4\text{-H}_2\text{O}$
 301; $\text{MgO-MgSO}_4\text{-H}_2\text{O}$ 300–2
 porosity 303
 properties 302–304
 setting chemistry 299–300
- magnesium phosphate cements 2, 102,
 204, **222–35**
 aluminum acid phosphate type 233–5
 ammonium dihydrogen phosphate type
 224–31
 ammonium polyphosphate type 232
 composition 222–3
 diammonium phosphate type 231–2
 phosphoric acid type 224
 types 223–4
- magnesium polyalkenoate cement 235
- magnesium polyphosphonate cement
 312–3
- magnesium titanate phosphate cement
 235
- maleic acid/acrylic acid copolymer 56,
 91, 97–8, 103–4, 132–3, *see also*
 poly(alkenoic acid)s
- malic acid cements 6
- mass spectrometry 42
- mellitic acid cement 6, 315
- metal oxide cements
 eugenol cements 321; *see also* zinc
 oxide eugenol cements
- oxysalt bonded cements 2–3, 5–6,
 304–5, *see also* magnesium
 oxychloride cement, magnesium
 oxysulphate cement, zinc
 oxychloride cements
- phosphate cements 201–2, 221–22,
see also CuO cements, Cu_2O
 cements, dental silicate cement,
 magnesium phosphate cements, zinc
 phosphate cement
- polyalkenoate cements 90, 102–3, *see*
also glass polyalkenoate cement, zinc
 polycarboxylate cement
- polyelectrolyte cements *see*
 polyalkenoate cements,
 polyphosphonate cements
- polyphosphonate cements 311–3
- metal oxides for cement formation *see*
 cement-forming metal oxides
- metal poly(acrylic acid) complexes
 69–70
- methods *see* experimental techniques
- methoxyhydroxybenzoate cements *see*
 EBA–methoxyhydroxybenzoate
 cements

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- methoxyhydroxybenzoic acids **342–6**
 2-methoxyphenol cements 318–9, 321, 342
 MgO cements 6, 102, 201–2, 204, 311–3, 318, 321, *see also* magnesium phosphate cements
 micromechanical attachment 93, 154–5
 mineral cements
 ionomer 90, 114–6
 phosphate 265
 polyalkenoate 90, 114–6
 MnO₂ polyphosphonate cement 312
 MoO₃ polyphosphonate cement 312
 model materials 91
 molecular dynamics 42
 mortars 1–2
 mouth fluids 216
- neutron diffraction 34–6, 42
 NMR spectroscopy 59, 141, 198, 200–1, 245, 359, **364–66**
 NMR spectroscopy solid state 121, 125, 131, 145–6, 252
 non-aqueous cements **318–52**
 nuclear applications 283
- oil of cloves 320–1
 opacity *see* optical properties
 optical microscopy 143, 249
 optical properties 127, 146–8, 150–2, 165, 379–80
 opacity 127, 148, 151–2, 379–80, *see also* translucency
 translucency 1, 3, 147, 151–2, 166, *see also* opacity
 organic polymers 1
 orthophosphoric acid *see* phosphoric acid
 orthosilicic acid 7, 121, 134, 139–40, 243–4, 247
 osmotic forces 80–1
 osteogenesis 162
 oxychloride cements 3, 5–6
 calcium 304
 cobalt 305
 magnesium 2, 31, 51, 283, 290–9
 zinc 2, 31, 51, **285–90**
 oxygen polyhedra 9, 120, 123, 125, 128–9
 oxysalt bonded cements 2–3, 5–6, 31, 51, **283–305**
 components 6, 284
 setting 284
 oxyselenate cements 3, 6
 oxysulphate cements 3, 5–6
 magnesium 283–4
- parallel plate plastometer 377
 PbO cements 102, 312, 318, 321, 338
 Pb₃O₄ cements 201–2, 312
 permittivity 325–6, 359, 367
 phenolic cement-formers 5–6, 308, **318–21**
 allyl 2-methoxyphenol *see* eugenol
 2,5-dimethoxyphenol 318
 eugenol 318, 321, *see also* zinc oxide eugenol cements
 gallic acid 6, 315
 guaiacol (2-methoxyphenol) 318, 321
 2-methoxyphenols 318–9, 321
 propylene-2-methoxyphenol 321
 tannic acid 6, 308, 315
 phlogiston theory 31
 phosphate-bonded cements 3, 7, **197–265**
 liquids for 218, 241–3
see also copper phosphate cements, dental silicate cement, magnesium phosphate cements, metal oxide phosphate cements, zinc phosphate cement
 phosphoric acid 2, 5–6, 22, 56, 85, **197–204**, 241–3
 aluminium complexes 198–200
 cations in 198–201, 203–4
 cement forming liquids 218, 241–3
 concentration effect on cement properties 218, 241–3
 dimers H₈P₂O₈ 198
 hydrogen bonding 198
 infrared spectra 198
 NMR spectra 198, 200
 phase diagrams 199–200:
 Al₂O₃–H₂O–P₂O₅ 199–200;
 ZnO–H₂O–P₂O₅ 199
 pK 197
 properties 197–8
 structure 198
 triple ion H₅P₂O₈[−] 198
see also dental silicate cement, magnesium phosphate cements, mineral phosphate cements, zinc phosphate cement
 phytic acid [myo-inositol hexakis(dihydrogen phosphate)]
 cement 3, 5, 309–10
 cements 309–10, 360
 pipelines 2, 91
 plaster of Paris 1, 91
 plasters 290
 Poisson distribution 61
 poly(acrylic acid) 6, 22, 31, 46, 49, 56–9, 69–71, 90–1, 97–8, 103–4, 132–3,

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- 237, 360, 366, *see also* poly(alkenoic acid)s
- poly(acrylic acid), modified vinyl containing 3, 170–2
- polyalkenoate cements 2, 3, **90–175**
molecular structure 99–101
setting 98–9
see also glass polyalkenoate cement, mineral polyalkenoate cements, zinc polycarboxylate cement
- polyalkenoates
adhesion 94–6
adsorption 96–7
complexes 69–70
- poly(alkenoic acid)s 56–8, 69–71, 74–5, 90–1, 97–8, 103–5, 132–3, 360
acrylic acid homo and copolymers 56–7, 70–1, 74–5, 91, 97–8, 103–4, 132–3, 360
binding properties 90
3-butene 1,2,3-tricarboxylic acid copolymers 91–2, 103–4, 132
and cement properties 132, 162–3
concentration effect on cement properties 132, 162
conformation 46, 58–9
dissolution in water 45–7
ethylene-maleic acid homopolymer 71, 75, 98, 360
gelation 83–5
in glass polyalkenoate cements 132–3
hydration 74–7
ion binding 77–9
itaconic acid polymers 56, 71, 75, 91–2, 103–4, 132–3
maleic acid polymers 56, 71, 75, 91–2, 103–4, 132–3
methacrylic acid polymer 70–1, 75, 360
modified vinyl containing 3, 170–3
molecular mass 98, 103–4
polymer preparation 97–8
preparation 97–8
solid form use of 163
vinyl methyl ether maleic acid polymer 71, 360
zinc polycarboxylate cements 103–4
polycarboxylates *see* polyalkenoates
- polyelectrolyte cements 2–3, **90–169**, 310–1, *see also* polyalkenoate cements and polyphosphonate cements
- polyelectrolytes 31, 45–6, **56–85**, 91–8, 200–1, 310–1, *see also* poly(alkenoic acid)s, polyions, poly(phosphonic acid)
- poly(ethylene maleic acid) 71, 75, 98, 360
- polyHEMA *see* poly(hydroxyethyl methacrylate)
- poly(hydroxyethyl methacrylate) 169–73
- polyion–polyion interactions 82–3
- polyions
attraction 82–3
conformation 58–9
extension 82–3
hydration 73–5
interaction 82–3
ion binding to 56–7, 59–64
repulsion 82–3
- poly(itaconic acid) 71, 75
- poly(maleic acid) 71, 75
- polymer configuration *see* polymer conformation
- polymer conformation 58–9, 79–81
coulombic attraction effects 80–1, 84
factors affecting 79–81
gelation and 81, 83–4
neutralization effects 84
osmotic pressure, effect on 80–1, 84
polymer morphology *see* polymer conformation
- polymer shape *see* polymer conformation
- polymerization 1, 3
- poly(methacrylic acid) 70–1, 75, 360
- polyphosphonate cements 117, **310–5**
glass (aluminosilicate) 314–5
metal oxide 311–4
- poly(phosphonic acid)s 56, 311
- poly(vinyl methyl ether–maleic acid) 71, 360
- poly(vinyl phosphonate) cements *see* polyphosphonate cements
- poly(vinyl phosphonic acid) 56–7, 311
- Portland cements 1, 2, 5, 298
- pottery 1
- precipitation cements 7
- propylene-2-methoxyphenol cement 321
- protonic acids 6, 14–6
- pulp capping 347
- pyruvic acid cement 6
- Q nomenclature for silicates 114, 116, 120, 125, 129, 131, 137
- Raman spectroscopy 198
- rapid repair materials 3, 4
- reaction cements 7
- refractive index 63, 74–5
- refractory cements 197
- resin glass polyalkenoate cement 3, 4, **169–175**

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

- composition 170–3
- light activation 171
- properties 173
- setting reaction 170–2
- structure 172–3
- rheometry 141, 374–8
- road repairs 222
- runway repairs 222

- salicylate cements 348
- salts, dissolution in water 41
- scanning electron microscopy 106, 128, **226–30**, 233, 329, 331
- setting measurements **374–8**
- silica gel 7, 9, 121, 139–40, 247, 307
- silicate cements 7
- silicate glass 9
- silicate minerals 6, 90, 114–6, 265
- silicic acid 7, 9, 121, 140, 244, 247
- silicophosphate cement 263–5
- slip casting 3, 91, 169
- SnF₂ 113
- SnO cements 201–2, 312
- soft acids *see* HSAB theory
- soft bases *see* HSAB theory
- soil consolidation 90
- solvation *see* hydration
- Sorel's cements *see* magnesium oxychloride cement, zinc oxychloride cement
- splint bandage 2, 91, 117, 168
- SrO polyacrylate cement 102
- sulphur impregnation of cements 297
- sustained release devices 3, 4, 157–8, 222, 304
- syringate cements *see* EBA–methoxyhydroxybenzoate cements

- tannic acid cements 6, 308, 315
- tartaric acid cements 6, 308, 315
- tartaric acid in glass polyalkenoate cement **132–5**
- temperature measurements 147, 380–1
- tensile strength 370
- titrimetric methods 59, 311
- tobermorite gel 140
- tooth material *see* dentine, enamel
- trace element release 3, 4, 156–8, 222, 304
- transition temperatures 130
- translucency *see* optical properties
- transmission electron microscopy 145
- tricarballic acid (1,2,3-propanetricarboxylic acid) cements 6, 315

- turbidity measurements 78

- ultrasonic methods 74
- underwater cement 2, 91
- Usanovich theory 18–20

- V-structure of water 37–40
- vanillate cements *see* EBA–methoxyhydroxybenzoate cements
- vinyl polymerization 3
- viscoelasticity 148–9, 341, 375
- viscosity measurements 59, 141

- water **30–55**
 - in AB cements 30–1: hydration 31, 74–9, 139, 247, 249, 307; in cement formation 7, 249; component of 30, **48–51**; ligands 101, 137–8; 'loosely bound' (evaporable) 49–50; as plasticizer 31, 51–2; as reaction medium 247, 307; as solvent 30, 48, 249, 307; states 49–50; 'tightly bound' (non-evaporable) 49–50
 - as a base 49
 - coordination to ions 47–8, 101, 137–8
 - and gelation 49–50, 72, 77–9, 83–4
 - hydration shells 50, **74–7**
 - and hydrides 33–4
 - hydrosphere 32
 - ion binding effect 73–4
 - structure **34–40**: anomalous density 39; bond angles 32; bond lengths 32; constitution 31–3; D-structure 37–40; density and 73–4; hydrogen bonding 38; hydronium ions 44; I-structure 37–40; intrinsic 74; nucleophilic attack 39; O–H bond energy 33; orientated 73; refractive index 73–4; translational motion 35; translational energy 37; V-structure 37–8; *see also* ice
 - as a solvent 30, 40–8: dissolution of salts 41; dissolution of polymers 45; hydrophobic interactions 40–1; solvation energies 41; thermodynamics 40–1
- working time 375

- X-ray diffraction (XRD) spectroscopy 9–10, 33, 35, 47, 51, 105, 125–6, 130, 198, 202–3, 208–9, 224–31, 250, 283–6, 293, 323, 359, 367–8

- Y₂O₃ cements 102, 312

Index

- zinc chloride solutions 2, 6, **283–9**
- zinc oxide 103–4, 205–6, 321–2, 329–31
- active forms 321–2, 328–31
 - deactivation 205–6
 - defect structures 329
 - densification 103–4, 205–6
 - ignition 103–4, 205–6, 329
 - magnesium oxide in 205–6
 - mineralizers 206
 - preparation by thermal decomposition salts 328–9
 - preparation by zinc oxidation 328
 - sintering 206, 329
 - water in 328–9, 331
- zinc oxide chelate cements 318–20, *see also* EBA cements, EBA divanillate cements, EBA-methoxyhydroxybenzoate cements, zinc oxide eugenol cements
- zinc oxide eugenol (ZOE) cements 321–37, 381
- applications 320
 - composition 321–2, 336: abietic acid (rosin) 322, 334; accelerators 322–3; antimicrobial agents in 322, 335; impression paste 335; modified materials 336; reinforced 336–7
 - history 320–1, 335
 - properties 333–7: biological 334–5; creep 333; hydrolysis 332–4; mechanical 333, 336–7; setting contraction 333; setting time 328–9; zinc oxide type, effect 328–31
 - setting reaction **322–31**: electrical conductance 325–6; permittivity 325–6; water role **324–9**, 331; zinc oxide type, effect **328–31**
 - structure 331–2
- zinc oxychloride cements 2, 31, 51, 283, **285–90**
- history 2, 283, 285–6
 - phases **286–90**: ZnO–HCl–H₂O 290; ZnO–ZnCl₂–H₂O 51, 286–90
 - setting 287–8
 - structure: thermogravimetry 288–9; XRD 286–7
- zinc oxysulphate cements 6
- zinc phosphate cement 204–21, 381
- applications 204, 214
 - composition 205–6: aluminium role 205, 207, **209–12**; fluoride-containing 220; modified 220; liquid 207, *see also* phosphoric acid; MgO in 205–6; powder (ZnO) 205–6, *see also* zinc oxide
 - history 204–5
 - phases: ZnO–P₂O₅–H₂O 199, **207–9**
 - properties 214: biological 219; erosion **216–7**; exotherm 207; factors affecting 218–9; film thickness 215; fluidity 215; mechanical 215–6; phosphoric acid: water effect 218; powder: liquid effect 219; preparation 214–5; setting contraction 215; setting time 214–5, 219; strength 215; working time 215
 - setting reaction 205, **207–12**: aluminium role 205, 207, **209–12**; crystallite formation 205, **208–12**; exotherm 207; hydration 211–2; infrared spectroscopy 210; pH changes 207; phosphoric acid concentration effect 207; XRD 209–10
 - structure 99–101, 212–3: microstructure 212–3; molecular 99–101
- zinc phosphates 199–200
- zinc polyacrylate cement *see* zinc polycarboxylate cement
- zinc polyalkenoate cement *see* zinc polycarboxylate cement
- zinc polycarboxylate cement 31, 45, 56, 90–1, 93, **103–116**, 362, 366, 372, 380–1
- applications 103
 - composition 103–4: liquids 103–4, *see also* poly(alkenoic acid)s; modified materials 113; poly-(alkenoic acid) liquid 103–4, *see also* poly(alkenoic acid); powder (ZnO) 103–4, *see also* zinc oxide; reinforcing fillers 113; stannous fluoride 107
 - history 103
 - properties 94–7, 106–18: adhesion 94–7, 111–3; biological 112; erosion 109–11; setting 106–8; mechanical 107–9; metal fluoride effect 108
 - setting reaction 98–9, **105–6**: electrical conductivity and permittivity 366–7; infrared spectroscopy 105, 361, 365
 - structure 105–6: hydration states 105–6; microstructure 105–6; molecular structure 99–101, 105

Cambridge University Press

0521675499 - Acid-base Cements: Their Biomedical and Industrial Applications

Alan D. Wilson and John W. Nicholson

Index

[More information](#)*Index*

zinc selenate solution 6

zinc sulphate solution 6

ZnO cements 102, 201–2, 204, 311–2,

see also EBA cements, zinc oxide
chelate cements, zinc oxide eugenolcements, zinc phosphate cement, zinc
polycarboxylate cementZnO–P₂O₅–H₂O phases 199, **207–9**ZOE cements *see* zinc oxide eugenol
cements