

Index

- acetylene Q-branch, CARS spectrum
 collapse 150
- acoustic methods and data 126
- adiabatic broadening theory, Weisskopf
 generalization 132
- adiabatic dephasing
 isotropic scattering spectra 92
 weakness 115
- adiabatic interference, Markovian theory
 145
- adiabatic relaxation 16–17
 Gordon frame 16
- adiabatic/non-adiabatic binary collisions 4
- ammonia, FIR spectra, Fano theory 128
- Anderson–Talmien model 40, 44
- angular momentum J
 Boltzmann distribution 13
 change of average z projection 17
 change per collision 18–19
 correlation functions 12, 25–7, 28
 calculation 14–15
 correlation times
 quasi-free rotation 218
 various molecules 69
 and energy relaxation 164–6
 impact theory 92
 torque 18–19, 27
see also binary collisions; Markovian
 process
- angular momentum relaxation
 corrected operator 163
 and vibrational relaxation 92
- angular space, random walks,
 Ivanov–Valiev model 219
- angular velocity, frequency exchange 5
- anisotropic spectra, side-branch and
 Q-branches 209
- anisotropy parameters 168
- appendices* 258–78
- argon
 CF₃Cl in, spectrum 67
 hydrochloric acid transformation of IR
 spectrum 145
see also nitrogen–argon system
 argon–carbon monoxide, IR spectrum gap
 recovery 215
- Arrhenius formula 91
- Bessel function 40, 99, 201, 264
- binary approximation 7, 41
- binary collisions
 adiabatic/non-adiabatic 4
 angular momentum, computer
 simulations 40
 angular momentum correlation function
 23, 25–7
 normalized 43
 anticorrelated/correlated process 18, 30
 duration 16
 impact processes with finite collision
 time 27–30
 intercollisional correlation 29–30
 Poisson’s law 12
 strong collision approximation 132
 time, finite 76–85
see also angular momentum J
- body-fixed correspondence principle
 method (BFCP) 166
- Boltzmann distribution, angular
 momentum J 13
- Boltzmann factor 267
 external field approximation (EFA) 156,
 163
- broadening coefficients 179
- Brownian motion
 in angular space 66
 theory, rotational 81
- cage configuration, residence time 226
 cage model 8, 27

- carbon monoxide–argon, IR spectrum gap recovery 215
 CARS *see* coherent anti-Stokes/Stokes Raman spectroscopy
 centrifugal sudden (CS) approximation 155, 166
 nitrogen–argon mixture, matrix of rate constants 186
 rate coefficients of line broadening 173–4
 simplification 169
 CF₃Cl in argon
 angular momentum correlation time 69
 spectrum 67
 Clebsch–Gordan coefficients 64, 235, 255, 275–6
 close coupling calculations 168
 coherent anti-Stokes/Stokes Raman spectroscopy (CARS)
 Q-branch rotational structure 179–82
 spectra of nitrogen in argon 180
 spectral collapse theory 150
 spectral width 107
 strong collision model 188
 cumulant expansions 85–91
- Debye approximation, and impact approximation 74
 Debye phenomenon and theory 59–60, 198
 dense media *see* orientational relaxation in dense media
 orientational diffusion 70
 Debye plateau 6, 73, 81
 dephasing *see* adiabatic dephasing
 detailed balance principle, spectral collapse 137
 deuterium, solvents 248
 diatomic molecules, isotropic scattering spectra 92–116
 Dicke effect 6
 dielectric relaxation 59, 62
 dipole moment, transitions 30
 Doppler contour 6
- eigenfunctions
 energy relaxation time 160
 Laguerre polynomials 119
 proportionality to Wigner *D*-functions 86
 eigenvalues, equation 69, 266
 energy gap fitting laws 186–98
 list 191
 energy relaxation rate, harmonic oscillator 166
 Euler angles 16
 evolution matrices, S-matrices 140
 evolution operator 269
- external field approximation (EFA) 148, 156, 157–63
- Fano theory, FIR spectra of NH₃ 128
 far infrared (FIR) spectra 62
 Fano theory 128
 MD calculations 47
 Poley absorption 74, 82
 fast modulation limit, perturbation theory 182
 Feller equation 5, 13–16, 100
 eigenvalues 23
 general solution 23–5
 fitting laws 186–97
 list 191
 fluctuating cell model, rotation and libration 224–57
 fluorescence depolarization 59
 Fokker–Planck equation 20
 friction model 218
 forbidden transitions 30
 Fourier transformations, spectral functions 60–1
 free rotation, inertial effects 1, 73
 Frobenius formula 277
- Gaussian distribution, Keilson–Storer kernel 18
 Gordon frame 16, 268
 Gordon P–R exchange 256
- H atom, Stark structure, impact broadening, line interference 129
 Hamiltonian, kinetic equations 128, 232, 243
 hard sphere diameter, fitting parameter 49
 harmonic oscillator, energy relaxation rate 166
 Heisenberg representation 267
 helium *see* nitrogen–helium system
 Hermite polynomials 24, 25
 Hubbard dependence 8
 Hubbard relation
 fluctuating cell model, rotation and libration 6, 251–7
 perturbation theory 65–8, 71, 83, 88–91
 hydrochloric acid
 depolarized Raman Q-branch, broadening 203
 rotational absorption spectrum 8, 248
 transformation of IR spectrum 145
 hydrogen
 in helium, pressure-induced spectrum 31
 solvents 248
 hydrogen halides
 rotation and libration 225
 solvents 248

- impact approximation
 - and Debye approximation 74
 - impact contour 85
 - reorientation 72–6
- impact broadening, H atom, Stark
 - structure 129
- impact operator
 - calculation 7
 - correction for detailed balance 160–3
 - infinite-order sudden (IOS)
 - approximation, DGIOS and ELIOS 160, 162
 - semi-classical theory 155–60
 - factorization 166–7
 - specification 155
 - impact processes
 - with finite collision time 27–30
 - Lorentzian shape 29
 - impact theory
 - angular momentum J 92
 - collision duration 229
 - collisional operator 234
 - Feller equation 4, 13–16
 - frequency exchange 98–9
 - Markovian process 38, 98
 - orientational relaxation in liquid and gas media 198–223
 - rotational spectra, quantum theory of
 - spectral collapse 146–9
 - spectral collapse and pressure narrowing 198
 - spectral exchange in impact theory 128–32
 - spectral width 107
 - see also angular momentum J
 - inertial effects, free rotation 6, 73
 - infinite-order sudden (IOS) approximation 155–6
 - DGIOS and ELIOS 160, 162
 - infra-red spectroscopy, orientational
 - relaxation in dense media 59
 - infra-red spectrum
 - asymptotic behaviour 77
 - Lorentzian part 74
 - intro-differential equations 200
 - isotropic potential, zero crossing point 168
 - isotropic scattering spectra, transformation 92–126
 - collapse of Raman spectra 149–54
 - collisional narrowing and adiabatic dephasing 92
 - comparison with experiment
 - linear molecules 103–16
 - rough sphere model 113
 - spherical molecules 122–6
 - equation 100
 - Lorentzian form 100
 - half-width 209
 - impact theory, frequency exchange 98–9
 - perturbation theory 94–8
 - static contour 93–4
 - central shifting 102
 - transformation, strong/weak collisions 99–103
 - Ivanov–Valiev model 219, 275
 - J , see also angular momentum correlation functions
 - J -changing collisions, cross-section 108–9
 - J -diffusion model 5, 16, 21, 26
 - classical, verification 221
 - impact operator 155–6
 - Keilson–Storer kernel 199
 - Langevin theory 165
 - long-range interactions 58
 - Maxwellian distribution 191
 - Q-branch narrowing 183
 - weak collision limit 185
 - J -migration 21
 - J -space
 - 3-D, Laguerre polynomials 264
 - Laguerre polynomials 264
 - Keilson–Storer kernel 17–19
 - Fourier transform 18
 - Gaussian distribution 18
 - impact theory 102
 - J -diffusion model 199
 - non-adiabatic relaxation 19–23
 - parameter Γ 22, 48
 - Q-branch band shape 116–22
 - Keilson–Storer model
 - definition of kernel 201
 - general kinetic equation 118
 - one-dimensional 15
 - weak collision limit 108
 - kinetic equations 128
 - appendix 273–4
 - Markovian simplification 96
 - Kubo, spectral narrowing 152
 - Laguerre polynomials
 - 3-D J -space 264
 - eigenfunctions 119, 262–3
 - Raman and CARS spectra 120
 - Landau–Teller formula 159
 - Langevin model
 - equation 32
 - J -diffusion model 5, 165
 - rotational relaxation 19–21
 - Laplace transformations 120
 - Laguerre polynomials 263
 - orientational and angular momentum correlation functions 79

- symmetrical rotators 87
- Legendre polynomials
 - orientational correlation functions 1, 61
 - rotational transition rates 167
- Lennard-Jones potential 168
- libration
 - defined 1
 - see also rotation and libration
- line broadening 104
 - evolution 7
 - phase memory effect 132
- line interference
 - impact broadening, H atom Stark structure 129
 - multipolar interaction 140–1
 - narrowing 132
 - stochastic perturbation theory 140–6
- line shape theory, spectral shape 127
- linear dipole molecules
 - forbidden Q-branch 1, 210
 - IR spectrum 230–1
 - isotropic scattering spectra 210
 - see also carbon monoxide; hydrochloric acid
- linear rotators *see* rotators
- linear tops, yields 259
- Liouville space 128, 235
 - bra and ket factors 253
 - stochastic Liouville equation (SLE) 245, 251
- Lorentzian line
 - isotropic scattering spectra 96, 239
 - part of IR spectrum 74
- m*-diffusion model 4, 26, 68
 - spectral wings 199
- magnetic resonance imaging (MRI),
 - orientational relaxation in dense media 59
- Maier–Saupe potential 275
- Markovian process
 - adiabatic interference 145
 - asymptotics 38
 - impact theory 38
 - noise 227
 - non-Markovian differential theory 38–45
 - simplification, kinetic equation 96
 - time alteration of molecular angular momentum $J(t)$ 12
 - see also angular momentum J ; perturbation theory
- Markovian random perturbation 227
- Markovian relaxation operator 140
- Massey parameter 143
 - quasi-classical model 15–16, 187
- Maxwellian distribution
 - J*-diffusion 191
 - S-matrix formalism 129
- memory function formalism 30–8
- Mori chain 5
- methane
 - CARS spectra 118, 124
 - linear pressure dependence of contour width 125
- Mori formalism 5, 212
- NH₃, FIR spectra, Fano theory 128
- nitrogen
 - angular momentum and kinetic energy correlation functions 48
 - CARS data and Lorentzian line shape 103, 195–6
 - Q-branch non-broadening 117
 - rotational cross-sections 193
 - spin-lattice relaxation 47
 - weak dephasing, collisional narrowing 93
- nitrogen–argon system 170–5
 - average relative energy transfer 170
 - collisions R–R energy transfer 183
 - j*-dependence, S-branch 173–4
 - Q-branch spectrum 184
 - relaxation times 166
- nitrogen–helium system, potential function HFD1 170
- nitrogen–nitrogen collisions, rate constants, matrix 189–90
- NMR *see* nuclear magnetic resonance
- non-Markovian binary theory 138–40
- non-Markovian differential theory 38–45, 65
- non-Poissonian random process 5, 83
- nuclear magnetic resonance
 - motional averaging and narrowing 134
 - weak non-adiabatic relaxation 26
- orientational correlation functions
 - Legendre polynomials 1, 61
 - time evolution, second derivative 79
- orientational diffusion, Debye theory 70
- orientational relaxation in dense media
 - 59–91
 - cumulant expansion 85–91
 - finite collision time 76–85
 - reorientation in impact approximation 72–6
 - rotational diffusion 69–71
 - stochastic perturbation theory 64–9
- orientational relaxation in liquid and gas media
 - diffusion description, reorientation angle 217
 - hopping model 225
 - impact theory 198–223

- orientational relaxation times 213–23
 - quasi-static approximation 202–8
 - rotational branches in molecular spectra 199–202
 - weak and strong collisions, approaches 208–13
- orienting field concept 225
- P–Q–R triplets 225
- P–R doublet 225, 249, 250
- P–R exchange 135, 256
- partial dipole moment operator 231
- perturbation theory 5–6, 64–9
 - accuracy 78–9
 - anti-correlated perturbation 234–41
 - decoupling approximation 64
 - expansion 129
 - fast modulation limit 182
 - Hubbard relation 65–8
 - isotropic scattering spectra, transformation 94–8
 - line interference 140–6
 - non-correlated perturbation 241–57
 - pressure-induced narrowing 209–10
 - Q-branch 145
 - standard (Markovian) 65
 - validity criteria 96
 - see also* Markovian theory
- phase memory effect
 - line broadening 132
 - spectral interference 132
- phase shift, collisional 116
- phase-disorder hypothesis 132
- Poisson's law 50
 - binary collisions 12
 - non-Poissonian random process 5, 83
- Poley absorption 6, 74, 82
- polyatomic molecules, isotropic scattering spectra 116–26
- Q-branch spectrum
 - broadening and collapse of the isotropic Q-branch 179–86
 - forbidden, linear dipole molecules 210
 - nitrogen–argon system 184
 - quasi-static approximation 202
- frequency migration 205
- Raman spectra
 - collapse 149–54
 - correlation functions 61
 - isotropic 4
 - see also* coherent anti-Stokes/Stokes Raman spectroscopy (CARS)
- rotation and libration 224–57
 - anticorrelated perturbation 234–41
 - fluctuating cell model 224–34
 - general solution 232–4
 - kinetic equation 230–1
- Hubbard relation, liquid cage model 251–7
 - non-correlated perturbation 241–57
- rotational constant B 251
- rotational correlation function $K_J(t)$ 46
- rotational diffusion, orientational relaxation 1, 69–71
- rotational relaxation 5, 12–58
 - acoustic methods 4
 - adiabatic relaxation 16–17
 - non-adiabatic relaxation 19–23
- angular momentum correlation functions 25–7
 - cross-section 7, 108, 171
- diatomic molecules 45
- Feller equation 13–16, 100
 - general solution 23–5
- Fourier transform 35
- impact processes with finite collision time 27–30
- kinetic and spectral manifestations 155–97
 - angular momentum and energy relaxation 164–6
 - broadening and collapse of the isotropic Q-branch 179–86
 - calculation methods 166–72
 - correction for detailed balance 160–3
 - fitting laws 186–97
 - impact operator in semi-classical theory 155–60
 - verification of SCS calculated rates 172–9
- memory function formalism 30–8
- multiparticle collisions 39–40
- non-Markovian differential theory 38–45
- quasi-exponential relationship
 - asymptotic behaviour 34
 - validity conditions 34
- rotational kinetics and relaxation time 45–58
 - cross-sections 47
 - transfer time 51
 - orientational relaxation 63
- translational and rotational velocity back reflection 51
- free-path distribution 51–3
- transverse and longitudinal relaxation times 110
- see also* Keilson–Storer kernel
- rotational spectra, impact theory 146–9
- rotational structure collapse 1
- rotational transitions, rates 167
- rotators
 - linear, orientation, defined 59

- symmetric 79
- rovibrational interaction 205
- S-matrices 161
 - body-fixed correspondence principle
 - method (BFCP) 166
 - evolution matrices 140
 - formalism 128
 - Maxwellian distribution 129
 - infinite-order sudden (IOS)
 - approximation 155–6
 - semi-classical calculation 136–7
- Sack's model
 - rotational relaxation 19
 - strong collision model 219
- scattering *see* isotropic scattering spectra; Raman scattering
- Schrödinger equation 138, 262
- SCS *see* centrifugal sudden (CS)
 - approximation
- secular simplification 150, 247
- silane, rotational relaxation 126
- silicon tetrafluoride in argon
 - angular momentum correlation time 69
 - IR spectroscopy and NMR 68
- spectra
 - atomic/molecular 198
 - bi-Lorentzian 35–6
 - functions, Fourier transformations 60–1
 - induced 30
 - structure
 - motional averaging and narrowing 134
 - spectral wings 153–4
 - see also* isotropic scattering spectra; Raman spectra
- spectral centrum, frequency dispersion 186
- spectral collapse
 - CARS 150
 - detailed balance principle 137
 - quantum theory 127–54
 - Raman scattering 2
 - spectral doublet 132–7
- spectral components, slow modulation
 - limit 150
- spectral exchange
 - in impact theory 128–32
 - sudden frequency modulation 143
- spectral moment(s), fourth 78
- spectral narrowing 5
 - Kubo 152
- spherical harmonics, non-correlated
 - perturbation 241
- spherical tops, yields 1, 259
- spin–lattice relaxation, nitrogen 47
- Stark effect 239
- Stark multiplets 127
- Stark structure
 - impact broadening 129–30
 - rotational transitions 240
- stochastic Liouville equation (SLE) 245, 251
- stochastic perturbation theory 64–9
 - line interference 140–6
 - Q-branch 145
 - see also* perturbation theory
- Stokes *see* coherent anti-Stokes/Stokes Raman spectroscopy
- Struve function 42
- sudden modulation theory 99, 231
- Taylor series 260
- torque, correlation functions 28
- transfer time, rotational relaxation 51
- transitions
 - dipole moment 30
 - forbidden 30
 - non-adiabatic 130
 - translational velocity v 6
- ultrasonic point 176
- Valiev–Ivanov model 219, 275
- vibrational broadening 123
- vibrational dephasing 111, 113–15, 123
- vibrational relaxation, and angular momentum relaxation 92
- vibrational transition, adiabatic dephasing 92
- Weisskopf generalization, adiabatic
 - broadening theory 132, 136
- Wigner D -functions 86, 275
- Wigner–Eckart theory 232, 244, 253
- Zwanzig–Mori chain 75, 82