

Cambridge University Press

0521675596 - Practical Polyphenolics: From Structure to Molecular Recognition and Physiological Action

Edwin Haslam

Index

[More information](#)

Biological index

- Acacia arabica* 376
Acacia catechu 376
Acacia sp. 376
Acer saccharinum 58
Acer sp. 68
Aesculus x carnea 31
Aesculus hippocastanum 31
Acetobacter sp. 367, 368
Agrimonia sp. 299
Alnus sp. 376
Andricus kollari (*Cynips kollari*) 375
Anogeissus latifolia 376
Arctostaphylos uva ursi 299
Arecha catechu 325
- Bergenia crassifolia* 376
Beta vulgaris 265
Betula sp. 378
Bombyx sp. 358
- Caesalpinia brevifolia* 376
Caesalpinia coriaria 376
Caesalpinia spinosa 58, 238, 376
Camellia sinensis 53, 319, 325, 337
Camellia sinensis var. *assamica* 203
Camellia sinensis var. *sinensis* 203
Castanea sativa 376
Castanea sp. 147, 183, 276, 376
Castanopsis cuspidata 58
Centaurea cyanus 290, 293
Cerantonis siliqua 238
Cercidiphyllum sp. 68
Coffea arabica 155
Commelina communis 289, 290, 293
Crambe abyssinica 116
Crataegus monogyna 28, 29, 38
Crataegus sp. 299
Cyamopsis tetragonoloba 238
- Delphinium hybridum* 283, 286
Diospyros kaki 21, 228, 229
- Eisenia arborea* 22
- Epilobium angustifolium* 299
Escherichia coli 305, 306
Eucalyptus sp. 376
Eucalyptus wandoo 376
Euphorbia sp. 68
- Filipendula ulmaria* 299
Fucus vesiculosus 23
- Gentiana makinoi* 283, 287
Geranium maculatum 299
Geranium sp. 68
Geranium thumbergii 299
- Hamamelis virginiana* 316
Hordeum vulgare 200, 201
Humulus lupulus 200, 201
- Ipomoea tricolor* 268
- Larix* sp. 378
Leuconstoei mesenteroides 163
Lotus corniculatus 191
- Matthiola* sp. 18
Medicago sativa 190
Mytilus edulis 354, 361
- Onobrychis viciifolia* 191
Operophtera brumata 180
Opuntia ficus-indica 265
- Paeonia lactiflora* 299
Penicillium chrysogenum 298
Persea gratissima 31
Picea sp. 376
Pinus radiata 34
Pinus sp. 376
Pistachia sp. 376
Platycodon grandiflorum 283, 286
Pseudotsuga menziesii 18, 35
- Quercus aegilops* 378

Cambridge University Press

0521675596 - Practical Polyphenolics: From Structure to Molecular Recognition and Physiological Action

Edwin Haslam

Index

[More information](#)*Biological index*

411

- Quercus alba* 255
Quercus coccifera 376
Quercus infectoria 58, 375, 376
Quercus lusitanica 58
Quercus petraea 255
Quercus robur 255
Quercus sp. 147, 183, 190, 276, 376
- Rheum officinale* 53
Rhizophora sp. 376
Rhus semialata 53, 55, 375, 376
Rhus sp. 376
Rhus typhina 55, 58
Ribes nigrum 34
Ribes sanguineum 34
Rosa foetida persiana 292
Rubus idaeus 30, 37, 299, 325
Rumex hymenosephalus 376
- Salix caprea* 30, 34, 376
Schinopsis sp. 376
- Schistosoma* sp. 189
Scirius caroliensis 189
Scirius vulgare 189
Sorghum bicolor 170
Sorghum vulgare 30, 37, 200
Streptococcus mutans 325
Streptococcus sobrinus 325
- Tamarix articulata* 376
Taxus brevifolia 298
Theobroma cacao 216–18, 337, 366
- Uncaria gambier* 376
- Vaccinium vitis idaea* 28, 30
Vitis vinifera 192
- Xanthomonas campestris* 236
- Zebrina pendula* 283, 287

General index

- Abyssinian cabbage 116
 Aceraceae 68
 acetate (malonate) metabolism 14
 acetone 169
 acetyl CoA carboxylase 16
N-acetyldopamine, 355, 357, 358
 α -acids 200–2
 acorn 190
 adenine 86, 123, 124, 125
 adenosine 273
 adhesives (mussel byssus) 339, 361–6
 phenolic protein pre-polymer 362–6
 adrenalin 308
 afzelechin 17, 24
 ageing in oak 252–7
 American white oak 255
 ellagitannins 255, 256, 257
 as antioxidants 257
 castalagin, vescalagin 256, 257
 European oak 255
 flavour congeners 255, 256
 lignin 255, 256
 ‘oak aged’ 255
 oak barrels 254, 255
 organoleptic properties 255
 syringaldehyde 256
 vanillin 255, 256
 ageing of red wines 245–57
 acetaldehyde formation 248
 colour changes 246, 252
 loss of astringency 249–54
 oxidation 248, 250
 polymeric pigments 248, 251, 250, 251, 254
 properties and formation 248, 249, 250
 procyanidins 250–7
 acid catalysed decomposition 252, 253
 cross-linking: acetaldehyde 250, 251, 254
 disproportionation 252, 253
 formation of xanthylum salts 249, 251
 sensory characteristics 246
 wine hue/tint 247, 248, 249
 xanthylum salts 249, 251
N- β -alanyldopamine 355, 357, 358
 alcohols, amphiprotic solvents 106
 Alder 376
 alfalfa 190, 191, 192
 Aleppo gall 375, 376, 396
 Algarobilla 376
 aluminium 363
 amphipathic 117, 139, 241, 242
 Anacardiaceae 25, 55, 375
 anthocyanidin/flavonol 3-*O*-glucosyl transferase 17
 anthocyanidins 40, 266, 403
 natural anthocyanidins 266
 cyanidin 266, 293
 delphinidin 266, 270, 293
 malvidin 266
 paeonidin 266, 268, 293
 pelargonidin 266, 293
 petunidin 266
 anthocyanin copigmentation 246, 247, 262–93
 intermolecular co-pigmentation 274–85
 bathochromism 275
 copigments 274–85
 caffeine 282–5, 294
 chlorogenic acid 276, 278, 281, 284
 flavonoids 274, 281
 hydroxycinnamoyl esters 275, 281
 polyphenolic esters 276, 277–282
 quercetin-3- β -galactoside 274, 275, 276, 277, 278, 282
 hyperchromism 275
 intramolecular copigmentation 267, 268, 283–8
 Morning Glory (Heavenly Blue) 267, 269
 metalloanthocyanins 286–91
 commelinin 288–91, 293
 protocyanin (cyanocentaurin) 289, 290, 293
 anthocyanins 10, 11, 16, 52, 160, 193, 195, 197, 245–50, 262–93, 318, 367
 biosynthesis 37
 carbinol bases 269, 271
 cell sap pH 266, 267, 268, 286, 293
 cellular concentration 267
 copigmentation 246, 247, 262–93
 intermolecular copigmentation 274–282

- intramolecular copigmentation 267, 268, 283–7
 co-pigments 246, 264
 distribution: fruit and flowers 262, 269
 electrophilic character 248, 249, 250
 equilibria (Brouillard) 269–272
 flavylum cation 247, 268, 269, 270, 271, 281, 282, 283
 genetic variation; verbena 264
 glucosides/glycosides 267, 270
 lipophilicity 263
 location 269, 270
 metal ion complexes 266, 267, 286–91
 metalloanthocyanins 267, 286–91
 natural anthocyanins 267
 awobanin 288
 cyanin 272, 273, 276, 289
 delphin 272, 273
 malonylawobanin 288–91
 malvidin-3-glucoside 319
 malvin 272, 273, 274, 275, 276, 282, 283, 284, 285
 oenin 247, 249, 250, 264
 paeonin 272, 273
 pelargonin 272, 273
 petunin 273
 succinylcyanin 290
 nucleophilic attack 248, 249, 250
 quinonoidal anhydro-bases 247, 249, 268, 269–72, 282, 283, 285, 290
 quinonoidal anhydro-bases (anions) 268, 271, 272
 self-association 246, 247, 270–4, 290
 supramolecular structures 289–91
 hypsochromic shift 272
 chiral π - π stacking 272–4
 supramolecular aggregate 273, 274
 antidiarrhoeic agents 226
 antioxidant nutrients 301, 306–33
 apolar complexation: water 118
 L-arabinose 100, 101
 arbutin (hydroquinone- β -D-glucoside) 299
 arginine 326–30, 403
 L-ascorbic acid (vitamin C) 62, 299, 308, 311, 313, 315, 316, 317, 323
 L-ascorbate 74, 314
 aspartic acid 100
 astringency 6, 7, 178, 180, 189, 198, 199, 200, 216
 changes in astringency 226–57
 acetaldehyde cross-linking: insolubilisation 228–32, 250, 251, 254
 ageing of red wines 245–57
 caffeine 215
 carbohydrate complexation 231–41
 caseins and teas 241–5
 ripening of fruit 227–31
 definition/mechanism 193–4, 212, 213
 fugal astringency 226
 ATP 282
 atropisomerism 45
 aurone 13
 Avaram 376
 avocado seed 31
 awobanin 288
 azidyl radical 321, 322
 Babul 376
 Badan 376
 barley 18, 200–02
 Bate-Smith 3–9, 10, 11, 12, 19, 34, 53, 194, 211, 212, 227
o-benzoquinones 337, 338, 343, 344, 345, 347, 352, 355, 356, 357, 358, 359, 360, 365, 407
p-benzoquinone 119, 120, 121, 128, 129, 339, 340, 341
 benzotropolone 207, 208, 209, 343, 344, 345
 berberine 161
 betalains 262, 265
 betanin 265
 indicaxanthin 265
 betel nuts 325
 Birch 376
 birdsfoot trefoil 191
 3, 5-bis-tertiarybutyl-catechol 313, 314
 bitterness (taste) 178, 189, 195, 196, 198, 199
 bitter principles 200
 black grapes 262, 266
 blue rose 291–4
 bourbon 254, 255
 bradykinin 326–32
 conformational equilibria 327
 complexation: polyphenols 326–30
 brandy 255
 'briskness' 212
 caffeate 13, 14,
 caffeic acid 12, 268, 283, 286, 287
 caffeine 52, 155–63, 169, 212, 214, 215–19, 232, 282–5, 294, 367
 copigmentation 282–5, 294
 modification of astringency 215, 232
 caffeoyltartaric acid (caftaric acid) 337, 338
 caftaric acid 195, 197
 Canaigre 376
 carbohydrate complexation: astringency 231–41
 polysaccharide hydrophobic pockets 232
 moderation of β -glucosidase inhibition 232–3
 carotenoids 262, 263, 264, 265, 292, 301
 β -carotene 301, 312, 316
 phytofluene 292
 violaxanthin 265
 caseins (milk) and teas: astringency 241–5
 amphipathic molecules 241–2
 calcium ions 242–4
 α s-caseins 241–4
 hydrophobicity and proline content 242, 243, 245
 β -casein 241–4
 hydrophobicity and proline content 242, 243, 245
 κ -casein 241–4
 chymosin/*para*- κ -casein 242, 243
 chymosin/glycomacropeptide 242, 243
 hydrophobicity and proline content 242, 243, 245

- caseins (milk) and teas (*cont.*)
 hydrophobic pores : sequestration 243, 244, 245
 micelles/sub-micelles 243, 244, 245
 phosphoseryl groups 242, 243
- castalagin 59, 62, 70, 72, 73, 74, 75, 147, 149, 150, 171, 276, 277, 278
- Casuarinaceae 72
- (+)-catechin 18, 19, 25, 26, 28, 30, 34, 35, 48, 72, 74, 75, 161, 195, 197, 200, 201, 205, 209, 210, 217, 246, 252, 315, 319, 323
 biosynthesis 35, 36, 38
 biosynthesis – reductase I and II 36, 38, 39, 40, 41
 3-*O*-gallate 161
 penta-acetyl ; crystal structure 44
- 'catechin' unit 20
- catechol 152, 153
- catecholamines 326, 354, 355
- CD (circular dichroism) 26, 272
- cell cytoplasm 335
- cellular pro-oxidant states 307–12, 329
- cell vacuole 335
- Centrospermae 262, 265
- Cercidiphyllaceae 68
- chalcone 13, 14, 15
- chalcone–flavanone isomerase 16
- chalcone synthase 15, 16
- chemical defence (plants) 178, 184
- Chestnut 376, 377
- cherry 262
- China's Heavenly Mountains 197
- Chinese gallotannin (tannic acid) 55–58, 396, 401
- Chinese galls (*Rhus semialata*) 53, 375, 376, 396
- Chinese rhubarb 53
- chitin 354
- chlorogenic acid 12, 155–7, 163, 164, 198, 199, 276, 281, 283
- chlorophyll 262, 264, 265
- chrome tannage 376, 377, 378
- ciders 189, 196–200
- cinnamate 16
- cinnamate-4-hydroxylase 13, 16
- cinnamyl alcohol dehydrogenase 14
- cinnamyl: CoA ligase 14
- cinnamyl CoA : NADPH oxidoreductase 14
- cocoa 216–19, 366–71
 astringency 366, 367
 chocolate 216–19, 366, 371
 cocoa aroma 216, 367, 369
 cocoa bitterness 216, 366, 367
 cocoa butter 216, 366, 369
 cocoa drying 217, 367, 368
 cocoa fermentation 216, 217, 367, 368, 369
 cocoa liquor 369, 370, 371
 cocoa polyphenols 216–18, 367, 368, 369
 cocoa roasting 217, 367, 369, 370, 371
 flavour precursors 369
 pigmented polymers 369–71
 polyphenoloxidase 368
 quinone tanning 368–71
 sourness 366, 367
- theobromine 216–19, 367
- cocoa tree 216
- co-crystallisation 107, 108
- co-evolution (plants and herbivores) 178, 180, 183, 184
 plant apparency theory 181
 resource allocation theory 181
- coffee bean 155
- cognac 253–7
- collagen 145, 324, 361, 374–400
 band–interband structure 378, 379
 biosynthesis 383–5
 cross-linkage 378, 384, 387
 fibres : connective tissue 324, 384, 391–6
 chondroitin sulphate 395
 dermatan sulphate 395, 396, 397
 hyaluronic acid 396
 keratan sulphate 395
 proteoglycan 393, 394, 395
- fibrillogenesis 384–8
- fibrils 324, 383, 384, 388–90, 393
 'gap' and 'overlap' zones 388, 389, 390, 391, 396, 397, 398–400
 Hodge–Petrushka model 389
 quarter stagger theory 388
 structure : dispositions of 'gap' zones 398, 399, 400
- Fibrous Long Spacing (FLS) 384
- glycine 381
- hydrophobic interactions 387
- liquid crystal 396
- microfibrils 387, 391–3
 Smith model 392, 393
- native 385
- osmotic swelling 378
- primary structure : triple helix 379–83
- procollagen 383
- proline ; hydroxyproline 380, 381, 382
- Segment Long Spacing (SLS) 384, 386, 388
 phosphotungstic acid 388
 staining patterns 388, 390, 394
 uranyl salts 388
- supramolecular assembly 324, 396
- teloptides (N and C) 383, 384, 387
- triple helical domain 380, 383
- tropocollagen 380, 381, 383, 384, 385, 386, 387, 390, 391, 396
- Combretaceae 68, 375
- condensed proanthocyanidins 20, 23
- Coniferae 25
- coniferyl alcohol 13, 14
- cornflower 289, 290
- 4-coumarate : CoA ligase 13, 16
- p*-coumarate 13, 14, 16
- p*-coumaric acid 12, 283, 286
- p*-coumaryl alcohol 14
- p*-coumaroyl coenzyme A 15, 16
- 5-*O*-*p*-coumaroylquinic acid 276, 281
- coutaric acid 195
- crambin 116, 117
- 'creaming down' 212
- γ B-crystallin, solvation 149

- crystal structures
 (S)-2, 2, 2-trifluoro-1-(9-anthryl)-ethanol 96
 2-methoxy-1, 4-benzoquinone 95
 currants: black and red 262
 Cutch 376
 cuticle (insect) 354, 355, 356, 357
 α -, β -cyclodextrins 52, 164–7, 232
 cyclodopa 360
 cytochrome P-450 enzymes 293
 cytosine 86, 123, 124
 L-cysteine 355, 360, 361
- dcaffeination 214
 degenerative diseases 301, 306, 307, 311
 L-dehydroascorbic acid 70
 dehydrodiccatechin A 209, 210
 dehydrodiccatechin B-1, B-2, B-3, B-4 209, 210
 dehydrohexahydroxydiphenyl esters 22, 51, 59,
 61, 62, 68–71
 3-dehydroshikimate 53, 54, 187
 delphinium 262, 286
 depside metabolites 22, 55–58
 desarginylbradykinins 329
 detergents 169
 Devonshire gall 375
 Dhawa 376
 diacetamide 108, 109
 dielectric constant 93
 β -1, 6-digalloyl-D-glucose 55, 56
 digestion inhibitors 181
 dihydroflavonol reductase 17, 18, 19
 dihydrokaempferol 17,
 (2R, 3R)-dihydromyricetin, 19, 35, 36
 (2R, 3R)-dihydroquercetin 18, 19, 35, 36, 323
cis-dihydroquercetin 35
 3, 5-dihydroxyanisole 322, 323
 3, 4-dihydroxybenzoic acid 355
 Dilleniidae 53
 dipole moment 93
 Divi-divi 376
 DNA 282
 DNA, base pairing and replication 86
 Dock 378
 L-DOPA 360–6
 dopachrome 360
 L-dopaquinone 360, 361
 dopamine 308
- γ -effect (NMR) 26
 elderberry 262
 electron scavenging – gallate esters 53
 ellagic acid 21, 22, 325, 347, 403
 ellagitannins 6, 21, 22, 55, 57, 58–76, 277, 278, 299
 ent-catechin 25
 ent-epicatechin 25
 enterochelin (enterobactin) 305, 306
 enzyme inhibition 180, 191
 'enzymic browning' (fruit and vegetables) 335
 epiafzelechin 13, 24
 epichlorhydrin 163
 (–)-epicatechin 25, 26, 28, 29, 30, 34, 35, 48, 161,
 165, 195, 197, 199, 201, 205, 206, 207, 209,
 217–19, 228, 229, 246, 252, 276, 299, 300,
 315, 319, 322, 323, 325, 337, 343, 344, 345
 biogenesis 38
 crystal structure 44, 45, 154, 157
 3-O-gallate 53, 205, 207, 211, 212, 228, 229, 320,
 322, 323, 325
 (–)-epigallocatechin 24, 25, 34, 35, 159–161, 228,
 229, 276, 319, 321, 322, 323, 325, 337, 343,
 344, 345, 346, 347, 348, 349, 350
 biogenesis 38
 3-O-gallate 53, 159–61, 212, 227, 228, 229, 276,
 319, 320, 322, 323, 325, 337, 343, 344, 345,
 346, 347, 348, 349, 350
- epitheflagallin 208
 epitheflagallin-3-O-gallate 208
 epitheflavic acid 208
 epitheflavic acid-3-O-gallate 208
 Ericaceae 68
 eriodictyol 315, 317
 Eucalyptus 376
 exorphin peptides 219
- Fagaceae 72
 feeding deterrence 180
 ferritin 306
 ferulate 13, 14,
 ferulic acid 12, 283
 fisetin 315
 fisetinidol 24
 fixed tannage (leather) 339
 flavan-3, 4-diol reductase 17, 19
 flavan-3-ols 16, 20, 247
 biosynthesis 19, 38
 conformations of the heterocyclic ring 43
 boat 44
 C(2)-sofa 43, 44, 49
 C(3)-sofa 43, 44, 49
 conformational equilibria; E- and
 A-conformers 44
 half-chair 43, 44, 49
 epimerisation at C-2 25
 flavanone-3-hydroxylase 17
 flavocommelin 288–91
 flavones 265
 flavone glycosides 292
 flavone synthase 17
 flavonoid(s) 13, 14, 193, 262, 301, 323
 flavonoid biosynthesis 15, 16, 17
flavonoid-3'-hydroxylase 293
flavonoid-3', 5'-hydroxylase 293
 flavonoid metabolism 16
 flavonol synthase 17
 flavonol glycosides 11, 198, 265
 flavonone 14
 flower breeding 292–3
 p-fluorophenol 104, 105
 food selection: ecology 178, 180, 181, 185, 186
 formamide 118
 'French Paradox' 315, 318–23
 fruit and floral pigmentation 262–93
 fucufureckol 22, 23
 fuchsia 263, 269

- gallic acid 1, 22, 315, 403
gallic acid metabolism 21, 22, 51–76, 264, 315, 316
 biosynthesis of galloyl esters 52
 depside metabolites (gallotannins) 22, 55, 396
 1, 5-anhydro-D-glucitol 58
 Chinese gallotannin (tannic acid) 55–58, 396
 quinic acid 58, 303
 shikimic acid 58
 β -1, 2, 3, 4, 6-pentagalloyl-D-glucose 55–58
 β -1, 2, 3, 6-tetragalloyl-D-glucose 55
dehydrohexahydroxydiphenyl esters 22, 51, 59, 61, 62, 68–71
galloyl esters 21, 22, 51
 conformation 279–81
 hamameli tannin 313, 315, 316
 oxidation (KIO₃) 341
 β -D-glucogallin 53, 54, 55, 56
hallmarks 52–53
 structural diversity 52, 53
 accumulation and storage 53
 taxonomic distribution 53
hexahydroxydiphenyl esters 22, 58–76, 276, 277
 castalagin 59, 62, 70, 72, 73, 74, 75, 147, 149, 150, 171, 276, 277, 278
 chirality 59, 60
 corilagin 59, 60
 generation by intramolecular oxidative coupling 59, 60–76
 pedunculagin 59,
 vescalagin, 59, 62, 70, 72, 73, 74, 75, 147, 149, 150, 165, 171, 183, 276, 277, 278
 vescalin 59
isolation and analysis of metabolites 51
macrocyclic esters 68
 camellin B 68
 oenotheins A and B 68
 woodfordin C and D 68
metabolic embellishment of β -1, 2, 3, 4, 6-pentagalloyl-D-glucose 54–74
metabolites
 acutissimins 72, 74, 75
 anogeissinin 74
 brevifolic acid, brevifolyl esters, 59, 63, 71
 brevilagin-1 and brevilagin-2, 59
 camelliin B 301, 302
 camelliatannins 72
 carpinusin 69, 70
 castalagin 59, 62, 70, 72, 73, 74, 75, 147, 149, 150, 171, 276, 277, 278
 castalin 70, 72, 73
 castavalonic acid 59
 casuarictin 66, 67, 72
 casuarinin 72, 73
 cercidins A and B 63
 chebulagic acid 61, 70
 chebulinic acid, chebuloyl esters 59, 61, 63, 70, 71
 corilagin 59, 69, 70
 cuspinin 63
 davidiin 69, 70
 dehydrodigallic acid and dehydrodigalloyl esters, 59, 62, 64
 elaecarpusin 69
 gemin A 67
 gemin D 66, 301, 302
 geraniin 68, 69, 74
 grandinin 74, 256
 guavins 72
 helioscopin A 70
 isovaloginic acid 59
 monogolicains 72, 73
 monogolicanin 72
 monogolicin 72
 monogolinin 72
 nobotannin B 301, 302
 pedunculagin 59, 66, 72, 73
 potentillin 66, 67, 72, 73
 pterocarinin A and B 74
 pterocaryanin-C 66
 punicalagin 59
 punicalin 59
 roburins A–E 74, 256
 rugosin D 67, 165, 171, 183, 186, 233, 299, 300
 sanguin H-4 66
 sanguin H-6 67
 stachyurin 73
 stenophyllanins 72
 strictinin 66
 tanarinin 70
 tellimagrandin-1 66
 tellimagrandin-2 (eugeniin) 66, 67, 299, 300
 trapanin B 301
 trillic acid and trilloyl esters, 59, 63
 valoginic acid 59
 valoneic acid, valoneoyl esters 59, 64
 vescalagin, 59, 62, 70, 72, 73, 74, 75, 147, 149, 150, 165, 171, 183, 276, 277, 278
 vescalin 59, 70, 72, 73
oligomeric metabolites 60, 64, 66, 67, 74
phenolic acyl groups 51
 brevifolyl 63, 71
 chebuloyl 51, 71
 dehydrodigalloyl 51, 65, 67, 70
 dehydrohexahydroxydiphenyl 61, 62, 68–71
 elaecarpinusinoyl 51, 62, 70
 (*R*)-euphorbinoyl 51, 64, 70
 flavogallonyl 61, 347, 348, 349
 gallagyl 61, 303, 304
 galloyl 51, 301
 (*R* and *S*)-hexahydroxydiphenyl 51, 61, 63–76, 257, 301, 347, 348, 349
 (*R*)-macaranoyl 64
 nonahydroxytriphenyl 74, 257, 347, 348
 (*S*) sanguisorboyl 51, 65, 67
 trilloyl 51
 (*R* and *S*)-valoneoyl 51, 64, 65, 67, 70, 72
(+)-galocatechin 18, 19, 24, 25, 34, 35, 205
 biosynthesis 35, 36, 38
 biosynthesis–reductase I and II 36, 38, 39, 40, 41
gallotannins 6, 55–8, 299, 303, 396, 401

- galloyl esters 21, 55–76
 Gambier 376, 401
 Garouille 376
 gelatin 145
 gene expression 293
 gentian 262, 286
 gentisic acid 5-*O*-glucoside 358, 359
 Geraniaceae 68
 globular proteins 87
 amino acids, hydrophilic and hydrophobic character 89
 α/β barrel enzymes 89
 folding 116
 folding motifs 89
 α -helix 88, 89
 β -pleated sheet 88, 89
 glucosidase 359
 D-glucose 51
 open chain form, phenolic esters 70–6
 glucosyltransferases (GTases) 325
 glycine ethyl ester 339, 340
 Gramineae 12
 grape polyphenol oxidase 209
 grey squirrel 189, 190
 guanine 86, 123, 124
- haemanalysis 7,
 haemoglobin 87, 161
 haemostatic agents 226
 Hamamelidae 53
 hamameli tannin 313, 315, 316
 hazes (beers and lagers) 339
 Hemlock 376
 herbal medicines 298–330
 biological/pharmacological activity 301–05
 antiviral activity 325–6
 anti-oxidant activity 304, 305, 306–23, 329
 antioxidant nutrients: phenols 312–23
 atherosclerosis 307, 312, 318
 cancer 307, 312, 315, 316
 cardiovascular disease 315, 316, 318
 complexation/proteins, polysaccharides 304, 323–30
 enzyme inhibition 324–5
 HIV replication 301, 303, 305
 HIV reverse transcriptase 303, 305, 326
 metal ion complexation 304–07, 329
 herbal plants
 agrimony 299
 bearberry 299
 geranii herba 299
 hawthorn 299, 300
 meadowsweet 299, 300
 raspberry 299
 rose bay willow herb 299
 tree peony 299
 hesperidin 317, 323
 hesperitin 315, 317
 hexahydroxydiphenoyl esters 21, 22, 58–76
 homosoric 120
 hops 200–2
 horse chestnut seed shells 31
- humic acid 339
 hydrogen bonds and hydrogen bonding 93–109,
 211, 328, 330, 342
 alkenes and aromatic π systems as hydrogen bond acceptors 95, 96, 328, 330
 amides: *O*- versus *N*- protonation 105
 bifurcated 95, 96, 102, 151
 ‘carbonyl’ pull 106
 cooperativity 98, 100
 distances 102
 geometry 101–04
 HBA (β -scale hydrogen bond acceptors) 105, 106
 HBD (α -scale hydrogen bond donors) 105, 106
 hydrogen bond acceptors 94, 95, 96, 97, 98, 102, 104–09, 145
 hydrogen bond chains 98, 99
 hydrogen bond donors 94, 95, 96, 97, 98, 104–109, 145
 hydrogen bonds: carbohydrates 97–101
 hydrogen bonds: crystal structure packing 95
 ‘imino’ push 106
 interamide 88, 93, 110
 intermolecular 44
 linearity 95, 102, 103
 log K_a (proton donor) scale 106
 log K_b (proton acceptor) scale 106, 107
 molecular aggregates; construction 107–09
 molecular aggregates; hydrogen bonding rules 107
 multiple hydrogen bonds 100
 nucleic acids 86, 123
 patterns in biological systems 97
 protein sugar interactions 99–101
 L-arabinose binding protein (ABP) 99–101
 lysozyme 99
 hydrophilic 110, 139
 hydrophobic 110, 139, 142
 hydrophobic cluster 101
 hydrophobic effects 85, 86, 89, 112, 115, 116, 117, 123, 125, 145–51, 199, 211, 243, 246, 272, 277, 278, 279, 279, 280, 281, 282, 285
 3-hydroxyanthranilic acid-*O*-glucoside 358, 359
 hydroxybenzoic acids 266, 283, 355
 hydroxycinnamic acids – esters and glycosides 12, 155, 193, 266, 267, 283
 4-hydroxycinnamyl alcohol 13
 2-hydroxyflavone synthase 17
- influenza virus 326
 insect exoskeleton 339
 intercalation 148, 279
 π - π interactions 118–32, 328, 341, 342, 343, 345
 π - σ attraction 130, 131, 132
 charge-transfer complexes 119–22, 341–5
 benzene/tetracyanoethylene 119
 chloranil/*N,N,N',N'*-tetramethyl-*p*-phenylenediamine 120, 121
 geometries 121
 hexamethylbenzene/chloranil 121
 Mulliken’s ‘Overlap and Orientation’ π - π principle 119

- π - π interactions (*cont.*)
- quinhydrone (quinol/p-benzoquinone) 119, 121, 341, 342
 - 'edge to face' 127–32
 - tilted 'T' structure 128, 129, 130, 131, 132, 152, 154, 157
 - 'face to face' 119–27, 129, 130, 162
 - atomic charge patterns 126, 127, 131, 132
 - benzene/anthracene complex 129
 - caffeine/polyphenol complexation 155–63
 - heterocyclic base stacking 124, 125–7
 - hexamethylbenzene 120, 122
 - nucleic acids: base stacking 123, 124, 131
 - 'off-set' stacking 130, 131, 152
 - peptides/L-phenylalanine 120–2
 - Hunter and Sanders model 130, 131
 - intermolecular copigmentation 274–84
 - caffeine 282–5
 - equilibrium/stability constants 281–4
 - intramolecular copigmentation 267, 268, 283–8
 - Morning Glory (Heavenly Blue) 267, 268, 283
 - gentiodelphin 283, 287
 - platyconin 283, 286
 - viodelphin 283, 286
 - zebrinin 283, 287
 - iron 304, 305, 306, 363
 - iron balance 306
 - iron deficiency 306
 - iron overload 306
 - isodesmic behaviour 123, 273
 - isothaflavin 208
- Juglandaceae 72
- kaempferol 11, 17, 315
- kaki tannin (persimmon) 228–31
 - acetaldehyde cross-linking 229–31
 - acid hydrolysis: cyanidin/delphinidin 228
 - carbohydrate matrix 'terminal unit' 228
 - thiol degradation 228, 229, 230
 - 'extension units': proanthocyanidin polymer 228–30
- laccase 209
- lactic acid bacteria 367
- lactoferrin 306
- Larch 376
- leather 18, 354, 374, 375, 376, 377
 - ageing 402–407
 - γ -aminoglutaric acid formation 405, 406
 - durability: pollution 401–402
 - hydrolytic breakdown 402, 403
 - lysyl, arginyl, prolyl groups 403, 404, 405, 406, 407
 - oxidative breakdown 402, 403–407
 - polyphenol polymerisation 405–407
 - quinone tanning 406, 407
 - reactive oxygen species 404–407
- Leguminosae 25, 34, 375
- leucoanthocyanidin 217
- leucoanthocyanins 11, 227
- (2*R*, 3*S*, 4*S*)-leucocyanidin 18, 35
- leucocyanidin 35
- cis*-leucocyanidin 18
- leucodelphinidin 35
- cis*-leucodelphinidin 18
- leucopelargonidin 17
- lignin 11, 12, 35, 40
- lipid hydroperoxide 309, 310, 311, 312
- lipid (per)oxidation 307, 309, 310, 311, 312
- lipid peroxy radical 310, 312
- lipxygenases 312
- low density lipoprotein (LDL) 318, 319
- L-lysine 355, 365, 366, 378, 380, 387, 390, 403
- magnesium 288–91
- malignant melanoma 359
- malonyl CoA 16
- malonylfavone 290
- malt 202
- malvin 161
- manganese 353
- Mangrove 376
- marble gall 375
- Mayer, W. 7, 21, 58, 59, 63, 70
- melanins 346, 358–61, 363
 - eumelanin* 360, 361
 - phaeomelanin* 360, 361
- melanogenesis (Raper–Mason) 359, 360, 361
- melanosome 359
- metabolic wastes 179
- methylene blue 160, 161
- methyl gallate 153, 154, 158, 159, 322
- N-methylpyrrolidone 106
- Mimosa 401, 403
- MM2 calculations 45
 - procyanidin dimers 48–51
- MNDO calculations 126
- molecular recognition, 2, 85–174
 - aqueous environment 89, 109–18
 - electrostatic interactions 90–93
 - dipole–dipole 90, 91, 123
 - dipole–induced dipole 90, 91, 123
 - induced dipole–induced dipole 90, 91
 - ion–dipole 90, 91
 - ion–induced dipole 90, 91
 - ion–ion 90, 91
 - hydrogen bonding 85, 89, 93–109, 129, 211, 213, 398
 - hydrophobic effects 85, 86, 89, 112, 115, 116, 117, 123, 125, 145–51, 199, 211, 213
 - hydrophobic interactions 89, 387, 398
 - π - π interactions 118–32, 151–63, 328
 - charge–transfer complexes 119–22
 - 'edge to face' 127–32, 152, 154, 157
 - 'face to face' 119–27
 - London dispersion forces 89, 92, 117
 - molecules of life, DNA 85, 86, 123
 - molecules of life, proteins, 87–89
 - nucleotide base pairs 142, 143
 - phenols and polyphenols 138–74
 - solvation 109–18
 - amides 112

- distribution coefficients (vapour/water)
110–12
L-phenylalanyl residues in proteins 149, 151
van der Waals forces 89, 90, 91, 93, 117, 128
- morphine 1
'mouthfeel' 214
mussel byssus 354, 361–6
myoglobin 87
myricetin 11
Myrobalans (Myrobalans, Myrabalans,
Myrabolans) 376, 377, 401
Myrtaceae 72, 375
- naringenin 15, 16, 17, 35
naringenin chalcone 16, 35
naringenin chalcone synthase; malonyl
CoA–4-coumaroyl CoA transferase 16
necrosis 339
p-nitrophenol 106, 109
nucleic acids 282
nucleotides 282
nutritional effects 180–2, 186–8
nylon 145
Nyssaceae 68
- Oak 375, 376
octyl gallate 325
Onagraceae 68
Oolong tea 203, 210, 325
Osteogenesis imperfecta 381
oxidative stress 310, 312
- pasture bloat 190–2
pectins 212, 234, 235, 236, 237
moderation of astringency 234–7
pedunculate oak 375
pelargonidin 17,
pelargonidin-3-glucoside 17
penicillins 298
 β -1, 2, 3, 4, 6-pentagalloyl-D-glucose 170, 171,
182, 183, 184, 185, 186, 187, 211, 233, 276,
325, 328, 329, 396–9
anthocyanin co-pigmentation 276–82
association with caffeine 161
chromatography on Sephadex 165
complexation with bradykinin 326–30
complexation with PRPs 172–4
hydrophobic/hydrophilic character 396, 397,
398
¹H NMR spectroscopy 52
metabolic embellishment 54–74
molecular shape 148–50
oxidative metabolism 59–76
partitioning to octan-1-ol 149
self association 148
solvation and hydrophobic effects 147–50
peptides 52
peroxidase 209
persimmon 21, 193, 228–31, 250
astringent/non-astringent 229
petunia 293
phenol 146
- phenols and polyphenols: molecular recognition
138–74
conformational mobility 144
crystal structures 151–5
caffeine: methyl gallate complex 157–9
caffeine: potassium chlorogenate complex
155–7, 163, 164
catechol 152, 153
(–)-epicatechin 154, 157
hydroquinone (quinol) 151, 152
methyl gallate 153, 154
phloroglucinol 152, 153, 155, 156
resorcinol 152, 154
enzyme inhibition 232–3, 325, 326
 β -glucosidase 232–3
hydrogen bonding 139–59, 163, 165, 167
cooperativity 141
intramolecular: catechol, pyrogallol 141,
142
multiple, multi-dentate hydrogen bonding
142, 143, 144, 145
 π - π interactions 151–64
model studies with caffeine 155–64
¹H NMR studies
(+)-catechin 161
(+)-catechin-3-*O*-gallate 161
(–)-epicatechin 159–61
(–)-epigallocatechin 159–161
(–)-epigallocatechin-3-*O*-gallate 159–161
 β -1,2,3,4,6-pentagalloyl-D-glucose 161
 β -1,2,3,6-tetragalloyl-D-glucose 161
theaflavins 159, 161, 162
 β -1,2,6-trigalloyl-D-glucose 161
polyvinylpyrrolidone 146, 147, 169
polyethyleneglycol 169, 191
proline rich proteins (PRPs) 144, 170, 172–4,
211, 213
proline rich peptides 326–32
angiotensin I and II 326
bradykinin 326–32
resonance, C–O bond length, free rotation 140
solvation and hydrophobic effects 139–51
Hansch constant π 147
hydration of L-tyrosyl and L-phenylalanyl
groups in proteins 139, 140, 149, 151
studies with cyclodextrins and polysaccharides
163–8
 α - and β -cyclodextrins 164–7, 232
¹H NMR studies: flavan-3-ols 166, 167
hydrophobic cavity 165
release of water 165
strain energy 165
van der Waals interactions
cavity ('holes, pores or crevices') sequestration
164–7, 232, 241
chromatography on Sephadex gels 165
dextran gels: affinity for aromatic compounds
163
cellulose tri-acetate 163
Sephadex gels 163, 164, 165
studies with peptides and proteins 168–74
polyphenol-protein precipitation 168–70

- phenols and polyphenols (*cont.*)
- cross-linking 168, 169, 194, 211, 213, 214, 227
 - factors influencing precipitation 170
 - gelatin 169, 170
 - β -glucosidase 170, 232, 233
 - haemoglobin 170
 - polysaccharide inhibition 234–41
 - proline rich proteins (PRPs) 170, 172–4, 211, 213
 - radiiodinated BSA 170
 - polyphenol–protein complexation 169–74
 - cavity sequestration 243, 245
 - complex dissociation 169
 - equilibrium dialysis/free energy of transfer $-\Delta G^{0r}$ 170, 171, 183
 - 'hand in glove' model 171, 174
 - polydentate binding 194
 - proline rich proteins (PRPs) 172–4, 211, 213
 - PRPs – binding models 173
 - PRPs – 'hydrophobic sticky patches' 173
 - structure/activity relationships 182–4
 - tea creaming 159 160, 161, 162
 - phenols and polyphenols: properties
 - accumulation and location 193, 335
 - enzyme inhibition 324, 325
 - expression of secondary metabolism 184, 187
 - herbal medicines 298–30
 - irreversible associations 336–9
 - molluscicidal activity 189
 - taste, flavour, bitterness and astringency 178–219
 - fruits, grains and beverages 192–219
 - apple 196, 198
 - banana 227
 - barley 192
 - beers 192
 - ciders 192, 196, 198, 202
 - cocoa 193, 216–19, 335, 338, 366–71
 - coffee 193
 - grapes 192, 194–7, 262, 266
 - green tea 301, 315–23
 - hops 200–02
 - lagers 192
 - peach 227
 - pears 196, 198
 - perry 192, 196
 - persimmon 21, 193, 227–31, 250
 - plum 34, 193, 198, 227
 - red wines 187, 195, 262, 301, 315–23, 335, 337, 338, 339
 - sorghum 34, 200
 - teas 159, 160, 161, 162, 193, 203–16, 315–23, 335, 339, 342–54
 - white wines 195
 - wines 192, 194–7, 245–57
 - L-phenylalanine 12, 16, 53, 54, 187, 328, 330
 - L-phenylalanine ammonia lyase 13, 16
 - phenylethylamine 219
 - phenylpropanoid metabolism 12, 13, 15
 - phloroglucinol 22, 23, 32, 146, 152, 153, 155, 156
 - phlorotannins 22
 - Phytochemical Society of Europe 7
 - phytofluene 292
 - phytotoxicity 189–90
 - Pine 376
 - Pistacia 376
 - plant galls 375, 376
 - Plant Phenolics Group 7, 8
 - plant polyphenols
 - definition 19
 - properties and classification 20
 - plasma antioxidant potential 317, 320
 - polarisability 91, 92
 - 'polarisation bonding' 163, 164
 - polycaprolactam 145
 - polyethyleneglycol 169
 - polygalacturonic acid 289
 - Polygonaceae 375
 - polyphenoloxidases 336, 337, 338, 342, 343, 344, 345, 346, 347, 355, 366, 368
 - catechol oxidases 336, 337, 361
 - coupled oxidations 337, 338
 - laccases 336
 - tyrosinase 361
 - polyphenol chemistry: the 'black hole' 336
 - polyphenols: structure and biosynthesis 10
 - polyphenols: irreversible associations 336–39
 - polysaccharide inhibition: protein/polyphenol precipitation 234–41
 - algal polysaccharides 234–6, 239
 - agarose 234, 236, 238
 - ι and κ -carrageenan 234, 235, 236, 237, 238, 239
 - bacterial exopolysaccharides 234–9
 - gellan 234
 - xanthan 234, 236–9
 - cavity sequestration: polyphenols 239, 241
 - gels, helices, cavities, pores 234–41
 - gum arabic 234
 - pectin 234–7
 - 'egg-box' model and calcium 236, 237
 - polyelectrolytes 234, 239
 - plant galactomannans 234, 238, 240
 - carob (locust bean) gum 234, 238, 240
 - guar gum 234, 238, 240
 - tara gum 234, 238, 240
 - ternary complexes 239
 - polystyrene 146
 - polyvinylpyrrolidone 146, 147, 169
 - proanthocyanidins 5, 15, 16, 20, 24, 193, 245–54, 299
 - A-group 31
 - proanthocyanidin A-1 31, 32
 - proanthocyanidin A-2 31, 32
 - proanthocyanidin A-2 glycosides 217
 - dimer gallates 204, 206
 - shape and conformation 42–51
 - proanthocyanidin oligomers and polymers 20, 21, 31, 32, 37, 198, 200, 201
 - attachment to a polysaccharide matrix 42
 - biogenesis 39, 41
 - ^{13}C NMR spectroscopy 32

- chain branching 32, 33
 general characteristics 33, 34
 insoluble/'non-extractable' 34, 35, 40, 42, 198
 mixed procyanidin/prodelphinidin polymers
 32, 33, 34, 200
 procyanidin polymers 32, 33, 34
 prodelphinidin polymers 32, 33, 34, 37
 propelargonidin polymers 32, 34
 'terminal' unit 33
 procyanidins 11, 21, 198, 199, 246–54, 338
 biomimetic/biogenetically patterned synthesis
 37, 40, 41
 nomenclature (L. J. Porter) 24
 paper chromatographic 'fingerprints' 28
 procyanidin dimers 23, 24, 31, 39
 conformational energy differences 49
 ¹H NMR spectroscopy–atropisomerism
 45–51
 'lower' flavan-3-ol unit 26, 46, 47
 preferred conformations 47, 48, 50
 procyanidin B-1 23, 24, 25, 26, 28, 37, 38, 46,
 195, 197, 217
 procyanidin B-2 23, 24, 25, 26, 28, 29, 30, 45,
 46, 50, 170, 195, 199, 217, 218, 276, 299, 300,
 328
 procyanidin B-3 23, 24, 25, 26, 28, 46, 165,
 195, 200, 201
 procyanidin B-4 23, 24, 25, 26, 28, 37, 46, 47,
 48, 195
 procyanidin B-5 28, 29, 38, 55, 217, 218
 quasi-enantiomeric relationships 48
 rotameric forms 46
 structure and stereochemistry 27
 'upper' flavan-3-ol unit 26, 46, 47
 procyanidin oligomers and polymers 28, 29, 30,
 195, 197, 198, 199, 218, 246, 249, 250, 251,
 252, 253, 318, 319
 'extension' unit, 28, 29, 30, 37, 46, 47
 'terminal' unit, 28, 29, 30, 37, 46, 47
 procyanidin trimers 28, 29, 30, 31
 procyanidin C-1 28, 29, 38
 prodelphinidins 11, 21, 37
 pro-oxidant activity 313
 propelargonidin B-3 17
 propyl gallate 314, 315, 316
 proteases 181
 proteins 52
 cross-linking (quinone tanning) 355–366
 proline rich proteins (PRPs) 172–4, 211, 213, 364
 sericin 357
 silks 357, 359
 skeletal 356, 357, 358
 Punicaceae 68

 Quebracho 376, 377, 401
 quercetin 11, 292, 315, 323
 quercetin-3-β-D-galactoside 276, 277, 282
 quinhydrone 119, 121, 341, 342
 quinic acid 339
 quinol (hydroquinone) 109, 119, 151, 152, 313
 quinone dimerisation 343
 quinone methide 36–42, 355, 357, 358

 quinone tanning 345–71
 quinone intermediates 339–44, 355, 356, 357,
 358
 charge transfer complexes 341, 342, 343, 345
 protein adhesives (mussel) 339, 354, 361–6
 red-ox reactions 340, 341
 sclerotisation (insect cuticle) 339, 354, 355,
 356, 357
 standard reduction potentials 340, 341
 tanned silks 354, 357, 358

 radical scavengers 312–23
 reactive oxygen species 306–23
 hydrogen peroxide 309–12, 314, 404, 405
 hydroperoxyl radical 308, 309, 310, 404, 405
 hydroxyl radical 309, 310, 312, 314, 315, 404,
 405
 peroxide 308
 singlet oxygen 308, 310, 323
 superoxide radical 308, 309, 310, 312, 313, 314,
 315, 323, 404, 405
 superoxyl 405
 red brown algae 22, 23
 red cabbage 266
 red-ox catalysis 305
 red squirrel 189, 190
 red wine 187, 194–7, 245–57, 301, 315–23
 relative astringency (RA) 161
 resorcinol 146, 152, 154
 Rhizophoraceae 376
 ripening of fruit : astringency 227–31
 RNA 282
 robinetinidol 24, 25
 Rosaceae 294
 RNA polymerase 326
 rutin 292, 323

 sainfoin 190, 191
 sake 228
 salsinol 219
 salivary proline rich proteins (PRPs) 172–4, 188,
 190, 193, 194, 211, 213, 226, 227, 234, 243,
 245, 249
 Sant pods 376
 Schmidt, O. Th. 7, 21, 58, 59, 63, 70
 sclerotisation (insect cuticle) 339, 354, 355, 356,
 357
 Sea lavender 376
 serotonin 219
 sessile oak 375
 shikimate 12, 14, 187
 shikimate pathway 53, 54, 187
 Siberian saxifrage 376
 Simaroubaceae 68
 sinapate 13, 14,
 sinapyl alcohol 13, 14
 sodium polygalacturonate 232
 Spruce 376
 Stachyuraceae 72
 π-π stacking motif 95, 162, 214, 246, 268, 272, 273,
 274, 277, 278, 279, 280, 281, 282, 285, 330,
 341, 342, 343, 345

- Sumach 376, 401, 403
 superoxide dismutase 309, 311, 313
 superoxide dismutation 305, 309
 Swain, T. 4, 19, 40, 212, 227, 232
- Tamarisk 376
 tanned silks 354, 357, 358
 tannic acid (Chinese gallotannin) 55–8
 Tara 376
 taxol 298
 taxonomy 5
- tea creaming 159, 160, 161, 162, 212–16
 teas 159, 160, 161, 162, 193, 203–16
 astringency 209–13
 black/fermented tea 203, 207, 208, 210
 ‘brightness’ 345
 ‘briskness’ 212
 caseins (milk) and teas 241–5
 ‘colour, mouthfeel and strength’ 205, 345
 green tea 203, 206, 210, 301, 315–23
 lemon 241
 Oolong/semi-fermented tea 203, 210, 325
 phenolic components 159, 161, 162, 204–10
 tea creaming 159, 160, 161, 162, 212–16, 351
 tea flush 203, 204, 205
 tea leaf polyphenoloxidase 204, 209, 343, 344
 theaflavins 159, 161, 162, 205, 206–09, 211–16,
 325, 337, 339, 342, 343, 344, 345, 351, 352
 thearubigins 159, 205, 212, 213, 214, 215, 337,
 339, 342–54
 theasinensins A and B 204, 206
- Teripods 376
- β -1, 2, 3, 6-tetragalloyl-D-glucose 55, 56, 161, 165,
 171, 183, 277, 328
- tetrahydrofolates 308
- theaflagallin 208
- theaflavic acid 208
- theaflavins 159, 161, 162, 205, 206–09, 211–16,
 325, 337, 339, 342, 343, 344, 345, 346, 347,
 351, 352
 mechanism of formation 207, 342–5
 theaflavin digallate 159, 162, 207, 211, 213, 325
 theaflavin monogallates 161, 207, 325
- thearubigins 159, 205, 212, 213, 214, 215, 337, 339,
 344–54
 acidity 349
 hydrolytic ring opening 350, 352
 oligomerisation 347–51
 polymeric proanthocyanidins (as) 346
 structural/mechanistic speculations 344–54
 theafulvin 352, 354
- theasinensins A and B 204, 206
- theophylline 124, 125, 282
- thymine 86, 123, 124, 126
- Tirza 376
- α -tocopherol (vitamin E) 301, 311, 313, 316, 322,
 323
- α -tocopheryl radical 311
- toluene- α -thiol 32
- transferrin 306
- 2,2,2-trifluoroethanol 118
- β -1,2,6-trigalloyl-D-glucose 55, 56, 161, 233, 276
- β -1,3,6-trigalloyl-D-glucose 165, 171, 183, 328
- triose-phosphate isomerase 89
- L-tryptophan 358
- tyrosinase 209
- L-tyrosine 12, 360, 361, 362, 363
- UDP-glucose 56
- uracil 124
- urea 169
- Urunday 376
- vacuole (cell) 335
- Valonea 376, 377
- van der Waals contacts 100
- van der Waals radius 91, 92
- verbena 264, 266
- vescalagin, 59, 62, 70, 72, 73, 74, 75, 147, 149, 150,
 165, 171, 183, 276, 277, 278
- vegetable tannage 374, 375, 376, 377, 378, 379,
 396–401
- vegetable tannins 18, 375, 376, 377, 378, 379
 fruits: fruit pods 378
 galls 378
 leaves 378
 tree barks 378
 tree woods 378
 roots 378
- vitamin C (ascorbic acid) 62, 301, 308, 311, 313,
 315, 316, 323
- vitamin E (α -tocopherol) 301, 311, 313, 316, 322,
 323
- vitamin P 317
- Wandoo 376
- water 91, 93, 112–18
 clathrate hydrates 113, 116, 117
 cohesive interactions 118
 hexagonal ice 113, 114
 ‘iceberg’ formation 115, 116
 liquid: flickering cluster model 114
 liquid: uniform continuum model 114, 115
 molecular polarisability 118
 solvation: amides 110, 112
 solvent cages 116
- wattle 376, 377
- Weinges, K. 23, 24, 27, 45
- whisky 254–7
- whortleberry 262
- Willow 376
- wine hue/tint 247, 248, 249
- xanthine 125