

Index

- adiabatic condition, 29
- adiabatic environment, 150
- adiabatic potential, 163
- advanced solution, 130
- Aharonov–Bohm effect, 87
- Arrhenius’ formula, 28
- arrow of time, 34
- attempt frequency, 55
- bilinear model, 119
 - Bogoliubov quasiparticle, 70
 - Born–Oppenheimer approximation, 162
 - Born–Oppenheimer basis, 163
 - Born–Oppenheimer-type processing, 169
 - Bose–Einstein condensation, 8
 - bounce, 35, 153
 - bounce action, 36, 152
 - Brillouin–Wigner perturbation theory, 147
 - bubble, 54, 65
 - bubble potential, 59
 - bumpy slope, 14, 19, 51
- Caldeira–Leggett assumption, 166
 - Caldeira–Leggett effective action, 156
 - Caldeira–Leggett formula, 52
 - Caldeira–Leggett trick, 155
 - cavitation, 62
 - classical decay rate, 28
 - classical nucleation, 54
 - closure, 79
 - coarse-grained density operator, 184
 - coherence, 95
 - coherent, 95
 - coherent state, 95, 132, 149
 - Coleman–Hepp environment, 106
 - Coleman–Hepp model, 106, 115
 - collapse of wavepacket, 110
 - collective degrees of freedom, 7, 13, 119
 - conditional probability, 174
 - configuration space, 78
 - Cooper pair, 44
 - correlation function, 132, 173, 175
 - correlation time, 99
 - counter term, 131
 - critical bubble, 54
 - critical excess concentration, 61
 - critical nucleus, 54
 - crossover temperature, 28
 - current-biased Josephson junction, 45
- dc-SQUID, 48, 178
 - DDD, 96
 - decay rate, 26, 30, 159
 - decaying state, 26, 32
 - decoherence, 5, 95
 - density operator, 11
 - dephasing, 96, 101, 110, 144, 145
 - dephasing effect, 101, 144, 145
 - dephasing factor, 101
 - direct-product space, 188
 - disconnectivity, 9
 - disentanglement, 202
 - dislocation, 65
 - dissipation, 96
 - double bumpy slope, 75
 - double slits, 1
- effective bubble mass, 56
 - effective Euclidean action functional, 153
 - entangled state, 4, 169, 183
 - environment, 5, 13, 99
 - environmental frequency distribution function, 123
 - environmental oscillators, 117
 - Euclidean action functional, 36, 152
 - Euclidean energy, 36
 - Euclidean Lagrangian, 37
 - Euclidean space, 187
 - Euclidean time, 36, 152
- false vacuum, 61
 - Fermi’s golden rule, 135
 - Feynman democracy, 90
 - field operator, 71
 - field potential, 64
 - first-order phase transition, 61
 - fluctuating force, 46, 128

fluctuation-dissipation theorem, 43
 flux Hamiltonian, 47
 flux potential, 47
 flux quantum, 45
 fluxon, 45
 Franck–Condon factor, 150
 free tunneling, 15
 frequency shift, 102
 functional, 195
 functional derivative, 196

 Gamow formula, 192
 gauge invariance, 44
 gauge transformation, 44
 Gaussian process, 98
 generalized Langevin equation, 128
 generalized non-linear Schrödinger field, 68
 Ginzburg–Landau order-parameter field, 42
 ground-state energy splitting, 22, 30

 harmonic environment, 117
 Hilbert space, 187
 homogeneous nucleation, 54

 imaginary time, 36
 incoherent, 95
 instanton, 37
 intrinsic nucleation, 53

 joint probability, 172
 Josephson current, 41
 Josephson junction, 41
 Josephson-coupling energy, 47
 Josephson’s acceleration equation, 45
 Josephson’s current–phase relation, 42

 kink, 66
 Kramers degeneracy, 88

 Langevin equation, 46, 128
 Laplace transformation, 103
 Leggett program, 6
 Leggett–Garg inequality, 5, 173
 lifetime, 26, 55, 135
 Lifshitz–Kagan formula, 61
 linearly-coupled harmonic-environment model, 117
 liquid ^3He – ^4He mixture, 53
 local realism, 172
 London’s penetration depth, 45
 longitude basis, 79
 longitude representation, 79, 82
 longitudinal relaxation time, 102
 low-energy effective theory, 70

 macrorealism, 3, 171
 macroscopic definiteness, 171
 macroscopic degrees of freedom, 13
 macroscopic linear combination, 3
 macroscopic quantum decay, 15
 macroscopic quantum nucleation, 61
 macroscopic quantum phenomenon, 7

macroscopic quantum phenomenon of the first kind, 7
 macroscopic quantum phenomenon of the second kind, 7
 macroscopic quantum resonant oscillation, 14, 146
 macroscopic resonant quantum tunneling, 29
 macroscopic resonant tunneling, 29
 macroscopic superposition, 3
 macroscopically distinct states, 3, 172
 macrosystem, 13
 macrosystem energy, 100
 macrosystem Hamiltonian, 13
 magnetic flux, 44
 magnetic relaxation, 102
 magnetic resonance, 102
 Markov approximation, 129
 mass conservation law, 57, 69
 measurement problem, 4
 Meissner effect, 45
 memory term, 127
 metastable state, 15, 25, 54
 metastable well, 15, 25
 microscopic degrees of freedom, 7
 mixture, 11, 95
 MMM, 3
 Möbius boundary condition, 80
 modified Born–Oppenheimer basis, 163
 modified Born–Oppenheimer effective vector potential, 164
 modified Born–Oppenheimer representation, 164
 modified Lifshitz–Kagan formula, 61
 MQC, 13
 MQC-situation, 49, 75, 76
 MQP, 8
 MQT, 13
 MQT-situation, 49, 75, 77
 MR, 5, 171

 naive WKB method, 30
 negative-result measurement, 114
 noise, 132
 non-invasive measurability, 171
 non-linear Klein–Gordon field, 64
 non-linear Schrödinger field, 68
 north-pole convention, 204
 nucleation, 54
 Nyquist current, 43

 ohmic current, 43
 ohmic environment, 124
 operator ordering, 62
 outgoing boundary condition, 191
 over-complete basis, 79, 204

 path integral, 90
 periodic boundary condition, 80
 periodic well, 75
 persistence probability, 26
 phase separation, 53
 phase space, 78, 204
 Poincaré cycle, 33
 Poincaré period, 33, 183

- Poincaré recurrence theorem, 34
 Poincaré recurrence time, 33
 position representation, 18
 position-represented wavefunction, 18
 potential renormalization, 131
 pre-exponential factor, 31
 projector, 10
 proper WKB method, 31
- QIMDS, 4, 172
 QM, 5, 172
 quantum decay, 15, 27
 quantum decay rate, 28
 quantum indeterminacy time, 113
 quantum Langevin equation, 128
 quantum nucleation, 55
 quantum nucleation rate, 60
 quantum resonance frequency, 147
 quantum resonant oscillation, 13, 24, 146
 quantum theory of decay, 189
 quantum Zeno effect, 110
 quantum Zeno paradox, 110
 quantum Zeno regime, 33
 quasi-classical situation, 18
 quasi-stationary wave, 32, 191
- random force, 131
 Rayleigh–Plesset model, 56
 Rayleigh–Schrödinger perturbation theory, 147
 reduced density operator, 184
 relaxation time, 102
 renormalized perturbation theory, 147
 resonance energy, 192
 resonance wave, 192
 resonant tunneling, 29, 51, 77
 retarded Green function, 121
 retarded reaction, 122
 retarded resistance function, 124, 128
 retarded solution, 130
 rf-SQUID, 41, 178
 rotating-wave approximation, 102
 rotation symmetry, 89
- SBS, 19
 S-Cat, 3
 S-Cattiness, 9, 50, 61
 Schrödinger's cat, 3
 Schrödinger's linear theater, 2
 separable model, 118
 single-domain magnet, 72
 special bumpy slope, 19, 51
 special symmetric double well, 19, 51
 special tilted double well, 38
 spectral function, 123
 spin coherent state, 78, 203
 spin potential, 75
 spin-1/2 decomposition, 200
 spin-disentanglement theorem, 202
 spin-rotation operator, 199
 squeezed state, 132
 SQUID, 41, 178
 SSDW, 19
 stationary point, 37, 153, 198
 stationary process, 99
 stationary value, 198
 stereographic projection, 203
 stochastic process, 98
 sub-barrier action, 31
 sub-ohmic environment, 124
 successive measurements, 114
 supercurrent density, 44
 super-ohmic environment, 124
 supersaturated liquid mixture, 53
 supersaturation, 53
 survival probability, 26
 symmetric double well, 14, 19
- TAO, 3
 Tesche's thought experiment, 178
 thermal nucleation, 54
 thin-wall approximation, 67, 70
 tilted double well, 20
 time reversal, 34
 time-correlation function, 132, 173
 time-reversal symmetry, 88, 130
 transverse relaxation time, 102
 true vacuum, 61
 tunnel splitting, 22
 two-state approximation, 21
 two-state system, 21
- van Hove limit, 106
 variational derivative, 196
 velocity potential, 68
 virtual bound state, 192
 virtual ground state, 25, 192
 von Klitzing constant, 52
- washboard, 49
 watched-pot effect, 110
 white noise, 114
- Young-type interference, 1, 14
- Zeno's paradox, 110