

Index

acid rain 67	Anacostia River, DC, USA	atmospheric deposition 34,
acoustic communication	505–511	74, 310, 311, 315,
180, 195	analytical design framework	316, 318, 322, 323,
Adelaide, Australia 401, 402	133	324, 326, 328, 331,
aerial photographs 265, 266,	animal communities <i>see under</i>	345
369, 374, 377, 428,	faunal assemblages	Auckland, New Zealand
429, 430	anthropocentric 201, 554, 555	289–307, 471–483,
aesthetic values 15, 191, 265,	anthroposequence 338	572
270, 306, 310, 409,	applied research 177, 459, 465	Australia 56, 58, 65, 66, 114,
415, 418, 473, 475,	aquaculture 65, 157	130, 131–155,
492, 494	aquatic ecosystems 53–69	184, 187, 217, 228,
Africa 90, 414, 503, 530,	aquatic worms 164, 166, 168	245, 292, 305, 381,
584	architecture 47, 198, 247, 391,	386, 388, 389, 391,
‘Agenda 21’ 107, 262	400, 401, 402, 406,	399, 400, 401, 402,
agriculture 51, 74, 92, 95, 99,	413, 419, 420, 456,	404, 406, 407, 408,
102, 123, 132, 277,	466, 486, 589	412, 415, 416, 470,
288, 342, 346, 348,	landscape 417, 459, 461	480, 561, 569,
355, 561	arid 74, 217, 270, 384, 441,	584, 585
algae 59, 157, 159, 160, 161,	490, 491, 493, 539,	autecology 153, 188
164, 165, 167	562	autocorrelation 444, 581
macroalgae 516	Arizona, USA 236, 490, 492	autogenic processes 277
allogenic processes 277	<i>see also</i> Phoenix,	automobiles 35, 74, 262,
Alps 256, 257	AZ, USA	327, 336, 357,
Alterra 456, 459	artificial habitat 17, 60, 143,	387–398, 406
America <i>see under</i> USA	157–174	autotrophic 516
amphibians 124, 188, 189,	Asia 65, 503, 530	backyard 418, 467
190, 192, 428–434,	assessment framework 468	bacteria <i>see under</i> microbial,
570	astronomers 243–261	bacteria
Amsterdam 468	Athens, Greece 560	

ballast water 65	190, 193, 213, 218,	boreal vegetation 304, 448
Baltic Sea 427	240, 262, 288, 392,	Boston, MA, USA 189, 426, 494
Baltimore Ecosystem Study	426, 441, 452, 457,	bottom-up approach 231
(BES-LTER) 25, 36–43,	458, 462, 467, 468,	Brisbane, Australia 132–155
77, 91, 178, 181, 193,	469, 585	Britain, UK 179, 181
236, 282, 283, 284,	bioecological 48, 49	brownfield development
329, 342, 346, 351,	biofiltration 191	<i>see under</i>
558, 593	biogenic 158, 168, 169, 170	development,
Baltimore, MD, USA 183,	biogeochemical 87, 234, 324,	brownfield
272, 338, 348	329–351, 587, 588	Brussels 65
Bangkok 572	biogeophysical 35, 36, 40, 41,	bryophytes 206, 570
Bavaria 358	42, 48, 558	Bulgaria 23, 31, 79, 222, 238
Bayesian statistics 123	biologists 72, 180, 486, 532	bushland 132, 380, 386, 395,
beaches 58, 157, 468, 479	biomass 116, 160, 279, 318,	397, 463, 539
beautification 100, 400	388	bushveld 95
behaviour	accumulation 79, 88	
animal 140, 142, 248	aboveground 347	California, USA 149, 205,
bird 149, 205, 446	fungal 321, 388	220, 222
human 20, 42, 44, 47,	microbial 319–321	Canada 16, 31, 77, 187, 193,
54, 56, 73	plant 519	222, 238, 399, 406,
insects 244, 249	biomes 29, 79, 129, 144, 155,	509, 511, 545, 565
system 47	217, 235–236, 238,	canals <i>see under</i> riparian,
behavioural processes 155	240, 262, 306, 311,	canals
Beijing, China 264, 267, 268,	357, 415, 541	Canberra, ACT, Australia 420,
270, 272, 375	biophilia hypothesis 489	572
benchmark 325, 493, 537	biophysical 91, 95, 98, 236,	canyons 493
benthic 66, 68, 164, 167–170	279, 478, 490, 568	CAP-LTER 91, 236, 242, 593
Berlin, Germany 16, 360	biosecurity 288–293	<i>see also</i> Phoenix, AZ,
biocoenoses 359	biotope 75, 179, 264, 274, 287,	USA
biodiversity 4, 9–24, 36, 52–69,	306, 358, 380, 381,	Cape Metropolitan Area,
90, 91, 111, 130–155,	387, 392, 398, 414,	South Africa 91
157, 178, 191, 199,	420, 423, 429, 433,	car parks 289, 414
214, 215, 232, 233,	434, 435, 436, 523,	carbon 44, 118, 308, 330,
234, 288, 307,	526, 527, 528, 539,	339, 345, 347, 475,
381–398, 417, 418,	569, 580, 581, 592	581, 584, 592
421, 422–437,	Bird Atlas of Sweden 445, 449	belowground storage
439–455, 456–469,	birds 133–153, 178, 179–180,	of 347
470, 471, 472, 473,	182, 183, 190, 193,	carbon dioxide 74, 88, 226,
474, 475, 478, 483,	194, 203, 204, 207,	227, 284, 315, 331,
484, 493, 498, 501,	210, 213, 248, 399,	337, 340, 347
512, 554, 567, 569,	401, 418, 444–452,	carnivores 193, 204, 205
579, 583, 585, 588	464, 468, 560, 564,	carrying capacity 463
biodiversity conservation 105,	584, 585, 589	catchments 36, 37, 85, 86, 116,
120, 157, 180, 182,	boats 52, 65, 68	117, 118, 277, 284,

702 Index

- 305, 330–351, 473,
474, 475, 480, 481,
483, 484–501, 515,
519, 520, 563, 564,
568, 595
- catchment approach
330–350, 576
- cats *see under* domestic pets
- cattle 396, 397, 414, 429
- cemeteries 386
- census data 34, 39, 46, 183,
313, 366, 517
- chemoautotrophic 315,
322, 324
- Chesapeake Bay, MD, USA
43, 516
- Chicago, IL, USA 183, 272
- Chicago School 73
- children 106, 384, 396, 398,
442
- China 266, 271, 472
- Christchurch, New Zealand
295, 402, 403, 411,
413, 414, 415, 474,
476, 478, 480, 564
- classification
 - biotope 434
 - cities 179, 183, 570
 - diversity 568
 - functional 81, 151
 - gnomes 571, 572
 - habitats 202, 204
 - land cover 43, 77, 84,
179, 180
 - landscapes 73, 79, 183,
334, 343, 491, 526
 - rivers 491
 - roads 185, 186
 - soils 346
 - taxonomic 72, 150
 - trampling 543
- climate 34, 77, 79, 99,
118, 130, 144,
155, 181, 197, 217,
225, 234, 236, 258,
311, 388, 588
- change 1, 130
- microclimate 205, 225,
234, 271, 365, 376,
499
- coastal 1, 10, 11, 51–69, 132,
146, 156–176, 179,
180, 204, 245, 267,
307, 402, 420, 427,
439, 468, 471, 503,
505, 516, 517, 519,
520, 563, 579
- colonial cities 404
- community dynamics 155,
241, 279, 490
- comparisons
 - cross-city 235, 240
 - cross-regional 150,
151, 152
- competition 13, 28, 87, 145,
167, 255, 279
- complex gradients 31–32, 38, 45,
75, 82, 278, 333, 444
- complexity 47, 48
- computer models
 - LARCH 460–469
 - SmallSteps 460
 - UFORE 347
- computer simulation 38,
460, 520
- correlated random walk
460
- conceptual framework 3, 4, 5,
10, 18, 21, 24, 25–49,
62, 91, 98, 100, 108,
120, 177–184, 215,
231, 279, 307, 358,
374, 437, 491, 501,
532–538, 558, 567,
575, 577, 588, 596
- definition of 26–27
- Congo, Democratic Republic
of 187
- Connecticut, USA 278, 313
- connectivity 14, 59, 60, 63, 69,
108, 167, 182, 190,
220, 337, 426, 431,
458, 462, 491, 498,
499, 533
- conservation planning 206,
276
- construction 163, 193,
385–394, 590
- contaminants 52–69, 158,
241, 331–349, 471,
474, 475, 481
- contamination versus
pollution 66
- contextual information
76, 266
- continents 150, 156
- conurbation 471
- Convention on
 - International Trade
in Endangered
Species (CITES) 64
- corridors 15, 60, 100, 108, 149,
161, 192, 236, 305,
307, 426, 441, 463,
466, 467, 475, 477,
489, 490, 494, 496,
497, 498, 558, 582
- Costa Brava, Spain 245
- Cote d’Azur, France 245
- critical mass 306
- crops 11, 100, 133, 154,
273, 400
- cross-disciplinary
 - communication
485, 489
- culture 42, 46, 129, 153, 154,
236, 240, 289, 306,
310, 400, 406,
409–417, 419, 420,
487, 488, 489, 496,
564, 565, 569, 594
- Czech Republic 261

data transformation 541	183, 186, 235,	'ecology of cities' 2, 3, 10,
Debrecen, Hungary 23, 79	331, 537	18–19, 81, 91, 549,
decision-making 21, 100, 106,	regime 34, 74, 75, 130,	568, 572, 574, 576,
115, 392, 394, 455,	218, 280–285, 330,	593
496, 550, 551, 552,	442, 586	ecosystem
555, 595	suppression 441	budget 44
decision support	dogs <i>see under</i> domestic pets	dynamics 279, 542
models 505–520	domestic pets 65, 183, 188,	function 191
decision support system	292, 304–306,	services 239, 274, 310,
tool 519, 520	304–306, 531, 543	473, 475, 504,
decomposition 13	downtown 205, 401, 404,	513, 565
decomposers 226, 234,	408, 421	ecotones 29, 393, 489, 490
239, 241, 280, 309,	drainage 74, 96, 189, 330,	ecotope 343, 348
311–328, 337, 388,	342, 476, 477	edge effects 23, 52, 149, 218,
473, 475, 508, 533,	dredging 52, 58, 158, 508,	442, 542, 544
596	509, 511	Edinburgh, UK 572
deforestation 96, 132, 133,	dumping 174, 526	Edmonton, Canada 23, 79, 545
151, 278, 351	Durban, South Africa 105	education 105, 215, 310,
demographic measures 42,	Düsseldorf, Germany 17	385, 582
80, 83, 183, 580	dust 323, 524	endangered species 96, 156,
deserts 129, 194, 223, 236,	earthworms 13, 35, 279,	173, 228, 259, 465,
237, 238, 278, 402,	280, 318–319, 341,	467, 469, 485, 486,
489, 493, 494	388	493, 527
desertification 101	ecocircles 101, 102–103, 104	endemic species 91, 95, 96,
design principles 4, 133, 184	ecological	191, 228, 306, 401,
detritus 221, 320, 321, 324,	footprint 1, 43, 76, 233,	415
526	514, 559–560, 565,	energy 2, 3, 11, 29, 34, 44, 88,
development	569, 590	91, 92, 186, 197, 233,
brownfield 178	principles 2, 40, 86, 155,	251, 262, 265, 279,
greenfield 471, 474, 480	193, 434, 459, 498	288, 309, 310, 315,
high-density 11, 222,	properties 434, 459, 498	332, 337, 341, 363,
342, 406, 570, 572	risk assessment 425,	364, 376, 404, 473,
retrofitting 471, 472	454, 517	476, 483, 490, 511,
dieback 226, 227	theory 492, 567	573, 593
disease 234, 235, 239, 418,	thresholds 141, 142,	engineered system 491, 492,
561, 562	305, 310, 311, 323,	493, 501
dispersal 60, 117, 145, 155,	325, 339, 426, 434,	engineering resilience 491
192, 441, 451, 458	435, 491, 495, 516,	entomophobia 239
barrier effect 189, 463	519, 520	environmental
dispersal barrier 14,	understanding 4	education 105, 359, 400,
185, 189, 192	'ecology in cities' 2, 10, 11,	418, 501, 583, 586
dispersal patterns 192	18–19, 81, 92, 549,	security risk 96, 290
disturbance 15, 16, 69, 79, 118,	568, 574, 576	estuaries 52, 58, 61, 156, 471,
130, 158, 163, 169,		503, 504, 516

704 Index

- ethnicity 39, 40, 42, 104, 279, 304
- Europe 179, 184
- eutrophication 315, 516
- evaporation 100, 365, 368, 369, 524
- evapotranspiration 115, 116, 366, 368
- evolution 72, 131, 149, 150, 311, 487
- extinction 17, 64, 91, 131, 149, 158, 206, 215, 218, 225, 258, 341, 388, 430, 441, 452, 454, 569, 571
- exurban 44, 47, 48, 129, 497
- Fairfax County, VA, USA 513
- farmers 100, 105, 238
- fauna
 - macrofauna 167
 - microfauna 167, 477
 - faunal assemblages 91, 129–155, 197
- feedback, system 19, 20, 275, 279, 309, 488
- fertiliser 43, 97, 132, 292, 345, 415, 416
- financial considerations 101, 264, 356, 361, 476, 478
- Finland 10, 20, 31, 63, 65, 222, 238, 382, 384, 391, 545
- fire 75, 80, 113–120, 130, 142, 155, 225, 277, 314, 417, 418, 441, 497
 - suppression 75
- firewood 442
- fish 56–69, 174, 474, 479, 506, 524
- fishing 54, 571
- commercial fisheries 65
- floodplains 43
- floods 191, 192, 441, 491, 492, 493, 495, 499, 500, 509, 512, 559, 561
- Florida, USA 170, 194, 245
- flows 11, 29, 39, 42, 59, 60, 113, 117, 163, 192, 197, 332, 341, 343, 347, 365, 471, 472, 473, 475, 481, 490, 493, 495, 498, 504, 512, 514, 528, 564
- fluxes 2, 29, 36, 39, 87, 88, 92, 186, 244, 313–328, 332–347, 376, 586
- food
 - human 57, 99, 100, 101, 129, 181
 - non-human 64, 65, 67, 114, 154, 171, 173, 191, 200, 203, 206, 208, 209, 214, 226, 241, 249, 289, 297, 306, 365, 441, 444, 475, 477, 562
- food webs 337, 534
 - bottom-up 163
 - truncated 52
- foreshore 157
- forest-edge species 208
- forest-interior species 151, 208
- fossil fuels 45, 310, 312, 323, 327, 417, 560
- framework 558
- France 77, 187, 248
- Frankfurt, Germany 527–529
- freshwater ecosystems 4, 55, 79, 156, 505–508, 584, 589, 596
- functional groups 139–151, 184, 224, 229, 318, 426, 453, 581, 583, 592
- fungi 17, 114, 315, 318, 319, 320, 321, 391
- garbage *see under* rubbish
- gardens 4, 14, 16, 60, 74, 84, 100, 129, 132, 134, 145, 146, 190, 203, 212, 213, 214, 234, 247–259, 270, 273, 281, 288, 292, 295, 300, 301, 307, 331, 374, 384–396, 400–421, 461–467, 472, 481, 528, 568, 570–572
- genetic
 - diversity 15, 52, 60, 66, 239, 440, 587
 - relationships 412
- geographic information
 - systems (GIS) 53, 81, 86, 110, 152, 276, 358, 369, 378, 392, 452, 453, 579–580, 583, 586
- geographic isolation 430
- geology 325, 346, 570
- geomorphology 491–498, 500
- Germany 247, 248, 253, 254, 256, 260, 263, 355–372, 419, 441, 527–529
- golf courses 47, 133, 281, 414
- government
 - local 56, 97, 98, 109, 110, 386, 422, 482, 483, 506
 - national 98, 110, 424, 440, 441, 482
 - regional 110, 267, 270
- Grand Canyon, Arizona, USA 492
- grasslands 95, 104, 200, 207, 217, 240, 287, 330, 388, 413, 417, 526
- grazing 134

Great Britain, UK 246, 248, 258, 399, 400, 402, 406, 415, 571	patch dynamics 85 structure 26, 27, 28, 32, 33, 41, 42	human modification framework 80
green infrastructure 386, 441, 463	hierarchy physical 152, 179, 186, 342	hydrocarbons 475, 504
green roofs 213, 474, 498	social 104, 594	hydrology 39–47, 49, 117, 118, 154, 234, 284, 310, 332, 342, 376, 378, 387, 394, 398, 441, 475, 481, 488, 497, 504–516, 558, 559, 561, 570
greenfield development <i>see under</i> development, greenfield	Hiroshima, Japan 23, 79	
greenhouse gas 88, 316	historical 92, 130, 132, 149, 270, 306, 339, 386, 400, 402, 408, 423, 425, 427, 452, 494, 508, 564, 574, 585, 589, 590, 595	image resolution 265–273
greenspace 11, 13, 38, 57, 100, 105, 106, 153, 183, 184, 271, 288, 372, 374, 380–398, 414, 424, 430, 441, 448, 456–467, 472, 486, 494, 530, 587	history 3, 31, 44, 52, 179, 181, 184, 214, 216, 217, 218, 240, 265–271, 314, 318, 330, 344, 347, 356, 363, 399, 402, 415, 425, 428, 442, 449, 459, 486, 501, 523, 543, 569, 585	impermeable surfaces 1, 74, 82, 85, 86, 129, 132, 154, 191, 219, 234, 276, 292, 310, 343, 364–377, 429, 472, 474, 491, 503, 504, 505, 508, 514, 561, 568, 572, 591, 595
habitat degradation 149, 195, 500 destruction 17, 107, 491 microhabitat 159, 160, 175, 204, 210, 211 selection 131, 142	Hobart, Australia 304, 305	importance, biological 121
heat budget 74 retention 74	holistic 3, 19, 56, 73, 99, 105, 198, 485, 486, 557	income 279, 300, 302, 305
heathlands 129, 130, 217, 258, 397	homogenisation 22, 87, 140, 155, 238, 241, 401–421, 441, 579, 582	indirect effects 62, 63, 111, 169, 173, 236, 261, 263, 274–277, 280, 305, 323, 329, 333–334, 497, 543
heavy metals 67, 68, 74, 235, 280, 312, 316–317, 318, 323, 331, 334, 337, 388, 471, 475, 507, 538	horticulture 212, 331, 417, 418	industrial revolution 409
deposition 336	human ecosystem model 19–21, 40–42, 100, 533, 534, 576, 584	information theoretic 123
Helsinki, Finland 17, 23, 79, 268, 412, 545, 577, 584	humans human selection 303, 475 humans as consumers 473, 478, 479, 480, 483	inner-urban 389, 462, 467
herbicide 101, 240, 258, 293, 304	human dominated landscapes 22, 29, 130, 442, 488, 542, 543	Innsbruck, Austria 257
herbivory 28, 219, 221, 227, 570	human induced change 1, 22, 158, 186, 215, 233, 388, 484–497	insects 16, 87, 205, 212, 224, 227, 235, 243, 253, 256, 257, 296, 324, 418, 444, 560, 585
hierarchical 30, 279, 342, 343, 344, 345, 347, 361, 532, 535, 538, 577		ants 192, 203, 211, 222, 226, 238 arthropods 14, 64, 198, 215, 224, 234, 235, 240–242, 586 bees 189, 212, 238 beetles 238, 350 carabid 15–23, 31, 60, 68, 79, 87, 184, 222,

706 Index

224, 229, 238, 350, 389, 543, 544, 545, 585	irrigation 101, 102, 132, 200, 416, 441, 472, 476, 491, 562	land use change 19, 21, 148 commercial 11, 36, 39, 43, 47, 84, 96, 108, 129, 156, 191, 205, 236, 247, 271, 276, 287, 290, 301, 325, 339, 347, 370, 377, 404 industrial 36, 43, 44, 47, 74, 91, 92, 95, 108, 129, 132, 205, 221, 236, 243, 258, 281, 290, 291, 323, 347, 355, 464 recreational 75, 106, 134, 146, 276, 281, 370, 374, 385, 387, 389, 441, 495, 496, 498, 508, 526, 542 residential 11, 12, 20, 36, 39, 43–44, 84, 108, 129, 132, 146, 184, 221, 223, 236, 238, 240, 247, 271, 276, 278, 281, 287, 288, 291, 307, 331, 342, 347, 349, 355–377, 383, 384, 389, 392, 406, 414, 415, 442, 451, 452, 456, 458, 464, 472, 477, 505, 517, 518, 520, 526, 589 landfills 370, 472 prairie style 417, 418, 419 landscape ecology 15, 198, 214, 215, 216, 363, 364, 441, 442, 456–467, 490, 573, 576 fragmentation 15, 21, 34, 53–69, 90, 144, 149, 156, 185, 195, 198,
butterflies 14, 17, 59, 108, 200, 201–214, 220, 224, 238, 256, 418, 460, 461, 462, 464, 465, 467, 564, 586, 589	island biogeography theory 14–18, 199, 206, 235, 531, 533, 534, 576 isolation 14–19, 23, 43, 57, 63, 142, 145, 182, 189, 199, 214, 218, 257, 278, 365, 370, 426, 431, 451, 452, 460, 461, 472, 531, 533, 571, 572, 587	
glow worms 255	Italy 64, 180, 245, 261	
outbreaks 225, 227, 228, 314	IUCN Red List (Red Data Book) 96, 105, 173	
spiders 222, 229, 238, 240, 543, 544, 545	Japan 187, 197, 199, 200, 202, 213, 214, 222	
institutions 40, 48, 480, 559, 561, 563, 564, 594	Johannesburg, South Africa 92, 245, 572	
interdisciplinary research 30–49, 236, 424, 434, 501, 590, 593, 594	K-selection 259	
intermediate disturbance hypothesis 18, 22, 23, 534, 576	lakes 95, 357, 409, 427, 444, 465, 508, 509, 524, 525, 528	
International Association of Landscape Ecology (IALE) 242, 382	land cover concrete 49, 58, 157, 158, 164, 191, 194, 219, 292, 364, 413, 417, 493, 494, 496, 500, 568 paved surfaces 11, 290, 301, 302, 305, 491 see also impermeable surfaces	
intertidal 55–69, 156–176, 584	land mosaics 10, 29, 39, 129, 130, 132, 143, 146, 199, 211, 236, 248, 274, 289, 305, 330–344, 358, 393, 449, 490	
introduced species 15, 16, 18, 54, 64–66, 74, 77, 132, 134, 139, 150, 151, 163, 175, 183, 184, 186, 190, 192, 225, 288, 289, 293–297, 400, 421, 472, 563		
naturalised 289, 293, 411, 472		
invertebrates 54–69, 159–174, 190, 215, 219, 225, 230, 232, 311, 315, 320, 388, 429, 473, 539, 545, 583, 584, 596 see also insects		
microinvertebrates 318		

214, 217, 222, 225, 227, 269, 278, 337, 387, 388, 394, 398, 423–436, 440–454, 457, 458, 491, 499, 531, 533, 537, 542, 570, 576, 584	London, UK 14, 258, 404, 476	Maryland, USA 219, 276, 284, 333, 477, 506, 507
management 355	long-term data 283, 348, 434, 467, 580 predictions 229	Massachusetts, USA 517, 519
matrix 11, 14, 35, 44, 62, 63, 129, 140, 144, 145, 155, 168, 182, 199, 203, 214, 218, 306, 309, 313, 332, 451, 475, 596	Long-Term Ecological Research (LTER) programs <i>see under</i> research programmes	mass-balance 343–349 mathematical methods 85, 376, 569 models 119, 210, 212, 245, 318
metrics 83, 152, 182, 592	Louisville, KY, USA 308, 328, 558, 584	meadows 204, 257, 380, 397, 400, 411, 414
permeability 193, 195	Low Impact Urban Design and Development (LIUDD) 470–483, 582, 585, 588	mechanistic understanding 38, 87, 88, 146, 147, 150, 181, 183, 184, 241, 317, 328, 334, 538, 578, 581, 586, 587, 593, 594
properties 489	Madrid, Spain 190, 572	Melbourne Urban Ecology Workshop xx, 5, 382, 557, 567
transformation 95, 100, 329, 356, 363, 387, 396, 399, 484–502, 512	Maine, USA 517	Melbourne, Australia 84, 113, 187, 189, 190, 191, 401, 402, 403, 404, 476, 558, 572
landscape design 432, 441, 462, 467, 586	Malaysia 65	meta-analysis 72, 122, 125, 144, 231, 535, 568, 577, 580, 594
Launceston, Australia 188	mammals 18, 54, 55, 59, 69, 96, 100, 108, 122, 178, 180, 181, 183, 188, 189, 190, 192, 193, 194, 289, 389, 399, 400, 401, 460, 463, 468, 473, 584, 586	metabolism 516, 559, 564, 590
lawn 129, 132, 134, 221, 240, 273, 289, 301, 306, 331–350, 374, 385, 401–421, 442, 477, 518, 530, 570, 589	management, natural resources 149, 197, 331, 430, 480, 586, 594	metacommunity 569
leadbeater's possum (<i>Gymnobelideus</i> <i>leadbeateri</i>) 114	decisions 100, 155, 184, 357	metapopulation 18, 19, 142, 194, 459, 466, 531, 533, 569, 576
leaf litter 135, 312, 316, 320, 341	Manchester, UK 220	Mexico 416, 494
transplant experiment 316–317, 325, 341	mangroves 52, 54, 156, 173	Mexico City, Mexico 560, 572
legislation 13, 67, 97–109, 143, 374, 464, 485, 555	marinas 62, 63, 157, 163, 170, 171, 172	microbial 311, 328, 543, 544 bacteria 315–324, 504
Leipzig, Germany 366, 371	marine ecosystems 4, 10, 51–69, 87, 106, 156–176, 584, 587, 589, 590, 591, 596	middle class 302, 400, 409
lichen 17	market economy 13	Milwaukee, WI, USA 277, 281, 282, 283
limnology 72, 524	marketing 248	mitigation 156, 170, 186, 193, 196, 215, 394, 486, 537
Litchfield County, CT, USA 278, 313, 314	marshes 114, 188, 400	models 4, 20, 27–48, 53, 72, 112–125, 173, 176, 178, 181, 199, 201,
logistic regression analysis 201, 212, 428, 429, 434, 572		

708 Index

- 211, 275, 276, 286,
329, 332, 336, 343,
349, 350, 360, 380,
434, 442, 475, 476,
489, 490, 491, 496,
517, 535, 536, 537,
538, 551, 558, 563,
569, 575–594
- definition of 26–27
- ecosystem 38
- integrating physical
and ecological
117–120
- mental models 114–115
- qualitative 115–116, 538
- quantitative 116–117,
538, 577
- spatial *see under* spatial
models
- moisture 31, 160, 190, 275,
280, 315, 317, 322,
333, 334, 337, 417,
429, 434, 490, 528
- monitoring 22, 36, 53, 66,
67, 106, 211, 213,
214, 236, 258, 283,
342, 347, 348, 350,
368, 374, 379,
422–437, 471, 472,
475, 501, 508–519,
583, 586, 588–594
- mortality 64, 107, 167,
185–194, 219, 238,
249, 324, 459, 467,
587
- Moscow, Russia 564
- mountain ash (*Eucalyptus
regnans*) 112–119
- mudflats 58, 157
- multi-disciplinary research 2,
12, 81, 441, 461
- multi-variate analysis 293,
310, 333, 452, 541,
547, 577
- mussels 62, 160, 164, 165, 167
- mutualism 88
- native prairie *see under*
grasslands
- natural selection 311
- nature reserve 15, 219,
293, 473
- nectar 200, 220, 297, 306, 467
- neighbourhoods
socially defined 39, 182,
183, 292, 300
spatially defined 182, 264
- network dynamics
hypothesis 490
- New York City, NY, USA 13, 16,
17, 25–37, 149, 278,
313, 314, 328, 329,
335, 340, 388, 404,
474, 558, 564, 584
- New York, USA 272, 276,
308, 341
- New Zealand 287, 399, 404,
407, 412, 413, 421,
470–483, 564
- night lighting 243, 245,
246, 254, 262, 263,
585, 589
artificial night lighting
243–263
floodlights 247
- nitrogen 315–328, 332–350,
504, 512, 518, 584,
592
nitrogen saturation 316
- noise 52, 54, 68, 185, 195, 441,
445, 531
- non-equilibrium
hypothesis 534
- non-governmental
organisations 381,
436
- North America 184
- Norway 382, 384, 390, 395
- null hypotheses 121
- nutrients 2, 31, 59, 66, 87, 145,
154, 190, 311–328,
505–516, 518, 570
and energy
transformation
38, 311, 315, 326,
346, 376
budgets 322, 345, 349,
350
cycling 79, 573, 585
retention 226, 320, 337,
345, 350, 513, 515
saturation 516
- Olmsted, Frederick Law 409,
494
- Ontario, Canada 190
- open space 101, 104, 204, 205,
271, 364, 370, 374,
386, 430, 456–467,
472, 486, 494, 569
- Ottawa, Canada 189, 190
- outreach 239, 586
- overfishing 57, 158
- overgrazing 96, 493
- Oxford, UK 18, 219
- oxygen 107, 365, 516
- ozone 35, 118, 227, 284,
312–324, 337, 340,
524
- palustrine wetlands 504
- parasitism 88, 150, 218, 221,
224, 226, 227, 229,
231, 573
- Paris, France 265
- parks 60, 145, 184
design 182, 394
neighbourhood parks
182, 183
- pastoral 409–414
- patch dynamics 39, 40, 43, 49,
181, 183, 274, 278,

330, 332, 341, 342, 559, 563, 576	461–469, 484–501, 506, 523, 549–555, 559, 565, 570, 575, 577	205, 224, 226, 227, 228, 249, 257, 280, 304, 444, 531, 533, 543
pathogens 192	principles 22, 402, 492	predictions 120, 154
paved surfaces 39, 40, 43, 289, 312, 364, 367, 368, 401–421, 479, 514, 518, 561, 564, 570	plant leaves 284, 311, 396	predictive tools 72, 147, 452, 453, 489, 496, 532, 579
peri-urban 1, 76, 106, 377, 389, 443, 448, 451, 461, 462, 466, 567	playgrounds 236, 384–385	primary productivity 101, 309, 315, 320, 324, 337, 516
permeability	Poland 179, 180	pristine environments 11, 12, 185, 287, 388, 533, 577, 583
organisms across landscapes 252, 369, 472, 474, 512	policy 480, 482, 582	propagules 59, 61, 63, 66, 192, 289, 307, 324, 337
liquids through paved surfaces 40	political boundaries 334, 347, 524, 527, 529	psychological well-being 265
perturbations 595	pollen 199, 225	public spaces 105
pests	pollination systems 195, 223, 224, 225, 228, 229, 231, 234, 241, 297, 533, 570	qualitative data 107 research 535–536 uncertainties 553
management 101, 104, 234, 235, 238, 240, 258, 304, 306, 310, 504	pollution 34, 54, 54, 83, 100, 118, 154, 185, 191, 193, 195, 280, 356, 388, 570	quantification 120–121 disturbance 534, 537–539 ecological effects 194, 369, 378, 442, 449, 455, 474
pest species 54, 64–69, 88, 100, 227, 234, 239, 306	air 35, 67, 77, 96, 99, 107, 197, 262, 265, 291, 303, 312, 323, 327, 339, 346, 417, 558, 562, 595	ecological relationships 116–123, 334, 468, 469
pets, domestic <i>see under</i> domestic pets	soil 96, 312, 417	mortality 189
Philadelphia, PA, USA 272, 402, 403, 406	water 42, 77, 99, 158, 174, 197	nutrient inputs 323, 517
philosophy 71, 384, 392, 547, 554	ponds 189, 200, 207, 251, 409, 477, 528, 564	spatial patterns 379
‘ubuntu’ 105	population	threats 188
Phoenix, AZ, USA 64, 74, 77, 182, 183, 236, 237, 241, 278, 485–499, 561, 564	dynamics 117, 142, 309, 459, 465, 466, 531, 532, 533, 542, 576	urbanisation 34, 45, 76–86, 278, 335, 337, 339, 350, 375, 376, 442–444, 537, 579
phosphorous 192, 322, 337, 348, 388, 475	networks 460	quantitative data 107 research 535–536
phytoplankton 516, 519	viability models 195	radiation 244, 251, 337, 368, 387, 398, 543
Picturesque movement 409–421, 492	Portland, OR, USA 504	
planning and design 86, 212, 241, 244, 263, 288, 381–398, 402,	Portugal 64	
	Potchefstroom, South Africa 94–104, 192, 584	
	precipitation <i>see under</i> rainfall	
	predation 13, 28, 55, 87, 143, 145, 149, 150, 154, 167, 188, 191, 192,	

710 Index

- rainfall 82, 113, 115, 116, 191, 237, 290, 291, 315, 320, 321, 322, 323, 326, 337, 365, 368, 369, 476, 506
- rainforests 130, 133, 135, 139
- random
 effect 303, 446, 449
 events 118, 206
 sampling 206, 269, 290
- rare taxa 96, 140, 156, 160, 161, 190, 214, 259, 384, 508
- recommendations 15, 92, 143, 256, 262, 279, 336, 360, 361, 372, 391, 420, 466, 534, 585, 595
- recreational activities 74, 156, 158, 258, 289, 310, 400, 442, 447, 454, 477, 484
- recruitment 142, 167, 191, 203, 239, 459, 465
- reduced resource
 requirements 476
- reefs 58–69, 157, 165, 175, 503
 coral 64, 173
- regeneration 88, 288, 289, 292, 293, 319, 361, 396, 500
- remnant vegetation 2, 5, 17, 38, 74, 88, 132, 133–155, 179, 182, 215, 216, 232, 235, 236, 238, 239, 276–285, 287, 305, 309, 309, 329, 346, 374, 380–398, 414, 419, 425, 427, 439, 442, 451, 472, 491, 497, 505, 507, 512, 526, 535, 536, 542, 568, 582, 586, 595
- algal turf 170
- remote sensing 276
- reproductive success 184
- reptiles 100, 188, 189, 238, 297, 306, 389
- research
 budgets 122
 networks 25, 36, 106, 350
 protocols 22, 23, 179, 194
 study designs 214, 535, 536
 research programmes
 GLOBENET 21–24, 36, 79, 87, 184, 240, 350, 589, 590
 Long-Term Ecological Research (LTER) 25, 36, 77, 91, 221, 284, 593
 URGE 25, 30–36, 313
- residents 12, 13, 20–21, 23, 24, 47, 90, 178, 181, 182, 183, 184, 387, 397, 476, 479, 536, 538
- residential activities 310
- resilience 59, 67, 69, 158, 392–393, 424–437, 478, 487, 504
- restoration 43, 156, 198, 211, 216, 228, 229, 288, 290, 305, 417, 420, 455, 472, 476–477, 478, 484, 485–501, 504–517, 564, 588
- retrospective land use 363, 436
- revegetation 385, 475, 481
- riparian
 canals 62, 494, 528
 downstream 115, 503, 515, 516, 559
 network 490, 492, 494
 rivers 51, 86, 95, 96, 108, 146, 179, 180, 191, 245, 259, 307, 327, 357, 411, 420, 439, 465, 471, 485, 489–501, 503–520, 528, 579
- streamflow 114, 115, 116, 117
- streams 5, 42–43, 85, 86, 95, 108, 191, 250, 258, 259, 305, 315, 332–350, 365, 465, 471, 477, 479, 485, 489–495, 499, 500, 503–517, 524, 528, 562, 595
- zone 391, 497
- rivers *see under* riparian, rivers
- roads 11, 60, 83, 84, 134, 185–196, 364, 380, 392, 408, 415, 417, 428, 430, 441, 448, 451, 463, 475, 499, 503, 514, 518, 526, 578
- barrier effect *see under* dispersal, barrier effect
- network 83, 185, 187, 195, 442, 578
- reserve 190
- verges 4, 192, 414, 466
- Rome, Italy 60
- Rotterdam 464, 468
- r-selection 208
- rubbish 68, 75, 174, 183, 292, 442, 504
- ruderal species 276, 280, 285, 381, 388
- salinity 562
- saltmarshes 130, 156, 157
- Sao Paulo, Brazil 14, 219, 220, 560, 572

satellite imagery 81, 86, 240, 265–273, 290, 291, 369, 374, 377, 434, 448, 460, 586	soil, effects of urbanisation on 13, 34, 43, 279, 280–284, 316, 328, 331, 334, 340, 346, 348, 388, 417, 507, 514	landscape scale 152, 153, 313, 329, 516
savanna 95, 129, 155, 414, 417, 489, 493, 526	soil acid 290, 322	local scale 148, 178
sea level rise 563	soil compaction 280, 328, 390, 416, 500, 543, 570	regional scale xix, 3, 74–88, 98, 143, 148, 194, 198, 206, 210, 305, 329, 343, 347, 350, 375, 430, 431, 436, 437, 439, 451, 452, 456, 467, 468, 469, 479, 496, 498, 574–596
seagrass 52, 58, 69, 156, 167, 173	soil erosion 96, 100, 101, 107, 280, 474, 493, 499, 500, 509, 511, 557	spatio-temporal properties 436, 488, 496
Seattle, WA, USA 154, 572	soil sealing <i>see under</i> impermeable surfaces	species generalist species 151, 205, 219, 222, 442, 444, 462, 539
seawall 157–176	solar radiation 214	specialist species 212, 462, 539, 544
seeds 113, 203, 224, 225, 241 bank 101, 289, 307, 337, 388, 390, 499	Sonoran Desert, AZ, USA 236, 237, 493–496	species abundance 17, 168, 171, 207, 211
dispersal 226	source–sink 40, 59, 61, 178, 203, 316, 324, 332, 560	species adaptation 130, 311
seedlings 74, 281–285, 292, 295	South Africa 90–110, 219, 221	species diversity species diversity, alpha 17–18
septic systems 348, 350, 517	Spain 64, 261	species diversity, beta 17–18, 143, 155
sequestration 44, 118, 324, 347	spatial heterogeneity 39, 40, 49, 130, 152, 330, 341, 348	species invasion 1, 16, 17, 19, 65, 69, 90, 96, 163, 192, 218, 225, 228, 324, 341, 390, 543
sessile organisms 59, 158–169	spatial models 147, 452–455	species properties 215, 453
settlement history 420	spatial models, landscape ecological analysis (LEA) 449–455, 585	species traits 71, 88, 199, 204, 214, 238
sewage 67, 506	spatial resolution	species–area relationship 159, 161, 201, 202
sewerage system 349, 351, 471	coarse scale 3, 28, 39, 49, 82, 84, 273, 345, 435, 446, 593	stakeholders 109, 422, 468, 471, 473–483, 520, 549–556, 593
Shanghai, China 264, 267, 268, 270, 272, 273, 566, 572	fine scale 28, 75, 84, 85, 210, 211, 289	State of Environment Reporting 56
Sheffield, UK 304, 305	spatial scale	
similarity index 17, 137	continental scale 3, 4, 76, 77–88, 129, 245, 270, 289, 325, 567	
socio-cultural 13, 104, 288, 306	global scale 3, 4, 74, 76, 77–89, 313, 329, 577, 589	
socio-economic 2, 5, 25, 42, 44, 73, 81, 91, 94, 123, 125, 155, 178, 181, 182, 183, 234, 236, 239, 265, 275, 277, 279–280, 302–305, 331–351, 377, 434, 457, 468, 576, 590		
sociology 71		
software 269, 273, 429, 520, 580, 586		
soils 29, 74, 96, 104, 335, 338, 545		

712 Index

statistics, also <i>see under</i>	407, 409–417, 443,	taxonomy of cities 217
Bayesian statistics	444, 451, 491, 503,	technology 129, 374, 404,
effect size 122	512, 518, 519, 520,	494, 581
misinterpretation 121,	530, 537, 567, 568	building 473
363	suburbia 406, 409, 414,	temperate regions 217, 235,
power 122, 194	415, 421, 495	238, 304, 305, 315,
precision 122	succession 16, 19, 27–34, 90,	325, 328, 365, 415,
p-values 121	130, 201, 210, 222,	494, 581
Stockholm, Sweden 385,	280, 289, 309, 397,	temperate species 295, 413
386–391, 393,	420, 427, 429, 442,	temperature 16, 40, 74, 77, 82,
422–437, 443, 445,	449, 463, 502, 533,	145, 199, 253, 267,
446, 449, 450, 451,	542, 576	275, 280, 311–328,
558	sulphur 331	331, 340, 341, 365,
strategic planning 439, 482,	sulphur dioxide 312, 388	369, 388, 416, 543,
549, 553–554, 582	survival 15, 66, 99, 122, 166,	554
streamflow <i>see under</i> riparian,	182, 183, 184, 197,	air 237, 337, 365
streamflow	226, 228, 388, 466,	soil 100, 284, 316, 318,
streams <i>see under</i> riparian,	498, 509, 554, 587,	319
streams	220–223	water 167
streets 289, 290, 303, 364, 402,	sustainable development 1, 3,	terminology 49, 382–383,
414, 415, 477, 497	73, 86, 97, 98,	425, 581–591
lighting 247, 252, 262,	99–110, 262, 369,	testable predictions 100, 224,
263	380, 422, 439, 440,	230, 231, 532, 535
maps 267	455, 482, 486, 487,	The Bronx <i>see under</i> New York
plantings 39, 203, 210,	489, 520, 565, 575,	City, NY, USA
300, 408–420, 472,	585, 587, 589	The Netherlands 59, 185, 188,
477, 573	sustainable development	244, 246, 419, 426,
stressors 504, 517	index 105	440, 441, 456, 459,
subdivisions 47, 193, 348,	Sweden 382, 384, 390, 391, 395	460, 463, 467, 468,
472, 473, 475, 476,	Sydney, Australia 58, 143, 169,	558
477, 518	188, 189, 217, 220,	theoretical framework 10,
subtidal 58–67, 156–175, 584	221, 227, 249, 401,	144, 422, 455, 533,
subtle ecological effects 46,	410, 427	542, 572, 573
175	Sydney Harbour,	theoretical model 539
subtropical 131–143, 270, 412	Australia 157–176,	theory 147
suburbs 36, 145	584, 588	definition of 26, 44–45
suburban 11, 15, 17, 23,	symbiotic relationships 88, 487	threatened species 295, 359,
35, 36, 43, 46, 57, 81,	Syracuse, NY, USA 277, 281,	569
129, 132, 140–153,	282, 283, 402, 407,	tidiness 104, 292, 302
186, 188, 190, 192,	413, 414, 415, 420,	time-lag 387, 431, 435
196, 198, 200, 212,	564	Tokyo, Japan 197, 205, 388
220, 222, 258, 284,	taxonomic groups 162, 198,	top-down control 142
308–327, 329, 345,	201, 203, 214, 403	topography 39, 144, 290, 402,
349, 355, 383–388,		409, 427, 428, 444

Toronto, Canada 566	ungulates 193	gradients 10, 19, 22, 25–48, 53, 57, 75–88, 137, 144, 145–154, 189, 197, 200, 208, 221, 235, 238, 259, 274, 276, 277, 281, 282, 283, 285, 310, 325, 332, 337, 339, 340, 350, 387, 445, 446, 448, 459, 491, 526, 534, 540, 569, 572, 575
tourism 257, 261	United Kingdom (UK) 187, 222, 288, 419	measures 3, 80, 81, 82–86, 443, 513, 579, 581, 587, 592
toxins 1, 67, 192, 225, 288, 505, 516, 530	Uppsala, Sweden 382	patterns of 69, 109, 156, 184, 195, 275, 278, 503
trade 526	urban	rate of 92, 357, 512, 575
trampling 16, 75, 96, 104, 365, 367, 368, 387, 390, 393, 394, 416, 500, 531–547	agriculture 99–105	urban–rural gradient <i>see under</i> urbanisation, gradients
transdisciplinary approach 423, 470–483, 523, 585, 593	design 46, 131, 143, 144, 146, 193, 196	USA 46, 179, 185, 272, 273, 382
translocation 381	designers 38, 392, 393, 394, 409, 417, 461, 485, 487, 488, 493, 495, 496, 501	variable selection 80, 81, 108, 144, 146, 148, 150–155, 266, 336, 451, 529, 538, 539, 578, 580–591
transportation 34, 43, 47, 51, 66, 100, 107, 156, 185, 195, 347, 406, 450, 477, 558	ecological theory 18, 47, 48, 49, 63, 73, 216, 532, 534, 547	vegetation–impervious surface–soil (VIS) model 266
systems 236, 305, 408, 428, 451, 563	entomology 229, 240	vegetation <i>see also</i> remnant vegetation
trapping 22, 220, 229, 249, 251, 259, 474, 544	fringe 47, 104, 187, 331, 378, 387, 491, 497	dynamics 27, 28, 29, 41, 104
trash <i>see under</i> rubbish	landscapes, properties of 13–16	herbaceous 43, 113, 210, 265, 270, 271, 284, 288, 411–420, 570
trees <i>see also</i> street plantings and woodlands	sprawl 77, 132, 193, 195, 239, 241, 258, 308, 401, 408, 428, 472	network 14, 213, 441, 451, 452, 456, 457, 466, 467, 468, 469, 570
canopies 113, 134, 135, 136, 138, 139, 147, 153, 277, 281–284, 313–327, 336, 347, 388, 389, 390, 396, 416, 493, 494, 500	Urban Ornithological Atlas Project, Italy 180	retention 141, 305
hollows 114	urban planning 2, 9, 180, 424, 594	
trophic levels 79, 88, 218, 221, 224, 227, 229, 534, 581, 592	decisions 149, 179, 550, 583	
tropical regions 150, 155, 217, 238, 400, 402, 412	planned cities 267, 392, 401, 402, 464, 569	
typology 82, 84, 154, 179	theory 432, 550, 551	
uncertainty 45, 66, 149, 316, 424–437, 553	urbanisation	
undiscovered public knowledge 73	definitions of 34, 233, 239, 277, 595	
UNESCO World Heritage List 386	effects 9, 13, 22, 24, 31, 32, 54, 57, 60, 63, 74, 77, 90, 129–155, 157, 186, 197, 199, 206, 217, 219, 275, 276, 280, 314, 328, 335, 347, 439, 441, 448, 455, 471, 503, 505, 512, 514, 587, 594	

714 Index

vehicular traffic 35, 54, 64, 68, 83, 185–196, 187–195, 278, 335–336, 337, 355, 374, 386, 426, 428, 430, 431, 434, 435, 441, 443, 445, 447, 526, 537–539	temperature <i>see</i> temperature, water water-sensitive urban design 191 watersheds <i>see under</i> catchments watershed approach <i>see under</i> catchment approach wave-action 159, 163, 167, 169 wealth 42, 91, 104, 184, 187, 302 weeds 66, 75, 100, 192, 289, 292, 306, 388, 400–416, 472–473, 570 wetlands 52, 95, 108, 191, 206, 278, 287, 331, 358, 359, 380, 397, 426, 428, 435, 437, 441, 447, 475, 486–498, 503–520, 587	networks 429 wharfs 58, 164, 170 wilderness 47, 185, 186, 187, 196, 304, 400, 493 wildlife 100, 114, 118, 129, 178, 183, 185–194, 234, 290, 292, 304, 306, 307, 383, 441, 442, 451, 454, 457–467, 473, 475, 498, 531 crossing structures 193, 463, 465 woodlands 23, 183, 217, 258, 279–280, 300–306, 310, 380, 389, 396, 397, 409–420, 422, 426–431, 542–547, 568 Yokohama, Japan 564
Vienna, Austria 250		
Washington, DC, USA 505–512		
water 472–481 discharge 66, 471, 473, 481, 495, 503–516, 517, 559 retention , 120, 417, 515 runoff 40, 52, 67, 74, 191, 365, 366, 368, 369, 471–483, 492, 503–516, 528, 558 pollution <i>see under</i> pollution, water		