

## Index

- accident and emergency department, *see* casualty department
- acute care system 71, 188–9, 302
- adherence, *see* treatment adherence
- antipsychotic drugs 123, 131, 133
- Asians, services for 24, 30, 206
- assertive community treatment, *see* assertive outreach teams
- assertive outreach teams (AOTs) 15–17, 92–3
- assessment of crises *see* crisis assessment
- Australia crisis resolution teams  
   first implementations 17–18  
   home treatment studies 38  
   North Shore service, Sydney 236–50
- Austria  
   crisis intervention services 19
- Barnet family psychiatric service 14–15
- benefits 143–4
- benzodiazepines 130, 133
- Black British, Caribbean and African people 24, 30, 206  
   services for 24
- capacity 25, 225, 296–7, 324
- Care Programme Approach (CPA) 213–14
- carers  
   investigation of carer views 60  
   involvement in assessment 103, 112  
   risk assessment 112  
   role in home-based treatment 171  
   views about CRTs 57  
   *see also* social networks
- casualty department 107, 129, 187–9, 194
- Charter of Needs and Demands 177
- children of service users 148–9
- CMHT *see* community mental health teams
- coercion and compulsion 223, 231  
   definitions 223  
   compulsion 224  
   inducement 224  
   leverage 224  
   persuasion 224  
   threat 224
- ethical justifications 224–6  
   practical application 226–7  
   avoiding coercion 227  
   force and legal compulsion 230–1  
   inducements 228–9  
   insight 227  
   leverage 228  
   persuasion 227–8  
   threats 229–30
- communications 92, 95, 190, 300–1, 322–3
- community mental health centres (CMHCs) in Trieste, Italy  
   advantages and risks 260–3, 261  
   crisis management 254, 286  
   hospital service use 259  
   hospitality versus hospital 257–9, 258  
   principles 253, 254–5  
   service user's care pathway 254–7  
   evidence for effectiveness 259–60  
   history and service structures 252–3
- community mental health teams (CMHTs) 23, 30  
   integration with 235–7, 246–8, 260–3  
   referral from 87–9, 303  
   working with 77, 90–1, 324–5
- compulsory admissions and assessments under the Mental Health Act 54, 56, 89, 90, 101, 230
- confidentiality 152–4, 75–6
- continuity of care 94, 138, 172–3, 255
- core model for CRTs 74, 82–3  
   current status 80–2  
   interventions 78–80, 79  
   acute symptom management 79  
   family education 80  
   patient education 80  
   practical support 79  
   treatment plans 79  
   organisational characteristics 76  
   organisational features 75–7  
   target group 74–5
- crises  
   definition 11  
   distinction with emergencies 11–12, 238

Cambridge University Press

978-0-521-67875-9 - Crisis Resolution and Home Treatment in Mental Health

Edited by Sonia Johnson, Justin Needle, Jonathan P. Bindman and Graham Thornicroft

Index

[More information](#)**328 Index**

- crisis assessment 97
  - case study 100
  - difficult groups 103–4
  - hospital admissions 106
  - literature review 104, 106
    - conclusions 107
    - findings 107
    - inconsistencies 107
    - limitations of literature 104–6
  - location 101
  - personnel 100–1
  - preparation 99
  - procedure 101–2
  - risks 106–7
  - risk assessment issues 102
  - suitability for CRTs 97–8
  - with CRTs, differences from other psychiatric assessments 102–3
- crisis assessment and treatment teams (CATTs) 18
- crisis cards 198
- crisis houses and crisis beds 94, 124, 178–9, 185, 284–6
  - integrating CRTs with 287–90
  - Soteria 285
- crisis intervention services 18–19
- crisis resolution teams (CRTs)
  - audit and evolution 215
  - criteria for 74–5, 88, 89, 97–8
  - definition 26–8
  - development
    - alternative to acute admission 12–13
    - deinstitutionalisation 12
    - pioneers 13
    - precursors in the USA 14–17
  - discharge from 91, 127, 325
  - effectiveness 30–3
    - impact on psychiatric admissions 31, 53
  - first implementations
    - Australia 17–18
    - Birmingham, UK 27, 47–9, 55
    - Madison, Wisconsin 16–17
  - history 13–18, 23–4
  - hours 76–7, 321–2
  - international interest 33
  - main aims 3
  - problems addressed
    - coping skill development 73
    - hospital admissions 71–2
    - role of families and social networks 72–3
  - therapeutic alliance 73, 165–70, 254–5
  - recent research 51–2, 61–2
  - carers' views about CRTs 57
  - current state of the evidence 59
  - future directions 59–61
  - implementation of CRT model 58–9
  - non-randomised studies 55–6
  - patients' views 56–7
  - randomised controlled trials (RCTs) 52–4
  - referring professionals' views 58
  - specific aspects of care 56–9
  - view and experiences of CRT staff 58
- staff composition 28
- staff profiles 29
- UK situation
  - deployment 27
  - first CRTs 23–4
  - monitoring 26
  - NHS modernisation 24–5
  - policy impact 25–6
  - variations in style and targets 30–2
  - fidelity characteristics 29
- cultural diversity
  - approaching change 211
  - Care Programme Approach and risk assessment 213–14
  - collaborative working
    - with families 214
    - with voluntary and communities 214
  - dealing with 207–13
  - first contact 211–12
  - good practice 208
  - interventions provided 214
  - language and interpreters 212–13
  - matching patients with therapists 212
  - organisational structure and policy 209
  - practice examples 216
  - sensitivity to 207
  - staff recruitment 209
  - staff training and attitudes 209
  - special considerations
    - refugees and asylum seekers 215
    - specialist ethnic minority services 215
- day services
  - day hospitals 275–6
  - integration of CRTs with 276–80
- deinstitutionalisation 12–13, 24–5
- depression
  - patient management 130–1
- diet
  - assessment 144
  - intervention 144–5
- discharge from CRT 91, 127, 325
- early discharge management 187, 195
  - approaches to facilitating early discharge 192
  - characteristics 192
  - appropriateness of early discharge 190
  - case studies
    - Camden and Islington Mental Health and Social Care Trust 194–5
    - City and Hackney Home Treatment Service 194
    - patient experiences 191–2
    - West Norfolk Acute Care Service 193
  - effective acute care system 188–9
  - essential components 190
  - potential pitfalls of early discharge 192
  - relationship between crisis and acute inpatient services 187–8
- early intervention services for psychosis 93–4, 134

Cambridge University Press

978-0-521-67875-9 - Crisis Resolution and Home Treatment in Mental Health

Edited by Sonia Johnson, Justin Needle, Jonathan P. Bindman and Graham Thornicroft

Index

[More information](#)**329** **Index**

- EHT, *see* integrating CRT function within CMHTs, extended hours teams
- emergencies  
 definition 11  
 distinction with crises 11–12
- employment  
 assessment 145  
 intervention 145–6
- engagement 124, 165–70, 254–5
- establishing a new CRT 307–8  
*see also* team building for local CRT services
- ethnic diversity, *see* cultural diversity
- evidence, *see* crisis resolution teams, recent research; home treatment studies; randomised controlled trials
- extended hours teams *see* integrating CRT function within CMHTs
- families *see* social networks
- family sponsor homes 284
- first-episode psychosis 133–4
- France  
 crisis intervention services 19
- future research directions for CRTs  
 comparison with CMHTs 60  
 impact within wider service systems 61  
 investigation of care content and outcomes 60  
 investigation of individual patient outcomes 59  
 investigation of service user and carer views 60  
 research on well-established CRTs 61
- gatekeeping 24, 58, 77, 89, 187–8
- gay men, home treatment for 218–19
- general practitioners 85–6, 301
- health beliefs model 168
- home treatment studies 37, 49  
 methods and aims 37–8  
 study designs 39  
 non-randomised comparative studies 47–9  
 summary 48  
 randomised controlled trials (RCTs) 38–42  
 comparison of outcomes 43  
 support for CRTs 46–7
- hospital admissions  
 disadvantages of 24–5, 71–2, 178  
 factors associated with 106–7  
 liaison with 188, 193, 195, 236  
 need for 104, 116–17  
 reducing 25, 32–3, 55–6
- Hoult, John 16–18, 24, 42, 52
- housing  
 assessment 138–9  
 effect on symptoms 124  
 interventions 139–41  
 special problems 142
- inducements 224, 228–9
- inpatient services, *see* hospital admissions
- integrating CRT function within CMHTs 235, 249  
 crisis team spectrum 240  
 definitions 236  
 distinguishing crisis and emergency responses 238  
 Lower North Shore and Ryde Mental Health Service 236–7  
 Manchester Integrated Home Treatment Service 237  
 extended hours teams (EHT) 236, 241, 247  
 outcomes 245–6  
 primary diagnostic groups 243  
 staffing 242  
 work phases 243–5  
 workload 242–3
- organisational choice points  
 basic EHT structure 241–2  
 contrast between separate CRTs 239  
 crisis services versus casualty departments 238  
 integrated crisis services and case management versus discrete crisis intervention and discrete case management 238–41  
 skill mix required 242
- integrating day treatment and CRTs 275–6, 280  
 advantages 279  
 Home Options Service (Manchester) 276  
 partial hospitalisation programme (Newcastle) 276–9  
 potential pitfalls 279–80
- integrating residential crisis care and CRTs 283, 290  
 advantages of community residential settings 284  
 benefits 289  
 development of residential alternative to hospital admission 284–6  
 examples 287–90  
 case studies 287, 288  
 need for residential crisis care 283  
 Trieste model, *see* community mental health centres in Trieste
- joint crisis plans 199
- language problems 212–13
- learning disabilities  
 exclusion from CRTs and equity 75
- lesbians, home treatment for 218–19
- liaison services 187–9, 194
- local implementation teams 26, 30
- Lower North Shore and Ryde Mental Health Service 236–7
- mania  
 patient management 130–1
- Manchester Integrated Home Treatment Service 237
- medication  
 adherence to 171–3  
 monitoring by CRT 123–4, 130  
 prescribing 123, 126

Cambridge University Press

978-0-521-67875-9 - Crisis Resolution and Home Treatment in Mental Health

Edited by Sonia Johnson, Justin Needle, Jonathan P. Bindman and Graham Thornicroft

Index

[More information](#)**330** **Index**

- men, home treatment for 218
  - gay men 218–19
- Mental Health Act assessments *see* compulsory admissions
- Mental Health Policy Implementation Guide 25, 28, 74, 75, 79, 97, 152, 180
- mobile crisis services in USA 19–20
- money problems
  - assessing 142
  - interventions 143–4
- National Health Service (NHS)
  - modernisation 24–5
  - reception of CRT policy 25–6
- National Service Framework for Mental Health 25–6
- Netherlands, the
  - early service in Amsterdam 13
  - crisis intervention services 19
- NHS Plan* 3, 25, 30
- non-randomised comparative studies
  - home treatment studies 47–9
  - summary 48
  - recent research 55–6
- North Islington study 52–4
  - see also* South Islington crisis study
- nurses 28, 75, 242
- occupation
  - assessment 145
  - intervention 145–6
- occupational therapists 137
- older people and CRTs 267, 273
  - age discrimination and equity 75, 267, 271–2
  - challenges 267–8
  - current provision 269
    - general adult CRTs working with older people 270–1
    - intermediate care teams 270
    - older people's specialist CRTs 269–70
  - future practice recommendations 271–2
  - service provision 268–9
- operational management of CRTs 319, 325
  - balancing demand with capacity 323–4
  - clinical cover 321–2
  - information sharing and communication 322–3
  - interface with other services 324–5
  - team size and composition 319–21
- personality disorder
  - eligibility for CRTs 74–5
  - patient management 122, 132–3
  - repeat CRT service users 200
- persuasion 224
  - using 227–8
- planning a local service 295, 306
  - key steps 296
  - sustaining services 302
    - avoiding conflicts 303
    - constructive relationships 303
    - data collection 304
    - effective management and leadership 305
    - ensuring continued support 304
  - integration with whole mental health system 302
  - positive impact 304–5
  - principles 303
  - proving efficacy 302
  - provision of continuing training 306
  - publishing data 305
  - research projects 305
- team building 295
  - appointing staff 299
  - canvassing support 298
  - communications and information systems 300–1
  - liaison with local organisations 301
  - location of team base 299–300
  - medications policy 300
  - secure funding 298–9
  - size of team 296–7, 319–21
  - steering groups 299
  - support from senior members of organisation 297–8
  - team culture 302
  - team leaders 299, 322
  - training 301, 312
  - visiting other teams 295
- Polak, Paul 14, 42, 284
- practical interventions 79–80, 122, 137–50, 182
- psychiatrists 28, 75–6, 189
- psychoeducation 124–5, 160
- psychological therapies 134–6
- psychologists 134–5
- psychosis
  - early intervention services 93–4
  - patient management 133–4
- psychosocial interventions 137, 150
  - assessing social context 138, 140
  - communication 148
  - employment, occupation, education and activities
    - assessment 145
    - intervention 145–6
  - finances
    - assessment 142
    - interventions 143–4
  - housing
    - assessment 138–9
    - interventions 139–41
  - nutrition and self-care
    - assessment 144
    - intervention 144–5
    - provision 137–8
  - relationships 146–7
  - short-term measures 141
  - transport and mobility 149
  - users with children 148–9
- Querido, Arie 13
- randomised controlled trials (RCTs)
  - home treatment studies 38–42
    - comparison of outcomes 43
    - support for CRTs 46–7
  - recent research 52–4

Cambridge University Press

978-0-521-67875-9 - Crisis Resolution and Home Treatment in Mental Health

Edited by Sonia Johnson, Justin Needle, Jonathan P. Bindman and Graham Thornicroft

Index

[More information](#)**331** **Index**

- rationale for CRTs 67, 68, 69, 82–3
  - clinical and research observations 70
  - ethical values 69–70
  - information sources 67
  - theoretical principles 70–3
    - hospital admissions 71–2
  - patient skills development 73
  - patient/professional relationships 73
  - role of families and social networks 72–3
- recruiting for a new CRT 299, 308, 319–21
  - attributes, skills and experience 308
  - desirable characteristics 310
  - desirable personal attributes 309
  - desirable skills 309
  - selection process 310
- referral
  - acceptance 99
  - assessment 87–8
  - from criminal justice system 89–90
  - from other community mental health services 86
  - in crisis 156
  - information on referral form 99
  - process 98
  - personnel 98
  - screening 86–7
- referral crisis 156
- refugees and asylum seekers 142, 215
- relationships 146–7
- repeat CRT service users 197–8, 204
  - case study 201
  - care plan 201
  - CRT involvement 202
  - CRT repeat contact 202–4
  - history 201
  - presentation 201
  - prior admissions 202
  - risks 202
- crisis plan content 198
- crisis plan implementation 198–9
- personality disorder 200
- relapse prevention 199
- research, *see* CRTs; recent research; home treatment studies; randomised controlled trials
- residential crisis services, *see* crisis houses and crisis beds
- retaining an effective CRT 314–18
  - factors 314
- risk assessment 87–8, 102, 111, 119–20, 141
  - assessment personnel 112–13
  - assessment tools and note keeping 113–14
  - Care Programme Approach 213–14
  - continuing as part of risk management 119
  - and early discharge 190
  - and engagement 172
  - evidence 111–12
  - hospital admission versus home treatment 106–7, 116–17
  - other risks 116
    - risk to others 115
  - positive risk taking 185
  - risk as part of wider assessment 117
  - self-harm and violence 114–16
    - suicide risk factors 115
  - service users and carers 112
- risk management 111, 119–20
  - case study 115
  - plans 117–18
  - strategies
    - advance statements 119
    - care coordination 118
    - continued risk assessment 119
    - emergency management 118
    - identifying stressors and early signs 118
    - risk minimisation 118
    - risks to staff 119
    - structuring time 118
- self-care
  - assessment 144
  - intervention 144–5
  - risk assessment 114–16
- service users
  - children of 148–9
  - experience of CRTs 56–7, 177–8, 186
  - groups 248
  - individual experiences of CRTs
    - choice and control 184
    - context 185–6
    - positive risk taking 185
    - strength and resources 184
  - responses to crises 178–9
    - crisis houses 179–80
    - crisis resolution/home treatment teams 180–1
- social capital 151
- social networks 138, 151, 162
  - assessment 126, 146–7, 154–6
  - case studies 155
  - confidentiality 152–4
  - of ethnic minorities 214
  - interventions, general principles 157–8
    - communication 158
    - coordination 157
    - coping 158
    - social focus 158
  - interventions, specific
    - communication training 160–1
    - family therapy 161
    - problem solving 161, 162
    - psychoeducation 160
    - social systems meetings 158–9
    - nature and importance 151–2
    - role in crises 72–3
    - support for 125
- social systems
  - approach 158–9
  - crises 156
    - meetings 154–6, 158–9
  - social workers 193
- South Asian patients, services for 24
- South Islington crisis study 55
  - see also* North Islington study
- staffing of CRTs 25, 28–9, 189, 241–2, 296–7, 307, 320

Cambridge University Press

978-0-521-67875-9 - Crisis Resolution and Home Treatment in Mental Health

Edited by Sonia Johnson, Justin Needle, Jonathan P. Bindman and Graham Thornicroft

Index

[More information](#)**332 Index**

- Stein, Leonard I. 16–17, 40, 42, 284–5
- substance misuse 104, 115
- suicide risk
  - patient management 129
  - risk factors 115
- sustaining local CRT services 302
  - avoiding conflicts 303
  - constructive relationships 303, 324–5
  - data collection 304
  - effective management and leadership 305
    - see also* operational management of CRTs
  - ensuring continued support 304
  - integration with whole mental health
    - system 302, 324–5
  - positive impact 304–5
  - principles 303
  - proving efficacy 302
  - provision of continuing staff training 306
  - publishing data 305
  - research projects 305
- symptom management 121, 136
  - immediate implementation phase 123
    - guidance and advice 124
    - housing problems 124
    - medication 123–4
    - social network support 125
    - stressors 124
    - supervision and monitoring 125
  - late implementation phase 127
  - medium-term phase 125
    - CMHT involvement 127
    - medication 126
    - ongoing support 125
    - practical problems 126
    - social network 126
    - supervision and monitoring 125
  - particular presentations 127
    - challenging behaviour and threats
      - of violence 128–9
    - depression, severe 130–1
    - personality disorder 132–3
    - psychosis 133–4
    - suicidal patients 129
  - phases 121
  - planning phase 121–3
  - psychological therapies, contribution from 134–6
- team building for local CRT services 295
  - appointing staff 299
  - canvassing support 298
  - communications and information
    - systems 300–1
  - establishing a new CRT 307–8
  - liaison with local organisations 301
  - location of team base 299–300
  - medications policy 300
  - secure funding 298–9
  - steering groups 299
  - support from senior members of
    - organisation 297–8
  - team culture 302
  - team leaders 299, 322
  - training 301, 312
    - visiting other teams 296–7
- team size 296, 319–21
  - area characteristics 296–7
  - communication within team 297
  - funding 297
  - population size of catchment area 296
  - senior staff availability 297
  - staffing levels 297
  - tasks 297
- theories
  - crisis intervention theory 18, 71
  - post-psychiatry 71
  - theoretical basis for CRTs 68–73
- training for a new CRT 301, 310–11
  - content 312–13
    - goal of training 311
    - orientation to CRT model 311
    - orientation to specific roles 311
    - skills and common knowledge base 312
    - team building 312
    - new staff into existing team 314
  - programme 313–15
    - clinical skills 313
    - example four-week programme 315
    - orientation 312
- Training in Community Living model
  - 15–16, 42
- transport and mobility 149
- treatment adherence, promoting 165, 175
  - adverse factors 167
  - conclusions 174–5
  - doctor–patient relationship 168
  - engagement 165–6
  - establishing the patient’s model 168–70
    - key themes 170
  - home-based treatment 171
    - carers 171
    - containment 172
    - interactions and continuity of care 172–3
    - risk 172
    - structure 171
    - time 172
    - non-adherence factors 169
    - therapeutic alliance 167–8
- Trieste model, *see* community mental health centres in Trieste
- UK
  - first CRTs 23–4
- USA
  - crisis intervention services 18
  - mobile crisis services 19–20
- violent behaviour, managing 128–9
- women, home treatment for 216–17
  - lesbians 218–19