
Index

- abelian group, 246, 249
- acacia, 275, 318
- accidental bias, 20
- additive model, 77, 82, 87, 90
- age, 279
- AIDS, 124, 316
- alias set, 260
- aliasing, 170, 243, 259, 284
- analysis, 226, 230, 253, 266, 285
- analysis of variance, 33, 40, 46, 64, 67, 87, 90, 112, 113, 145, 200
 - full, 134, 149, 201
 - null, 133, 140, 149
 - skeleton, 134, 138, 140, 149, 200, 201, 285
- animal breeding, 146
- antagonism, 78
- apples, 16, 168
- archaeology, 206
- asthma, 9, 52, 118, 313

- bacteria, 82, 313
- balanced incomplete-block design, 219, 223, 226, 233, 257
- baseline measurement, 117
- bean weevils, 203, 313
- best linear unbiased estimator, 24, 25, 28, 39, 62, 143, 226
- bias, 68, 122, 124
 - accidental, 20
 - assessment, 122
 - selection, 20, 124
 - systematic, 20
- biotechnology, 155, 315
- blind, 122
- block, 6, 13, 53, 119, 121
 - contrast, 62
 - design, 159, 166
 - incomplete, 219–238, 241–258
 - orthogonal, 57, 59, 99
 - different sizes, 272
 - factor, 57
 - large, 146
 - principal, 246
 - small, 146
 - subspace, 57
- blocking, 6, 53–71, 105, 146, 283, 284

- blood, 80, 315
- Bose's Inequality, 221
- bottom stratum, 200
- breed, 279

- calculations ignoring treatments, 133, 140, 145, 149, 200
- calf feeding, 2, 9, 131, 137, 138, 144, 313
- car tyres, 168, 170, 314
- carbon dating, 206, 317
- carry-over effect, 119
- case-control study, 125
- catalyst, 81
- cattle breeder, 154
- cereals, 79, 313
- chain, 176, 177, 181, 197
- character, 242
- chemicals, 168
- chicken feeding, 50, 88, 91, 313, 316
- chicory, 241, 242, 245, 257, 318
- chromatograph, 267, 315
- cider apples, 145, 147, 160, 161, 188, 258, 316
- citrus orchard, 56, 314
- class, 93, 169
- clinical trial, 237
- coarser, 171
- cohort study, 125
- column, 105
 - contrast, 111
 - factor, 111
- combinatorial design, 8
- common cold, 127, 157
- comparative experiments, 40
- complete-block design, 58
- completely randomized design, 19, 120
- concrete, 18, 147, 170, 314
- concurrence, 219
- cofounded, 241
 - with blocks, 230
- confounding, 241–258
- consultation, 1
- control treatment, 7, 11, 12, 43–47, 52, 72, 99, 124, 234, 237, 282
- correction for the mean, 31
- coset, 246, 260
- cost, 6

covariance, 24, 38, 59, 60, 111, 112, 194, 284
cow-peas, 78, 97, 315
criss-cross design, 208
cross-over trial, 118, 194, 197, 237, 313, 317
crossover interaction, 78
crude sum of squares, 93, 178
 for treatments, 27

data
 collection, 2, 283
 copying, 2
 scrutiny, 3

defining contrast, 259, 260
degrees of freedom, 26, 133, 134, 184, 185, 200
design, 13, 283, 285
detergents, 9, 59, 224, 234, 257, 314
difference set, 220
difference table, 220
direct sum
 internal, 23
disordinal interaction, 80
distribution
 exponential, 254
 F, 34, 40, 144, 146, 268
 normal, 29, 34, 35, 40, 253
 t, 29, 40, 144
 χ^2 , 34, 40, 253
double-blind, 122
drugs, 48, 86, 118, 119, 122, 185, 191

educating general practitioners, 126
eelworms, 72, 315
effect, 84, 93, 184, 187
 fixed, 60–68
 random, 60, 67–69
efficiency, 229–234
efficiency factor, 229–234, 242, 257
eigenspace, 113
eigenvalue, 39, 67, 113
eigenvector, 39, 67
enzyme, 80, 315
equality factor, 171
equivalent factors, 170
estimation, 24, 84, 86, 113
estimator, 5, 202, 253
ethical issues, 124
eucalypts, 4, 8, 182, 315, 318
excipient, 17, 249
expectation, 45, 48, 59, 60, 111, 112
expectation model, 50, 77, 84–87, 95, 190, 284
expected mean square, 27, 39, 64, 90, 133, 135, 201
experimental unit, 6–8, 10, 12, 117, 131, 275, 283
exponential distribution, 254

F-distribution, 34, 40, 144, 146, 268
F-probability, 64

factor, 169–214
factorial
 design, 11, 241–270
 experiment, 97
 treatments, 11, 75–99, 124, 248, 316
false replication, 135, 170, 284
field beans, 250, 315
field trial, 55, 56, 313
finer, 171
Fisher's Inequality, 221
fit, 178
fitted value, 23
fixed effects, 15, 60–68, 110, 132, 226, 253, 279
fractional replicate, 161, 166, 167, 259–270
frogs, 125
full analysis of variance, 134, 149, 201
fungicide, 11, 47, 182, 186, 313, 315

genomics, 236
glass jars, 276, 315
Graeco-Latin square, 162–167
 finite field, 163
 prime order, 163
 product method, 165
grafting skin, 154
grasshoppers, 152, 316
grazing, 275

half replicate, 260
Hall's Marriage Theorem, 235
Hasse diagram, 175–177, 185–189, 195, 196, 198–202,
 243, 283
hay fever, 68, 315
herbicides, 78, 315
historical controls, 118, 125
hypothesis test, 5, 33–35, 44, 70, 84, 113, 135, 140, 141,
 202, 253, 266

incomplete-block design, 219–238, 241–258
 balanced, 219, 223, 226, 233, 257
 complement, 221
 cyclic, 220, 236
 from Latin squares, 221
 lattice, 221
 optimal, 233
 resolved, 221, 223, 230
 unreduced, 220
infimum, 171
informed consent, 126
insect repellent, 53, 121, 314
insulators, 266, 318
intention to treat, 126
interaction, 77–84, 88, 90, 93, 95, 97, 122, 140, 141,
 144, 146, 152, 159, 161, 166, 167, 202,
 214, 237, 242, 244, 252, 259, 265, 279
 crossover, 78

- decomposing, 242
- disordinal, 80
- three-factor, 95
- threshold, 80
- trigger, 81
- two-factor, 95
- Intersection Principle, 84
- irrigation, 54, 55, 211, 314
- kiwi fruit, 4, 313
- laboratory measurement, 55, 313
- ladybirds, 2, 170
- Latin square, 106, 157–167, 222, 242
 - cyclic, 106
 - group construction, 106
 - product construction, 107
- lattice design, 221–223, 230, 234, 238
- layout, 13
- leafstripe, 3, 313
- linear model, 14, 23, 24, 59–61
- lithium carbonate, 17, 226, 314
- litters, 56
- local control, 6, 13
- lucerne, 155
- main plot, 146
- main effect, 84, 88, 90, 140, 141, 144, 159, 242
- main-effects-only design, 159, 161, 166, 167, 192, 214, 241, 259
- management, 55, 56, 68, 114, 221, 275
- marine engineering, 41
- matched pairs design, 119
- maternal dietary supplements, 126
- matrix, 26, 195
- maximal model, 85, 86
- mean, 5
- mean square, 26, 44, 64, 86
 - for residual, 28
 - for treatments, 32
- mental arithmetic, 9, 202, 314
- metal cords, 64, 68, 69, 315
- microarrays, 236, 317
- milk, 25, 28, 29, 32, 34, 123, 280, 316, 318
- minimization, 122
- model, 45, 48, 132, 148, 253, 285
- molybdenum, 211, 317
- mouthwash, 126
- multiplicative model, 82
- mushrooms, 57, 314
- nematodes, 175, 181, 192
- normal distribution, 29, 34, 35, 40, 253
- null analysis of variance, 15, 133, 140, 149
- null model, 30, 88
- oats, 83, 315
- observational study, 125
- observational unit, 8, 10, 12, 117, 131, 276, 283
- oceanography, 166, 317
- oilseed rape, 11, 13, 44, 313
- optimal incomplete-block design, 233
- Ordering Principle, 252
- orthogonal
 - basis, 23
 - complement, 23
 - decomposition, 182
 - design, 197–214
 - factors, 178
 - Latin squares, 162, 222
 - plot structure, 193
 - projection, 23
 - to blocks, 230
 - treatment structure, 189
 - vectors, 23
- Orthogonality Principle, 85
- overall mean, 30
- Park Grass, 98, 208
- pasture grass, 70, 315
- piglets, 56, 313
- pill manufacture, 249, 315
- placebo, 122, 237, 282, 317
- plan, 13, 284
- planned analysis, 4, 284
- plot, 10
 - factor, 170, 193, 196, 197, 276
 - structure, 5, 12, 193, 198, 272, 279, 283
- potatoes, 42, 47, 52, 168, 314
- power, 5, 6, 15, 35–38, 69, 71, 120, 121, 126, 144, 152, 230, 284
- principal block, 246
- prospective study, 125
- protocol, 10, 12, 282–285
- pseudo-replication, 135
- pseudofactor, 197, 251, 262
- psychology, 41, 122, 318
- pullets, 11, 314
- purpose of the experiment, 5, 282
- quantile, 254
- quantile plot, 254, 269
- quantitative factor, 12, 79, 92, 266
- quarter replicate, 161, 264
- rain, 4, 313
- random effects, 15, 60, 67–69, 112, 132, 148, 193, 228, 253, 279
- random sample, 5, 271
- randomization, 8, 13, 15, 19–21, 38, 41, 59, 98, 108, 118, 120, 122, 123, 132, 138, 147, 159, 161, 196, 223, 271–279, 284, 285
- sequential, 121

randomized controlled trial, 118
rats, 185, 192, 317
repeated measurements, 147
repetition, 131
replication, 5, 19, 30, 35–38, 41, 43–44, 52, 70, 85, 87,
97–99, 121, 126, 131, 181, 197, 284
residual, 27, 35, 85, 134, 140, 226
degrees of freedom, 202, 285
mean square, 28, 45, 84, 86
sum of squares, 27, 201, 202
residual effect, 119
resolution, 265
resolved incomplete-block design, 221, 223, 230
retrospective study, 125
rice, 54
road signs, 54, 286, 314
rotation experiment, 274, 313
row, 105
contrast, 111
factor, 111
row–column design, 105–114, 118, 157, 158, 235–238,
272
rubber, 48, 314
rugby, 205, 317
rye-grass, 7, 9, 75, 97, 146, 170, 173, 174, 191, 200,
241, 313

saplings, 80, 315
scalar product, 22
selection bias, 20
semi-Latin square, 211
sex, 279
significance level, 35, 70, 121, 144
silicon wafers, 276, 318
single replicate, 159, 166, 241, 250, 253
skeleton analysis of variance, 15, 134, 138, 140, 149,
200, 201, 285
smoking, 125, 316
soap pads, 193, 317
source, 33
split-plot design, 146–153
squared length, 22
standard error, 29, 202
of a difference, 29, 86, 90, 95, 140, 141, 143, 230
of a mean, 29
strata, 67
stratum, 40, 120, 132, 133, 138, 148, 149, 196, 198,
241, 285
stratum variance, 196, 226
straw, 114, 316
strictly orthogonal factors, 241
strip-plot design, 209
subgroup, 246, 249, 259
subplot, 146
subspace, 178, 182
sugar beet, 247, 253, 254, 257, 315

sum of squares, 22, 23, 26, 39, 52, 86, 94, 133, 134,
145, 184, 187, 200, 253
crude, 27, 178
for the mean, 31
for treatments, 32, 49, 51, 201
total, 28
Sum Principle, 84
superimposed design, 166
supplemented balance, 234
supremum, 172
synergism, 78
systematic bias, 20

t-distribution, 29, 35, 40, 70, 144
t-test, 35
table of means, 86, 90, 95, 178
tablet manufacture, 81, 249, 315
three-factor interaction, 95
threshold interaction, 80
time, 147, 279
time-course experiments, 147
tomatoes, 9, 314
total sum of squares, 28
tractor, 56
treatment, 7, 8, 11, 282
contrast, 22, 62, 111
effect, 32
factor, 21, 75, 170, 189, 197, 242
structure, 5, 12, 43–51, 189, 198, 279, 283
subspace, 21, 149, 198, 202, 241, 285
vector, 22
trees, 53
trigger interaction, 81
two-factor interaction, 95

uniform factor, 175
universal factor, 171
unstructured
plots, 12, 19
treatments, 12

variance, 5, 6, 15, 24, 28, 30, 37, 39, 40, 43, 62, 69, 121,
137, 141, 194, 229–234, 253
variance ratio, 34, 40, 64, 68, 135, 141, 202
vetch, 83, 315

wash-out period, 119
washing, 208, 317
weeds, 56, 315
weight, 262
wheat, 8, 313
whole plot, 146
wine, 16
wine tasting, 59, 105, 315

χ^2 -distribution, 34, 40, 253
Youden square, 236