

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)

LONDON MATHEMATICAL SOCIETY LECTURE NOTE SERIES

Managing Editor: Professor N. J. Hitchin, Mathematical Institute,
University of Oxford, 24–29 St Giles, Oxford OX1 3LB, United Kingdom

The titles below are available from booksellers, or from Cambridge University Press
at www.cambridge.org/mathematics

- 159 Groups St Andrews 1989 volume 1, C.M. CAMPBELL & E.F. ROBERTSON (eds)
160 Groups St Andrews 1989 volume 2, C.M. CAMPBELL & E.F. ROBERTSON (eds)
161 Lectures on block theory, B. KÜLSHAMMER
163 Topics in varieties of group representations, S.M. VOVSI
164 Quasi-symmetric designs, M.S. SHRIKANDÉ & S.S. SANE
166 Surveys in combinatorics, 1991, A.D. KEEDWELL (ed)
168 Representations of algebras, H. TACHIKAWA & S. BRENNER (eds)
169 Boolean function complexity, M.S. PATERSON (ed)
170 Manifolds with singularities and the Adams-Novikov spectral sequence, B. BOTVINNIK
171 Squares, A.R. RAJWADE
172 Algebraic varieties, G.R. KEMPF
173 Discrete groups and geometry, W.J. HARVEY & C. MACLACHLAN (eds)
174 Lectures on mechanics, J.E. MARSDEN
175 Adams memorial symposium on algebraic topology 1, N. RAY & G. WALKER (eds)
176 Adams memorial symposium on algebraic topology 2, N. RAY & G. WALKER (eds)
177 Applications of categories in computer science, M. FOURMAN, P. JOHNSTONE & A. PITTS (eds)
178 Lower K- and L-theory, A. RANICKI
179 Complex projective geometry, G. ELLINGSRUD *et al*
180 Lectures on ergodic theory and Pesin theory on compact manifolds, M. POLLICOTT
181 Geometric group theory I, G.A. NIBLO & M.A. ROLLER (eds)
182 Geometric group theory II, G.A. NIBLO & M.A. ROLLER (eds)
183 Shintani zeta functions, A. YUKIE
184 Arithmetical functions, W. SCHWARZ & J. SPILKER
185 Representations of solvable groups, O. MANZ & T.R. WOLF
186 Complexity: knots, colourings and counting, D.J.A. WELSH
187 Surveys in combinatorics, 1993, K. WALKER (ed)
188 Local analysis for the odd order theorem, H. BENDER & G. GLAUBERMAN
189 Locally presentable and accessible categories, J. ADAMEK & J. ROSICKY
190 Polynomial invariants of finite groups, D.J. BENSON
191 Finite geometry and combinatorics, F. DE CLERCK *et al*
192 Symplectic geometry, D. SALAMON (ed)
194 Independent random variables and rearrangement invariant spaces, M. BRAVERMAN
195 Arithmetic of blowup algebras, W. VASCONCELOS
196 Microlocal analysis for differential operators, A. GRIGIS & J. SJÖSTRAND
197 Two-dimensional homotopy and combinatorial group theory, C. HOG-ANGELONI *et al*
198 The algebraic characterization of geometric 4-manifolds, J.A. HILLMAN
199 Invariant potential theory in the unit ball of C^n , M. STOLL
200 The Grothendieck theory of Dessins d'Enfants, L. SCHNEPS (ed)
201 Singularities, J.-P. BRASSELET (ed)
202 The technique of pseudodifferential operators, H.O. CORDES
203 Hochschild cohomology of von Neumann algebras, A. SINCLAIR & R. SMITH
204 Combinatorial and geometric group theory, A.J. DUNCAN, N.D. GILBERT & J. HOWIE (eds)
205 Ergodic theory and its connections with harmonic analysis, K. PETERSEN & I. SALAMA (eds)
207 Groups of Lie type and their geometries, W.M. KANTOR & L. DI MARTINO (eds)
208 Vector bundles in algebraic geometry, N.J. HITCHIN, P. NEWSTEAD & W.M. OXBURY (eds)
209 Arithmetic of diagonal hypersurfaces over infinite fields, F.Q. GOUVEA & N. YUI
210 Hilbert C^* -modules, E.C. LANCE
211 Groups 93 Galway / St Andrews I, C.M. CAMPBELL *et al* (eds)
212 Groups 93 Galway / St Andrews II, C.M. CAMPBELL *et al* (eds)
214 Generalised Euler-Jacobi inversion formula and asymptotics beyond all orders, V. KOWALENKO *et al*
215 Number theory 1992–93, S. DAVID (ed)
216 Stochastic partial differential equations, A. ETHERIDGE (ed)
217 Quadratic forms with applications to algebraic geometry and topology, A. PFISTER
218 Surveys in combinatorics, 1995, P. ROWLINSON (ed)
220 Algebraic set theory, A. JOYAL & I. MOERDIJK
221 Harmonic approximation, S.J. GARDINER
222 Advances in linear logic, J.-Y. GIRARD, Y. LAFONT & L. REGNIER (eds)
223 Analytic semigroups and semilinear initial boundary value problems, K. TAIRA
224 Computability, enumerability, unsolvability, S.B. COOPER, T.A. SLAMAN & S.S. WAINER (eds)
225 A mathematical introduction to string theory, S. ALBEVERIO *et al*
226 Novikov conjectures, index theorems and rigidity I, S. FERRY, A. RANICKI & J. ROSENBERG (eds)
227 Novikov conjectures, index theorems and rigidity II, S. FERRY, A. RANICKI & J. ROSENBERG (eds)
228 Ergodic theory of Z^d actions, M. POLLICOTT & K. SCHMIDT (eds)
229 Ergodicity for infinite dimensional systems, G. DA PRATO & J. ZABCZYK
230 Prolegomena to a middlebrow arithmetic of curves of genus 2, J.W.S. CASSELS & E.V. FLYNN
231 Semigroup theory and its applications, K.H. HOFMANN & M.W. MISLOVE (eds)
232 The descriptive set theory of Polish group actions, H. BECKER & A.S. KECHRIS
233 Finite fields and applications, S. COHEN & H. NIEDERREITER (eds)
234 Introduction to subfactors, V. JONES & V.S. SUNDER
235 Number theory 1993–94, S. DAVID (ed)
236 The James forest, H. FETTER & B. G. DE BUEN
237 Sieve methods, exponential sums, and their applications in number theory, G.R.H. GREAVES *et al*
238 Representation theory and algebraic geometry, A. MARTSINKOVSKY & G. TODOROV (eds)
240 Stable groups, F. O. WAGNER
241 Surveys in combinatorics, 1997, R.A. BAILEY (ed)
242 Geometric Galois actions I, L. SCHNEPS & P. LOCHAK (eds)
243 Geometric Galois actions II, L. SCHNEPS & P. LOCHAK (eds)
244 Model theory of groups and automorphism groups, D. EVANS (ed)
245 Geometry, combinatorial designs and related structures, J.W.P. HIRSCHFELD *et al*
246 p -Automorphisms of finite p -groups, E.I. KHUKHRO
247 Analytic number theory, Y. MOTOHASHI (ed)
248 Tame topology and \mathfrak{o} -minimal structures, L. VAN DEN DRIES
249 The atlas of finite groups: ten years on, R. CURTIS & R. WILSON (eds)
250 Characters and blocks of finite groups, G. NAVARRO

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)

- 255 Symmetries and integrability of difference equations, P.A. CLARKSON & F.W. NIJHOFF (eds)
 256 Aspects of Galois theory, H. VÖLKLEIN *et al*
 257 An introduction to noncommutative differential geometry and its physical applications 2ed, J. MADORE
 258 Sets and proofs, S.B. COOPER & J. TRUSS (eds)
 259 Models and computability, S.B. COOPER & J. TRUSS (eds)
 260 Groups St Andrews 1997 in Bath, I, C.M. CAMPBELL *et al*
 261 Groups St Andrews 1997 in Bath, II, C.M. CAMPBELL *et al*
 262 Analysis and logic, C.W. HENSON, J. IOVINO, A.S. KECHRIS & E. ODELL
 263 Singularity theory, B. BRUCE & D. MOND (eds)
 264 New trends in algebraic geometry, K. HULEK, F. CATANESE, C. PETERS & M. REID (eds)
 265 Elliptic curves in cryptography, I. BLAKE, G. SEROUSSI & N. SMART
 267 Surveys in combinatorics, 1999, J.D. LAMB & D.A. PREECE (eds)
 268 Spectral asymptotics in the semi-classical limit, M. DIMASSI & J. SJÖSTRAND
 269 Ergodic theory and topological dynamics, M.B. BEKKA & M. MAYER
 270 Analysis on Lie Groups, N.T. VÁROPOULOS & S. MUSTAPHA
 271 Singular perturbations of differential operators, S. ALBEVERIO & P. KURASOV
 272 Character theory for the odd order function, T. PETERFALVI
 273 Spectral theory and geometry, E.B. DAVIES & Y. SAFAROV (eds)
 274 The Mandelbrot set, theme and variations, T. LEI (ed)
 275 Descriptive set theory and dynamical systems, M. FOREMAN *et al*
 276 Singularities of plane curves, E. CASAS-ALVERO
 277 Computational and geometric aspects of modern algebra, M.D. ATKINSON *et al*
 278 Global attractors in abstract parabolic problems, J.W. CHOLEWA & T. DLOTKO
 279 Topics in symbolic dynamics and applications, F. BLANCHARD, A. MAASS & A. NOGUEIRA (eds)
 280 Characters and automorphism groups of compact riemann surfaces, T. BREUER
 281 Explicit birational geometry of 3-folds, A. CORTI & M. REID (eds)
 282 Auslander-Buchweitz approximations of equivariant modules, M. HASHIMOTO
 283 Nonlinear elasticity, Y. FU & R.W. OGDEN (eds)
 284 Foundations of computational mathematics, R. DEVORE, A. ISERLES & E. SÜLI (eds)
 285 Rational points on curves over finite fields, H. NIEDERREITER & C. XING
 286 Clifford algebras and spinors 2ed, P. LOUNESTO
 287 Topics on Riemann surfaces and Fuchsian groups, E. BUJALANCE *et al*
 288 Surveys in combinatorics, 2001, J. HIRSCHFELD (ed)
 289 Aspects of Sobolev-type inequalities, L. SALOFF-COSTE
 290 Quantum groups and Lie theory, A. PRESSLEY (ed)
 291 Tits buildings and the model theory of groups, K. TENT (ed)
 292 A quantum groups primer, S. MAJID
 293 Second order partial differential equations in Hilbert spaces, G. DA PRATO & J. ZABCZYK
 294 Introduction to the theory of operator spaces, G. PISIER
 295 Geometry and integrability, L. MASON & Y. NUTKU (eds)
 296 Lectures on invariant theory, I. DOLGACHEV
 297 The homotopy category of simply connected 4-manifolds, H.-J. BAUES
 298 Higher operads, higher categories, T. LEINSTER
 299 Kleinian groups and hyperbolic 3-manifolds, Y. KOMORI, V. MARKOVIC & C. SERIES (eds)
 300 Introduction to Möbius differential geometry, U. HERTRICH-JEROMIN
 301 Stable modules and the D(2)-problem, F.E.A. JOHNSON
 302 Discrete and continuous nonlinear Schrödinger systems, M.J. ABLORWITZ, B. PRINARI & A.D. TRUBATCH
 303 Number theory and algebraic geometry, M. REID & A. SKOROBOGATOV (eds)
 304 Groups St Andrews 2001 in Oxford Vol. 1, C.M. CAMPBELL, E.F. ROBERTSON & G.C. SMITH (eds)
 305 Groups St Andrews 2001 in Oxford Vol. 2, C.M. CAMPBELL, E.F. ROBERTSON & G.C. SMITH (eds)
 306 Peyresq lectures on geometric mechanics and symmetry, J. MONTALDI & T. RATIU (eds)
 307 Surveys in combinatorics 2003, C.D. WENSLEY (ed)
 308 Topology, geometry and quantum field theory, U.L. TILLMANN (ed)
 309 Corings and comodules, T. BRZEZINSKI & R. WISBAUER
 310 Topics in dynamics and ergodic theory, S. BEZUGLYI & S. KOLYADA (eds)
 311 Groups: topological, combinatorial and arithmetic aspects, T.W. MÜLLER (ed)
 312 Foundations of computational mathematics, Minneapolis 2002, F. CUCKER *et al* (eds)
 313 Transcendental aspects of algebraic cycles, S. MÜLLER-STACH & C. PETERS (eds)
 314 Spectral generalizations of line graphs, D. CVETKOVIC, P. ROWLINSON & S. SIMIC
 315 Structured ring spectra, A. BAKER & B. RICHTER (eds)
 316 Linear logic in computer science, T. EHRHARD *et al* (eds)
 317 Advances in elliptic curve cryptography, I.F. BLAKE, G. SEROUSSI, N. SMART
 318 Perturbation of the boundary in boundary-value problems of partial differential equations, D. HENRY
 319 Double affine Hecke algebras, I. CHERÉDNİK
 320 L-functions and Galois representations, D. BURNS, K. BUZZARD & J. NEKOVAR (eds)
 321 Surveys in modern mathematics, V. PRASOLOV & Y. ILYASHENKO (eds)
 322 Recent perspectives in random matrix theory and number theory, F. MEZZADRI & N.C. SNAITH (eds)
 323 Poisson geometry, deformation quantisation and group representations, S. GUTT *et al* (eds)
 324 Singularities and computer algebra, G. LOSSEN & G. PFISTER (eds)
 325 Lectures on the Ricci flow, P. TOPPING
 326 Modular representations of finite groups of Lie type, J.E. HUMPHREYS
 328 Fundamentals of hyperbolic manifolds, R.D. CANARY, A. MARDEN, & D.B.A. EPSTEIN (eds)
 329 Spaces of Kleinian groups, Y. MINSKY, M. SAKUMA & C. SERIES (eds)
 330 Noncommutative localization in algebra and topology, A. RANICKI (ed)
 331 Foundations of computational mathematics, Santander 2005, L. PARDO, A. PINKUS, E. SULI & M. TODD (eds)
 332 Handbooks of tilting theory, L. ANGELERI HÜGEL, D. HAPPEL & H. KRAUSE (eds)
 333 Synthetic differential geometry 2ed, A. KOCK
 334 The Navier-Stokes equations, P.G. DRAZIN & N. RILEY
 335 Lectures on the combinatorics of free probability, A. NICA & R. SPEICHER
 336 Integral closure of ideals, rings, and modules, I. SWANSON & C. HUNEKE
 337 Methods in Banach space theory, J.M.F. CASTILLO & W.B. JOHNSON (eds)
 338 Surveys in geometry and number theory, N. YOUNG (ed)
 339 Groups St Andrews 2005 Vol. 1, C.M. CAMPBELL, M.R. QUICK, E.F. ROBERTSON & G.C. SMITH (eds)
 340 Groups St Andrews 2005 Vol. 2, C.M. CAMPBELL, M.R. QUICK, E.F. ROBERTSON & G.C. SMITH (eds)
 341 Ranks of elliptic curves and random matrix theory, J.B. CONREY, D.W. FARMER, F. MEZZADRI & N.C. SNAITH (eds)
 342 Elliptic cohomology, H.R. MILLER & D.C. RAVENEL (eds)
 343 Algebraic cycles and motives Vol. 1, J. NAGEL & C. PETERS (eds)

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)

London Mathematical Society Lecture Note Series: 348

Transcendental Dynamics and Complex Analysis

A Tribute to Noel Baker

Edited by

PHILIP J. RIPPON

The Open University

GWYNETH M. STALLARD

The Open University



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)

CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo, Delhi

Cambridge University Press

32 Avenue of the Americas, New York, NY 10013-2473, USA

www.cambridge.orgInformation on this title: www.cambridge.org/9780521683722

© Cambridge University Press 2008

This publication is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without
the written permission of Cambridge University Press.

First published 2008

Printed in the United Kingdom at the University Press, Cambridge

*A catalog record for this publication is available from the British Library.**Library of Congress Cataloging in Publication data*

Transcendental dynamics and complex analysis / edited by Philip J. Rippon,
Gwyneth M. Stallard.

p. cm. – (London Mathematical Society lecture note series; 348)

Includes bibliographical references and index.

ISBN 978-0-521-68372-2 (pbk.)

1. Functions of complex variables. 2. Differentiable dynamical systems.

3. Mathematical analysis. I. Rippon, P. J. II. Stallard, Gwyneth M.

QA331.7.T73 2008

515'.9-dc22 2007050517

ISBN 978-0-521-68372-2 (paperback)

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for
external or third-party Internet Web sites referred to in this publication and does not guarantee
that any content on such Web sites is, or will remain, accurate or appropriate.

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)

Contents

Preface	vii
Introduction	ix
1 Iteration of inner functions and boundaries of components of the Fatou set	1
<i>D. Bargmann</i>	
2 Conformal automorphisms of finitely connected regions	37
<i>A. F. Beardon and D. Minda</i>	
3 Meromorphic functions with two completely invariant domains	74
<i>W. Bergweiler and A. Eremenko</i>	
4 A family of matings between transcendental entire functions and a Fuchsian group	90
<i>S. Bullett and M. Freiburger</i>	
5 Singular perturbations of z^n	111
<i>R. L. Devaney, M. Holzer, D. M. Look, M. Moreno Rocha and D. Uminsky</i>	
6 Residual Julia sets of rational and transcendental functions	138
<i>P. Domínguez and N. Fagella</i>	
7 Bank-Laine functions via quasiconformal surgery	165
<i>D. Drasin and J. K. Langley</i>	
8 Generalisations of uniformly normal families	179
<i>W. K. Hayman and A. Hinkkanen</i>	
9 Entire functions with bounded Fatou components	187
<i>A. Hinkkanen</i>	
10 On multiply connected wandering domains of entire functions	217
<i>M. Kisaka and M. Shishikura</i>	
11 Fractal measures and ergodic theory of transcendental meromorphic functions	251
<i>J. Kotus and M. Urbański</i>	
12 Combinatorics of bifurcations in exponential parameter space	317
<i>L. Rempe and D. Schleicher</i>	
13 Baker domains	371
<i>P. J. Rippon</i>	
14 Escaping points of the cosine family	396
<i>G. Rottenfusser and D. Schleicher</i>	
15 Dimensions of Julia sets of transcendental meromorphic functions	425
<i>G. M. Stallard</i>	
16 Abel's functional equation and its role in the problem of <i>croissance régulière</i>	447
<i>G. Szekeres</i>	

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)



Professor Noel Baker (1932–2001)

Cambridge University Press

978-0-521-68372-2 - Transcendental Dynamics and Complex Analysis: A Tribute to Noel Baker

Edited by Philip J. Rippon and Gwyneth M. Stallard

Frontmatter

[More information](#)

PREFACE

This book was written in honour of Noel Baker following his sudden death in 2001. It comprises a collection of articles written by friends, colleagues and former students of Noel. In particular, we are delighted that Noel's MSc supervisor and long-time friend, George Szekeres, was able to contribute a paper to this volume — he sadly died before the book was published.

All of these articles deal with topics that interested Noel and, in most cases, they are in areas where Noel's own work has been very influential. Several of the papers are survey articles that we hope will be a valuable addition to the literature. There are also new results that Noel would have been delighted to have seen. Most of the papers deal with the iteration of transcendental meromorphic functions — the field in which Noel was pre-eminent and in which he carried out much of the pioneering work — and there are also some papers in closely related topics that he would have enjoyed. As this volume shows, much of the recent work in complex dynamics (as the subject of iteration theory is now called) builds on ideas and techniques that Noel introduced and that will continue to be used by all those who work in this field. We hope that this book will be a fitting memorial to a man who inspired so many of us.

Phil Rippon and Gwyneth Stallard

Department of Mathematics and Statistics

The Open University

Milton Keynes MK7 6AA

INTRODUCTION

In this introduction, we summarise the mathematical career of Noel Baker and indicate how the papers in this volume relate to his work. Much of the material is taken from the obituary of Noel Baker that appeared in the *Bulletin of the London Mathematical Society* [17].

Noel Baker was born on 10 August 1932 and died, of a heart attack, on 20 May 2001. He grew up in Australia and was first introduced to the theory of iteration by his MSc supervisor, George Szekeres, who suggested that he work on the functional equation

$$f(f(z)) = F(z),$$

where f and F are analytic functions. In his first mathematical paper (1), Noel used the theory of iteration of analytic functions, which had been developed principally by Fatou and Julia and which was not well known at that time. He used this theory to show, amongst other things, that if F belongs to a certain class of entire functions, which includes the exponential function, then the above equation has no entire solution. This first paper also contains examples that were constructed using Wiman-Valiron theory. Throughout his career Noel was to find ever more techniques from classical complex analysis that can usefully be applied to iteration theory.

In 1955 Noel won a German government scholarship to the University of Tübingen, where he worked under Hellmuth Kneser. Noel's doctoral thesis, published in (2), continued his study of functional equations. From 1957 to 1959, Noel taught mathematics at the University of Alberta in Edmonton, Canada. In 1959 he moved to Imperial College London, where he remained until retirement in 1997.

In his research, Noel worked on many problems in complex analysis and had a wide range of collaborators, but iteration theory, his great love, was for many years a lone interest. However, when the subject was reborn around 1980, partly as a result of the advent of accessible computer graphics, it became clear to the new adherents that Noel had for many years been quietly and carefully completing the foundations begun earlier in the century by the French mathematicians Pierre Fatou and Gaston Julia. He had also pointed the way towards many future developments, both by proving new results and

even though he was the acknowledged authority on many matters, and the person whose judgement about the validity of a new proof was always sought. Noel continued his research after his retirement and one of his last papers was dedicated to George Szekeres on the occasion of the latter's 90th birthday.

Noel's early work on functional equations led him to consider problems about periodic points, which play a very important role in complex dynamics. It was already known that for an entire function there must be infinitely many periodic points of period p , for all $p \geq 2$, but Noel considered the unsolved problem of the existence of periodic points of a given *exact* period. He showed in (6) that for all non-linear entire functions there exist periodic points of exact period p , for all p with at most one exception; for example, $f(z) = z + e^z$ has no fixed points. In a later paper (13) Noel showed that for a polynomial the only possible exceptional value in this result is $p = 2$, the corresponding exceptional functions being $f(z) = z^2 - z$ and other quadratics 'similar' to this one. He also conjectured that for a transcendental entire function the only possible exceptional value is $p = 1$, and this was proved by Bergweiler [2].

We now describe the origins of complex dynamics. Let f be a rational function of degree at least 2 or a transcendental entire function. The set of points near which the sequence of iterates f^n forms a normal family is called the *Fatou set* $F(f)$ and its complement is called the *Julia set* $J(f)$. Roughly speaking, the dynamics are stable on the Fatou set and chaotic on the Julia set. Also, the Julia set often exhibits great topological complexity as well as 'self-similarity'; for example, the paper in this volume by Devaney *et al* discusses a family of rational functions whose Julia sets in some cases contain Cantor sets of curves and in other cases contain Sierpinski curves.

The fundamental properties of the sets $F(f)$ and $J(f)$ were first established for rational functions in [13] and [8], and for transcendental entire functions in [9]. In the last paper, Fatou studied the iteration of transcendental entire functions in some detail, giving examples that pointed to significant differences to the theory that had been developed for rational functions. He asked the following fundamental questions about a transcendental entire function f :

1. Are the repelling periodic points of f dense in $J(f)$?
2. Are there examples where $J(f) = \mathbb{C}$? In particular, is this true for $f(z) = e^z$?
3. Can $J(f)$ be totally disconnected?
4. Must $J(f)$ contain infinitely many unbounded analytic curves, at each point of which $f^n \rightarrow \infty$?

The first question was answered in the affirmative in the paper (22), which is of fundamental importance in complex dynamics and appropriately dedicated to Hellmuth Kneser. Here, Noel called on a deep covering theorem due to Ahlfors (see [11, page 148]) to show that arbitrarily close to each point of $J(f)$ there is a repelling periodic point of f . From this, he deduced the general result that if f is any non-linear entire function, then the set of entire functions that commute with f is countable. Many authors have tried to simplify the proof in (22) that the repelling periodic points are dense in $J(f)$, in order to avoid the deep theorem of Ahlfors. Eventually, more elementary proofs based on a renormalisation technique were given by Schwick [18], Bargmann [1], and Berteloot and Duval [4].

Two years later, in (25), Noel answered the first part of Fatou's second question by showing that there is a function of the form $f(z) = kze^z$, where $k > 0$, such that $J(f) = \mathbb{C}$. A proof that if $f(z) = e^z$, then we have $J(f) = \mathbb{C}$ was given ten years later by Misiurewicz [15].

Noel answered Fatou's third question in the negative in (32). If $J(f)$ is totally disconnected, then $F(f)$ must have a single unbounded multiply connected component. Noel had already constructed in (9) an example of a transcendental entire function for which $F(f)$ has at least one multiply connected component. This function was of the form

$$f(z) = Cz^2 \prod_{n=1}^{\infty} \left(1 + \frac{z}{r_n}\right),$$

in which the positive constants $r_1 < r_2 < \dots$ have the property that

$$f(A_n) \subset A_{n+1}, \quad \text{where } A_n = \{z : r_n^2 < |z| < r_{n+1}^{1/2}\}.$$

However, Noel did not determine in (9) whether $F(f)$ has a single unbounded multiply connected component or a sequence of bounded multiply connected components. In (33) he used Schottky's theorem [11, page 169], yet another result from classical complex analysis, to show that the latter must be the case. This solved another important problem in complex dynamics, open since the work of Fatou and Julia, by showing that the above function has a sequence of *wandering domains*, that is, distinct components U_n of $F(f)$ such that $f(U_n) \subset U_{n+1}$, for $n = 1, 2, \dots$. In contrast, Sullivan [16] showed that rational functions do not have wandering domains. The paper (32), written later than but published earlier than (33), used Schottky's theorem once again to show that a transcendental entire function cannot have an unbounded multiply connected component of $F(f)$, thus proving that $J(f)$

could be finitely connected. In this volume, Kisaka and Shishikura show that they can in fact have any given finite connectivity.

The result in (32) shows that if f is a transcendental entire function, then $J(f)$ must contain a continuum, so its Hausdorff dimension $\dim_H J(f)$ is at least 1. It remains an open question whether $\dim_H J(f) = 1$ is possible. In this volume, there is a survey article on dimensions of Julia sets by Stallard, complemented by a survey article on fractal measures and ergodic theory by Kotus and Urbański.

Noel's wandering domains example mentioned earlier shows that the answer to Fatou's fourth question (as stated here) is 'no'. However, the structure of the 'escaping set', where $f^n \rightarrow \infty$, continues to stimulate much work, including the paper by Rottenfusser and Schleicher that appears in this volume.

Sullivan's remarkable result [16] that rational functions do not have wandering domains was proved using new techniques based on quasiconformal conjugacy. Noel quickly saw that these new techniques would also apply to various families of transcendental entire functions, and a proof that exponential functions have no wandering domains appeared in (49). This was one of a number of papers at that time that established many of the basic dynamical properties of the exponential family and began the description of the corresponding parameter space, the 'exponential Mandelbrot set', which has since been the subject of much study — see, for example, the paper by Rempe and Schleicher in this volume.

In (41), Noel initiated another major development by showing that if a transcendental entire function f has order of growth at most $1/2$, minimal type, then $F(f)$ has no unbounded invariant components, and he also gave a more restrictive condition on the maximum modulus of f that forces every component of $F(f)$ to be bounded. The question of whether the latter conclusion follows from order at most $1/2$, minimal type, remains open, though many authors have obtained partial results in this direction; this volume contains a survey article on this problem by Hinkkanen.

A key step in Noel's proof in (41) is to exclude unbounded invariant components of $F(f)$ in which $f^n \rightarrow \infty$. He did this by establishing estimates for the growth of iterates in such components, which he later refined in (57). In recognition of his work on Fatou components of this type, Eremenko and Lyubich introduced the name *Baker domain* for such components in [7]. In this fundamental paper, Eremenko and Lyubich showed that if the set $S(f)$ of inverse function singularities of a transcendental entire function f is bounded, then f has no Baker domains and if $S(f)$ is finite, then f has no wandering

invariant component U of $F(f)$ was considered, but now the aim was to describe the nature of the boundary of U . Some special cases had been investigated by other authors, following the appearance of computer pictures of Julia sets, but Noel and his students Weinreich and Domínguez attacked the general case. In (65), it was shown that

- if U is not a Baker domain (that is, U is an attracting basin, a parabolic basin, or a Siegel disc), then ∂U is sufficiently complicated that ∞ belongs to the impression of every prime end of U ;
- if ∂U is a Jordan curve in the extended complex plane $\hat{\mathbb{C}}$ (and such U do exist), then not only must U be a Baker domain, but f must be univalent in U .

The key tool introduced in this work arises from the fact that if Ψ is a conformal map from the unit disc D onto U , then $\Psi^{-1} \circ f \circ \Psi$ is an *inner function*, that is, an analytic self-map of D whose angular limits have modulus 1 almost everywhere on ∂D . The paper (65) initiated a version of Fatou-Julia theory for inner functions, a topic now of interest in its own right, and this theory was taken further in (73). Further results on this theory are given in the paper by Bargmann in this volume.

Many of Noel's final papers are joint papers with his last student, Domínguez, and concern the connectedness properties of the Julia set. Many of these results are described and extended in the paper by Domínguez and Fagella in this volume.

Fatou-Julia theory of the iteration of *general* transcendental meromorphic functions was established in the fundamental papers (62), (63), (64) and (66) by Baker, Kotus and Lü. The Fatou set $F(f)$ is here taken to be the set of points near which the iterates f^n are defined and form a normal family, and then $J(f) = \hat{\mathbb{C}} \setminus F(f)$. Many of the basic results turn out to be similar to those for rational and entire functions, but there are some striking differences. For example, in (62) the authors showed that $J(f)$ is once again the closure of the repelling periodic points of f , and this fact is used to give a complete classification of those transcendental meromorphic functions, such as $f(z) = \tan z$, for which $J(f)$ is a subset of the real line; there are no transcendental entire functions for which the Julia set is contained in the real line. Then, in (63), they used techniques from approximation theory, pioneered by Eremenko and Lyubich [6], to construct transcendental meromorphic functions with wandering domains of all possible connectivities.

But perhaps the most striking result here was the construction of a transcendental meromorphic function f with a preperiodic component of $F(f)$ of any given finite connectivity. This construction used the powerful technique of quasiconformal surgery, introduced by Shishikura [19], which also appears in many of the papers in this volume — namely, those by Drasin and Langley, Domínguez and Fagella, and Kisaka and Shishikura. Finally, in (66), Sullivan’s method of quasiconformal conjugacy was adapted to show that a transcendental meromorphic function of finite type has no wandering domains. These four papers opened a new and fruitful area of research, made even more accessible by the excellent survey article [3], which appeared soon after.

One of the differences between the iteration of entire functions and meromorphic functions is the number of completely invariant components of the Fatou set that can occur. In (24) Noel proved that a transcendental entire function can have at most one completely invariant component of the Fatou set. In (64) Baker, Kotus and Lü proved that a transcendental meromorphic function of finite type can have at most two completely invariant Fatou components, and in this volume it is shown by Bergweiler and Eremenko that, in these circumstances, the Julia set must be a Jordan curve. (An example of a function with these properties is $f(z) = \tan z$.) It is an open question whether a general transcendental meromorphic function can have at most two completely invariant Fatou components.

Fatou-Julia theory can be developed in many further directions. For a transcendental meromorphic function f , the iterates f^n need not be meromorphic. It is desirable, however, to have a closed system of iterates, so that we can consider, for example, the Fatou set of f^n , for $n \geq 2$. To obtain such a system, Noel’s student Herring [12], and independently Bolsch [5], developed Fatou-Julia theory for functions, such as $f(z) = e^{\tan z}$, which are meromorphic outside certain compact totally disconnected subsets of $\hat{\mathbb{C}}$. Much of this theory, and its subsequent developments, is expounded in Noel’s last papers (75), (77), (78) and (79).

This volume also contains papers that, while not explicitly about complex dynamics, are on closely related topics. The paper by Hayman and Hinkkanen is concerned with the growth of meromorphic functions that belong to certain normal families, the paper by Beardon and Minda classifies conformal automorphisms of finitely connected regions of the plane, and the paper by Szekeres is on possible connections between ‘regular growth’ and Abel’s functional equation, a topic in which Noel had a great interest. Finally, the paper

PUBLICATIONS OF I. N. BAKER

- (1) The iteration of entire transcendental functions and the solution of the functional equation $f(f(z)) = F(z)$, *Math. Ann.* 129 (1955) 174–180.
- (2) Zusammensetzungen ganzer Funktionen, *Math. Z.* 69 (1958) 121–163.
- (3) Fixpoints and iterates of entire functions, *Math. Z.* 71 (1959) 146–153.
- (4) Solutions of the functional equation $(f(x))^2 - f(x^2) = h(x)$, *Canad. Math. Bull.* 3 (1960) 113–120.
- (5) Some entire functions with fixpoints of every order, *J. Austral. Math. Soc.* 1 (1959/61) 203–209.
- (6) The existence of fixpoints of entire functions, *Math. Z.* 73 (1960) 280–284.
- (7) Permutable entire functions, *Math. Z.* 79 (1962) 243–249.
- (8) Permutable power series and regular iteration, *J. Austral. Math. Soc.* 2 (1961/62) 265–294.
- (9) Multiply-connected domains of normality in iteration theory, *Math. Z.* 81 (1963) 206–214.
- (10) Length of a graph, *Solution in Amer. Math. Monthly* 71 (1964) 217–218.
- (11) Partition of a domain, *Solution in Amer. Math. Monthly* 71 (1964) 219–220.
- (12) Fractional iteration near a fixpoint of multiplier 1, *J. Austral. Math. Soc.* 4 (1964) 143–148.
- (13) Fixpoints of polynomials and rational functions, *J. London Math. Soc.* 39 (1964) 615–622.
- (14) Entire functions with linearly distributed values, *Math. Z.* 86 (1964) 263–267.
- (15) Sets of non-normality in iteration theory, *J. London Math. Soc.* 40 (1965) 499–502.
- (16) The distribution of fixpoints of entire functions, *Proc. London Math. Soc.* 16 (1966) 493–506.
- (17) On a class of meromorphic functions, *Proc. Amer. Math. Soc.* 17 (1966) 819–822.
- (18) On some results of A. Rényi and C. Rényi concerning periodic entire functions, *Acta Sci. Math. (Szeged)* 27 (1966) 197–200.
- (19) A series associated with the logarithmic function, *J. London Math. Soc.* 42 (1967) 336–338.
- (20) Non-embeddable functions with a fixpoint of multiplier 1, *Math. Z.* 99 (1967) 377–384.

- (23) (with F. GROSS) Further results on factorization of entire functions, *Entire Functions and Related Parts of Analysis (Proc. Symp. Pure Math. La Jolla, Calif., 1996)* (Amer. Math. Soc., 1968) 30–35.
- (24) Completely invariant domains of entire functions, *Mathematical Essays Dedicated to A. J. Macintyre* (ed. H. Shankar, Ohio Univ. Press, 1970) 33–35.
- (25) Limit functions and sets of non-normality in iteration theory, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 467 (1970) 11 pp.
- (26) The value distribution of composite entire functions, *Acta. Sci. Math. (Szeged)* 32 (1971) 87–90.
- (27) (with L. S. O. LIVERPOOL) Picard sets for entire functions, *Math. Z.* 126 (1972) 230–238.
- (28) (with L. S. O. LIVERPOOL) Further results on Picard sets of entire functions, *Proc. London Math. Soc.* 26 (1973) 82–98.
- (29) Linear Picard sets for entire functions, *Math. Nachr.* 64 (1974) 263–276.
- (30) (with J. A. DEDDENS and J. L. ULLMAN) A theorem on entire functions with applications to Toeplitz operators, *Duke Math. J.* 41 (1974) 739–745.
- (31) (with E. MUES) Zur Faktorisierung endlicher Blaschkeproductke, *Arch. Math. (Basel)* 26 (1975) 388–390.
- (32) The domains of normality of an entire function, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 1 (1975) 277–283.
- (33) An entire function which has wandering domains, *J. Austral. Math. Soc. Ser. A* 22 (1976) 173–176.
- (34) Analytic mappings between two ultrahyperelliptic surfaces, *Aequationes Math.* 14 (1976) 461–472.
- (35) (with C. C. YANG) An infinite order periodic entire function which is prime, *Complex Analysis*, Lecture Notes in Math. Vol 599 (Springer, 1977) 7–10.
- (36) (with L. S. O. LIVERPOOL) Sylvester series and normal families, *Solution in Amer. Math. Monthly* 85 (1978) 290–291.
- (37) (with L. S. O. LIVERPOOL) The value distribution of entire functions of order at most one, *Acta Sci. Math. (Szeged)* 41 (1979) 3–14.
- (38) (with Ch. POMMERENKE) On the iteration of analytic functions in a halfplane II, *J. London Math. Soc.* 20 (1979) 255–258.
- (39) Condition for a composite of polynomials, *Solution in Amer. Math. Monthly* 87 (1980) 228.
- (40) Entire functions with two linearly distributed values, *Ann. Acad. Sci.*

- (42) (with J. M. ANDERSON and J. G. CLUNIE) The distribution of values of certain entire and meromorphic functions, *Math. Z.* 178 (1981) 509–525.
- (43) Entire functions whose a -points lie on systems of lines, *Factorization theory of meromorphic functions*, Lecture Notes in Pure and Appl. Math. 78 (ed. C. C. Yang, Marcel Dekker, 1982) 1–18.
- (44) Complex function theory: a sequence of entire functions converging pointwise, *James Cook Math. Notes*, Townsville, Qld, Australia, Issue 29, Vol. 3 (August 1982) 3112–3114.
- (45) (with Z. RUBINSTEIN) Simultaneous iteration by entire or rational functions and their inverses, *J. Austral. Math. Soc. Ser. A* 34 (1983) 364–367.
- (46) (with P. J. RIPPON) Convergence of infinite exponentials, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 8 (1983) 179–186.
- (47) (with L. S. O. LIVERPOOL) The entire solutions of a polynomial difference equation, *Aequationes Math.* 27 (1984) 97–113.
- (48) Composition of polynomials, *Solution in Amer. Math. Monthly* 91 (1984) 317.
- (49) (with P. J. RIPPON) Iteration of exponential functions, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 9 (1984) 49–77.
- (50) Wandering domains in the iteration of entire functions, *Proc. London Math. Soc.* 49 (1984) 563–576.
- (51) (with P. J. RIPPON) A note on infinite exponentials, *Fibonacci Quart.* 23 (1985) 106–112.
- (52) (with P. J. RIPPON) A note on complex iteration, *Amer. Math. Monthly* 92 (1985) 501–504.
- (53) Some entire functions with multiply-connected wandering domains, *Ergodic Theory Dynam. Systems* 5 (1985) 163–169.
- (54) Wandering domains for maps of the punctured plane, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 12 (1987) 191–198.
- (55) (with A. EREMENKO), A problem on Julia sets, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 12 (1987) 229–236.
- (56) Iteration of entire functions: an introductory survey, Proceeding of the Symposium on Complex Analysis, 21–22 May 1987, Xian, China, *Lectures on Complex Analysis* (World Sci. Publishing, 1988) 1–17.
- (57) Infinite limits in the iteration of entire functions, *Ergodic Theory Dynam. Systems* 8 (1988) 503–507.
- (58) (with P. BHATTACHARYA) On a class of non-embeddable entire functions, *J. Ramanujan Math. Soc.* 3 (1988) 151–159.

- (60) (with P. J. RIPPON) Towers of exponents and other composite maps, *Complex Variables Theory Appl.*, Volume in honour of Albert Edrei and Wolfgang Fuchs, 12 (1989) 181–200.
- (61) (with P. J. RIPPON) On compositions of analytic self-mappings of a convex domain, *Arch. Math. (Basel)* 55 (1990) 380–386.
- (62) (with J. KOTUS and LÜ YINIAN) Iterates of meromorphic functions II: Examples of wandering domains, *J. London Math. Soc.* 42 (1990) 267–278.
- (63) (with J. KOTUS and LÜ YINIAN) Iterates of meromorphic functions I, *Ergodic Theory Dynam. Systems* 11 (1991) 241–248.
- (64) (with J. KOTUS and LÜ YINIAN) Iterates of meromorphic functions III: Preperiodic domains, *Ergodic Theory Dynam. Systems* 11 (1991) 603–618.
- (65) (with J. WEINREICH) Boundaries which arise in the dynamics of entire functions, *Analyse complexe (Bucharest, 1989)*, *Rev. Roumaine Math. Pures Appl.* 36 (1991) 413–420.
- (66) (with J. KOTUS and LÜ YINIAN) Iterates of meromorphic functions IV: Critically finite functions, *Results Math.* 22 (1992) 651–656.
- (67) (with R. N. MAALOUF) Convergence of a modified iteration process, *Computational Methods and Function Theory, 1994 (Penang)* (ed. S. Ruscheweyh, World Sci. Publishing, 1995) 49–55.
- (68) (with A. P. SINGH) Wandering domains in the iteration of compositions of entire functions, *Ann. Acad. Sci. Fenn. Ser. A I Math.* 20 (1995) 149–153.
- (69) (with A. P. SINGH) A note on differential polynomials, *Bull. Calcutta Math. Soc.* 87 (1995) 63–66.
- (70) (with G. M. STALLARD) Error estimates in a calculation of Ruelle, *Complex Variables Theory Appl.* 29 (1996) 141–159.
- (71) On factorizing meromorphic functions, *Aequationes Math.* 54 (1997) 87–101.
- (72) (with P. DOMÍNGUEZ) Analytic self-maps of the punctured plane, *Complex Variables Theory Appl.* 37 (1998) 67–91.
- (73) (with P. DOMÍNGUEZ) Boundaries of unbounded Fatou components of entire functions, *Ann. Acad. Sci. Fenn. Math.* 24 (1999) 437–464.
- (74) (with P. DOMÍNGUEZ) Some connectedness properties of Julia sets, *Complex Variables Theory Appl.* 41 (2000) 371–389.
- (75) (with P. DOMÍNGUEZ) Residual Julia sets, *J. Anal.* 8 (2000) 121–137.
- (76) Dynamics of slowly growing entire functions, *Bull. Austral. Math.*

- (78) Limit functions in wandering domains of meromorphic functions, *Ann. Acad. Sci. Fenn. Math.* 27 (2002) 499–505.
- (79) (with P. DOMÍNGUEZ and M. HERRING) Functions meromorphic outside a small set: completely invariant domains, *Complex Variables Theory Appl.* 49 (2004) 95–100.

REFERENCES

- [1] D. Bargmann, Simple proofs of some fundamental properties of the Julia set, *Ergodic Theory Dynam. Systems* 19 (1999) 553–558.
- [2] W. Bergweiler, Periodic points of entire functions: proof of a conjecture of Baker, *Complex Variables Theory Appl.* 17 (1991) 57–72.
- [3] W. Bergweiler, Iteration of meromorphic functions, *Bull. Amer. Math. Soc.* 29 (1993) 151–188.
- [4] F. Berteloot and J. Duval, Une démonstration directe de la densité de cycles répulsifs dans l'ensemble de Julia, *Complex analysis and geometry (Paris 1997)*, Progr. Math. 188 (Birkhäuser, Basel, 2000) 221–222.
- [5] A. Bolsch, Repulsive periodic points of meromorphic functions, *Complex Variables Theory Appl.* 31 (1996) 75–79.
- [6] A. E. Eremenko and M. Yu. Lyubich, Examples of entire functions with pathological dynamics, *J. London Math. Soc.* 36 (1987) 458–468.
- [7] A. E. Eremenko and M. Yu. Lyubich, Dynamical properties of some classes of entire functions, *Ann. Inst. Fourier (Grenoble)* 42 (1992) 989–1020.
- [8] P. Fatou, Sur les équations fonctionnelles, *Bull. Soc. Math. France* 47 (1919) 161–271; 48 (1920) 33–94, 208–314.
- [9] P. Fatou, Sur l'itération des fonctions transcendentes entières, *Acta Math.* 47 (1926) 337–370.
- [10] L. Goldberg and L. Keen, A finiteness theorem for a dynamical class of entire functions, *Ergodic Theory Dynam. Systems* 6 (1986) 183–192.
- [11] W. K. Hayman, *Meromorphic functions* (Clarendon Press, Oxford, 1964).
- [12] M. Herring, An extension of the Julia–Fatou theory of iteration, Ph.D. thesis, University of London (1994).
- [13] G. Julia, Mémoire sur l'itération des fonctions rationnelles, *J. Math. Pure Appl.* 1 (1918) 47–245.
- [14] S. Lattès, Sur l'itération des substitutions rationnelles et les fonctions de Poincaré, *C.R. Acad. Sci. Paris Sér. I Math.* 166 (1918) 26–28 (Errata: p. 88).
- [15] M. Misiurewicz, On iterates of e^z , *Ergodic Theory Dynam. Systems* 1 (1981) 103–106.
- [16] D. Sullivan, Quasiconformal homeomorphisms and dynamics I, *Ann. Math.* 122 (2) (1985) 401–418.
- [17] P. J. Rippon, Obituary: Irvine Noel Baker 1932–2001, *Bull. London Math. Soc.* 37 (2005) 301–315.
- [18] W. Schwick, Repelling periodic points in the Julia set, *Bull. London Math. Soc.* 29 (1997) 314–316.
- [19] M. Shishikura, On the quasiconformal surgery of rational functions, *Ann. Scient. Ec. Norm. Sup.* (4) 20 (1987) 1–29.