

Cambridge University Press

978-0-521-68980-9 - Integrated Management of Depression in the Elderly

Edited by Carolyn Chew-Graham, Robert Baldwin and Alistair Burns

Index

[More information](#)

Index

- Abelskov, Kirsten 149–52
aetiology of depression in later life 3–5
alcohol problems *see* case 4.1 (Mrs Ruth M) 55
Aleksandrova, Maria 143–5
Allen, Harry 86–8
Ames, David 140–3
anticholinergic side effects, TCAs 26, 28–9
antidepressant treatment *see* pharmacotherapy
anxiety and depression 5–6
anxiety management 29
Apathy Evaluation Scale Inventory 120
assessment of patients, international
 comparisons 104–6
augmentation regimens 27–8
Australia
 commentary on case 6.1 (Miss Laura C) 140–3
 health-care system 140–3
Awata, Syuichi 158–60
- Bălan, Monica 168–71
barriers to services/treatment for older patients
 133, 134
 cross-cultural comparisons 108–9
Beck Depression Inventory (BDI) 118
behavioural activation technique 29–30
Benoit, Michel 152–3
bipolar disorder, practice guidelines 127
blood tests, primary care evaluation 8–9
Bremmer, Marijke 161–5
Brief Assessment Schedule Depression Cards
 (BASDEC) 118
Bulgaria
 commentary on case 6.1 (Miss Laura C)
 143–5
 health-care system 143–5
- Cabane, Florence 152–3
Campbell, Tom 175–7
Canada
 commentary on case 6.1 (Miss Laura C)
 145–8
 health-care system 145–8
carers and families *see* case 4.3
 (Mr Le Lin P) 67
Caribbean Culture-Specific Screen (CCSS) for
 emotional distress 12–13, 116
case 3.1, request for sleeping tablets
 (Mr Seth Y) 33
case 3.1 commentaries
 editors' notes 51
 GP 33–6
 primary care nursing 36–9
case 3.2, loneliness and grief (Mrs Winifred E)
 39–40
case 3.2 commentaries
 editors' notes 51
 positive thoughts course 43–5
 primary care 40–3
case 3.3, panic attacks (Mrs Betty C) 45
case 3.3 commentaries
 consultant clinical psychologist 48–51
 editors' notes 52
 GP 45–8
case 4.1, hidden alcohol consumption (Mrs
 Ruth M) 55
case 4.1 commentaries
 editors' comments 79
 GP 55–60
 substance abuse counsellor 55–60
case 4.2, physical co-morbidity
 (Mr Wasif H) 60
case 4.2 commentaries
 consultant physician, medicine in the elderly
 63–7
 editors' comments 79–80
 GP 61–3
case 4.3, carers and families
 (Mr Le Lin P) 67

Cambridge University Press

978-0-521-68980-9 - Integrated Management of Depression in the Elderly

Edited by Carolyn Chew-Graham, Robert Baldwin and Alistair Burns

Index

[More information](#)

- case 4.3 commentaries
 - editors' comments 80
 - GP 67–9
 - social worker role 69–73
- case 4.4, ethnically sensitive management (Mr Afzal C) 74
- case 4.4 commentaries
 - editors' comments 80
 - GP 74–7
 - voluntary sector organizations 77–8
- case 5.1, depression with psychotic features (Mrs Paulette B) 83
- case 5.1 commentaries
 - editors' comments 99
 - old-age psychiatrist 86–8
 - primary care 83–5
- case 5.2, risk of self-harm (Mrs Gladys H) 88–9
- case 5.2 commentaries
 - editors' comments 99
 - GP 89–92
 - old-age psychiatrist 92–3
- case 5.3, depression and forgetfulness (Miss Lucy R) 93–4
- case 5.3 commentaries
 - editors' comments 100
 - GP 94–6
 - secondary care 96–9
- case 6.1, breathlessness and irritability (Miss Laura C) 102
- case 6.1, international commentaries 102–12
 - assessment 104–6
 - Australia 140–3
 - barriers to treatment of older patients 108–9
 - Bulgaria 143–5
 - Canada 145–8
 - Denmark 149–52
 - France 152–3
 - health-care systems 103–4
 - Hong Kong 155–7
 - Japan 158–60
 - management 106–8
 - Netherlands 161–5
 - Norway 166–8
 - presentation of depression 104
 - protocols, guidelines and initiatives 109–12
 - Romania 168–71
 - Spain 171–4
 - systems working together 108
 - USA 175–7
- Center for Epidemiological Studies Depression Scale (CES-D) 118
- Challis, David 69–73
- Cheshire, Mike 63–7
- Chiu, Helen F. K. 155–7
- Christensen, Kaj Sparle 149–52
- citalopram 23
- clinical evaluation of depression 8–9
- clinical presentation of depression *see* presentation of depression in later life
- Cocksedge, Simon 89–92
- cognitive behavioural therapy (CBT) 18, 29
 - guided self-help 20–2
- collaborative care model of depression management 22–3
- community-based group involvement, ethnic elders 13
- concordance with treatment 17–18, 23–4
- cross-cultural screening instruments 116
- Danczak, Avril 61–3
- dementia
 - effects of pharmacotherapy for depression 24
 - effects on presentation of depression 1–2, 5–6
 - screening tools 119, 120
- Denmark
 - commentary on case 6.1 (Miss Laura C) 149–52
 - health-care system 149–52
- depression treatment, practice guidelines 120–7
- diagnosis of depression in later life 5, 6, 7, 7
 - clinical under-diagnosis 2–3
 - core and additional symptoms 5, 6
 - screening questions 7
- Dicker, Alexandru 168–71
- Dornan, Ceri 33–6
- Dowrick, Christopher 40–3
- drug interactions 27
- DSM-IV criteria for depression 1, 5, 6
- duloxetine 27
- electroconvulsive therapy (ECT), indications for treatment 27–8
- engaging the patient, ethnic elders 13 *see also* concordance with treatment
- Engedal, Knut 166–8
- epidemiology of depression in later life 1–3
 - association with handicap 2
 - clinical under-diagnosis 2–3
 - criteria for depression 1
 - effects of dementia 1–2
 - effects of physical illness 1–2

Cambridge University Press

978-0-521-68980-9 - Integrated Management of Depression in the Elderly

Edited by Carolyn Chew-Graham, Robert Baldwin and Alistair Burns

Index

[More information](#)**180 Index**

- epidemiology of depression in later life (cont.)
 - effects of socio-economic status 2
 - importance of early identification 2–3
 - lack of assessment, diagnosis and management 2–3
 - potential risk factors 2
 - prevalence and incidence rates 1–2
 - profile of high-risk groups 2–3
 - range and fluctuation of symptom severity 2
 - range of symptom presentation 2
 - targeted screening programmes 2–3
- escitalopram 23
- ethnic elders
 - ageing of immigrant population 9
 - barriers to services 133, 134
 - migration to the UK 9
- ethnic elders and depression 9–13
 - age-related factors 10
 - assessment considerations 11, 12
 - barriers to services 133, 134
 - beliefs about depression 10, 11
 - Caribbean Culture-Specific Screen (CCSS)
 - for emotional distress 12–13, 116
 - community-based group involvement 13
 - course of depression 11
 - cross-cultural screening instruments 12–13, 116
 - culturally sensitive assessment 11, 12
 - culture-specific descriptions of distress 11
 - effective communication 11, 12
 - engaging the patient 13
 - ethnically sensitive management *see* case 4.4 (Mr Afzal C) 74
 - faith-based group involvement 13
 - interpreters 12
 - level of risk 9
 - management issues 13
 - misconceptions about depression 10, 11
 - multiple jeopardy concept 9
 - pharmacological interventions 13
 - prevalence of chronic medical conditions 10
 - prevalence of depression 9–10
 - psychological interventions 13
 - psychosocial issues 10
 - reluctance to use psychiatric services 10
 - reluctance to use secondary mental health services 10
 - risk factors 10
 - screening scales for ethnic elders 12–13
 - symptoms of depression 11
 - translators 12
 - utilization of GP services 10
 - working with the family 13
- ethnic minorities in the UK
 - history of UK immigration 9
 - population age structure 9
 - prevalence of depression 9–10
 - prevalence of self-harm and suicide 9–10
- ethnically sensitive management *see* case 4.4 (Mr Afzal C) 74
- exercise and activity, to avoid or counter depression 29–30
- faith-based group involvement, ethnic elders
 - 13 *see also* voluntary sector organizations
- family
 - involvement with ethnic elders 13
 - work with 30, 67
 - see also* case 4.3 (Mr Le Lin P) 67
- Ferreiro Guri, José Antonio 171–4
- fluoxetine 26–7
- Flynn, Eleanor 140–3
- forgetfulness and depression *see* case 5.3 (Miss Lucy R) 93–4
- Fox, Chris 96–9
- France
 - commentary on case 6.1 (Miss Laura C) 152–3
 - health-care system 152–3
- General Medical Services Contract (GMS), Quality and Outcomes Framework (QuOF) 7, 7
- Geriatric Depression Scale (GDS) 7, 114–16
 - cross-cultural application 116
 - use for ethnic elders 12–13
- Geriatric Mental State Examination, criteria for depression 1
- guided self-help (GSH) 20–1
 - implementation 21–2
- guidelines *see* practice guidelines
- Hamilton Rating Scale for Depression (HAM-D) 120, 123
- handicap
 - and risk of depression 2
 - definition 2
 - link with depression 30
 - social interventions 30
- health-care systems, international comparisons 103–4

Cambridge University Press

978-0-521-68980-9 - Integrated Management of Depression in the Elderly

Edited by Carolyn Chew-Graham, Robert Baldwin and Alistair Burns

Index

[More information](#)

- Hong Kong
 commentary on case 6.1 (Miss Laura C) 155–7
 health care system 155–7
- Honma, Akira 158–60
- Hughes, Jane 69–73
- hypochondriasis 5–6
- ICD-10 criteria for depression 5, 6
- Iliffe, Steve 94–6
- immigrant elderly population *see* ethnic elders
- international commentaries on depression
 management 102–12
 assessment 104–6
 Australia 140–3
 barriers to treatment of older patients 108–9
 Bulgaria 143–5
 Canada 145–8
 case 6.1 (Miss Laura C) 102
 Denmark 149–52
 France 152–3
 health-care systems 103–4
 Hong Kong 155–7
 Japan 158–60
 management 106–8
 Netherlands 161–5
 Norway 166–8
 presentation of depression 104
 protocols, guidelines and initiatives 109–12
 Romania 168–71
 Spain 171–4
 systems working together 108
 USA 175–7
- inter-personal psychotherapy (IPT) 29
- Japan
 commentary on case 6.1 (Miss Laura C)
 158–60
 health-care system 158–60
- Katona, Cornelius 96–9
- Lambat, Ahmed I. 77–8
- legal framework 134, 135
- Lester, Helen 83–5
- Li, D. K. T. 155–7
- Licht-Strunk, Els 161–5
- literature and online resources for patients 127–31
- lofepramine 26–7
- loneliness and grief *see* case 3.2 (Mrs Winifred E) 39–40
- Lyness, Jeffrey M. 175–7
- major depression 5–6
- management of depression
 cognitive behavioural therapy (CBT) 18, 20–2
 collaborative care model 22–3
 concordance with treatment 17–18, 23
 effective treatments 17
 general principles of treatment 17–23
 goals of treatment 17–18
 guided self-help 20–2
 international comparisons 106–8
 pharmacotherapy 23–9
 polypharmacy 17–18
 primary care setting 17
 psychological interventions 27–8, 29–30
 self-help 20–2
 self-medication 17–18
 social interventions 30
 stepped care model 18–22
 use of St John's wort 17–18
- Martin, Sue 43–5
- Mateos, Raimundo 171–4
- medical services for late-life
 depression 133
- memory disturbance 5–6
- mental capacity 134, 135
- Mental Capacity Act 2005,
 England 134, 135
- Mental Health Act 1983,
 England 134
- mental health law 134
- mental state assessment, primary care
 evaluation 8–9 *see also case studies*
- Mini-Mental Status Examination
 (MMSE) 119
- mirtazepine 23, 27
- moclobemide 27
- Montgomery Åsberg Depression Rating Scale
 (MADRAS) 120, 126
- Morley, Michael 48–51
- Murray, Elizabeth 55–60
- Netherlands
 commentary on case 6.1 (Miss Laura C)
 161–5
 health-care system 161–5
- Norway
 commentary on case 6.1 (Miss Laura C)
 166–8
 health-care system 166–8

Cambridge University Press

978-0-521-68980-9 - Integrated Management of Depression in the Elderly

Edited by Carolyn Chew-Graham, Robert Baldwin and Alistair Burns

Index

[More information](#)**182 Index**

- Oliver, James 55–60
- online resources for patients 127–31
- Orientation–Memory–Concentration (OMC)
 - test 119, 120
- pain, and risk of depression 2
- panic attacks *see* case 3.3 (Mrs Betty C) 45
- parkinsonism 28–9
- paroxetine 27, 28–9
- patient engagement in treatment 23–4 *see also*
 - concordance with treatment
- Patient Health Questionnaire (PHQ)
 - diagnostic tool 116, 117
 - measurement of severity 116, 118, 120
 - screening tool 116, 117
- patient history, primary care evaluation 8–9
- patient information
 - education material 127–31
 - literature and online resources 127–31
 - self-help material and groups 131–2
- pharmacotherapy 23–9
 - augmentation regimens 27–8
 - choice of antidepressant 23
 - citalopram 23
 - combination with psychological
 - interventions 29
 - concordance with treatment 17–18, 23–4
 - discontinuation symptoms 27
 - dosages 26, 27
 - drug interactions 27
 - duloxetine 27
 - effects on dementia 24
 - efficacy 24–5, 26
 - epilepsy caution 27
 - escitalopram 23
 - ethnic elders 13
 - fluoxetine 26–7
 - gastrointestinal haemorrhage caution 27
 - implications of placebo response 24
 - indications for psychiatric referral 27–8, 28
 - initiating antidepressant treatment 23–4
 - inter-individual variations in older people 28–9
 - lofepramine 26–7
 - mirtazepine 23, 27
 - moclobemide 27
 - ‘non-specific’ factors in recovery 24
 - paroxetine 27, 28–9
 - patient and carer views on antidepressants 23
 - patient engagement in treatment 23–4
 - patients who do not respond 27–8, 28
 - polypharmacy 17–18
 - self-medication 17–18
 - sertraline 23
 - side effects 26–7, 28–9
 - sources of response variability 28–9
 - speed of response in older people 27
 - SSRIs 26–7, 28–9
 - St John’s wort 17–18
 - tricyclic antidepressants (TCAs) 23, 26, 27, 28–9
 - venlafaxine 27
- physical examination, primary care evaluation 8–9
- physical illness, and depression 1–2, 60 *see also*
 - case 4.2 (Mr Wasif H)
- placebo response 24
- polypharmacy 17–18
- positive thoughts course 43–5
- practice guidelines
 - bipolar disorder 127
 - treatment of depression 120–7
- precipitating factors for depression in later life 3–5
- presentation of depression in later life 5–9
 - anxiety 5–6
 - clinical evaluation 8–9
 - clinical presentation 5–6
 - core and additional symptoms 5, 6
 - cross-cultural comparisons 104
 - diagnosis 5, 6, 7, 7
 - DSM-IV criteria 5, 6
 - effects of dementia 5–6
 - hypochondriasis 5–6
 - ICD-10 criteria 5, 6
 - major depression 5–6
 - memory disturbance 5–6
 - primary care evaluation 8–9
 - rating scales 8
 - see also* ethnic elders
- prevalence of depression, ethnic minorities in
 - the UK 9–10
- primary care evaluation of depression 8–9
 - see also* case histories
- problem-solving treatment (PST) 29
- protective factors for depression in later life 3–4
- Protheroe, Jo 67–9
- protocols and pathways for depression
 - management 135, 136
- protocols, guidelines and initiatives,
 - international comparisons 109–12
- psychiatric referral, antidepressant-resistant
 - depression 27–8, 28

Cambridge University Press

978-0-521-68980-9 - Integrated Management of Depression in the Elderly

Edited by Carolyn Chew-Graham, Robert Baldwin and Alistair Burns

Index

[More information](#)

- psychodynamic psychotherapy 29
 psychological interventions 27–8, 29–30
 anxiety management 29
 behavioural activation 29–30
 cognitive behavioural therapy (CBT) 29
 combination with pharmacotherapy 29
 ethnic elders 13
 exercise and activity 29–30
 family work 30
 inter-personal psychotherapy (IPT) 29
 problem-solving treatment (PST) 29
 psychodynamic psychotherapy 29
 psychotherapy, augmentation regimens 27–8
 psychotic features with depression
 see case 5.1 (Mrs Paulette B) 83
 Pusey, Helen 36–9
- Quality and Outcomes Framework (QuOF) of
 the General Medical Services Contract
 (GMS) 7, 7
- Rait, Greta 74–7
 Ratcliffe, Joy 92–3
 rating scales, use in evaluation of depression 8
 religious organisations 133 *see also* faith-based
 group involvement; voluntary sector
 organizations
 residential care, rates of depression 1–2
 resources
 Apathy Evaluation Scale Inventory 120
 assessment of severity 118, 120, 123, 126
 Beck Depression Inventory 118
 bipolar disorder practice guidelines 127
 Brief Assessment Schedule Depression Cards
 (BASDEC) 118
 Caribbean Culture-Specific Screen (CCSS)
 for emotional distress 116
 Center for Epidemiological Studies
 Depression Scale (CES-D) 118
 cross-cultural screening instruments 116
 Geriatric Depression Scale (GDS)
 114–16
 Hamilton Rating Scale for Depression
 (HAM-D) 120, 123
 legal framework 134, 135
 literature and online resources for patients
 127–31
 mental capacity 134, 135
 mental health law 134
 Mini-Mental Status Examination
 (MMSE) 119
 Montgomery Åsberg Depression Rating
 Scale (MADRAS) 120, 126
 Orientation–Memory–Concentration
 (OMC) test 119, 120
 patient education material 127–31
 Patient Health Questionnaire (PHQ) 116,
 117, 118, 120
 protocols and pathways 135, 136
 screening for dementia 119, 120
 screening for depression in older people
 114–19, 120
 SelfCARE(D) 118
 self-help material and groups 131–2
 services for older people with depression
 132–3, 134
 suicide risk assessment and suicide
 prevention 118
 treatment of depression practice guidelines
 120–7
 World Health Organization Well-Being
 Index (WHO-5) 118, 119
 risk assessment, suicidality 8–9
 risk factors for depression in later life 2, 3–5
 profile of high risk groups 2–3
 Robert, Philippe H. 152–3
 Romania
 commentary on case 6.1 (Miss Laura C)
 168–71
 health-care system 168–71
 Ruault, Geneviève 152–3
- Sanaker, Harald 166–8
 screening for dementia 119, 120
 screening programmes for depression in later
 life 2–3
 screening questions for depression in later life,
 7
 screening scales for ethnic elders 12–13
 screening tools for depression in older people
 114–19, 120
 selective serotonin reuptake inhibitors (SSRIs)
 26–7, 28–9
 SelfCARE(D) 118
 self-harm 8–9
 among ethnic minority adults 9–10 *see also*
 suicide risk assessment
 self-help interventions for depression 20–2
 self-help material and groups 131–2
 self-medication 17–18
 self-neglect 8–9
 sertraline 23

184 Index

- services for older people with depression
 - 132–3, 134
 - barriers to services 133, 134
 - medical services 133
 - religious organizations 133
 - social care 133
 - voluntary services 133
- severity assessment, Patient Health
 - Questionnaire (PHQ) 116, 118, 120
- Shulman, Kenneth 145–8
- sleeping tablets request *see* case 3.1
 - (Mr Seth Y) 33
- social care services for late-life depression 133
- social interventions 30
 - addressing sources of handicap 30
- social isolation, and risk of depression 2, 30
- socio-economic status, and risk of depression
 - in later life 2
- Spain
 - commentary on case 6.1 (Miss Laura C)
 - 171–4
 - health care system 171–4
- specialist services, international comparisons 108
- SPICE heuristic 95
- St John’s wort 17–18
- stepped care model of depression management
 - 18–22
 - guided self-help 20–2
 - practical considerations 22
 - self-help 20–2
- Stoychev, Kaloyan 143–5
- substance abuse *see* case 4.1 (Mrs Ruth M) 55
- suicide, among ethnic minority adults 9–10
- suicide prevention resources 118
- suicide risk assessment
 - primary care evaluation 8–9
 - resources 88–9, 118*see also* case 5.2 (Mrs Gladys H) 88–9
- syndrome of inappropriate antidiuretic
 - hormone secretion (SIADH) 28–9
- Tătaru, Nicoleta 168–71
- Thompson, Ruth 45–8
- treatment-emergent parkinsonism 28–9
- tricyclic antidepressants (TCAs) 23
 - drug interactions 27
 - side effects 26, 28–9
- Upshur, Ross 145–8
- USA
 - commentary on case 6.1 (Miss Laura C)
 - 175–7
 - health-care system 175–7
- validated tools, use for diagnosis of depression 7
- venlafaxine 27
- voluntary sector organizations 77–8, 133
- World Health Organization Well-Being Index
 - (WHO-5) 118, 119