

## Index

- abdominal aortic aneurysm, potential screening of older men 101
- absolute poverty 191–2
- accountability 147–8
- 'active ageing' policy 231, 234, 236–7
- adult health determinants 208–9
  - individual lifestyle factors 208
  - interactions between factors 209
  - living and working conditions 208
  - social and community networks 208
  - socio-economic, cultural and environmental conditions 208–9
- adult health promotion 199, 220–3
  - determinants of health approach 222
  - health of homeless people 222
  - healthy workplaces 221–2
  - improving housing 222
  - prevention of mental illness 222–3
  - public health problem approach 222–3
  - settings approach 221–2
- adult mortality and morbidity causes 209–20
  - cancer 210–12
  - cardiovascular diseases 212–14
  - diabetes mellitus 214–16
  - mental health disorders 219–20
  - metabolic syndrome 217–18
  - obesity 216–18
  - premature death 15
- adult population statistics 207
- adverse events 146–7
- aetiology of disease 56
- age as an epidemiological variable 28
- ageing
  - and disability 228–9, 230
  - and health 228–31
  - health conditions affecting the elderly 231
  - health effects of neighbourhood deprivation 231
  - healthy life expectancy 228–9, 230
  - influenza vaccination 232
  - link to ill health 228–9, 230
  - potential screening programmes for older people 101
  - prevention of chronic disease 234
  - promotion of 'active ageing' 231, 234, 236–7
  - strategies for healthy ageing 231
- ageing population
  - 'active ageing' policy 231, 234, 236–7
  - admission to a care home 235
  - 'baby boom' generation 227
  - carers 235
  - challenges identified by WHO 236–7
  - changes in life expectancy 225, 226, 230
  - contributory factors 226–7, 230
  - definitions of old age 226
  - demography of old age 226–8
  - economic cost of support 235
  - end of life care 236
  - health and social care services 234–5
  - hospice care provision 236
  - old-age categories 226
  - old-age dependency ratio 227–8
  - palliative care 236
  - policy responses 236–7
  - population pyramids 226, 227
  - support for economically inactive adults 227–8
  - UK standards for health and social care 237
- AIDS *see* HIV and AIDS
- Alzheimer's disease, potential screening of older people 101
- American Board of Medical Specialties 279
- analytical studies 45–50
- attributable mortality rate 128
- attributable risk (AR) 40–1
- avian influenza 166
- 'baby boom' generation 227
- behaviour and lifestyle choices, and child health 193–4

- behaviour change
  - among health-care professionals 69–71
  - pre-conditions 83–4
- behaviour change stages 84–5
  - action 85
  - contemplation 84
  - maintenance 85
  - pre-contemplation 84, 85
  - relapse 85
- below replacement fertility 14
- bias in screening programmes 107–9
- Black Death 173
- blood pressure distribution in two
  - populations 29–30
- breast-cancer screening programme (UK)
  - 96–9, 100
  - predictive values 106
  - sensitivity and specificity 104
- Bristol Royal Infirmary, children's heart
  - surgery deaths 264–5
- British Doctors' Study of smoking and
  - mortality 40–1
- bronchitis 2–3
- bullying and child health 191
- cancer 210–12
  - burden of disease 210, 211
  - health policy implications 212
  - incidence 96–8
  - mortality rates 210, 211
  - prevention 211–12
  - risk factors 211
- Cancer Registries 133
- cardiovascular diseases 212–14
  - burden of disease 212–13
  - health policy implications 214
  - prevention 213–14
  - risk factors 213
- case control studies 45–6
- case fatality and survival rates 35
- case reports 44
- case series 44
- causality 56
- cervical-cancer screening programme (UK)
  - 96–8, 100–1
  - predictive values 106
  - sensitivity and specificity 104
- Chagas disease 291
- chance 50–1
- child health determinants 189–94
  - behaviour and lifestyle choices 193–4
  - bullying 191
  - community networks and social capital 193
  - ethnic background 190
  - family situation 190–1
  - genetic factors 189–90
  - individual and congenital factors 189–90
  - media and the commercial world 194
  - parenting 190–1
  - physical environment 193
  - poverty 191–3
  - prenatal factors 190
  - public services 194
  - quality of daycare 191
  - relationships 190–1
  - school experiences 191
  - social class 192–3
  - social deprivation 192–3
  - stigma and social exclusion 193
- child health promotion 196–204
- childhood obesity 200–1, 202, 203
- developing personal knowledge and skills
  - 198
  - different levels of operation 198, 201
  - health policy for children 202–4
  - healthy public policy 197
  - healthy schools 198–200
  - improving parenting 200, 201
  - Ottawa Charter (1986) 196–8
  - re-orienting health services 197–8
  - strengthening communities 197
  - supportive environments 197
  - toolkit for the generalist practitioner 204
- child mortality and morbidity
  - and social class 192
  - main causes among older children 195, 197
  - main causes among under fives 195, 196
  - main concerns 194–5
  - mortality rates 14–15
- child population statistics (UK and global)
  - 187–8
- child public health
  - components and scope 186–7
  - definition 186
  - importance of 185–6
  - multidisciplinary cooperation 187
  - range of organisations and departments
    - involved 187
  - twenty-first century goals 186
  - UK policy 186
  - vulnerable children 188–9
- childhood mental health problems, and social
  - class 192
- childhood obesity
  - public health measures 202, 203
  - rates and consequences 200–1
- chlamydia 166
- chronic disease prevention 234

- conditions affecting the elderly 231
- dementia (example) 234
- falls (example) 233
- primary prevention 232
- secondary prevention 232
- tertiary prevention 232–3
- clinical audit cycle 144, 145
- clinical effectiveness 63
- clinical governance 264–5
  - adverse events 146–7
  - blueprint for quality improvement 142, 143
  - clinical audit cycle 144, 145
  - criticisms of 142
  - definition and components 143
  - health equity audit cycle 144–6
  - Healthcare Commission 143
  - National Institute for Health and Clinical Excellence (NICE) 143
  - national standards and monitoring 143
  - risk management 146–7
- clinical trials 48–50
  - origin 25, 26
- Clostridium difficile* 166
- Cochrane Database 64
- cohort studies 46–7
- commercial world, influences on child health 194
- communicable disease control 166–73
  - avian influenza 166
  - challenges of infectious agents 167
  - changing behaviours 169
  - chlamydia 166
  - Clostridium difficile* 166
  - containment of disease 170
  - Creutzfeldt-Jacob disease 166
  - drug-resistant infections 166, 169
  - elimination of infection 169–70
  - eradication of the disease 169
  - Escherichia coli* 169–70
  - flu infection (influenza virus) 169, 171
  - flu pandemics 171
  - gonorrhoea 166
  - herd immunity 171
  - HIV/AIDS 166
  - hospital-acquired infections 169
  - immunisation programmes 170–1, 173
  - in individuals 167–8, 169
  - in populations 169–71, 173
  - incidence of infectious diseases 166
  - leishmaniasis 166
  - malaria 166
  - measles, mumps and rubella (MMR)
    - vaccination 170
  - modes of transmission 167, 168, 169
  - monitoring 173, 174
  - MRSA (methicillin resistant *Staphylococcus aureus*) 166, 169
  - outbreak investigation 174–7
  - poverty effects 291–2, 293
  - range of infection-causing agents (pathogens) 167
  - reservoirs of infection 167–9
  - salmonella 166, 169–70
  - SARS (severe acute respiratory syndrome) 166
  - sexually transmitted infections 166, 169
  - smallpox 166, 167–9, 170
  - surveillance 173, 174
  - syphilis 166
  - tuberculosis (TB) 166, 169–70
  - types of control 169–70
  - vaccination programmes 170–1, 173
  - WHO Global Burden of Disease project 166
  - see also* infectious diseases
- community health promotion 86, 87
- community networks and social capital 193
- community trials 50
- confidence interval (CI) 50–1
- confounding factors 44, 53–5
- Congo, total fertility rate 13–14
- contagion theory of disease 25
- correlation studies 44
- cost benefit analysis 155, 156
- cost-effectiveness 63, 154, 155, 156
- cost minimisation 155
- Creutzfeldt-Jacob disease 166
- cross sectional surveys 44
- crude birth rate 13
- crude death rate 125–7
- cultural conditions and adult health 208–9
- cumulative incidence 31
- DALYs (disability-adjusted life years) 20–1
- databases, specialist 64
- daycare quality and child health 191
- death rates *see* mortality
- demand for health care
  - factors affecting 111
  - relation to need and supply 113–15
- dementia 234
- demography
  - causes of health inequalities 20–1
  - collection of demographic data 21–2
  - definition 11
  - disability-adjusted life years (DALYs) 20–1

- demography (*cont.*)
  - disease and disability 20–1
  - fertility 13–14
  - fertility measurement 22
  - global population trends 13
  - health transitions 18–20
  - implications for public health 11
  - life expectancy 16–18
  - life tables 16, 22
  - methodological issues 21–2
  - migration effects 15–16
  - migration measurement 22
  - mortality 14–15
  - mortality measurement 22
  - of old age 226–8
  - population pyramids 12–13
  - population structure 12–13
  - population surveys 22
  - population trends in various countries 13
  - processes which influence populations 11
  - projected global population growth 13
  - reasons for population trends 13–16
  - standardised mortality ratio (SMR) 22
- descriptive studies 44
- Diabetes Control and Complications Trial (DCCT) 49–50
- diabetes mellitus 214–16
  - burden of disease 214–15
  - health policy implications 216
  - prevention 215–16
  - risk factors 215
- direct costs 154
- directly standardised death rate (DSR) 127
- disability adjusted life years (DALYs) 20–1
- disability and disease, in demographic study 20–1
- disaster planning 179–82
- disease and disability, in demographic study 20–1
- disease frequency measures (rates) 30–5
- disease patterns and service planning 27–8
- disease prevention 76–85
  - and cure 76–7
  - behaviour change pre-conditions 83–4
  - behaviour change stages 84–5
  - cost of preventive medicine 77
  - evidence of preventable diseases 76
  - high-risk individual strategy 79–80
  - implications of risk-factor thresholds 81–2, 83
  - in clinical practice 81–2, 83
  - levels of 78–9
  - population-based strategy 79–80
  - prevention paradox 80
  - primary prevention 78–9
  - public health screening 80–1
  - secondary prevention 78–9
  - spectrum of disease 81–2, 83
  - strategies 79–81
  - tertiary prevention 78–9
  - treatment of risk factors 81–2, 83
  - types of preventive measure 80
  - see also* health promotion
- disease progression in the community 77–8
  - disease manifestation 77
  - exposure to risk factors 77
  - factors affecting access to health care 77
  - factors affecting outcome 77–8
  - possible outcomes 77–8
- disease registers 133
- disease risk markers 28–30
- disease variation by time, place and person 26–42, 43
- Donabedian framework for quality measurement 273–4
- Down's syndrome screening during pregnancy 99
- dracunculiasis 291
- drug-resistant infections 166, 169
- Duncan, William 1–2
- duration of disease 33–4, 35
- 'ecological fallacy' 44
- ecological studies 44
- economic evaluation 154
  - cost-benefit analysis 155, 156
  - cost-effectiveness analysis 155, 156
  - cost minimisation 155
  - cost-utility analysis 155, 156, 157
  - definition
  - direct costs 154
  - incremental costs 155
  - indirect costs 154
  - marginal costs 155
  - opportunity costs 155
  - quality adjusted life years (QALYs) 155, 156, 157, 158
- education and audit, role in quality improvement 279–80
- emergency planning 179–82
- environmental conditions and adult health 208–9
- environmental hazard control
  - occupational hazards 179
  - source-pathway receptor model 177–8
  - types of hazard 178–9

- epidemiological study design
  - analytical studies 45–50
  - case-control studies 45–6
  - case reports 44
  - case series 44
  - classification of design strategies 42
  - clinical trials 48–50
  - cohort studies 46–7
  - community trials 50
  - confounding factors 44
  - cross-sectional surveys 44
  - descriptive studies 44
  - Diabetes Control and Complications Trial (DCCT) 49–50
  - ‘ecological fallacy’ 44
  - equipoise 48
  - individual studies 44
  - intervention (experimental) studies 47–50
  - observational studies 45–7
  - population (correlation or ecological) studies 44
  - questions to be answered 42
  - randomised controlled trials (RCT) 47–50
  - summary of study designs 50–1
  - types of epidemiological study 42–51
  - Whitehall Studies of civil servants (cohort study) 46–7
- epidemiological study results
  - aetiology of disease 56
  - causality 56
  - chance 50–1
  - confidence interval (CI) 50–1
  - confounding 53–5
  - error 52–5
  - generalisability of a study 55–6
  - information bias 53
  - interpretation 50–7
  - probability (*P* value) 50–1
  - random error 52
  - selection bias 52–3
  - systematic error 52–5
  - validity (external and internal) 55–6
- epidemiological transitions 18–19
- epidemiology
  - absolute risk reduction (ARR) 38
  - age as an epidemiological variable 28
  - attributable risk (AR) 40–1
  - blood pressure distribution in two populations 29–30
  - British Doctors’ Study of smoking and mortality 40–1
  - case fatality and survival rates 35
  - contagion theory of disease 25
  - cumulative incidence 31
  - definition 24
  - development of health statistics 25–6
  - disease frequency measures (rates) 30–5
  - disease ‘iceberg’ in a population 27–8
  - disease variation by time, place and person 26–42, 43
  - duration of disease 33–4, 35
  - epidemiological variables 28–30
  - history of 25–6
  - importance in public health 24–5
  - incidence of disease (definition) 31
  - incidence rate 32–4, 35
  - markers for disease risk 28–30
  - measures of disease frequency (rates) 30–5
  - measures of population impact 40–1
  - miasma theory of disease 25
  - number needed to treat (NNT) 38–9
  - Odds Ratio 35–7
  - origin of the clinical trial 25, 26
  - population attributable risk 40–1
  - population concept 27–8
  - prevalence of disease 31, 33–4, 35
  - quantifying differences in risk 35–41
  - Relative Risk 35–8
  - risk of disease (definition) 31
  - stable and dynamic populations 28
  - summary of concepts 42, 43
  - time, place and person descriptions of disease 26–42, 43
  - uses 24
- equipoise 48
- error 52–5
- Escherichia coli* 169–70
- ethical frameworks for decision making 159, 160
- ethnic background and child health 190
- evaluation *see* quality of health-care
  - evaluation; screening programme evaluation
- evidence, use in public health 309–10
- evidence-based health care (EBHC)
  - appropriate types of study 63–4
  - behaviour change among health-care professionals 69–71
  - clinical effectiveness 63
  - Cochrane Database 64
  - cost-effectiveness 63
  - criticisms of 73
  - definition and scope 59–60
  - incentives to change 73
  - limitations 73–4
  - Medline Database 64
  - meta-analysis of studies 66, 69
  - PICO approach to framing a question 60–1

Cambridge University Press

978-0-521-68983-0 - Essential Public Health: Theory and Practice

Stephen Gillam, Jan Yates and Padmanabhan Badrinath

Index

[More information](#)

328

## Index

- evidence-based health care (EBHC) (*cont.*)
  - PubMed Database 64
  - sources of evidence 64
  - specialist databases 64
  - systematic reviews of literature 66, 69
  - uptake of innovation 69–71
- evidence-based health care implementation
  - 60–8, 69, 74
  - ask a focussed question 60–1
  - change practice in light of evidence 69–71
  - critical appraisal of evidence 65–6, 67–8, 69
  - evaluate performance 72–3
  - track down best evidence 61–5
- evidence-based medicine (EBM), definition and scope 59–60
- evidence-based medicine (EBM) movement 25, 26
- experimental (intervention) studies 47–50
- falls prevention (example) 233
- family situation and child health 190–1
- Farr, William 25–6
- fertility 13–14
  - below replacement fertility 14
  - crude birth rate 13
  - general fertility ratio 13
  - influences on 14
  - measurement 22
  - total fertility rate 13–14
- Finagle's law 125
- flu (influenza) 2–3, 169, 171
  - vaccination for older people 232
- flu pandemics 171
  - disaster planning 181
- funding decision-making
  - and resource limitations 149
  - levels of decision-making 149
  - priority setting framework 150, 151
- future issues
  - changes to causes of health and illness 307
  - professional development and competencies 310–11
  - social justice and public health 308
  - use of information, evidence and knowledge 309–10
- general fertility ratio 13
- General Medical Council (GMC) 147–8, 279
- general practitioner records 132
- generalisability of a study 55–6
- genetic factors in child health 189–90
- germ theory of disease 2, 25
- global annual death rates 14
- global burden of disease 286, 287–8
- global life expectancy at birth 16–17
- global population trends 13
- global poverty and health issues
  - access to medicines 292–4
  - barriers to health services 298
  - communicable diseases 291–2, 293
  - cost barrier to health services 298
  - delivery of improvements in health 294–5
  - effects of weak or corrupt governments 294–5
  - gender inequalities 298
  - health research needed 301
  - HIV and AIDS 291–2, 293
  - making international aid more effective 301
  - maternal health 290
  - millennium development goals 299–300, 301
  - need for good quality monitoring data 299–301
  - organising and financing health systems 295–7
  - preventable illness and deaths among children 288–9
  - relevance to UK policy 301–2
  - reproductive health 290–1
  - research on diseases of the poor 293–4
  - role of good governance 294–5
  - sector-wide approaches (SWAps) 301
  - social exclusion 298
  - staffing of health services 298–9
  - vaccines for diseases of the poor 293–4
  - vertical and horizontal approaches 297–8
- gonorrhoea 166
- government, conflicts with the medical profession 260
- Graunt, John 25
- guinea worm 287
- health
  - definition 85–6
  - WHO definitions 85–6
- health and social-care quality 5
- health care
  - contribution to increased life expectancy 271–2
  - contribution to public health 271–2
  - harm resulting from misuse 277
  - overuse 276–7
  - patient safety problem 277
  - problems with 275–8
  - under use 276
- health care inequalities, and health-care quality measurement 276

- health care interventions, effectiveness 89, 90–2
- health care professionals, opportunities to promote health 5–7
- health education 86, 87
- health equity audit cycle 294.6, 667.2 *see also* health inequalities
- health improvement 5
- health inequalities
  - causes 20–1
  - contributory diseases 243, 244
  - differences in access to treatment 246
  - distribution of health determinants 243, 244
  - impact of psycho-social stressors 245–6
  - important health determinants and interactions 243–6
  - influence at every stage of life 247
  - life-course effects of health determinants 247, 248
  - probabilistic cascade of health effects 247, 248
  - public health policy 265, 266
  - social gradients in disease incidence 243, 244–5
  - socio-economic factors 240–1, 242
  - trends 241–3, 248
  - Whitehall Studies 245
- health inequalities interventions 242, 247–54
  - access to essential facilities and services 248, 250–3
  - inverse care law 251
  - macro-economic and cultural change 248, 253–4
  - possible policy frameworks 242, 248
  - social capital 250, 251
  - strengthening communities 248, 250, 251
  - strengthening individuals 248, 249
- health inequity *see* health inequalities
- health needs assessment (HNA) 115–18
  - agreeing local priorities 117–18
  - characteristics 115
  - comparative needs assessment 116–17
  - corporate needs assessment 117–18
  - epidemiological needs assessment 118
  - identification of priorities 116–18
  - inverse care law 116
  - objectives 115–16
  - policy, planning and strategy development 118–20, 121
- health needs theory 111–15
  - ability to benefit 112
  - classification of needs 111–12
  - cost-effectiveness of treatments 112
  - factors affecting demand 111
  - health needs definition 112
  - individual or population needs 112
  - need for health care 112
  - need, supply and demand 113–15
- health policy (England) 261–2
  - and global poverty and health issues 301–2
  - clinical governance introduction 264–5
  - drive for efficiency and cost containment 262–3
  - drive to improve quality 264–5
  - for children 202–4
  - health service reform 261–3, 264–5, 267
  - implications of cancer rates 212
  - implications of cardiovascular disease levels 214
  - implications of diabetes mellitus levels 216
  - implications of mental illness levels 220
  - implications of obesity levels 218
  - Labour government's reform agenda 261–2
  - market-based system 262–3
  - models of provider motivation 267
  - potential problem of 'defensive medicine' 265
  - professional power issue 264–5
  - public accountability 264–5, 267
  - public health agenda 265, 266
  - public sector service redefinition 267
  - response to rate of 'adverse incidents' 264–5
  - role of NICE 264–5
  - role of the Healthcare Commission 265
- health policy process
  - conflicts between government and medical profession 260
  - context for policy making 259–60
  - definition of 'policy' 258
  - factors which impact on health policy 259–60
  - implementation as part of the policy process 260–1
  - 'incremental' models 258–9
  - influence of implementers 260–1
  - models of 258–9
  - nature of 257–8
  - power of the medical profession 259–60
  - 'rational' models 258
  - strategies of health-care institutions 260–1
- health promotion
  - community development 86, 87
  - definition and scope 86
  - definition of health 85–6



- health promotion (*cont.*)
  - effective interventions 89, 90–2
  - health education 86, 87
  - healthy public policy 86, 87
  - HIV case study 90–2
  - legislative action 87
  - local level organisations 88–9
  - main routes for 86–7
  - national level organisations 88
  - Ottawa Charter (1986) 87
  - responsible agencies and organisations 88–9
  - tobacco control 86, 88
  - voluntary, non-governmental organisations 89
  - WHO Bangkok Charter (2005) 88
- health protection 5
  - UK definition and scope 165–6
  - US definition and scope 165–6
- health-service reform 261–3, 264–5, 267
  - re-orienting to promote child health 197–8
- health statistics, development of 25–6
- health transitions
  - and changing health needs 18–20
  - demographic transitions 18–20
  - epidemiological transitions 18–19
  - influential factors 19
  - population ageing 19
- Healthcare Commission 143, 265, 279
- healthy life expectancy 228–9, 230
- healthy public policy 86, 87
  - and child health 197
- helminth infections 291
- herd immunity 171
- historical background of public health
  - bronchitis 2–3
  - community and school nursing services 2
  - criticism of modern medicine 2–3
  - educational approaches to health promotion 3
  - establishment of the NHS 1
  - germ theory of disease 2
  - health-promoting public policies 3
  - hospital and clinic services 2
  - immunisation and vaccination 2–3
  - industrial revolution 1–2
  - influenza 2–3
  - insulin therapy 2
  - introduction of school meals 2
  - medical care contribution to life expectancy 3–4
  - medical officers of health 1–2
  - pneumonia 2–3
  - preventive services for the individual 2
  - public health contribution to life expectancy 3–4
  - public health movement (1970s onward) 3
  - public health movement origins 1–2
  - raising nutritional standards 2–3
  - reasons for health improvements 3
  - reasons for reduction in death rates 2–3
  - reduction in infectious disease mortality 2–3
  - smallpox vaccination 3
  - sulphonamide drugs 2
  - therapeutic era 2
  - tuberculosis 2–3
  - water- and food-borne diseases 1–3
  - whooping cough 2–3
- HIV (human immunodeficiency virus) and AIDS 166
  - global burden of disease 287, 291
  - history of appearance and spread 291–2, 293
  - strain on health services 298–9
  - surveillance of HIV 173
- HIV case study (effective health care interventions) 90–2
- hospital-acquired infections 169
- hospital-episode statistics (HES) 132
- housing, improving health of homeless people 222
- HPV (human papilloma virus) 97–8
- ICD (International Classification of Diseases and Related Health Problems), origins 25–6
- ICD-10
  - linkage of HES data 132
  - standardisation 128
- ill health, links with poverty 286, 287–8
- Illich, Ivan 2
- immigration screening (UK) 101–2
- immunisation programmes 170–1, 173
- incidence of disease (definition) 31
- incidence rate 32–3, 34
  - relationship to prevalence 33–4, 35
- income, relationship to life expectancy 17–18
- income-related health inequalities 20–1
- incremental costs 155
- ‘incremental’ health policy models 258–9
- India, population pyramid 12–13
- indirect costs 154
- individual approach, comparison with population approach 6, 7
- individual studies 44
- infant mortality rate 128–30
  - and social class 192
- infectious diseases 131–2



- reduction in mortality 2–3
- see also* communicable disease control
- influenza *see* flu
- information, use in public health 309–10
- information bias 53
- innovation
  - early adopters 70
  - factors affecting uptake 70
  - late adopters 70
  - process of uptake 69–71
  - tipping point 70
- Institute for Healthcare Improvement 280
- Institute of Medicine, framework for quality measurement 273–74
- International Classification of Diseases and Related Health Problems *see* ICD
- international development *see* global poverty and health issues
- intervention (experimental) studies 47–50
- intra-uterine life factors, and child health 190
- inverse care law 116, 251, 276, 308
- knowledge
  - as a cause of health 308–9
  - use in public health 309–10
- lead time bias 108, 109
- ‘lean’ technique (Toyota) 281
- legislative action to promote health 87
- leishmaniasis 166, 291
- length time bias 108–9
- leprosy 287, 291
- life-course effects of health determinants 247, 248
- life expectancy 16–18, 130–1
  - changes in 225, 226, 230
  - contribution of health care 271–2
  - definition 16
  - demographic life tables 16, 22
  - factors affecting 16–18
  - global life expectancy at birth 16–17
  - healthy life expectancy 228–9, 230
  - medical care contribution 3–4
  - population ageing 17
  - public health contribution 3–4
  - reasons for increase 3–4
  - relationship to income 17–18
  - variations between countries 16–17
- life tables 16, 22
- lifestyle factors and adult health 208
- likelihood ratios 106–7
- Lind, James 25, 26
- living conditions and adult health 208
- local health-care organisations 88–9
- local health surveys 134
- low birth weight, and social class 192
- lymphatic filariasis 287, 291
- malaria 166
  - global burden of disease 287, 291, 293
  - vaccine for children 293–4
- marginal costs 155
- market and financial approach to quality improvement 275, 280–1
- mass screening 94–5
- maternal health, poverty effects 290
- maternal mortality rates 15, 128–30
- Maxwell framework for quality measurement 273–4
- McKeown, Thomas 2–3, 19
- measles, mumps and rubella (MMR) vaccination 170
- media, influences on child health 194
- medical care
  - contribution to life expectancy 3–4
  - criticisms of modern medicine 2–3
- medical profession
  - conflicts with government 260
  - power of 259–60, 264–5
- Medline Database 64
- mental health disorders 219–20
  - burden of disease 219
  - health policy implications 220
  - prevention 222–3
  - risk factors 219–20
- meta-analysis of studies 66, 69
- metabolic syndrome, and obesity 217–8
- miasma theory of disease 25
- migration
  - effects on populations 15–16
  - implications for public health care 15–16
  - measurement 22
- millennium development goals 299–300, 301
- morbidity measurement 131–33
  - definition of morbidity 131
  - disease registers 133
  - general practitioner records 132
  - hospital data 132
  - infectious diseases 131–2
  - primary care data 132
- mortality measurement 22, 125–30
  - annual global death rates 14
  - attributable mortality rate 128
  - causes of adult premature death 15
  - child mortality rates 14–15

- mortality measurement (*cont.*)
  - childbirth and infancy 128–30
  - crude death rate 125–7
  - directly standardised death rate (DSR) 127
  - ICD-10 standardisation 128
  - infant mortality rate 128–30
  - maternal mortality 15, 128–30
  - neonatal mortality 128–30
  - perinatal mortality 128–30
  - post-neonatal mortality 128–30
  - proportional mortality 128
  - reasons for decline in death rates 14
  - standardised death rates 127–8
  - standardised mortality ratio (SMR) 22, 127–8
  - stillbirth rate 128–30
  - under five mortality rate 130
  - years of life lost (YLL) 15
- MRSA (methicillin resistant *Staphylococcus aureus*) 166, 169
- National Clinical Assessment Service (NCAS) 147
- national health-care organisations 88
- National Health Service (NHS), establishment
  - 1 *see also* health policy; health service reform 1
- National Institute for Health and Clinical Excellence (NICE) 88, 143, 264–5
- National Patient Safety Agency (NPSA) 147, 277
- National Screening Committee (UK) 101
- National Service Framework (NSF) for
  - children, young people and maternity services 202–4
- National Specialist Commissioning Advisory Group 149
- neonatal mortality 128–30
- NHS, establishment 1
  - see also* health policy; health service reform
- NICE *see* National Institute for Health and Clinical Excellence
- notifiable diseases 131–32, 173
- number needed to treat (NNT) 38–39
- Nursing and Midwifery Council 147
- nutritional standards, raising (historical) 2–3
- obesity 216–8
  - and metabolic syndrome 217–8
  - burden of disease 216–7
  - health policy implications 218
  - high-risk approach to prevention 218
  - measures of 216
  - population approach to prevention 218
  - prevention 218
  - risk factor for health problems 216–7
  - risk factors for 217–8
  - weight management 218
- observational studies 45–7
- Odds Ratio 35–7
- older people *see* ageing
- onchocerciasis (river blindness) 287, 291
- opportunistic screening 94–5
- opportunity costs 155
- osteoporosis, potential screening of older people 101
- Ottawa Charter (1986) 87
  - child health promotion 196–8
- parenting
  - and child health 190–1
  - improving 200, 201
- patient administration systems (PAS) 132
- patients
  - important health-care issues 139, 272–3
  - safety problem 147, 277
- payment for performance 275, 280–1
- performance data, publication of 275, 280–1
- perinatal mortality 128–30
- period prevalence of disease 31
- physical environment and child health 193
- PICO approach to framing a question 60–1
- planning cycle, and health needs assessment 118–20, 121
- pneumococcus, vaccine development 293–4
- pneumonia 2–3
- point prevalence of disease 31
- policy-making cycle, and health needs assessment 118–20, 121
- population ageing 17
  - health transitions 19
- population approach, comparison with
  - individual approach 6, 7
- population attributable risk 40–1
- population concept 27–8
- population health improvement, three main approaches 4
- population health status
  - collecting health-status information 135
  - data which are fit for purpose 125, 126
  - life expectancy 130–1
  - local health surveys 134
  - morbidity measurement 131–3
  - mortality measurement 125–30
  - population surveys 133
  - public health observatories 135
  - self-reported health status 133–4

Cambridge University Press

978-0-521-68983-0 - Essential Public Health: Theory and Practice

Stephen Gillam, Jan Yates and Padmanabhan Badrinath

Index

[More information](#)

- sources of additional data 134–5
- types of data required 124–5
- years of life lost (YLL) 130–1
- population impact, measures of 40–1
- population pyramids 12–13, 226, 227
- population studies 44
- population surveys 22, 133
- post-neonatal mortality 128–30
- poverty
  - absolute 191–2
  - and child health 191–3
  - and social deprivation 192–3
  - links with ill health 286, 287–8
  - relative 191–2
  - reproductive health effects 290–1
  - see also* global poverty and health issues
- prenatal factors and child health 190
- prevalence of disease 31
  - relationship to incidence 33–4, 35
- preventive medicine
  - cost of 77
  - NHS cervical screening programme 77
- primary care data 132
- priority-setting framework 150, 151
  - assessing need 150–2
  - cost-effectiveness 154
  - economic evaluation 154
  - ethical frameworks for decision making 159, 160
  - evidence of effectiveness 152
  - intervention acceptability and appropriateness 153
  - smoking cessation service example 150, 151
- probabilistic cascade of health effects 247, 248
- probability (*P* value) 50–1
- professional development and competencies 310–11
- proportional mortality 128
- prostate cancer, reasons for not screening 101
- PubMed Database 64
- public health
  - contribution of health care 271–2
  - contribution to life expectancy 3–4
  - definition 1
  - three domains 5
  - underpinning disciplines 5
- public health challenges, life course model 7, 8
- public health measures, childhood obesity 202, 203
- public health movement 1–2
- public health observatories 135
- public health policy agenda
  - government targets 265, 266
  - health inequalities issue 265, 266
  - supporting healthy choices 265, 266
  - see also* health policy
- public health toolkit 6, 8
- public services access, and children's health 194
- quality-adjusted life years (QALYs) 155, 156, 157, 158
- quality improvement in health care
  - approaches 275, 279, 282
  - education and audit 279–80
  - Institute for Healthcare Improvement 280
  - market and financial approach 275, 280–81
  - payment for performance 275, 280–81
  - publication of performance data 275, 280–81
  - regulation and standards 279
- quality measurement in health care
  - approaches to quality measurement 274–5
  - definition 272
  - desired health outcomes 272–3
  - Donabedian framework 273–4
  - health-care aspirations of patients 272–3
  - health-care inequalities 276
  - Institute of Medicine framework 273–4
  - 'lean' technique (Toyota) 281
  - Maxwell framework 273–4
  - multidimensional nature 273–4
  - multilevel approaches to change 281
  - patient safety problem 277
  - performance against quality indicators 274–5
- problems with health-care quality 275–8
  - risks and opportunity costs 282
  - six sigma technique (Motorola) 281–2
- quality of health care
  - definition and scope 138–9
  - issues of importance to patients 139
- quality of health-care evaluation 139–42
  - confounding effects of different factors 140–42
- random error 52
- randomised controlled trials (RCT) 47–50
- 'rational' health policy models 258
- regulation and standards, role in quality improvement 279
- regulatory bodies
  - UK 279
  - USA 279
- relationships and child health 190–1
- relative poverty 191–2
- Relative Risk 35–8

- research on diseases of the poor 293–4
- resource limitations *see* funding
  - decision-making
- risk
  - absolute risk reduction (ARR) 38
  - Odds Ratio 35–7
  - quantifying differences in 35–41
  - Relative Risk 35–8
- risk-factors, implications of treatment
  - thresholds 81–2, 83
- risk management 146–7
- risk of disease (definition) 31
- Rogers, Everett 69–71
- Rose, Geoffrey 79–80
- salmonella 166, 169–70
- SARS (severe acute respiratory syndrome) 166
- schistosomiasis 291
- school, Healthy Schools 198–200
- school experiences and child health 191
- screening
  - definition 94–5
  - distinction from diagnosis 94–5
  - mass screening 94–5
  - opportunistic screening 94–5
- screening programme evaluation 102–9
  - monitoring effectiveness 107, 108
  - screening test performance 102–7
  - sources of bias in screening 107–9
- screening programmes
  - acceptability of the programme 100
  - acceptability of the test or examination 98, 99
  - breast cancer (UK) 96–9, 100, 104, 106
  - cervical cancer (UK) 96–8, 100–1, 104, 106
  - cost-effectiveness 100
  - criteria for the condition to be screened 96–8
  - criteria for the test or examination 98–9
  - criteria for treatment options 99
  - criteria to assess potential programmes 96–101
  - Down's syndrome (during pregnancy) 99
  - establishment of a programme 99–101
  - evidence of effectiveness of potential programmes 99
  - examples of effective programmes 101, 102
  - immigration screening (UK) 101–2
  - lead time bias 108, 109
  - length time bias 108–9
  - National Screening Committee (UK) 101
  - potential harms 95–6
  - potential programmes for older people 101
  - programmes which have not been introduced 101
  - reasons for non-attendance 98, 99
  - resource implications 100
  - selection bias 107–8
  - sources of bias 107–9
  - treatment policies 99
- screening test performance
  - likelihood ratios 106–7
  - predictive values 105–6
  - sensitivity and specificity 102–4
- scurvy, early clinical trial 25, 26
- selection bias 52–3, 107–8
- sensitivity of a test 102–3
  - calculation 103–4
- sexually transmitted infections 166, 169
- Shipman case 147–8, 264–5
- six sigma technique (Motorola) 281–2
- smallpox 3, 166, 167–9, 170
- Smith, Adam 251
- smoking cessation service, priority setting
  - example 150, 151
- social and community networks and adult health 208
- social capital 250, 251
- social class
  - and child health 192–3
  - and child mortality (1–15 years) 192
  - and childhood mental health problems 192
  - and infant mortality (first year of life) 192
  - and low birth weight 192
  - and sudden infant death syndrome (SIDS) 192
- social deprivation and child health 192–3
- social justice and public health, future issues 308
- socioeconomic status and adult health 208–9
- specificity of a test 102–3
  - calculation 103–4
- standardised death rates 127–8
- standardised mortality ratio (SMR) 22, 127–8
- stigma and social exclusion 193
- stillbirth rate 128–30
- strategy development and health needs
  - assessment 118–20, 121
- study design *see* epidemiological study design
- sudden infant death syndrome (SIDS) and social class 192
- syphilis 166
- systematic error 52–5
- systematic reviews of literature 66, 69

TB (tuberculosis) 2–3, 166, 169–70	mass vaccination 170
global burden of disease 287, 291, 293	ring vaccination 170
time, place and person descriptions of disease	targeted vaccination 170
26–42, 43	types of vaccine 170
tobacco control 86, 88	vaccination programmes 170–1, 173
total fertility rate 13–14	validity (external and internal) 55–6
trachoma 287, 291	voluntary, non-governmental organisations
tropical diseases 287, 291	89
trypanosomiasis 291	
tuberculosis <i>see</i> TB (tuberculosis)	water- and food-borne diseases 1–3
	Whitehall Studies of civil servants (cohort
UK	study) 46–7, 245
population pyramid 12–13	whooping cough 2–3
total fertility rate 13–14	working conditions and adult health 208
under-five mortality rate 130	workplace, health promotion 221–2
United Nations Convention on the Rights of	World Health Organization (WHO)
the Child 185–6	‘active ageing’ strategy 231
utility analysis 155, 156, 157	Bangkok Charter (2005) 88
	Framework Convention for Tobacco
vaccination	Control 88
administration methods 170	Global Burden of Disease Project 166
and immunisation 170	International Classification of Impairments,
development of programmes 171–3	Disabilities and Handicaps 229
flu virus vaccines 171	
herd immunity 171	years of life lost (YLL) 15, 130–31