

## Index

- Acacia tree, 239
- Acidogenesis, 57
- Activity areas. *See* Site spatial organization
- aDNA. *See* Ancient DNA
- Aerobic degradation, 53
- Aerobic environment, 57
- Age at death, 132
- Agricultural fields, 145
- Agricultural practices, 140
- Agropastoral societies, 148, 229, 238, 239  
use of dung, 238, 240
- Aguateca, Guatemala, 244
- Airborne dust. *See* Loess
- Alabaster. *See* Gypsum
- Aliabad, 232–236  
absence of macroscopic bones, 232, 238  
alleys between houses, 233  
animal dung, 232  
ash as a fertilizer, 233  
ash pits, 233  
beehives, 236  
cemetary, 233  
courtyards, 236  
dogs, 232  
dung cake manufacturing, 232–233  
dung fuel, 232  
fire locations, 235  
gardens, 233  
latrine, 236  
plants and animals used, 232  
stables, 236  
storage bins, 236  
typical household plan, 234  
wells, 236
- Aliabad village, Zagros Mountains, Iran,  
232–236. *See* Aliabad
- Alkaline feldspars, 196
- Allophane, 301
- Alveolar bone, 124, 129
- Alyawaran household, Australia, 228
- Amazon basin  
soil charcoal, 183
- Amber, 36, 211, 226, 314  
infrared spectrum, 37, 315  
provenience, 37
- Amboseli, Kenya, 116, 288
- Amelogenin, 125
- Amino acid racemization, 214
- Amino acid racemization dating, 19,  
24–25, 214, 246, 247  
eggshells, 153  
land snail shells, 163
- Amino acid sequence, 210
- Amino acids  
analysis, 211  
racemers, 24
- Ammonium carbonate, 57
- Amorphous calcium carbonate, 77, 169,  
282, 283, 285  
earthworms, 283  
mollusk shells, 161  
plants, 135
- Amorphous calcium phosphate, 99  
first-formed mineral in bone, 104
- Amorphous carbon, 180
- Amorphous mineral structure, 89  
silica, 136
- Anaerobic degradation, 50, 57, 58, 59, 114  
reconstructing site use, 58
- Anaerobic organisms, 57
- Anatomically modern humans (AMH)  
DNA, 33
- Ancient DNA, 33–35, 208, 209  
bone, 121  
crystal aggregates in bone, 218  
damage, 34, 121, 209  
Neanderthal DNA sequence, 35, 208  
preservation in crystal aggregates, 112

- Ancient DNA (*cont.*)  
 replicating enzymes, 209  
 Tyrolean ice man, 48
- Anhydrite, 169, 188
- Animal enclosures, 54, 58, 86, 148, 223, 224, 239–240  
 dung, 239  
 fence, 239  
 phytolith accumulations, 238  
 Sarakini, devoid of phytoliths, 242
- Animal husbandry, 45, 141
- Anthropogenic materials  
 list, 321
- Anthropogenic minerals  
 definition, 69
- Apatite mineral family, 286–289. *See also*  
 Carbonate hydroxylapatite and  
 Authigenic  
 phosphate minerals, 83  
 biogenic vs geogenic, 87  
 embedded information, 86–88  
 list of minerals, 286  
 mineral nomenclature, 84
- Aragonite, 77, 282  
 assessing mineral preservation, 78, 81, 271  
 atomic structure, 77  
 cement, 80  
 diagenesis, 80–81  
 diagenetic indicator, 63  
 embedded information, 81–83  
 formation at elevated temperatures, 283  
 formation from boiling water, 78, 80, 283  
 formation from sea water, 78, 80, 283  
 heated, 81, 162  
 mollusk shells, 63, 283  
 otoliths, 42, 155  
 refractory material, 193  
 sources in archaeological sites, 63, 80, 283  
 transformation at elevated  
 temperatures, 204
- Archaeobotanical record, 16–18, 149, 238  
 charred materials, 178, 184  
 season of occupation, 41
- Archaeobotany  
 paleoenvironmental reconstruction, 31  
 season of occupation, 41
- Archaeological record  
 how bad?, 47  
 missing part, 51, 62–63  
 primary vs secondary deposits, 232, 236  
 pristine, 47, 48–50
- Archaeological science, 5–6
- Archaeomagnetism, 19, 25, 246
- Archaeomalacology, 162
- Archaeozoological record, 101, 108, 118, 231, 238  
 bones, 101–102
- Artifacts  
 for relative dating, 18  
 provenience, 36  
 sorting by size, 228
- Ash, 168–178, 284. *See also* Wood ash, 82  
 acid insoluble fraction, 171, 174  
 affect on TL and ESR dating, 177  
 burned bone, 177  
 composition, 169–170  
 criteria for preservation, 175  
 definition, 168, 169  
 diagenesis above pH-8, 172–173  
 diagenesis below pH-8, 173–174  
 embedded information, 175–178  
 formation from wood, 79  
 from wood and bark, calcite formation, 170  
 how much is produced?, 166  
 identifying ash, 174–175  
 low and high temperature forms, 170  
 phytoliths, 169, 171  
 pits in Aliabad village, Iran, 233  
 radiocarbon dating, 177  
 reaction with phosphate, 173  
 recrystallization, 83  
 red brick colored soil particles, 170  
 sediment color and texture, 174  
 siliceous aggregates, 169, 171, 173  
 soluble salts, 169  
 wood, crystal morphology, 82  
 $v_2:v_4$  ratios of calcite, 171, 174
- Aspartic acid-rich proteins, 100, 162
- Asphalt, 312, 313
- Atacama desert, Chile, 49, 114
- Authigenic minerals  
 calcite, 78  
 carbonate hydroxylapatite, 84, 86, 161  
 ceramic, 204–205  
 definition, 68, 69  
 hydraulic plaster, 189  
 list, 321  
 organic matter concentrations, 225  
 silica. *See* Silica, authigenic
- Authigenic phosphate minerals, 295–297.  
*See also* Phosphate concentrations, 65, 81, 88, 236  
 bone dissolution, 64, 87  
 formed at low pH, 64, 175  
 guano degradation, 225

- identification using infrared spectroscopy, 296
- nodules, 64
- organic-rich sediments, 86, 223
- Avian eggshells. *See* Eggshells
- Avian gizzard stones, 154
- Bananas
  - phytoliths, 147
- Barite, 116
- Bark
  - grass phytolith contamination, 172
  - phytoliths, 178
- Barley
  - phytoliths, 147
- Beach rock, 80
- Beach sand, 91
- Beads, 36, 151
  - mineral list, 321
  - mollusk shells, 158
- Bedouin camp, Jordan, 228
- Beehives, 236
- Beeswax, 211, 236, 312
- Benzenecarboxylic acids, 184
- Bercey, France, 114
- Binders. *See* Plaster binders
- Binocular microscope, 264
- Biogenic minerals, 99. *See* Appendix B, *See also* Biomineralization
  - assessing mineral preservation, 81
  - calcite, 79, 286
  - carbonate hydroxylapatite, 84
  - definition, 69
  - intracrystalline macromolecules, 212
  - list, 321
  - oxygen isotopic composition, 33
  - solubility, 100
- Biogenic molecules
  - DNA, 209–210
  - lipids, 211
  - list of macromolecules, 321
  - major types for archaeology, 208–211
  - preservation and information content, 207, 209
  - proteins. *See also* Proteins, 210
- Biomaterials
  - list, 321
- Biomineralization, 99–101
  - acidic proteins, 100
  - amorphous precursor phases, 61, 100, 161, 283
  - eggshells, 152
  - library of infrared spectra, 282
  - plants, 135
  - role of cells and macromolecules, 100
  - silica formation, 89
- Biomolecular archaeology, 48, 208
  - historical perspective, 211–212
  - molecule types, 208–211
- Biotite, 93
- Bioturbation, 54, 57, 62
- Bird eggshells. *See* Eggshells
- Bitumen. *See also* Asphalt, 203
- Bivalves, 159. *See also* Clams
- Bog bodies, 50, 114
- Boiling water, 78, 80, 121, 283
- Bone
  - ash, 177
  - basic constituents, 102–106
  - burned. *See* Burned bone
  - cooked, 121
  - embedded information, 123
  - fragments, 229, 233, 237
  - life history reconstruction, 123
  - mineral. *See* Bone mineral
  - multipurpose material, 102
  - noncollagenous proteins (NCPs), 105, 112
  - organic matrix, 104–106
  - osteocalcin, 105
  - paleodiet reconstruction, 119–120, 121
  - paleoenvironmental reconstruction (REEs), 31
  - paleogenetics, 121–122
  - paleomigration, 118–119
  - porosity, 110
  - radiocarbon dating, 122–123
  - remodeling, 26, 102, 108, 255
  - structure. *See* Bone structure
  - turnover rate, 26
- Bone diagenesis
  - authigenic minerals, 116
  - buried bones, 114, 117
  - compact vs spongy bone, 114
  - crystallinity, 290
  - crystals, 116
  - fluoride content, 288
  - microbial and fungal action, 114
  - mineral, 110–112
  - mineral solubility, 110
  - on soil surface, 115–116
  - organic matrix, 110, 112–113
  - porosity, 110
  - pseudomorphs, 115
  - recrystallization window, 111
  - timescale, 115
  - tunnels, 113
  - wicking of groundwater, 116
- Bone family of materials, 215

- Bone Gla protein. *See* Osteocalcin
- Bone mineral, 102–104  
 atomic disorder, 61, 64, 104  
 carbonates, 104  
 content, 102  
 crystal aggregates, 106, 112, 308  
 crystal c axis alignment, 106  
 crystal nucleation and growth, 106  
 crystal size and shape, 104, 290  
 crystal sizes, 117  
 crystallinity, 104, 289–292  
 crystals, 215  
 dissolution, 60, 87, 111  
 nomenclature, 84  
 oxygen isotopic composition, 33  
 phosphate oxygen isotopic composition, 87  
 phosphorus concentration, 224  
 recrystallization window, 112  
 sintering, 290  
 solubility, 104  
 Sr/Ca ratios weaning, 45  
 surface area, 104, 290
- Bone powder, 203
- Bone preservation, 160  
 calcitic cemented sediments, 111  
 clay-rich sediments, 55, 96, 111  
 crystal aggregates, 112
- Bone structure  
 age dependence, 230  
 canaliculi, 109  
 circumferential lamellar bone, 107  
 compact bone, 108  
 fibril array, 107  
 graded material, 102  
 hierarchical structure, 102–109  
 lamellar bone, 107  
 mineralized collagen fibril, 106  
 osteonal, 26, 108, 230  
 packing motifs of fibril arrays, 107  
 parallel fibered bone, 107  
 plexiform or fibrolamellar bone, 107, 230  
 proportions of basic constituents, 102  
 spongy bone, 108  
 woven bone, 107
- Bone tools, 101
- Bones, 101–102, 108–109  
 absence in ethnographic settings, 229  
 black, 117  
 burned. *See* Burned bone  
 cemented sediment, 83  
 dissolved, 88  
 distribution in a site, 271  
 for combustion, 168, 237  
 small mammals, 234
- Bones vs bone, terminology, 102
- Brachiopod shells  
 calcite disorder, 286  
 intracrystalline macromolecules, 212, 213
- Brachydonty, 129
- Breccia, 83. *See* Cemented sediments
- Bricks, 92, 189
- Brushite, 130
- Buffer, 77
- Burned bone, 76, 117–118, 121, 176, 292–295  
 calcined, 117, 118, 177, 255, 293  
 cause of black color, 117, 294  
 changes, color and splitting factor, 118  
 circumstances of burning, 292  
 color change, 117, 293  
 cremation, 117  
 identification by infrared spectroscopy, 292, 294
- Burrows, 251
- Calcined bone. *See* Burned bone, calcined
- Calcite, 76–83, 282  
 ash, 82, 169  
 ash  $v_2:v_4$  ratios, 171  
 ash, low and high temperature forms, 170  
 avian eggshells, 152  
 calcination temperature, 186  
 ceramics, 198, 200, 205  
 crystal morphology variations, 82  
 diagenesis, 63, 80–81  
 disorder, 63, 82, 284–286  
 distinguishing formation modes, 81–82, 284–286  
 embedded information, 81–83  
 high Mg cement, 80  
 influence on bone preservation, 111  
 memory effect, 285  
 plants, 135  
 plaster binder, 186–188  
 preservation of bones, ash and plaster, 77  
 rhomb-shape crystals, 78  
 sources in archaeological sites, 78–80, 283  
 structure, 77  
 transformation at elevated temperatures, 204  
 $v_2:v_4$  ratios, 285
- Calcitic spherulites. *See* Spherulites
- Calcium aluminum hydrates. *See also* Hydraulic plaster, 189

- Calcium carbonate  
 pH buffering capacity, 77, 160, 172  
 polymorphs, 282–283
- Calcium carbonate mineral family, 76–83  
 calcite and aragonite structures, 78  
 differentiating origins of calcite, 81–82  
 embedded information, 81–83  
 members, 77
- Calcium hydroxide, 186. *See also* Lime, 79, 185
- Calcium oxalate, 306–307. *See* Whewellite and weddellite  
 bacteria, 306  
 biogenic crystal shapes, 82, 306  
 combustion in wood, 170  
 crystal shapes in wood, 170  
 lichens, 306  
 plants, 135, 306  
 source of ash calcite, 170, 306
- Calcium oxide, 63, 79, 82, 177, 186, 193, 196, 204, 285
- Calcium silicate hydrate. *See also* Hydraulic plaster
- Calcium silicate hydrates, 189
- Calcium sulfate hemihydrate. *See also* plaster of Paris, 188
- Calibration curve. *See* Radiocarbon dating, calibration
- Canaliculi, 109, 113
- Cancellous bone. *See* Spongy bone
- Capillary action, 56, 315
- Carbon isotopic composition. *See also* Stable isotopic composition  
 paleodiet, 27
- Carbonate bicarbonate buffering, 60
- Carbonate fluorapatite, 84, 112, 286, 288  
 stability, 84
- Carbonate hydroxylapatite, 83–88, 286. *See also* Bone mineral  
 A and B carbonate sites, 131, 287  
 authigenic, 76, 296  
 biogenic crystals, 63  
 biogenic vs geogenic, 87  
 carbonate content, 84, 287  
 carbonate content by infrared spectroscopy, 288  
 crystal size and shape, 87  
 crystallinity, 87, 289–292  
 dental calculus, 130  
 dentin, 127  
 diagenesis, 86  
 disorder, 64  
 dissolved bones, 88  
 embedded information, 86–88  
 fluoride replacement, 84, 288  
 fossil snail shells, 161  
 from ash calcite, 173  
 heated, 287  
 hens eggshells, 152  
 identification by microchemical analysis, 317–319  
 nodules, 63  
 nomenclature confusion, 84  
 paleoclimate reconstruction, 87  
 stability field, 60, 85  
 structure, 85
- Carbonate rock surfaces, 64
- Carbonation, 187
- Carboxylate and carbonyl groups  
 charcoal fossil, 181
- Casts. *See* Pseudomorphs
- Catastrophic environmental events, 164
- Cathodoluminescence, 190, 192
- Caves  
 authigenic calcite, 78  
 authigenic phosphate minerals, 225  
 carnivore dwellers, 231  
 carnivore vs human activities, 230  
 cemented sediment, 83  
 dating carbonate deposits, 21  
 detecting roof collapse, 64  
 flint procurement, 91  
 gizzard stones, 154  
 guano, 80  
 hearths, 183  
 vulture bone accumulations, 231
- Celadons, 205
- Cellulose, 58, 177, 179, 309, 312
- Cement  
 aragonite, 80  
 calcite. *See* Cemented sediment
- Cemented sediment, 54, 78, 82–83  
 ash derived, 284  
 bones, 83
- Cementum, 124, 129, 215  
 season of occupation, 42  
 seasonal increments, 129  
 structure, 130
- Cephalopods, 159
- Ceramics, 194–206. *See also* Pottery  
 beehive walls, 236  
 calcite, 198, 200  
 clay sources, 96  
 color, 203  
 diagenesis, 194, 198, 199, 200  
 early production (south China), 165  
 embedded information, 198–206  
 extent of vitrification, 203  
 firing conditions, 197–198, 202–205

- Ceramics (*cont.*)  
 firing temperature, regime, duration,  
 197, 204  
 fluxes, 196  
 high temperature polymorphs of silicon  
 dioxide, 90  
 minerals formed at elevated  
 temperatures, 204–205  
 molecules in pores, 29  
 porosity, 205, 219, 221  
 production areas, 202  
 production processes, 202–205  
 protected niche for molecules, 219–222  
 provenience and trade, 198–200  
 proveniencing, 39, 96, 200  
 raw material sources, 199  
 raw materials, 92  
 refiring, 203  
 refractory materials, 206  
 technical, 194, 235  
 temper, 205  
 ultrastructure, 203–204  
*Chaine opertiore*, 165  
 Charcoal, 178–185. *See also* Charred  
 material, 16, 166  
 adsorbed ions and molecules, 66  
 associated clays, 95  
 distribution, 64  
 fluorescence, 258  
 in sediments, 183  
 microparticles, 174  
 production, 179  
 radiocarbon dating, 21, 255  
 Sarakini village, Greece, 243–244  
 structures for taxonomic identification,  
 178  
 weight loss and shrinkage during  
 formation, 179  
 Charcoal fossil, 181–182  
 2 major components, 181  
 bound ions and molecules, 182  
 carboxylate and carbonyl groups,  
 181  
 cf humic substances, 182  
 degradation mechanism, 183  
 diagenesis, 182–183  
 distribution in sites, 182  
 onionlike structures, 182  
 oxidation, 182  
 oxygen distribution, 182  
 Charcoal structure, 180  
 amorphous carbon, 180  
 graphite crystal size, 180  
 graphitelike crystallites, 179  
 graphitelike phase, 180  
 molecular structure, 179–180  
 nonordered phase, 180  
 onionlike structures, 180  
 Charred material, 178–185. *See also*  
 Charcoal, 16, 58  
 benzenecarboxylic acids, 184  
 circumstances of charring, 17  
 dating plaster, 191  
 identification in sediments, 184  
 plants, 16  
 preservation, 179, 252  
 radiocarbon dating, 184  
 Raman spectroscopy, 72  
 seed and fruit identification, 184  
 soil stabilization, 183  
 wet sieving, 265  
 Charred wood. *See* Charcoal  
 Cheetahs, 231  
 Chemical elemental analysis, 72  
 typical analysis  
 Chert. *See* Flint  
 Chitin, 100, 312  
 mollusk shells, 162  
 preservation, 58  
 Chlorapatite, 286  
 Clams, fresh water, 63, 80  
 Clay, 300–303  
 adsorbed ions and molecules, 66  
 adsorbed organic matter, 94, 95  
 amorphous, 94, 95, 198, 301  
 atomic structures, 93  
 formation, 92  
 heated, 97, 198, 235, 303–305  
 hydrological properties, 96  
 melting temperatures, 195  
 mineral classification, 94  
 mineral groups, 93  
 plasticlike properties, 92, 195  
 provenience, 96–97  
 Raman spectroscopy, 97  
 reaction with phosphate, 95, 302  
 structures, 93–94  
 terminology, 73, 301  
 Clay family of minerals, 92–97, 300–303  
 diagenesis, 95–96  
 differential thermal analysis (DTA),  
 94  
 embedded information, 96–97  
 identifying mineral type, 94  
 infrared spectroscopy, 94  
 X-ray diffraction, 94  
 Clay-rich sediment, 66  
 affect of fire, 97  
 better preservation, 96  
 bone preservation, 111, 252

- pottery manufacture, 195  
springs, 96
- Coal, 145, 168  
ash, 177
- Coke, 205
- Collagen, 211, 312  
bone, 308  
C/N ratio, 256  
cementum, 129  
degradation in bone, 115  
fiber, 105  
in bone crystal aggregates, 106, 112, 217, 308  
molecular structure, 308  
nitrogen isotope ratios, 45  
paleodiet reconstruction, 28, 119–120  
preservation, 123, 252, 307–309  
preservation in crystal aggregates, 112  
preservation in parchment, 50  
purity, 307  
radiocarbon dating, 122–123  
triple helical molecules, 105  
type I, 100, 105, 127  
unfolding (gelatinization), 50, 113
- Combe-Grenal, France, 131
- Combustion materials. *See* Fuel
- Compact bone, 108
- Compasting. *See* Organic matter  
degradation and Aerobic  
degradation, 53
- Completeness of the archaeological  
record, 46–47, 81, 296  
aragonite preservation, 160  
assessing completeness, 62, 98
- Conservation, 273
- Context  
samples for radiocarbon dating,  
250–254  
trapped charge dating, 252–254
- Controls, 230–231, 270
- Cooked bones, 118
- Cooking, 165
- Cooking pot residues  
phytoliths, 147
- Copal, 312. *See also* Resins, 211
- Coprolites, 27, 76
- Cosmetic eye paints (Kohl)  
mineral list, 321
- Cosmogenic isotopes. *See also*  
Radiocarbon dating  
beryllium 10, 91  
flint, 40  
flint mining, 40
- Courtyards, 235, 236
- Cowrie shells, 158
- Crandallite, 86, 297  
stability field, 60
- Cremated bone  
radiocarbon dating, 122, 255
- Cremation, 117, 118
- Cristobolite, 88, 90, 298  
formation temperature, 204
- Crucibles, 205
- Cryptocrystalline quartz. *See also* Flint,  
298
- Crystal aggregates, 106, 215–219, 308  
ancient DNA and collagen, 122, 216  
bone, 215  
embedded information, 217–219  
paleodiet reconstruction, 218
- Crystal sand (calcium oxalate), 170
- Crystallinity, 289–292. *See also* Splitting  
factor, 104  
authigenic phosphate minerals, 297  
definition, 290
- Currency, 158
- Cypraea annulus*  
currency, 158
- Dahllite, 84. *See* Carbonate  
hydroxylapatite
- Darcy's law, 55
- Darwin, C. R., 46
- Dating, 18–25. *See also* Radiocarbon  
dating  
bone, 122–123  
communication gap, 247–249  
determining uncertainties, 249  
eggshells, 153  
enamel (ESR), 132  
enamel, uranium series, 132  
four stages, 248  
mollusk shells, 163  
number of samples to analyze, 255–256  
plaster, 191  
relative, 18, 245
- Dating methods  
amino acid racemization, 24–25  
archaeomagnetism, 25  
dendrochronology, 21–22  
fluoride uptake, 23, 288  
list of methods, 245  
obsidian hydration, 23–24  
perspective, 19  
radiocarbon. *See also* Radiocarbon  
dating, 19–21  
trapped charge (TL, ESR and OSL),  
22–23  
uranium series, 21
- Dead lime. *See also* Plaster binder, 187

- Dead Sea Scrolls, 50  
 parchment preservation, 113
- Definition of science, 2
- Degradation. *See* Diagenesis
- Dendritic. *See* Phytoliths, dendritic
- Dendrochronology, 19, 21–22, 246
- Dental calculus, 130, 131  
 minerals, 130  
 paleodiet, 132–134  
 phytoliths, 147
- Dentalium, 158, 159
- Dentin, 215  
 abrasion by phytoliths, 137  
 basic constituents, 127  
 crystallinity, 289–292  
 crystals, 127, 290  
 embedded information, 133  
 fibril arrays, 128  
 growth lines, 26  
 hierarchical structure, 126–129  
 mineralized collagen fibril, 127  
 noncollagenous proteins, 127  
 peritubular dentin, 128  
 root vs crown dentin, 128  
 secondary, 26  
 structure, 107  
 tubules, 124, 127, 128, 217  
 type I collagen, 127  
 types, 124, 127
- Dentin diagenesis, 131
- Dentine. *See* Dentin
- Dentin-enamel-junction (DEJ), 124, 129
- Diagenesis. *See* Organic matter  
 degradation, 46  
 agents of degradation, 62  
 anthropogenic effects, 54  
 ash above pH8, 172–173  
 ash below pH8, 173–174  
 bone. *See* Bone diagenesis  
 calcite, 63  
 calcite and aragonite, 80–81  
 carbonate hydroxylapatite, 86  
 ceramic, 198  
 charcoal fossil, 182–183  
 charred materials, 58  
 chemical reactions, 54–56  
 conceptual framework, 62–63  
 conceptual framework applications,  
 63–66  
 dentin, 131  
 diatoms, 150  
 driving forces, 54–56  
 eggshells, 152  
 extent of degradation, 62  
 freeze-thaw affects, 54  
 gelatin formation, 113  
 geogenic processes, 54  
 hydrological regime, 54–56  
 macroscopic versus microscopic  
 records, 52  
 mechanical processes, 54  
 minerals, 59–61  
 mollusk shell, 161  
 organic matter, 57–59  
 organisms in soils, 57  
 otoliths, 156  
 pH decrease, 60  
 phytoliths, 143–144  
 plaster, 190–191  
 silicon dioxide polymorphs, 90  
 teeth, 130–131  
 time frame, 52–54, 62  
 water flow, 55  
 water, role of, 54  
 waterlogged environments, 114
- Diagenesis bone. *See* Bone diagenesis
- Diagenesis enamel, 130–131  
 fluoride uptake, 131  
 uranium uptake, 131
- Diatoms, 89, 149–151, 298  
 cell wall composition, 150  
 diagenesis, 150  
 embedded information, 150–151  
 habitats, 150  
 irrigation, 150  
 paleoenvironmental reconstruction,  
 151  
 pottery provenience, 151  
 silica solubility, 150  
 theca, 149
- Differential thermal analysis  
 heated clays, 97
- Dinosaur bone collagen, 216
- Disorder in minerals, 61, 63, 81, 82, 161,  
 166, 167–168, 206  
 biomineralization, 99, 162  
 calcite, 82, 161  
 carbonate hydroxylapatite, 84, 104  
 clay, 95  
 effects of heating and cooling, 166–167  
 scale, 168  
 silica, 88
- Diyun, Guilin, China, 159
- DNA. *See also* Ancient DNA, 209–210  
 polymerase chain reaction, 34  
 sequences, 33
- Dogs  
 bone scavenging and gnawing, 101, 229,  
 232, 238  
 domestication, 238

- Dolomite, 188  
 plaster binder, 188  
 transformation at elevated temperatures, 204
- Domestication  
 cereals, 147  
 plants, 147
- Dosimeters, 252
- Drinking water, 33, 132, 153  
 oxygen isotope composition, 35
- Druses (calcium oxalate), 170
- Dung, 237–238  
 ash, 177  
 common components, 233  
 fertilizer, 242  
 for combustion, 168, 232–233  
 fossil dung identification, 240  
 monohydrocalcite, 283  
 phytolith difference index (PDI), 242  
 spherulites, 232, 234, 236, 240, 283. *See also* Spherulites, 44  
 stable isotopic composition, 240
- Dye, 158  
 from mollusks, 157  
 purple. *See also* Indigo
- Earthworms, 283, 284
- Echinoderm skeletons  
 calcite disorder, 286  
 intracrystalline macromolecules, 212
- EDS. *See* Energy dispersive spectrometry
- Eggshells, 79, 151–154  
 dating, 24  
 dating, amino acid racemization, 153  
 diagenesis, 152  
 embedded information, 152–154  
 formation, 152  
 intracrystalline macromolecules, 213  
 mineralogy, 152  
 morphology, 152  
 organic matrix, 152  
 ostriches, 151  
 oxygen isotopic composition, 33  
 paleoenvironmental reconstruction, 153  
 radiocarbon dating, 154  
 ratites, 151
- El Amarna tablets, Egypt, 200
- Electron spin resonance dating, 18, 23, 131, 245, 246, 358, 371  
 context, 253–254  
 uranium uptake history, 246
- Elemental analysis. *See* Chemical elemental analysis
- Emmer wheat, 145
- Enamel, 124  
 3-dimensional structure, 126  
 amelogenin, 125  
 basic constituents, 124–125  
 crystal size and shape, 124, 290  
 crystallinity, 291  
 dating, 23, 132, 253  
 diagenesis, 130–131  
 electron spin resonance, 23  
 embedded information, 133  
 fluoride uptake, 131  
 graded structure, 126  
 growth lines, 26  
 hierarchical structure, 124–126  
 intergrown crystal composite, 217  
 life history reconstruction, 132  
 organic matrix, 125  
 preservation, 253  
 prisms (crystal arrays), 126  
 Sr/Ca ratios, 121  
 Sr/Ca ratios weaning, 45  
 strontium isotope ratios, 35  
 structure, 125, 218  
 surface striations, 136
- Enameloid, 124, 288
- Energy dispersive spectrometry, 72, 74
- Eskimo winter house, 236–237  
 dump of bone splinters, 237  
 human waste disposal, 237  
 phosphate concentrations, 237  
 wood pile and hearth, 237
- ESR. *See also* Electron spin resonance dating
- Ethnoarchaeology, 48  
 abandoned structures and spaces, 228  
 activity areas using phosphate concentrations, 244  
 Aliabad village, Zagros Mountains, Iran. *See also* Aliabad, 232–236  
 charcoal, 243–244  
 controls, 230–231  
 definition, 227  
 dung degradation, 54  
 Eskimo winter house, 236–237  
 Maasai animal enclosures, 54  
 merging archaeobotanical and archaeozoological records, 237–238  
 microartifacts, 228–230  
 pottery production, 197  
 primary vs secondary deposits, 232, 236  
 Sarakini village, Greece, 240–244
- Ethnography, 227

- Fatty acids, 58, 237. *See also* Lipids and Residue Analysis  
latrines, 236  
site spatial organization, 44
- Fertilizer, 149, 242  
ash, 233  
dung, 238, 240
- Feynman, R., 2, 6
- Fibrolamellar bone, 107
- Fire  
deliberate control, 175–176, 178, 292, 303, 304  
history of the use of, 165  
impact on environment, 183  
phytolith types in ash, 178  
temperatures, 304  
type of wood used, 178
- Fish, 157  
environmental habitat, 156  
otoliths, 154
- Fish teeth  
enameloid, 124, 288
- Fishing locations, 157
- Flint, 88–89, 298  
burned, 176  
dating, 22, 252  
diagenesis, 90  
formation process, 89  
infrared spectrum, 89  
mining, 91  
provenience, 40  
provenience and procurement strategies, 91–92  
structure, 89
- Flint tools  
dating, 92  
procurement strategies, 91
- Floors, 194, 250  
Aliabad village house, 235  
different types, 235  
differentiating upper and lower, 234  
microlaminated texture, 236  
plaster, 44, 185, 190  
Sarakini village, Greece, 242
- Fluorapatite, 286, 288. *See also* Carbonate fluorapatite
- Fluoride  
bone mineral, 112, 288  
carbonate hydroxylapatite, 84, 85  
infrared spectrum change, 289  
uptake into enamel, 131
- Fluoride uptake dating, 5, 19, 23, 288
- Fluorine, 85
- Fluxes, 195–196, 305  
calcite, 200
- Foraging strategies, 164
- Fossil charcoal. *See* Charcoal fossil
- Fossil proteins  
amino acid sequences, 34, 122, 210
- Fossil record  
completeness, 46  
imperfection, 46
- Fourier transform infrared spectroscopy. *See* Infrared spectroscopy
- Franklin Rosalind, 179
- Freeze-thaw effects, 54, 251
- Fuel, 166  
bones, 121, 237  
brick-red burned soil particles, 272  
common materials, 168  
dung, 145, 238, 272  
identification, 176–177, 271–272  
identification using phytoliths, 17, 145  
peat, 272  
wood, 145, 272
- Fullerenes, 180
- Fulvic acid. *See also* Humic substances, 314
- Fungal degradation. *See also* Microbial degradation  
bone, 114
- Gamma radiation, 177, 252
- Garbage pits and dumps, 86, 223, 295
- Gardens, 233
- Gastropod shells. *See* Snail shells
- Gastropods, 159
- Gehlinite, 204
- Gelatin, 113, 308. *See also* Collagen degradation, 113, 308
- Genetic information, 34
- Geoarchaeology, 69
- Geogenic minerals  
calcite, 78  
definition, 69  
list, 321  
silica (opal), 136
- Gesher Benot Yaakov, Israel  
preserved wood, 310
- Gibbsite  
tropical soils, 95
- Gizzard stones, 154
- Glass, 168  
crystallization over time, 167  
product of supercooling, 167
- Glass production, 91  
ash soluble salts, 169  
mineral list, 321  
secondary use of ash, 166

- Glauconite  
     transformation at elevated  
         temperatures, 204  
 Gleaning, 52  
 Global Positioning Systems, 267  
 Glue, gelatin, 308  
 Goethite  
     tropical soils, 95  
 Gourds  
     phytoliths, 147  
 Graphite, 179, 205  
     oxidation catalysts, 183  
 Graphitelike crystallites, 179  
 Graves  
     land snails, 158  
 Gravity sensing, 154  
 Great temple, Petra, Jordan, 267  
 Grog, 189, 195, 205  
 Growth lines. *See* Rhythmic growth  
 Guano, 116, 225  
     authigenic phosphate mineral  
         formation, 80  
     degradation, 64, 183  
     pH of freshly degrading, 66  
     phosphate concentrations, 224  
     rich in phosphate, 295  
 Gum, 211, 312  
 Gypsum, 59  
     heated, 188  
     plaster binder, 188  
  
 Halite, 50  
 Hasanabad village, Zagros Mountains,  
     Iran, 231  
 Haversian bone. *See* Osteonal bone  
 Hayonim Cave, Israel, 96, 160  
     clay degradation, 303  
     on-site laboratory, 267  
     phytolith dissolution, 173  
     TL and ESR dating, 177, 252  
 Hearths, 9, 96, 165, 235, 251, 253  
     charcoal distribution, 183  
     definition, 174  
     deliberate control of fire, 175  
     Eskimo winter house, 237  
     Natufian, Hayonim Cave, 175  
     oldest known, 176  
     preservation process, 175  
 Heating and cooling materials,  
     166–167  
 Heavy liquids, 142  
 Hematite, 204  
     tropical soils, 95  
 Hemicellulose, 179, 309  
 Hexahydrate, 282  
  
*Homo erectus*, 74  
 Hooves, 211  
 Horn, 211  
 Hornblende, 204  
 House, two storied, 234  
 Humic acid, 314  
 Humic substances, 58, 72, 182, 312, 313  
     Raman spectroscopy, 266, 313  
     resemblance to lignin, 313  
 Huxley, T. H., 46  
 Hydraulic conductivity, 55  
 Hydraulic mortar, 186  
 Hydraulic plaster, 186, 188–189, 190  
     authigenic silica, 90  
     authigenic silicates, 189  
     definition, 189  
     grog, 189  
     infrared spectrum, 189  
     Pozzolana, 189  
 Hydrogen peroxide, 142  
 Hydrological regime, 55, 62, 225, 271  
     bone preservation, 111  
     diagenesis, 54–56  
 Hydrolysis, 112  
 Hydroxylapatite, 286, 287. *See also*  
     Carbonate hydroxylapatite, 84  
     atomic structure, 84, 85  
 Hydroxyproline, 258  
 Hyena, 231  
     prehistoric den, 231  
 Hypsodonty, 129  
  
 ICP-OES. *See* Inductively Coupled  
     Plasma-Optical Emission  
     Spectrometry  
 Ikkaitite, 77  
 Illite  
     iron-rich, 76  
     soils in temperate zones, 95  
 Illite group of clays, 93, 301  
 Illuviation, 95  
 Imogolite, 301  
 India ink. *See* Ink  
 Indigo, 158  
 Inductively coupled plasma-optical  
     emission spectrometry  
     proveniencing ceramics, 39  
 Infrared microscopy, 71, 281  
 Infrared spectroscopy, 71, 275  
     atomic disorder, 61  
     basis, 276  
     bone mineral crystallinity, 112  
     clay structures, 97  
     library of standard spectra, 282  
     on-site, 265, 276

- Infrared spectroscopy interpretation of spectra, 278–281
- major classes of compounds, 279
  - mixtures of compounds, 280
  - peak at 1384 wavenumbers, 281
  - shifting of peak maximum, 279–280
  - variations in peak width, 281
- Infrared spectroscopy methods
- background, 278
  - grinding, 277
  - potassium bromide pellets, 276, 278
  - quantification, 278
  - reproducibility, 277
  - sample preparation, 276–277
  - sampling, 277
- Infrared spectrum of
- amber from different locations, 315
  - amorphous calcium carbonate, 284
  - aragonite, 284
  - asphalt, 313
  - bone (fossil), 293
  - bone (fresh), 293
  - bone burned, 295
  - calcite, 280, 284, 287
  - calcite geogenic crystal, 285
  - calcite, test (shell) of sea urchin, 285
  - calcite, shell of, brachiopod, 285
  - carbonate hydroxylapatite, 289, 296
  - cellulose, 311
  - charcoal, wood fossil, 310
  - charcoal, wood modern, 310
  - clay (mainly montmorillonite), 304
  - clay transforming, 304
  - collagen, fossil major contamination, 309
  - collagen, fresh, 309
  - collagen, minor contamination, 309
  - copal, 315
  - crandallite, 296
  - cristobolite, 301
  - dentin, 291
  - enamel, 291
  - flint (chert), 299
  - fluorapatite, 289
  - fulvic acid, 314
  - gum, 313
  - humic acid, 314
  - hydroxylapatite, 289
  - illite, 280, 302
  - kaolinite, 302
  - leucophosphite, 296
  - loess, 280, 287
  - monohydrocalcite, 284
  - montgomeryite (crystalline), 297
  - montgomeryite (disordered), 296, 297
  - montmorillonite, 302
  - montmorillonite heated to different temperatures, 306
  - montmorillonite with different associated ions, 303
  - nitrate, potassium, 316
  - nitrate, sodium, 316
  - quartz, 280, 299, 301
  - resin, 313, 315
  - silica (opal), 299
  - silica (opal) crystallizing, 304
  - silica (opal) geogenic, 300
  - silica (opal) biogenic, 300
  - siliceous aggregates, 299
  - taranakite, 296
  - tridymite, 301
  - variscite (crystalline), 297
  - variscite (disordered), 297
  - vaterite, 284
  - weddellite, 307
  - whewellite, 307
  - wood fossil (poorly preserved), 311
  - wood, fossil (well preserved), 311
  - wool, 313
- Ink, 184
- Installations for pyrotechnology, 165, 166, 205
- Intergrown crystals. *See* Crystal aggregates
- Intertubular dentin, 124
- Intracrystalline macromolecules, 100, 112, 156, 162, 212–215
- amino acid racemization dating, 214
  - amounts and composition, 213
  - embedded information, 214–215
  - mollusk shell, 213
  - paleoenvironmental reconstruction, 214–215
  - radiocarbon dating, 215
- Irrigation, 145–146
- diatoms, 150
- Isotherms. *See also* Stability fields of minerals, 110
- Isotope. *See also* Stable isotopic composition
- definition, 68
- Isotope fractionation
- paleodiet reconstruction, 28
- Kaolinite, 94, 203
- atomic structure, 93
  - degradation product, 95
  - soil in tropics, 95
- Kaolinite group of clays, 93, 301

- Karstic environments, 78
- Kebara Cave, Israel, 65, 88  
 charcoal distribution, 64, 182  
 diatoms, 151  
 phytolith dissolution, 173
- Kenyon, K. M., 8, 47
- Keratin, 211, 312
- Kiln, 193, 200, 304  
 dating, 25  
 lime plaster, 187
- Kimmel Center for Archaeological Science, Weizmann Institute of Science, 268, 282
- Klisoura Cave, southern Greece, 96
- Kohl  
 mineral list, 321
- La Quemada, Mexico, 150
- Lake Turkana, Kenya, 229
- Lamellar bone, 107  
 circumferential, 107
- Land snails. *See* Snail shells
- Latrines, 58, 86, 223  
 characteristic features in sediments, 236  
 slaked lime, 194
- Lead isotope ratios  
 provenience, 38
- Leather, 211, 307
- Leopards, 231
- Leucophosphite, 86
- Levigation, 195
- Libby, W. F., 5, 18
- Lichens, 306
- Life history reconstruction, 27  
 bone, 123  
 enamel, 132
- Lightning, 183
- Lignin, 18, 179, 321, 371  
 content in wood using infrared spectroscopy, 311  
 microbial degradation, 58  
 preservation in fossil wood, 311  
 resemblance to humic substances, 313  
 structure, 58, 309
- Lime, 185
- Lime aggregate, 185
- Lime plaster, 185, 186, 193. *See also* Plaster  
 ageing, 187  
 calcite crystal morphology, 82  
 calcite  $\nu_2:\nu_4$  ratios, 171, 190  
 formation, 79  
 mollusk shells, 157
- Lipids, 36, 211. *See also* Fatty acids  
 definition, 211
- Lithic tools. *See* Tools, lithic
- Livestock enclosures. *See* Animal enclosures
- Loess, 73, 279, 284
- Maasai villages, Kenya, 54  
 animal enclosures, 239  
 monohydrocalcite, 77, 283  
 phytoliths, 148
- Magnesium oxide, 188, 193
- Maize  
 paleodiet reconstruction, 28  
 phytoliths, 147
- Mandible  
 alveolar bone, 124
- Mantle (mollusks), 162
- Manure, 224
- Marble, 36  
 provenience, 38
- Material culture, 227
- Melilite, 204
- Mercenaria, 164
- Metals, 36, 168, 205, 266  
 provenience, 39  
 site pollution, 272
- Mica  
 transformation at elevated temperatures, 204
- Micrite, 75
- Microarchaeological record. *See* Microscopic record
- Microarchaeology, 1, 5  
 integrating with macroarchaeology, 8–9
- Microartifacts, 30, 228–230  
 site spatial organization, 44  
 size cutoff, 229  
 trampling, 229
- Microbial degradation  
 absence of water or oxygen, 18  
 affect of climate, 114  
 bone, 110, 114, 115  
 compasting, 57  
 deserts, 49  
 gelatin, 113  
 lignin, 58  
 plant material, 16
- Microcharcoal, 233
- Microchemical analysis. *See* Chemical elemental analysis
- Microcrystalline quartz. *See also* Flint, 252
- Microlaminated texture, 233  
 animal enclosures, 240  
 floors, 236  
 living room floors, Sarakini, 242

- Micromorphology, 30, 69, 73–76  
 ash types, 177  
 fuel types used, 271  
 infrared microscopy, 281  
 plaster identification, 190
- Microscopic artifacts. *See* Microartifacts
- Microscopic record, 1, 6–8, 68  
 Aliabad village, Zagros Mountains, Iran, 232–236  
 definition, 13  
 Eskimo winter house, 236–237  
 ethnoarchaeological contribution, 228  
 information categories embedded in the microscopic record, 16  
 merging archaeobotanical and archaeozoological records, 237–238  
 on-site laboratory, 10  
 plant remains, 16  
 rich in microartifacts, 229  
 Sarakini village, Greece, 240–244
- Middens, 9, 41, 157, 158
- Migration, 27, 35, 118–119  
 fish, 157
- Mineral assemblages  
 diagenesis, 252  
 in situ (micromorphology), 73–76  
 site formation processes, 68, 97–98
- Mineral formation in biology. *See* Biomineralization
- Mineral identification, 70–72  
 chemical elemental analysis, 72  
 infrared spectroscopy, 71  
 microchemical analysis  
 optical mineralogy, 70  
 petrographic microscope, 264  
 Raman spectroscopy, 72  
 X-ray diffraction, 33
- Mineral particles  
 size and shape, 72–73  
 size terminology, 73
- Mineralized collagen family of materials, 215
- Mineralized collagen fibril, 106  
 dentin, 127  
 tendon, 215
- Minerals  
 authigenic. *See* Authigenic minerals  
 categories, 69  
 classification and nomenclature, 70  
 diagenesis, 59–61  
 disorder, 61, 167–168. *See also* Disorder in minerals  
 dissolution-reprecipitation, 60  
 stability and solubility, 59  
 stability fields, 59, 60, 80, 85, 111
- Mining, 164  
 flint raw materials, 91  
 procurement strategies, 40  
 tin, 39
- Mollusk shell, 157–164  
 crossed lamellar structure, 159  
 dating, 163  
 heated, 162  
 mantle, 162  
 myostracum, 160  
 paleoenvironmental reconstruction, 164  
 paleotemperature analysis, 33  
 pearly nacreous luster, 159  
 periostracum, 159  
 pseudomorphs, 115  
 rhythmic growth, 41  
 season of site occupation, 164  
 site preservation, 164  
 structure, 6, 159–160  
 ultrastructural types, 159
- Mollusk shell mineral, 160–162  
 aragonite, 63, 160  
 assessing preservation, 81  
 assessing preservation of calcite, 160  
 atomic disorder, 161  
 calcite, 80  
 stability, 63
- Mollusk shell organic matrix, 162  
 aspartic acid-rich proteins, 162  
 intracrystalline macromolecules, 212  
 silk fibroin, 162  
 $\beta$ -chitin, 162
- Mollusks  
 taxonomy, 159  
 uses in antiquity, 157
- Monohydrocalcite, 77, 282  
 dung deposit, 283
- Montgomeryite, 86, 297  
 bones dissolved, 88  
 stability field, 59
- Montmorillonite, 301  
 atomic structure, 93
- Mortar. *See* Plaster  
 definition, 185
- Mud bricks, 52, 53, 92, 233, 301
- Mud plaster, 190
- Mullite, 204
- Munsell color chart, 203
- Muricidae, 158
- Muscovite, 93
- Mutations, 208, 209
- Myostracum, 160
- NAA. *See* Neutron activation analysis
- Nacre, 213

- Nanotubes, 180
- Natufian period, 158
- Natural organic materials. *See also* Humic substances and resins, 312–315  
list, 321  
list of common materials, 312
- Neanderthals  
dental calculus, 130  
DNA, 33, 35, 208  
phytoliths, 140
- Neutron activation analysis  
proveniencing ceramics, 39, 200
- Nilsson, S., 4
- Nitrates, 56  
deposited on sediment surfaces, 316
- Nitrogen isotopic composition. *See* Stable isotopic composition  
paleodiet, 27
- NMR  
clay structures, 97
- Noncollagenous proteins  
preservation in bone, 112, 308  
radiocarbon dating, 122
- Nunamiut, 228
- Obsidian  
dating, 19, 23  
knapping, production of  
microfragments, 229  
provenience, 37
- Obsidian hydration dating, 23–24, 246, 247
- Occluded macromolecules. *See* Intracrystalline macromolecules
- Octacalcium phosphate, 130
- Odontoblasts, 124
- Old wood effect, 191, 255
- Olduvai Gorge, Tanzania  
phytoliths, 147
- Olive pit, 17, 251  
ancient DNA, 310  
preservation, 309–311
- Ologesaille, Kenya, 32
- Onionlike structures, 180, 182. *See also* Charcoal structure
- On-site laboratory, 10, 11, 63, 267, 269  
analysis times, 263  
benefits, 261–262  
choice of instruments, 263–268  
conservation, 273  
examples of questions to be addressed  
on-site, 271–273  
infrared spectrometers, 71  
macroscopic record, 263  
maps of boundaries, 261  
mode of operation, 261  
of Kimmel Center for Archaeological Science, Weizmann Institute of Science, 268  
operation, 268–269  
useful work program, 269–271
- Opal. *See* Silica
- Opal-A, 88
- Opal-CT, 88
- Optical mineralogy, 70, 199
- Optical stimulated luminescence dating,  
18, 245, 246  
context, 254  
materials, 254
- Oral bacteria, 147
- Order in minerals. *See* Disorder in minerals
- Organic matrix  
bone, 102, 105  
bone diagenesis, 113  
diagenesis in bone, 110, 112  
eggshells, 152  
enamel, 125  
inter- and intracrystalline, 100  
mollusk shells, 162  
otoliths, 156  
phytoliths, 136  
two major groups, 100
- Organic matter  
desiccated, 50  
phosphate, 59  
phosphorus concentrations, 224  
removal by oxidation, 142  
sulfur, 59  
tanning, 50
- Organic matter concentrations, 59, 64, 223–225  
Aliabad village house, 234  
alleys between houses, 233  
phytolith concentrations, 225
- Organic matter degradation, 57–59, 225  
aerobic and anaerobic processes, 53  
driving force for diagenesis, 56, 57  
microbial action, 58  
pH lowering, 50, 57  
processes, 57  
rapid phase, 53  
tilted strata, 65
- Organic-rich sediments, 58  
identification, 86–87  
phosphate, 44, 86
- Ornamentation. *See* Beads  
Dentalium, 158
- OSL. *See* Optically Stimulated Luminescence dating

- Osteocalcin, 105, 112, 216, 292, 308
- Osteon  
size, 26
- Osteonal bone, 107–108  
life history reconstruction, 123
- Ostriches  
drinking water, 33  
eggshells, 151, 214
- Ostwald's Rule of Stages, 80  
bone, 104
- Otoconia. *See also* Otoliths, 154
- Otoliths, 154–157  
3 chambers, 155  
diagenesis, 156  
embedded information, 156–157  
growth lines, 154  
mineralogy, 155  
nomenclature, 154  
paleoenvironmental reconstruction, 156  
season of occupation, 42, 157  
structure and organic matrix, 156  
trace element variations, 157
- Overton Down, England, 114
- Owls, 231
- Oxidation  
charcoal, 16, 182  
charred organic matter, 58  
organic matter, 57, 96, 114  
removal of organic matter, 142
- Oxidizing agent. *See* Sodium hypochlorite
- Oxygen isotopic composition. *See also*  
Stable Isotopic Composition  
drinking water, 33, 35  
migration, 27  
phosphate, 87
- Oxyhornblende, 204
- Oysters, 80  
shell mineralogy, 160
- Paleochemical environment, 68, 296
- Paleoclimate reconstruction. *See also*  
Paleoenvironment reconstruction  
carbonate hydroxylapatite, 87  
charcoal in sediments, 183  
phytoliths, 142, 147
- Paleodiet reconstruction, 30  
basis for, 120  
bone, 119–121  
collagen in bone, 28  
cooked and burned bone, 121  
crystal aggregates, 218  
individual amino acids, 29  
isotope fraction, 28  
maize, 28  
marine derived food, 28  
phytoliths, 147  
residue analysis, 29–30  
single amino acids of collagen, 120  
Sr:Ca ratios in bone, 120–121  
stable isotope compositions, 28–29  
stable isotopes bone collagen, 119–120  
strontium isotope ratios, 29
- Paleoenvironment reconstruction, 30–31  
archaeobotany, 31  
diatoms, 150, 151  
eggshells, 153  
intracrystalline macromolecules,  
214–215  
iron minerals, 66  
micromorphology, 30  
mollusk shells, 100, 163–164  
otoliths, 156  
phytoliths, 31  
pollen, 32  
rare earth elements (REE), 31–32  
rare earth elements in bone, 122  
stable isotope variations, 32–33
- Paleoenvironmental reconstruction  
charcoal, 243
- Paleogenetics, 33–35, 121–122  
ancient DNA, 34  
ancient DNA in crystal aggregates, 218  
fossil protein sequences, 34  
Neanderthal DNA sequence, 35  
protein, 122
- Paleomagnetic features in sediments, 176
- Paleomigration, 35, 118–119. *See also*  
Migration
- Paleo-pH, 296
- Paleotemperature, 33  
stable oxygen isotopic composition,  
163  
trace elements, 163
- Paleovegetation ecology  
phytoliths, 147
- Palygorskite group of clays, 93
- Parallel fibered bone, 107
- Parchment, 211, 307  
collagen-gelatin proportions, 113  
Dead Sea Scrolls, 50  
preservation, 50
- Parenchyma, 16
- Pastoral societies, 238, 239
- PCR. *See* Polymerase chain reaction
- PDI. *See* Phytolith Difference Index
- Pearly luster, 159
- Peat, 272  
ash, 177  
combustion material, 168
- Peking Man Site. *See* Zhoukoudian, China

- Peptides, 211
- Periclase, 204. *See also* Magnesium oxide, 193
- Periodontal ligament, 124, 129
- Periostracum, 159
- Peritubular dentin, 124, 128, 217
  - crystal aggregates, 216
  - matrix proteins, 216
- Petrographic microscope, 73, 264
  - micromorphology, 69
  - mineral identification, 70, 199, 264
  - phytolith identification, 264
- Petroleum residues, 312
- pH, 59
  - ash diagenesis, 172–174
  - carbonate buffer, 77, 160
  - drop in sediments, 58, 63, 225
  - microbial activity, 60, 98
  - organic matter degradation, 50, 57, 64, 66
  - phytolith stability, 143
  - silica dissolution rates, 90
  - slaked lime, 188
- Phase transformations
  - heating and cooling, 167
- Phosphate, 59, 223
- Phosphate concentrations. *See also*
  - Authigenic phosphate minerals, 44, 60, 223–225, 296
  - alleys between houses, 233
  - animal enclosures, 240
  - cave sediments, 88
  - colorometric assay, 86
  - ethnoarchaeology, 244
  - fish processing site, 244
  - guard house, 244
  - organic matter, 224
  - sediments, 59, 86
  - site spatial organization, 44
  - UV-visible spectrophotometers, 266
- Phosphophoryn, 127
- Phosphorus, 223
  - content in organic matter, 224
- Photography, 268
- Photosynthetic systems, 214
  - C<sub>3</sub> and C<sub>4</sub>, 28, 153
- Phreatic zone. *See* Saturated zone
- Phytolith assemblages, 139–141
  - identifying plant taxa, 146–147
  - information on plant parts, 140, 141
  - nonarchaeological sediments, 144
  - plant quantities brought to site, 148
  - rural-urban continuum, 273
  - Sarakini village, Greece, 240–243
  - taxonomic information, 140
- Phytolith Difference Index (PDI), 241, 243
- Phytolith record, 17, 238
- Phytoliths, 135–149. *See also*
  - Archaeobotanical record
  - absence of occluded DNA, 146, 214
  - bananas, 147
  - bark, 272
  - barley, 147
  - burned, 17, 136, 174, 233, 237, 272
  - cereal storage vs fodder storage, 140
  - cereals, 140, 147
  - concentrations, 141, 148, 234, 238
  - consistent and variable morphologies, 139
  - cooking pot residues, 147
  - dendritic, 140
  - dental calculus, 147
  - diagenesis, 143–144
  - dissolution, 144, 173
  - embedded information, 145–149
  - etched surfaces (weathered), 144, 271
  - floor types, 235, 242
  - formation and morphology, 137–139
  - fuel use, 145
  - functions, 137
  - genetic information, 146
  - genetic vs environmental control, 138
  - gourds, 147
  - grasses, 140, 146, 148
  - hardness, 136
  - irrigation, 145–146
  - location in cell, 137
  - material, 137
  - mechanical function, 137
  - mineral solubility, 143
  - morphotype classification, 139
  - morphotypes (morphologies), 138
  - multi-celled (silica skeletons), 145
  - nomenclature, 135
  - occluded macromolecules, 146, 213
  - organic matrix, 136, 214
  - paleodiet reconstruction, 147
  - paleovegetation ecology, 147
  - radiocarbon dating, 148, 260
  - reference collection, 141–142, 148
  - rice, 147
  - sampling and analysis, 142–143
  - site spatial organization, 148–149
  - squash, 147
  - stable oxygen isotopic composition, 145
  - strategy for studying phytoliths, 141–143
  - tooth abrasion, 137
  - two storied house, 242
  - wheat, 147

- Phytoliths (*cont.*)  
 wood, 140, 148, 172  
 wood and bark, 139
- Pigments  
 analysis, 72  
 list, 321
- Pitldown forgery, 5, 23, 288
- Pine tar, 312
- Plants. *See also* Archaeobotany  
 archaeological sites, 16  
 minerals produced, 135  
 nitrogen incorporation, 28  
 phytolith concentrations, 141  
 phytolith producers, 138  
 silica formation, 89  
 soil formation, 94  
 use of, 148
- Plaque. *See* Dental calculus
- Plaster. *See also* Lime plaster and Hydraulic plaster, 185–194  
 dating problems, 192  
 definition, 185  
 diagenesis, 190–191  
 early production (Natufian), 165  
 embedded information, 191–194  
 frescoes, 193  
 gypsum, 185, 188  
 identification, 190  
 radiocarbon dating, 255, 260  
 reconstructing production processes, 193  
 refractory materials, 193–194  
 residue analysis, 194
- Plaster aggregates, 185, 189–190  
 binder to aggregate proportions, 189
- Plaster binder, 185–189  
 ageing, 187  
 calcite, 186–188  
 calcite production process, 186, 187  
 gypsum, 188
- Plaster floors  
 fatty acid concentrations, 44
- Plaster of Paris, 188
- Plexiform bone. *See* Fibrolamellar bone
- Pollen, 18, 32, 70, 211, 234, 338, 348, 351, 365, 367  
 outer exine layer, 18  
 paleoenvironmental reconstruction, 32  
 preservation, 31  
 Tyrolean ice man, 48
- Pollen grains, 16
- Polymerase chain reaction, 34
- Polymorphs, 77
- Polymorphs of calcium carbonate, 282–283
- Polysaccharides, 162, 211, 312
- Pomaks, 240
- Porcupines, 231
- Porosity  
 bone, 109, 110  
 ceramics, 205
- Portlandite, 204. *See also* Plaster binder, 186
- Postholes, 239
- Potassium isotope <sup>40</sup>K  
 siliceous aggregates, 177
- Pot-lid fracture of flints, 176
- Pottery. *See also* Ceramics, 194–206  
 celadons, 205  
 contents, 35–36, 219  
 embedded information, 198–206  
 furnace lining, 193, 205  
 production areas, 202  
 surface sealants, 219  
 tuyeries, 205
- Pottery manufacture, 195–198  
 bone powder decoration, 203  
 cracking, 195, 197  
 crucible production, 205  
 drying, 197  
 ethnographic observations, 197  
 firing conditions, 197–198, 202–205  
 fluxes, 195–196  
 kinetic vs thermodynamic control, 202  
 paddle and anvil technique, 196  
 processes, 202–205  
 raw materials, 195  
 shaping and decorating, 196  
 slip, 196  
 soaking time, 198  
 temper, 195  
 wasters, 202  
 wheel production, 196
- Pottery provenience, 39, 151, 198–200  
 El Amarna tablets, 200  
 mineralogical (petrographic) approach, 199–200  
 total element approach, 200  
 two approaches, 199  
 XRF, 266
- Pozzolana, Italy, 186
- Preservation  
 ash, 175  
 assessing mineral preservation, 81, 160  
 atomic disorder, 162  
 bones, 160  
 charcoal distribution, 64  
 charred material, 179  
 clay-rich sediments, 66, 96  
 context of uncharred organic materials, 225  
 deserts, 49

- dessicated, 49, 50  
frozen, 48
- Procurement strategies, 40–41  
cosmogenic isotopes, 40  
flint, 91–92  
mining, 40
- Protected niches, 207, 208  
authigenic minerals, 226  
ceramics, 219–222  
charcoal, 226  
crystal aggregates, 106, 215–219  
enamel, 217  
intracrystalline, 100, 152, 212–215  
peritubular dentin, 217  
starch grains, 222
- Proteins, 210, 312. *See also* Fossil proteins  
and Noncollagenous proteins  
brachiopod shells, 213  
enamel, 125, 217  
fossil amino acid sequences, 210  
fossil genetic information, 122  
inside crystals. *See* Intracrystalline  
macromolecules  
mineralized tissues, 100  
mollusk shells, 162  
peritubular dentin, 216  
preservation, 49
- Provenance. *See* Provenience  
definition, 36, 195
- Provenience, 36  
amber, 37  
clay, 96–97  
definition, 36, 195  
diatoms, 151  
flint, 40, 91–92  
lead isotope ratios, 38  
marble, 38  
obsidian, 37  
pottery, 39, 198–200  
quartz grain morphologies, 91  
soapstone, 38  
sources of raw materials, abundant,  
39–40  
sources of raw materials, limited, 37–39  
steatite, 38  
tin, 39  
trace element analysis, 39
- Provenience and procurement strategies,  
36–41
- Pseudomorphs, 83  
bone, 115  
bones vs shells, 101, 115  
in ash, 174  
wood ash, 82, 171, 173, 176, 272
- Pulp cavity, 124
- Pyrite, 59
- Pyrogenic minerals  
aragonite, 81  
ash, 60, 82  
calcite, 77, 79, 82, 186, 188, 192  
definition, 69  
list, 321
- Pyrolysis, 179
- Pyrotechnology  
ash, 168–178  
ash and charcoal waste products, 166  
basis, 165  
cooking, 165  
definition, 165  
diagenesis of products, 168  
plaster binders, 186  
waste products, 166
- Qesem Cave, Israel, 83
- Quartz, 56, 88–89, 298  
along coast of Israel, 201  
beta quartz, 90  
grain morphologies, 91  
high temperature forms, 298  
provenience, 91  
soils in arid and desert zones, 95
- Quicklime. *See also* Plaster binder, 186
- Qumran 24 Cave, Dead Sea, 49
- Racemers, 24
- Racemization. *See* Amino acid  
racemization
- Radiocarbon dating, 19–21, 245, 246, 259  
acid-alkali-acid (AAA) treatment, 259  
ash, 177  
biases, 260  
bone, 122–123, 254  
bone collagen prescreening, 257, 258  
calibration, 20, 245, 247, 249–250  
charred material, 184, 254  
charred material prescreening, 258  
charred material purification, 258–259  
clays associated with charcoal, 95, 259  
collagen C/N ratio, 256  
collagen in crystal aggregates, 219  
collagen purification, 259  
context, 250–252  
cremated bone, 122, 255  
effective range, 18  
eggshells, 154  
estimating uncertainties, 259  
half-life, 19  
hydroxyproline, 258  
interlaboratory comparisons, 259  
intracrystalline macromolecules, 215

- Radiocarbon dating (*cont.*)  
 macrocontext, 250–251  
 materials, 19, 251, 254–255  
 microcontext, 251–252  
 mollusk shells, 163, 255  
 number of samples to analyze,  
 255–256  
 old wood effect, 21, 255  
 organic matter in sediments, 255  
 phytoliths, 148, 215, 260  
 plaster, 191, 255  
 prescreening samples, 256–258  
 reservoir effect, 163  
 sample collection in the field, 258  
 sample purification methods,  
 258–259
- Radiolaria, 89, 298
- Rainfall, 153  
 multi-celled phytoliths, 145
- Raman spectroscopy, 72, 266  
 clay structures, 97  
 pigment analysis, 72
- Raphides, 170
- Rare earth elements  
 bone, 122  
 paleoenvironmental reconstruction,  
 31–32
- Ratites  
 eggshells, 151
- Reaction cascade, 60, 61, 173
- Reaction rim, 64, 65
- Recrystallization window, 111  
 changes in bone mineral, 112
- Red brick colored nodules, 174
- Red soils. *See also* Soils, tropics
- REE. *See* Rare earth elements
- Refractive index, phytoliths, 17, 136, 144,  
 237, 264, 272
- Refractory material, 193–194  
 aragonite, 193  
 ceramic, 17, 206  
 magnesium oxide (periclase), 193
- Reservoir effect, 163
- Residue analysis, 27, 29, 36, 211  
 beeswax, 236  
 ceramics, 219–222  
 plaster, 194
- Resins, 211, 226, 312, 314  
 fossil (amber), 314
- Rhomb-shaped crystals  
 calcite, 78, 82
- Rhythmic growth, 41–42  
 cementum, 129  
 enamel and dentin, 132  
 mollusk shells, 163, 164  
 otoliths, 154, 157
- Rice  
 phytoliths, 147
- Rock paintings  
 radiocarbon dating, 184
- Rural-urban continuum, 273
- Salinity variations  
 otoliths, 156
- Salt deposition on sediment surfaces, 56,  
 251, 315–316
- Sand dunes, 91
- Sanidine, 204
- Sarakini village, Greece, 234, 240–244  
 animal enclosures, 242  
 rye use, 242  
 threshing floors, 242
- Saturated zone, 55
- Scaphopods, 159
- Schoningen, Germany  
 wood preservation, 310
- Sea urchin test (shell). *See* Echinoderm  
 skeletons
- Sea water  
 aragonite precipitation, 78  
 paleotemperatures, 33, 156, 163
- Season of occupation, 41–42  
 archaeobotanical remains, 41  
 cementum, 42  
 mollusk shells, 164  
 otoliths, 42, 157  
 rhythmic growth, 42
- Seasonal increments. *See* Rhythmic growth
- Sediments  
 absence of calcite, 77  
 exposure to elevated temperatures, 97  
 mineral assemblages and site  
 preservation, 97–98  
 water flow, 55
- Seed clusters, 251
- Sewers, 58, 86, 295
- Sharpey's fibers, 129
- Sherds. *See also* Ceramics, 196  
 color, 203  
 firing conditions, 202  
 trace element analysis, 198
- Sibudu Cave, South Africa, 254
- Silica, 89–90, 298  
 atomic structure, 88, 137  
 authigenic, 90, 96, 298, 303  
 biological production, 89  
 bound water and hydroxyls, 136  
 dehydration, 66

- diagenesis, 61, 90  
 diatoms, 298  
 high temperature polymorphs, 90  
 luster, 136  
 mesostructure, 136  
 phytoliths, 89, 298  
 plants, 135  
 refractive index, 136  
 solubility, 90  
 Silica aggregates. *See* Siliceous aggregates  
 Silicates layered, 93  
 Silicates sheet, 93  
 Siliceous aggregates, 139, 145, 169, 237, 253, 272, 298  
   <sup>40</sup>K isotope, 177  
   confusion with clay particles, 174  
   Hayonim Cave, Israel, 173  
   solubility, 173  
   structure and formation, 171  
 Siliceous phytoliths. *See* Phytoliths  
 Silicon dioxide polymorphs, 88–92, 297–300  
   diagenesis, 90  
   embedded information, 91–92  
 Silicon tetrahedra, 168  
 Silk, 162, 312  
 Sink hole, 65  
 Sintering, 290  
 Site formation processes, 42  
   micromorphology, 69  
   mineral assemblages, 68, 98  
   size and shape of mineral particles, 72  
   transformation processes, 43  
 Site framework. *See* Site spatial organization  
 Site spatial organization, 43–44, 230  
   fatty acids, 44  
   fire locations, 235  
   floor types, 235  
   microartifacts, 44  
   phosphate concentrations, 44, 223–225, 296  
   phytolith difference index (PDI), 242  
   phytoliths, 141, 148–149  
   size sorting of artifacts, 228  
   two storied houses, 234  
 Site use  
   secondary, 52  
 Skin, 105, 113, 184, 211, 307  
 Slaked lime. *See also* Plaster binder, 186  
   sewage treatment, 194  
   tanning, 194  
 Slip, 196  
 Smectite  
   soils in arid and desert zones, 95  
   soils in temperate zones, 95  
 Smectite group of clays, 93, 301  
 Snail shells, 161, 214, 215  
   aragonite, 63, 80  
   dating, 24  
   diagenetic mineral changes, 161  
   intracrystalline macromolecules, 214  
 Snails  
   freshwater, 158  
   land, 158  
 Soapstone. *See* Steatite  
 Sodium hypochlorite, 142, 213, 216  
 Sodium nitrate, 269  
 Sodium polytungstate, 142  
 Soil. *See also* Sediments  
   arid and desert zones, 95  
   burned organic matter, 95  
   charcoal fragments, 183  
   definition, 73  
   high latitudes, 95  
   hydroxides and oxides, 95  
   temperate latitudes, 95  
   tropics, 95  
 Solubility of minerals, 59  
 Soot, 183  
   fullerenes, 180  
 Speleothems  
   uranium series dating, 21  
 Spherulites, 44  
   dung, 44, 233, 234, 236, 240  
   otoliths, 156  
 Splitting factor, 116, 291. *See also* Bone mineral, crystallinity  
   bone collagen content, 292  
   bone mineral, 291  
   enamel, 291  
   measurement using infrared spectrum, 291  
 Sponges, 89, 150  
 Spongy bone, 108  
 Springs, 96  
 Squash  
   phytoliths, 147  
 Squid otoliths, 154  
 Sr/Ca ratios  
   bone, 120–121  
   otoliths, 157  
   weaning, 45  
 Stability fields of minerals, 59, 60, 80, 295  
   carbonate hydroxylapatite, 85

- Stable isotopic composition  
 collagen in crystal aggregates, 217  
 dung, 240  
 eggshells, 153  
 fractionation, 32  
 individual amino acids, 28  
 intracrystalline macromolecules, 214  
 marble provenience, 38  
 nitrogen, 27, 28, 45  
 otoliths, 156  
 oxygen, phytoliths, 145  
 paleodiet, 119–120  
 paleoenvironment reconstruction,  
 32–33  
 paleotemperatures (mollusk shells), 163  
 water in sediments, 146
- Stables, 236
- Starch, 18, 211, 312
- Starch grains, 134, 222, 223
- Steatite, 36  
 provenience, 38
- Sterkfontein Cave, South Africa, 230  
 wood preserved, 310
- Storage bins, 236
- Storage sites, 58, 223
- Strontium isotope ratios, 119  
 bone mineral, 29  
 migration, 26, 119  
 paleodiet reconstruction, 29  
 paleomigration, 35
- Structural features. *See* Installations for  
 pyrotechnology
- Stucco, 194. *See also* Plaster, 185
- Sugars. *See* Polysaccharides
- Supercooled state, 167
- Swartkrans Cave, South Africa, 230, 292
- Tanning, 50  
 slaked lime, 194
- Taphonomy. *See also* Diagenesis, 53  
 bones, 115, 116
- Taranakite, 64, 86, 183, 297
- Teeth. *See also* Tooth, 123–129  
 abrasion by phytoliths, 136  
 basic structure, 123  
 brachydonty, 129  
 dental calculus, 130  
 design strategies, 129  
 embedded information, 132–134  
 fish, 288  
 hypsodonty, 129  
 strontium isotopes, 119
- Tel Dor, Israel, 65, 224  
 ancient animal enclosures, 240  
 aragonite refractory material, 194  
 phytoliths, 140  
 sediments exposed to elevated  
 temperatures, 97
- Tell es Safi, Israel, 158
- Temper, 195  
 types, 195
- Tendon mineralized, 107
- Terrestrial gastropods. *See* Snail shells
- Thames River, 151
- Theca, 149
- Thermoluminescence, 176
- Thermoluminescence dating, 92, 245, 246,  
 350. *See also* TL, 18  
 flint tools, 92
- Thomsen, C. J., 4
- Three-dimensional site reconstructions,  
 267
- Threshing floors, 233, 241, 242
- Tilted strata, 65  
 caves, 65  
 organic matter degradation, 65
- Tin  
 provenience, 39
- TL. *See also* Thermoluminescence  
 dating
- Tools, lithic  
 dating by TL, 22  
 flint, 91  
 obsidian proveniencing, 37  
 procurement strategies, 41  
 provenience, 36  
 quartzite, 74, 76
- Tooth. *See also* Teeth, Enamel, Dentin, and  
 Cementum  
 development, 26
- Trabecular bone. *See* Spongy bone
- Trace elements, 68  
 analysis, 37  
 ceramic, 39  
 flint, 40  
 marble, 38  
 otoliths, 157  
 soapstone, 38
- Trade  
 pottery, 198–200
- Trampling, 234. *See also* Microlaminated  
 texture, 229, 230, 233
- Trapped charge dating, 22–23, 245. *See also*  
 Thermoluminescence, Optical  
 stimulated luminescence, Electron  
 spin resonance, 18, 19  
 affect of siliceous aggregates, 177  
 context, 252–254

- dosimeters, 252  
 gamma radiation, 252  
 Travertine, 21, 80, 284  
   uranium series dating, 21  
 Tree rings  
   radiocarbon concentrations, 250  
 Tricalcium phosphate, 118  
 Tridymite, 88, 90, 298  
 Triple helical molecule. *See* Collagen  
 Trona, 116  
 Tubules. *See* Dentin, tubules  
 Turkana homestead, Kenya, 47  
 Tusk shells. *See also* Dentalium, 159  
 Tuyierres, 205  
 Tyrolean ice man, 48
- Unsaturated zone, 55  
 Uranium series dating, 14, 19, 21, 246  
   enamel, 132  
   mollusk shells, 163  
   range, 21  
 Uranium uptake into enamel, 131, 253  
 UV-Visible spectrophotometers, 267
- Vadose zone. *See* Unsaturated zone  
 Variscite, 64, 297  
 Vaterite, 77, 282  
   otoliths, 42, 155  
   plants, 135  
 Vermiculite  
   high latitude soils, 95  
 Vermiculite group of clays, 93  
 Vessel contents. *See* Pottery contents  
 Vitruvius, 187  
 Volcanic ash. *See also* Pozzolana, Italy, 186  
   degradation into clay, 95
- Wash coat. *See also* Lime plaster, 185  
 Waste products. *See also* Pyrotechnology  
   pyrotechnology, 166  
 Wasters, 202  
 Water. *See also* Hydrological regime  
   absence restricts microbial activity, 18, 114  
   agent of diagenesis, 96  
   anaerobic conditions, 32, 50  
   clay-rich sediments, 93, 96  
   drinking, 33, 132  
   driving force of degradation, 52  
   fluoride, 23  
   hydrolysis reactions, 112  
   irrigation, 150  
   liquid vs vapor for preservation, 49  
   saturated and unsaturated zones, 55  
   standing vs flowing, 151  
 Water-logged environments, 50  
 Wax, 211, 312  
 Weaning, 44–45  
   age of, 121  
   domestic animals, 45  
   nitrogen isotopic composition, 45  
   Sr/Ca ratios, 45  
 Weddellite, 306  
 Wells, 151, 236  
 Wet sieving, 265  
 Wheat phytoliths, 147  
 Whewellite, 82, 306. *See* Calcium oxalate  
   morphologies of crystals in wood and  
     bark, 170  
     wood, 79  
 Wilson, E. O., 3  
 Wood  
   calcium oxalate crystals, 170  
   charred vs uncharred, 309  
   fire hardened sticks, 178, 310  
   fossil, 58  
   fuel, 145, 238  
   fungal degradation, 309  
   lignin and cellulose preservation, 311  
   major components, 179  
   phytoliths, 139, 140  
   preservation, 309–311  
   preserved in old sites, 310  
   pyrolysis process, 179  
   taxonomic identification, 184  
 Wood ash, 83  
   calcite crystal morphology, 82  
   calcite degradation, 79  
   calcium oxalate pyrolysis, 79  
   cemented sediment, 83  
   phytoliths, 178  
   pseudomorphs, 82  
   siliceous aggregates, 145  
 Worsaae, J. A., 4  
 Woven bone, 107
- X-ray diffraction, 70–71, 104, 168  
   bone mineral, 116  
   ceramics, 203  
   charcoal, 179  
   clay minerals, 94, 97, 301  
   collagen to gelatin transformation, 113  
   crystallinity, 290  
   disorder in bone mineral, 64  
   disorder in carbonate minerals, 82, 161

Cambridge University Press

978-0-521-70584-4 - Microarchaeology: Beyond the Visible Archaeological Record

Stephen Weiner

Index

[More information](#)

<p style="text-align: center;"><u>396</u></p> <p>INDEX</p>	<p>X-ray diffraction (<i>cont.</i>)</p> <p style="padding-left: 20px;">identifying authigenic phosphate minerals, 297</p> <p style="padding-left: 20px;">quantification of mineral assemblages, 278</p> <p>X-ray fluorescence spectroscopy (XRF), 265–266</p> <p>Yuchanyan Cave, China, 265</p>	<p>Zhoukoudian, China, 5, 31, 75, 174, 292</p> <p style="padding-left: 20px;">evidence for deliberate control of fire, 176</p> <p style="padding-left: 20px;">fossil ashes?, 74</p> <p style="padding-left: 20px;">Layer 10, Locality 1, 74–76</p> <p style="padding-left: 20px;">use of fire, 75</p> <p><math>\nu_2:\nu_4</math> ratio. <i>See</i> Calcite, <math>\nu_2:\nu_4</math> ratio</p>
--	---	---