

Cambridge University Press

978-0-521-71008-4 - Self-Management of Depression: A Manual for Mental Health and Primary Care Professionals

Albert Yeung, Greg Feldman and Maurizio Fava

Index

[More information](#)

## Index

- affirmation, in motivational interviewing, 34  
 American Self-Help Clearinghouse, 183  
 antidepressants. *See* medication  
 anxiety disorder, 149  
 appointments, missed, 38  
 association with others. *See* peer support  
 asthma, self-management of, 19–20  
 attention regulation, 146  
 avoidance, 110
- Bandura, A., 8  
 BDI, BDI-IA, and BDI-II. *See* Beck Depression Inventory  
*Beating the Blues* (BtB) computer program  
 description of, 80–81  
 example of use, 95–96  
 obtaining, 78  
 Beck, Aaron T., 49, 81  
 Beck Depression Inventory (BDI, BDI-IA, and BDI-II)  
 cut-off score for BDI-II, 59  
 description of, 49–51  
 disadvantages of, 52  
 obtaining, 28  
 when to use BDI-II, 63  
 Bedrosian, Rich, 84  
 befriending intervention, 168, 171  
 Benson, Herbert, 141–142, 143–144, 156, 162  
 bibliotherapy  
 challenges to implementing  
 cost, 88–89  
 resistance from psychotherapists, 89–91  
 defined, 69  
 incorporating into treatment plan  
 deciding on clinician's role, 93–94  
 models for, 94–100, 102  
 to whom should be recommended,  
 91–93  
 overview, 70–71
- research on, 71–77  
*Control Your Depression* (Lewinsohn),  
 75–76  
 critiques of, 85–88  
*Feeling Good* (Burns), 72–75  
*Mind Over Mood* (Greenberger), 76  
 overview, 71–72  
 BluePages website, 73, 82  
 Blumenthal, J.A., 109, 113, 115  
 Bodenheimer, T., 19  
 books, therapy using. *See* bibliotherapy  
 Borg's Perceived Level of Exertion Scale, 122  
 breathing, during meditation, 140  
 concentration meditation, 140  
 mindfulness meditation, 140  
 Sudarshan Kriya Yoga (SKY), 152–153  
 British Columbia Partners for Mental Health  
 and Addictions Information website, 32  
 Brooks, J.S., 149  
 BtB computer program. *See* *Beating the Blues*  
 (BtB) computer program  
 Buchan, L., 60–61  
 Burns, David. *See* *Feeling Good*  
 Butler, L.D., 153
- cancer outpatients, effects of MBSR program  
 on, 148  
 care managers. *See* primary care managers  
 Carroll Rating Scale, 52  
 “caseness” for screening instruments, 58  
 causes of depression, 30–31  
 Cavanagh, K., 77  
 CBT. *See* cognitive behavioral therapy  
 Center for Epidemiological Studies Depression  
 Scale (CES-D), 28, 51–52, 59, 73  
 Centers for Disease Control and Prevention  
 (CDC) website, 121  
 Charles, C., 7  
 charting of symptoms, by patients, 63–64

Cambridge University Press

978-0-521-71008-4 - Self-Management of Depression: A Manual for Mental Health and Primary Care Professionals

Albert Yeung, Greg Feldman and Maurizio Fava

Index

[More information](#)**200 Index**

- chronic medical conditions, 15–16  
 Chronic Care Model, 5–6, 25–26  
 self-management of, 4–5, 19–21
- clinical helpers, for computer-based therapies, 95–96
- clinician-rated instruments, 46–47
- clinicians  
 challenges faced by, 191–198  
 approval by colleagues, 196–198  
 difficulty attracting patients, 193  
 finding time to make changes, 194–195  
 insufficient patient improvement or relapse, 192  
 overcoming barriers to implementation, 194  
 patients' access to mental health care, 192–193  
 patients' cooperation, 195–196  
 too little time with each patient, 191–192  
 uncomfortable practicing outside expertise, 195
- role of  
 in self-help therapy, 81–84  
 in use of self-assessment instruments, 61–64  
 whether needed with self-management, 13–14
- clinics. *See* primary care clinics
- cognitive behavioral therapy (CBT)  
 compared with bibliotherapy, 74  
 compared with meditation, 147  
 computerized, 79  
 and mindfulness meditation, 147  
 and severity of depression, 31  
 techniques in *Feeling Good* (book), 72  
 use with peer-led support groups, 165–166, 171–172
- cognitive self-therapy (CST), 166, 171
- collaborative goal-setting, 15–16
- collaborative management of treatment, 25–26  
 barriers in implementing 40–42  
 practice orientation, 41–42  
 reimbursement policy of insurers, 42  
 technical difficulties, 41  
 empirical support for, 39–40  
 example of (IMPACT Study), 38–39
- colleagues, approval by, 196–198
- commonness of depression, 57
- communication. *See also* social support  
 depressive, 189  
 between family and depressed individual, 176–177, 187
- with patients  
 educating patients, 30–32  
 via e-health systems, 100–102
- companion website to book, ix
- computerized psychotherapy  
 challenges to implementing  
 cost to clinicians and patients, 88–89  
 resistance from psychotherapists, 89–91  
 defined, 69–70  
 incorporating into treatment plan  
 deciding on clinician's role, 93–94  
 models for, 94–102  
 to whom should be recommended, 92–93  
 overview, 70–71  
 research on, 77–84  
 critiques of, 85–88  
 empirical support, 79–84  
 overview, 77–79
- concentration meditation, 140
- concurrent validity, 48
- contemplation. *See* meditation
- Control Your Depression* (Lewinsohn et al.), 75–76, 99
- COPE program, 78, 97–98
- Coping With Depression psychoeducational course, 75–76
- corticotropin- releasing hormone (CRH), 143
- cost-benefit analysis/cost-effectiveness analysis, 37, 40
- CRH (corticotropin- releasing hormone), 143
- criterion validity, 48
- CST (cognitive self-therapy), 166, 171
- cut-off scores for screening instruments, 58, 59
- Davidson, R.J., 145
- DBSA (Depression and Bipolar Support Alliance), 73, 167–168, 182, 188
- decision making  
 empowering patients through, 6–8  
 facilitating, 37
- den Boer, P.C.A.M., 87
- depression. *See also* severity of depression  
 causes of, 11, 30–31  
 duration of, 31  
 evolution of concept of, 48–49  
 symptoms of, 63–64  
 use of self-management for (general explanation), 11–13  
 when classified as clinical, 10–11  
 why self-management relevant to, 1–2

- Depression and Bipolar Support Alliance (DBSA), 73, 167–168, 182, 188
- Depression and Related Affective Disorders Association (DRADA), 182
- depressive communication, 189
- diabetes, self-management of, 19
- diagnosis, reluctance to accept, 33
- Diagnostic and Statistical Manual Fourth Edition Text Revision (DSM-IV-TR), 10–11
- discrepancy development, in motivational interviewing, 34
- discussion groups, Internet-based, 170
- disidentification, 146–147
- Dowrick, C., 60–61
- DRADA (Depression and Related Affective Disorders Association), 182
- DSM-IV-TR (Diagnostic and Statistical Manual Fourth Edition Text Revision), 10–11
- duration of depression, 31
- D’Zurilla, T.J., 35, 36, 37
- educating patients, 30–32
- e-health systems, 100–102
- elderly patients
  - effect of exercise on, 112–113
  - response to self-help therapies, 91
  - screening of with Geriatric Depression Scale, 61
  - study of peer-counseling program for, 168–169
- empathy, in motivational interviewing, 34
- endorphins, 110
- Eppley, K.R., 149
- ergotropic response, 143–144
- exercise, 107–128
  - challenges in implementing, 116–117
  - deciding on clinician’s role, 119
  - enhancing motivation, 125–127
    - anticipating obstacles and strategies, 126
    - helping find own motivation, 125–126
    - maintaining practice and commitment, 126–127
    - tailoring the message, 125
  - frequently asked questions about, 134–135
  - overview, 107–108
  - pros and cons of beginning program, 136–137
  - research on, 108–111
    - durability of effects, 112–113
    - generalizability, 114–115
    - history and summary of, 108–109
    - overview, 111
    - populations, 109–110
    - potential mechanisms, 110–111
    - value of adding exercise to treatment, 113–114
    - whether social contact reason for effects, 115–116
    - weekly exercise log, 131
    - what to recommend, 119–125
      - class or group activity, 124
      - determining intensity, 121–122, 132–134
      - form of exercise, 120–121, 131–132
      - making first step easier, 124–125
      - using trainers, 122–124
      - to whom should be recommended, 118–119
- Exposure-Based Cognitive Therapy, 152
- family, 76
- Feeling Good* (Burns)
  - content included in web-based course, 99
  - description of, 72–75
  - vs. psychology book without CBT
    - ingredients, 87
    - use with peer-led support groups, 165–166
- Feeling Good Handbook, The* (Burns), 99
- fight or flight response, 143–144
- Finucane, A., 152
- Fisher, E.B., 17
- fitness. *See* exercise
- follow-up, 17–18, 38
- Frankl, Victor, 74
- friends, 186–188
- Full Catastrophe Living* (Kabat-Zinn), 142, 162
- Geriatric Depression Scale (GDS), 61
- Gilbody, S., 20, 39–40, 61
- goal-setting, 36–37
- Good Days Ahead* computer program, 78, 81
- Greenberger, Dennis. *See* *Mind Over Mood*
- Gregory, R.J., 93
- groups. *See* peer support
- habits, interpersonal, 189
- Hamilton Anxiety Scale, 54
- Hamilton Rating Scale for Depression (HRSD), 52–53, 54
- hand-outs for patients, ix

Cambridge University Press

978-0-521-71008-4 - Self-Management of Depression: A Manual for Mental Health and Primary Care Professionals

Albert Yeung, Greg Feldman and Maurizio Fava

Index

[More information](#)**202 Index**

- Hatha yoga, 142  
heart rate, for monitoring exercise intensity, 122, 133–134  
Here to Help toolkit, 73  
hippocampus, neurogenesis in, 110  
homework, 99, 119  
Hopker, S., 108–109, 111, 112, 113, 114–115  
Houston, T.K., 55  
HPA axis. *See* hypothalamic-pituitary-adrenal (HPA) axis  
HRSD (Hamilton Rating Scale for Depression), 52–53, 54  
hypothalamic-pituitary-adrenal (HPA) axis  
  effect of exercise on, 110  
  effect of meditation on, 142–143
- IDS-SR (Inventory of Depressive Symptomatology), 52–53, 63  
IMPACT (Improving Mood-Promoting Access to Collaborative Treatment) Study, 38–39  
individualized assessment, 14–15, 29–30  
insurers, reimbursement policies of, 42  
Internet-based self-assessment instruments, 54–55  
Internet-based therapies  
  studies of types, 81–84  
  web-based support groups, 169–170, 172, 175–176  
interpersonal avoidance, 189  
interpersonal habits, 178, 189  
*The Interpersonal Solution to Depression* (Pettit and Joiner), 177–178, 189  
interviewing, motivational, 33–35, 126  
Inventory of Depressive Symptomatology (IDS-SR), 52–53, 63
- Janakiramaiah, N., 152–153  
jogging, 117  
Joiner, T.E., 178, 189
- Kabat-Zinn, Jon, 142, 149, 162  
Katon, W., 26  
Katon's collaborative model of treatment, 26  
Khumer, S., 152  
Kingston, T., 152  
Kleinman, Arthur, 14–15  
Kobak, K.A., 54  
Kroenke, K., 53–54  
Kundalini Yoga, 143–144  
Kuyken, W., 151, 154
- Lawlor, D., 108–109, 111, 112, 113, 114–115  
Lazar, S.W., 144–145  
Lewinsohn, Peter. *See* *Control Your Depression*  
LifeCoach computer program, 78, 101–102  
Linn, L.S., 60  
listening, reflective, 34
- Ma, S.H., 150  
The MacArthur Initiative on Depression  
  website, 73  
major depressive disorder (MDD). *See* depression  
management of treatment. *See* collaborative management of treatment  
managers. *See* primary care managers  
*Man's Search for Meaning* (Frankl), 74, 87  
Martinsen, E.W., 113  
Mather, A., 113–114  
MBCT. *See* Mindfulness-Based Cognitive Therapy  
MBSR. *See* Mindfulness-Based Stress Reduction  
McArthur Foundation depression toolkit, 32  
MDD (major depressive disorder). *See* depression  
Medicaid, 29, 42  
Medicare, 56  
medication  
  abrupt termination of, 31  
  vs. exercise, 112–113  
  exercise as augmentation strategy to, 114  
  side effects of, 31  
  time needed to see results, 31  
meditation, 138–158. *See also* Relaxation Response; Transcendental Meditation  
  compared with cognitive behavioral therapy, 147  
  concentration meditation, 140  
  effect on hypothalamic-pituitary-adrenal axis, 142–143  
  mindfulness meditation  
    defined, 140  
    description of, 140, 142  
    effect on attention, 146  
  vs. Mindfulness-Based Cognitive Therapy, 151  
  negative thoughts  
    decreasing by disidentification, 146–147  
    decreasing by regulation of attention, 146  
  and relapse, 145–146

Cambridge University Press

978-0-521-71008-4 - Self-Management of Depression: A Manual for Mental Health and Primary Care Professionals

Albert Yeung, Greg Feldman and Maurizio Fava

Index

[More information](#)

- overview, 138
- psychological mechanisms, 145
- referring patients to training in, 154–157
  - enhancing motivation, 157
  - introducing meditation, 157
  - role of clinicians, 156–157
  - to whom should be recommended, 154–156
- research on, 147–153
  - applying meditation as treatment, 151
  - challenges and limitations for, 153–154
  - effectiveness for medical patients, 148
  - effectiveness for non-clinical population, 147–148
  - effectiveness for patients with anxiety disorder, 149
  - mindfulness training, 151–152
  - relapse prevention, 149–151
  - yoga meditation, 152–153
- resource for learning about, 162
- what it is, 139–142
- why useful, 139
- Medline Plus website, 73
- mental health teams, 29
- Mercer, S.W., 152
- metacognitive awareness, 147
- MI (motivational interviewing), 33–35, 126
- Miller, J., 149
- Miller, W.R., 15–16
- Mind Over Mood* (Greenberger), 76, 96, 98
- The Mindful Way Through Depression* (Kabat-Zinn et al.), 162
- mindfulness meditation. *See also* Mindfulness-Based Stress Reduction (MBSR) program
  - and cognitive behavioral therapy, 147
  - defined, 140
  - description of, 140, 142
  - effect on attention, 146
- Mindfulness-Based Cognitive Therapy (MBCT)
  - for addressing residual symptoms of depression, 151–152
  - description of, 149–151
  - introducing in primary care, 152
  - prevention of relapses, 153–154
  - resources for, 162
- Mindfulness-Based Stress Reduction (MBSR) program, 142
  - for anxiety disorder or panic disorder patients, 149
  - effects on cancer outpatients, 148
  - resources for, 162
- monoamine theory, 30–31, 143
- MoodGYM* computer program, 73, 82–83
- motivational interviewing (MI), 33–35, 126
- Muñoz, Ricardo. *See Control Your Depression*
- MySelfHelp.com, 78, 84, 98
- National Alliance for the Mentally Ill, 182, 188
- National Depressive and Manic-Depressive Association. *See* Depression and Bipolar Support Alliance
- National Institute of Mental Health, 32, 73
- negative feedback, seeking, 189
- negative predictive power of screening instruments, 59
- negative thoughts. *See also* ruminative thoughts
  - decreasing by disidentification, 146–147
  - decreasing by regulation of attention, 146 and relapse, 145–146
- Neumeier-Gromen, A., 20
- neurogenesis in hippocampus, 110
- Nezu, A.M., 35, 36, 37
- Nguyen, L., 148, 153
- Norcross, John, 89, 93
- Norris, S.L., 19
- ODIN (Overcoming Depression on the Internet), 73, 78, 81–82
- older patients. *See* elderly patients
- one-on-one peer support programs, 168–169
- Overcoming Depression* computer program, 78, 96
- Overcoming Depression on the Internet (ODIN), 73, 78, 81–82
- panic disorder, 149
- paraprofessionals, 172
- PAR-Q (Physical Activity Readiness Questionnaire), 118
- patient hand-outs, website with, ix
- Patient Health Questionnaire-9 (PHQ-9), 28, 53–54, 59
- patients
  - cooperation from, 195–196
  - difficulty attracting, 193

**204 Index**

- peer support, 163–179
  - groups
    - finding, 182–183
    - peer-led support, 165–168
    - selecting, 184–185
  - overview, 163
  - research on, 164–170
    - individual peer support, 168–169
    - Internet-based peer support
      - interventions, 169–170
    - limitations and challenges in, 171–172
    - overview, 164–165
    - peer-led support groups, 165–168
  - role of, 163–164
  - role of clinicians, 173–174
  - what to recommend, 174–176
  - to whom should be recommended, 172–173
- Peng, C.K., 144
- Pettit, J.W., 178, 189
- PHQ-9 (Patient Health Questionnaire-9), 28, 53–54, 59
- Physical Activity Readiness Questionnaire (PAR-Q), 118
- physical exercise. *See* exercise
- Pilkington, K., 153
- positive predictive power of screening instruments, 59
- post-partum depression, 110, 168
- post-traumatic stress disorder (PTSD), 149
- President's Commission for the Study of Ethical Problems in Medicine and Biomedicine and Behavioral Research, 7
- primary care clinicians. *See* clinicians
- primary care clinics. *See also* clinicians; primary care managers, roles of
  - collaborative management of treatment, 25–26
    - barriers in implementing, 40–42
    - empirical support for, 39–40
    - example of (IMPACT Study), 38–39
  - reasons for involvement in treatment, 24–25
- primary care managers, roles of, 26–38
  - depression education, 30–32
  - follow-up and support, 38
  - individualized assessment, 29–30
  - motivational interviewing, 33–35
  - problem-solving therapy, 35–37
    - problem orientation, 35–36
    - problem solving skills, 36–37
  - screening, 29
- printed materials, therapy using. *See* bibliotherapy
- problem-solving therapy, 35–37
  - problem orientation, 35–36
  - problem solving skills, 16–17, 36–37
- productivity of workers, 40
- psychoeducation. *See also* bibliotherapy; computerized psychotherapy
  - from peers, 164
  - providing for patients, 30–32
- PTSD (post-traumatic stress disorder), 149
- QIDS-SR (Quick Inventory of Depressive Symptomatology Self Report), 28, 53, 59, 73
- quality improvement
  - pay-for-performance approach to, 56
  - via self-assessment instruments, 56
- questionnaires. *See* self-assessment instruments
- questions, in motivational interviewing, 34
- Quick Inventory of Depressive Symptomatology Self Report (QIDS-SR), 28, 53, 59, 73
- reassurance seeking, 189
- RecoveryRoad* computer program, 101
- reflective listening, 34
- reimbursement policy of insurers, 42
- relapses
  - encouraging patients to detect, 192
  - preventing with meditation, 153–155
- Relaxation Response (RR)
  - description of, 141–142, 143–145
  - multimodal intervention group study, 148
  - resource for, 162
- religious beliefs, and meditation, 157
- resistance toleration, in motivational interviewing, 34
- resistance training. *See* weight lifting
- resources
  - access to in daily life, 18
  - depression toolkits, 32
  - for Mindfulness-Based Cognitive Therapy (MBCT), 162
  - for Mindfulness-Based Stress Reduction (MBSR) program, 162
  - patient hand-outs, ix
  - for Relaxation Response (RR), 162
  - self-help, 73
  - for Transcendental Meditation (TM), 162

- restorative response, 143–144
- Rollnick, S., 15–16
- Roth, Robert, 162
- RR. *See* Relaxation Response
- ruminative thoughts. *See also* negative thoughts
  - causing depression relapse, 145–146
  - decreasing by regulation of attention, 146
  - and exercise, 110, 127, 135
  - and meditation, 139
- running, 108, 117
- Rush, A.J., 52–53
  
- Scarano, T., 149
- Schmidt, M.M., 76
- screening, 62
  - current status of, 26–29
  - self-assessment instruments for, 57–58
    - commonly used, 59–60
    - limitations of, 60–61
    - selecting cut-off score for “caseness” for, 58
    - validity of, 59
- sedentary lifestyle, 108, 125–126
- Segal, Z.V., 145–146
- self-assessment instruments, 46–64
  - application of 55–57
    - monitoring outcomes, 55–56
    - quality improvement, 56
    - self-management, 56–57
  - Beck Depression Inventory (BDI, BDI-IA, and BDI-II), 49–51
  - Center for Epidemiological Studies-Depression Scale (CES-D), 51–52
  - evolution of concept of major depressive disorder, 48–49
  - Internet-based, 54–55
  - Inventory of Depressive Symptomatology (IDS-SR), 52–53
  - limitations of, for measuring severity, 57
  - overview, 46–47
  - Patient Health Questionnaire-9 (PHQ-9), 53–54
  - properties of, for monitoring severity, 47–48
  - Quick Inventory of Depressive Symptomatology Self Report (QIDS-SR), 53
  - role of clinicians in use of, 61–64
    - adopting instrument use, 62–64
    - monitoring severity, 61–62
    - screening, 62
  - for screening, 57–58
    - commonly used, 59–60
    - limitations of, 60–61
    - selecting cut-off score for “caseness” for, 58
    - validity of, 59
- self-efficacy, 8–10
- self-esteem, 110, 125
- self-help. *See also* peer support
  - challenges to implementing
    - cost, 88–89
    - resistance from psychotherapists, 89–91
  - deciding on clinician’s role, 93–94
  - models for implementing, 94–102
    - adjunct to standard psychotherapy, 98–100
    - first step in stepped-care model, 95–96
    - integrated e-health systems, 100–102
    - therapist-extender, 96–98
  - research on, 71–84
  - resources, 73
  - to whom should be recommended, 92–93
- self-management
  - of chronic medical conditions, 4–5, 19–21
  - key resources and support for, 14–19
    - access to resources in daily life, 18
    - collaborative goal-setting, 15–16
    - continuity of quality clinical care, 18–19
    - follow-up and support, 17–18
    - individualized assessment, 14–15
    - skills enhancement, 16–17
  - principles of, 6–10
  - use of for depression (general explanation), 11–13
  - what it is, 1
  - whether clinicians needed with, 13–14
  - who needs, 3–4
  - why relevant to depression, 1–2
- self-sabotage, 189
- Selmi, P.M., 85–86
- sensitivity of screening instruments, 59
- serotonin function, 110, 143
- severity of depression
  - self-assessment instruments for monitoring
    - clinicians role in use of, 61–62
    - limitations of, 57
    - properties of, 47–48
  - treatment based on, 31
- Shapiro, D.A., 77, 138, 139, 148

Cambridge University Press

978-0-521-71008-4 - Self-Management of Depression: A Manual for Mental Health and Primary Care Professionals

Albert Yeung, Greg Feldman and Maurizio Fava

Index

[More information](#)**206 Index**

- Shavasana yoga, 152–153  
 Sheffield, A., 174  
 shortcomings, 189  
 Singh, N., 122  
 skills enhancement, 16–17  
 SKY (Sudarshan Kriya Yoga), 152–153  
 Slack, Warner, 89–90  
 social problem-solving, 35  
 social skills, 189  
 social support. *See also* peer support  
   family and friends, 176–177, 186–188  
   group exercise, 124  
   interpersonal habits that worsen depression, 189  
   steps to increase, 177–179  
 software programs. *See* computerized psychotherapy  
 Speca, M., 148  
 sports, 124  
 Stathopoulou, G., 114, 115, 116, 122  
 step counters, 121  
 stepped-care model, 95–96  
 Sudarshan Kriya Yoga (SKY), 152–153  
 suicidality, screening of, 63  
 summarizations, in motivational interviewing, 34–35  
 support. *See also* peer support; social support  
   from care managers, 38  
   for computer-based therapies, 95–96  
 symptoms of depression, 63–64. *See also* self-assessment instruments
- talking test, for monitoring exercise intensity, 121–122, 133  
 Tannenbaum, Dennis, 101. *See RecoveryRoad* computer program  
 teaching patients, 30–32  
 Teasdale, John, 149, 150  
 threshold for screening instruments. *See* cut-off scores for screening instruments  
 TM. *See* Transcendental Meditation
- Toneatto, T., 148, 153  
 toolkits, 32  
 tracking of symptoms by patients, 63–64  
 trainers, exercise, 115, 122–124  
 Transcendental Meditation (TM), 141–142  
   resources for, 162  
   studies on effectiveness of, 149  
 Trivedi, M., 123  
 trophotropic response, 143–144
- untreated depression, results of, 57
- validity, criterion, 48
- Wagner, E.H., 5–6, 25–26  
 Walkers in Darkness, Inc, 182  
 walking, 115–116, 140–141  
 Walsh, R., 138, 139  
 Web-based assessments. *See* Internet-based assessment instruments  
 Web-based therapies. *See* Internet-based therapies  
 weight lifting, 109, 117  
 Whitfield, G., 96  
 Williams, Mark, 149  
 withdrawal, 110  
 workplace productivity, 40
- Yager, J., 60  
 yoga, 141, 152–153  
   Kundalini Yoga, 144–145  
   Shavasana yoga, 152–153  
   Sudarshan Kriya Yoga (SKY), 152–153  
 Yogi, Maharishi Mahesh, 141, 162  
 young people  
   response to self-help therapies, 91  
   side effects of medication on, 31  
 Youngren, Mary Ann. *See Control Your Depression*
- Zeiss, Antonette. *See Control Your Depression*  
 Zung Depression Scale, 52, 60