

Index

- Abies balsamea*, 183, 203
- Abies grandis*, 91
- Acer rubrum*, 76, 203
- Acer saccharum*, 172, 173, 183
- acid rain, 161
- acidification, 9, 21, 224
- acidity, 20, 165
- actinomycetes, 109
- adsorption, 23
- adventitious roots, 92, 222
- aerenchyma, 222
- aerobic conditions, 30
- aggregate formation, 15, 27
- alkalinity, 20
- Alnus glutinosa*, 92, 157
- aluminium, 179
 - activity, 182
- aluminium oxides, 22
- aluminosilicates, 11, 22
- anoxic conditions, 90
- apoplastic, 82
- aquaporins, 83
- aquic, 45
- bacteria, 109
- base cations, 23, 137, 166, 176
- base saturation, 23, 186
- Betula papyrifera*, 152, 153, 156
- Betula pendula*, 76, 83, 84, 93, 158, 183
- biodiversity, 205, 236
- biological dinitrogen fixation, 125
- biotrophic fungi, 57
- bioturbation, 13, 35
- boreal forests, 50, 124, 201, 215
- bryophytes, 205
- buffering stages, 22
- C:N ratio, 27, 114, 128, 151, 157, 200
- canopy interception, 163
- capillary rise, 24
- carbon sink, 227, 234
- carbonate rock, 95
- cation exchange complex, 22, 30, 121, 137, 139, 166
- cation leaching, 137
- cellulose, 110
- chitin, 65
- chronosequence, 41
- clay, 11, 22
- climate change
 - biodiversity, 207
 - decomposition, 141
 - mycorrhiza, 152
- coarse roots, 84, 100
- consumers, 96, 108
- critical load, 197, 209
- cryoclastic weathering, 34
- cryoturbation, 35
- debasification, 36
- decarbonisation, 36
- decomposition, 111, 116, 150, 217
- deforestation, 9
- deposition, 163
- desalinisation, 36
- diagnostic horizons, 44
- discoloration, 17
- drought, 84, 93, 132, 191, 221
- earthworms, 108
- ecosystem services, 232
- ecosystem stability, 213
- elevated CO₂, 105, 143
- eluviation, 7, 39
- energy flow, 5
- equilibrium, 8
- ethene, 17, 92

254 Index

- evapotranspiration, 24, 221, 231
- exudation, 100, 106, 124, 155
- Fagus grandifolia*, 203, 215
- Fagus sylvatica*, 68, 80, 81, 83, 86, 93, 101, 102, 164, 183, 190, 215, 221, 241, 242, 249
- feldspar, 11
- ferralitisation, 34
- fine root turnover, 103
- fine roots, 83, 93, 100, 189, 220
- flooding, 222
- forest liming, 138
- fossil records, 214
- Fraxinus pennsylvanica*, 92
- Free Air Carbon dioxide Enrichment, 145
- glacial refugia, 214
- gley, 55
- gleying, 36
- gross primary productivity, 219
- hardpan, 91
- heavy metals, 162, 171, 183
- herbivory, 98
- histosol, 46, 56, 117
- Holdridge life zones, 220
- Hubbard Brook, 176, 177
- humus, 27, 39, 99, 112
 - acids, 28
 - humification, 28
 - mull and mor, 114
- hydraulic lift, 87
- hydric regime, 18
- hydroaccumulation, 36
- hydrological cycle, 229
- hydrolysis, 54
- hydroturbation, 35
- hyperthermic, 44
- hypoxia, 222
- illimerisation, 36
- illuviation, 7
- inorganic carbon, 95
- interception, 96, 121, 163, 164
- isomorphous replacement, 22
- isotopic measurements, 41, 153, 177, 189
- kaolinite, 22
- leaching, 7
- lead, 172
- lenticel, 92, 222
- lessivation, 53
- lignin, 110
- Liquidambar styraciflua*, 92, 131, 156
- litter, 25, 98, 128
 - acidifying, 26
 - ameliorating, 26
- loam, 13
- Lumbricus terrestris*, 108
- macroaggregate, 13
- macronutrients, 118
- mercury, 173
- methane, 17
- mica, 11
- microaggregate, 13
- micronutrients, 118
- mire, 42
- mycorrhiza, 85, 105, 123
 - acidification, 191
 - Amanita muscaria*, 191
 - arbuscular, 57
 - Cenococcum geophilum*, 62, 71, 73, 74, 75, 90, 191
- Cortinarius*, 61, 67, 68, 70, 75, 76, 89, 207
- Cortinarius rotundisporus*, 67, 68
- distribution, 73
- ectomycorrhiza, 58
- ericoid, 58
- genet, 67
- Hartig net, 59
- Hebeloma cylindrosporum*, 68, 77
- Hygrophorus pustulatus*, 193
- hyphae, 60
- Laccaria amethystina*, 67
- Laccaria laccata*, 62, 77, 193
- Lactarius subdulcis*, 62, 73, 74, 193
- mineral weathering, 135
- mycelial networks, 76, 89, 105
- mycelium, 58, 64
- N uptake, 127
- Paxillus involutus*, 62, 77, 191, 207
- Pisolithus tinctorius*, 77, 191
- rhizomorph, 60
- Rhizopogon vesiculosus*, 67
- Rhizopogon vinicolor*, 67, 70
- Russula ochroleuca*, 191, 193
- Suillus bovinus*, 68, 77
- Suillus brevipes*, 72
- Suillus luteus*, 75, 191
- Suillus pungens*, 67, 68
- Suillus tomentosus*, 70
- Suillus variegatus*, 67, 68, 69, 135
- Telephora terrestris*, 71, 77
- Tricholoma matsutake*, 68
- Tylophilus felleus*, 71
- Tylopoda fibrillosa*, 71
- Xerocomus chrysenteron*, 73, 74
- NITREX, 201
- nitrogen, 195
 - denitrification, 17, 127
 - deposition, 128, 196, 223
 - fixation, 157
 - immobilisation, 127

- leaching, 211
- limitation, 125, 131, 157
- mineralisation, 126
- toxicity, 197
 - use efficiency, 151
- nitrophilic species, 207
- nutrient availability, 119
- nutrient uptake, 122
- open top chambers, 144
- ordination, 43
- organic acids, 135, 141, 172
- organic matter, 25, 28, 42, 168, 228
- oxalate, 135, 170
- paludification, 117, 223
- parent rock, 5, 52
- peat, 56, 116
- pedogenesis, 5
- pedon, 37
- pergelic, 44
- permafrost, 45, 216, 228
- phospholipid fatty acid, 65
- phosphorus
 - apatite, 135
 - deposition, 136
 - inorganic, 134
 - phosphatase, 135
- photosynthesis, 96, 146
- Picea abies*, 71, 75, 91, 101, 102, 104, 164, 179, 180, 182, 183, 186, 187, 200, 202, 209, 221, 241, 242, 243, 244, 248
- Picea rubens*, 183, 190, 203, 209
- Picea sitchensis*, 67, 71, 91, 92, 183, 202, 209
- Pinus banksia*, 71, 72
- Pinus contorta*, 72
- Pinus lambertiana*, 89
- Pinus pinaster*, 68, 91
- Pinus ponderosa*, 87, 88, 89
- Pinus resinosa*, 203, 204
- Pinus strobus*, 152, 153, 172, 173
- Pinus sylvestris*, 13, 67, 68, 69, 73, 75, 76, 83, 101, 102, 171, 183, 189, 190, 200, 202, 209, 241, 251
- Pinus taeda*, 85, 131, 156, 183
- plantation, 9
- podzol, 51, 54, 111, 171, 189
- podzolisation, 36
- polymerase chain reaction, 63
- Populus canadensis*, 92
- Populus tremuloides*, 149, 156, 245
- potassium, 137, 195, 201
- primary production, 98, 100
- priming effect, 153
- pseudogley, 55
- Pseudotsuga menziesii*, 68, 69, 87, 88, 89, 183, 202
- Q_{10} relationship, 132, 219
- quartz, 11
- Quercus coccifera*, 84, 85, 248
- Quercus laurifolia*, 92
- Quercus robur*, 93, 190, 208
- Quercus rubra*, 76, 183, 203
- Quercus velutina*, 203
- ranker, 52
- reforestation, 25, 230
- rendzina, 52
- respiration, 96
- restriction fragment length polymorphism, 64
- Rhizobium*, 126, 157
- rhizodeposition, 104
- rhizosphere, 106, 123
- root mortality, 140, 189, 220
- root respiration, 104
- root-to-shoot ratio, 147
- rubefaction, 34
- salinisation, 37
- salinity, 24
- sand, 11
- saprophytic fungi, 109
- siallitzation, 34
- silt, 11
- soil
 - acidity, 161
 - acquired fertility, 31
 - aggregate, 13, 35
 - buffering capacity, 166
 - classification, 42
 - depth, 40
 - fauna, 107
 - food web, 158
 - formation, 33
 - horizons, 37
 - microorganisms, 151
 - natural fertility, 31
 - particles, 11
 - pH, 21, 111, 165
 - phases, 10, 36
 - porosity, 13
 - respiration, 104, 155
 - textural class, 12
 - texture, 10
 - tortuosity, 16
 - warming, 132
- soil air
 - convection, 15
 - diffusion, 16
- soil water
 - adsorption, 79
 - capillary force, 79
 - dissociation, 21
 - field capacity, 18
 - gravitation potential, 79
 - gravitational, 18
 - hydraulic conductivity, 80
 - matric potential, 79
 - osmotic potential, 79
 - permanent wilting point, 18

256 Index

- | | | |
|-----------------------------|-------------------------------|---|
| soil water (<i>cont.</i>) | subsoil, 39 | tree girdling, 100 |
| plant-available, 18 | succession, 50 | tropical forest, 31 |
| plant-unavailable, 18 | surface runoff, 18 | <i>Tsuga heterophylla</i> , 70, 72, 183 |
| redistribution, 19, 86 | sympastic, 82 | |
| retention, 18 | | <i>Vaccinium myrtillus</i> , 76, 209 |
| table, 19 | technoturbation, 35 | |
| transport, 82 | temperate forests, 50, 56, 93 | waterlogging, 9, 16, 90 |
| water potential, 79 | tetrahedral sheet, 22 | weathering, 3, 7 |
| solid particles, 10 | throughfall, 163 | xeric, 45 |
| solum, 40 | translocation, 110 | xylem, 83 |
| stratification, 7, 32 | transpiration, 97, 230 | |