

Index

Each entry is followed by a roman numeral, which indicates the axis to which that category belongs, and the ICD-10 code for the category.

Page numbers are given in *italics*.

- Abortion I O04, *117*
- Abscess, intracranial and intraspinal I G06, *111*
- Abuse
 - of child, physical III Z61.6, *127*
 - of non-dependence-producing substances I F55, *81*
 - of psychoactive substances F(10–19).1, *46*
- Acalculia, developmental I F81.2, *96*
- Acculturation difficulty III Z60.3, *130*
- Acromegaly I E22.0, *110*
- Acrophobia I F40.2, *63*
- Activity disturbance I F90.0, *100*
- Adjustment disorders I F43.2, *67–8*
- Adolescence, disorders in, *see Individual disorders*
- Aerophagy, psychogenic I F45.3, *72*
- Affectionless psychopathy I F94.2, *105*
- Affective disorder
 - bipolar I F31, *57–8*
 - current episode I F31.0–F31.6
 - hypomanic I F31.0, *57*
 - manic, with psychotic symptoms I F31.2, *58*
 - manic, without psychotic symptoms I F31.1, *57*
 - mild or moderate depression I F31.3, *58*
 - mixed I F31.6, *58*
 - severe depression, with psychotic symptoms I F31.5, *58*
 - severe depression, without psychotic symptoms I F31.4, *58*
 - in remission I F31.7, *58*
 - residual I F(10–19).7, *48*
 - right hemispheric organic I F07.8, *44*
 - see also* Mood disorders
- Affective episode, mixed I F38.0, *62*
- Aggressive disorder, unsocialized I F91.1, *101*
- Agnosia, developmental I F88, *99*
- Agoraphobia I F40.0, *63*
- Alcohol I F10, *45–8*
 - amnesic syndrome and I F10.6, *47*
 - dependence syndrome I F10.2, *46*
 - intoxication, acute I F10.0, *45–6*
 - nervous system degeneration and I G31.2, *112*
 - psychotic disorder and I F10.5, *47*
 - residual and late-onset I F10.7, *47–8*

- Alcohol (*cont.*)
 use of III Z72.1, 133
 harmful use I F10.1, 46
 withdrawal state I F10.3, 46
 with delirium I F10.4, 46–7
- Alcoholic liver disease I K70, 116
- Alcoholism I F10.2, 46
- Alzheimer's disease I G30, 112
 dementia in I F00, 37–8
- Amnesia, dissociative I F44.0, 69
- Amnesic syndrome I F(10–19).6, 47
 organic I F04, 40
- Anaesthesia and sensory loss, dissociative I F44.6, 70
- Anhedonia, sexual I F52.1, 79
- Anorexia I R63.0, 120
- Anorexia nervosa I F50.0, 75
 atypical I F50.1, 75
- Anorgasmic, psychogenic I F52.3, 79
- Antacids, abuse of I F55, 81
- Anthropophobia I F40.1, 63
- Anxiety disorders I F41, 64–5
 dream I F51.5, 78
 episodic paroxysmal anxiety I F41.0, 64
 generalized I F41.1, 64
 mixed anxiety and depressive I F41.2, 65
 mixed I F41.3, 65
 of childhood
 phobic I F93.1, 103
 separation I F93.0, 102–3
 social I F93.2, 103
 organic I F06.4, 42
 phobic I F40, 63–4
- Aphasia
 acquired, with epilepsy I F80.3, 94
 developmental
 expressive type I F80.1, 93
 receptive type I F80.2, 94
 Wernicke's I F80.2, 94
- Aphonia, psychogenic I F44.4, 70
- Appetite, psychogenic loss of I F50.8, 76
- Arithmetical skills, specific disorder of I F81.2, 95–6
- Arteriosclerotic dementia I F01, 38
- Asperger's syndrome I F84.5, 99
- Assault I X85–Y09, 122
 by blunt object I Y00, 122
 by bodily force I Y04, 122
 by handgun discharge I X93, 122
 by neglect and abandonment I Y06, 122
 by sharp object I X99, 122
 sexual I Y05, 122
- Asthenia, neurocirculatory I F45.3, 72
- Asthenic disorder, organic I F06.6, 43

- Asthma I J45, 116
 psychological factors I F54, 80
- Ataxia, hereditary I G11, 111
- Atherosclerosis, cerebral I I67.2, 115
- Attachment disorder of childhood
 disinhibited I F94.2, 104–5
 reactive I F94.1, 104
- Attention deficit disorder
 with hyperactivity I F90.0, 100
 without hyperactivity I F98.8, 108
- Auditory imperception, congenital I F80.2, 94
- Autism
 atypical I F84.1, 97–8
 childhood I F84.0, 97
 infantile I F84.0, 97
- Autistic
 disorder I F84.0, 97
 psychopathy I F84.5, 99
- Avoidant disorder, of childhood or adolescence I F93.2, 103
- Backache, psychogenic I F45.4, 73
- Backward reading I F81.0, 95
- Bad trips (hallucinogen-induced) I F16.0, 46
- Behavioural disorders I F60–F69, 81–91
 associated with puerperium I F53, 80
 associated with sexual development and orientation I F66, 90
 childhood I F91.9, 102
 due to brain disease, damage and dysfunction I F07, 43–4
 family history of III Z81, 133
 psychoactive substance-induced F10–F19, 45–9
 residual I F(10–19).7, 48
 with onset in childhood and adolescence I F90–F98, 99–108
- Behavioural syndromes, associated with
 physiological disturbances and physical factors I F50–F59, 75–82
- Beziehungswahn, sensitiver I F22.0, 52
- Bilirubin metabolism disorders I E80, 111
- Biting
 nails I F98.8, 108
 stereotyped, self-injurious I F98.4, 107
- Body dysmorphic disorder I F45.2, 72
- Bouffée délirante
 with symptoms of schizophrenia I F23.1, 54
 without symptoms of schizophrenia I F23.0, 53
- Brain damage, anoxic I G93.1, 114
- Brain injury
 diffuse I S06.2, 120
 focal I S06.3, 120
- Brain syndrome
 acute or subacute I F05, 41
 chronic alcoholic I F10.7, 48
 organic I F06.9, 43
 post-traumatic I F07.2, 44

- Briquet's disorder I F48.8, 74
Bronchitis, chronic I J42, 116
Bulimia nervosa I F50.2, 76
 atypical I F50.3, 76
Burn-out III Z73.0, 134
- Caffeine, use of I F15, 48
Cannabinoids, use of I F12, 48
Captivity, personality change and I F62.0, 85
Carbohydrate metabolism disorders I E74, 111
Catalepsy, schizophrenic I F20.2, 50
Cataplexy I G47.4, 114
Catastrophic experience, personality change and I F62.0, 85
Catatonic
 disorder, organic I F06.1, 42
 schizophrenia I F20.2, 50
Cerebral
 infarction I I63, 115
 lipidosis, dementia in I F02.8, 39
 oedema, traumatic I S06.1, 120
Cerebrospinal fluid
 abnormal findings I R83, 120
 leakage from spinal puncture I G97.0, 114
Cerebrovascular disorders II I60–I69, 115
Character disorder I F68.8, 91
Childhood, disorders in, *see Individual disorders*
Childhood, negative events in III Z61–Z62, 127–8
 alleged physical abuse III Z61.6, 127
 emotional neglect III Z62.4, 128
 frightening experience III Z61.7, 127
 inadequate parental supervision and control III Z62.0, 127
 institutional upbringing III Z62.2, 128
 loss of love relationship III Z61.0, 127
 loss of self-esteem III Z61.3, 127
 parental overprotection III Z62.1, 128
 removal from home III Z61.1, 127
 see also Family
Chromosomal abnormalities I Q90–Q99, 118–19
Circadian rhythm, psychogenic inversion of I F51.2, 77
Circulatory system diseases I I00–I99, 115
Claustrophobia I F40.2, 63
Clumsy child syndrome I F82, 96
Cluttering I F98.6, 108
Cocaine, use of I F14, 48
Cognitive disorder, mild I F06.7, 43
Colitis
 mucous I F54, 80
 ulcerative I F54, 80
Coma
 hypoglycaemic, nondiabetic I E15, 110
 myxoedema I E03.5, 110
 prolonged I S06.7, 120

- Compulsive acts I F42.1, 66
Concentration camp experience, personality change and I F62.0, 85
Concussion I S06.0, 120
Conduct disorders I F91, 100-2
 childhood I F91.9, 102
 confined to family context I F91.0, 101
 depressive I F92.0, 102
 emotional disorder and I F92.8, 102
 group type I F91.2, 101
 hyperkinetic I F90.1, 100
 mixed I F92, 102
 neurotic disorder and I F92.8, 102
 socialized I F91.2, 101
 solitary aggressive type I F91.1, 101
 unsocialized I F91.1, 101
Confusion, psychogenic I F44.8, 71
Confusional state (nonalcoholic) I F05, 41
Conversion disorders, *see* Dissociative disorders
Conviction, problems related to III Z65.0, 132
Convulsions I R56, 119
 dissociative I F44.5, 70
Coordination disorder, developmental I F82, 96
Coprolalia I F95, 105
Copropraxia I F95.2, 105
Cough, psychogenic I F45.3, 72
Counsellors, discord with III Z64.6, 132
Creutzfeldt–Jakob disease I A81.0, 109
 dementia in I F02.1, 39
Crime, victims of III Z65.4, 132
Crisis state I F43.0, 67
Culture shock I F43.2, 68
Cushing's syndrome I E24, 110
Cyclothymia I F34.0, 61-2
- Da Costa's syndrome I F45.3, 72
de la Tourette's syndrome I F95.2, 105
Deafness, psychogenic I F44.6, 70
Defiant disorder, oppositional I F91.3, 101
Deformations, congenital I Q00–Q89, 118–19
Delinquency, group I F91.2, 101
Delirium, not induced by alcohol and other
 psychoactive substances I F05, 41
 mixed origin I F05.8, 41
 not superimposed on dementia I F05.0, 41
 superimposed on dementia I F05.1, 41
Delirium tremens I F10.4, 47
Delusional disorder I F22.0 52–53
 acute psychotic I F23.3, 54
 induced I F24, 54–5
 organic I F06.2, 42
 persistent I F22, 52–3
Dementia I F00–F03, 37–40

- Dementia (*cont.*)
in Alzheimer's disease I F00, 37–8
atypical I F00.2, 38
early onset I F00.0, 37
late onset I F00.1, 38
in other diseases I F02, 39–40
Creutzfeldt–Jakob disease I F02.1, 39
HIV disease I F02.4, I B22.0, 39, 109
Huntington's disease I F02.2, 39
Parkinson's disease I F02.3, 39
Pick's disease I F02.0, 39
infantilis I F84.3, 98
psychoactive substance-induced I F(10–19).7, 48
superimposed delirium I F05.1, 41
vascular I F01, 38
acute onset I F01.0, 38
mixed cortical and subcortical I F01.3, 38
multi-infarct I F01.1, 38
subcortical I F01.2, 38
Dependence syndrome I F(10–19).2, 46
Depersonalization–derealization syndrome I F48.1, 74
Depression
agitated I F32.2, 59
anxiety I F41.2, 65
persistent I F34.1, 62
atypical I F32.8, 60
endogenous
with psychotic symptoms I F33.3, 61
without psychotic symptoms I F33.2, 61
in bipolar affective disorder
mild or moderate I F31.3, 58
severe
with psychotic symptoms I F31.5, 58
without psychotic symptoms I F31.4, 58
major, recurrent
with psychotic symptoms I F33.3, 61
without psychotic symptoms I F33.2, 61
major, single episode
with psychotic symptoms I F32.3, 60
without psychotic symptoms I F32.2, 59
masked I F32.8, 60
monopolar I F33.9, 61
neurotic I F34.1, 62
post-schizophrenic I F20.4, 51
postnatal I F53.0, 80
postpartum I F53.0, 80
psychogenic
recurrent I F33, 60
single episode I F32, 59
psychotic
recurrent I F33.3, 61
single episode I F32.3, 60

- reactive
 - recurrent I F33, 60
 - single episode I F32, 59
- vital
 - recurrent, without psychotic symptoms I F33.2, 61
 - single episode I F32.2, 59
- Depressive disorder
 - conduct disorder and I F92.0, 102
 - mixed I F41.2, 65
 - recurrent I F33, 60–1
 - current episode
 - mild I F33.0, 60
 - moderate I F33.1, 60
 - severe, with psychotic symptoms I F33.3, 61
 - severe, without psychotic symptoms I F33.2, 61
 - in remission I F33.4, 61
 - seasonal I F33, 60
 - Depressive episode I F32, 58–60
 - brief, recurrent I F38.1, 62
 - mild I F32.0, 59
 - moderate I F32.1, 59
 - severe, with psychotic symptoms I F32.3, 59–60
 - severe, without psychotic symptoms I F32.2, 59
- Dermatitis
 - atopic I L20, 116
 - factitial I L98.1, 117
 - psychological factors I F54, 80
- Developmental disorders
 - language I F80, 93–5
 - expressive language disorder I F80.1, 93–4
 - receptive language disorder I F80.2, 94
 - mixed, specific I F83, 97
 - motor function I F82, 96–7
 - pervasive I F84, 97
 - phonological I F80.0, 93
 - physiological I R62, 119
 - psychological I F80–F89, 92–9
 - psychosexual I F66, 90
 - scholastic skills I F81, 95–6
 - mixed I F81.3, 96
 - speech I F80, 93–5
 - articulation disorder I F80.0, 93
- Dhat syndrome I F48.8, 74
- Diarrhoea, psychogenic I F45.3, 72
- Diet, inappropriate III Z72.4, 133
- Digestive system diseases I K00–K93, 116
- Dipsomania I F10.2, 46
- Disasters
 - exposure to III Z65.5, 132
 - personality change and I F62.0, 85
- Discrimination III Z60.5, 130
- Disintegrative disorder, childhood I F84.3, 98
- Disorders *see Individual disorders*

- Dissociative disorders I F44, 68–71
 motor I F44.4, 70
 organic I F06.5, 42–3
- Dorsalgia I M54, 117
- Down's syndrome I Q90, 118
- Dream anxiety disorder I F51.5, 78
- Drugs
 addiction I F(11–16).2, 46
 causing adverse effects in therapeutic use I Y40–Y59, 122–3
 use of III Z72.2, 133
 see also Psychoactive substance use
- Drunkenness I F10.0, 46
- Duodenal ulcer I K26, 116
- Duodenitis I K29, 116
- Dyskinesia I G24, 112
- Dyslalia I F80.0, 93
- Dyslexia, developmental I F81.0, 95
- Dysmenorrhoea
 primary I N94.4, 117
 psychogenic I F45.8, 73
 secondary I N94.5, 117
 unspecified I N94.6, 117
- Dysmorphobia I F45.2, 72
 delusional I F22.8, 53
- Dyspareunia, nonorganic I F52.6, 79
- Dyspepsia I K30, 116
 psychogenic I F45.3, 72
- Dysphagia, psychogenic I F45.8, 73
- Dysphasia, developmental
 expressive type I F80.1, 93
 receptive type I F80.2, 94
- Dysphonia
 psychogenic I F44.4, 70
- Dyspraxia, developmental I F82, 96
- Dysthymia I F34.1, 62
- Dystonia I G24, 112
- Dysuria, psychogenic I F45.3, 72
- Eating disorders I F50, 75–6
- Eating habits, inappropriate III Z72.4, 133
- Economic circumstances, problems related to III Z59, 130–1
 extreme poverty III Z59.5, 131
 insufficient income to cover daily needs III Z59.6, 131
 insufficient social insurance and welfare support III Z59.7, 131
- Education, problems related to III Z55, 128
 educational maladjustment III Z55.4, 128
 failed examinations III Z55.2, 128
 schooling unavailable or unattainable III Z55.1, 128
 underachievement III Z55.3, 128
- Edward's syndrome I Q91, 119
- Ejaculation, premature I F52.4, 79
- Elective mutism I F94.0, 104

- Emotional disorders I F60–F69
conduct disorder and I F92.8, 102
emotionally labile disorder, organic I F06.6, 43
mixed I F92, 102
with onset in childhood and adolescence I F90–F98, 99–108
with onset specific to childhood I F93, 102–3
- Emphysema I J43, 116
- Employment, problems related to III Z56, 131
change of job III Z56.1, 131
discord with boss and workmates III Z56.4, 131
occupational exposure to risk factors III Z57, 131
stressful work schedule III Z56.3, 131
threat of job loss III Z56.2, 131
uncongenial work III Z56.5, 131
unemployment III Z56.0, 131
- Encephalitis I G04, 111
- Encephalomyelitis I G04, 111
- Encephalopathy
hypertensive I I67.4, 115
toxic I G92, 114
unspecified I G93.4, 114
Wernicke's I E51.2, 111
- Encopresis, nonorganic I F98.1, 106–7
functional I F98.1, 107
psychogenic I F98.1, 107
- Enuresis, noorganic I F98.0, 106
functional I F98.0, 106
psychogenic I F98.0, 106
- Epidural haemorrhage I S06.4, 120
- Epilepsy I G40, 113
dementia in I F02.8, 39
schizophrenia-like psychosis in I F06.2, 42
with acquired aphasia I F80.3, 94
- Erectile disorder, male I F52.2, 79
- Examinations, failed III Z55.2, 128
- Exhibitionism I F65.2, 89
- Explosive disorder, intermittent I F63.8, 87
- Expressive writing disorder, developmental I F81.3, 96
- Extradural haemorrhage I I62.1, 115
- Eye-poking, stereotyped, self-injurious I F98.4, 107
- Face-slapping, stereotyped, self-injurious I F98.4, 107
- Factitious disorder I F68.1, 91
- Family history
of mental or behavioural disorders III Z81, 133
of physical disabilities and chronic physical illnesses III Z82, 133
- Family, problems related to III Z63, 129
absence of family member III Z63.3, 129
atypical parenting situation III Z60.1, 129
dependent relative needing care at home III Z63.6, 129
disappearance or death of family member III Z63.4, 129
disruption of family by separation or divorce III Z63.5, 129
inadequate family support III Z63.2, 129

- Family, problems related to (*cont.*)
 parents or in-laws III Z63.1, 129
 spouse or partner III Z63.0, 129
- Fatigue
 combat I F43.0, 67
 syndrome I F48.0, 74
 postviral I G93.3, 114
- Feeble-mindedness I F70, 92
- Feeding disorder, of infancy and childhood I F98.2, 107
- Fetishism I F65.0, 88–9
 transvestic I F65.1, 89
- Fire-setting, pathological I F63.1, 87
- Flashbacks I F(10–19).7, 48
- Flatulence, psychogenic I F45.3, 72
- Flexibilitas cerea, schizophrenic I F20.2, 50
- Folie à deux I F24, 55
- Folk remedies, abuse of I F55, 81
- Frightening experience, in childhood III Z61.7, 127
- Frigidity I F52.0, 78
- Frontal lobe syndrome I F07.0, 44
- Frotteurism I F65.8, 90
- Fugue, dissociative I F44.1, 69
- Gambling, pathological I F63.0, 86
- Gang membership, offences in context of I F91.2, 101
- Ganser's syndrome I F44.8, 70
- Gastric ulcer I K25, 116
 psychological factors I F54, 80
- Gastritis I K29, 116
- Gender identity disorders I F64, 88
 of childhood I F64.2, 88
- Genital response, failure of I F52.2, 79
- Genitourinary system diseases I N00–N99, 117
- Gerstmann's syndrome I F81.2, 96
- Glaucoma I H40, 114
- Globus hystericus I F45.8, 73
- Granuloma, intracranial and intraspinal I G06, 111
- Habit disorders I F63, 86–8
- Haemorrhage
 epidural I S06.4, 120
 extradural I I62.1, 115
 intracerebral I I61, 115
 subarachnoid I I60, 115
 traumatic I S06, 120
 subdural I I62.0, 115
 traumatic I S06.5, 120
- Hallucinogens, use of I F16, 48
- Hallucinosis
 alcoholic I F10.5, 47
 organic I F06.0, 41–2
- Head-banging, stereotyped, self-injurious I F98.4, 107

- Headache I G44, 113
 psychogenic I F45.4, 73
- Hebephrenia I F20.1, 50
- Heller's syndrome I F84.3, 98
- Hepatolenticular degeneration, dementia in I F02.8, 39
- Herbal remedies, abuse of I F55, 81
- Hiccough, psychogenic I F45.3, 72
- Home, removal from in childhood III Z61.1, 127
- Hormones, abuse of I F55, 81
- Hospital hopper syndrome I F68.1, 91
- Hospitalism, in children I F43.2, 68
- Housing, problems related to III Z59, 130–1
 discord with neighbours, lodgers or landlords III Z59.2, 130
 homelessness III Z59.0, 130
 inadequate housing or residential institution III Z59.1, 130
 problems related to living in residential institution III Z59.3, 130
- Human immunodeficiency virus (HIV) disease
 dementia in I F02.4, 39
 resulting in other specified diseases I B22, 109
- Huntington's disease I G10, 111
 dementia in I F02.2, 39
- Hydrocephalus I G91, 114
 congenital I Q03, 118
- Hypercalcaemia, dementia in I F02.8, 39
- Hyperkinetic disorders I F90, 99–100
- Hyperorexia nervosa I F50.2, 76
- Hyperprolactinaemia I E22.1, 110
- Hypersomnia, nonorganic I F51.1, 77
- Hypertension, essential II 10, 115
- Hyperthyroidism I E05, 110
- Hyperventilation, psychogenic I F45.3, 72
- Hypnotics, use of I F13, 48
- Hypochondriacal
 disorder I F45.2, 72
 neurosis I F45.2, 72
- Hypochondriasis I F45.2, 72
- Hypoglycaemic coma, nondiabetic I E15, 110
- Hypomania I F30.0, 56
- Hypotension II 95, 115
- Hypothyroidism I E03, 110
 acquired, dementia in I F02.8, 40
 due to medicaments and other exogenous substances I E03.2, 110
 subclinical iodine-deficiency I E02, 110
- Hysteria I F44, 69
 anxiety I F41.8, 65
 conversion I F44, 69
- Identity disorder I F93.8, 103
- Illiteracy III Z55.0, 128
- Impotence
 organic origin I N48.4, 117
 psychogenic I F52.2, 79

- Imprisonment, problems related to III Z65.1, 132
Impulse disorders I F63, 86–8
Incontinence, nonorganic I F98.0, 106
 of faeces I F98.1, 107
Influenza I J10, 115–16
Insomnia, nonorganic I F51.0, 77
Institutional upbringing III Z62.2, 128
Institutionalism syndrome I F94.2, 105
Intoxication
 acute I F(10–19).0, 45–6
 dementia in I F02.8, 40
Intracerebral haemorrhage I I61, 115
Intracranial injury I S06, 120
Iodine-deficiency syndrome
 congenital I D00, 110
 related thyroid disorders and allied conditions I E01, 110
 subclinical hypothyroidism I E02, 110
Irritable bowel syndrome I K58, 116
 psychogenic I F45.3, 73
Ischaemic attacks, transient cerebral I G45, 114
- Jealousy
 alcoholic I F10.5, 47
 sibling I F93.3, 103
Job, *see* Employment
- Kanner's syndrome I F84.0, 97
Kleptomania I F63.2, 87
Klinefelter's syndrome I Q98.0–Q98.4, 119
Knowledge acquisition disability I F81.9, 96
Korsakov's syndrome
 nonalcoholic I F04, 40
 psychoactive substance-induced I F(10–19).6, 47
- Lalling I F80.0, 93
Landau–Kleffner disorder I F80.3, 94
Language disorders
 developmental I F80, 93–5
 expressive I F80.1, 93–4
 receptive I F80.2, 94
Laxative habit I F55, 81
Learning disorder I F81.9, 96
Legal circumstances, problems related to III Z65, 132
Leisure, lack of III Z73.2, 134
Leukoencephalopathy, progressive
 multifocal I A81.2, 109
 vascular I I67.3, 115
Lifestyle, problems related to III Z72, 133–4
Limbic epilepsy personality syndrome I F07.0, 44
Lisping I F80.8, 94
Literacy, problems related to III Z55, 128
 illiteracy III Z55.0, 128

- Liver disease
alcoholic I K70, 116
toxic I K71, 116
- Living alone III Z60.2, 130
- Lobotomy syndrome I F07.0, 44
- Love relationship, loss of in childhood III Z61.0, 127
- Lupus erythematosus, systemic I M32, 117
dementia in I F02.8, 40
- Malformations, congenital I Q00-Q89, 118-19
- Malignant neuroleptic syndrome I G21.0, 111
- Maltreatment syndromes I Y07, 122
- Mania
with psychotic symptoms I F30.2, 57
without psychotic symptoms I F30.1, 56-7
- Manic episode I F30, 56-7
recurrent I F31.9, 58
- Maple-syrup-urine disease I E71.0, 111
- Masochism I F65.5, 89
- Masturbation, excessive I F98.8, 108
- Maternal care for known or suspected fetal
abnormality and damage I O35, 117-18
- Maternal diseases I O00-O99, 117-18
- Maturation disorder, sexual I F66.0, 90
- Meningitis
bacterial I G00, 111
due to other and unspecified causes I G03, 111
in other infectious and parasitic diseases I G02, 111
- Menopausal disorders I N95, 117
- Menstruation disorders I N91-N94, 117
- Mental disorders
associated with puerperium I F53, 80
due to brain damage and dysfunction I F06-F09, 41-5
due to physical disease I F06-F09, 41-5
family history of III Z81, 133
psychoactive substance-induced F10-F19, 45-9
unspecified I F99, 108
see also Delirium; Dementia; Individual disorders
- Mental retardation, *see Retardation*
- Microcephaly I Q02, 118
- Micturition, increased frequency, psychogenic I F45.3, 72
- Migraine I G43, 113
- Mild cognitive disorder I F06.7, 43
- Mood disorders I F30-F39, 56-62
organic I F06.3, 42
persistent I F34, 61-2
see also Individual disorders
- Motor disorders, dissociative I F44.4, 70
- Motor function, specific developmental disorder I F82, 96-7
- Mucous colitis, psychological factors I F54, 80
- Multi-infarct dementia I F01.1, 38
- Multiparity, problems related to III Z64.1, 132
- Multiple personality I F44.8, 70

- Multiple sclerosis I G35, 113
 dementia in I F02.8, 40
- Münchhausen's syndrome I F68.1, 91
- Mutism
 elective I F94.0, 104
 selective I F94.0, 104
- Myalgic encephomyelitis, benign I G93.3, 114
- Myasthenia gravis I G70, 114
- Myelitis I G04, 111
- Myxoedema coma I E03.5, 110
- Narcolepsy I G47.4, 114
- Nail-biting I F98.8, 108
- Necrophilia I F65.8, 90
- Neglect, emotional, of child III Z62.4, 128
- Neoplasms, central nervous system, 109–10
 benign D33, 109
 malignant I C70–C72, 109
 of uncertain and unknown behaviour I D42–D43, 110
- Nervous system, diseases of G00–G99, 111–14
 degenerative I G31, 112–13
 demyelinating I G35–G37, 113
- Neurasthenia I F48.0, 74
- Neurosis
 anankastic I F42, 65
 anxiety I F41.1, 64
 cardiac I F45.3, 72
 character I F60.9, 84
 compensation I F68.0, 90
 depressive I F34.1, 62
 gastric I F45.3, 72
 hypochondriacal I F45.2, 72
 obsessive-compulsive I F42, 65
 occupational I F48.8, 74
 psychasthenic I F48.8, 75
 social I F40.1, 63
 traumatic I F43.1, 67
- Neurosphilis
 dementia in I F02.8, 40
 late congenital I A50.4, 109
 symptomatic I A52.1, 109
- Neurotic disorders I F48, 74–5
 conduct disorder and I F92.8, 102
- Niacin deficiency, dementia in I F02.8, 40
- Night terrors I F51.4, 78
- Nightmares I F51.5, 78
- Nose-picking I F98.8, 108
- Nosophobia I F45.2, 72
- Nutritional deficiencies
 iodine, *see* Iodine-deficiency syndrome
 niacin, dementia in I F02.8, 40
 sequelae of I E64, 111

- thiamine I E51, 111
vitamin B12, dementia in I F02.8, 40
- Nyctohemeral rhythm, psychogenic inversion of I F51.2, 77
- Nymphomania I F52.7, 79
- Obesity I E66, 111
- Obsessive-compulsive disorder I F42, 65–6
- Oneirophrenia I F23.2, 54
- Opioids, use of I F11, 48
- Oppositional defiant disorder I F91.3, 101
- Organic reaction, acute or subacute I F05, 41
- Orgasm, inhibited I F52.3, 79
- Orgasmic dysfunction I F52.3, 79
- Overactive disorder, associated with mental retardation and stereotyped movements I F84.4, 98–9
- Overanxious disorder I F93.8, 103
- Overeating, associated with other psychological disturbances I F50.4, 76
- Paedophilia I F65.4, 89
- Pain disorder, persistent somatoform I F45.4, 73
- Palilalia I F95, 105
- Pancreatic diseases I K86, 116
- Panic disorder I F41.0, 64
with agoraphobia I F40.0, 63
- Paralysis agitans, dementia in I F02.3, 39
- Paranoia I F22.0, 52
alcoholic I F10.5, 47
querulans I F22.8, 53
- Paranoid
disorder, induced I F24, 55
personality disorder I F60.0, 82
psychosis I F22.0, 52
reaction I F23.3, 54
schizophrenia I F20.0, 50
state
involutorial I F22.8, 53
organic I F06.2, 42
- Paraphilias I F65, 88
- Paraphrenia, late I F22.0, 52
- Parental
overprotection III Z62.1, 128
supervision, inadequate III Z62.0, 127
- Parkinsonism
dementia in I F02.3, 39
secondary I G21, 111–12
- Parkinson's disease I G20, 111
dementia in I F02.3, 39
- Patau's syndrome I Q91, 119
- Pellagra, dementia in I F02.8, 40
- Penis disorders I N48, 117
- Peptic ulcer I K27, 116
- Peregrinating patient I F68.1, 91

- Persecution III Z60.5, 130
- Personality
- changes, not attributable to brain damage and disease I F62, 85–6
 - after catastrophic experience I F62.0, 85–6
 - after psychiatric illness I F62.1, 86
 - cycloid I F34.0, 62
 - cyclothymic I F34.0, 62
 - multiple I F44.8, 70
 - pathological I F60.9, 84
 - pseudopsychopathic I F07.0, 44
 - pseudoretarded I F07.0, 44
 - traits, accentuation of III Z73.1, 134
- Personality disorders I F60–F69, 81–91
- affective I F34.0, 62
 - aggressive I F60.3, 83
 - amoral I F60.2, 83
 - anankastic I F60.5, 84
 - antisocial I F60.2, 83
 - anxious I F60.6, 84
 - asocial I F60.2, 83
 - asthenic I F60.7, 84
 - avoidant I F60.6, 84
 - borderline I F60.3, 83
 - chronic pain personality syndrome I F62.8, 86
 - compulsive I F60.5, 84
 - dependent I F60.7, 84
 - depressive I F34.1, 62
 - dissocial I F60.2, 83
 - due to brain disease, damage and dysfunction I F07, 43–4
 - eccentric I F60.8, 84
 - emotionally unstable I F60.3, 83
 - explosive I F60.3, 83
 - fanatic I F60.0, 82
 - harmless type I F60.8, 84
 - histrionic I F60.4, 83
 - hysterical I F60.4, 83
 - immature I F60.8, 84
 - inadequate I F60.7, 84
 - mixed I F61, 85
 - narcissistic I F60.8, 84
 - obsessional I F60.5, 84
 - obsessive-compulsive I F60.5, 84
 - organic I F07.0, 44
 - paranoid I F60.0, 82
 - passive I F60.7, 84
 - passive-aggressive I F60.8, 84
 - psychoinfantile I F60.4, 83
 - psychoneurotic I F60.8, 84
 - psychopathic I F60.2, 83
 - querulant I F60.0, 82
 - residual I F(10–19).7, 48
 - schizoid I F60.1, 82

- schizotypal I F21, 52
- self-defeating I F60.7, 84
- sociopathic I F60.2, 83
- specific I F60, 82–4
- Phakomatoses I Q85, 118
- Phenylketonuria I E70.0, 111
- Phobias I F40 63–64
 - acrophobia I F40.2, 63
 - agoraphobia I F40.0, 63
 - animal I F40.2, 63
 - anthropophobia I F40.1, 63
 - claustrophobia I F40.2, 63
 - nosophobia I F45.2, 72
 - simple I F40.2, 63
 - social I F40.1, 63
- Phobic anxiety disorders I F40, 63–4
 - of childhood I F93.1, 103
- Physical abuse, of child III Z61.6, 127
- Physical environment, problems related to III Z57–Z58, 131–2
- Physical exercise, lack of III Z72.3, 133
- Physical symptoms, elaboration of F68.0, 90
- Physiological dysfunction, psychogenic I F59, 81
- Pica I F50.8, 76
 - of infancy and childhood I F98.3, 107
- Pick's disease I G31.0, 112
 - dementia in I F02.0, 39
- Pituitary gland
 - hyperfunction of I E22, 110
 - hypofunction and other disorders of I E23, 110
- Polyarteritis nodosa, dementia in I F02.8, 40
- Polydipsia I R63.1, 120
- Porphyrin metabolism disorders I E80, 111
- Possession disorders I F44.3, 70
- Postconcussion syndrome I F07.2, 44
- Postcontusional syndrome I F07.2, 44
- Postencephalitic syndrome I F07.1, 44
- Posthallucinogen perception disorder I F16.7, 48
- Postleucotomy syndrome I F07.0, 44
- Postnatal depression I F53.0, 80
- Postpartum depression I F53.0, 80
- Postviral fatigue syndrome I G93.3, 114
- Poverty, extreme III Z59.5, 131
- Pregnancy I O00–O99, 117–18
 - unwanted III Z64.0, 132
- Premenstrual tension syndrome I N94.3, 117
- Presenile dementia I F00.0, 37
 - unspecified I F03, 40
- Priapism I N48.3, 117
- Primary support group, *see* Family
- Probation officers, discord with III Z64.6, 132
- Progressive multifocal leukoencephalopathy I A81.2, 109
- Progressive vascular leukoencephalopathy I I67.3, 115

- Pruritus, psychogenic I F45.8, 73
Psychalgia I F45.4, 73
Psychasthenia I F48.8, 75
Psycho-organic syndrome I F05, 41
Psychoactive substance use I F10–19, 45–9
 acute intoxication I F(10–19).0, 45–6
 amnestic syndrome and I F(10–19).6, 47
 dependence syndrome I F(10–19).2, 46
 findings of in blood I R78, 120
 harmful use I F(10–19).1, 46
 psychotic disorder and I F(10–19).5, 47
 residual and late-onset I F(10–19).7, 47–8
 withdrawal state I F(10–19).3, 46
 with delirium I F(10–19).4, 46–7
- Psychopathy
 affectionless I F94.2, 105
 autistic I F84.5, 99
- Psychosis
 affective I F39, 62
 childhood, atypical I F84.1, 98
 cycloid
 with symptoms of schizophrenia I F23.1, 54
 without symptoms of schizophrenia I F23.0, 53
 depressive, psychogenic I F32.3, 60
 recurrent I F33.3, 61
 depressive, reactive I F32.3, 60
 recurrent I F33.3, 61
 disintegrative I F84.3, 98
 hallucinatory, chronic I F28, 56
 hysterical I F44, 69
 infantile I F84.0, 97
 infective I F05, 41
 Korsakov's
 nonalcoholic I F04, 40
 psychoactive substance-induced I F(10–19).6, 47
 manic-depressive I F31, 57
 depressed type
 with psychotic symptoms I F33.3, 61
 without psychotic symptoms I F33.2, 61
 mixed schizophrenic and affective I F25.2, 55
 organic I F09, 45
 paranoid I F22.0, 52
 psychogenic I F23.3, 54
 puerperal I F53.1, 80
 reactive I F23.9, 54
 schizoaffective I F25, 55
 depressive type I F25.1, 55
 manic type I F25.0, 55
 schizophrenia-like, in epilepsy I F06.2, 42
 schizophreniform I F20.8, 51
 brief I F23.2, 54
 depressive type I F25.1, 55

- manic type I F25.0, 55
- symbiotic I F84.3, 98
- symptomatic I F09, 45
- unspecified nonorganic I F29, 56
 - see also* Psychotic disorders
- Psychosomatic disorder
 - multiple I F45.0, 71
 - somatiform I F45.9, 73
 - undifferentiated I F45.1, 71
- Psychosyndrome, organic I F07.9, 44
- Psychotic disorders
 - acute and transient I F23, 53–4
 - acute polymorphic
 - with symptoms of schizophrenia I F23.1, 53–4
 - without symptoms of schizophrenia I F23.0, 53
 - acute predominantly delusional I F23.3, 54
 - acute schizophrenia-like I F23.2, 54
 - induced I F24, 55
 - nonorganic I F28, 56
 - psychoactive substances and I F(10–19).5, 47
 - see also* Psychosis
- Puberty
 - delayed I E30.0, 110
 - disorders of I E30, 110
 - precocious I E30.1, 110
- Puerperium
 - associated mental disorders I F53, 80
 - maternal diseases and O99, 118
- Pylorospasm, psychogenic I F45.3, 73
- Pyromania I F63.1, 87
- Reaction
 - anxiety I F41.1, 64
 - conversion I F44, 69
 - crisis I F43.0, 67
 - depressive I F32, 59
 - recurrent I F33, 60
 - grief I F43.2, 68
 - hyperkinetic, of childhood or adolescence I F90.9, 100
 - manic-depressive I F31, 57
 - organic, acute or subacute I F05, 41
 - paranoid I F23.3, 54
 - schizophrenic I F23.2, 54
 - stress, *see* Stress reaction
- Reading disorder, specific I F81.0, 95
- Relationship disorder I F68.8, 91
- Relaxation, lack of III Z73.2, 134
- Respiratory system diseases I J00–J99, 115–16
- Restzustand, schizophrenic I F20.5, 51
- Retardation
 - mental I F70–F79, 91–2
 - mild I F70, 92

- Retardation (*cont.*)
 moderate I F71, 92
 overactive disorder and I F84.4, 98–9
 profound I F73, 92
 severe I F72, 92
 with autistic features I F84.1, 98
 reading, specific I F81.0, 95
 spelling, specific I F81.1, 95
Rett's syndrome I F84.2, 98
Risk factors, occupational exposure to III Z57, 131
Rituals, obsessional I F42.1, 66
Rumination disorder, of infancy I F98.2, 107
Ruminations, obsessional I F42.0, 65–6
- Sadism I F65.5, 89
Sadomasochism I F65.5, 89
Satyriasis I F52.7, 79
Schizoaffective disorders F25, 55
 depressive type I F25.1, 55
 manic type I F25.0, 55
 mixed type I F25.2, 55
Schizoid
 disorder of childhood I F84.5, 99
 personality disorder I F60.1, 82
Schizophrenia I F20, 49–51
 acute, undifferentiated I F23.2, 54
 atypical I F20.3, 50
 borderline I F21, 52
 catatonic I F20.2, 50
 cenesthopathic I F20.8, 51
 chronic undifferentiated I F20.5, 51
 cyclic I F25.2, 55
 disorganized I F20.1, 50
 hebephrenic I F20.1, 50
 latent I F21, 52
 paranoid I F20.0, 50
 paraphrenic I F20.0, 50
 prepsychotic I F21, 52
 prodromal I F21, 52
 pseudoneurotic I F21, 52
 pseudopsychopathic I F21, 52
 residual I F20.5, 51
 simple I F20.6, 51
 symptoms of, acute polymorphic psychotic disorder and I F23.1, 53–4
 undifferentiated I F20.3, 50
Schizophrenia-like disorder
 acute psychotic I F23.2, 54
 organic I F06.2, 42
Schizophrenic reaction I F23.2, 54
Schizophreniform
 disorder I F20, 51
 brief I F23.2, 54
 psychosis I F20.8, 51

- brief I F23.2, 54
- depressive type I F25.1, 55
- manic type I F25.0, 55
- Schizotypal disorder I F21, 51–2
- Scholastic skills, developmental disorders of I F81, 95–6
 - mixed I F81.3, 96
- Schooling, *see* Education
- Seasonal depressive disorder I F33, 60
- Sedatives, use of I F13, 48
- Selective mutism I F94.0, 104
- Self-esteem, loss of in childhood III Z61.3, 127
- Self-harm, intentional I X60–X84, 120–2
 - blunt objects I X79, 122
 - crashing of motor vehicles I X82, 122
 - drowning and submersion I X71, 121
 - explosive material I X75, 122
 - fire and flames I X76, 122
 - firearm discharge I X72–X74, 121–2
 - hanging, strangulation and suffocation I X70, 121
 - jumping from high places I X80, 122
 - jumping or lying before moving objects I X81, 122
 - poisoning I X60–X69, 121
 - sharp objects I X78, 122
 - steam, hot vapours and hot objects I X77, 122
- Senile dementia I F00.0, 38
 - unspecified I F03, 40
- Separation anxiety disorder of childhood I F93.0, 102–3
- Sexual
 - arousal disorder, female I F52.2, 79
 - assault I Y05, 122
 - aversion I F52.1, 79
 - behaviour, high risk III Z72.5, 133
 - desire, lack or loss of I F52.0, 78
 - deviation I F65.9, 90
 - drive, excessive I F52.7, 79
 - dysfunction, not caused by organic disorder or disease I F52, 78–80
 - enjoyment, lack of I F52.1, 79
 - maturity disorder I F66.0, 90
 - orientation, egodystonic I F66.1, 90
 - preference disorders I F65, 88–90
 - multiple I F65.6, 89
 - relationship disorder I F66.2, 90
- Shock
 - culture I F43.2, 68
 - psychic I F43.0, 67
- Sibling rivalry disorder I F93.3, 103
- Skin and subcutaneous tissue diseases I L00–L99, 116–17
- Sleep
 - apnoea I G47.3, 114
 - disorders I G47, 114
 - emotional I F51.9, 78
 - nonorganic I F51, 77

- Sleep (*cont.*)
 rhythm, psychogenic inversion of I F51.2, 77
 terrors I F51.4, 78
- Sleep–wake schedule, disorders of I G47.2, 114
 nonorganic I F51.2, 77
- Sleepwalking I F51.3, 78
- Social anxiety disorder of childhood I F93.2, 103
- Social environment, problems related to III Z60, 130
 acculturation difficulty III Z60.3, 130
 living alone III Z60.0, 130
 social exclusion and rejection III Z60.4, 130
 target of perceived adverse discrimination and persecution III Z60.5, 130
- Social functioning disorders I F94, 103–5
- Social role conflict III Z73.5, 134
- Social skills, inadequate III Z73.4, 134
- Social workers, discord with III Z64.6, 132
- Solvents, use of I F18, 48
- Somatization disorder I F45.0, 71
- Somatoform disorders I F45, 71–3
 autonomic dysfunction I F45.3, 72–3
 persistent pain disorder I F45.4, 73
 undifferentiated I F45.1, 71
- Somnambulism I F51.3, 78
- Speech
 articulation disorder I F80.0, 93
 cluttering I F98.6, 108
 developmental disorders I F80, 93–5
 stuttering (stammering) I F98.5, 108
- Spelling disorder, specific I F81.1, 95
- Spina bifida I Q05, 118
- Stammering I F98.5, 108
- Stature, short I E34.3, 110
- Status epilepticus I G41, 113
- Stealing, in company with others I F91.2, 101
- Stealing, pathological I F63.2, 87
- Stereotyped movement disorders I F98.4, 107–8
 overactive disorder and I F84.4, 98–9
- Steroids, abuse of I F55, 81
- Stimulants, use of I F15, 48
- Stress III Z73.3, 134
- Stress disorder, post-traumatic I F43.1, 67
- Stress reaction I F43, 66–8
 acute I F43.0, 66–7
- Stroke I I64, 115
- Stupor
 catatonic I F20.2, 50
 dissociative I F44.2, 69
 manic I F30.2, 57
- Stuttering I F98.5, 108
- Subacute sclerosing panencephalitis I A81.1, 109
- Subarachnoid haemorrhage I I60, 115
 traumatic I S06.6, 120

- Subdural haemorrhage
 nontraumatic I I62.0, 115
 traumatic I S06.5, 120
- Subnormality, *see* Retardation, mental
- Substance abuse
 non-dependence-producing substances I F55, 81
 psychoactive substances I F(10–19).1, 46
- Symptoms
 elaboration of F68.0, 90
 production or feigning of I F68.1, 91
- Syncope I R55, 119
 psychogenic I F48.8, 75
- Syndromes, *see* Individual syndromes
- Syphilis
 congenital I A50, 109
 late I A52, 109
- Systemic lupus erythematosus I M32, 117
 dementia in I F02.8, 40
- Tabes dorsalis I A52.1, 109
- Teeth-grinding I F45.8, 73
- Terrorism, victims of III Z65.4, 132
 personality change and I F62.0, 85
- Thiamine deficiency I E51, 111
- Thumb-sucking I F98.8, 108
- Thyroiditis I E05, 110
- Tic disorders I F95, 105–6
 chronic motor or vocal I F95.1, 105
 combined vocal and multiple motor I F95.2, 105
 transient I F95.0, 105
- Tinnitus I H93.1, 114
- Tobacco I F10
 use of III Z72.0, 133
 mental and behavioural disorders and I F17, 48
- Torticollis
 psychogenic I F45.8, 73
 spasmodic I G24.3, 112
- Torture, victims of III Z65.4, 132
 personality change and I F62.0, 85
- Tourette's syndrome I F95.2, 105
- Trance disorders I F44.3, 70
- Transsexualism I F64.0, 88
- Transvestism
 dual-role I F64.1, 88
 fetishistic I F65.1, 89
- Trichotillomania I F63.3, 87
- Trisomy 21 (Down's syndrome) I Q90, 118
- Truancy from school I F91.2, 101
- Trypanosomiasis, dementia in I F02.8, 40
- Turner's syndrome I Q96, 119
- Twilight state, psychogenic I F44.8, 71

- Ulcer
 - duodenal I K26, 116
 - gastric I K25, 116
 - psychological factors I F54, 80
 - peptic I K27, 116
- Ulcerative colitis, psychological factors I F54, 80
- Underachievement, in school III Z55.3, 128
- Unemployment, *see* Employment
- Upbringing, *see* Childhood
- Urinary incontinence, nonorganic I F98.0, 106
- Urticaria, psychological factors I F54, 80
- Vaginismus, nonorganic I F52.5, 79
- Vascular dementia *see* Dementia
- Vitamin B12 deficiency, dementia in I F02.8, 40
- Vitamins, abuse of I F55, 81
- Vomiting, associated with other psychological disturbances I F50.4, 76
- Voyeurism I F65.3, 89
- War, exposure to III Z65.5, 132
- Weight gain, abnormal I R63.5, 120
- Weight loss, abnormal I R63.4, 120
- Wernicke's aphasia I F80.2, 94
- Wernicke's encephalopathy I E51.2, 111
- Withdrawal state I F(10–19).4, 46–7
- Word deafness I F80.2, 94
- Work, *see* Employment
- Writer's cramp I F48.8, 74