

Species index

(bird names only)

- Accipiter gentilis*. See goshawk
Accipiter nisus. See sparrowhawk
Acrocephalus paludicola, 257, See warbler, aquatic
Acrocephalus agricola. See warbler, paddyfield
Acrocephalus arundinaceus. See warbler, great reed
Acrocephalus palustris. See warbler, marsh
Acrocephalus schoenobaenus. See warbler, sedge
Acrocephalus scirpaceus. See warbler, reed
Actitis hypoleucos. See sandpiper, common
Aegithalos caudatus. See tit, long-tailed
Aegolius funereus. See owl, Tengmalm's
Agelaius phoeniceus. See blackbird, red-winged
Aimophila aestivalis. See sparrow, Bachman's
Alauda arvensis. See skylark
Alectoris rufa. See partridge, red-legged
Ammodramus savannarum. See sparrow, grasshopper
Anas acuta. See pintail
Anas crecca. See teal
Anas penelope. See wigeon
Anser albifrons flavirostris. See goose, Greenland white-fronted
Anser anser. See goose, greylag
Anser brachyrhynchus. See goose, pink-footed
Anthus campestris. See pipit, tawny
Anthus novaeseelandiae. See pipit, Australian
Anthus petrosus. See pipit, rock
Anthus pratensis. See pipit, meadow
Anthus trivialis. See pipit, tree
Apus apus. See swift
Aquila chrysaetos. See eagle, golden
Ardea alba. See egret, great white
Ardea cinerea. See heron, grey
Ardea purpurea. See heron, purple
Arenaria interpres. See turnstone
Asio flammeus. See owl, short-eared
Asio otus. See owl, long-eared
Athene noctua. See owl, little
 avocet, 335
Aythya marila. See scaup
Aythya ferina. See pochard
Aythya fuligula. See duck, tufted
 bee-eater, 82
 bellbird, crested, 464
 bittern, 152, 255, 258, 259, 260–263, 268, 270, 522
 bittern, little, 257
 blackbird, 64, 67, 71, 72, 83, 85, 114, 165, 180, 337
 blackbird, red-winged, 493
 blackcap, 5, 135, 165, 369–370, 371
 bluethroat, 66, 74, 84, 243, 244, 257
 bobolink, 493
Bombycilla garrulus. See waxwing
Bonasa bonasia. See grouse, hazel
Botaurus stellaris. See bittern
 bowerbird, golden, 472
 brambling, 11, 78
Branta bernicla. See goose, brent
Branta leucopsis. See goose, barnacle
Bubo scandiacus. See owl, snowy
Bubulcus ibis. See egret, cattle
Bucephala clangula. See goldeneye
 bullfinch, 49, 68, 71, 165
 bunting, cirli, 153, 160, 188, 191
 bunting, corn, 165, 181, 185, 188, 494
 bunting, indigo, 141
 bunting, Lapland, 240, 244
 bunting, ortolan, 54, 106, 108, 185
 bunting, reed, 165, 244, 255, 256, 258, 309, 310
 bunting, rock, 110
 bunting, snow, 78, 240, 242, 244
Burhinus oedicnemus. See stone-curlew
 bustard, great, 152, 189, 192
 bustard, little, 152, 183, 187, 189, 193
Buteo buteo. See buzzard
Buteo lagopus. See buzzard, rough-legged
 buzzard, 48, 70, 192, 211, 296, 297
 buzzard, rough-legged, 243, 244
Calcarius lapponicus. See bunting, Lapland

- Calidris alba*. See sanderling
Calidris alpina. See dunlin
Calidris canutus. See knot, red
Calidris maritima. See sandpiper, purple
Calidris mauri. See sandpiper, western
Calidris minuta. See stint, little
Calidris temminckii. See stint, Temminck's
Calidris tenuirostris. See knot, great
Calyptorhynchus latirostris. See cockatoo,
 Carnaby's black
 capercaillie, 69
Caprimulgus europaeus. See nightjar
Carduelis flammea. See redpoll
Carduelis cannabina. See linnet
Carduelis carduelis. See goldfinch
Carduelis chloris. See greenfinch
Carduelis flavirostris. See twite
Carpodacus erythrinus. See rosefinch
Certhia familiaris. See treecreeper
Chaetura pelagica. See swift, chimney
 chaffinch, 49, 165
Charadrius alexandrinus. See plover, Kentish
Charadrius hiaticula. See plover, ringed
Charadrius marginatus. See plover, white-
 fronted
Charadrius melodus. See plover, piping
Charadrius morinellus. See dotterel
Charadrius peronii. See plover, Malaysian
Charadrius vociferus. See killdeer
 chickadee, black-capped, 107, 109
 chickadee, Carolina, 109
 chiffchaff, 5, 51, 81, 129, 165, 369–370
 chough, 66
Chroicocephalus ridibundus. See gull, black-
 headed
Ciconia ciconia. See stork, white
Cinclus cinclus. See dipper
Circus gallicus. See eagle, short-toed
Circus aeruginosus. See harrier, marsh
Circus cyaneus. See harrier, hen
Circus pygargus. See harrier, Montagu's
Clangula hyemalis. See duck, long-tailed
Climacteris picummus. See treecreeper, brown
Coccothraustes coccothraustes. See hawfinch
 cockatoo, Carnaby's black, 469
Columba livia. See pigeon, feral
Columba oenas. See dove, stock
Columba palumbus. See woodpigeon
 cormorant, 336
 corncrake, 152
Corvus brachyrhynchos. See crow, American
Corvus corax. See raven
Corvus cornix. See crow, hooded
Corvus corone. See crow, carrion
Corvus frugilegus. See rook
Corvus monedula. See jackdaw
Coturnix coturnix. See quail
 cowbird, brown-headed, 489
Cracticus tibicen. See magpie, Australian
 crane, 244, 255, 259, 266–267, 268
Crex crex. See corncrake
 crossbill, 11, 162
 crow, American, 17
 crow, carrion, 43, 48, 141, 165, 211, 296, 297
 crow, hooded, 75, 83, 337
 cuckoo, 186, 211, 212, 244, 255
Cuculus canorus. See cuckoo
 curlew, 210, 211, 213, 216, 222–225, 230, 255,
 257, 278, 283, 335, 337, 338, 396
 curlew, Eskimo, 496
Cyanistes caeruleus. See tit, blue
Cygnus olor. See swan, mute

Delichon urbica. See martin, house
Dendrocopos leucotos. See woodpecker, white-
 backed
Dendrocopos major. See woodpecker, great
 spotted
Dendrocopos medius. See woodpecker, middle
 spotted
Dendrocopos minor. See woodpecker, lesser
 spotted
Dendroica caerulescens. See warbler, black-
 throated blue
Dendroica virens. See warbler, black-throated
 green
 dickcissel, 109
 dipper, 243, 244, 245
 diver, black-throated, 244
 diver, red-throated, 244
Dolichonyx oryzivorus. See bobolink
 dotterel, 82, 240, 241, 242, 243, 244, 245, 247,
 248, 249
 dove, collared, 84, 165
 dove, stock, 70, 72, 165
 dove, turtle, 130, 136, 165, 185
Dryocopus martius. See woodpecker, black
 duck, long-tailed, 244, 336
 duck, tufted, 244, 336
 dunlin, 210, 211, 213, 216, 222, 224, 230, 240,
 242, 244, 247, 248, 278, 311, 312, 313, 316,
 335, 337, 338
 dunnock, 67, 70, 114, 165, 361

 eagle, booted, 192
 eagle, golden, 66, 210, 211, 220, 221, 244
 eagle, short-toed, 192
 egret, cattle, 257
 egret, great white, 257
 egret, little, 68, 257, 336
Egretta garzetta. See egret, little
 eider, 336, 340
Emberiza cia. See bunting, rock
Emberiza cirius. See bunting, ciril
Emberiza citrinella. See yellowhammer
Emberiza hortulana. See bunting, ortolan
Emberiza schoeniclus. See bunting, reed
Empidonax minimus. See flycatcher, least
Empidonax virescens. See flycatcher, Acadian
Eolophus roseicapillus. See galah
Eopsaltria australis. See robin, eastern yellow

532 SPECIES INDEX

- Eremophila alpestris*. See shorelark
Erithacus rubecula. See robin
- Falco cherrug*. See falcon, saker
Falco columbarius. See merlin
Falco naumanni. See kestrel, lesser
Falco peregrinus. See falcon, peregrine
Falco rusticolus. See gyrfalcon
Falco subbuteo. See hobby
Falco tinnunculus. See kestrel
 falcon, peregrine, 84, 210, 211, 220, 221, 244, 310
 falcon, saker, 72
Ficedula albicollis. See flycatcher, collared
Ficedula hypoleuca. See flycatcher, pied
Ficedula parva. See flycatcher, red-breasted
 fieldfare, 243, 244
 firecrest, 71
 flycatcher, Acadian, 44
 flycatcher, collared, 370, 435
 flycatcher, least, 50, 51
 flycatcher, pied, 47, 48, 69, 114, 370–372, 433, 435, 436–439, 445, 446, 447, 517
 flycatcher, red-breasted, 370
 flycatcher, spotted, 165, 362
Fringilla coelebs. See chaffinch
Fringilla montifringilla. See brambling
- galah, 461, 469
Gallinago gallinago. See snipe
Gallinago media. See snipe, great
Garrulus glandarius. See jay
Gavia arctica. See diver, black-throated
Gavia stellata. See diver, red-throated
Glaucidium passerinum. See owl, pygmy
 godwit, bar-tailed, 312, 314, 315, 335, 337
 godwit, black-tailed, 21, 47, 278, 283, 284–288, 294, 297, 312, 314, 316, 319, 320, 323, 342, 399
 goldcrest, 68, 71, 107, 165
 goldeneye, 336
 goldfinch, 165
 goosander, 66
 goose, barnacle, 82, 312
 goose, brent, 311, 312, 315
 goose, Greenland white-fronted, 210, 211
 goose, greylag, 50, 68, 211, 312
 goose, pink-footed, 50, 55, 68, 81, 312
 goose, white-fronted, 312
 goshawk, 47, 73, 74, 78, 81, 83, 211
 great tit, 106
 greenfinch, 165
 greenshank, 158, 211, 213, 216, 222, 224, 244, 248
 grouse, black, 129, 136, 158, 210, 211, 216–222, 228, 230
 grouse, hazel, 77
 grouse, red, 158, 208, 210, 211, 213, 216–219, 228, 244
Grus grus. See crane
 gull, black-headed, 68, 165, 211, 257, 309, 310, 336
 gull, common, 54, 67, 69, 82, 211, 310, 336
 gull, great black-backed, 211, 336, 341
 gull, herring, 67, 68, 74, 81, 83, 211, 310, 341
 gull, lesser black-backed, 74, 211, 310, 336
Gypaetus barbatus. See vulture, bearded
 gyrfalcon, 244
- Haematopus ostralegus*. See oystercatcher
 harrier, hen, 73, 158, 211, 215, 221, 228, 244, 257
 harrier, marsh, 152, 255, 258, 263, 268
 harrier, Montagu's, 74
 hawfinch, 165
 heron, grey, 68, 336, 338
 heron, purple, 257
Hieraaetus pennatus. See eagle, booted
Hippolais icterina. See warbler, icterine
Hippolais polyglotta. See warbler, melodious
Hirundo rustica. See swallow, barn
 hobby, 257
 honeyeater, 50
 honeyeater, yellow-faced, 461
 hoopoe, 162, 181, 182, 183, 188
Hylocichla mustelina. See thrush, wood
- Ixobrychus minutus*. See bittern, little
- jackdaw, 165, 337
 jay, Siberian, 22, 106, 362
 jay, 22, 165
Jynx torquilla. See wryneck
- kestrel, lesser, 189, 193
 kestrel, 48, 165, 185, 244
 killdeer, 494
 kite, red, 76, 211
 knot, great, 313, 394, 397, 398
 knot, red, 312, 313, 316, 322, 323, 335, 338, 385–386, 387–401
- Lagopus lagopus*. See grouse, red
Lagopus muta. See ptarmigan
Lanius collurio. See shrike, red-backed
Lanius minor. See shrike, lesser grey
Lanius senator. See shrike, woodchat
 lapwing, 47, 52, 165, 185, 186, 190, 191, 211, 213, 216, 225, 255, 278, 283, 288–292, 293, 294, 297, 298, 299, 335, 338, 494
 lark, calandra, 189
Larus argentatus. See gull, herring
Larus canus. See gull, common
Larus fuscus. See gull, lesser black-backed
Larus marinus. See gull, great black-backed
Lichenostomus chrysops. See honeyeater, yellow-faced
Limosa lapponica. See godwit, bar-tailed
Limosa limosa. See godwit, black-tailed
 linnet, 110, 136, 165
Locustella naevia. See warbler, grasshopper
Lophophanes cristatus. See tit, crested

- Loxia* spp. See crossbill
Lullula arborea. See woodlark
Luscinia megarhynchos. See nightingale
Luscinia svecica. See bluethroat
- magpie, 48, 74, 83, 141, 165, 297
 magpie, Australian, 461
Malurus lamberti. See variegated fairy-wren
Manorina melanocephala. See miner, noisy
Manorina. See honeyeater
 martin, house, 165
 meadowlark, eastern, 493
Melanitta fusca. See scoter, velvet
Melanitta nigra. See scoter, common
Melanocorypha calandra. See lark, calandra
Melanodryas cucullata. See robin, hooded
Melospiza melodia. See sparrow, song
 merganser, red-breasted, 336
Mergus merganser. See goosander
Mergus serrator. See merganser, red-breasted
 merlin, 210, 211, 214, 219, 221,
 244, 310, 501
Merops apiaster. See bee-eater
Milvus milvus. See kite, red
 miner, noisy, 461, 468
Molothrus ater. See cowbird, brown-headed
Motacilla citreola. See wagtail, citrine
Motacilla flava. See wagtail, yellow
Muscicapa striata. See flycatcher, spotted
 myna, common, 469
- nightingale, 69, 73, 129, 130, 165, 171, 361,
 369–370, 371
 nightjar, 130, 158
Notiomystis cincta. See stitchbird
Nucifraga caryocatactes. See nutcracker
Numenius arquata. See curlew
Numenius borealis. See curlew, Eskimo
Numenius phaeopus. See whimbrel
 nutcracker, 66
 nuthatch, 64, 109, 159, 165, 360
- Oenanthe oenanthe*. See wheatear
Oreoica gutturalis. See bellbird, crested
 osprey, 72, 74, 83
Otis tarda. See bustard, great
Otus asio. See owl, eastern screech
 ouzel, ring, 66, 210, 211, 227, 228, 230,
 243, 244
 ovenbird, 41, 105
 owl, barn, 185, 189
 owl, eastern screech, 83
 owl, little, 425
 owl, long-eared, 185
 owl, pygmy, 48, 49, 66
 owl, short-eared, 49, 211, 215, 244, 257
 owl, snowy, 240, 244, 245
 owl, tawny, 161, 165
 owl, Tengmalm's, 43, 48, 66
 oystercatcher, 68, 79, 83, 278, 284, 294, 316,
 318, 321, 322, 335, 336, 337, 338, 341, 389
- Pandion haliaetus*. See osprey
Panurus biarmicus. See tit, bearded
 parakeet, ring-necked, 159
 parrot, paradise, 461
 partridge, grey, 165, 180, 185, 189, 497
 partridge, red-legged, 185
Parus major. See tit, great
Passer domesticus. See sparrow, house
Passer montanus. See sparrow, tree
Passerina cyanea. See bunting, indigo
Perdix perdix. See partridge, grey
Periparus ater. See tit, coal
Perisoreus infaustus. See jay, Siberian
Petroica goodenovii. See robin, red-capped
Phalacrocorax carbo. See cormorant
 phalarope, red-necked, 244
Phalaropus lobatus. See phalarope, red-necked
Philomachus pugnax. See ruff
Phoenicurus ochruros. See redstart, black
Phylloscopus bonelli. See warbler, Bonelli's
Phylloscopus collybita. See chiffchaff
Phylloscopus inornatus. See warbler, yellow-
 browed
Phylloscopus proregulus. See warbler, Pallas's
Phylloscopus sibilatrix. See warbler, wood
Phylloscopus trochilus. See warbler, willow
Pica pica. See magpie
Picoides arcticus. See woodpecker, black-backed
Picoides tridactylus. See woodpecker, three-toed
Picus viridis. See woodpecker, green
 pigeon, feral, 165, 499
 pintail, 244
 pipit, Australian, 461
 pipit, meadow, 66, 81, 112, 161, 180, 210, 211,
 220–221, 226–227, 242, 244, 309
 pipit, rock, 337
 pipit, tawny, 189
 pipit, tree, 81, 129, 158
Platalea leucorodia. See spoonbill
Plectrophenax nivalis. See bunting, snow
 plover, golden, 47, 107, 158, 190, 210, 211,
 213, 216, 222–225, 240, 242, 243, 247, 248,
 335, 337, 338
 plover, grey, 312, 315, 335, 342
 plover, Kentish, 335, 336, 344
 plover, Malaysian, 344, 345
 plover, piping, 344
 plover, ringed, 244, 247, 312, 324, 335, 336,
 337, 338, 344, 345
 plover, white-fronted, 344
Pluvialis apricaria. See plover, golden
Pluvialis squatarola. See plover, grey
 pochard, 336
Poecile atricapillus. See chickadee, black-capped
Poecile carolinensis. See chickadee, Carolina
Poecile montanus. See tit, willow
Poecile palustris. See tit, marsh
Poocetes gramineus. See sparrow, vesper
Porzana pusilla. See crane, Baillon's
Porzana parva. See crane, little
Porzana porzana. See crane, spotted

534 SPECIES INDEX

- Prionodura newtonia*. See bowerbird, golden
Prunella modularis. See dunnock
Psephotus pulcherrimus. See parrot, paradise
Psittacula krameri. See parakeet, ring-necked
 ptarmigan, 65, 66, 210, 240, 241, 242, 244,
 245, 248
Pyrhhorax pyrrhcorax. See chough
Pyrhula pyrrhula. See bullfinch
- quail, 152
- rail, water, 255, 258
Rallus aquaticus. See rail, water
 raven, 18, 72, 75, 81, 83, 211, 216, 244
Recurvirostra avosetta. See avocet
 redpoll, 66, 165
 redshank, 211, 216, 244, 248, 255, 257, 278,
 283, 288–292, 294, 295, 299, 310, 311, 312,
 325, 335, 337, 338
 redstart, 68, 70, 165, 181, 182, 362,
 370–372
 redstart, American, 43, 50, 52, 444
 redstart, black, 67
 redwing, 112
Regulus ignicapillus. See firecrest
Regulus regulus. See goldcrest
Remiz pendulinus. See tit, penduline
 robin, 64, 67, 70, 114, 165
 robin, eastern yellow, 461
 robin, hooded, 471
 robin, red-capped, 114
 rosefinch, 138
 rook, 165, 170
 ruff, 244, 247, 278, 284
- sanderling, 335, 337, 338
 sandpiper, common, 244, 335
 sandpiper, green, 210
 sandpiper, purple, 240, 243, 244, 245, 247,
 335, 337, 338, 341, 342, 346
 sandpiper, western, 316
 sandpiper, wood, 244, 248, 257, 267–268
Saxicola rubetra. See whinchat
Saxicola torquatus. See stonechat
 scaup, 244, 336
Scelopax rusticola. See woodcock
 scoter, common, 244, 336
 scoter, velvet, 244, 336
Seiurus aurocapilla. See ovenbird
Setophaga ruficilla. See redstart, American
 shelduck, 41, 310
 shorelark, 240
 shrike, lesser grey, 187
 shrike, red-backed, 48, 157, 185
 shrike, woodchat, 185
Sitta europaea. See nuthatch
 skua, arctic, 211
 skua, great, 211
 skua, long-tailed, 244
 skylark, 48, 160, 165, 169, 179, 180, 182, 184,
 185, 186, 187, 189, 191, 211, 221, 226–227,
 231, 242, 244, 309, 310, 497
- snipe, 211, 216, 222, 224, 225, 244, 255, 257,
 278, 284–287, 300, 335, 491
 snipe, great, 243, 244, 245, 247
Somateria mollissima. See eider
 sparrow, Bachman's, 114
 sparrow, Brewer's, 18
 sparrow, grasshopper, 114
 sparrow, house, 72, 165, 499, 501
 sparrow, song, 443
 sparrow, tree, 165, 185
 sparrow, vesper, 494
 sparrowhawk, 22, 47, 48, 73, 165, 310,
 435, 436
Spiza americana. See dickcissel
Spizella breweri. See sparrow, Brewer's
 spoonbill, 257
 starling, 71, 84, 165, 180, 258, 337, 384, 461,
 469, 499, 501
Stercorarius longicaudus. See skua, long-tailed
Stercorarius skua. See skua, great
Stercorarius parasiticus. See skua, arctic
Sterna hirundo. See tern, common
Sterna paradisaea. See tern, arctic
Sternula albifrons. See tern, little
 stint, little, 336
 stint, Temminck's, 244
 stitchbird, 426
 stonechat, 181, 210, 211, 216, 227
 stone-curlew, 152, 160, 183, 185, 191
 stork, white, 82, 411
Streptopelia decaocto. See dove, collared
Streptopelia turtur. See dove, turtle
Sturnella magna. See meadowlark,
 eastern
Sturnus tristis. See myna, common
Sturnus vulgaris. See starling
 swallow, barn, 493, 501
 swan, mute, 81
 swift, chimney, 501
 swift, 70, 72, 165, 501
Sylvia atricapilla. See blackcap
Sylvia borin. See warbler, garden
Sylvia communis. See whitethroat
Sylvia curruca. See whitethroat, lesser
Sylvia undata. See warbler, Dartford
- Tadorna tadorna*. See shelduck
 teal, 211, 244, 310
 tern, arctic, 211
 tern, common, 309
 tern, little, 68
Tetrao tetrax. See grouse, black
Tetrao urogallus. See capercaillie
Tetrax tetrax. See bustard, little
 thrush, mistle, 67, 71
 thrush, song, 67, 71, 78, 165
 thrush, wood, 384
 tit, bearded, 255, 258, 259, 264, 268, 434
 tit, blue, 64, 72, 107, 162, 165, 258,
 367–369
 tit, coal, 65, 68, 71, 107, 165, 367, 419
 tit, crested, 49, 107, 109, 114, 367, 368

- tit, great, 49, 76, 105, 114, 162, 165, 367–369, 412, 413, 419, 432, 438
 tit, long-tailed, 165
 tit, marsh, 71, 162, 165, 356, 367–369
 tit, penduline, 257
 tit, willow, 49, 69, 71, 107, 165, 367–369
 treecreeper, 106, 165
 treecreeper, brown, 471
Tringa glareola. See sandpiper, wood
Tringa nebularia. See greenshank
Tringa ochropus. See sandpiper, green
Tringa totanus. See redshank
Troglodytes troglodytes. See wren
Turdus iliacus. See redwing
Turdus merula. See blackbird
Turdus philomelos. See thrush, song
Turdus pilaris. See fieldfare
Turdus torquatus. See ouzel, ring
Turdus viscivorus. See thrush, mistle
 turnstone, 312, 322, 323, 335, 337, 338, 342, 346
 twite, 107, 211, 227, 228, 230, 244, 310, 325
Tyto alba. See owl, barn

Upupa epops. See hoopoe

Vanellus vanellus. See lapwing
 variegated fairy-wren, 461
Vireo olivaceus. See vireo, red-eyed
 vireo, red-eyed, 11
 vulture, bearded, 423, 425

 wagtail, citrine, 257
 wagtail, yellow, 165, 185, 187, 244, 255
 warbler, aquatic, 257
 warbler, black-throated blue, 44
 warbler, black-throated green, 52
 warbler, Bonelli's, 370
 warbler, Cetti's, 255, 258
 warbler, Dartford, 130
 warbler, garden, 5, 135, 165, 361, 369–370, 371
 warbler, grasshopper, 211, 255
 warbler, great reed, 257, 259
 warbler, icterine, 440
 warbler, marsh, 255, 257
 warbler, melodious, 162
 warbler, paddyfield, 257
 warbler, Pallas's, 51
 warbler, reed, 4, 255, 258
 warbler, Savi's, 255, 258, 259, 265–266, 268
 warbler, sedge, 255, 258
 warbler, willow, 5, 112, 135, 165, 211, 244, 369–370, 371
 warbler, wood, 48, 69, 370–372
 warbler, yellow-browed, 51
 waxwing, 11
 wheatear, 23, 66, 112, 152, 211, 227, 242, 243, 244, 337
 whimbrel, 211, 216, 223, 230, 244, 248, 336
 whinchat, 112, 152, 211, 227, 255
 whitethroat, 129, 135, 165, 181, 211, 255
 whitethroat, lesser, 66, 129, 130, 135, 165
 wigeon, 211, 244, 310
 woodcock, 358
 woodlark, 114, 130, 158, 181, 182
 woodpecker, black, 359, 365
 woodpecker, black-backed, 486
 woodpecker, great spotted, 165, 365–366
 woodpecker, green, 18, 165, 365
 woodpecker, lesser spotted, 162, 165, 365–366
 woodpecker, middle spotted, 65, 89, 365
 woodpecker, three-toed, 65, 66, 69
 woodpecker, white-backed, 69, 486
 woodpigeon, 67, 70, 72, 74, 83, 160
 wren, 65, 67, 70, 83, 165, 211, 258
 wryneck, 181, 182, 183, 185, 186, 189

 yellowhammer, 165, 179, 181, 184

Subject index

- aggregations, 50, 51
 agricultural environments. *See also* wetland environments (wet grassland)
 change and intensification, 151–153, 177, 282
 classification as ‘farmland birds’, 163–172
 crop diversity, 186–187
 field boundaries and margins, 182–183
 grassland management, 280–282, 287–288
 grassland sward heterogeneity, 181
 habitat use by geese, 50, 55
 hedgerows, 157–158, 184–186, 194
 landscape composition, 187–190
 landscape structure, 154–156
 North America–Europe comparison, 492–497
 North American conservation approaches, 496–497
 resources, 177–178
 set-aside and fallow, 181–182
 sward structure, 178–184
 winter survival, 42
 agri-environment scheme, 153, 154, 156, 179, 190–193, 495
 Allee effect, 52
 altitude, 65–67
 area. *See also* habitat (extent)
 abundance–area relationship, 103, 105
 area quality hypothesis, 98, 105–106
 area requirements, 98
 area sensitivity, 96, 97, 103, 105, 114, 363
 Australia
 avian responses to habitat change, 463–471
 climate change and birds, 471–472
 conservation compared with Europe, 456
 declines in forest birds, 470
 eucalypt forest and rainforest, 465
 intertidal habitat use, 313, 394, 397–398
 landscape change compared with Europe, 454–456
 landscape change models, 459–463, 471
 Banc d’Arguin, Mauritania, 394–396, 397, 398–399
 barrier effect, 99
 beaches. *See* coastal and intertidal environments
 Białowieża Forest, Poland, 18, 41, 48, 64, 67, 70, 75
 B–S spectrum, 26
 buffer effect/model, 20, 100, 112–114, 116
 Cairngorms, Scotland, 239, 240
 carry-over effect, 42–43, 318–319, 320, 326–327, 444
 Chiltern Hills, England, 131, 135
 climate change
 adaptation by species, 440–448
 avian responses, 153, 161–162, 163, 229, 245, 248, 257, 299–300, 343, 471–472
 conservation strategy, 142, 194, 273, 300, 301, 526
 forestry, 362, 372
 limitations of envelope models, 412–413, 421
 mitigation through management, 299–300
 phenology and timing of breeding, 434–440
 processes affecting birds, 433–434
 sea-level rise, 310, 324–325, 343–344
 trophic mismatching and cascades, 413–414, 435–436, 448
 coastal and intertidal environments. *See also* wetland environments
 beach-cleaning, 344
 carry-over effects and migratory connectivity, 318–319, 326–327
 dredging, 319–320
 effect of sediment type, 314, 315–316
 effect of weather, 316
 energy expenditure, 386, 388, 391–393
 estuarine bird assemblages, 307–310
 food depletion, 315, 341
 foraging adaptations of waders, 313–314, 388–389
 freshwater inputs to estuaries, 321
 geographical variation, 310–312
 gulls, 336
 habitat limitation concept, 26
 habitat loss, 316–318, 400–401
 machair, 254, 280, 336

- managed realignment, 325–326
 nocturnal foraging, 340
 non-estuarine intertidal shores
 bird assemblages, 334–337
 resources and habitat use, 337–341
 origins of wintering populations, 310–312
 predation risk, 49, 315, 316, 340, 391
 prey density threshold, 391
 recreation and disturbance, 323–324,
 344–345
 roosting, 312–313, 325, 394, 398
 saltmarsh
 bird assemblages, 309
 erosion, 310, 324–325
 grazing, 310
 seaduck, 336
 sea-level rise, 310, 324–325, 343–344
 seaweed. *See* strandline resources
 shell-fishing, 321–323, 400
 strandline resources, 341–343, 344, 346
 supratidal habitat use, 341–343
 water quality, 320–321, 345–346
 winter ranges of waterbirds, 311–312
 within-estuary distribution, 312–315, 388,
 389, 390, 392, 396
 colonisation. *See* habitat occupancy
 competition
 interspecific competition, 20, 21, 24–25,
 49–50, 79, 135, 341, 367, 384–385, 401,
 468–469
 interspecific territoriality, 49
 intraspecific competition, 20, 21, 53–54,
 79–80, 318, 340–341, 397, 401, 420
 connectivity. *See* landscape structure
 conservation strategy, 116, 142–143, 195,
 269–270, 272–273, 372–373, 472–473,
 488, 503–505, 523–527
 conspecific attraction, 12, 23, 50, 98, 105, 521
 corridor. *See* landscape structure

 Delaware Bay, USA, 396–397
 density compensation, 100
 density-dependent processes, 21, 114
 disease, 26–27, 79, 386, 398–399
 dispersal
 adaptation to climate change, 440–448
 and habitat choice, 25
 and landscape structure, 101, 108–109, 117,
 172, 369, 491, 521
 dispersal limitation, 41, 54, 99

 ecological trap, 23, 40, 137, 139, 278, 300, 521
 ecosystem services, 193, 229, 522, 527
 ecotone, 126, 128, 142, 143
 edges
 age of edge, 140
 compared with young-growth, 128–130
 distributional edge effects, 139–140, 468
 edge avoidance. *See* edge sensitivity
 edge contrast, 98
 edge-effect distance, 136, 140
 edge-effect mechanisms, 103, 139

 edge selection and exploitation, 99, 106,
 137, 261, 262, 264, 265, 358
 edge sensitivity, 97, 98, 105–106, 137
 ‘edge species’, 129
 internal vs external edge effects, 138
 landscape context, 138, 470
 origins of ‘edge species’, 127
 predation edge effects, 103–104,
 140–141, 468
 regional differences, 138–139
 resources at edges, 139–140
 types of edge effect, 136–138, 139
 estuaries. *See* coastal and intertidal
 environments
 eutrophication. *See* wetland environments
 extinction debt, 471

 farmland. *See* agricultural environments
 fens. *See* wetland environments
 filtering of assemblages, 100, 110, 115, 471,
 492
 fire, 110, 128, 209, 225, 358, 454, 463, 464,
 485, 486
 foraging movements, 106–108, 217,
 223–224
 foraging site selection
 birds of prey, 220–222
 breeding waders, 223, 242, 284–292
 effect of sward structure, 179–182, 183
 estuarine waders, 313, 314, 388, 390,
 391–393, 394
 grouse, 217–218, 242
 tits, 24, 49, 50, 367–368
 wetland birds, 261–262, 264
 woodpeckers, 365–366
 forest environments. *See also* edges, habitat
 fragmentation, gap-crossing, young-
 growth
 area sensitivity, 114
 Australian forests, 465, 470
 boreal forest, 19, 106, 110, 112, 483–488
 breeding migrants – resource needs,
 369–372
 canopy height, 355, 356
 caterpillar abundance and timing, 359–360,
 367–368, 419, 434–436, 438, 439
 cavities, 358–359, 365–366, 367–369
 classification as ‘woodland birds’, 163–172
 clear-felling, 363, 364, 369, 370, 486–487
 climate change, 362, 372, 434–440
 continuous cover systems. *See* group-
 felling, selection systems
 coppice, 5, 131, 357, 363–364, 368, 370, 371
 dead and decaying wood, 358–359, 360,
 365–366, 367, 485, 487
 declines in Australian birds, 470
 deer, 361, 370, 372
 early successional stages. *See* young-growth
 Fennoscandia, 18, 24, 112, 484–488
 field layer, 355–356, 357, 369–370
 fire and salvage logging, 486
 fragmentation effects, 108–109, 488

- forest environments (cont.)
 gaps, 75, 107–108, 358, 364
 geographical variation
 in food mismatching, 435–436
 in habitat use, 67–72
 group-felling, 363, 364, 368, 370
 growth stage, 360–361, 365, 366, 369,
 484–486
 high forest. *See* clear-felling, group-felling,
 selection systems
 management, 362–364, 366, 368–369, 370,
 372, 486–488
 masting. *See* seeds and fruit
 mountain forests, 78, 419
 natural structures, 363, 364
 North America–Europe comparison, 27–28,
 483–492
 population regulation, 22
 predation risk, 48, 49, 371
 relative use of conifers and broadleaves,
 64–65, 68–69, 359, 436–440
 resource subsidy by streams, 52
 resources, 353–359
 roosting, 367
 salvage fire and salvage logging, 358
 seeds and fruit, 355, 356, 360, 368, 436
 selection systems, 364, 368, 370
 shrub layer, 44, 355–356, 369–370
 tits – resource needs, 367–369
 tree-canopy attributes, 353–355,
 359–360
 tree species composition, 44, 77–78, 358,
 359–360
 tree thinning, 362, 369
 trophic change, 435
 woodfuel, 372
 woodpeckers – resource needs,
 365–366
- fruit, 132–133
 functional response, 55, 389, 390, 399
- Galápagos finches, 24
 gap sensitivity, 99
 gap-crossing, 49, 103, 107–108, 491
 generalisation about biological systems,
 409–410, 518–520
 geographical variation
 and edge effects, 138–139
 and landscape structure, 114–115
 forests, 67–72, 489
 mountain and moorland, 65–67, 210–216,
 242–245
 wetlands, 67, 68, 256–257
- Gotland, Sweden, 65
 grassland environments. *See also* agricultural
 environments, wetland environments
 (wet grassland)
 North America, 492–493
- grazing and browsing
 cattle, 226, 291
 deer, 219, 361, 370, 372, 409
 geese, 310
- livestock unspecified or mixed, 292–295,
 310, 463–464
 sheep, 209, 219, 221, 225, 226, 361, 372
- habitat
 as a species trait, 516–518
 classifying species by habitat, 160–172
 concepts of habitat, 6, 383, 384–385, 414,
 421
 definitions of related terms, 7–8
 extent, 14, 268, 523–524, 525
 functional responses, 55
 grain, 14, 15, 16, 95, 97
 habitat extent, 97
 human perception, 6–8, 77, 516
 role in speciation, 24
 saturation and undersaturation, 53–54, 56,
 76, 79, 81
 species-specific relationships, 4, 131, 135,
 255–256, 314, 337–338, 369–370
- habitat change. *See also* habitat
 fragmentation, historical landscapes
 and habitat quality, 39
 avian responses, 54, 79, 80, 115, 127–128,
 162–163, 259–260, 319–326, 343–346,
 400–401, 463–471, 489–490
 in Australian landscapes, 454–456,
 463–469
 in European landscapes, 150, 151–160
 in North American landscapes, 481–483,
 486–487, 493
- habitat choice. *See* habitat selection
 habitat copying, 12, 13, 50, 432–433
 habitat creation and restoration, 49, 93–95,
 108, 125, 142–143, 190–193, 253,
 268–272, 300, 325–326, 522, 523–527
- habitat fragmentation. *See also* area, edges,
 gap-crossing, habitat change,
 landscape structure
 adaptation of species, 127–128
 concepts and theories, 459, 468
 gap-sensitive species, 107–108
 habitat configuration vs. extent, 93
 of boreal forests, 488
 of cultural landscapes, 153–158, 490–491,
 518–519, 524
 recent vs. ancient fragmentation, 79, 93,
 115, 139, 140, 150
 responses of Australian birds, 463–471
 threshold responses, 55, 97, 490
- habitat generalists. *See* habitat
 specialisation
 habitat heterogeneity
 and habitat restoration, 524–527
 at the farm scale, 184–187
 at the landscape scale, 187–190
 in crops and grassland, 178–184
 in relation to climate change, 142, 526
 mosaics and patchiness, 43, 106, 116,
 133–136, 143, 153–158, 172, 226,
 241–242, 495
 role in population regulation, 22, 112–114

- habitat loss. *See* habitat change, habitat fragmentation
- habitat networks. *See* habitat creation and restoration
- habitat occupancy. *See also* geographical variation, habitat quality, habitat selection
- colonisation of new habitat, 13, 65–67, 72–73, 74, 80–85
 - definition, 7
 - explanatory axes, 385–387
 - food and energy balance, 399–400
 - multiple influences, 37, 45–46, 55–56, 385–387, 399–400, 517
 - physiological constraints, 386, 397–398
 - prey density threshold, 391
- habitat quality. *See also* habitat occupancy, habitat selection
- and area, 105
 - and feeding conditions, 284–292, 387–393, 399–400
 - and habitat heterogeneity, 22
 - and landscape structure, 117
 - and moult, 42
 - and predation, 42, 295–298
 - and rare species, 76
 - and recreational disturbance, 324
 - and reproductive success, 12, 41–42
 - and resources, 39–40
 - and survival, 41, 42
 - carry-over effect, 42–43
 - change in quality, 163, 436–440
 - definition, 7, 39
 - density as a measure, 40–42, 45
 - intrinsic or fundamental habitat quality, 39, 40
 - patch quality, 44, 523–524, 525
 - post-breeding habitat, 42
 - realised habitat quality, 39, 40
 - scale of measurement, 11, 43–44
 - surrogate measures, 38, 39, 45
- habitat restoration. *See* habitat creation and restoration
- habitat selection. *See also* conspecific attraction, habitat copying, habitat occupancy, habitat quality, heterospecific attraction
- and the niche concept, 383, 384–385, 414, 417–418
 - at range extremes, 418, 419, 428, 522
 - behavioural flexibility and plasticity, 12–13, 163, 396–397, 409–410, 411, 428, 518
 - change in habitat selection, 13, 73, 436–440, 448
 - colonisation of new habitat. *See* habitat occupancy
 - cues, 9–11, 520
 - cultural factors, 54–55
 - definition, 7
 - disease, 26–27, 79, 386, 398–399
 - explanatory axes, 385–387
 - food supply, 78
 - habitat imprinting, 13, 82
 - habitat recognition, 9–13
 - hierarchical processes, 13, 14, 383–384
 - individual and within-species variation, 391–393, 409–410, 410–412, 428, 516–518, 519, 529. *See also* geographical variation
 - individual specialisation, 4, 45
 - local adaptation, 45, 77, 443, 444–448
 - maladaptive habitat selection, 23, 41, 529. *See also* ecological trap
 - microhabitat selection, 16, 17–18, 44, 134–136
 - natal and previous experience, 12, 54, 82
 - non-ideal habitat selection. *See* maladaptive habitat selection
 - non-linear responses, 55
 - perception (psychological) factors, 80–82
 - personality, 411–412
 - physiological constraints, 386, 393, 397–398
 - proximate and ultimate factors, 9–11
 - site fidelity/tenacity, 12, 54, 82, 84, 283–284, 327
 - social attraction, 82
 - speed of habitat selection, 15
 - stochasticity, 45
 - temporal scale effects, 15
- habitat specialisation, 37, 43, 79–80, 86, 137, 150–151, 157, 162–163, 237, 471, 492, 517–518, 521
- habitat specialists. *See* habitat specialisation
- habitat structure. *See also* habitat heterogeneity, landscape structure
- definition, 7
 - foliage density, 5, 11, 18, 44, 140, 356, 357, 369–370
 - sward structure, 178–184, 284, 288, 289, 297
 - young-growth, 130–132, 133, 134–136, 357, 369–370
- habitat suitability. *See* habitat quality
- habitat training, 54
- habitat use. *See* habitat occupancy, habitat selection
- definition, 8
- habitat variegation, 459
- heterospecific attraction, 12, 26, 46–47, 98, 105
- hidden leks, 51
- historical landscapes, 127–128, 152, 208–209, 454–456, 481–483, 503, 529. *See also* Vera's model
- history of research, 3, 4, 9, 20
- Holme Fen, England, 154
- homogenisation, 163, 167, 190, 259, 500, 523
- intertidal habitats. *See* coastal and intertidal environments
- island biogeography theory, 100, 111
- islands, 64–65, 212, 213, 215
- isolation. *See* landscape structure

540 SUBJECT INDEX

- Lake Engure, Latvia, 259
 Lake Huron, Michigan, 52
 land abandonment, 127, 152, 192, 493, 496
 landscape change. *See* habitat change
 landscape complementation
 and edges, 106, 129, 137
 and seasonality, 107
 definition, 8, 77, 99
 in cultural landscapes, 161, 521
 in farmland birds, 186–187, 495
 in forest birds, 18, 363, 491
 in moorland birds, 227, 228
 in wetland birds, 261, 265, 268
 young-growth, 136
 landscape restoration. *See* habitat creation and restoration
 landscape structure. *See also* edges, habitat fragmentation, predation and predation risk, gap-crossing attributes and definition, 8, 95 connectivity, 108–109, 523–527 functional measurement, 521 isolation, 99, 108–109
 landscape supplementation and species mobility, 103
 definition, 8, 99
 in farmland birds, 495
 in forest birds, 491
 in moorland birds, 223–224
 use of intertidal and inland habitats, 342–343
 LiDAR, 155, 356
 life-history
 individual traits and decisions, 409–410, 417–418, 426, 434
 strategies, 25–28
 matrix quality hypothesis, 99
 Mediterranean shrubland, 65, 130, 133, 134
 microclimate, 78, 139, 140, 353, 358
 migrants and migration systems. *See also* carry-over effects and urbanisation, 499
 breeding habitats in forests, 369–372
 evolution of habitat selection, 25–28
 geographical differences, 27–28, 489
 migratory connectivity, 319
 mismatching with food, 439–440, 448
 stopover ecology, 19, 42, 52, 133, 140, 272, 396–397, 524
 models
 behaviour-based models, 117, 317–318, 322, 345
 bird-climate models, 412–413, 421
 bird-habitat models, 12, 56, 75–76, 421–424, 520, 521
 Continua-*Umwelt* landscape model, 460, 462
 despotic distribution model, 21, 40
 detectability issues, 422–424
 foraging models, 415, 416
 habitat suitability models, 422, 423
 ideal free distribution model, 21, 40, 341, 386–387
 integrated population models, 424, 425, 427
 key-patch model, 100, 110, 111
 landscape continuum model, 459–460, 461
 leapfrog model of habitat colonisation, 84
 mainland-island model. *See* key-patch model
 optimisation models, 414–416, 418
 theoretical models of habitat selection, 20–22
 mosaics. *See* habitat heterogeneity
 mountain and moorland environments
 arctic-alpine bird assemblages, 240–242
 arctic-alpine specialists and generalists, 237, 240, 244
 blanket bog, 207, 213–214, 224
 effects of vegetation mosaics, 220, 226, 241–242
 flushes and wet areas, 217, 218, 223, 224–225
 geographical variation, 65–67, 210, 242–245
 grazing pressure, 219, 221, 225, 226, 227, 229, 239, 245, 246, 247, 248
 grouse moor management, 209, 218–219, 221, 225
 habitat selection and quality
 arctic-alpine birds, 240–242
 birds of prey, 219–222
 grouse, 216–219
 passerines, 226–227, 242
 waders, 222–225
 heather moorland, 207, 216–219
 island bird assemblages, 212, 215
 moorland bird assemblages, 210, 211
 regional variation in Britain, 210–216
 Scandinavia, 210, 216, 238–239, 242–245, 247
 scrub and woodland expansion, 229, 248–249
 treeline habitats, 238, 243, 247
 vegetation types and zones, 207–208, 238–239
 mudflats and sandflats. *See* coastal and intertidal environments
 nest-boxes, 432–433, 491
 nest site selection
 arctic-alpine birds, 241–242
 birds of prey, 219–220
 forest migrant birds, 369, 370–371
 ground-nesting birds, 182–183
 grouse, 217
 hole-nesting birds, 64
 tits, 367
 waders, 222–223
 wetland birds, 67, 69, 261, 263, 264, 265, 266
 woodpeckers, 365
 niche gestalt, 17
 non-native and invasive species, 158–159, 260, 464, 499
 North America compared with Europe

- boreal forest, 484–486, 502
 conservation approaches, 496–497, 503–505
 farmland, 492–497, 502
 landscape change, 481–483, 489–490
 research approaches and questions, 485–486, 488, 494–496, 499–500, 503
 temperate forest, 489–492, 502
 urban, 497–501, 503
- optimal foraging, 20, 388, 415–416
 Oulanka forest reserve, Finland, 112
- parasites. *See* disease
- patchiness. *See* habitat heterogeneity
- perceptual trap, 23
- population processes. *See also* buffer effect/model
 age structure, 38
 individuals and population processes, 417–418, 424–427
 metapopulation, 100, 110, 111, 262
 population stability, 38
 pressure (overcrowding). *See* competition (intraspecific)
 regional population processes, 100, 110–112
 source–sink theory, 45, 100, 114, 159, 418
- predation and predation risk
 and bird density, 298
 and breeding aggregations, 47, 51–52, 298
 and edges, 103–104, 140–141
 and estuarine waders, 315, 316, 340, 394–396
 and grassland waders, 293, 295–298
 and landscape structure, 17–18, 100, 104, 116, 117, 141, 297, 490
 and microhabitat, 17–18
 and moorland birds, 215, 219, 225, 226–227, 228–229
 and sward structure, 180–181, 182–183
 and urbanisation, 497–498
 examples of predation risk, 47–49
 measurement, 104, 116
 predation risk and distribution, 47–48, 78–79, 386
 predation risk and trophic cascade, 409
- recreation and disturbance, 45, 245, 246, 298, 323–324, 344–345
- reedbeds. *See* wetland environments
- rescue effect, 100, 110, 111
- resources
 forest/woodland resources, 353–359
 intertidal resources, 309, 310, 337–341, 387–393
 limiting or critical resources, 9, 16, 39, 43, 55
 moorland resources, 228
 quality and quantity trade-off, 39–40
 resource subsidy, 52, 53, 526
 resource use/selection, 415, 416
 young-growth resources, 132–134
- r*–*K* continuum, 25, 26, 41
- roosting, 258, 312–313, 325, 367, 398
- saltmarsh. *See* coastal and intertidal environments
- scale
 and habitat heterogeneity, 178, 228
 and landscape structure, 96, 101, 102
 edge effects and predation, 141
 multi-scale habitat selection, 13–19
 of resource use, 14, 522
 population processes, 413–414, 420–421
 regional population size, 110–112
 time scales, 420
- scrub. *See* young-growth
- seasonal variation in habitats, 434–440
- seed dispersal, 133–134, 522
- shore habitats. *See* coastal and intertidal environments
- shrubland. *See* young-growth
- social information. *See* conspecific attraction, habitat copying, heterospecific attraction
- soil
 compaction and softness, 284–285
 soil invertebrates, 284, 285–286, 288–289, 290
- Sompio old-growth forest reserve, Finland, 112
- succession. *See also* wetland environments, young-growth
 and forest growth stage, 360–361
 and reproductive output, 25
 stages used by migrants, 27
 vegetation dynamics, 130–132
- Tagus estuary, Portugal, 313
- transitional environments. *See* edges, young-growth
- trophic cascade, 408–409, 435, 436, 468–469
- Umwelt*, 6, 460, 462
- urban environments
 adaptation and colonisation, 72–73, 80, 82, 84–85, 501
 bird assemblages, 158–159
 classification as ‘urban birds’, 163–172
 habitat quality, 44
 North America–Europe comparison, 497–501
 urbanisation, 163, 464, 492, 518
 urban–rural gradient, 158–159, 498
- variegated landscapes, 463–464
- vegetation structure. *See* habitat structure
- Vera’s model of landscape dynamics, 127
- Vistula River, Poland, 67, 69, 82
- Wadden Sea, the Netherlands, 313, 315, 322, 323, 387–396
- Wash Estuary, England, 322–323, 343
- wetland environments
 bird assemblages, 254–260

542 SUBJECT INDEX

- wetland environments (cont.)
 eutrophication, 259, 272
 fen and marsh
 lack of phenological mismatching, 439–440
 management, 271
 vegetation, 254
 geographical variation, 67, 68, 256–257
 habitat extent, 259, 260, 268, 269
 habitat management, 268–272
 habitat structure, 258–259, 268
 hydrology, 270, 271, 286, 290, 291
 invasive species, 260
 mires, 254
 reedbed
 edge selection, 261, 262, 264, 265
 management, 270–271
 roost sites, 258
 specialists, 4–5, 255
 use by bearded tit, 264
 use by bittern, 260–263
 use by marsh harrier, 263
 use by Savi's warbler, 265–266
 vegetation, 253
 vegetation succession, 254–255, 259, 269–270
 vegetation types and gradients, 253–254
- wet grassland
 conservation management, 283, 286, 288, 291–292
 feeding conditions for waders, 284–292
 grazing, 284, 292–295
 mowing, 295
 predation, 48, 295–298
 soil conditions, 284–286, 290, 291
 types, context and origins, 278–280
 wader nest and chick survival, 292–298
- woodland. *See* forest environments
Woodwalton Fen, England, 154
Wytham Woods, England, 49, 105, 435
- Yellow Sea, China, 400, 524
Yellowstone, USA, 408–409
young-growth. *See also* forest environments and conservation strategy, 142, 525, 526
 bird assemblages, 130
 compared with edges, 128–130
 declines in species, 125, 142, 496
 definitions, 126
 resources, 132–134
 shrubland and managed forest comparison, 130
 vegetation structure, 130–132, 133, 134–136, 357, 369–370