

# Index

- abdomen
  - CT section 35–36, 42–43
  - radiograph 33–34
  - wall musculature 49–50
- acetabular rim 122
- acetabular roof 122
- Achilles tendon 134
- acromioclavicular joint 140
- acromium 138, 140
- adrenal gland 42
- Allen's test 18
- anal canal 40–41
  - dentate line 41
- aneurysm
  - abdominal aorta 20
  - cerebral 96
  - popliteal artery 30
- angiogram 11–12, 15–16
  - coeliac 24–25
  - iliac 22–23
  - kidneys 55–56
    - magnetic resonance angiogram 54–55, 57
  - lower limb 27–28, 29–30, 31–32
- ankle 134–135
- aorta 9–10
  - abdominal 19–20, 22
    - aneurysm 20
    - bifurcation 19
  - arch 9–10
  - ascending 9
  - descending 7, 9, 35
  - diaphragmatic foramen 36
- apical ligament 119
- appendices epiploicae 38
- appendix 37, 38
- aqueduct of Sylvius 79, 91
- arytenoid cartilage 112, 113
- association fibres 71
  - atherosclerosis 57
- atria, heart 7, 8
  - Baker's cyst 133
  - barium enema 37–38, 39
  - barium meal 46–48
  - basal ganglia 82
  - base of skull 115–116
    - fractures 116
  - basilar artery 95–96, 101
  - basilic vein 13
  - biceps 142
  - biceps femoris 132
  - bile duct, common (CBD) 52, 53
  - bladder 40, 58, 60, 68
  - bowel ischaemia 39
  - bowel obstruction 34
  - brachial artery 11–12
  - brain 70–71, 73–74, 75–76, 77–78, 79–80, 82–83, 84–86, 87–88, 89–90, 91–92, 93–94, 105–106, 107–108
    - circle of Willis 95–96, 97–99, 101–102
      - venous drainage 103–104
  - brainstem 74
  - bronchi 1, 3, 4
  - Budd–Chiari syndrome 43
  - caecum 37
  - calcarine sulcus 75
  - capitate 148
  - carotid artery
    - common 9, 10
    - internal 97, 101
  - carotid canal 115, 116
  - carpal bones 148–149
  - carpal tunnel syndrome 150
  - caudate nucleus 82, 89
  - cephalic vein 13

**160 Index**

- cerebellar artery
  - inferior 95, 101
  - superior 95, 101
- cerebellum 70, 105–106
- cerebral aneurysm 96
- cerebral artery
  - anterior 97, 98–99
  - middle 97, 98
- cerebral hemisphere 70, 71
- cerebral peduncle 79, 86
- cerebral spinal fluid (CSF) 91–92, 157
- cervical spine 112–114
- chest radiograph 1–2
- cingulate gyrus 75, 76
- circle of Willis 95–96, 97–99, 101–102
- claustrum 87, 88
- clavicle 138
- coccyx 58, 60
- coeliac
  - angiogram 24–25
  - trunk 24
- collateral ligament, medial 128
- colon 34
  - descending 37
  - splenic flexure 35
- colonoscopy 39
- commissural fibres 71
- communicating artery
  - anterior 97, 99
  - posterior 101
- compartment syndrome 125
- coracoid process 140
- corona radiata 86
- corpus callosum 70, 73, 84–85, 89
  - body 73
  - genu 73
  - rostrum 73, 84
  - splenium 73, 84
- corpus striatum 83
- cricoid cartilage 112, 113
- cricothyroid ligament 113–114
- cricothyrotomy 114
- cricotracheal ligament 113
- crista terminalis 7–8
- cruciate ligament 129
  - anterior (ACL) 128, 129
  - drawer test 129
  - posterior (PCL) 129
  - drawer test 129
- cruciform ligament 118
- CT colonography 39
- cubital fossa 13–14
- cuboid 137
- cuneiform, medial 137
- cystic duct 52
- cystourethrogram, micturating 62–63
- deltoid 142
- dens 118
- dentate line 41
- diaphragm, right crus 42
- digital artery 17
- double contrast barium enema 37–38, 39
- drawer test
  - anterior 129
  - posterior 129
- duodenum 52
- elbow 146–147
  - pulled 147
- endometrium 58, 60
- endoscopy 48
- epicondyle
  - lateral 146
  - medial 146
- epiglottis 112, 113
- ethmoid air cells 117
- ethmoidal sinus 110, 111
- extradural haemorrhage 106
- facial bones 117–119
- fallopian tube 58, 60
- falx cerebri 105, 106
- femoral artery 28
  - common 27
  - descending branch 27
  - lateral circumflex 27
  - superficial 27, 29
- femoral condyle
  - lateral 130
  - medial 130, 132
- femur
  - head 27
  - neck fracture 123
  - shaft 29, 124
- fibromuscular dysplasia 57
- fibula 134
  - shaft 31
- FLAIR sequence 82–83, 87–88
- flexors, fingers 154

- foot 136–137
  - arches 137
- foramen lacerum 115, 116
- foramen ovale 115–116
- foramen spinosum 115, 116
- foramen transversarium 118
- forearm 13–14, 151–152
  - fractures 152
- fornix 75, 76
- fossa
  - cubital 13–14
  - ischiorectal 40
  - navicular 62
  - popliteal 133
- fovea 122
- frontal sinus 107
  
- gallbladder 44, 52–53
- gallstones 53
- gastric antrum 47
- gastric arteries 48
  - left 24, 25
- gastric fundus 47
- gastric ulcer 48
- gastric wall 44
- gastrocnemius
  - lateral head 132
  - medial head 132
- gastroduodenal artery 24
- gemellus, superior 126
- glenoid 138, 140
- globus pallidus 82
- gluteus maximus 126, 127
- great cerebral vein of Galen 103
  
- haemorrhoids 41
- hamate 148
- hand 153–154
  - flexors, fingers 154
- heart 6
  - chambers 7–8
- hemivertebra 156
- hepatic artery, common 24, 25
- hepatic duct, common (CHD) 52, 53
- hepatic vein 35
  - right 35
- hernia
  - hiatus 36
  - inguinal 51
- hip 122–123, 126–127
  - fracture 123
  
- humerus 144–147
  - bicipital groove 144
  - fractures 145
  - greater tuberosity 144
  - head 138, 142, 144
  - neck 144
  - shaft 13, 144
- hydrocephalus 92
- hyo-epiglottic ligament 113
- hyoid bone 112
- hypothalamus 77–78
- hypothernar eminence 153
- hysterosalpingogram 58, 60
  
- ileum 34
- iliac arteries
  - angiogram 22–23
  - common 19, 22
  - external 19, 22–23, 54
  - internal 19, 22, 54
- iliofemoral ligament 126
- iliopectineal line 121
- iliotibial tract 126, 128
- ilium 120
- index metacarpal 17
- infra-orbital foramen 117
- infraspinatus 142
- infundibulum 77
- inguinal canal 50
- inguinal hernia 51
- insula 87, 89, 90
- interlobar artery 54
- internal capsule 84, 85, 86
- interosseous artery
  - anterior 11, 15
  - common 15
  - posterior 15
- interphalangeal joint 153
- intertrochanteric crest 122
- interventricular foramen of Monro 91
- interventricular septum, heart 7
- intervertebral disc 157, 158
  - prolapse 158
- intracranial haemorrhage 106
- intracranial tumours 72
- intravenous urogram (IVU) 67–68, 69
- ischiorectal fossa 40
- ischium 121

**162 Index**

- jejunum 34
- jugular foramen 115, 116
- jugular vein, internal 103
  
- kidney 34, 42, 55, 68
  - angiogram 55–56
  - magnetic resonance angiogram 54–55, 57
- knee 128–129, 130–131, 132–133
  
- laryngopharynx 107, 108
- larynx 113–114
  - cartilages 113
  - intrinsic muscles 114
  - ligaments 113–114
- lentiform nucleus 83, 84
- levator ani muscle 40
- liver 34
- long thoracic nerve of Bell, damage 141
- longitudinal ligaments 157, 158
- lumbar arteries 54
- lumbar spine 157–158
- lumbar vertebra 155–156
- lunate 148
- lung 2, 3–4
  - axial CT scan 3–4
  - lung root 2
  
- magnetic resonance angiography 9–10
- magnetic resonance cholangiopancreatogram (MRCP) 52–53
- major calyx 68
- malleolus
  - lateral 134
  - medial 134
  - posterior 134
- mammillary body 75
- mandible
  - angle of 117
  - coronoid process 117
  - head (condyloid process) 117
  - ramus 117
- mandibular foramen 118
- mastoid air cells 117
- maxillary sinus 110, 115
- medial epicondyle 11
- medial tibial condyle 29
- median cubital vein 13
- median vein of forearm 13
- mediastinum 5–6
- medulla oblongata 73, 86
  
- meniscus
  - lateral 128
  - medial 128
- mesenteric artery
  - inferior (IMA) 38, 39
  - superior (SMA) 38, 39
- metacarpal 153
  - index 17
- metatarsal
  - 1st 137
  - 5th 137
- midbrain 73, 79
  
- nasal lacrimal gland 111
- nasal septum 115
- nasopharynx 107, 108
- navicular 137
- navicular fossa 62
- non-contrast computed tomography (NCCT) 69
- nucleus pulposus 158
  
- obturator foramen 121
- obturator internus 126
- oculomotor nerve 80
  - nerve palsy 80
- odontoid peg 112
- oesophagus 35, 47
- olecranon 146, 151
- optic chiasma 77
- orbit 110
- oropharynx 107, 108
  
- palate, soft 107
- palmar arches 18
  - deep 17
  - superficial 17
- pancreas 42, 44–45
  - tumours 45
- pancreatic duct 44
- paranasal sinuses 108, 110–111
- parieto-occipital fissure 75
- patella 29, 130, 131
  - tendon 130
- pelvi-ureteric junction (PUJ) 68
- pelvic inflammatory disease (PID) 61
- pelvis 65–66, 120–121
- peroneal artery 31
- phalanx, distal 153
- pharyngeal pouch 108–109
- pharynx 108

- phrenic nerve 2  
 pineal gland 79, 80  
 pituitary gland 77–78  
   tumours 78  
 pleural membranes 2  
 pons 70, 73, 86  
 popliteal artery 29, 30, 31  
   aneurysm 30  
 popliteal fossa 133  
 portal hypertension 43  
 portal vein 42–43  
   right 42  
 pouch of Morison 49  
 profunda brachii 12  
 profunda femoris 27  
 projection fibres 71  
 prostate gland 40  
 psoas muscles 34, 49  
 pubic ramus 60  
 pubic symphysis 58, 60, 121  
 pulled elbow 147  
 pulmonary artery 5  
 putamen 82  
 pylorus 47
- quadrangular membrane 114  
 quadratus lumborum 49
- radial artery 11, 15, 16, 17  
   patency testing 18  
 radio-ulnar joint, distant 151  
 radius 15, 148, 151–152  
   head 11, 146, 151  
   neck 146  
   styloid 151  
   tubercle 151  
 rectum 34, 37, 40–41, 58–59  
   lumen 40  
 rectus abdominis 49  
 rectus femoris 124  
 renal arteries 55  
 renal papilla 68
- sacculations 38  
 sacroiliac joint 58, 60,  
   120, 121  
 sacrospinous ligament 121  
 sacrotuberous ligament 121  
 sacrum 120, 121  
 sagittal sinus 103, 104, 105  
 scaphoid 148
- scapula 138, 140–141  
   glenoid fossa 142  
   inferior angle 140  
   lateral border 140  
   winging 141  
 sciatic foramen  
   greater 121  
   lesser 121  
 semimembranosus 132  
 septum pellucidum 93, 94  
 sesmoid bone 153  
 shoulder 138–139, 142–143  
   dislocation 139  
 sinus  
   confluence of 103  
   ethmoidal 110, 111  
   frontal 107  
   maxillary 110, 115  
   paranasal 108, 110–111  
   sagittal 103, 104, 105  
   sphenoid 77, 107, 110, 111  
   straight 103, 105  
   transverse 103, 105  
 sinusitis 111  
 skull base *see* base of skull  
 soft palate 107  
 sphenoid sinus 77, 107, 110, 111  
 spina bifida 156  
 spinal cord 73, 157  
 spine, lumbar 157–158  
 spleen 34, 44, 54  
 splenic artery 24, 25  
 splenic flexure 35, 37  
 splenoportal confluence 44  
 sternoclavicular joint 140  
 stomach 35, 47–48  
   arterial supply 48  
   greater curve of 47  
 straight sinus 103, 105  
 subarachnoid haemorrhage (SAH) 106  
 subclavian artery 9, 10  
   occlusion 10  
 subclavian steal phenomenon 10  
 subdural haemorrhage 106  
 subscapularis 142  
 supraspinatus tendon 143  
 Sylvian fissure 87
- taeniae coli 38  
 talar dome 134  
 talus 137

**164 Index**

- tectum 79, 80
- tentorium cerebelli 75, 105
- thalamus 77, 82, 83, 89
- thenar eminence 153
- thigh 124–125
- thorax 2, 3–4
- thrombophlebitis 111
- thyroid membrane 113
- thyroid cartilage 112
- tibia 134
  - shaft 31
- tibial artery
  - anterior 31, 32
  - posterior 31, 32
- tibial plateau 128
- tibial spine 132
- trachea 1, 3–4
- transpyloric plane of Addison 45
- transverse ligament 118
- transverse sinus 103, 105
- Trendelenburg test 127
- triceps 146
- triquetrum 148
- trochanter
  - greater 122, 126
  - lesser 122
- trochlea 151
  - notch 130
- trochlear nerve 80
- turbinate 110–111
  - inferior 110
  - middle 110
  - superior 110
- ulna 15, 146, 151–152
  - styloid 151
- ulnar artery 11, 15, 16, 17
  - patency testing 18
- ureters 68
  - calculi 69
- urethra 63
  - bulbous 62
  - congenital valves 63
- injury 63–64
  - membranous 62
  - penile 62
  - prostatic 62
  - sphincters 63
- urethrogram 63–64
  - micturating cystourethrogram 62–63
- urogram, intravenous (IVU) 67–68, 69
- uterus
  - endometrium 58, 60
  - fundus 58, 60
- vagus nerve 2
- vastus intermedialis 124
- vastus lateralis 124
- vena cava
  - inferior 35
    - diaphragmatic foramen 35
    - superior (SVC) 5
- venogram 13–14
- ventricles, brain 90
  - 3rd 89, 91, 93
  - 4th 91
  - lateral 89, 91, 93–94
    - frontal horn 93
    - occipital horn 93, 105
- ventricles, heart
  - left 7, 8
  - right 7, 8
- vertebra 156
  - body 155, 157
  - lamina 155
  - lumbar 155–156
  - pedicle 155
  - spinous process 155
  - transverse process 155
- vertebral artery 9, 10, 95–96, 101
- vesico-ureteric junction (VUJ) 68
- wrist 148–149
- Zenker's diverticulum 108–109
- zygomatic arch 117