

Index

Page numbers in **bold** indicate places where the meaning of a word or phrase set in **bold** in the text is explained.

- 5-hydroxytryptamine, *see* serotonin
 acetylcholine, 226
 action potential, *see* spike
 activity-dependent staining, 11
 adaptation
 dark, **98**
 light, **98**
 sensory, **23**, 233
 aggression, 76
 agonist, **165**
 amplification, 103
 amplifier, 25
Anaspides tasmaniae, 77
Anser anser, 2
 antagonistic, **164**
Apis mellifera, 195
Aplysia, 69
Apterionotus, 244
 Area X, 252, 255, 257
 arousal, 121, 230
 association, **196**
 attack, 67
 auditory lobule, 255
 auditory system
 bat, 146–156
 cricket, 230–236
 fish, 81
 owl, 131–140
 song bird, 249, 251
 axon, **5**, 24
 space constant, **27**
 azimuth, 128
- babbling, 256
 bat, 188, 231
 echolocation sound, 140–143
 fruit, 149
 horseshoe, 142, 156
 mouse-eared, 141
 moustached, 143, 151
 beats, 241
 bee, 111
 antennal lobe, 198
 foraging, 196
 proboscis extension, 196
- brain
 bird, 245
 vertebrate, 7
Bufo, 44
 bug detector, 49
 bump
 photon, 98
- canary, 248, 257
 capacitance, 29, 32
 cartridge
 lamina, 93, 95
 cell
 amacrine, 48
 bipolar, 47, 104
 eccentric, 104
 glial, 28
 granule, 210
 grid, **208**
 hair, 134, 146
 head direction, 207
 horizontal, 48, 104
 Kenyon, 198
 lamina monopolar, 101
 lobula plate tangential,
 94, 114
 place, **205**, 213
 retinal ganglion, 47, 104
 Rohon Beard, 164
 central pattern generator, **161**, 164,
 178, 187, 227, 234
 centre-surround organisation, 48
 cercus, 54
 chaffinch, 248
 channel
 calcium, 29
 chemical sensitive, **29**
 ion, **28**
 voltage-sensitive, 29, 165
 chiasm, **94**
 chordotonal organ, 183
 cicada, 223
 cochlea, 134, 146
 cockroach
 startle reaction, 53–57
- coding
 sensory, 54
 sparse, **253**
 collateral, **82**
 collision, 118, 188
 commissure, 186
 conditioning, **197**, 200
 conduction
 passive, **82**, 100
Condylura cristata, 9
 connective, *see* nerve: connective
 contralateral, **83**
 contrast, **100**, 102, 105
 corollary discharge, **223**, 234, 253
 cortex
 auditory, 147, 151
 cerebral, 8, 151, 205
 entorhinal, 208, 210
 somatosensory, 10, 11
 course
 flight, 116
 courtship
 fruit fly, 17
 crayfish
 American red swamp, 62
 giant interneuron, 62–78
 muscle receptor organ, 22–24, 70
 tail flip, 62–78
 cricket, 224
 European field, 224
 critical period, **139**, **193**, 248
 crustacea, 172
 cue
 sound localisation, 130
 current
 air, 53
 curve
 intensity-response, 99
 threshold, 147, 150
 tuning, 232
- dB, *see* decibel
 DCMD, *see* motion detector:
 descending contralateral
 decibel, **128**

- delay line, **137**
 dendrite, **5**, 27, 28, 34, 79
 space constant, 28
 depolarise, **25**
 Diptera, 90
 direction
 null, **106**
 preferred, **106**
 disinhibition, 39, 40, 182
 dogfish, 161
 dominance hierarchy, 75
 dragonfly, 96, 166
 larva, 66
Drosophila, 12, 110

 ear
 bat, 146
 cricket, 230
 owl, 134
 echo
 analysis, 147
 echolocation, **127**, 149
Eigenmannia, 239, 244
Eigenmannia viridescens, 238
 Eimer's organs, 10
 electrode
 extracellular, 26
 intracellular, 26
 electromyogram, **176**
 electroreceptor, 239
 ampullary, 239
 tuberos, 239, 241
 electrosensory lobe, 242
 EMD, *see* motion detector: elementary
 engineer
 genetic, 12, 110, 213
 EPSP, *see* postsynaptic potential:
 excitatory
 ethology, **2**
 evolution
 crayfish tail flip, 76
 jamming avoidance, 244
 excitation, 165
 executive, 71
 experience
 visual, 139
 eye
 compound, **93**, 95
 fly, 95

 facilitate, **108**
 facilitation, 171
 fast start, **78**
 feature detector, 45, 107, 126

 feeding, 9
 field L, 251, 254
 filiform sensillum, 54
 filter, 103, 107
 neural, 136
 filtering
 sensory, **3**, 103
 stimulus, 68
 finch
 zebra, 246, 248, 255, 256
 fish
 electric, 237–245
 glass knife, 238
 fixed action pattern, **3**, 45
 flicker, 108
 flight
 fly, 92, 97, 106,
 113, 116
 locust, 118, 174–189
 flow field, **112**
 flower, 195
 fly
 blow, 90, 96
 crane, 100
 flesh, 100
 fruit, 90, 96
 house, 90
 hover, 90, 92, 97
 robber, 90
 fovea, **10**, 96
 acoustic, 154
 frequency
 contrast, **111**
Fringilla coelebs, 248
 frog
 clawed, 162

 ganglion, **6**
 stomatogastric, 172
 suboesophageal, 200
 gastric mill, 173
 gene, 13, 236, 255
 fruitless, 17
 glint
 acoustic, 155
 glomerulus, **198**
 glutamate, 165, 176, 212, 243
 goldfish, 78
 graded potential, **22**
 gregarization, 214, 215
Gryllus bimaculatus, 229
Gryllus campestris, 224
Gymnarchus niloticus, 244
 gymnotid, 237

 habituation, **69**, 74, 121
 hair
 wind sensitive, 186
 haltere, 117
 harmonic, 142, 151
 hermit crab, 78
 hippocampus, 203–213
 region CA1, 211
 region CA3, 210
 honey bee, 96, 194, 195
 horseshoe crab, 104
 hunting, 2, 126
 hyperpolarise, **25**

 illumination
 background, 99
 inferior colliculus, 132, 147, 150, 251
 inhibition, 71
 electrical, 84
 lateral, **104**, 119
 postsynaptic, 235
 presynaptic, **73**, 84, 235
 reciprocal, **164**
 tonic, 75
 innate releasing mechanism,
 3, 45
 integrate, **21**
 integration, 32
 interneuron, **22**
 auditory, 231
 brain, 186
 commissural, **164**
 corollary discharge, 234
 dorsal ramp, 171
 dorsal swim, 171
 flight, 180
 giant, 55
 lateral giant, 62
 local, 37–41
 Mauthner inhibitor, **83**
 medial giant, 62
 non-spiking, **37**, 39
 owl auditory, 131–138
 segmental giant, 67, 77
 sensory, 68
 swim, 170
 time marking, 150
 tritocerebral commissure
 giant, 186
 ipsilateral, **83**
 IPSP, *see* postsynaptic potential:
 inhibitory
 jamming, 239

- lamina, **93**, 101
 lemniscus
 lateral, 136
 lens, 94
 LGMD, *see* motion detector: lobula
 giant
 light
 natural, 98
Limulus, 104
 LMC, *see* cell: lamina monopolar
 lobula, **94**, 117, 118
 lobula plate, **94**
 locust, 118, 174, 194, 213
 gregarious phase, 214
 local interneuron, 37–41
 phase, 213–218
 solitary phase, 213
 swarm, 213
 wing reflex, 37
Locusta migratoria, 118, 213
 logarithm, 128
 love spot, 97
 LPTC, *see* cell: lobula plate
 tangential
 LTP, *see* potentiation: long-term
- Malacostraca, 76
 mantis, 96
 mantis shrimp, 77
 map
 alignment, 139
 auditory, 133
 cognitive, 203
 sensory, 11
 target range, 151
 maze
 water, 204
 medulla, **93**, 120
Melospiza georgiana, 246
 membrane
 basilar, 134, 154
 memory, 196
 spatial, 203
 microelectrode, **25**
 midbrain
 auditory, 132
 modulation frequency, 155
 mole
 star-nosed, 11
 mollusc
 brain, 170
 mood, 75
 Mormoopidae, 143
 mormyrid, 237
- motif, 246
 motion detector
 descending contralateral, 118
 elementary, **107**
 lobula giant, 118
 movement
 rhythmic, 160
 movement detector, **91** *see* motion
 detector
 mudpuppy, 48
 multimodal, **186**
 muscle
 fast flexor, 62
 insect flight, 175
 middle ear, 148
 neck, 117
 stretch activated, 175
 muscle spindle, 31
 mushroom body, **198**
 myelin, 27
Myotis, 141
- Necturus*, 48
 nerve, 7
 connective, **7**, 55, 186
 nerve cell, *see* neuron
 nerve net, 5
 network, 5
 neuroethology, **2**
 neurohormone, 121, 189
 neuromodulator, 171
 neuron, **4**
 anterior burster, 173
 arthropod motor, 34
 auditory receptor, 232
 cell body, **4**, 34, 79
 command, **61**, 85, 86, 171, 226
 cranial relay, 83
 DCMD, 188
 delay-sensitive, 151
 extensor inhibitor motor, 72
 figure-ground, **117**
 flight motor, 34
 giant, 60
 H1, 106
 HS, 106, 109
 inhibitory motor, 72
 lateral giant, 66
 mammal motor, 30
 Mauthner, 78–87
 mirror, **254**
 motor, **21**, 62, 168, 176
 motor giant, 62, 77
 motor giant inhibitor, 72
- motor inhibitory, 176
 omega, 233
 pacemaker, **161**
 PE1, 199
 pyloric suppressor, 173
 pyramidal, 4, 210, 242
 reticulospinal, 85
 sensory, 37, 68
 space-specific, 132
 spherical, 242
 T5(2), 50
 tectal, 50–53
 VS, 106, 114
 VUMmx1, 200–202
 neuropile, **7**, 93
 neurotransmitter, **29**
 noise, 103
 nucleus
 angular, 135
 brain, **245**
 cochlear, 147
 DLM, 255, 257
 HVC, 249, 250, 251, 252, 257
 lamina, 137
 LMAN, 255, 256, 257
 magnocellular, 135, 137
 pacemaker, 243
 RA, 250, 251, 257
 nucleus sensorius, 243
- ocelli, 187
 octopamine, 76, 121, 179, 189, 199,
 200
 odour, 198
 ommatidium, **93**, 119
 optic lobe, **93**
 optomotor response, **92**
 organ
 electric, 238
 Orthoptera, 224
 oscillator, 173
 oscine, 245
 owl, 128–140
 barn, 128
 development, 139
 ear asymmetry, 130
- pattern generator, **3**, 71
Periplaneta americana, 53
 phase locked, **135**
 phase resetting, **180**
 phasic, **23**, 99
 phonotaxis, **228**
 photon, 98

- photoreceptor, 47, 98
 plasticity
 crayfish tail flip, 75
 plot
 polar, 56
 postsynaptic, 22
 postsynaptic potential, **24**, 29
 compound, 68
 excitatory, **31**, 35, 165
 inhibitory, **33**, 36, 164
 Mauthner neuron, 81
 potential
 graded, 100
 potentiation
 long-term, **211**
 predator, 44, 66
 presynaptic, 22
Procambarus clarkii, 62
 propagation, 22
 proprioceptor, **21**, 31, 70, 178,
 183, 227
 protocerebrum, 187
 PSP, *see* postsynaptic potential
Pteronotus, 143, 151
 pyloric region, 173
- rat, 194
 brown, 202
 burrow, 202
 laboratory, 202
Rattus norvegicus, 202
Rattus rattus, 202
 receptive field, **47**, 56, 104, 132, 134
 receptor
 glutamate, 165
 muscle, 22
 NMDA, 165, 212
 olfactory, 198
 sensory, **21**
 receptor potential, **23**
 reconfiguration, 172
 recruitment, 169
 reflex, 21, 30, 160
 refractory period, **26**, 27
 releasing, **2**
 releasing mechanism, 50–53
 releasing value, 46
 resolution, 96
 resonator, 225
 response
 avoidance jamming, 239
 optomotor, 106
 saturated, **99**
 resting potential, **25**, 28
- retina, 5, 47–50
 vertebrate, 104
 retinotopic, **93**
 rhabdom, **94**
 open, 95, 107
 Rhinolophidae, 142
Rhinolophus, 148, 153
 rotation, 115
Rousettus, 149
- saccade, **92**, 114
Sarcophaga, 100
 scale
 logarithmic, 98
Schistocerca americana, 118
Schistocerca gregaria, 213
 selectivity
 direction, **105**
 directional, 107
 sense
 electric, 237
 sensillum
 filiform, 187
 sensitise, **196**
 sensitivity
 directional, 55
 sensory filtering, 53, 232
 serotonin, 76, 171, 216
 shift
 Doppler, 142, 154
 sign stimuli, 3
 signal
 constant frequency, 142
 frequency modulated, 141
 silver staining, 4
 size principle, **168**
 song, 222
 bird, 245–257
 calling, 224
 courtship, 224
 cricket, 223–237
 development, 247–249
 Drosophila, 13
 nuclei, 249
 plastic, 248
 rivalry, 224
 sound, 127, 222
 space constant, **81**
 sparrow
 swamp, 246, 252
 white-crowned, 249
 speed
 change, 167
 stimulus, 111
- spike, **22**, 23, 26, 28, 41
 conduction velocity, 26,
 27, 82
 frequency, 23
 Mauthner neuron, 79
 rate, 23
 rebound, **164**
 spinal cord, 29, 34, 162, 168
 spiny lobster, 77
 starling, 248
 startle, 60
 cockroach, 53–57
 pathways, 60
 startle response
 fish, 78
 steering, 187
Sternopygus, 244
 stimulus
 conditioned, **197**
 sign, **3**, 45
 unconditioned, **197**
 stimulus filtering, 48
 stretch receptor, *see* crayfish: muscle
 receptor organ
 wing hinge, 34, 183
 stridulation, **224**
 struggle, 164
 summation
 spatial, **32**
 temporal, **32**, 35, 37
 swallowing, 173
 swimmeret
 crayfish, 61
 swimming
 crayfish, 65, 70
 sea slug, 169–171
 tadpole, 162–166
 zebra fish, 167–169
 syllable, 246
 synapse, **21**, 24, 30, 34,
 120, 176
 chemical, 39, 68, 81
 electrical, 63, 69, 81, 116,
 173, 242
 inhibitory, 33, 102
 strengthening, 210
 synapses
 inhibitory, 173
 reciprocal inhibitory, 173
 synaptic delay, 32
 synaptic transmission
 graded, 40
 syrinx, **247**, 250
Syritta, 92, 97

- Taeniopygia guttata*, 246
 tail fan, 62
 Tasmanian mountain
 shrimp, 77
 tectum, 8
 optic, 49, 132, 139, 243
 tegula, 183
Teleogryllus, 236
 teleost, 78
Tenodera, 96
 thalamus, 8, 50
 thrasher
 brown, 246
 threshold, 26, 39, 69
Tipula, 100
- toad
 prey-catching behaviour,
 45–47
 tonic, **24**, 99
 tonotopic, **134**, 232
 torus semicircularis, 242, 243
 transduce, **22**
 transduction, 95
Tritonia, 169
 tuning, 155
 frequency, 150
 tutor, 245, 248
 tympanum
 cricket, 231
Tyto alba, 128
- Vespertilionidae, 141
 visual system
 insect, 93–94
 owl, 138–140
 toad, 47–53
- wind, 53, 187
 wing
 muscles, 175
- Xenopus*, 162
- zebra fish, 78, 167
 larvae, 85
 zenk, 255