

Index

- acceleromyography, 271–272
- Accreditation Council for Graduate Medical Education (ACGME), 27
 accredited residency programs, 70
 competency defined by, 28
- acoustic myography, 273
- ACT. *See* activated clotting time (ACT) measure
- activated clotting time (ACT) measure, 308
- activated partial thromboplastin time (aPTT) coagulation test, 293–294
- acute myocardial infarction (AMI), 66, 319, 322, 374
- acute respiratory distress syndrome (ARDS), 63
- admission clinical assessment scales (neurologic clinic)
 FOUR Score, 353
 Glasgow Coma Scale, 238, 353, 369
 Hunt-Hess grade, 353
- adult learning theory (Knowles/Davis), 27, 28
- AIMS (anesthesia information management systems), 383
 barriers to, 386–387
 benefits of, 385
 connectivity, 384
 data storage, 384–385
 point-of-care workstations, 384
 software, 385
 system architecture, 383–384
- Albert, N. M., 50
- alcuronium, 5
- Alderson, P. J., 58
- Aldrete, A. J., 357–358
- Aldrete PACU scoring system, 357–358
- Ali, H. H., 5, 266
- Allen test, 48, 52
- Altman, D. G., 20
- American Academy of Neurology (AAN), 214
- American Board of Anesthesiology (ABA), 31
- American Board of Medical Specialties (ABMS), 28
- American Board of Neurophysiologic Monitoring (ABNM), 234
- American Board of Registration of Electroencephalographic and Evoked Potential Technologists, 200
- American Clinical Neurophysiology Society, 200
- American College of Cardiology (ACC), 36, 131
- American College of Emergency Physicians, 142
- American College of Obstetricians and Gynecologists (ACOG), 344
- American College of Physicians, 131
- American College of Surgeons, 142, 378
- American Heart Association (AHA)
 echocardiography guidelines, 131
 Electrocardiography and Arrhythmias Committee, 37
 noninvasive blood pressure measurement recommendations, 45, 52
 practice standards for hospital ECG monitoring, 36
 Task Force on Practice Guidelines, 36
 “unipolar”/“bipolar” usage recommendations, 39
- American Institute of Ultrasound in Medicine, 233
- American Medical Association (AMA), 142
- American Society of Anesthesiologists (ASA), 224.
See also Standards for Basic Anesthesia Monitoring (ASA)
 basic anesthesia monitoring guidelines, 36, 45
 Closed Claims Project, 6, 12, 184, 192–193
 Intraoperative Awareness and Brain Monitor Function Monitoring practice advisory, 13
 intraoperative BP measurement requirement, 51
 intraoperative monitoring standards, 154
 PACU discharge guidelines, 357
 practice parameters/evidence of utility, 130–131
- American Society of Neuroimaging, 234
- American Society of Neurophysiologic Monitoring, 200, 233–234
- American Society of Regional Anesthesia (ASRA), 147
- American Spinal Injury Association (ASIA) Scale, 355
- American Thoracic Society, 66
- Andropoulos, D. B., 232
- Anesthesia Patient Safety Foundation (APSF), 28, 183
- anesthesia records
 AIMS
 connectivity, 384
 data storage, 384–385
 point-of-care workstations, 384
 software, 385
 system architecture, 383–384
- ARCs system, 11, 12, 383
 historical background, 2, 383
- Anesthesiology* journal on PNS units, 261–262
- animal experimentation
 with anesthetics, 1
 EEG activity study, 200
 NIOM clinical utility evidence, 200
 PbO₂, MAP relationship study, 242
 PRAM device study, 85
- antecubital veins, cannulation of, 5, 59
- antepartum assessment
 biophysical profile, 346
 contraction stress test, 345
 nonstress test, 346
 oxytocin challenge test, 345
- anticoagulation monitoring. *See also* Coagulation/hematologic point-of-care (POC) testing;
 Heparin monitoring
 heparin-induced, 294, 308
 ACT measure, 308
 complexities of, 301
 Lee-White clotting time measure, 308
 TEG performance/sodium citrate, 299
 warfarin-induced, 293
- aortic disease, 130
- APACHE I ICU scoring system (1981)
 description, 372
 limitations, 372
 strengths, 372
- APACHE II ICU scoring system (1985)
 description, 372–373
 limitations, 373
 strengths, 373
- APACHE III ICU scoring system (1991)
 description, 373
 strengths/limitations, 373–374

Index

- APACHE IV ICU scoring system (2006)
 description, 374
 limitations, 374
 strengths, 374
- APACHE severity of illness scoring system, 369
- Apgar, Virginia, 357
- arterial blood pressure monitoring, 45–53
 arterial cannulation, 46–48
 catheter-over-the-needle technique, 4
 Doppler-assisted techniques/two-dimensional ultrasound methods, 47
 end-pressure artifacts, 46
 sites for, 48–49
 arterial pressure waveform, 29
 complications, 51–52
 contraindications, 53
 coupling system/pressure transducers, 49–50
 credentialing, 52–53
 evidence of utility (clinical outcome), 51
 general principles (technical concept)
 invasive monitoring, 46
 noninvasive BP measurement, 45–46
 overview, 45
 historical background, 1, 3–4
 indications for, 53
 intracatheter assessment measurement (case study), 11
 measurement system characteristics, 50–51
 percutaneous plastic catheter placement, 3
 via surgical cut-down technique access, 4
- arterial oxygen saturation (SaO₂), 98, 268
- artifacts
 catheter whip artifact, 69
 clinical alarm systems, 388–389
 electrocautery artifact, 109
 end-pressure artifacts, 46
 intrinsic and extrinsic, 37–38
 motion artifacts, 107, 109, 188
 Nyquist limit creation of, 107
 OR setting/false positives, 42
 rotational artifacts, 108
 smoothing technologies, 16
 suppression methods, 14, 37
- ASE standard views. *See* transesophageal echocardiography (TEE), parameters monitored (standard ASE views)
- ASK [attitudes, skills, knowledge] to achieve model (for developing monitoring skills), 28
 intraoperative phase, 29
 postoperative phase, 29
 preoperative phase, 29
- Association for the Advancement of Medical Instrumentation (AAMI, U.S.), 45
- atrioventricular rhythm, and ether anesthesia, 4
- atrioventricular valve regurgitation, 127
- atropine, 275, 338, 340, 342
- auscultation of heart tones, historical background, 2
- Australian Incident Monitoring Study, 183
- automated implantable defibrillators, 42
- automated recordkeepers (ARKs), 11, 12, 383
- auto-positive end expiratory pressure (PEEP), 180
- Avidan, M. S., 222, 223, 303
- axillary artery cannulation, 48
- Baillard, C., 275
- Baker, R. W., 350
- Baker, S., 95
- Baldus, S., 322
- balloon-tipped flow-guided catheter technique (1970), 5
- Barbeau, G. R., 48
- barbiturates
 consequences of use, 210
 and dose-dependent EEG slowing, 204
 SSEP latency/amplitude and, 206
- Barcroft, J., 341
- Bardoczky, G. I., 182
- Bar-Or, D., 322
- Barthel score (activities of daily living assessment), 355–356
- B-Aware trial (bispectral index), 222
- Bayley Scales of Infant Development, 257
- Beecher, H. K., 261
- Beilin, Y., 349
- Bellevue Hospital (New York), 261
- Bennet, L., 342
- Benumof, J. L., 60
- benzodiazepines
 BIS index and, 219
 delirium correlation with, 361, 365
 fetal heart rate variability and, 341
 and TcMEEP suppression, 212
- Bernard, Claude, 1
- Bierman, M. I., 193
- Bigeleisen, P. E., 147
- Biotrack 512 POC coagulation monitor, 310
- bispectral index (BIS)
 Avidan study, 222
 B-Aware trial, 222
 CLS with BIS/propofol study, 391
 Cochrane review, 222
 description, 218–220
 NarcoTrend comparison, 221, 222
 SNAP index comparison, 221
 successes of, 218
 utility trial, 221–222
- Bland, J. M., 20
- Bland-Altman analysis (of cardiac output), 22, 23
- Block-Aid monitor (peripheral nerve stimulation), 5
- blood clotting, laboratory-based tests
 blood component transfusion algorithms, 303–304
 intervention thresholds, 295
 traditional tests
 platelet count, 295–296
 PT/PTT, 295
 need for monitoring, 292–293
 overview of blood-clotting, 291–292
 plasma/serum-based coagulation tests
 activated partial thromboplastin time, 293–294
 fibrin degradation products, D-dimers, 295
 fibrinogen concentration, 294–295
 prothrombin (PT) time, 293
 thrombin time (TT), 294
 platelet count (whole blood), 295
 viscoelastic whole blood clotting
- Sonoclot
 coagulation/platelet function analyzer, 296–298
 thromboelastography, 298–303
- blood gases/acid-base equilibrium, 285
- blood pressure measurements
 invasive vs. noninvasive methods, 17–19
- B-mode ultrasound. *See* Two-dimensional (2D) ultrasonic methods
- Bodian, C. A., 349
- body fluid/electrolyte composition (OR critical care testing)
 blood gases/acid-base equilibrium, 285
 calcium
 hypercalcemia, 283–284
 hypocalcemia, 283, 328
 role/reference range, 283
 chloride
 hyperchloremia, 283
 hypochloremia, 283
 role/reference range, 283
 diagnostic indicators for vital functions, 285–286
 extracellular fluid/intracellular fluid, 281–282
 glucose
 hyperglycemia, 284
 hypoglycemia, 284
 role/reference range, 284
 hemoglobin/hematocrit, 284–285
 lactic acid, 285
 magnesium
 hypermagnesemia, 284
 hypomagnesemia, 284
 role/reference range, 284
 potassium
 hyperkalemia, 282
 hypokalemia, 282–283
 role/reference range, 282
 sodium
 hyponatremia, 282
 hyponatremia, 281–282
 role/reference range, 281
- Bollini, C. A., 146
- bolus thermomodulation cardiac output (BCO), 24
- Boutros, A., 50
- Box Scale (BS-11) of pain levels, 349
- brachial artery cannulation, 48
- brain oxygen monitoring, 239, 242–243, 244

- brainstem auditory evoked potentials (BAEPs), 213
- Brennan, M. L., 322
- British Hypertension Society (BHS), 45
- Brucher, R., 232
- Bruel and Kjaer Anesthetic Gas Monitor 1304, 159
- Brull, S. J., 270
- B type natriuretic peptide (BNP), pro-BNP, 320–321
- bubble-type blood oxygenator, for liver perfusion, 5
- bundle-branch block, 36
 coronary ischemia and, 120
 PA catheterization in, 68–69
- burden of proof, 10–11
 expert witness disagreements, 11
 injury-related requirements, 10
 negligent acts and, 10
 res ipsa loquitur argument, 10–11
- butorphanol, 341
- Caffrey, R. R., 274
- calcium (OR point-of-care laboratory testing)
 hypercalcemia, 283–284, 328
 hypocalcemia, 283, 328
 role/reference range, 283
- Calvert, N., 141
- Cantillon, P., 27
- Capraro, L., 303
- CO₂ partial rebreathing technique, 80
- carcinoid syndrome (tricuspid valve), 128
- cardiac catheterization (first usage), 1
- cardiac markers for perioperative management, 319–323
 commonly used markers
 B type natriuretic peptide, pro-BNP, 320–321
 C-reactive protein, high-sensitivity CRP, 321–322
 creatine phosphokinase (CPK), 319–320
 troponins, 320, 322
 novel markers
 ischemia-modified albumin, 322
 myeloperoxidase, 322
 pregnancy-associated plasma protein A, 323
 soluble CD40 ligand, 323
- cardiac output by pulse contour analysis (CO_{PC}), 20
- cardiac output (CO) monitoring
 challenges of, 79
 continuous cardiac output (CCO) device, 20
 gender/postural position factors, 16
 intrinsic heart rate (HR_{int}) measurement, 16
 maximal heart rate (HR_{max}), 16–17
 measurement techniques
 accuracy determination, 19–23
 accuracy vs. reproducibility, 23
 bias analysis, 20
 Bland-Altman analysis, 22
 limitations, 19
 pulse contour analysis, 20–22
 reproducibility determination, 23–24
 middle-aged women vs middle-aged men, 16
 purpose of, 16
 quantitating autonomic tone measurement, 16
 reproducibility of measurements, 23–24
- cardiac output (CO) monitoring measurements. *See also* Thermodilution techniques
 complications, 89–90
 credentialing, 90
 Doppler ultrasound-based systems, 86
 electrical impedance cardiography-based systems, 85–86
 evidence of utility, 89
 Fick's principle-based systems, 5, 79–80
 historical background, 79
 ideal device description, 79
 indicator dilution-based systems
 continuous CO monitoring, 82
 dye dilution, 80
 thermodilution cardiac output, 81–82
 integration of components (putting it all together), 89
 parameters monitored, 87–89
 pulse contour analysis-based systems, 82–85
 diastolic pulse contour analysis, 83
 Modelflow pulse contour analysis, 84
 pressure-recording analytical method, 85
 pulse power analysis, 84–85
 systolic pulse contour analysis, 83–84
- cardiac tamponade, 129–130
- cardiopulmonary bypass (CPB)
 ACT monitoring of heparin, 308
 bioimpedance system unreliability, 86
 brachial artery cannulation and, 48
 CBFV signals during, 226
 EEG monitoring/cerebral ischemia detection, 201
 hypothermic CPB, 69
 oxygenation/acid-base status monitoring, 5
 PAC and, 60, 69
 post-surgery neurologic injury, 130
 pulse oximetry and, 194
 ST elevation during weaning from, 40
 TDCO measurements, 81
- cardiotachoscope, 5
- Carighan, G., 357
- Carighan PACU scoring system, 357
- carotid endarterectomy/ischemic threshold, 230
- carpal tunnel syndrome, 147
- Cascade POC heparin analyzer, 309, 310
- catheter-over-needle cannulation, 4, 57
- catheter-over-wire (Seldinger) cannulation, 48, 57
- catheter-through-needle cannulation, 57
- CDI 500 Blood Parameter Monitoring System (Terumo Cardiovascular Systems), 289
- cell-based blood clotting (defined), 291–292
- Centers for Disease Control and Prevention, 52
- central venous cannulation, 4–5. *See also* Internal jugular vein (IJV) cannulation
 antecubital veins, 59
 external jugular vein, 58–59
 femoral vein, 59
 IJV cannulation, ultrasound guidance, 58
 subclavian vein, 59
 techniques/insertion sites, 57, 139
- central venous pressure (CVP), 57
 complications, 67–68
 IJV contraindications and, 59
 monitoring, 64
 contraindications for, 70
 indications for, 70
 SCV obstruction and, 59
 waveform components, 60–61
- cerebral blood flow velocity (CBFV) measurement, 226–229
 absolute threshold for ischemia, 230
 Circle of Willis SBFV measurements, 230
 clinical use in middle cerebral artery (MCA), 228–229
 neonate/infants, hypothermic bypass study, 231
 peak CBF changes and, 231
 relative vs. absolute, 230
- cerebral emboli/embolization, 48, 52, 130
 detection and counting, 229, 230
 detection and quantification, 232
- cerebral oximetry/cerebral oximeters, 249–250, 252
- Cheney, F. W., 192–193
- Chittock, D. R., 66
- chloride (OR point-of-care laboratory testing)
 hyperchloremia, 283
 hypochloremia, 283
 role/reference range, 283
- chloroform anesthesia
 death(s) from, 1
 Second Hyderabad Chloroform Commission, 1
- Chondrodendron tomentosum*, 261
- Christie, T. H., 5, 261
- Chung, F., 358
- Churchill-Davidson, H. C., 5, 261
- Circle of Willis CBFV measurements, 230
- cisatracurium, 212, 275
- Clark, D. L., 5
- Clauss detection method (of fibrinogen level), 310
- Clinical Assessment of Confusion-A (CAC-A), 364

Index

- Clinical Assessment of Confusion-B (CAC-B), 364
- Closed Claims Project (ASA), 6, 12, 184, 192–193
- closed-loop system (CLS) for medication delivery, 391
 analgesics, 392
 neuromuscular blocking agents, 392
 other applications, 392
 volatile anesthetics, 392
- Clot Signature Analyzer hemostatometer, 315
- Clover, Joseph Thomas, 1
- CoaguChek Pro DM monitor, 310
- coagulation/hematologic point-of-care (POC) testing. *See also* Platelet function monitoring
 anticoagulation/heparin monitoring, 294, 308
 Cascade POC system, 309
 complexities of, 301
 concentration monitoring, 308
 individualized heparin dosing, 309–310
 coagulation status monitoring, 309–310
 fibrinogen level POC tests, 310–311
 outcome study results, 308
 role of POC testing, 308
 thrombin time/heparin neutralized thrombin time, 310
- Cochrane review (bispectral index), 222
- Codman, A. E., 2, 383
- Cognitive Test for Delirium (CTD), 363
- Cohen, M. G., 66
- Collins, S. L., 349
- color-flow Doppler (CFD), 107, 109
 for artery/vein differentiation, 138
 in MV regurgitation site localization, 114
 in pulmonary regurgitation, 116
 qualitative grading using, 126–127
 3D, gated, 109
- computer-assisted medication delivery
 closed-loop system (CLS), 391
 analgesics, 392
 neuromuscular blocking agents, 392
 other applications, 392
 volatile anesthetics, 392
- target-controlled infusions (TCIs), 390–391
 analgesics, 392
 clinical efficacy/propofol infusion, 391–392
 neuromuscular blocking agents, 392
- computer-driven mannequins, 32
- computers and monitoring
 AIMS, 383
 barriers to, 386–387
 benefits of, 385
 connectivity, 384
 data storage, 384–385
 point-of-care workstations, 384
 software, 385
 system architecture, 383–384
- automated recordkeepers (ARKs), 11, 12, 383
- clinical alarm systems
 auditory alarms, 388
 false alarms, limits, artifacts, 388–389
 IEC standards, 388
 visual alarms, 388
- emerging technologies, 389–390
- CO2NFORM NOW CO₂ Detector, 161
- Confusion-Assessment Method (CAM), 362–363
- Confusion-Assessment Method for the Intensive Care Unit (CAM-ICU), 363
- Confusion Rating Scale (CRS), 364
- congestive heart failure. *See also* ESCAPE trial
 bioimpedance system unreliability, 86
 hypomagnesemia potentiation of, 284
 monitoring indication determination, 30
 pulse pressure relation to, 51
 troponin levels, 320
- Connors, A. F., 65, 66, 89
- consciousness monitoring. *See* Level of consciousness monitoring
- continuous cardiac output (CCO) device, 20
- continuous EEG (cEEG), 241–242
- continuous electronic fetal heart rate (CFHR) monitoring, 344
- continuous-wave (CW) Doppler echocardiography, 107, 127
- Cooper, J. B., 6, 31
- coronary artery bypass graft (CABG) surgery, 64
 off-pump, 65
 ST elevation during weaning from, 40
- coronary artery disease (CAD), 29
 CVP monitoring, 64
 MPO levels, 322
 multiple lead ST changes in, 39
 outcome predictions using TnI, 320
- Cournand, A. F., 5
- C-reactive protein, high-sensitivity CRP, 321–322
- creatin kinase MB (CK-MB) isoenzyme, 319
- creatin phosphokinase (CPK), 319–320
- credentialing
 arterial blood pressure monitoring, 52–53
 CO monitoring measurements, 90
 gastric tonometry, 96
 level of consciousness monitoring, 223
 near-infrared spectroscopy, 258
 point-of-care laboratory testing in the OR, 287
 pressure, volume, and flow monitoring, 183
 pulse oximetry, 194–195
 regional anesthesia procedures, ultrasound guidance, 147–148
 respiratory gas monitoring, 168
 TCD ultrasound, 233–235
 transesophageal echocardiography, 131–132
 vascular catheterization, ultrasound guidance, 142
- Creteur, J., 101
- Critchley, J.A.H.J., 22
- critical DO₂, 98–99
- critically ill neurologic patients. *See* Multimodality monitoring in critically ill neurologic patients
- Cumin, D., 31
- Cushing, Harvey, 2, 383
- Darmon, P. L., 22
- Datascope (Anestar) anesthesia workstation, 176
- Datex-Ohmeda Compact Airway Module IR analysis system (GE Healthcare), 156
- Davis, D., 27
- deaths
 from anesthesia delivery equipment, 184
 anonymous reporting system, 6
 APACHE III and, 373
 APACHE IV and, 374
 ASA Closed Claims Study report, 192
 calibration measurement, 370
 from cardiac tamponade, 12
 central venous catheter placement (case study), 12
 from chloroform anesthesia, 1
 from delirium, 361
 from neurologic complications, 51
 PAPP-A/sudden cardiac death, 323
 from persistent tissue hypoxia, 285
 TCD confirmation test for, 241
 TnT prediction of, 320
- De Backer, D., 102
- deep transgastric long axis TEE parameter (ASE), 110–112
- delirium
 detection of, 362
 DSM-IV-TR definition, 360
 incidence of, 360–361
 prevention/treatment of, 364–365
 risk factors for, 361–362
 significance of, 361
 types of, 360
- delirium assessment instruments
 Clinical Assessment of Confusion, 364
 Cognitive Test for Delirium, 363
 Confusion-Assessment Method, 362–363
 Confusion-Assessment Method for the ICU, 363
 Confusion Rating Scale, 364
 Delirium Detection Score, 363
 Delirium Rating Scale, 363
 Delirium Symptom Interview, 364
 Intensive Care Delirium Screening Checklist, 363
 Memorial Delirium Assessment Scale, 364
 NEECHAM Confusion Scale, 363
 Nursing Delirium Screening Scale, 364

- Visual Analog Scale for Acute Confusion, 364
- Delirium Detection Score (DDS), 363
- Delirium Rating Scale (DRS), 363
- Delirium Symptom Interview (DSI), 364
- Denault, A., 16
- Dent, C. L., 256
- descending aortic long axis/upper esophageal aortic arch short axis TEE parameter (ASE), 118
- descending aortic short axis/upper esophageal aortic arch long axis TEE parameter (ASE), 117
- Deschamps, A., 16
- Despotis, G. J., 303
- Dexter, L., 5
- diastolic pulse contour analysis, 83
- differential CO₂ partial rebreathing technique, 80
- digital signal processing (DSP) techniques, 37
 and intrinsic/extrinsic minimization, 37
- digoxin, 39, 284
- direct-writing ECG recorders, 5
- disease-specific risk prognostication scores, 369
- disseminated intravascular coagulation (DIC), 308
- Dittrich, R., 233
- Djaiani, G., 65
- D-Lite pressure/flow sensor, 175
- Doppler techniques
 described, 106
 echocardiography cardiac output (CO_{echo}), 20–22
 mitral valvular stenosis assessment, 125–126
 target velocity calculation, 106
 types of
 color-flow Doppler (CFD), 107, 109
 continuous-wave (CW) Doppler, 107
 pulsed-wave (PW) Doppler, 107
 waveforms, 106
- Doppler ultrasound-based CO monitoring systems, 19, 86
 complications, 90
 esophageal system, 89
- instruction/practice courses, 90
 real-time system limitations, 89
- dorsalis pedis artery cannulation, 48–49
- Dräger Spiromed anesthesia workstation, 173–174, 176
- Dripps, Robert, 3–4
- d-tubocurarine (dTc), 5, 261
- Easy Cap II CO₂ Detector, 160
- Edmonds, H. L., 233
- edrophonium, 275
- Eichhorn, J. H., 195
- Einthoven, Willem, 36
- Ekman, A., 223
- electrical impedance cardiography-based CO monitoring systems, 85–86
 endotracheal CO output monitor assessment, 86
 Kubicek/NASA studies, 85
 stroke volume calculation formula, 85–86
- electrocardiography (ECG), 4–5, 36–42
 direct-writing ECG recorders, 5
 myocardial ischemia detection/pathophysiology of ST segment responses, 5, 39
 ECG manifestations, 39–40
 perioperative ECG monitoring, 40–42
 perioperative arrhythmia monitoring, 42
 technical concepts
 historical perspective, 36–37
 power spectrum, 37
- electrocardiography (ECG), lead systems
 development of, 38
 history/description, 12-lead system, 38–39
 intrinsic/extrinsic artifacts, 37–38
 monitoring frequency response, 37
- electroencephalographic (EEG) techniques, 200–204
 anesthetic agent interactions, 204
 continuous EEG (cEEG), 241–242
 described, 200
 origin of, 218
 uses, 200–201
- electromyography (EMG)
 nerve conduction studies and, 213–214
 neuromuscular functioning, perioperative monitoring, 271
- El Makatti, N., 274
- EMG NeuroMuscular Transmission Module (the E-NMT), 271
- EMMA Emergency Capnometer, 159
- endocrine testing in the OR, 327–329
 evidence of utility, 329
 parameters monitored, 329
 parathyroid hormone (PTH) characteristics of, 327
 intraoperative monitoring, 328
 intraoperative testing, 327–328
 resistance to, in hypocalcemia, 283, 328
 role of, 327
 practice parameters, 329
 specimen collection, 328–329
- endotracheal CO output monitor assessment, 86
- end-stage renal disease (ESRD), 320
- end-tidal anesthetic gas (ETAG) targeted anesthesia study, 222
- Engbæk, J., 274
- entropy analysis, 220, 222
- Epstein, R. M., 271
- Eriksson, L. I., 267
- ESCAPE (Evaluation Study of Congestive Heart Failure And Pulmonary Artery Catheterization Effectiveness) trial, 66
- ether anesthesia, 3
 atrioventricular rhythm and, 4
- etomidate
 and dose-dependent EEG slowing, 204
- European Society of Hypertension, 23, 46
- European Society of Regional Anesthesia (ESRA), 147
- Examination of Special Competence in Perioperative Transesophageal Echocardiography (PTEeXAM), 132
- external jugular vein (EJV) cannulation, 58–59
- eye signs of anesthesia depth, 3
- face scales (FSs) of pain intensity, 350
- fast Fourier transformation (FFT), 221, 227
- femoral artery cannulation, 48
- femoral veins cannulation, 59
- FENEM CO₂ indicator, 161
- fetal bradycardia, 337
- fetal heart rate monitoring, 337–346
 antepartum assessment
 biophysical profile, 346
 contraction stress test, 345
 nonstress test, 346
 oxytocin challenge test, 345
 continuous electronic fetal heart rate monitoring, 344
 continuous vs. intermittent, 344
 early deceleration, 342
 efficacy of, 342–344
 fetal hemoglobin, 337
 goal of, 342–344
 heart rate control, 338
 heart rate responses
 to mild/moderate hypoxemia, 338–340
 to phasic hypoxemia/late decelerations, 340–341
 heart rate variability, 338, 341
 historical background, 337
 NICHD nomenclature establishment, 344–345
 oxygen delivery, 337–338
 sinusoidal pattern, 341
 variable deceleration, 341–342
- fetal mortality, 337
- fibrin degradation products, D-dimers (coagulation test), 295
- fibrinogen level POC tests, 310–311
- Fick's principle-based CO monitoring systems, 5, 79–80
 calculation formula, 79–80
 described, 19
 differential CO₂ partial rebreathing technique, 80
 calculation formula, 80
 limitations of, 19
- Fiddian-Green, R. G., 95
- finger cuff (FINAP) BP method, 46
- Fink, B. Raymond, 2
- Finometer (Finapres Medical Systems BV) pulse contour analysis system, 84

Index

- Fisher, C. J., 64
- Fleish pneumotachometers, 174
- Flo Trac/Vigileo (Edwards Lifesciences LLC) pulse power analysis system, 84
- flow measurements. *See also* Volume and flow measurements (mechanical, electronic)
- anemometers
 - hot wire anemometer, 176
 - vane anemometer, 173
 - described, 174–175
 - D-Lite pressure/flow sensor, 175
 - GE-Datex Sidestream Spirometry system, 175, 177
 - pilot tube flowmeter, 175–176
 - Pitot tube flowmeter, 176
 - pneumotachometers, 174, 175
 - ultrasonic flow sensor, 177
 - utility of, 180
 - variable orifice flow sensor, 177–178
- flow-volume loops, 182
- FORE-SIGHT cerebral oximeters (Casmed), 249, 250
- Forssmann, Werner, 5
- FOUR Score (coma assessment), 353
- frequency-domain near-infrared spectroscopy (NIRS), 249
- full environment simulation (FES), 32, 33
- Gan, T. J., 221
- Ganz, W., 5, 79
- gas sampling systems, 150
- gastric tonometry
 - adverse postoperative outcome predictability, 95
 - background information, 95
 - complications, 96
 - credentialing, 96
 - evidence of utility
 - observational studies, 95–96
 - randomized clinical trials, 96
 - limitations of, 102
 - technical concepts, 95
 - Tonocap gastrointestinal tonometer, 95
- Gavrilescu, T., 232
- GE Aisys Carestation, 177
- GE-Datex Sidestream Spirometry system, 175, 177
- GE Entropy module (GE Healthcare Clinical Systems), 220
- Gelman, S., 64
- GEM 3000 analyzer (Instrumentation Laboratories), 288–289
 - interfering substances, 288–289
- GE S/5 Physiologic Monitoring Systems, 175
- Glasgow Coma Scale, 238, 353, 369
- Glasgow Committee on Anesthetic Agents, 2
- Glasgow Outcome Scale (GOS; post-TBI assessment), 355
- Glasgow Western Infirmary, 2
- glucose (OR laboratory/chemistry testing)
 - hyperglycemia, 284
 - hypoglycemia, 284
 - role/reference range, 284
- glycopyrrolate, 275
- Goldman, S., 255
- Graves, K., 4
- Gray, T. C., 266
- Grose, R., 61
- Guedel, Arthur, 3
- gut hypoperfusion. *See* Gastric tonometry
- Gutierrez, G., 96
- Hagen-Poiseuille law, 174
- Hales, Stephen, 1
- Hamilton-Davies, C., 95
- Harrigan, F. B., 2
- Hartert, H., 298
- Harvard Medical School Department of Anesthesia, 9
- Harvey, William, 1, 79
- Haupt, M., 66
- Hayes, A. H., 275
- Heard, J. D., 4
- heart rate monitoring. *See* Cardiac output (CO) monitoring
- Hebl, J. R., 147
- hematologic point-of-care (POC) testing. *See* Coagulation/hematologic point-of-care (POC) testing
- Hemochron heparin ACT device, 308, 310
- Hemochron RxDx ACT-based heparin dose-response assay, 309
- hemodynamic compromise malpractice lawsuits, 13
- hemodynamic instability
 - causes of
 - atrial/ventricular arrhythmia, 71
 - hypovolemia, 79
 - myocardial dysfunction, 79
 - systemic vasodilation, 79
 - challenges of management, 79
 - ICU patient fluid loading response, 89
 - importance of output measurements, 19
 - types of, 65
- hemoglobin/hematocrit (OR critical care testing), 284–285
- hemostatometry, 315
- HemoSTATUS (platelet ACT measurement) device, 312
- HemoTec heparin ACT device, 308
- heparin monitoring, 294, 308
 - activated clotting time (ACT) measure, 308
 - Cascade POC heparin analyzer, 309, 310
 - complexities of, 301
 - heparin management test (HMT), 309
 - Hepcon HMS system, 308
 - HiTT functional anticoagulation test, 309
 - individualized heparin dosing, 309–310
- Hepcon (Medtronic) Heparin Dose Response (HDR) assay, 309
- Heyland, D. K., 66
- Hickey, P. R., 48
- high-intensity transient signals (HITS), 229, 232
- high-sensitivity C-reactive protein (CRP), 321–322
- Himmelstein, A., 5
- Hirsch, J. C., 257
- historical background
 - anesthesia record, 2
 - animal experimentation, 1
 - arterial blood pressure, direct measurement, 1, 3–4
 - auscultation of heart tones, 2
 - central venous/pulmonary artery catheterization, 4–5
- CO monitoring
 - measurements, 79
 - electrocardiogram in the OR, 4–5
 - eye signs of anesthesia depth, 3
 - fetal heart rate monitoring, 337
 - monitoring oxygenation, blood gases, acid-base status, 5
 - near-infrared spectroscopy, 249
 - neuromuscular monitoring, 5–6
 - pulmonary artery catheterization, 57
 - pulse oximetry, 5, 6, 9, 185–186
 - pulse/respiration monitoring advocacy, 1–2
 - Renaissance Europe, 1
 - safety-drive monitoring standards, 6
 - Sonoclot Analyzer, 296
- HiTT functional heparin anticoagulation test, 309
- Horacek, B. M., 41
- Hospital Infection Control Practices Advisory Committee, 52
- Human Patient Simulator (HPS), 31
- Hunt-Hess grade (of neurologic assessment), 353
- hypercalcemia, 283–284, 328
- hyperkalemia, 282
- hyperthermia, 98
 - malignant hyperthermia, 165, 331, 334
 - temperature monitoring and, 335
- hypocalcemia, 283, 328
- hypokalemia, 282–283
- hypothermia
 - CBFV and, 228
 - CPB and, 308
 - of the hand, 53
 - incidental hypothermia, 334
 - induced hypothermia, 243, 333
 - influence on EEG activity, 204
 - intraoperative hypothermia, 194
 - neuraxial anesthesia and, 333
 - oxygenation/acid-base status monitoring, 5
 - TCD and, 231
 - therapeutic hypothermia, 334

- Iberty, T., 64
- ICH (intracerebral hemorrhage) score, 354–355
- image formation, TEE
 color-flow (CFD) Doppler, 107, 109
 continuous-wave (CW) Doppler, 107
 Doppler effect/equation, 106–107
 M mode, 106
 pulsed-wave (PW) Doppler, 107
 2D mode, 106
- implantable, miniaturized devices, 37
- indicator dilution-based CO monitoring systems, 80–82
 continuous CO monitoring, 82
 dye dilution, 80
 thermodilution cardiac output, 81–82
- indirectly evoked response (neuromuscular functioning, perioperative monitoring)
 acoustic myography, 273
 motor nerve stimulation, 262–263
 objective measurement
 acceleromyography, 271–272
 electromyography, 271
 kinemyography, 272–273
 mechanomyogram, 270
 PNSs/conventional nerve stimulators, 5, 261, 263
- infrared analysis (respiratory gas monitoring)
 collision (pressure broadening), 155
 dual-beam positive filter, 156
 photoacoustic spectrometer, 157–168
 radiation detectors, 156
 radiation sources, 156
 sampling systems and, 157
 single-beam negative filter, 156
 single-beam positive filter, 156
 technical details, 155
 wavelength/anesthetic agent specificity, 156–157
- infrared sensors, 332
- Inhalation of the Vapour of Ether in Surgical Operations* (Snow), 1
- Injury Severity Score (ISS), 369
- INOvent delivery system (GE/Datex-Ohmeda), 164
- Institute of Medicine (IOM), 32
- Intensive Care Delirium Screening Checklist (ICDSC), 363
- intensive care unit (ICU) risk scoring
 APACHE I system (1981)
 description, 372
 limitations, 372
 strengths, 372
 APACHE II system (1985)
 description, 372–373
 limitations, 373
 strengths, 373
 APACHE III system (1991)
 description, 373
 strengths/limitations, 373–374
 APACHE IV system (2006)
 description, 374
 limitations, 374
 strengths, 374
 calibration, 371
 classification of, 369
 customization, 371–372
 discrimination, 371
 limitations/pitfalls of prediction models, 379–380
 Logistic Organ Dysfunction System, 369, 377
 model creation
 outcome selection, 370
 target population selection, 370
 variable selection, 370
 weight assignment, 370
 model performance, 370–371
 Mortality Probability Model I, 375–376
 Mortality Probability Model II, 376
 Mortality Probability Model III, 376
 Multiple-Organ Dysfunction Score, 369, 377
 NSQIP (1997), 378
 POSSUM, 377–378
 SAPS I (1984), 375
 SAPS II (1994), 375
 SAPS III (2005), 375
 Sequential Organ Failure Assessment, 369, 377
 Therapeutic Intervention Scoring System, 378–379
 utility of, 369–370
- intermittent auscultation (IA) heart rate monitoring, 344
- internal jugular vein (IJV) cannulation
 advantages of, 57
 approach in PAC, 59, 60
 CVC insertion, 139
 needle placement, 57
 TEE probe prior to, 57
 ultrasound guidance of, 58
- International Normalized Ratio (INR), 293
- Intocostrin (curare, dTc), 261
- intracranial aneurysm repair, 230
 CBFV monitoring during, 230
 SSEP monitoring during, 204
- intracranial pressure (ICP) and compliance monitoring (in critically ill neurologic patients), 237–240
- intracranial pressure (ICP) transducer accident (case study), 13
- Intraoperative Awareness and Brain Monitor Function Monitoring practice advisory (ASA), 13
- intraoperative awareness monitoring
 ASA monitoring suggestions, 13
 B-aware trial and, 222
 case study, 12
 cost of prevention, 223–224, 392
 entropy analysis, 220, 222
 ETAG and, 222
 low-concentration alarm, 167
 malpractice lawsuits for, 13
 NarcoTrend monitoring and, 222
- intraoperative stroke malpractice lawsuits, 13
- intrapartum maternal mortality, 337
- intrinsic/extrinsic ECG artifacts, 37–38
- INVOS 5100, cerebral oximeter, 249
- IRMA multigas analyzers, 159
- ischemia-modified albumin (IMA), 322
- Israeli Board of Anesthesiology Examination Committee, 31
- i-STAT analyzer (Abbott Point of Care), 287–288
- Itskovitz, J., 340
- Ivatury, R. R., 96
- Jacobsen, P. D., 9
- Jannelle, G. M., 252
- Jobsis, F. F., 249
- Joint Commission on the Accreditation of Healthcare Organizations (JCAHO), 12, 287, 351, 370
- Jones, R., 27
- JUPITER rosuvastatin trial, 321
- Kallmeyer, I. J., 131
- Kang, Y. G., 298
- Kaplan, J. A., 5
- Kapral, S., 146
- Katz, J., 5
- Keenan, S. P., 141
- Kern, K. B., 99
- Khelemsky, Y., 146
- kinemyography (KMG), 272–273
- King, S. B., 5
- Kirk, Robert, 2
- Klein, O., 5
- Kopman, A. F., 266
- Kreuer, S., 222
- Kubicek, William, 85
- Kussman, B. D., 257
- kymograph, 3
- lactic acid (OR point-of-care laboratory testing), 285
- Laerdal, Asmund, 31
- Landesberg, G., 41
- Lasocki, S., 320
- Lawrie, Edward, 1
- lead systems, electrocardiography
 development of, 38
 history/description, 12-lead system, 38–39
 intrinsic/extrinsic artifacts, 37–38
 monitoring/diagnostic modes, ECG monitor frequency response, 37
- Lee, C. M., 271
- Lee-White clotting time measure, 308
- left bundle-branch block (LBBB), 68–69
- left ventricular end-diastolic volume (LVEDV), 62–63
- left ventricular hypertrophy (LVH), 39, 121
- Lennox, W. G., 4

Index

- level of consciousness
 monitoring, 169, 195, 218–224.
See also Intraoperative awareness
 monitoring
 complications, 223
 credentialing, 223
 economic considerations,
 223–224
 evidence of utility
 Avidan study (bispectral
 index), 222
 B-aware trial (bispectral
 index), 222
 Cochrane review
 (bispectral index), 222
 entropy, 222
 NarcoTrend index, 222
 Patient State Index, 222
 utility trial (bispectral
 index), 221–222
 parameters monitored
 bispectral index, 218–220
 entropy, 220
 NarcoTrend index, 221
 Patient State Index (PSI),
 221
 SNAP index, 221
 practice parameters, 223
 risk factors, 223
 technical concepts
 discriminant functions,
 218
 origin of EEG, 218
 parameter extraction, 218
- Levine, S. A., 4
 Leyvi, G., 58
 LiDCO *plus* (LiDCO Ltd) pulse
 power analysis system, 84
 liquid crystal devices, 332
 Lister, Joseph, 1
 Logistic Organ Dysfunction
 System Score (LODS), 369,
 377
 London, M. J., 41
 Lubarsky, D. A., 11
 Ludwig, Karl, 3
 Lunn, J. N., 6
- Madsen, P. L., 258
 magnesium (OR point-of-care
 laboratory testing)
 hypermagnesemia, 284
 hypomagnesemia, 284
 role/reference range, 284
 mainstream (nondiverting) gas
 analysis system, 150, 152, 160
 maintenance of certification in
 anesthesia (MOCA)
 requirements, 31
- malpractice liability/lawsuits. *See*
also Burden of proof
 areas of exposure, 10, 13
 Jacobsen on, 9
 for patient awareness, 13
 review of closed malpractice
 claims, 9
- Mangano, D. T., 48, 64
 mannequin-based simulator
 training, 30, 31–32, 33
 Mantha, S., 24
 Marhofer, P., 146
 Marik, P. E., 102
 Marquette Advantage System
 (mass spectrometry system),
 153–154
 Martin, J. F., 233
 Massachusetts General Hospital,
 2
 mass spectrometry (respiratory
 gas monitoring)
 dedicated (stand-alone)
 systems, 155
 instrument description, 153
 partial pressure formula, 154
 principles of operation,
 153–154
 shared (multiplexed) systems,
 154–155
- McDonough, D. L., 258
 McGill Pain Questionnaire
 (MPQ), 351
 McKinley, B. A., 101
 measurement techniques,
 cardiac output
 accuracy determination,
 19–23
 accuracy vs reproducibility,
 23
 bias analysis, 20
 Bland-Altman analysis, 22
 limitations, 19
 pulse contour analysis, 20–22
 reproducibility
 determination, 23–24
- mechanomyogram (MMG), 155,
 266, 270
 MechanoSensor (M-NMT)
 kinemyography monitor, 272
 medication delivery systems,
 computer-assisted
 closed-loop system (CLS),
 391
 analgesics, 392
 neuromuscular blocking
 agents, 392
 other applications, 392
 volatile anesthetics, 392
- target-controlled infusions
 (TCIs), 390–391
 analgesics, 392
 neuromuscular blocking
 agents, 392
- medicolegal implications of
 monitoring, 9–14
 burden of proof, 10–11
 monitoring beyond the
 standards, 12–13
 monitoring standards, 11–12
 physiologic alarms, 14
 training, importance of,
 13–14
- Melzack, R., 351
 Memorial Delirium Assessment
 Scale, 364
 meperidine, 341
 mercury manometer, 3
 Merry, A. F., 31
 metabolic positron emission
 tomography (PET), 102
 methodologies/instrumentation
 in point-of-care laboratory
 testing
 CDI 500 Blood Parameter
 Monitoring System, 289
 GEM 3000, 288–289
 i-STAT analyzer, 287–288
 limitations/complications,
 289
 minimally invasive devices,
 289
- microdialysis, 239, 242, 243–244
 midesophageal aortic valve long
 axis TEE view (ASE), 115–116
 midesophageal aortic valve short
 axis TEE view (ASE), 115
 midesophageal ascending aortic
 long axis TEE view (ASE), 116
 midesophageal ascending aortic
 short axis TEE view (ASE),
 117
 midesophageal bi-caval TEE
 view (ASE), 117
 midesophageal four chamber
 TEE view (ASE), 112–113
 midesophageal long axis TEE
 view (ASE), 114–115
 midesophageal mitral
 commissural TEE view (ASE),
 113–114
 midesophageal right ventricular
 inflow-outflow TEE view (ASE),
 116
 midesophageal two-chamber
 TEE view (ASE), 114
- Miller, R. D., 276
 Millikan, Glen, 5
 minimally invasive devices (OR
 critical care testing), 289
 Missant, C., 20–22
 Mitchell, M. M., 18
 mitral valve (MV) apparatus
 anatomy/evaluation of, 124
 aortic regurgitation and,
 123–124
 midesophageal four chamber
 view, 112–113
 midesophageal long axis view,
 114–115
 midesophageal mitral
 commissural view, 113–114
 midesophageal two chamber
 view, 114
 3D zoom, real-time images,
 108
 transgastric basal short axis
 view, 112
 transgastric two chamber
 view, 110
- mitral valve (MV) regurgitation,
 126
 color-flow Doppler diagnosis,
 126–127
 continuous-wave Doppler
 diagnosis, 127
 quantification by PISA, 127
 regurgitant volume equation,
 128
- mitral valve (MV) stenosis,
 124–125
 Doppler assessment of,
 125–126
- M mode (image formation), 106
 Modelflow[®] pulse contour
 analysis, 84
 Modified Aldrete Scoring
 System, 358
 modified Rankin scale (mRS;
 post-stroke functional outcome
 assessment), 355
 Moller, J. T., 192
 monitored variables. *See also*
 Cardiac output (CO) monitoring
 accuracy determinants, 19–23
 defined, 16–17
 measurement methods, 17–19
 reproducibility
 determination, 23–24
- monitor selection/timing of
 placement
 intraoperative phase, 29
 ASK to achieve in, 29
 interpretation of data
 focus, 30

- simulation-based training, 33
 vigilance component, 30
 peroperative phase, 28–29
 anatomical considerations, 30
 ASK to achieve for, 29
 monitor determination, 28–29
 patient safety/comfort emphasis, 30
 psychomotor skill requirements, 30
 simulation-based training, 33
 timing of placement considerations, 29–30
 postoperative phase, 29
 ASK to achieve in, 29
 patient stability determination, 30
 simulation-based training, 33
- Monroe-Kelly doctrine, 237
- Morris, L. E., 261
- Mortality Probability Model (MPM) severity of illness scoring system, 369
 MPM-I (1985), 375–376
 MPM-II (1993), 376
 MPM-III (2007), 376
- Morton, W.T.G., 1
- motion artifacts, 107, 109, 188
- motor nerve stimulation, 262–263
- De Motu Cordis* (Harvey), 1
- mouth-to-mouth resuscitation training, 31
- Mulier, J. P., 101
- multimodality monitoring in critically ill neurologic patients technologies
 brain oxygen monitoring, 239, 242–243, 244
 cerebral blood flow, 245
 continuous EEG, 241–242
 epidural/subarachnoid monitors, 239
 intracranial pressure/compliance monitoring, 237–240
 intraparenchymal monitors, 239
 jugular venous oxygen saturation, 244–245
 microdialysis, 239, 242, 243–244
 TCD, 240–241
- Multiple-Organ Dysfunction Score (MODS), 369, 377
- multiplexed mass spectrometry systems, 154–155
- Murdoch, S. D., 66
- Murkin, J. M., 256
- Murphy, G. S., 276
- myeloperoxidase (MPO), 322
- Myles, P. S., 223
- myocardial infarction (MI). *See also* Acute myocardial infarction; ST-elevation
- myocardial infarctions
 acute MI, 66, 319
 ECG ischemia monitoring and, 41
 hypoglycemia-precipitated, 284
 IMA and, 322
 mitral regurgitation and, 126
 PAC use and, 66
 PAPP-A and, 323
 Q wave MI, 256
 RV ejection fraction catheters and, 72
 ST-elevation MIs, 322
- myocardial ischemia, 110
 assessment of, 120
 detection/pathophysiology of ST segment responses, 5, 39
 ECG manifestations of, 39–40
 ischemia-modified albumin and, 322
 myeloperoxidase and, 322
 PCWP waveform and, 61
 perioperative ECG monitoring, 40–42
 rate decrease using pulse oximetry, 192
 troponin levels, 320
- Myograph 2000 neuromuscular analyzer, 270
- Naguib, M., 274
- Nakagawa, Y., 102
- NarcoTrend index, 221, 222
- National Aeronautic and Space Administration (NASA), 85
- National Board of Echocardiography, 13–14, 132
- National Credentialing Committee of Malaysia, 90
- National Institute for Clinical Excellence (NICE, Great Britain), 141
- National Institute of Child Health and Human Development (NICHD), 344
- National Institute of Standards and Technology, 20
- National Surgical Quality Improvement Program (1997), 378
- near-infrared spectroscopy (NIRS), 101, 232, 233
 clinical data
 adult cardiac surgery, 252–253
 noncardiac surgery, critical care, 254–256
 pediatric cardiac surgery, 253–254
 complications/pitfalls of, 258
 credentialing/training for, 258
 frequency-domain NIRS, 249
 historical background, 249
 low rSO₂
 outcome studies, 255–258
 treatment, 254
 outcome studies of, 255–258
 parameters measured with, 251–252
 practice parameters/guidelines, 258–259
 respiratory multigas analyzer use of, 153
 somatic near-infrared oximetry, 251
 uses in adult/pediatric surgery, critical care, 254–255
 technical concepts of, 249–251
 Beer-Lambert equation, 249
 cerebral oximetry/cerebral oximeters, 249–250, 252
- NEECHAM Confusion Scale, 363
- negligence (professional negligence)
 acts of, 10
 defined, 10
 determination of, 12
 elements of, 10
 examples of, 10
- neostigmine, 269, 275
- nerve conduction studies and electromyography, 213–214
- nerve-stimulation (NS) techniques, 145
 Block-Aid monitor, 5
 lower extremity blocks, 146
 peripheral nerve block placement, 146
 sciatic nerve blocks, 146
 sensory paresthesia elicitation with, 146
 supraclavicular blocks, 146
 upper extremity blocks, 145, 146, 147–148
- upper/lower extremity blocks, 146
- neurologic clinical scales, 353–356
 admission clinical assessment scales
 FOUR Score, 353
 Glasgow Coma Scale, 238, 353, 369
 Hunt-Hess grade, 353
 ASIA score, 355
 ICH score, 354–355
 NIH Stroke Scale, 354
 outcome assessment scales
 Barthel score, 355–356
 Glasgow Outcome Scale, 355
 modified Rankin scale, 355
 WFNS Subarachnoid Grade system, 353–354
- neurologic intraoperative electrophysiologic monitoring (NIOM), 199–215
 areas of uncertainty/multimodality monitoring, 214
 efficacy, challenges to establishing, 200
 goal of, 199
 guidelines, 214
 summary/recommendations, 214–215
 techniques
 brainstem auditory evoked potentials, 213
 electroencephalography, 200–204
 electromyography/nerve conduction studies, 213–214
 somatosensory evoked potentials, 204–209
 transcranial motor-evoked potentials, 208–213
 visual-evoked potentials, 213
- neurologic patients (critically ill). *See* Multimodality monitoring in critically ill neurologic patients
- neuromuscular blocking drugs (NMBDs), 261
- neuromuscular functioning, perioperative monitoring, 261–276
 abbreviation key, 261
 alternative monitoring sites
 facial muscles, 273–274
 flexor hallucis brevis, 274
 bedside/clinical tests of recovery, 274
 case for/against objection monitoring, 275–276

Index

- neuromuscular (*cont.*)
 clinical consequences, 276
 future considerations, 276
 historical background, 261–262
 indirectly evoked response
 acoustic myography, 273
 motor nerve stimulation, 262–263
 objective measurement, 270–273
 acceleromyography, 271–272
 electromyography, 271
 kinemyography, 272–273
 mechanomyogram, 155, 266, 270
 PNSs/conventional nerve stimulators, 5, 261, 263
 muscle variations
 diaphragm, 273
 larynx, 273
 patterns of stimulation
 posttetanic count, 266
 repetitive single stimuli
 EMG recordings, 265
 mechanical recordings, 265
 single-twitch, 265
 tetanic stimuli, 266
 train-of-four (TOF)
 stimulation, 266–268
 TOF ratio, double burst stimulation, tetanic face, 268
 PONB reduction and, 274–275
 TOF stimuli at submaximal currents, 270
 train-of-four (TOF) count, 263–268
 neurostimulators, 37
 New York State Department of Health (NYS DOH), 351
 NICE. *See* National Institute for Clinical Excellence
 NICHD. *See* National Institute of Child Health and Human Development (NICHD)
 NIH Stroke Scale (NIHSS), 354
 NIOM. *See* neurologic intraoperative electrophysiologic monitoring
 NIRO-200 cerebral oximeter (Hamamatsu Photonics), 249, 250
 Nollert, G., 255
 nondiverting (mainstream) gas analysis system, 150, 152, 160
 noninvasive BP monitoring, continuous beat-to-beat, 46
 NOVA NICO monitor (Novamatrix Medical Systems), 80
 NSQIP (National Surgical Quality Improvement Program, 1997), 378
 Numeric Rating Scale (NRS) of pain intensity, 349
 Nursing Delirium Screening Scale (Nu-DESC), 364
 Nuttall, G. A., 303
 Nyquist limit, 107, 127, 128
 O'Brien, J. J., 233
 off-pump coronary artery bypass graft surgery, 65
 Ohmeda GMS Absorber System, 179
 Ohmeda 6000 Multigas Analyzer, 155, 266
 Ohmeda RASCAL II analyzer, 152, 159
 open-drop ether, 3
 operating room laboratory testing. *See* Point-of-care laboratory testing
 organ dysfunction scores
 Logistic Organ Dysfunction System Score, 369, 377
 Multiple-Organ Dysfunction Score, 377
 Sequential Organ Failure Assessment, 369, 377
 orthogonal polarization spectral (OPS) imaging, 102
 ORYX Core Measures program (JCAHO), 370
 oscillometric BP measurement (NIBP) method, 46
 Oxi-Max reflectance sensor, 189
 oxygen (DO₂, global and regional), monitoring
 base deficit/equation, 100
 central venous oxygen saturation (ScvO₂), 101
 mixed venous oxygen saturation (SvO₂), 100–101
 serum lactate, 100
 tissue perfusion metabolic indicators, 99–100
 oxygen delivery (DO₂) and utilization
 alveolar PO₂-to-PaO₂ gradient, 98
 arterial O₂ blood content equation, 98
 critical DO₂, 98–99
 Fick equation for delivery to peripheral tissues, 98
 oxygen extraction ratio (O₂ER) equation, 98
 oxygen uptake (VO₂) Fick variation equation, 98
 PaO₂ and SaO₂, 98
 transport and delivery variables, 98
 venous O₂ blood content equation, 98
 Ozanne, G. M., 153
 pacemakers, 37, 42
 conduction abnormalities, 4
 external pacemaker, 68, 69
 need for anesthesiologist familiarity, 42
 spikes, clinical significance, 37
 temporary transvenous pacemaker, 68
 wire displacement possibility, 71
 PACU assessment scales. *See* postanesthesia care unit assessment scales
 PADSS. *See* Post-Anesthetic Discharge Scoring System
 pain scales, 348–352
 JCAHO/NYS DOH recommendations, 351–352
 McGill Pain Questionnaire, 351
 unidimensional scales
 Box Scale, 349
 face scales, 350
 Numeric Rating Scale, 349
 Verbal Rating Scale, 349–350
 Visual Analog Scale, 348–349
 Palve, H., 194
 pancuronium, 5
 PaO₂ (oxygen in the plasma), 185
 parathyroid hormone (PTH)
 characteristics of, 327
 intraoperative monitoring, 328
 intraoperative testing, 327–328
 resistance to, in hypocalcemia, 283, 328
 role of, 327
 paroxysmal atrial tachycardia, 4
 Patient State Index (PSI), 221
 Payne, D. A., 232
 Pederson, T., 193
 Peñáz, Jan, 46
 percutaneous coronary angioplasty (PTCA), 40
 pericardial disease, 129
 pericardial effusion, 129
 perioperative arrhythmia monitoring, 42
 perioperative ECG ischemia monitoring, 40–42
 peripheral nerve stimulation (PNS), 5, 261
 Perkin-Elmer multiplexed mass spectrometry system, 153
 Perlas, A., 145, 146
 Peter Bent Brigham Hospital (Boston), 4
 Peterson, Lyle, 3–4
 Pettersson, J., 40
 phentolamine, 341
 philosophical framework in perioperative medicine, 28–29
 intraoperative phase, 29
 postoperative phase, 29
 preoperative phase, 28–29
 phonomyography, 273
 Physiological and Operative Severity Score for the Enumeration of Mortality and Morbidity (POSSUM), 377–378
 PiCCO system (Pulsion Medical System), 83–84
 Pierce, Ellison, 6
 piezoresistive effect, 171–172
 Pitot tube flowmeter, 176
 plasma/serum-based coagulation tests
 activated partial thromboplastin time, 293–294
 fibrin degradation products, D-dimers, 295
 fibrinogen concentration, 294–295
 prothrombin (PT) time, 293
 thrombin time (TT), 294
 plastic “nonthrombogenic” sterile tubing, 3
 Platelet Function Analyzer (PFA-100), 311
 platelet function monitoring, POC tests
 hemostatometry/Clot Signature Analyzer, 315
 HemoSTATUS device, 312
 Impact Cone/Plate(let) Analyzer, 315

- Platelet Function Analyzer, 311
 Platelet Works assay, 312
 Sonoclot Analyzer, 296–298, 312–313
 TEG modifications
 fibrinogen assay, 314
 platelet mapping assay, 314
 rotation
 thromboelastometry, 298, 314–315
 thromboelastography. (*See* Thromboelastography)
 VerifyNow system, 311
- Platelet Works whole blood assay, 312
- pneumotachometers, 174, 175
- point-of-care laboratory testing
 body fluid/electrolyte composition, 281–286
 blood gases/acid–base equilibrium, 285
 calcium, 283–284
 chloride, 283
 glucose, 284
 hemoglobin/hematocrit, 284–285
 lactic acid, 285
 magnesium, 284
 potassium, 282–283
 sodium, 281–282
 vital function diagnostic indicators, 285–286
 credentialing, 287
 methodologies/instrumentation
 CDI 500 Blood Parameter Monitoring System, 289
 GEM 3000, 288–289
 i-STAT analyzer, 287–288
 limitations/complications, 289
 minimally invasive devices, 289
 point-of-care devices, 287
 preanalytical factors, 286
 regulatory requirements, 287
 role of laboratory, 286
- Poiseuille, J. L. M., 3
- Polanczyk, C. A., 65
- polarographic sensor, development of, 5
- polytetrafluoroethylene (PTFE; Teflon, Dupont, Inc.) Teflon, 4
- positive end expiratory pressure (PEEP)
 auto-PEEP, 180
 compliance optimization, 183
 detection difficulties, 179
 PCWP/PAD pressures and, 63–64
- POSSUM (Physiological and Operative Severity Score for the Enumeration of Mortality and Morbidity), 377–378
- postanesthesia care unit (PACU) assessment scales, 357–359
 ASA guidelines, 357
 early/late recovery phases, 357
 scoring systems
 Aldrete, 357–358
 Carighan system, 357
 Modified Aldrete Scoring System, 358
 PADSS, 358
 REACT assessment tool, 357
 Steward/Robertson system, 357
 Virginia Apgar system, 357
- Post-Anesthetic Discharge Scoring System (PADSS), 358
- posterior tibial artery cannulation, 48–49
- postoperative neuromuscular block (PONB), 274–275
- potassium (OR point-of-care laboratory testing)
 hyperkalemia, 282
 hypokalemia, 282–283
 role/reference range, 282
- Practice Advisory (ASA), 224
- pregnancy-associated plasma protein A (PAPP-A), 323
- pressure, volume, and flow monitoring. *See also* Flow measurements; Pressure measurement; Volume and flow measurements (mechanical, electronic)
 complications, 183
 credentialing, 183
 information derived from, 178–179
 practice parameters, 183–184
 utility of
 breathing system leak detection, 182
 flow monitoring, 180
 flow-volume loop, 182
 PEEP/optimizing compliance, 183
 pressure monitoring, 179–180
 spirometry loops, 180–181, 182
 volume monitoring, 180
 volume-pressure loop, 181
 volumetric capnography, oxygraphy, 183
- pressure measurement analog gauges, 171
- bellows gauges, 171–172
 conditioning-pressure alarms, 180
 electromechanical transducer workstations, 171–172
 high-pressure alarms, 180
 inferences from, 178
 low pressure alarms, 179–180
 pitot tube flowmeter, 176
 pneumotachometers, 174, 175
 pressure (defined), 171
 semiconductor strain gauges, 172
 subatmospheric pressure alarms, 180
 variable orifice flow sensor, 177–178
- pressure-recording analytical method (PRAM), 85
- Preventing and Managing the Impact of Anesthesia Awareness (JCAHO), 12
- Price, H. L., 95
- professional negligence. *See* Negligence (professional negligence)
- propofol
 BIS utility and, 221
 consequences of use, 210
 and dose-dependent EEG slowing, 204
 NarcoTrend index monitoring, 222
 SSEP latency/amplitude and, 206
 TCI/propofol infusion clinical efficacy, 391–392
 TcMEP monitoring via IV infusion, 212
 TIVA anesthetic regime and, 222
- protamine dose assay (PDA-O), 309
- prothrombin (PT) time (coagulation test), 293
- pro-type B natriuretic peptide, 320–321
- psychology and perception, 389
- Pulmonary Artery Catheter Consensus Conference, 89
- pulmonary artery catheterization (PAC)
 balloon-tipped PAC, 79
 cardiac filling measures using, 79
 for cardiac surgery patients, 65
 complications, 68–69, 89–90
 credentialing for monitoring, 70
- for critically ill ICU patients, 66–67
 historical background, 57
 insert site considerations, 59, 60, 65
 monitoring, 64–65
 for noncardiac surgery patients, 65–66
 placement
 contraindications to, 71
 indications for, 70–71
 RA waveform and, 60
 specialty catheters
 mixed venous oxygen saturation catheters, 72
 pacing catheters, 72
 right ventricular ejection fraction catheters, 72
- pulmonary artery occlusion pressure (PAOP), 60
- pulmonary capillary wedge pressure (PCWP), 60, 61–64
- pulmonary embolism, 66, 320, 321
- pulse contour analysis-based CO monitoring systems, 20, 82–85
 accreditation activities, 90
 complications, 90
 description, 82–83
 device accuracy issues, 83
 diastolic pulse contour analysis, 83
 Finometer system, 84
 Flo Trac/Vigileo system, 84
 historical background, 82
 LiDCO *plus* system, 84
 Modelflow pulse contour analysis, 84
 PiCCO system, 83–84
 pressure-recording analytical method, 85
 pulse power analysis, 84–85
 systolic pulse contour analysis, 83–84
 TDCO calibration measurement devices for, 82, 87
 Windkessel (two-element) model, 82, 83
- pulsed-wave (PW) Doppler, 107
- pulse oximetry, 185–196
 complications, 193–194
 credentialing, 194–195
 definitions
 functional/fractional hemoglobin saturation, 185, 188
 oxygen transport (flux), 185
 evidence of utility
 acceptance as monitoring standard, 192, 193

Index

- pulse oximetry (*cont.*)
 brain damage/deaths reduction, 192–193
 hand collateral artery patency assessment, 48
 patient safety/postoperative cardiac surgery, 193
 perioperative monitoring clinical trials, 192
 reduced hypoxemia mortality, 192, 193
 historical background, 5, 6, 9, 185–186
 parameters monitored
 COHb (SpCO)/metHb (SpMet), 189–191
 hypoxemia, 189–192
 perfusion, 192
 plethysmographic variability index, 191
 pulse rate at sensor site, 190–191
 practice parameters, 195–196
 technical concepts
 carboxyhemoglobin, 188
 methemoglobinemia, 188–189
 multiple-wavelength pulse oximeters, 189–195
 optical plethysmography, 187–188
 reflectance pulse oximetry, 189–190
 spectrophotometry, 186
- pulse reading during anesthetic (Harrigan), 2
- pulse/respiration monitoring advocacy, 1–2
- Q wave myocardial infarction, 256
- Rackow, E. C., 102
- Raman spectroscopy, 152, 159
- Rampil, I. J., 218
- Ramsey, F. M., 65
- Randolph, A. G., 141
- Ranucci, M., 66
- RASCAL II Raman spectrometer, 159
- Raynaud syndrome, 53
- realistic patient simulators (RPSs), 32
- regional anesthesia procedures, ultrasound guidance, 145–148. *See also* Nerve-stimulation (NS) techniques
 complications, 147
 credentialing, 147–148
- evidence of utility, 145–147
 nerve-stimulation (NS) techniques, 145
 Block-Aid monitor, 5
 lower extremity blocks, 146
 peripheral nerve block placement, 146
 sciatic nerve blocks, 146
 sensory paresthesia elicitation with, 146
 supraclavicular blocks, 146
 upper extremity blocks, 145, 146, 147–148
- technical concepts
 linear array probes, 145
 needle visualization optimization, 145
 nerve stimulation (NS) techniques, 145
- Reiter, H. I., 27
- Relaxometer neuromuscular analyzer, 270
- remifentanyl, 212
- repetitive single stimuli (neuromuscular functioning, perioperative monitoring)
 EMG recordings, 265
 mechanical recordings, 265
- Report of the ASA Task Force on Postanesthetic Care*, 262
- Resano, F. G., 65
- res ipsa loquitur* argument, 10–11
- Respiration, Energy, Alertness, Circulation, and Temperature (REACT) PACU assessment tool, 357
- respiratory gas monitoring applications of
 CO₂, 165–167
 nitrogen, 167
 oxygen, 164–165
 balance gas, 163
 colorimetric CO₂ detectors, 160–161
 complications, 167–168
 credentialing, 168
 fuel cells
 calibration of oxygen analyzers, 163
 description, 161–162
 paramagnetic oxygen analyzer, 162–163
 gas analysis systems, 152
 gas analysis technologies, 153
 gas sampling systems, 150
 mainstream (nondiverting) system, 150, 152, 160
 sidestream (diverting) system, 150, 151–152, 160
 historical background, 150
 infrared analysis
- collision (pressure broadening), 155
 dual-beam positive filter, 156
 photoacoustic spectrometer, 157–168
 radiation detectors, 156
 radiation sources, 156
 sampling systems and, 157
 single-beam negative filter, 156
 single-beam positive filter, 156
 technical details, 155
 wavelength/anesthetic agent specificity, 156–157
- mass spectrometry
 dedicated (stand-alone) systems, 155
 instrument description, 153
 partial pressure formula, 154
 principles of operation, 153–154
 shared (multiplexed) systems, 154–155
 measurement of proportion (volumes percent), 152–153
 microstream capnography technology, 160
 molecular correlation spectroscopy, 160
 nitric oxide (NO), 163–164
 number of molecules (partial pressure), 152
 oxygen analyzers, 161
 calibration of, 163
 paramagnetic analyzer, 162–163
 practice parameters, 168–169
 Raman spectroscopy, 152, 159
 water vapor/capnometer accuracy, 160
- Resusci-Anne (mouth-to-mouth resuscitation training mannequin), 31
- Revised Trauma Score (RTS), 369
- Rhodes, A., 66
- right bundle-branch block (RBBB), 68–69
- Ringelstein, B., 233
- Rivers, E. P., 99
- Robbertze, R., 193
- Robertson, G., 357
- rocuronium, 273, 275, 276
- rosuvastatin trial, 321
- rotational thromboelastometry (ROTEM), 298, 314–315
- Rovenstine, Emery, 261
- Royal Medical and Chirurgical Society (England), 1
- Royston, D., 303
- Rundshagen, I., 222
- Russell, D., 232
- Safar, Peter, 31
- safety-drive monitoring standards, 6
- Sakr, Y., 66
- saline gastric tonometry, 95
- Sandham, J. D., 65
- SAPS (Simplified Acute Physiology Score) severity of illness scoring system, 369
- SARA (System for Anesthetic and Respiratory Analysis) mass spectrometry system, 153–154
- Scheiner, M., 5
- Schmidt, G., 222
- Schoenfeld, A., 147
- Schwann, T. A., 65
- Second Hyderabad Chloroform Commission (India, 1889), 1
- Seguin, P., 24
- Seldinger cannulation technique, 48, 57
- semicontinuous thermodilution cardiac output (CCO), 24
- Sequential Organ Failure Assessment (SOFA), 369, 377
- serum-based coagulation tests. *See* Plasma/serum-based coagulation tests
- Severinghaus, John W., 5
- severity of illness scoring systems, 369
- Shore-Lesserson, L., 303
- sidestream (diverting) gas analysis system, 150, 151–152, 160
- SimMan (patient simulator mannequin), 31
- SimOne (patient simulator mannequin), 31
- Simplified Acute Physiology Score Models
 SAPS I (1984), 375
 SAPS II (1994), 375
 SAPS III (2005), 375
- Simpson, James Young, 1

- simulation in teaching monitoring skills, 30–34
 ABA educational requirements, 31
 classification of simulator types, 31
 computer-drive simulators, 31
 full environment simulation (FES), 32, 33
 general uses/benefits, 32
 history/classification of simulation, 31–32
 mannequin-based training, 31–32
 postoperative phase, 33
 utility for skills development, 32–34
 VR (virtuality reality) simulators, 32
- single twitch patterns of stimulation, 265, 267, 268
- Sinha, M. K., 322
- Slogoff, S., 48, 52
- smoothing technologies, 16
- SNAP index, 221
- Snow, John, 1, 3, 383
- Society of Cardiovascular Anesthesiologists (SCA) Task Force on Certification for Perioperative TEE, 132
- Society of Cardiovascular Anesthesiologists (SCA) Task Force on Transesophageal Echocardiography, 130–131
- sodium (OR critical care testing)
 hypernatremia, 282
 hyponatremia, 281–282
 role/reference range, 281
- Solis-Cohen, S., 2
- somatic near-infrared oximetry, 251
- somatosensory evoked potentials (SSEPs), 204–209
 anesthetic agents interactions with, 206
 hypothermia influence on, 206
 monitoring standards, 205–206
 production mechanics, 204
 uses of, 204
- Sonoclot (coagulation/platelet function) Analyzer, 296–298, 312–313
 clinical applications, 298
 future considerations, 298
 historical background, 296
 principles of analysis, 296–297
- vs. conventional coagulation testing, 292–298
- Spencer, J. A., 232
- sphygmomanometers, automated vs. mercury standard, 23, 45–46
- Spiess, B. D., 298
- spirometry loops, 180–181, 182
- Standards for Basic Anesthesia Monitoring (ASA), 9–10, 11
 additional monitoring requirements, 12–13
 audible alarm suggestions, 14
 awareness during surgery suggestions, 13
 categories (two), 11
 on neuromuscular monitoring, 262
 relation to malpractice claims, 9–10
 scrutinization by plaintiff's attorney, 11
- standards for monitoring
 brain tumor craniotomy case study, 11
 case studies
 arterial pressure monitoring issue, 11
 awareness during surgery, 12
 central venous catheter placement, 12
 of Harvard Medical School, 9
 risk management strategies, 9
 safety-drive monitoring standards, 6
- ST-elevation myocardial infarctions (STEMIs), 322
- Steward, D. J., 357
- stimulation patterns (neuromuscular functioning, perioperative monitoring)
 posttetanic count, 266
 repetitive single stimuli
 EMG recordings, 265
 mechanical recordings, 265
 single-twitch, 265
 tetanic stimuli, 266
 train-of-four (TOF)
 stimulation, 266–268
 TOF ratio, double burst stimulation, tetanic face, 268
- Strauss, A. E., 4
- Suarez, T., 58
- subclavian vein cannulation, 59
- sublingual capnometry, 102
- Sulek, C. A., 58
- surgical cut-down technique, 4
- Swan, H. J. C., 5, 79
- Syme, James, 1
- systolic pulse contour analysis, 83–84
- Taqueti, V. R., 31
- target-controlled infusions (TCIs) for medication delivery, 390–391
 analgesics, 392
 clinical efficacy/propofol infusion, 391–392
 neuromuscular blocking agents, 392
- Tatevossian, R. G., 102
- TDCO calibration measurement devices, 82, 87
- teaching monitoring skills
 adult learning theory emphasis, 27
 cognitive/psychomotor components, 28
 cognitive/psychomotor skills evaluation and feedback, 27
 interactivity of experience, 27
 philosophical framework in perioperative medicine, 28–29
 intraoperative phase, 29
 postoperative phase, 29
 preoperative phase, 28–29
 role of simulation, 30–34
 ABA requirements, 31
 general uses/benefits, 32
 history/classification of simulation, 31–32
 intraoperative phase, 33
 mannequins for training, 31–32
 postoperative phase, 33
 preoperative phase, 33
 utility for skills development, 32–34
 single concept at a time emphasis, 32
- temperature monitoring, 331–335. *See also* Hyperthermia; Hypothermia
 background information, 331
 complications of, 334
 indications for, 333–334
 sites for
 core/central, 333
 intermediate, 333
 peripheral, 333
- thermometers
 deep tissue monitors, 332
 infrared sensors, 332
 liquid crystal devices, 332
 thermocouples/thermistors, 331–332
 utility of
 hyperthermia, 335
- incidental hypothermia, 334
 therapeutic hypothermia, 334
- testing. *See* Point-of-care laboratory testing
- tetanic stimuli (neuromuscular functioning, perioperative monitoring), 266
- Teter, Charles K., 2
- Therapeutic Intervention Scoring System (TISS, 1974, 1983, 1996), 378–379
- Therapeutics and Technology Subcommittee (AAN), 214
- thermocouples and thermistors, 331–332
- thermodilution techniques (of cardiac output monitoring), 19, 20–22, 24
- thoracic electrical bioimpedance measurements, 19
 Kubicek/NASA studies, 85
- thoracic electrical bioimpedance studies (Kubicek/NASA), 85
- 3D echocardiography concepts
 artifacts, types of, 108
 matrix array design, 108
 one-dimensional arrays, 107–108
- 3D image display types, TEE
 color Doppler, gated, 109
 full volume, gated, 108–109
 live 3D, real time, 108
 zoom, real time, 108
- thrombin time (TT) coagulation test, 294
- thrombin time/heparin neutralized thrombin time (TT/HNTT), 310
- thromboelastography (TEG), 298–303
 applications
 cardiac surgery, 301
 high-risk pregnancy stations, 302
 hypercoagulable states, 302
 liver transplantation, 301–302
 orthopedic/trauma surgery, 302
 viscoelastic properties of blood examination, 313–314
 background/development of, 298
 blood sampling/activants for, 299

Index

- thromboelastography (*cont.*)
 measured parameters
 alpha angle, 300
 clot lysis parameters, 301
 coagulation index, 301
 decrease in area, 301
 G parameter, 301
 K parameter (K), 300
 maximum amplitude (MA), 301
 reaction time (R), 299–300
 modifications
 fibrinogen assay, 314
 platelet mapping assay, 314
 rotational
 thromboelastometry, 298, 314–315
 principles/technical aspects, 298–299
- Thrombolytic Assessment System (TAS), 309
- TISS (Therapeutic Intervention Scoring System), 378–379
- tissue perfusion
 metabolic indicators, 99–100
 regional indicators
 metabolic PET, 102
 near-infrared spectroscopy, 101
 orthogonal polarization spectral imaging, 102
 tissue CO₂ monitoring, 101–102
 transcutaneous oxygen tension, 102
- Todd, D. P., 261
- To Err Is Human: Building a Safer Health System* (IOM, 2000), 32
- TOF-Watch S monitor, 272
- Tonocap gastrointestinal tonometer, 95
- training, importance of, 13–14
- train-of-four count (TOFC) neuromuscular stimulation, 263–268
- train-of-four (TOF) neuromuscular stimulation, 5, 266–268
- Transcranial Doppler (TCD) ultrasound, 226–235
 complications of, 233
 education, credentialing, certification in, 233–235
 intraoperative setting uses of
 cardiopulmonary bypass, 230–232
 carotid endarterectomy/ischemic threshold, 230
 Circle of Willis function, 230
 detection/quantification of cerebral emboli, 232
 intracranial aneurysm repair, 230 (*See also* Intracranial aneurysm repair)
 intracranial hemodynamics assessment, 230
 outcome studies using, 232–233
 practice parameters for, 235
 technical considerations
 background information, 226
 cerebral blood flow velocity measurement, 226–229 (*See also* Cerebral blood flow velocity measurement)
 cerebral emboli detection and counting, 229
 use in monitoring critically ill neurologic patients, 240–241
- transcranial motor-evoked potentials (TcMEPs), 208–213
 anesthetic interactions, 208–209
 anesthetic monitoring regime, 212
 attenuation by neuromuscular blocking drugs, 212
 challenges of, 210–212
 downsides/limitations of, 209
 optimal intraoperative monitoring approach, 209–212
 performance mechanics, 208
- transcutaneous blood gas monitoring, 5
- transcutaneous oxygen tension, 102
- transducer user syndrome, 147
- transesophageal echocardiography (TEE)
 in antecubital vein placement, 59
 certification courses/credentialing, 131–132
 complications/contraindications, 131
 image formation
 color-flow (CFD) Doppler, 107, 109
 continuous-wave (CW) Doppler, 107
 Doppler effect/equation, 106–107
 M mode, 106
 pulsed-wave (PW) Doppler, 107
 2D mode, 106
 increasing popularity/use of, 66–67
 placement prior to IJV cannulation, 57
 practice parameters, evidence of utility, 130–131
 in pulmonary artery catheterization, 60
 reasons for use, 13–14
 technical concepts
 attenuation, reflection, scatter, 105–106
 ultrasound physics, 105
 wavelength, frequency, velocity, 105
 3D echocardiography concepts
 artifacts, types of, 108
 matrix array design, 108
 one-dimensional arrays, 107–108
 3D image display, types of
 color Doppler, gated, 109
 full volume, gated, 108–109
 live 3D, real time, 108
 zoom, real time, 108
- transesophageal echocardiography (TEE), derived information
 aortic disease, 130
 aortic regurgitation, 123–124
 aortic stenosis, 121–123
 aortic valve evaluation, 121
 cardiac tamponade, 129–130
 evaluation of right/left ventricular size, function, 118
 fractional shortening, 118
 left ventricular function, 3D assessment, 119
 left ventricular mass, 118
 left ventricular wall thickness, 118
 mitral valve evaluation, 124
 mitral valve regurgitation, 126
 mitral valve stenosis, 124–125
 Doppler assessment, 125–126
 one-dimensional linear measurements, 118
 pericardial disease, 129
 pericardial effusion, 129
 pressures/flow, assessment of, 121
 proximal isovelocity surface area, 127–128
 pulmonary vein flow pattern, 127
 qualitative grading/color flow Doppler, 126–127
 relative wall thickness, 118
 right ventricle, 119
 RWMA (coronary ischemia assessment), 120
 tricuspid valve, 128–129
 ventricular function, 2D assessment, fractional area change, 118–119
 ventricular thickening, 120
 wall motion, 120
- transesophageal echocardiography (TEE), parameters monitored (standard ASE views)
 deep transgastric long axis, 110–112
 descending aortic long axis/upper esophageal aortic arch short axis, 118
 descending aortic short axis/upper esophageal aortic arch long axis, 117
 midesophageal aortic valve long axis, 115–116
 midesophageal aortic valve short axis, 115
 midesophageal ascending aortic long axis, 116
 midesophageal ascending aortic short axis, 117
 midesophageal bi-caval, 117
 midesophageal four chamber, 112–113
 midesophageal long axis, 114–115
 midesophageal mitral commissural, 113–114
 midesophageal right ventricular inflow-outflow, 116
 midesophageal two-chamber, 114
 transgastric basal short axis, 112
 transgastric long axis, 110
 transgastric midpapillary short axis, 110
 transgastric right ventricular inflow, 110
 transgastric two chamber, 110
 transgastric basal short axis TEE parameter (ASE), 112
 transgastric long axis TEE parameter (ASE), 110
 transgastric midpapillary short axis TEE parameter (ASE), 110
 transgastric two chamber TEE parameter (ASE), 110
 Trauma Injury Severity Score (TRISS), 369
 Trauma Score (TS), 369
 Trendelenburg positioning, 60, 136, 138
 tricuspid valve anatomy, 128

- continuous-wave Doppler measurements, 128
 intrinsic structural abnormalities, 128
 regurgitation, 128–129
 stenosis, 128
- Troianos, C. A., 58
- troponins (TnI or TnT), 320, 322
- 12-lead electrocardiogram system, 40
 ACC/AHA Task Force on Practice Guidelines, 36
 history/description, 5, 38–39
 lateral precordial lead studies, 41
 London's mixed cohort study, 41
 Martinez's cohort evaluation, 41
- two-dimensional (2D) ultrasonic methods, 47
 for air embolism detection, 67
 for aortic valve evaluation, 121
 for IJV cannulation in adults, 58
 for image formation in TEE, 106
 NICE/AHRQ recommendations, 142
 for radial artery cannulation, 47–48
 for ventricular function assessment, 118–119
- ultrasound (Doppler) cardiac output (UCCO), 20
- ultrasound guidance
- NICE/AHRQ recommendations, 142
 for regional anesthesia procedures, 145–148
 usefulness in catheter placement, 12
 of vascular catheterization, 136–143
 categories, 139
 static vs. dynamic, 139–141
- Urmey, W. F., 146
- Utting, J. E., 266
- Vakkuri, A., 222
- Valsalva maneuver, 58, 117, 136, 138, 237
- Van Geffen, G. J.,
- Vanluchene, A. L. G., 222
- vascular catheterization, ultrasound guidance, 136–143
 credentialing, 142
 evidence of utility
 future directions, 141–142
 traditional approaches, 139
 ultrasound guidance, 139–141
 parameters monitored, 138–139
 pediatric patient complications, 139
 practice parameters, 142–143
 technical concepts, 136–138
 2D ultrasound, 136
 machine/transducer choice, 137–138
 PART acronym, 136
- static vs. dynamic imaging, 136–137, 139–141
 transducer placement/manipulation, 136–137
- vecuronium, 275
- Velmahos, G. C., 99
- Verbal Rating Scale (VRS) of pain, 349–350
- VerifyNow system, 311
- Viby-Mogensen, J., 266, 271
- Vigoda, M. M., 11
- viscoelastic whole blood clotting testing
 Sonoclot coagulation/platelet function analyzer, 296–298
 thromboelastography, 298–303
- Visual Analog Scale for Acute Confusion (VAS-AC), 364
- Visual Analog Scale (VAS) of pain intensity, 348–349
- visual-evoked potentials (VEPs), 213
- volume and flow measurements (mechanical, electronic)
 D-Lite pressure/flow sensor, 175
 Dräger Spiromed, 173–174, 176
 GE-Datex Sidestream Spirometry system, 175
 inferences from, 178
 pilot tube flowmeter, 175–176
 pneumotachometers, 174, 175
 sealed mechanical volumeter, 174
- utility of, 180
 vane anemometer, 173
 Wright respirometer, 173
- volume-clamp BP monitoring method, 46
- volume-pressure loops, 181
- volumetric capnogram, 183
- VR (virtuality reality) training simulators, 32
- Vuori, A., 194
- Wagner, G. S., 41
- Waller, Augustus, 36, 64
- Watzman, H. M., 249
- Werko, L., 5
- Wesseling, K. H., 46, 83
- Wiener, R. S., 66
- Windkessel (two-element) model, 82
- Wong, D. L., 350
- Working Group on Blood Pressure Monitoring (European Society of Hypertension), 46
- World Federation of Neurological Surgeons (WFNS) Subarachnoid Grade system, 353–354
- World Health Organization (WHO), 147
- Wright, B. Martin, 173
- Zimmerman, A. A., 232