

Name index

- Abell, George, 99, 101
 Abraham, Robert, 733
 Abramovitz, Milton, 206, 209
 Adams, Fred, 353, 369
 Amsler, Claude, 275
 Anderson, Carl, 29, 30, 163
 Arnaud, Monique, 110
 Arnett, David, 386
 Arzoumanian, Zaven, 420
 Auger, Pierre, 29
- Babbedge, T., 740
 Backer, Donald, 417, 418
 Bahcall, John, 55, 57, 58
 Bahcall, Neta, 105
 Balbus, Steven, 455
 Band, David, 264
 Barger, Amy, 745
 Beckwith, Steven, 737, 744
 Becquerel, Henri, 146
 Bekefi, George, 193
 Bell(-Burnell), Jocelyn, 19, 406
 Bennett, Charles, 16
 Bethe, Hans, 57, 163, 166, 175
 Bignami, Giovanni, 197
 Binney, James, 106, 153
 Blaauw, Adriaan, 754
 Blackett, Patrick, 29
 Blain, Andrew, 743
 Bland-Hawthorn, Jonathan, 733
 Blandford, Roger, 251
 Blumenthal, George, 163, 175, 242
 Bondi, Hermann, 443
 Bothe, Walter, 28
 Boyle, Brian, 591, 724
 Bracessi, Alessandro, 588
 Brandt, W., 725, 726
 Bruzual, Gustavo, 729, 730, 743, 744, 747
 Butler, Clifford, 30
- Côté, Patrick, 94, 95
 Calabretta, Mark, 754
 Camenzind, Max, 403, 404
 Cameron, Alistair, 60, 498
 Cannon, Annie, 37
- Cappelluti, Nico, 729
 Carter, Brandon, 434
 Caswell, James, 226
 Cavaliere, Alfonso, 110
 Cesarsky, Catherine, 187, 189
 Challinor, Anthony, 115, 259
 Chandrasekhar, Subrahmanyan, 302, 429, 434, 455
 Charlot, Stéphane, 729, 730, 747
 Chwolson, O., 117
 Cimatti, Andrea, 736, 748
 Clayton, Donald, 386
 Clemmow, Phillip, 267
 Colless, Matthew, 108, 109
 Compton, Arthur, 231
 Cordes, James, 420
 Cowie, Lennox, 733, 736, 743, 745
 Cox, Donald, 357
- Damon, Paul, 297
 Davies, Rodney, 376
 Davis, Leverett, 373
 Davis, Raymond, 32, 54, 55
 de Vaucouleurs, Gérard, 77, 78
 Dermer, Charles, 505
 Deubner, Franz-Ludwig, 51
 Diehl, Roland, 287
 Dirac, Adrian, 29
 Djorgovski, George, 88
 Dougherty, John, 267
 Draine, Bruce, 351, 372, 373, 375, 376
 Dressler, Alan, 84, 88
 Dunlop, James, 720, 748
 Dunn, Andrew, 108, 109
 Dyakov, Sergei, 250
- Eastman, Ronald, 393
 Efstathiou, George, 125
 Einstein, Albert, 117, 171, 231, 246
 Ellis, George, 433
 Ellis, Richard, 118, 731, 736
 Ellis, Simon, 733
 Emslie, Gordon, 322, 324
 Ewen, Harold, 20
 Ezer, D., 60

- Faber, Sandra, 87, 88
 Fabian, Andrew, 113, 114
 Fan, Xiaohui, 725
 Felten, James, 96, 97, 719
 Ferland, Gary, 341, 343
 Fermi, Enrico, 141
 Feynman, Richard, 247, 249, 424
 Field, George, 360, 361
 Fisher, Richard, 87
 Fitzpatrick, Richard, 298, 299
 Forbes, Terry, 324, 327, 329
 Ford, Vincent, 374
 Fort, Bernard, 120
 Frank, Juhan, 451, 455, 456, 459, 460, 461, 462, 463, 470, 476, 478, 481, 656, 657, 659
 Frolov, Valery, 429
- Garcia-Munoz, M., 514
 Gavazzi, Raphaël, 122
 Gel'fand, Israil, 250
 Genzel, Reinhard, 622
 Ghez, Andrea, 621
 Gilli, R., 602, 728, 729
 Ginzburg, Vitali L., 193, 220
 Glazebrook, Karl, 747
 Gold, Thomas, 406
 Goldreich, Peter, 425, 426
 Goldsmith, Donald, 360, 361
 Gough, Douglas, 51
 Gould, Robert, 154, 163, 175, 242
 Graham Smith, Francis, 406, 416, 418, 420, 422, 424, 429
 Green, Richard, 589, 591, 724
 Greenstein, Jesse, 373
 Greisen, Eric, 754
 Greisen, Kenneth, 273
 Grindlay, Jonathan, 264
 Gunn, James, 107, 126, 420
- Habing, Harm, 360, 361
 Hall, John, 372
 Hasinger, Günther, 484, 725, 726
 Hauser, Michael, 743
 Hawking, Stephen, 433, 434, 438
 Hawkins, Michael, 591
 Hawley, John, 455
 Haynes, Martha, 86, 87
 Heitler, Wilhelm, 163, 166, 175
 Hess, Victor, 27, 28
 Hewish, Antony, 19, 406
 Hewitt, Jacqueline, 123
 Hildebrand, Roger, 352
 Hillas, Michael, 502, 529, 530, 580
 Hillebrandt, Wolfgang, 380, 383
 Hiltner, William, 372
 Holloway, Nigel, 429
- Hoyle, Fred, 443
 Hubble, Edwin, 77, 78, 757
 Hulse, Russell, 415
 Härm, Richard, 304
- Jackson, John, 267
 Jackson, John D., 137, 141
 Jackson, Robert, 87
 Janka, Hans-Thomas, 384, 386, 388, 420
 Jansky, Karl, 17
 Jokipii, Randy, 186, 187
 Julian, William, 425, 426
- Karttunen, Hannu, 35
 Karzas, William, 169, 229
 Kauffmann, Guinevere, 85
 Kennicutt, Robert, 87, 362, 750
 Kent, Stephen, 107
 Kerr, Roy, 434
 King, Andrew, 451, 456, 459, 460, 461, 462, 463, 470, 476, 478, 481, 656, 659
 King, Ivan, 105
 Kippenhahn, Rudolf, 35, 48, 60, 61, 63, 395, 398, 399
 Kirshner, Robert, 393
 Kneib, Jean-Pierre, 118
 Koch, H. William, 163, 175
 Kochanek, Christopher, 118
 Kolb, Rocky, 125
 Kolhörster, Werner, 27, 28, 29
 Kompaneets, Aleksander, 250
 Koo, David, 590
 Kormendy, John, 77
 Kramer, Michael, 406
 Krause, Oliver, 382
 Kron, Richard, 590
 Kulsrud, Russell, 189, 298, 308, 310, 324, 329
- Lacy, Mark, 748
 Lagache, Guilaine, 740
 Landau, Lev, 250, 314, 316, 317, 452, 456
 Larmor, Joseph, 425
 Lasenby, Anthony, 115, 259
 Lasota, Jean-Pierre, 481
 Latter, Richard, 169, 229
 Lazarian, Alexander, 375
 Le Roux, Edouard, 206
 Leavitt, Henrietta, 757
 Leger, Alain, 350, 351
 Leibundgut, Bruno, 380
 Lequeux, James, 88
 Liedahl, Duane, 243, 245, 246, 250, 251, 253
 Lifshitz, Evgenii, 314, 316, 317, 452, 456
 Lightman, Alan, 193, 202, 209, 210, 243, 250
 Lilly, Simon, 743, 748
 Lingenfelter, Richard, 290

- Liu, Q.Z., 485
 Lizano, Susana, 369
 Lochner, James, 449
 Longair, Malcolm, 743
 Lorimer, Duncan, 406
 Lotz, Jennifer, 737
 Lyne, Andrew, 406, 416, 418, 420, 422, 424, 429
 Lyttleton, Raymond, 443
- Mészáros, Peter, 705, 709, 713
 MacDonald, Douglas, 438
 Madau, Piero, 743, 745
 Majewski, Steven, 591
 Malin, David, 389
 Manchester, Richard, 410
 Marsh, Thomas, 475
 Mathewson, Donald, 374
 Mayor, Michel, 66
 McCarthy, Patrick, 747
 McCaughrean, Mark, 365
 McClintock, Jeffrey, 487, 488, 490
 McCray, Richard, 393
 Mellier, Yannick, 120
 Mellinger, Axel, 7, 8, 755
 Menjo, Hiroaki, 297
 Merritt, David, 107, 108
 Mestel, Leon, 424, 427
 Metcalfe, Nigel, 732
 Mewaldt, Richard, 515
 Meyer, Peter, 497
 Michell, John, 429, 431
 Millikan, Robert, 29
 Mirabel, Felix, 440
 Misner, Charles, 434
 Motz, J., 163, 175
 Murray, Andrew, 753
 Mushotzky, Richard, 448, 449
- Neddermeyer, Seth, 29, 30
 Neiningner, N., 370
 Newman, Ted, 434
 Niemeyer, Jens, 380, 383
 Nikolic, Bojan, 349
 Northrop, Theodore, 183
 Novikov, Igor, 429
- Occhialini, Giuseppe, 29
 Oort, Jan, 20
 Orosz, Jerome, 441, 442
 Osmer, Patrick, 591
 Osterbrock, Donald, 341, 343
 Ostriker, Jeremiah, 93, 420
- Pacholczyk, Andrej, 193
 Pacini, Franco, 406, 424
 Pagel, Bernard, 497
- Palla, Francesco, 361
 Panagia, Nino, 392
 Parker, Eugene, 324
 Peacock, John, 267, 720
 Pearce, W. P., 189
 Peebles, James, 93
 Pengelly, R.M., 341
 Penrose, Roger, 433, 437
 Penzias, Arno, 14
 Petschek, Harry, 327
 Pogson, Norman, 760
 Pozdnyakov, L., 243, 253, 255, 256
 Pratt, Gabriel, 110
 Price, Richard, 437
 Priest, Eric, 322, 323, 324, 327, 329
 Pringle, James, 451
 Pryce, M.H.L., 429
 Puget, Jean-Loup, 350, 351, 743
 Purcell, Edward, 20
- Queloz, Didier, 66
- Röntgen, Wilhelm, 146
 Raine, Derek, 451, 456, 459, 460, 461, 462, 463, 470,
 476, 478, 656, 659
 Raizer, Yuri, 314
 Ramaty, Reuven, 290
 Rees, Martin, 705
 Reimer, Paula, 296
 Remillard, Ronald, 487, 488, 490
 Rest, Armin, 382
 Reynolds, R.J., 341
 Richards, Gordon, 724
 Richer, John, 360
 Rindler, Wolfgang, 433
 Roberts, Morton, 86, 87
 Rochester, George, 30
 Rodrigues, Juan, 440
 Rossi, Bruno, 273
 Rowan-Robinson, Michael, 720, 757, 758
 Rubin, Vera, 92
 Ruderman, Malvin, 428
 Rybicki, George, 193, 202, 209, 210, 243, 250
- Sérsic, José Luis, 82
 Sajina, Anna, 739
 Sandage, Allan, 77, 88
 Scheuer, Peter, 210
 Schmidt, Brian, 393
 Schmidt, Maarten, 362, 589, 591, 720, 724, 725
 Schneider, Peter, 118, 122
 Schroeder, Daniel, 770
 Schwarzschild, Karl, 430
 Schwarzschild, Martin, 94
 Shakura, Nicolai, 454, 459
 Shapiro, Stuart, 399, 400, 403, 422, 433, 434

- Shu, Frank, 352, 353, 360, 369
 Silberberg, Rein, 283, 285, 286
 Simpson, John, 497, 498, 511
 Skobeltsyn, Dmitri, 28, 29
 Smart, William, 753
 Smith, Barham, 357
 Sobol, I., 243
 Spinrad, Hyron, 748
 Spitzer, Lyman, 298, 302, 304
 Springel, Volker, 749
 Stahler, Steven, 361
 Starrfield, Sumner, 478, 479
 Stecker, Floyd, 504, 505, 534, 535
 Stegun, Irene, 209
 Steidel, Charles, 743
 Steigman, Gary, 123
 Strong, Andrew, 175, 504, 505
 Sunyaev, Rashid, 151, 243, 257, 454, 459
 Sutherland, Peter, 428
 Sutherland, Ralph, 169
 Sweet, Peter, 324
 Syrovatskii, Sergei I., 193, 220
- Tandberg-Hanssen, Einar, 322
 Tayler, Roger, 35, 47, 48, 496
 Taylor, Joseph, 415
 Tesla, Nikola, 163
 Teukolsky, Saul, 399, 400, 403, 422, 433, 434
 Thomson, Joseph John (J.J.), 155, 156, 232
 Thorne, Kip, 434, 435, 437
 Tremaine, Scott, 106, 126, 153
 Trodden, Mark, 126
 Tsao, Chen-Hsiang, 283, 285, 286
 Tully, Brent, 87
 Turner, Michael, 125
- Ulrich, Roger, 55
- van de Hulst, Henk, 20
 van den Bergh, Sidney, 77, 736
 van den Heuvel, Edward, 411, 473
 van der Klis, Michiel, 484
 VandenBerg, Donald, 39
 Velikhov, E.P., 455
 Visvanathan, N., 88
- Waddington, Ian, 724
 Wambsganss, Joachim, 118
 Wandel, Amri, 448, 449
 Wang, Wei-Hao, 745
 Warren, Stephen, 590
 Wasson, John, 150
 Wdowczyk, Jerzy, 503
 Weaver, Thomas, 383
 Webber, William, 283, 495, 515
 Weber, Joseph, 33
 Wefel, John, 515
 Weigert, Alfred, 35, 48, 60, 61, 395, 398, 399
 Weisskopf, Victor, 405
 Wentzel, Donat, 187
 Westfold, Kevin, 206
 Wheeler, John, 434
 White, Simon, 743
 Wilkinson, Peter, 123
 Willingale, Richard, 385
 Wilson, Robert, 14
 Wolfendale, Arnold, 503
 Woon, David, 335
 Woosley, Stan, 383, 384, 386, 387, 388, 420, 478
- Yukawa, Hideki, 29, 30
- Zavlin, Vyacheslav, 421
 Zeldovich, Yakov, 250, 257, 314
 Zwicky, Fritz, 101

Object index

- 14016+2610, 354
 1E1207.4–5209 (isolated neutron star), 197
 3C 273, 19, 24, 26, 450, 587, 588, 638, 684
 3C 58, 379
 47 Tucanae (47 Tuc), 39, 66, 69, 73,
 418
 4C 21.53, 417, 418
 4U 1700–37, 413
 51 Peg, 66, 67
- A 0620–00, 487
 A0535+262, 471, 472
 Abell 478, 112, 113
 Abell 1413, 110
 Abell 2218, 99, 100, 118
 Antennae, 79, 80
- B1937+21 (millisecond pulsar),
 417
 B2334+61, 421
 Becklin–Neugabauer (B–N) object, 364,
 365
 Betelgeuse, 771
- Cartwheel Galaxy, 80
 Cassiopeia A (Cas A), 289, 335, 379, 385, 386, 553,
 557, 559
 as a Type IIb supernova, 385
 Centaurus X–3 (Cen X–3), 411
 Coma Cluster of galaxies (Abell 1656), 24,
 106–109
 core radius of, 105
 mass of, 107, 759
 mass-luminosity ratio of, 108
 X-ray image of, 108, 109
 Crab Nebula (M1, NGC1952), 23, 24, 26, 193,
 379
 continuous injection of energy into,
 410
 energy requirements of, 409
 pulsar in, 406, 409, 417, 418, 422, 423, 424, 425,
 428
 Cygnus A, 24, 261, 489, 774
 Cygnus X–1 (Cyg X-1), 24, 413, 438, 442, 448, 449,
 487
 hard X-ray spectrum of, 256
 Cygnus X–2 (Cyg X-2), 483, 484
 Cygnus X–3 (Cyg X-3), 3, 24
- η -Carinae, 71, 72
 mass loss rate of, 71
 EXO 033319–2554.2, 197
- G1.9+0.3 (supernova remnant), 379
 Galactic Centre, 7, 621
 supermassive black hole in, 11
 ‘Geminga’, 421
 Gliese 229B
 brown dwarf companion of Gliese 229, 66
 spectrum similar to that of Jupiter,
 66
 GRB 030329, 706
 GRO 1744–28, 483
 GRO J1655–40, 487
 GRO J1744–28, 472
 GRS 1915+105, 440, 441
 mass function for, 440
 Guitar Nebula, 420
 GX5–1, 483, 484
- HD 209458, 67
 HD 93131 (Wolf–Rayet star), 71
 Hercules X-1 (Her X-1), 197, 405, 412
 discovery records of, 412
 modulation of light curve, 483
 precession of rotation axis of neutron star, 483
 unpinning of crust and magnetic field from neutron
 superfluid, 483
 HH211, 365, 366
 HH30, 365, 366
 HH34, 365, 366
 Homunculus Nebula (η -Carinae), 72
 HT Cas, 478
 total eclipse observed in, 478
- Kepler’s supernova, 379
 Kleinmann–Low Nebula, 364, 365
- Large Magellanic Cloud (LMC), 8, 11, 13, 26, 32,
 379, 388, 389
 LMC X–1, 442
 LMC X–3, 442, 487, 489

- M1, *see* Crab Nebula (M1, NGC 1952)
 M3, 39
 M31, Andromeda Nebula, 92, 97
 M33, 439, 440
 M33 X–7 (X-ray binary), 440
 M49 (NGC 4472), 94, 95
 M51 (NGC 5194), 79, 370, 371
 M67, 39
 M81, 755
 M87 (NGC 4486), 23, 78, 79, 94
 non-thermal optical jet of, 78
 Magellanic Clouds, 339
 MCG–6–30–15, 448, 449, 611, 626, 627,
 628
 Milky Way, 7, 8
 MXB 1730–335 (rapid burster), 483
- NGC 1300, 79
 NGC 2362, 39
 NGC 2787, 79
 NGC 4258, 621
 NGC 4839, 108
 NGC 5195, 79
 NGC 5506, 448, 449
 NGC 7023, 351
 North Pole star, 7
- Ophiuchus molecular cloud, 354
 Orion giant molecular clouds, 363, 364
 Orion Molecular Cloud, 13
 Orion Molecular Cloud A, 363, 364
 Orion Nebula, 13, 17, 363, 364, 365
 luminous far-infrared sources in, 364
 Orion star cluster, 66, 69, 70
 Orion, constellation of, 363, 364
- Perseus Cluster of galaxies, 24, 114
 Ly α and Ly β emission lines of highly ionised iron,
 Fe⁺²⁵ in, 169
 X-ray bremsstrahlung of hot intracluster gas in, 169
 X-ray spectrum of, 169
 Plough or Great Bear, 7
 PSR 1919+21 (CP 1919), 406, 407
 discovery records of, 407
 PSR B0540–69, 409
 PSR B0656+14, 421
 PSR B1055–52, 421
- PSR B1509–58, 409
 PSR B1913+16 (binary pulsar), 415,
 416
 change of period due to emission of gravitational
 waves, 416
 tests of general relativity and, 415
 PSR J0538+2817, 421
 PSR J0737–3039, 416, 417
 change of period due to emission of gravitational
 waves, 416
 PSR J1119–6127, 409
- Sérsic 159–03, 113
 Sagittarius A, 753, 754
 Sagittarius A* (Sgr A*), 621, 622, 623
 Sanduleak –69 202, 32, 389
 Scorpius X–1 (Sco X–1), 24, 483
 Small Magellanic Cloud (SMC), 8, 11,
 13
 SN 1006, 297, 379
 SN 1054, *see* Crab Nebula (M1, NGC 1952)
 SN 1181, 379
 SN 1572, *see* Tycho's supernova
 SN 1604, *see* Kepler's supernova
 SN 1987A, 32, 73, 279, 288, 289, 379, 388–393
 SU Aur, 354
- Taurus molecular cloud, 354
 Trapezium stars in Orion Nebula, 364, 365
 Tycho's supernova, 379, 382
 remnant of, 382
 typing of by light echoes, 382
- U Gem, 475, 476
- Vega (α -Lyrae), 760, 762
 Vela supernova remnant, 26
 pulsar in, 406, 421, 422, 423, 424
 Vela X–1, 413
 Virgo Cluster of galaxies, 24, 99, 100
 VSSG 23, 354
- X1822–371, 480
 XBT0748–676, 480
 XTE J1650–500, 492
- Z Cha, 475

Index

- Abell Catalogues of rich clusters of galaxies,
 99–102
 selection criteria of clusters in, 100
 space density of clusters in, 100
 spatial correlations with clusters and galaxies, 101
- aberration formula, relativistic, 238
- absolute magnitude, 763
- absorption coefficient χ_ν , 170
 for thermal bremsstrahlung, 170
 corrected for stimulated emission, 172
 uncorrected for stimulated emission, 172
- absorption edges at X-ray energies, 228–230
 K-edges, 229
- accelerated charged particles
 polar diagram of radiation of, 156
- acceleration four-vector **A**, 161
- acceleration of an electron in the electrostatic field of
 a proton or nucleus, 163
- acceleration of high energy particles, 561–582
 beyond the standard model, 574–580
 diffusive shock acceleration in strong shock waves,
 568–574
 energy spectrum of cosmic rays at and above the
 ‘knee’, 579–580
 Fermi acceleration – original version, 564–568
 general principles of acceleration, 561–562
 highest energy cosmic rays, 580–582
 in solar flares, 562–563
 magnetic fields in supernova shock fronts, 574–576
 nonlinear diffuse shock acceleration, 576–579
- accretion
 as an energy source for X-ray sources, 24
 in X-ray binary systems, 412
 maximum energy release for Schwarzschild black
 hole, 413
- accretion columns in magnetic cataclysmic variables,
 477–478
 emission of far ultraviolet and soft X-ray emission
 from, 477
 shock fronts in, 477
 temperature of shocked gas in, 477
- accretion disc, thick, 437
- accretion discs, *see* thin accretion discs
 boundary layer
 emission from, in cataclysmic variables, 477
 luminosity of, 457
 boundary layer at inner edge of, 456
 energy flow in, 457
 formation of, 444
 luminosities of, 457
 outward transfer of angular momentum, 444, 445
 viscous dissipation of energy in, 445
- accretion luminosity, 444
- Accretion Power in Astrophysics* (Frank, King and
 Raine), 451
- accretion power in astrophysics, 443–492
 accreting binary systems, 473–486
 accretion in binary systems, 464–473
 black holes in X-ray binaries, 486–491
 Eddington limiting luminosity, 445–447
 efficiency of the accretion process, ξ , 443–444
 for neutron stars, 444
 for white dwarfs, 444
 onto black holes, 444
 general considerations, 443–450
 thick discs and advective flows, 461–463
 thin accretion discs, 451–461
- accretion radius, *see* capture, or accretion, radius
- action integral in Lagrangian mechanics, 182,
 183
- active galactic nuclei
 ‘blue-bump’ component in spectra of, 450
 ratio of black hole to spheroid masses, 748, 750
 Type 1, 602, 728
 unobscured, 602, 728
- active galaxies, 585–609
- adaptive optics, 7, 770
- adiabatic changes in classical mechanics, 182
- adiabatic expansion
 of a magnetic field, 307
- adiabatic invariance, 184
 principle of, 182
- adiabatic loss problem and the acceleration of high
 energy particles, 556–560
- adiabatic motion of charged particle, 134
- Adiabatic Motion of Charged Particles* (Northrop),
 183
- Advanced Camera for Surveys (ACS), 122, 732
- advective transport of mass and energy, 462–463, 656,
 657, 659
 supermassive black holes and, 463
 through black hole horizon, 463

- Airy diffraction pattern, 768
 Airy disc, 768
 Aitoff projection, 755
 Alfvén and hydromagnetic waves in interstellar medium, 187–189
 damping by neutral particles, 189
 damping rate of, 189
 energy density of, 188
 growth rate of, 188
 momentum density of, 188
 Alfvén radius, 469, 470
 for white dwarfs, 470
 Alfvén speed, 188, 189, 321, 323, 325, 326, 327
 alignment effect in radio galaxies, 654, 655
 alignment of interstellar grains, 372–374
 magnetic field parallel to optical polarisation, 374
 physical mechanisms for, 373
 Barnett effect, 373
 paramagnetic dissipation, 373
 Rowland effect, 373
 suprathermal processes, 373
 α -discs, 455, 459, 461
 AM Herculis binaries, 197
 ambipolar diffusion, 311
 Ampère's theorem, 324
 Anglo-Australian telescope, 589
 Anglo-Australian Telescope 2dF survey (AAT 2dF), 4, 77, 80, 95, 96, 97, 101
 angular cyclotron frequency, 179
 angular diameter distance, 118
 in general relativity, 430, 431, 432
 angular frequency ω_0 of electron in atom, 135
 angular gyrofrequency, 179, 183, 189
 non-relativistic, 201
 relativistic, 201, 211
 angular momentum transport by viscosity, 455, 456
 angular plasma frequency, 446
 angular resolving power, 764
 anomalous resistivity of a plasma, 328
 anomalous X-ray pulsars, 418–419
 location on $P-\dot{P}$ diagram, 419
 antenna temperature, 779
 minimum detectable, 779
 aperture grading, 768
 aperture synthesis, 771–774
 Earth-rotation, 774
 principles of, 21
 apodisation, 768
 Apollo 12 and the Surveyor satellite, 147
 Apollo 14, 149
 Apollo 17, 147
 apparent magnitude
 bolometric, 762
 definition of, 760
 Archimedean spiral, 313
 Ariel-V satellite, 725
 ASCA Large Sky Survey, 725
 associated Legendre functions, 51
 asteroids
 asteroid belt and, 148
 parent bodies of meteorites, 148
 astronomical seeing, 770, 771
 astronomical unit (AU), 756
 astronomical units, 757
 astroparticle physics, 127
Astrophysical Flows (Pringle and King), 451
Astrophysics of Gaseous Nebulae and Active Galactic Nuclei (Osterbrock and Ferland), 341
 asymptotic giant branch stars, 288
 Atacama Large Millimetre Array (ALMA), 14
 atmosphere as convertor for cosmic rays, 502
 atmospheric turbulence and astronomical seeing, 769, 771
 atomic binding energy, 135
 Auger air-shower array, 31
 Auger ultra-high energy cosmic ray observatory, 275
 aurorae, 320
 green and red lines of oxygen in, 320
 auroral zone, 320
 Australia Telescope Compact Array, 393
 Australia Telescope National Facility (ATNF), 21
 Avogadro's number, 175, 271

 Baade–Wesselink method, 392, 758
 background intensities in ground-based observations, 761, 775
 background radiation
 submillimetre and far-infrared
 contribution of active galactic nuclei, 745
 main contributors to, 745, 746
 ultraviolet
 decrease at large redshifts, 744, 745
 decrease in intensity from $z = 1$ to present epoch, 745
 Baksan Neutrino Observatory in the northern Caucasus mountains, 57
 Balmer absorption line index $H\delta_A$ as age indicator, 85, 86
 Balmer break, or discontinuity, $D_n(4000)$ as age indicator, 85, 86
 Balmer continuum absorption, 764
 Balmer decrement, 341
 Balmer series of hydrogen, 450, 587, 594, 642, 646, 647
 BATSE instrument of the Compton Gamma-Ray Observatory, 472
 BeppoSAX gamma-ray telescope, 289
 Bernoulli's equation, 315
 Bessel functions $J_0(z)$, $J_1(z)$, 767, 768
 betatron, 193

- Bethe–Bloch formula, 140–141, 163, 167
 bias parameter, 122
 BIMA Millimetre Array, 115, 116
 binary pulsars, 415–417
 binary star systems, 464–467
 close, 464
 contact binaries, 464
 common envelope of, 464
 mass–luminosity relation for, 465
 equipotential surfaces in the rotating system, 464, 465
 evolution of stars in, 465, 466
 feeding the accretion disc, 467
 Roche lobe overflow, 467, 468
 stellar mass loss and, 468
 stellar mass loss and winds, 467
 mass transfer in, 465, 466
 non-contact close binaries, 465
 periods of, 464
 role of magnetic fields, 469–473
 accretion columns and, 469
 magnetic pressure of, 469
 mass flow onto magnetic poles, 469, 470
 ram pressure and, 469
 spectroscopic binaries, 464
 statistics of, 464
 symbiotic stars and, 467, 474
 visual binaries, 464
 binary X-ray sources, 438
 bipolar outflows, 353, 355, 364–367
 magnetic fields in, 367
 model for, 367
 molecular beams in, 364
 origin of, 369
 magnetic fields and, 369
 polarisation observations of, 367
 similarity to extragalactic radio sources, 367, 369
 BL-Lacertae objects (BL-Lac objects), 19
Black Hole Physics: Basic Concepts and New Developments (Frolov and Novikov), 429
 black hole X-ray binaries, 488
 quasi-periodic oscillations (QPOs), 488, 490, 491
 increase in frequency with luminosity, 490
 black holes, 76, 123, 378, 429–442
 accretion luminosity of, 458
 angular momentum on last stable orbit, 458
 condition of matter to fall into, 458
 dragging of inertial frames, 435
 electrodynamics of, 437, 438
 ergospheres of rotating, 437
 evaporation of, 438
 extraction of rotational energy from rotating, 437
 ‘flickering’ of the X-ray intensity and, 448, 449
 general case in general relativity, 434–438
 Hawking radiation from very low mass, 438
 horizon of rotating black hole, 435
 in X-ray binaries, 25, 486–491
 different active states of, 487, 488
 disc fraction f , 487
 hard state, 487, 489–490
 hard state and presence of radio jets, 489
 hot corona in, 490, 491
 iron fluorescence lines, 487, 491, 492
 luminosity of accretion disc, 488, 489
 power density spectrum of the variability, 488
 quasi-periodic oscillations (QPOs), 490
 steep power-law, 487
 steep power-law state, 490
 temperature distribution in accretion disc about, 488
 thermal state, 487, 488–489
 last stable orbit, 445, 448, 449, 458, 463, 490, 491, 611, 629, 630, 631, 633, 656
 evidence for, 489
 light-travel time across the last stable orbit, 448
 magnetic fields threading, 437
 mass estimates for, in binary X-ray systems, 438, 439
 mass from kinematics of nuclear gas clouds, 448, 450
 masses from time variability, 448, 450
 maximally rotating, 436
 maximum angular momenta of, 435
 maximum energy release of Schwarzschild, 436, 445
 observational evidence for, 438–442
 primordial, 438
 resistivity of, 437, 438
 Schwarzschild, 436
 sketches of, in binary X-ray systems, 441, 442
 specific angular momentum of, 458
 static radius about rotating, 435
 supermassive, 123, 715
 epoch of maximum quasar activity, 723
 non-thermal radiation processes and, 715
 temperature of, 438
 temperature of gas at last stable orbit, 449
Black Holes – The Membrane Paradigm, 437
 black holes in the nuclei of galaxies, 610–636
 black holes in X-ray binaries and active galactic nuclei, 448–450
 black-body radiation
 intensity of, 218, 778
 Rayleigh–Jeans limit of, 218
 spectrum of, 5
 blue sequence or blue cloud, 80
 avoid regions of rich clustering, 85
 properties of galaxies of, 81
 Bohr model of the atom, 135
 Bohr radius of the hydrogen atom, 174
 bolometric absolute magnitude, 763
 of Sun, 763
 bolometric flux density, 763

- Boltzmann distribution, 171, 299, 333
 Boltzmann equation, 250, 259
 evolution of photon occupation number and, 250
 Boltzmann relation, 247
 Bose–Einstein distribution
 as a solution of Kompaneets equation, 253
 Bose–Einstein spectrum, 257
 Bose–Einstein statistics, 404
 bound–free absorption, *see* photoelectric absorption
 bound–free absorption in stars, 47
 bow shock, 320
 density enhancement across, 320
 Boyer–Lindquist coordinates, 434
 braking index, 407, 408, 409
 energy loss from pulsars and, 407
 for magnetic dipole radiation, 408
 magnetic breaking and, 407
 ‘braking radiation’, *see* bremsstrahlung
 bremsstrahlung, 99, 109, 115, 133, 154, 163–177, 301, 759
 collision parameters b_{\max} and b_{\min} for, 163, 166
 cooling rate, 111
 emissivity of, 115
 low frequency spectrum of, 165, 166
 non-relativistic energy loss rate, 166–167
 non-thermal, 290
 relativistic, 173–177
 average energy of photons emitted in, 177
 catastrophic losses in the atmosphere, 176
 collision parameters b_{\max} and b_{\min} for, 173–175
 correction for electron–electron interactions, 175
 critical energy, 175
 in terms of the photon number flux density, 175, 176
 radiation length X_0 for, 175
 the low energy γ -ray emission of the interstellar medium and, 177
 total energy loss rate, 174
 total stopping power for different materials, 175
 total stopping power in different materials, 175
 spectral emissivity of, 109
 spectrum of, 110, 115
 thermal, 167–173
 absorption, 170–173
 Gaunt factors for radio and X-ray wavelengths, 168
 mass of gas and dark matter in clusters of galaxies and, 169
 spectral emissivity of, 167–169
 spectral emissivity of, in terms of photon number per unit energy interval, 169
 total energy loss rate of, 168
 bremsstrahlung absorption in stars, 47
 bremsstrahlung, X-ray, 394
 brightness temperature T_b , 217, 219, 778, 779
 Rayleigh–Jeans approximation for, 778
 brown dwarfs, 66, 123, 124
 discovered in 2MASS survey, 66
 discovered in Pleiades, Orion and ρ Ophiuchus clusters, 66
 discovered in Sloan Digital Sky Survey, 66
 BUGS experiment of Ariel-VI mission, 499, 500
 CalTech Submillimetre Observatory (CSO), 14, 115, 259
 Canada-France Redshift Survey, 743
 canonical coordinates, 182
 canonical momentum, 182
 of particle in a magnetic field, 182
 capture, or accretion, radius, 485, 486
 carbon burning, 64
 carbon monoxide (CO) map of Galaxy, 17
 carbon recombination lines in gaseous nebulae
 very high order transitions, 342
 carbon-nitrogen-oxygen (CNO) cycle, 44, 45, 48, 50, 62, 72, 478, 479
 Cassegrain telescope, 770, 771
 cataclysmic variables, 383, 443, 447, 467, 473–478, 479
 accretion columns in magnetic, 477–478
 AM Herculis stars, 474
 classical novae, 473, 478, 479
 event rate in our Galaxy and M31, 478
 thermonuclear runaway and, 473, 478, 479
 dwarf novae, 473, 474, 475, 476, 478
 eclipse mapping of, 475
 temperature mapping, 475
 intermediate polars, 474
 magnetic, 474
 novae-like stars, 474
 polars, 474
 recurrent novae, 474
 strong emitters in the 1–10 keV X-ray wavebands, 477
 strong emitters in the EUV and soft X-ray wavebands, 477
 strong winds from, 478
 symbiotic stars, 474
 celestial equator, 753, 755
 celestial hemisphere
 north, 755
 south, 755
 celestial sphere, 755
 central limit theorem, 719, 774
 Gaussian statistics and, 775
 Cepheid variables, 757
 luminosity–period relation for, 757
 Cerro Tololo InterAmerican Observatory, 11
 ChaMP study, 725
 Chandra Deep Fields, 725, 727

- Chandra X-ray Observatory, 25, 114, 379, 385, 393, 546, 663, 669, 714, 725, 727
- Chandrasekhar limit, 383, 397–406
- Chandrasekhar mass, 382, 383, 384, 400, 466
 for neutron stars, 399, 400
 for white dwarfs, 399
- charge-coupled devices (CCD), 7, 776
- charged particles in magnetic fields
 dynamics in time-varying field, 180–184
 adiabatic invariant approach to, 182–184
 physical approach to, 181–182
 dynamics of, 178–189
 in static uniform field, 178–180, 193
 scattering by Alfvén and hydromagnetic waves, 187–189
 scattering by irregularities in the field, 184–187
 spiral motion in uniform field, 179
- chemical potential μ , 246, 247, 257
- Cherenkov radiation, 264–270
 ‘shock wave’ interpretation of, 266
 Cherenkov cone, 269
 condition for, 266
 energy loss rate per unit bandwidth, 270
- circumstellar disc, 353
- Classical Electrodynamics* (Jackson), 129
- classical electron radius, 233
- classical novae, *see* cataclysmic variables, classical novae
- clusters of galaxies, 99–127
 Bautz–Morgan classification, 102
 central concentration of galaxies and central profile, 102
 central mass density of, 105
 core radius, 102, 104
 crossing time, 107
 dark matter in, 123–127
 galaxy content, 102
 isothermal gas spheres and, 102–106
 mass segregation, 102
 morphologies of, 99–102
 most massive galaxies in, 153
 regular, intermediate and irregular, 102
 symmetry, 102
 X-ray emission of, 25
- clusters of stars, 39
- coincidence counting, 28
- collision of high energy particle with stationary electron
 duration of, 134
 limits to collision parameters, 133–136
 relativistic case, 139–140
 non-relativistic treatment, 131–133
 maximum energy loss, 132
 relativistic treatment, 139–140
- collision parameter, 132
- collision parameters
 maximum and minimum for electrostatic scattering, 302
- collision time of particles in a plasma, 301
- collisionless plasma, 305
- colour index
 definition of, 763
- colour–colour diagram for stars, 763, 764
- colour–magnitude diagram for stars, *see* Hertzsprung–Russell diagram
- colours
 definition of, 763
- comoving radial distance coordinate, 718
- comoving volume
 variation with redshift, 716
- compact extragalactic sources and superluminal motions, 681–713
- compact H II region
 spectrum at radio wavelengths of, 172, 173
- compact radio sources
 relativistic bulk motion in, 264
 variability of, 263
- Compton effect, 236
- Compton Gamma-Ray Observatory (CGRO), 288, 289, 292
- EGRET instrument of, 26, 504
- Compton optical depth, 115, 245, 246, 251, 255, 257, 258
- Compton scattering, 114, 235–237
 average energy change of photon in, 244
 average energy gain of photons by, 244
 derivation of formulae for, 235–237
 exchange of energy between electrons and radiation field, 236
 inverse, 715
 Klein–Nishina cross-section, 237
 probability distribution for a single scattering, 260
 recoil effect, 236
- Comptonisation, 243–257, 490
 basic physics of, 243–246
 Bose–Einstein distribution
 formation of, 246, 247
 with finite chemical potential μ , 246
- Compton optical depth, 245, 246
- condition for significant distortions of photon spectrum, 245
- examples of astrophysical applications, 243
- interchange of energy between matter and radiation and, 243–246
 differential equation for, 245
- Kompaneets equation, 250–257
- number of scatterings to approach saturation, 245, 246
- occupation number, 246–250
- recoil effect in, 244

- computer simulations
 - hydrodynamical simulations of galaxy collisions, 750
 - origin and evolution of cosmic structures and, 749
- concentration index $C = (R90/R50)$, 85, 86
- conductivity of a plasma, 133, 425
- cone diagram of the distribution of galaxies, 101
- conservation of angular momentum, 431, 444
- conservation of energy for Newtonian gravity, 431, 432, 444
- conservation of energy in general relativity, 432, 444
- conservation of mass, 47
- convective transport of energy in stars, 45, 48
 - condition for, 45, 60
 - in main sequence stars, 61
 - in pre-main sequence stars, 61
 - in red giant stars, 61
 - of different masses on the main sequence, 61
- convective transport of mass and energy, 463
- cooling flows in clusters of galaxies, 110–114
- Cooper pairs, 404
- coordinate systems and projections used in astronomy, 7, 753–755
- coordinate time in general relativity, 431
- coordinate-space diagram for diffusion-loss equation, 191
- Copernicus satellite, 337, 338
- coronal loops, 308, 309, 312, 322
- coronal mass ejection events, 314
- coronene, 351
- COS-B satellite, 26
- Cosmic Background Explorer (COBE), 15, 16, 376
 - DIRBE instrument of, 11, 12, 13
- The Cosmic Century: A History of Astrophysics and Cosmology* (Longair), xiii, xiv, 3, 5, 48, 193
- Cosmic Microwave Background Radiation, 14–16, 17, 99, 114, 115, 376, 759
 - cosmological fluctuations in, 16
 - dipole component of, 15, 16
 - distortions from a perfect black-body spectrum, 257
 - due to energy injection after the recombination era, 257
 - due to energy injection prior to the recombination era, 257
 - limits to, 259
 - motion of the Solar System relative to, 15, 16
 - radiation temperature of, 15
 - Sunyaev–Zeldovich distortions of, 114, 115, 259
- cosmic ray astrophysics, 27–32
 - extensive air-showers, 29
 - from space and from the ground, 30–32
 - history of, 27–30
 - ionisation of the atmosphere with increasing altitude, 28, 29
- cosmic ray clocks, 501
- cosmic ray electrons
 - spectrum of, 212, 225, 226
- cosmic ray protons and nuclei
 - solar modulation of, 185, 187
- cosmic rays, 493–535
 - abundances of the elements in the cosmic rays, 496–502
 - air-shower technique at energies $E \gtrsim 10^{15}$ eV, 493, 494
 - antiparticles in the flux of, 30, 496
 - chemical abundances of, 497–500
 - features of, 497–499
 - confinement time in the Galaxy and cosmic ray clocks, 515–517
 - confinement volume for, 517–520
 - differential energy spectra for different species, 493–495
 - differential energy spectra for electrons, 495–496
 - differential energy spectrum of
 - ‘ankle’ in, 493, 494
 - ‘knee’ in, 493, 494
 - overall, 493, 494
 - energy density of, 358
 - energy spectra of cosmic ray protons and nuclei, 30, 31, 493–496
 - solar modulation and, 493
 - Galactic halo and, 520–522
 - Greisen–Kuzmin–Zatsepin (GKZ) cut-off, 531–535
 - highest energy cosmic rays and extensive air-showers, 522–524
 - isotopic abundance anomalies in
 - origin of, 515
 - isotopic abundances of, 500–502
 - differences from cosmic abundances, 501
 - isotropy and energy density of, 502–503
 - isotropy of
 - as a function of energy, 502
 - net stream of cosmic rays and, 503
 - underground muons and, 502
 - isotropy of ultra-high energy cosmic rays, 529–531
 - local energy density of, 503
 - compared with other local energy densities, 503
 - observation of the highest energy, 524–529
 - origin of the light elements in, 507–515
 - abundance differences compared with cosmic abundances, 507
 - overall statistics for, 493
 - particle detectors in space observatories, 493
 - Solar System abundances of the elements, 496–497, 499
 - source abundances compared with the local Galactic abundances, 511, 512

- correlation with first ionisation potential, 513
 - first ionisation potential and, 511
 - spectrum of, 212
 - transfer equation for light nuclei, 507–512
 - ultra-high energy, 31
 - anisotropies in distribution of, 31
 - cut-off at very high energies, 32
 - variations in the chemical composition of cosmic rays with energy, 513–515
 - boron-to-carbon ratio, 513, 514
 - chromium-to-iron ratio, 513, 514
- cosmic rays and the discovery of new particles, 29–30
 - charged and neutral kaons, 30
 - mesotron, 29
 - muon, 30
 - pion, 30
 - positron, 29
 - strange particles, 30
- cosmic rays in the atmosphere, 292–297
 - electromagnetic cascades, 292–294
 - formation rate and half-life of ^{14}C , 295
 - formation rate and half-life of ^3H , 295
 - nucleonic cascades, 292–294
 - path-length for nuclear interaction, 293
 - pion production, 292–293
 - radioactive nuclei produced by cosmic rays in the atmosphere, 294–297
 - formation of carbon-14 ^{14}C , 294
 - formation of tritium ^3H , 294
 - residence time in atmosphere, 295
 - secondary fluxes of relativistic electrons, 294
 - vertical fluxes of, 295
 - vertical fluxes of at different heights, 293
- cosmic rays, solar
 - underabundances correlated with first ionisation potential, 511
- cosmic star formation rate
 - maximum at redshifts $z \sim 1-2$, 748
 - problem of dust extinction, 745
 - submillimetre determinations of
 - as a function of redshift, 745
- cosmic web, 101
- cosmological aspects of high energy astrophysics, 714–752
- cosmological distance ladder, 758, 759
- Coulomb's law of electrostatics, 157
 - relativistic transformation of, 136–139
- counts of active galaxies
 - evolution in infrared waveband, 740
- counts of extragalactic radio sources, 720
 - excess of faint radio sources, 720
 - evidence for strong cosmological evolution, 720
- counts of galaxies, 731–737
 - excess of faint blue galaxies, 732, 733
 - and starburst galaxies, 733, 737
 - nature of, 733–737
 - fluctuations in, due to large-scale clustering, 732, 733, 736
 - for irregular/peculiar/merger systems, 733, 736
 - for spheroidal and spiral galaxies, 733, 736
 - in infrared K -band, 733, 736
 - in U , B , R , I and K wavebands, 736
 - problems of determining, 731
- counts of galaxies and active galaxies, predicted, 715
 - at submillimetre wavelengths, 740–742
 - normalised differential counts, 741, 742
- Euclidean, 715–716
 - differential, 716
 - integral, 715
- for standard world models, 716–731
 - for sources with power-law spectra, 718
 - infrared counts for galaxies, 730
 - normalised, differential, 718
 - optical counts for galaxies, 729–731
 - slopes of integral and differential, 718
- counts of infrared and submillimetre sources, 737
 - convergence of, at mid-infrared wavelengths, 740
- IRAS galaxies
 - excess of faint sources, 737
- Spitzer Survey
 - excess of faint sources, 737
- submillimetre wavelengths, 742
 - excess of faint sources, 743
- counts of mid and far-infrared sources, 740
- counts of radio quiet quasars, 591, 592, 724
- counts of submillimetre sources, 740–743
- counts of X-ray sources, 725–729
 - evidence for evolution of the source populations, 727
 - hard X-ray energies, 2–10 keV, 602, 727, 729
 - history of, 725
 - problems of interpretation, 727
 - soft X-ray energies, 0.5–2 keV, 727
 - and the integrated X-ray background emission, 728
 - soft X-ray energies, 0.5–2 keV, 727
- Crab Nebula (M1, NGC1952), 409, 549, 586, 644, 704
 - pulsar in, 379
- critical density for degenerate gas, 396
- critical angular frequency for synchrotron radiation, 207, 208
- critical brightness temperature, 263, 264
- critical cosmological density, 127
 - in neutrinos with finite mass, 125
- critical density
 - for common ions, 342
- critical density for stabilisation in degenerate neutron gas, 402
- critical density for star formation, 750
- critical Fermi momentum p_F , 402

- critical frequency for synchrotron radiation, 201, 211, 212, 218, 223
- crossing time, 107
- crossing time τ_{cr} of star or galaxy in a cluster, 153
- Cryogenic Dark Matter Search (CDMS II), 127
- current sheets, 323
- curvature of space-time in general relativity, 430
- curvature radiation, 201, 428
- cusp catastrophe, 120
- cyclotron absorption features in accreting X-ray sources, 197, 198, 405
- magnetic field estimates from, 197
- cyclotron absorption features in isolated neutron star, 197
- magnetic field estimates from, 198
- cyclotron radiation, 195–198
- broadening of spectral lines of, 196
- circular polarisation of, 197
- geometry of magnetic field configuration and, 197
- magnetic field estimates from, 197
- harmonics of gyrofrequency, 196, 197
- mildly relativistic, 196
- cyclotron radius of charged particle in magnetic field, 179
- dark energy, 381
- dark matter, 123–127
- astrophysical and experimental limits, 126–127
- axions and, 125
- baryonic, 123–125
- black holes and, 123
- limits to mass density from gravitational lensing, 123
- brown dwarfs and baryonic, 123
- clusters of galaxies and, 99, 108, 109
- forms of, 123–127
- in clusters of galaxies, 108, 110
- in early type galaxies, 122
- in galaxies, 77, 93
- and stability of disc galaxies, 93
- MACHOs and, 125
- gravitational microlensing and, 124
- masses of dark matter particles, 126, 127
- neutrinos with finite rest mass and, 125
- non-baryonic, 125–126
- searches for dark matter particles, 127
- structure of, 122
- WIMPs and, 125
- dark matter haloes of galaxies and clusters, 122
- Davis–Greenstein alignment mechanism, 374
- de Broglie wavelength, 279
- de Vaucouleurs $r^{1/4}$ law for surface brightness, 82, 105
- dead stars, 378–442
- Debye length, 298–300, 302, 446
- as shielding distance in plasma, 299, 300
- decay of binary orbits and gravitational waves, 32
- declination (Dec or δ), 753
- deflagrations, 383
- degeneracy pressure, 394
- condition for use of relativistic equation of state, 396
- conditions under which important, 395, 396
- degenerate gas
- non-relativistic equation of state for, 395, 396
- relativistic equation of state for, 397
- of electrons, 397
- of neutrons, 397
- degenerate stars
- internal structure of, 394–397
- dendrochronology, *see* tree-ring-dating
- density parameter
- for stars in the Universe, 98
- in baryons, 98
- density wave theory of spiral structure, 357, 462
- forcing mechanisms and, 357
- depolarisation of polarised radio signals, *see* Faraday depolarisation
- detection of ultra-high energy γ -rays, 265
- detonations, 383
- deuterium formation in stars, 44, 54
- neutrinos from, 44
- differential rotation of Galactic disc, 353
- diffraction optics, 764
- diffraction-limited telescopes, 764–770
- diffusion coefficient D , scalar, 189
- diffusion coefficients for high energy particles in fluctuations in magnetic field, 186
- physical model for, 186–187
- diffusion of charged particles, 301–303
- mean free path and, 301
- diffusion time for magnetic field in a plasma, 310, 311, 324
- diffusion-loss equation for high energy electrons, 540–544
- distortions of the injection energy spectrum, 540–543
- diffusion-loss equation for high energy particles, 189–192, 253
- coordinate-space approach, 191–192
- elementary approach, 190
- escape time, 253
- including spallation gains and losses, catastrophic loss of particles, radioactive decay, 192
- source term, 253
- statistical acceleration and, 252

- diffusive velocity, 326
- dipole radiation, 158, 198, 199
- Dirac delta function, 160, 165, 300
 Fourier transform of, 165
- dispersion measure, 419
 of pulsars, 344–345, 346
- displacement four-vector, 136, 154, 781
- dissipation time-scale, 324
- distance indicators, 757
 problems of using, 757
- distance measure D , 716
- distances in astronomy, 9, 755–759
 astrophysical methods, 757, 759
 Baade–Wesselink method, 758
 gravitational lenses, 759
 Sunyaev–Zeldovich effect, 758
 using distance indicators, 757
- Doppler shift formula, relativistic, 238
- ‘drop-out’ galaxies, 736, 737, 744
- Drude model, *see* electrical conductivity of a fully ionised plasma, Drude model for
- dust, *see* interstellar dust
- dust emission in millimetre and submillimetre waveband, 16
- dust extinction of galaxy spectral energy distribution, 739
- dust shells about giant stars, 74
- dwarf novae, *see* cataclysmic variables, dwarf novae
- dynamical friction, 131, 151–153
 clusters of galaxies and, 153
 galaxies and, 153
 globular clusters and, 153
 limits to collision parameters and, 152
 regular clusters of galaxies and, 153
- dynamical time-scale of a star, 41
- dynamics of a charged particle in a magnetic field with small scale fluctuations, 186
- early-type galaxies, 78, 80
 mass distribution in, 122
- Earth’s magnetosphere, *see* magnetosphere of Earth
- eclipsing X-ray binary with stellar mass black hole, 439
- eddies, turbulent, 454
- Eddington limiting luminosity, 71, 413, 445–447, 449, 450, 454, 461, 462, 469, 470, 473, 478, 483, 490, 612, 634, 636, 656, 657, 658, 671
- effective aperture of an antenna, 775, 779
- effective temperature T_{eff} , 35, 48
 of relativistic gas, 218
- Effelsberg 100 m radio telescope, 371
- 8–10 metre optical-infrared telescopes, 7
- Einstein angle, 118, 120
- Einstein coefficients for absorption and spontaneous and induced emission, 171, 220, 249
- Einstein radius, 117, 120
- Einstein ring, 117, 118
- Einstein X-ray Observatory, 25, 70, 113
- Einstein–de Sitter world model, 731
- electric dipole moment, 157
- electrical conductivity of a fully ionised plasma, 303–304, 308, 323, 324
 dissipation of energy and, 323
 Drude model for, 300, 303, 304
 including effect of electron–electron collisions, 304
 Lorentz approximation for, 303
- electrical conductivity of metals
 typical values for, 304
- electromagnetic field
 energy density of, in a medium, 267
Electromagnetic Processes (Gould), 129
- electromagnetic showers, 265, 272–275
 critical energy E_c for, 273, 274
 degradation of energy by ionisation losses at low energies, 273
 degradation of energy through the atmosphere, 273
 properties of, 275
 simple model for, 272, 273
 total number of particles with depth through a medium, 274
- electromotive force, 181, 305, 306
- electron cyclotron radiation features in the X-ray spectra, 469
- electron degeneracy pressure, 68, 76, 378
- electron scattering, *see* Thomson scattering, 460, 461, 462, 659
- electron–photon cascades, *see* electromagnetic showers
- electron–positron annihilation line from the direction of the Galactic Centre, 278
- electron–positron pair production, 270–272
 cross-section at intermediate photon energies, 271
 cross-section in the ultrarelativistic limit, 271
 impossibility in free space, 271
 radiation length for, 271
 similarity of radiation length for bremsstrahlung and for, 271, 272
- electron–positron annihilation, 275–278
 annihilation at rest or in flight, 277
 broadening of γ -ray lines, 277
 cross-section for
 in extreme relativistic limit, 277
 thermal electrons and positrons, 278
 maximum and minimum energies of photons, 277
 of positronium atoms, 277
- electron–positron annihilation line, 290, 291

- elliptical galaxies
 - as triaxial systems, 93, 94
 - stability of, 94
- constancy of velocity dispersion with radius, 95
- dark matter in, 94, 95
- flattening not due to rotation, 93, 94
- mass-to-luminosity ratios for, 93
- rotation along minor axis, 93
- rotation of, 94
- variation of ellipticity with radius, 93
- emission from the Earth's atmosphere T_{atm} , 779
- emissivity κ_{ν} , 170
 - in terms of elementary atomic processes, 171
- emissivity of telescope in infrared waveband, 775
- encircled energy fraction, 768, 769
 - for circular mirror with central hole, 772
 - with varying wavefront errors, 770
- end-points of stellar evolution, 76
- energies
 - useful conversion formulae, 780
 - useful conversion formulae for hot bodies, 781
 - useful conversion formulae for photons, 781
- energy dissipation rate by viscous forces, 456, 457
- energy generation, 47
- energy loss processes for high energy electrons, 536–540
 - adiabatic losses, 538–539
 - bremsstrahlung, 537
 - inverse Compton scattering, 539–540
 - ionisation losses, 537
 - synchrotron radiation, 496, 539
- energy transport in stars, 45–47
- enthalpy per unit mass, 315
 - for perfect gas, 316
- entropy of plasma
 - conservation of, 308
- equation of hydrostatic support, 103, 451
- equation of mass conservation, 103
- equation of state of stellar material, 40, 47, 52
- equations of stellar structure, 47–50, 397
- equidistant azimuthal polar projection, 7, 755, 756
- equivalent current loop for particle gyrating in magnetic field, 181
- equivalent noise temperature T_n , 777
- EROS project, 125
- ESO-SERC Southern Sky Survey, 99
- Euler's constant, 168
- evolution of active galaxies with cosmic epoch, 720–729
 - extragalactic radio sources, 720–724
 - 'luminosity evolution', 720
 - cut-off of strong evolution beyond redshift $z \sim 2-3$, 723
 - for sources with steep and flat radio spectra, 720, 722
 - luminosity-dependent density evolution, 723, 724
 - radio-quiet quasars, 724–725
 - evolution of galaxies and active galaxies with cosmic epoch, 714–743
 - mid and far-infrared number counts, 737–740
 - active galaxies, 715, 720–729
 - extragalactic radio sources, 720–724
 - radio-quiet quasars, 724–725
 - X-ray clusters of galaxies, 729
 - X-ray sources, 725–729
 - brief history of evidence for, 714–715
 - co-evolution of stellar and black hole properties of galaxies, 715
 - counts of galaxies, 731–737
 - counts of galaxies and active galaxies, 715
 - Euclidean source counts, 715–716
 - for standard world models, 731
 - submillimetre counts of dusty galaxies, 740–742
 - counts of galaxies and active galaxies, predicted
 - for standard world models, 716
 - submillimetre number counts, 740
 - stellar and gaseous components of galaxies, 714
 - submillimetre number counts, 743
 - V/V_{max} or luminosity–volume test, 718–719
 - excess of faint blue galaxies
 - irregular nature of, 737
- exoplanets, 66, 68
 - Doppler technique for discovering, 66
 - highly elliptical orbits of, 68
 - Jupiter mass planets very close to parent stars, 68
 - occultation technique for discovering, 67
 - problems of accounting for orbits of, 68
- EXOSAT X-ray telescope, 449, 480, 483
- explosive nucleosynthesis, 65
- extensive air-showers, 293
- extinction
 - role of absorption and scattering, 347–350
- extinction by interstellar dust grains, 9, 11
 - extinction coefficient, 9
- extinction curves, 347
- extinction efficiency Q , 348, 349
- extragalactic radio sources, 661–680
 - luminosity function of
 - evolution with cosmic epoch, 720–724
- Extreme Ultraviolet Explorer (EUVE), 22, 23
- Faber–Jackson relation and fundamental plane, 87–88
 - and the distances of galaxies, 88
- Faraday depolarisation, 346–347
- Faraday rotation of linearly polarised radio signals, 345–347, 369–371
 - direction of magnetic field and, 346
 - estimates of the Galactic magnetic field and, 346
 - refractive indices of elliptically polarised waves, 345

- right- and left-handed elliptically polarised waves, 345
- rotation measure, 346
- Fermi energy, 402
- Fermi momentum of a degenerate Fermi gas, 397
- Fermi–Dirac distribution, 397
- Fermi–Thomas model of the atom, 174
- filling factor, 341
- fine structure constant, 135, 167, 229, 400
- Finkelstein coordinates, 433
- FIRAS instrument of the Cosmic Background Explorer, 259
- first adiabatic invariant, 182
- first point in Aries, 753
- fluctuations in black-body radiation, 777
- fluctuations in the Cosmic Microwave Background Radiation, 749
- fluctuations per mode in black-body radiation, 778
- Fluid Mechanics* (Landau and Lifshitz), 314
- flux densities, luminosity, magnitudes and colours in astronomy, 760–764
- flux density, 762
 - bolometric, 762, 763
 - definition of, 760
- Fokker–Planck equation for stars in clusters, 105
- fold catastrophe, 120
- forbidden transitions in spectra of gaseous nebulae, 342–343
 - critical density for, 342
 - metastable energy levels and, 342
 - radiative de-excitation and, 342
- Formation of Stars* (Stahler and Palla), 361
- 48-inch Schmidt Telescope Palomar Sky Survey (POSS), 99
- four-dimensional momentum space
 - volume element of as a Lorentz invariant, 250
- four-frequency **K**, 782
- four-momentum **P**, 782
- four-velocity **U**, 782
- Fourier analysis, 771–774
 - addition theorem, 771
 - convolution theorem, 771, 772
- Fourier transformation, 162, 163, 184, 200, 201, 202, 211
- Fraunhofer diffraction, 766
 - for circular aperture, 767, 768, 769
 - encircled energy fraction, 768
 - for circular mirror or lens, 767
 - for rectangular slit, 766
 - for single slit, 766
- free-fall velocity in general relativity, 431
- free–free emission, *see* bremsstrahlung
- frequencies of galaxies of different types, 736
 - in different galactic environments, 732
- fully convective stars
 - stability criterion for, 59
- fundamental plane, 87–88
- Galactic Astronomy* (Binney and Merrifield), 77
- Galactic centre, 753, 754, 755
- Galactic coordinates, 753, 754, 755
- Galactic Dynamics* (Binney and Tremaine), 77
- Galactic equator, 754
- Galactic latitude (*b*), 754
- Galactic longitude (*l*), 754, 755
- Galactic magnetic field, 225, 369–377
 - aligned with local spiral arm, 374
 - Faraday rotation in the interstellar medium, 369–371
 - large fluctuations in, 369, 370
 - large-scale order in, 369, 370, 374
 - magnetic flux density from pulsar rotation measures, 226
 - mean magnetic flux density, 377
 - North Polar Spur and, 374
 - optical polarisation of starlight, 371–374
 - radio emission of spinning dust grains and, 374–376
 - radio emission of the Galaxy and, 377
 - summary of the information on, 377
 - Zeeman splitting of 21-cm line radiation and, 377
- Galactic north pole, 754, 755
- Galactic south pole, 754, 755
- galaxies, 77–98
 - barred spiral SB, 78
 - collisions between, 79
 - colour–luminosity relation for elliptical galaxies, 88
 - elliptical E, 78
 - ellipticities of, 78
 - further correlations among the properties of galaxies, 86–89
 - Faber–Jackson relation and fundamental plane, 87–88
 - mass–metallicity relation for galaxies, 88–89
 - Tully–Fisher relation for spiral galaxies, 87
 - gas phase metallicity–luminosity relation for late-type galaxies, 88
 - Hubble sequence, 78–80
 - interactions between, 99
 - irregular, 78
 - large-scale distribution of
 - holes and voids in, 101
 - sheets and filaments in, 101
 - lenticular or S0, 79
 - luminosity density of the Universe due to, 97
 - luminosity function of, 95–98
 - mass–metallicity relation for galaxies, 88, 89
 - mass-to-luminosity ratios for spiral galaxies, 92, 93
 - masses of, 89–95
 - mean number density in the Universe, 97
 - mean separation in the Universe, 97
 - normal spiral S, 78

- galaxies, (*cont.*)
 passive evolution of, 730
 importance of red giant branch, 730
 peculiar, 79
 red and blue sequences, 80–85
 ring, 80
 statistics of galaxies belonging to red and blue sequences, 85
 surface brightness distributions of, 81, 85
 discs, 82, 84
 spheroids or bulges, 82, 84
 ‘tuning fork’ diagram for, 78
Galaxies in the Universe: An Introduction (Sparke and Gallagher), 77
 galaxies, old red, 736
 Galaxy
 dark matter in, 356
 mass of, 759
 radio emission of, 224–227
 radio disc, 224
 thickness of radio disc, 225
 rotation curve of, 353, 355
Galaxy Formation (Longair), xiii, xiv, 78, 100, 118, 127, 759
 galaxy formation
 collisions between galaxies and, 749
 ‘down-sizing’, 749
 feedback mechanisms and, 749
 growth of supermassive black holes and, 749
 Lyman-break galaxies
 multicolour technique for discovering, 744
 observed global star formation rate, 743
 star-forming galaxies and, 743
 starburst galaxies at large redshift, 743
 star and element formation and, 746
 star formation and, 749
 GALLEX solar neutrino experiment, 32, 57
 γ -ray background emission
 Comptonisation and, 729
 spectrum of, 728
 γ -ray bursts, 27, 384
 γ -ray luminosity of the Galaxy, 504
 γ -ray observations of the Galaxy, 493, 503–506
 distribution of cosmic rays in the Galaxy and, 503–506
 pion production and, 503
 cross-section for, 504
 relativistic bremsstrahlung of ultra-relativistic electrons, 504, 506
 spectrum of γ -rays produced by inverse Compton scattering of starlight, 504, 506
 spectrum of γ -rays produced from neutral pion decay, 504, 505
 γ -ray waveband, 25–27, 504
 γ -ray line emission, 27
 Cherenkov detection technique, 27
 detectors for, 26
 gauge selection in electrodynamics, 160
 Gaunt factor, 110, 111, 168, 302, 304
 for diffusion of particles in a plasma, 302
 for electrical conductivity of plasma, 302
 frequency averaged, 168
 Gauss’s theorem for Newtonian gravity, 92, 119
 Gaussian point-spread function, 768
 Gemini Deep Deep Survey, 747
 Gemini North telescope, 440
 general relativity, 430–433
 dynamics of particles about point mass, 431
 GEO600 gravitational wave experiment, 33
 geodesic distance, 430
 giant branch, 37, 39, 49, 61, 69, 73, 74
 giant molecular clouds, 311, 362–364
 formation of, 356
 in spiral density waves, 357
 percolation processes and, 357
 supernova explosions and, 357
 globular clusters, 39, 69
 in M49, 94, 95
 in M49 and M87, 94
 oldest, 70
 typical parameters for, 153
 Goldstake solar neutrino experiment, 32
 GOLF experiment of the ESA SOHO mission, 52, 53
 Gran Sasso Laboratory, in Central Italy, 57
 grating telescope, 773
 gravitational deflection of light rays, 120
 by the Sun, 117
 collision parameter for, 117
 gravitational fine structure constant, 400
 gravitational lensing by galaxies and clusters of galaxies, 99, 116–122, 759
 caustics and cusps in, 120
 cluster masses from, 120
 critical surface density for, 119
 distortion of background images by, 120
 galaxy–galaxy imaging and, 122
 necessary conditions for, 119
 gravitational lensing, strong, 122
 gravitational lensing, weak, 122
Gravitational Lensing: Strong, Weak and Micro (Schneider, Kochanek and Wambsganss), 118
 gravitational relaxation time τ_r , 152–153
 grazing incidence optics, 22, 23

- Great Observatories Origins Deep Survey (GOODS), 733, 734, 745
- grey-body spectrum, 739
- Grotrian diagram, 342
- group velocity, 344
- guiding centre, 193, 208
- guiding centre motion, 179, 182, 184, 186
- gyration radius of cosmic ray protons in magnetic field, 502
- gyrofrequency, 179, 344, 345
 non-relativistic, 179, 195, 201, 202, 208, 209
 relativistic, 193, 196, 201, 211, 214
- gyroradius, 179, 184
 and rigidity R , 185
- gyroscopic precession about rotating black holes, 435
- Hammer–Aitoff projection, 8, 9, 12, 13, 15, 18, 23, 26, 755, 756
- Handbook of Space Astronomy and Astrophysics* (Zombeck), 129
- hard low mass X-ray binary stars, 278
- Harvard spectral classification system, 37
 spectra of main sequence stars in, 37, 38
- Hawking radiation, 438
- Hayashi tracks, 59–61, 64
 for fully convective stars, 60
- HEAO-1 X-ray Observatory, 725
- HEAO-A2 experiment, 169
- HEAO-C satellite, 27
- HEAO-C2 cosmic ray experiment, 497
- HEAO-C3 cosmic ray experiment, 499, 500
- heat diffusion equation, 45
- Heisenberg's uncertainty principle, 135, 139, 279, 339, 394, 395, 396
- helioseismology, 51–54
 acoustic or p -modes, 51
 gravity or g -modes, 51
 probing the structure of the Sun and, 51–54
- helium
 primordial nucleosynthesis of, 54
 cosmic abundance of, 40
- helium burning, 64, 72
- helium flash, 73, 401
- helium shell burning, 64
- Herbig–Haro (HH) objects, 364, 366
- Hertzsprung–Russell diagram, 35, 36, 37, 38, 39, 49, 59, 63, 64, 66, 68, 69, 70, 73, 74
 for clusters of stars, 39
 for white dwarfs, 402
 theorist's, 68, 69
- HESS Cherenkov γ -ray array, 27
- Hess ultra γ -radiation, 28
- hierarchical models of galaxy formation
 old red galaxies and, 747
- High Energy Astrophysics* (Longair), xiii
- high energy astrophysics
 definition of, 3
- high energy astrophysics and modern physics and astronomy, 3–4
- high energy electron energy spectrum in the local interstellar medium, 543–544
- high mass X-ray binaries, 485–486
 capture, or accretion, radius for stellar wind, 485, 486
 O and B stars in, 485
 properties of, 485
 X-ray luminosity due to accretion, 486
- Hipparcos* astrometric satellite, 36, 757
- Homestake gold-mine, South Dakota, 55
- homologous stellar models, 47–48, 68
 energy generation rates, 47
 inadequacies of, 48
- horizontal branch, 39, 40, 69, 73
 evolution of stars on, 73
 mass loss and, 39
- hot gas in clusters of galaxies
 absence of cool gas in, 113
 associated with heating by radio lobes, 114
 models to explain the, 114
 abundance of iron, 110
 characteristic cooling time for, 111
 cooling flows and, 110–114
 cooling flows in, 112
 mass inflow rates of, 113
 cooling time of, 112
 distribution of, 109–114
 iron line Fe xxvi from, 109
 sound waves in, 114
- HR diagram for stars, *see* Hertzsprung–Russell diagram
- Hubble Deep Field, 714, 732, 736, 743, 744
- Hubble sequence of galaxies, 77, 78–80, 86
 correlations along, 86–89
 luminosity function of H II regions, 87
 neutral hydrogen, 86
 star formation rates and, 87
 total surface density and surface density of neutral hydrogen, 87
- Hubble Space Telescope, 19, 71, 74, 78, 118, 122, 365, 379, 385, 392, 393, 578, 600, 603, 615, 618, 654, 663, 692, 693, 706, 714, 732, 733, 770, 771, 772, 777
- Hubble Ultra Deep Field (HUDF), 714, 732, 733, 734, 736, 737, 744, 745, 762
- Hubble's constant, 759
 from Sunyaev–Zeldovich effect, 115
 Hubble Space Telescope Key project, 759

- Hubble's constant, (*cont.*)
 measured from power spectrum of fluctuations in
 Cosmic Microwave Background Radiation,
 759
- Huygens' principle, 765
- Huygens' construction, 266, 269
- Hydrodynamics* (Lamb), 51
- hydrogen
 ionisation potential of, 42
- hydrogen recombination lines from warm component
 of the interstellar gas, 341
- hydrogen recombination lines in gaseous nebulae,
 341–342
 H β line of the Balmer series, 341
 very high order transitions, 342
- hydrogen shell burning, 64
- hydromagnetic waves, circularly polarised, 188
- hydrostatic equilibrium, 39, 47, 109
- hydrostatic support, equation of, 40
- IMB solar neutrino experiment, 32
- impedance of free space Z_0 , 157
- Infrared Astronomical Satellite (IRAS), 10, 13,
 74
- infrared cirrus, 13
- infrared luminosity function of galaxies
 evolution of, 739, 740
- Infrared Space Observatory (ISO), 737
- infrared waveband, 9–14
 all-sky images in, 11–14
 emission by dust grains at thermal infrared
 wavelengths, 12, 13
 near-infrared wavelengths in, 10
 observing it, 9–11
 thermal infrared wavelengths in, 10
 wavelength windows in, 10
- initial mass function for stars, 361–362
 Miller and Scalo, 361
 Salpeter, 361
- inner Lagrangian point, 465, 467, 468, 475, 481,
 486
- instability strip, 73
- instantaneous rest frame, 158
- INTEGRAL γ -ray observatory, 27, 197, 257, 278,
 288, 289, 292
- intensity of radiation I_ν , 170
 definition of, 760
- interactions of high energy photons, 228–278
- intercloud medium, 342
- intercombination lines, 342
- interferometer
 eight-element
 power polar diagram of, 773
 four-element
 power polar diagram of, 773
 grating telescope, 773
 two-element, 771
 power polar diagram of, 773
- interferometry and synthesis imaging, 771–774
- internal energy per unit mass, 315
- International Linear Collider (ILC), 125
- International Ultraviolet Explorer (IUE), 22, 71, 338,
 392, 638, 647, 651
- interplanetary magnetic field, 303
- interstellar chemistry, 21, 145, 338
- interstellar dust, 347–353
 217.5 nm absorption feature, 350
 associated with $\pi \rightarrow \pi^*$ transitions, 350
 condensed matter physics of, 373
 cross-section for scattering and absorption, 348
 diffuse interstellar bands and, 348, 350
 electric charging of, 372–373
 coupling of grains and neutral particles through,
 373
 electric dipole moments of, 375
 emissivity of heated, 351
 extinction law for, 347–348
 formation of interstellar molecules and, 350
 graphite grains and, 350
 heavy elements in the interstellar medium and, 347
 Mie theory of scattering and absorption, 348, 349
 obscuration in our Galaxy and, 347
 optical depth for, 347
 ratio of total to selective absorption R_V , 347
 reddening, 347, 348
 reradiation of heated, 351
 star formation and, 351
- rotation frequency–grain radius relation
 for different phases of the interstellar medium,
 375
- rotation speed of dust grains, 372–373, 375
- rotation speed of PAH molecules, 375
- selective absorption, 347
- shielding of molecules by, 359, 363
- silicate absorption features at 9.7 and 18 μm , 348,
 350
- size parameter, 348, 349
- small grains in, 350
 transient heating of, 350
- sublimation temperature of, 347, 352
- water ice feature at 3.1 μm , 350
- wide range of grain sizes present in, 350
- interstellar gas
 average properties of, 333
 cooling mechanisms, 358–359
 bound–bound or bound–free emission, 359
 bremsstrahlung, 359
 in gaseous nebulae, 359
 interstellar dust emission, 359
 low lying energy levels of common elements,
 359
 molecular line emission, 359

- diagnostic tools
 - 21-cm line emission and absorption, 333–335
 - column depth from X-ray absorption, 340
 - dispersion measure of pulsars, 344–345
 - Faraday rotation of linearly polarised radio signals, 345–347
 - ionised interstellar gas, 340–347
 - molecular radio lines, 335–338
 - neutral interstellar gas, 333–340
 - optical and ultraviolet absorption lines, 338–339
 - permitted and forbidden transitions in gaseous nebula, 340–343
 - thermal bremsstrahlung, 340
 - X-ray absorption, 339–340
- heating mechanisms, 357–358
 - collisions of old supernova shells, 357
 - cosmic rays and, 358
 - ionisation rate by ionisation losses, 358
 - other types of, 358
 - supernova explosions, 357
 - ultraviolet radiation of hot stars, 358
- hot component of, 357, 358
- overall picture of, 353–361
 - large scale dynamics, 353–357
- thermal instabilities, 361
 - condition for, 360–361
- interstellar gas and magnetic fields, 331–377
- interstellar medium
 - phases of, 359, 360
 - cold neutral medium, 360
 - coronal gas, 360, 361
 - diffuse clouds, 360
 - giant molecular clouds, 360
 - H I clouds, 360
 - intercloud medium, 360
 - two-phase model for, 361
- interstellar medium and the life cycle of stars, 333
- interstellar molecules, 20
 - hydroxyl molecule OH, 20
 - line emission of, 16
- An Introduction to the Ionosphere and Magnetosphere* (Ratcliffe), 305
- invariant four-volume, 240
- invariant four-volume in four-momentum space, 240, 250
- inverse β -decay, 385, 401, 404
- inverse Compton scattering, 237–243, 244, 260, 490
 - average energy of scattered photons, 242
 - derivation of formulae for, 237–243
 - energy density of radiation in moving frame, 238–240
 - geometry of, 238
 - maximum energy of scattered photon, 242
 - of radio, infrared and optical photons, 243
 - similarity of loss rate to synchrotron loss-rate, 241, 261
 - spectral index of radiation of a power-law distribution of electron energies, 241
 - spectrum of scattered radiation by a single electron, 241, 242
 - total energy loss rate of, 241
- inverse square laws of electrostatics and gravitation, 151
- ion-acoustic instability, 328
- ionisation loss formula
 - adapted for radiation damage density, 147
- ionisation losses, 292, 301, 358
- ionisation losses of electrons, 145, 146
 - maximum energy transfer per interaction, 146
- ionisation losses of protons and nuclei, 131–153
 - average energy loss per unit path length, 133
 - Bethe–Bloch formula, 140–141
 - cancer therapy and, 145
 - density effect, 141
 - effects of polarisation of medium, 141
 - energy spectrum of ejected electrons, 135
 - heating of giant molecular clouds and, 131, 145
 - lower limit b_{\min} to collision parameters
 - classical limit, 134
 - quantum limit, 134
 - mean energy loss rates in different materials, 142, 143
 - minimum loss rate, 141, 142
 - non-relativistic treatment, 131–136
 - nuclear emulsions and, 146
 - number of ion–electron pairs produced, 145
 - particle detectors and, 131
 - practical forms of the ionisation loss formulae, 141–145
 - range R and, 143, 144
 - relativistic treatment, 136–141
 - stopping power, 142
 - straggling, 144
 - upper limit b_{\max} to collision parameters, 133
- ionisation potential I , 135, 142
- IRAM millimetre interferometer, Plateau de Bure, 365
- IRAS galaxies, 741, 742
- IRAS infrared observatory, 353, 714, 737
- Irvine–Michigan–Brookhaven (IMB) neutrino experiment, 389
- ISAAC infrared spectrograph of the ESO VLT, 441
- isothermal carbon core, 64
- isothermal gas spheres, 102–106, 119
 - core radius, 104
 - projected, 104
 - singular, 119, 120
 - structural index, or structural length, 104

- isothermal gas spheres, (*cont.*)
 tidal radius of, 105
 truncated, 105
- isothermal helium core, 63
- Jacobian for transformation between inertial frames of reference, 240
- James Clerk Maxwell Telescope (JCMT), 14, 742
- James Webb Space Telescope (JWST), 11
- Jansky (Jy), 760
- Jeans' instability, 368
 fragmentation within giant molecular clouds, 368
 in molecular clouds, 368
 time-scale for collapse, 368
- Jeans' length, 368
- Jeans' mass, 368
- Jet Propulsion Laboratory, 391
- Jupiter, mass of, 66, 759
- K-correction, 716, 732
- K20 sample of galaxies, 736, 747
 very red galaxies in, 748
- Kamiokande neutrino experiment, 32, 389
- Keck 10 metre telescope, 736
- Kelvin–Helmholtz instability, 320
- Kelvin–Helmholtz time-scale, 43
- Kepler's third law of planetary motion, 92, 356
- Keplerian orbits, 451, 452, 456, 457, 630
- Keplerian velocity, 454, 456, 457, 463, 471, 472
- Kerr black holes, 434
 maximum energy release, 436, 445
- Kerr metric, 434, 435
- kinetic energy per nucleon, 180
 ionisation losses and, 142
- King profiles for mass distribution in clusters, 105, 107
- Kirchhoff's law, 340
- Klein–Nishina cross-section, 237, 264
- Kompaneets equation, 246, 250–257, 259, 260
 'current' of photons in phase space and, 251
 diffusion coefficient for photons in phase space, 252
 diffusion of photons in phase space and, 252
 expansion to higher orders in $\partial n/\partial x$, 259
 formation of power-law spectrum by thermal processes, 255
 formation of Wien peak, 253–255
 induced scattering and, 250
 Monte Carlo solutions of, 254
 photon conservation and, 251
 power-law solutions of, 255–257
 recoil effect and, 251, 255
 recoil effect and induced scattering, 252
 solutions for $\hbar\omega \gg kT$, 253
 spectra of X-ray sources and solutions of, 253–257
- Kramers opacity, 460, 461
- Kruskal coordinates, 433
- Kuiper Airborne Observatory, 14, 359
- Lagrangian formulation of classical dynamics, 182
 action integral in, 182
- Λ CDM model of galaxy and structure formation, 749–752
 problems with
 accounting for Faber–Jackson relation and Tully–Fisher relation, 752
- Lane–Emden equation, 103, 398
- Laplace's equation, 425
- Large Hadron Collider (LHC), 125
- Large Magellanic Cloud, 125
 distance from observations of SN 1987A, 392
- Larmor's formula for radiation of accelerated electron, 158, 232, 374, 376
- laser emission, 778
- Laser Interferometer Gravitational-Wave Observatory (LIGO), 33
- last stable circular orbit, 432, 433, 436
- late-type galaxies, 78, 80
- Lectures on Physics, Vol. III* (Feynman), 247
- Leiden–Berkeley Deep Survey (LBDS), 723
- Lexan polycarbonate, 147, 148
- Liénard–Weichert potentials, 161, 200, 202, 266
 doppler shift factor in, 202, 203
- lifetimes of stars of different mass, 361
- light echo technique, 385
- light, L, group of elements, 508
- light-year, definition, 756
- line blanketing, 88
- Lockman Hole survey field, 725
- long period variables, 73
- Lorentz factor γ , 139, 141, 146, 178, 180, 193, 211, 222, 293, 431, 502, 781
- Lorentz force, 178, 183, 425
- Lorentz gauge, 160

- Lorentz transformations, 155, 781
 inverse, 140, 239
- Lorentz transforms for electric and magnetic fields, 137–139, 194
- low mass X-ray binaries, 479–484, 490
 accretion disc corona, 480, 481
 dependence of observed properties on angle of inclination, 479
 eclipses and ‘dips’ in X-ray light curves, 479
 quasi-periodic oscillations (QPOs), 483, 484
 models for, 484
 thick absorbing screen about accretion disc, 481
- X-ray burst sources (bursters), 481
 comparison of accretion and thermonuclear runaway luminosities, 482
 properties of, 481
 Type I, 481–483
 Type II, 483
- X-ray colour–colour diagram for, 484
- luminosity
 definition of, 763
- luminosity classes for stars, 37, 38
- luminosity density of starlight in the Universe, 97
- luminosity function of galaxies, 95–98, 719
 for red and blue galaxies, 96
 luminosity density of starlight and, 97
 mass-to-luminosity ratio
 for the Universe as a whole, 97
- Schechter, 96
 break absolute magnitude M^* , 96
 break luminosity L^* , 96
 written in absolute magnitudes, 96
 useful statistics about galaxies, 97–98
- luminosity function of stars, 361
- luminosity indicators for stars, 37, 38
- luminosity–temperature diagram for stars, *see* Hertzsprung–Russell diagram
- luminous infrared galaxies
 evolution of, 740
 N1–015
 spectral energy distribution of, 739
- Lundquist number, 326
- Lyman continuum absorption, 22
- Lyman limit for hydrogen, 22
- Mach number, \mathcal{M} , 316, 452, 454, 554, 570, 577, 579, 671
 Alfvén, 575
- MACHO project, 124, 125
- MACHOs, 124
 mean mass of, 125
- Magellanic Clouds, 446, 447
- magnetars, 418–419
 magnetic fields in, 419
- magnetic buoyancy, 321–323
 formation of magnetic loops and, 323
 in a plane-parallel stratified atmosphere, 322
- magnetic dipole radiation, 422, 425, 427
 pulsars and, 408
- magnetic field fluctuations in interplanetary medium
 power spectrum of, 184, 185, 187
- magnetic field, energy density of, 307
- magnetic field, Galactic, 225
- magnetic fields
 in extragalactic radio sources, 18
 slowly varying, 180, 182
- magnetic fields in our Galaxy, *see* Galactic magnetic field
- magnetic fields in supernova shock fronts, 574–576
- magnetic fluctuations generated by Alfvén and hydromagnetic waves in interstellar medium, 187–189
 physical model for, 187
- magnetic flux freezing, 304–314, 405, 425, 463
 change of magnetic flux density with density of plasma, 310
 diffusion time for magnetic field in a plasma and, 310
 magnetohydrodynamic approach, 307–311
 physical approach, 305–307
 similarity to adiabatic motion of charged particles, 183
- magnetic lines of force
 Faraday’s concept of, 321
 magnetic flux freezing and, 305
- magnetic lines of force, reconnection of, *see* reconnection of magnetic lines of force
- magnetic mirroring, 181
 in the Earth’s radiation belts, 181
- magnetic moment μ of the current loop, 181
- Magnetic Reconnection* (Priest and Forbes), 329
- magnetic reconnection, *see* reconnection of magnetic lines of force
- magnetic Reynolds’ number, 311
 ‘longitudinal’, 326
 Lundquist number and, 326
- magnetic rigidity, *see* rigidity R
- magnetic tubes of force, 322
- magnetoactive medium, 345
- magnetohydrodynamics
 aspects of, 298–329
 derivation from microscopic description of particle dynamics in a magnetic field, 184
 equations of, 307–308
 entropy equation, 308
 equation of continuity, 307
 force equation, 307
 Maxwell’s equation, 307
 Ohm’s law, 308
- magnetopause, 320

- magnetosheath, 321
 magnetosphere of Earth, 319–321, 323
 collisionless plasmas in, 321
 collisionless shocks in, 321
 plasma wave interactions in, 321
 magnetopause, 320
 magnetotail, 320
 neutral sheet, 320
 plasma sheet, 320
 shock wave discontinuity in, 321
 magnetotail, 320, 323
 magnitude
 absolute, definition of, 763
 apparent, definition of, 760
 bolometric absolute, definition of, 763
 bolometric apparent, definition of, 762
 magnitudes in optical and infrared astronomy, 760
 main sequence, 36, 37, 38, 39, 40, 44, 48, 49, 50, 61, 62, 63, 68, 69, 70, 71, 764
 main sequence termination point, 39, 68, 73
 main sequence lifetimes of sun and stars, 50
 Mariner 4, 184, 185
 maser action of interstellar molecules, 21
 maser emission, 778
 mass absorption coefficient for high energy photons, 271, 272
 mass conservation, equation of, 41
 mass function of a binary system, 414, 439
 mass loss
 formation of white dwarfs and, 378
 quiescent, 70
 rates of for massive stars, 71
 mass–luminosity ratio
 early-type galaxies, 122
 mass–luminosity relation for main sequence stars, 36, 48, 50, 68
 mass–luminosity relation for stars, 361, 731
 mass–metallicity relation for galaxies, 88–89
 mass-to-luminosity ratio
 for the Universe as a whole, 97
 for visible parts of galaxies, 98
 of elliptical galaxies, 97
 of spiral galaxies, 97
 masses in astronomy, 9, 759–760
 masses of galaxies, 89–95
 masses of elliptical galaxies, 93–95
 from widths of absorption lines, 93, 95
 rotation curves of spiral galaxies, 92–93
 virial theorem for galaxies and clusters, 89–92
 massive galaxies in clusters, 750
Mathematical Theory of Black Holes
 (Chandrasekhar), 429
 Mauna Kea Observatory, Hawaii, 14
 Maxwell's equations in free space, 158
 Maxwellian velocity distribution, 168
 McGill pulsar group, 419
 mean free path, 454
 for pitch angle scattering, 186
 of particle in a plasma, 301
 of a proton in the interplanetary medium, 303
 mean free time between particle collisions in a plasma, 303
 Medium Deep Survey of galaxies (MDS), 736
 medium, M, group of elements, 508
 metallicity Z , 68, 69, 88
 metals, 40
 meteorites, 148–151
 constancy of the flux of cosmic rays and, 151
 exposure ages of, 151
 fossil tracks of cosmic rays and, 148–150
 Galactic cosmic rays and, 149, 150
 history of Solar System and, 148–151
 Solar cosmic rays and, 149, 150
 Mg_2 index, 88
 correlation with ($B-V$) colour, 88
 microquasar, 440
 Mie theory of scattering and absorption, 348, 349
 Mikheyev–Smirnov–Wolfenstein (MSW) effect, 57, 58
 Milky Way, 755
 Millennium galaxy catalogue, 83, 97
 Millennium Simulation, 749, 751, 752
 first quasar candidate, 751
 Miller and Scalo initial mass function, 361, 362
 millimetre and submillimetre waveband, 14–17
 all-sky images in, 14–17
 Cosmic Microwave Background Radiation in, 14
 molecular lines in, 14
 observing in, 14
 millisecond pulsars, 405, 417–418
 as members of old galactic populations, 420
 discovery of, 418
 distribution in the Galaxy, 420
 in globular clusters, 418
 limit to spin-up of, 418
 location on $P-\dot{P}$ diagram, 418
 magnetic fields in, 418
 space velocities of, 420
 spin-up of, 418
 minimum energy requirements for synchrotron radiation, 549–552
 Minkowski metric, 430
 MKK spectral classification system, 37
 modified Bessel functions of order 2/3 and 1/3, 206
 asymptotic expressions for, 210
 modified Bessel functions of order zero and one, 164
 asymptotic values of, 164
 molecular hydrogen
 distribution in the Galaxy, 356

- molecular radio lines, 335–338
 - list of molecules identified by their, 335
 - maser action and, 335
 - molecular doubling processes and, 337
 - rotational ladder of, 337
- molecules in the interstellar gas, 335–338
 - acetylenic, 338
 - CO as a tracer of molecular hydrogen, 337
 - discovery of, 335
 - electronic transitions of, 335
 - glycine, 338
 - in large redshift quasars, 338
 - list of known species, 335
 - molecular hydrogen, 337
 - rotational transitions of, 335
 - self-shielding, 337
 - shielding by dust, 337
 - types of, 338
 - unsaturated, 338
 - vibrational transitions of, 335
- momentum four-vector, 139, 140, 154
 - for electrons, 235
 - for photons, 235, 275
- momentum impulse, 132, 139, 165, 301
- morphological classification of galaxies, 77–80
- morphologies of clusters of galaxies, 99–102
- Mount Hopkins Observatory, Arizona, 11
- muons
 - decay of, 293
 - mean lifetime of, 293
 - test of relativistic time dilation and length contraction, 293
 - underground
 - measurements of intensity and isotropy of cosmic rays from, 293
- negative pressure equation of state, 433
- neutral hydrogen
 - 21-cm line emission of, 20
 - 21-cm map of the Galaxy, 20
 - distribution in the Galaxy, 356
- neutral sheets, 320, 324, 325, 327
 - thickness of, 326
- Neutrino Astrophysics* (Bahcall), 54
- neutrino interactions
 - charged current interaction (CC), 57, 58, 59
 - elastic scattering (ES), 57, 58, 59
 - neutral current interaction (NC), 57, 58, 59
- neutrino oscillations, 57, 125
 - and solar neutrinos, 57, 58, 59
 - in atmospheric μ neutrinos, 58
 - in terrestrial neutrino experiments, 58
- neutrinos
 - laboratory limits to the masses of, 125
 - laboratory limits to the number of species of, 126
- neutrinos, solar, *see* solar neutrinos, 279
- neutron capture γ -ray line at 2.223 MeV, 290, 291
- neutron degeneracy pressure, 76, 378
- neutron drip, 403
- neutron production by (γ, n) interaction, 297
- neutron stars, 19, 68, 76, 311, 378, 401–406
 - binding energy of, 379
 - cooling by neutrino emission, 421
 - diffusion time for magnetic field from, 311
 - discovery of, 406–419
 - ellipticity ϵ due to rotation, 424
 - galactic population of, 419–420
 - in X-ray binary systems, 410–415
 - internal structure of, 401–406
 - core region, 404
 - inner crust, 404
 - inverse β -decay process and, 401
 - neutron liquid phase, 404
 - outer crust, 404
 - superconductivity and superfluidity and, 404–405
 - surface layers, 403
 - zones within, with increasing density, 403–404
 - magnetic dipole moment of, 408
 - magnetic flux density of, 311
 - mass estimates in binary star systems, 416, 417, 439
 - predicted surface temperatures, 421
 - rotating neutron superfluid and, 424
 - pinning of quantised vortices in, 424
 - quantisation of angular momentum, 424
 - rotation of, 405
 - rotational break-up speed, 405
 - scale height of atmospheres of, 421
 - thermal emission of, 421–422
 - ‘truly isolated’, 422
 - X-ray emission from surfaces of, 421
- neutronisation, 402
- Newton’s law of gravity, 759
- Newton’s laws of motion, 759
- Nobeyama Radio Observatory, 45 m millimetre telescope, 364
- noise power, 779
 - fluctuations of, 778
 - in thermal equilibrium, 777
- noise temperature
 - of the receiving system T_{sys} , 779
- non-electromagnetic astrophysics, 32–34
 - astroparticle physics, 33–34
 - gravitational waves, 32–33
 - neutrino astrophysics, 32
- nonlinear diffuse shock acceleration, 579
- non-relativistic gyroradiation, 195–198
 - energy loss rate by, 195
 - linear and circular polarisation of, 195, 214
- non-thermal emission, 5, 193

- non-thermal sources
 - spectra of, 212
- nonlinear diffuse shock acceleration, 576
- norm of four-vector, 161, 781
- north celestial pole (NCP), 753, 754, 755
- North Polar Spur, 224, 374
- northern celestial hemisphere, 754
- novae, 383, 478–479
- nuclear γ -ray lines
 - important, 292
- nuclear cascades, 275
 - number of particles produced in, 281
- nuclear deflagration, 479
- nuclear emission lines, 287–292
 - ^{44}Ti from supernova remnant Cas A, 289
 - asymptotic giant branch stars, 288
 - collisional excitation of nuclei, 289–292
 - cross-sections for, 289, 290
 - in the interstellar medium, 289, 290, 291
 - decay of radioactive isotopes, 287–289
 - astrophysically important examples of, 287
 - conditions for observability of, 287–288
 - diffuse ^{26}Al and ^{60}Fe emission from the Galaxy, 288
 - diffuse ^{26}Al emission from the Galaxy, 288
 - explosive nucleosynthesis and, 288
 - supernovae and, 288
 - Wolf–Rayet stars and, 288
- nuclear emulsions, 146
 - development of, 146
 - discovery of elementary particle and, 146
 - silver bromide crystals, AgBr, 146
- nuclear energy generation rates in stars, 43–45
- nuclear interaction cross-section, 279, 281
- nuclear interactions, 131, 279–297
 - cosmic rays in the atmosphere, 292–297
 - high energy astrophysics and, 279–282
 - multiple scattering within nuclei, 279, 280
 - neutron production in, 280
 - nuclear emission lines, 287–292
 - nucleus–nucleus collision, 281–282
 - pion and strange particle production in, 280, 281
 - spallation cross-sections, 282–283
 - spallation fragments, 280
- nuclear interactions in the atmosphere
 - mean free path for, 281
- nucleonic cascades
 - particle detectors and, 293
 - total ionisation as a measure of energy of primary cosmic ray, 293
- nucleosynthesis
 - explosive, 386–388
 - late stages of, in massive stars, 385
 - shell burning, 384
 - steady-state hydrostatic, 386–388
 - synthesis of isotopes and, 386, 387
- Nucleosynthesis and Chemical Evolution of Galaxies* (Pagel), 497
- nucleosynthesis in massive stars, 378
- nucleosynthesis, primordial, 123, 500
- nucleus, radius of, 279
- Nyquist's theorem, 777
- OB supergiant mass-loss rates, 485, 486
- observability of the sky in different astronomical wavebands, 5, 6
- observations in cosmology for Friedman world models
 - flux density–redshift relations
 - for starburst galaxies in the submillimetre waveband, 741, 742
- occupation number, 240, 246–250
 - as a Lorentz invariant, 250
 - for Bose–Einstein distribution, 249
 - for Planck distribution, 249
 - in Rayleigh–Jeans region of Planck spectrum, 249
 - mean, 248
 - spontaneous and induced processes and, 246
- OH/IR stars, 73
- old red galaxies, 746–749
 - constancy of masses with redshift, 747
 - early formation of stellar populations of, 748
 - evidence for old stellar populations in, 747
 - evolving stellar mass density and, 747
 - massive, 746–749
 - need for early starbursts, 748
 - selected in the *K* waveband, 747
 - star-forming galaxies at large redshift and, 748
 - stellar masses as a function of redshift, 747
- 'onion-skin' chemical structure of massive stars, 65
- opacity κ of stellar material, 45–47, 48
- optical and infrared wavebands used in ground-based astronomy, 761
- optical and ultraviolet absorption lines, 338–339
 - curve of growth of, 339
 - D lines of sodium, 338
 - deficit of heavy element in the interstellar gas, 339
 - deuterium and, 339
 - Doppler broadening of, 339
 - equivalent width of, 339
 - H* and *K* lines of calcium, 338
 - highly ionised OVI and, 339
 - molecular hydrogen and, 339
 - radiation or natural broadening of, 339
- optical depth for radiation τ , 172
- optical polarisation of starlight, 371–374
 - alignment of interstellar grains and, 372–374
 - as a function of Galactic coordinates, 374

- degree of polarisation correlated with extinction, 372
 maximum degree of, 371
 parallel to minor axis of grains, 372
- optical waveband, 5–9
 all-sky images in, 7–9
 observing in, 5–7
- Orbital Astronomical Observatories II (OAO-II), 338
- orbital migration, 68
- origin of cosmic rays in our Galaxy, 536–560
The Origin of the Chemical Elements (Tayler), 496
- OSO III satellite, 26
- overdensity of galaxies about any galaxy, 84
- OVRO Millimetre Array, 115, 116
- oxygen burning, 64
- $P(D)$ distribution, 725
- P-Cygni profiles, 70–73, 478
 mass outflows and, 71
- p-p chain, *see* proton–proton chain (p-p chain)
- paleogeomagnetic studies of Earth’s magnetic field, 296
- Palomar 200-inch telescope, 7, 591
- parallax-second (or parsec, pc), definition, 755
- parallaxes, 757
- Parkes Radio Telescope, 410
- Parkes Selected Region (PSR) sample, 723
- Parseval’s theorem, 162–163, 269
 applied to magnetic field fluctuations in interplanetary medium, 184
 spectral distribution of the radiation of an accelerated electron and, 162–163
- partial spallation cross-sections, *see* spallation cross-sections, partial
- particle–antiparticle annihilation, 275
- Pauli exclusion principle, 126
- \dot{P} versus P diagram for pulsars, 410
 ‘graveyard’ region of, 410
 as an evolutionary sequence for pulsars, 410
 death line for pulsars on, 410, 418
 pulsar equivalent of the Hertzsprung–Russell diagram, 410
- peculiar galaxies, 79
 strong gravitational encounters or collisions, 79
 tails associated with prograde encounter between galaxies, 80
- Penrose process, 437
- perchloroethylene C_2Cl_4 , 54
- perfect gas law, 109
- permitted and forbidden transitions in gaseous nebula, 340–343
 excitation by ultraviolet emission of hot stars, 340
 photoexcitation and photoionisation, 340
 temperature of emitting regions, $T_{\text{gas}} \approx T_*$, 341, 358, 359
- permittivity
 relation to refractive index n , 267
- Perseus Cluster of galaxies, 750
- Petrosian r-band luminosity, 85
- Petschek mechanism of magnetic reconnection, 327
- phase space
 elementary volume of, 248
- photodisintegration of iron nuclei, 385
- photoelectric absorption, 228–230
 cross-sections for, 228–230
 spectra of X-ray sources at energies $\varepsilon \sim 1$ keV, 228–230
- photoelectric effect, 228
- photoionisation
 cross-section for hydrogen atoms, 341
- photon loss processes
 summary of absorption coefficient for, 271
- photon–photon collisions, 275
 as a source of opacity for high-energy γ -rays, 276
 cross-section for
 in the regime $\bar{\varepsilon} \approx m_e c^2$, 277
 in ultra-relativistic limit, 276
 threshold energy for electron–positron pair production, 275–276
 examples of, 276
- physical constants in SI units, 780
- The Physics of Fully Ionised Gases* (Spitzer), 298, 302
- The Physics of Plasmas* (Fitzpatrick), 298
- Physics of Shock Waves and High-Temperature Hydrodynamic Phenomena* (Zeldovich and Raizer), 314
- Pioneer missions of NASA, 312
- pionisation, *see* cosmic rays in the atmosphere, pion production
- pions
 decay of, 293
 mean lifetime of, 293
- pitch angle, 193, 195, 196, 198, 201, 203, 206, 207, 208, 213, 215, 222
 isotropic distribution of, 195, 213
- pitch angle θ , 178, 179, 184
- pitch angle scattering, 187
 physical model for, 184
- Planck spectrum, 5, 170, 171, 246, 247, 248, 352, 459
 as a solution of Kompaneets equation, 253
- plane of the ecliptic, 753, 754
- planetary nebulae, 73–74
 central stars of, 74
 evolutionary tracks for, 75
 images of, 74
 mass loss and, 74
 mass loss events and the structures of, 74
- plasma frequency, 298–300, 344, 345
 angular, 298

- plasma physics
 - aspects of, 298–329
 - elementary concepts in, 298–304
 - Plasma Physics for Astrophysics* (Kulsrud), 298, 329
- plasma sheet, 320
- Plummer model for elliptical galaxies, 106
- point-spread function, 768
- Poisson statistics, 774
- Poisson's equation
 - in electrostatics, 299
- Poisson's equation for gravity, 106, 368
- polars, 197
- polycyclic aromatic hydrocarbon (PAH) molecules, 350–351, 739
 - planes of hexagonal benzene rings and, 351
 - unidentified infrared lines and, 351
- polytropes, 398
- polytropic index, 398
- positron production mechanisms, 275–278
- positronium atoms, 277
- positrons
 - sources of, 275
 - creation of electron–positron pairs, 275
 - decay of π^+ pions, 275
 - decay of long-lived radioactive isotopes, 275
- Poynting vector, 157
- Poynting vector flux, 267, 268
- Poynting's theorem, 233
- primordial nucleosynthesis, 98
- principle of detailed balance, 170, 217
- Principle of Equivalence, 430
- principle of jump rate symmetry, 248
- Principles of Optics* (Born and Wolf), 764
- probability density function, 775
- projected surface brightness, 110
- projections of celestial sphere onto a plane, 753–755
- proper acceleration, 158, 161
- proper time
 - in general relativity, 431, 432
 - in special relativity, 430
- proton decay, 390
- proton–proton chain (p-p chain), 44, 48, 50, 54, 56
 - pp1, pp2 and pp3 branches, 54
- protostars, 311, 352–353
 - accretion shock in, 353
 - as intense far infrared sources, 353
 - diffusion time for magnetic field from, 311
 - dust photosphere of, 352, 353
 - hydrostatic core of, 352
 - release of binding energy by far infrared emission, 353
 - spectra of, 353, 354
 - structure of, 352–353
- pulsar glitches, 409, 422–424
 - changes in moment of inertia of neutron star and, 422
 - glitch function, 423
 - healing parameter, 423
 - migration of quantised vortices and, 424
 - spin-up following, 422
 - time constant of τ_c , 422, 423
 - starquakes and, 423
 - two-component model of interior of neutron star and, 422, 423
- pulsar magnetosphere, 424–427
 - beaming of radio emission and, 427
 - closed field lines in, 426
 - corotation radius, 426
 - critical field line, 426
 - dominated by electromagnetic forces, 425
 - inevitability of fully conducting plasma surrounding, 425
 - inner and outer acceleration gaps, 428, 429
 - radio emission from, 429
 - light cylinder, 426
 - magnetic field distribution in, 426
 - open field lines in, 426
 - polar cap regions of, 427
 - potential differences in, 427
 - sparks in, 428
 - space charge distribution in, 425
 - strong electric fields in, 425
 - zero charge cones, 426, 429
- pulsars, 345
 - ages from braking index, 409
 - ages of, 409
 - anomalous X-ray, 418–419
 - as rotating, magnetised neutron stars, 406, 408, 424
 - as spiral arm populations, 419
 - associated with supernova remnants, 419
 - binary, 415–417
 - dispersion measures of, 419
 - high velocities of
 - asymmetric supernova explosions and, 467
 - disruption of binary systems and, 467
 - incoherent infrared, optical and X-ray emission from outer gap regions, 429
 - kinematic ages of, 420
 - large velocities due to asymmetric collapse of core-collapse supernovae, 420
 - large velocities due to disruption of close binaries, 420
 - luminosity function of, 420
 - magnetic flux density from slow-down rate, 410
 - millisecond, 405, 417–418
 - normal radio, 406–410
 - \dot{P} versus P diagram, 410, 411
 - radio emission of, 405
 - rate of loss of rotational energy, 409

- rates of formation of, 420
 - scale-height in the Galaxy, 420
 - space densities of, 420
 - space velocities of, 420
 - spin-up, 411, 471, 472
 - by accretion, 473
 - maximum rotation rate and, 472
 - spin-up rate–luminosity relation, 471, 472
 - timing noise, 422
- quantisation of rotational angular momentum, 335
- quantum theory of gravity, 433
- quark matter, 404
- quasar spectra
 - Lyman- α emission line, 589, 590
 - prominent emission lines in, 590
- quasars, 19, 586–592
 - 3CR sample of radio, 722
 - early formation of supermassive black holes in, 748
 - low-luminosity, 592, 724
 - radio quiet, *see* radio quiet quasars
 - ratio of black hole to spheroid masses, 748, 750
- radiation damage, 131, 146–151
 - in plastics and meteorites, 146–151
 - polymers and, 147
- radiation damage density J , 147, 148
- radiation losses of accelerated charged particles
 - non-relativistic, 155–161
 - relativistic, 161–162
- radiation of accelerated charged particles, 154–163
 - from Maxwell's equations, 158–161
 - J.J. Thomson's treatment, 155–158
 - loss rate of, 193
 - polar diagram of, 158
 - polarisation of, 158
 - properties of, 158
 - relativistic invariants, 154–155
 - total energy loss rate, 154, 155, 174
 - total energy loss rate of, 158
- radiation pressure in stars, 45, 48
- Radiation Processes in Astrophysics* (Rybicki and Lightman), 129
- radiation resistance, 779
- radiation-driven pulsational instability for massive stars, 71
- radiative transport of energy in stars, 45–47
- radio emission of spinning dust grains, 374–376
 - Galactic background radiation and, 376
- radio emission of the Galaxy, 224–227, 779
 - comparison with predicted emission using local energy spectrum of cosmic ray electrons, 226
 - determination of radio spectrum and radio emissivity, 224–226
 - radio emissivity of, 225
 - in direction of opaque regions of ionised hydrogen, 226
 - radio spectrum of, 224, 225
- radio galaxies
 - 3CR sample of, 722
 - discovery of, 18
 - energy requirements of, 18
 - evidence for old stellar populations in, 748
 - radio galaxy 0902+34, 748
 - radio galaxy LBDS 53W069, 748
 - radio galaxy LBDS 53W091, 748
 - radio map of the sky, 224
 - radio pulsars, 19, 76
 - brightness temperatures of, 427, 428
 - coherent radiation of, 427
 - maser emission of, 428
 - radio emission of, 427–429
 - curvature radiation and, 428
 - electron/death line and, 428
 - electron/positron–photon cascades and, 428
- radio quiet quasars
 - counts of, 591, 592, 724
 - cut-off at large redshifts, 590, 724, 725
 - definition of complete samples of, 591
 - completeness of, 591
 - dispersion prism-grating techniques, 591
 - multi-colour photometric technique, 590–591
 - searches for 'i-band drop-outs', 591, 725
 - searches for Lyman- α and CIV emission lines, 591
 - searches for variability of, 591
 - ultraviolet excess technique, 588–589
 - discovery of, 724
 - evolution of, with cosmic epoch, 591, 724
 - luminosity function of
 - 'luminosity evolution' of, 724
 - evolution of, 591, 593, 724, 725
- radio waveband, 17–21
 - neutral hydrogen and molecular line astronomy, 20–21
 - observing the sky in, 21
 - origin of high energy astrophysics and, 17–20
- Radiocarbon*, 295
- radiocarbon dating, 294–297
 - calibration of, 295, 296
 - impact of nuclear test explosions, 297
 - influence of Earth's magnetic field, 296
 - using coral samples, 296
 - using tree ring dating, 296
 - detection of supernovae in tree-ring data, 297
- radionuclides, 279
- radius of curvature
 - instantaneous, 201, 203, 204, 207
- range R of high energy particles, 143
 - in different materials, 144

- rapid or r-process, 65, 388
 formation of elements beyond the iron peak and, 388
 proto-neutron stars and, 388
 ratio of specific heat capacities
 for non-relativistic degenerate gas, 395, 396
 Rayleigh criterion for resolving two point sources, 768
 Rayleigh scattering, 349, 350
 Rayleigh–Taylor instability, 383
 Rayleigh–Jeans region of Planck spectrum, 173, 218
 Rayleigh–Jeans spectrum, 459, 460, 710
 recoil effect, 236, 244, 255
 reconnection of magnetic lines of force, 320, 323–329
 diffusive time-scale, 326
 formation of current filaments by tearing mode instabilities, 328
 ohmic losses, 324
 Petschek mechanism, 327
 reconnection velocity, 326, 327
 self-consistency of models for, 329
 Sweet–Parker mechanism for, 324–326
 rectangular one-dimensional aperture
 diffraction pattern of, 766
 red and blue sequences of galaxies, 80–85
 colour and absolute magnitude, 81
 effect of galaxy environment, 84–85
 mean stellar age and concentration index C , 85
 Sérsic index and colour, 81–84
 statistics of galaxies belonging to, 85
 red sequence, 80
 preferentially found in rich cluster environments, 84
 properties of galaxies of, 80
 Red-Sequence Cluster Survey, 122
 redshift
 gravitational, 431
 reduced mass of molecule, 337
 reference frames in standard configuration, 136
 Reissner–Nordström metric, 434
 relativistic aberration, 198
 formulae, 199, 200
 relativistic beaming
 synchrotron radiation and, 198–201, 205, 210
 relativistic invariants, 154–155
 total energy loss rate, 154, 155, 161, 174, 195
 relativistic jets
 heating of the interstellar gas by, 750
 relativistic kinetic energy, 782
 relativistic length contraction, 166
 relativistic Maxwellian distribution, 218
 relativistic plasma, 18
 relativistic three-momentum, 180, 183, 782
 relativistic total energy, 782
 relativistic transformation of an inverse square law
 Coulomb field, 136–139
 Relativity: Special, General and Cosmological (Rindler), 781
 relaxation time of particles in a plasma, 302–303
 retarded potentials, 267
 retarded time, 160, 203
 Reuven Ramaty High Energy Solar Spectroscopic Imager (RHESSI), 289, 291
 Reynolds number \mathcal{R} , 453, 454
 right ascension (RA or α), 753
 rigidity R , 180, 185, 186
 ring galaxies, 80
 Roche lobe, 461, 464, 465, 466, 467, 468, 480, 481
 overflow, 72, 467, 473, 485, 486
 ROSAT satellite
 ultraviolet Wide Field Camera of, 22, 357
 ROSAT X-Ray Observatory, 24, 25, 112, 422, 714, 725
 Rosseland mean opacity, 47, 460
 Rossi X-ray Timing Explorer (RXTE), 418, 449, 483, 486, 489, 653
 rotation curves of spiral galaxies, 92–93
 constancy at large radial distances, 92
 rotation measure, 346, 369–371
 as a function of galactic latitude, 369, 370
 pulsar, 370, 371
 RR-Lyrae variable stars, 73
 masses of, 73
 Sérsic index n , 82, 83, 84, 85
 SAGE solar neutrino experiment, 32
 Sagittarius A* (Sgr A*), 754
 supermassive black hole in, 754
 Salpeter initial mass function, 361, 362, 731, 743, 744
 SAS-2 γ -ray satellite, 26, 504
 scalar potential ϕ , 158
 scale height of an atmosphere, 322
 scattering of charged particles by irregularities in magnetic field, 184–187
 scattering of high energy particles by Alfvén and hydromagnetic waves, 187–189
 Schönberg–Chandrasekhar limit, 49, 59, 731
 Schechter luminosity function for galaxies
 turnover luminosity L^* , 747
 Schmidt law of star formation, *see* Schmidt–Kennicutt law
 Schwarzschild black hole, 490
 Schwarzschild metric, 430–433, 434, 435
 Schwarzschild radius, 19, 413, 429, 431, 433, 435, 444, 446, 448, 610, 611, 612, 621, 623, 629, 681, 704

- coordinate singularity in, 433
- physical singularity at $r = 0$, 433
- X-ray emission from the vicinity of, 25
- SCUBA submillimetre bolometer array, 14, 742
- seeing disc, 770
 - variation in size with wavelength, 770
- self-collision time of particles in a plasma, 302
- semi-analytic models of galaxy formation, 749–752
 - as ‘experimental computational astrophysics’, 749
 - dust extinction and, 750
 - formation of massive black holes in the nuclei of galaxies and, 750
 - formation of supermassive black holes and, 752
 - in centres of rich clusters, 752
 - heating of the intergalactic gas in clusters and, 750
 - nuclear starbursts and, 750
 - objectives of, 749
 - quasars at large redshifts and, 751
 - radiative cooling and star formation, 750
 - spectrophotometric properties of galaxies and, 750
 - supernova explosions and, 750
 - the epoch of maximum quasar activity and, 752
 - two-point correlation function for galaxies and for different luminosities and colours, 752
- semi-forbidden transitions in spectra of gaseous nebulae, 342–343
 - example of C III], 342
 - intercombination lines, 342
- sensitivities of astronomical detectors, 774–779
 - in the photon limit, 774–777
 - in the wave limit, 777–779
 - increasing signal-to-noise by increasing bandwidth and integration time, 778
 - optical and infrared detectors, 774–777
 - radio and millimetre-wave receivers, 777–779
- Seyfert galaxies, 592, 724
 - counts of, 591, 724
- Shapiro time delay, 416
- shear stress, 452, 453
- shock waves, 314–319, 357
 - basic properties of plane, 314–317
 - collisionless, 321
 - conservation relations for, 314
 - energy flux conservation, 315
 - mass conservation, 314, 315
 - momentum flux conservation, 315
 - explosions and, 314
 - heating of gas to high temperatures and, 317
 - Mach number, 316
 - oblique, 319
 - passage of streamlines through, 319
 - role of atomic or molecular viscosities, 317
 - shock conditions, 316
 - speed of sound and, 314, 315
 - stand-off distance, 319
 - strong, 317
 - supersonic piston, 317–319
- SI (Système International) system of units, 129
- sidelobes, 768
- signal-to-noise ratio
 - background-limited, 776, 777
 - dependence on size of telescope for different limiting cases, 776
 - detector-noise-limited, 776, 777
 - in the presence of other sources of noise, 775, 776
 - background signal from sky and telescope, 775
 - dark current in the detector, 776
 - read-out noise, 776
 - photon statistics and, 775
 - photon statistics limit, 776, 777
- signature of metric, 781
- silicate dust grains
 - complex dielectric constant for, 348
- silicon burning, 64
- single line spectroscopic binaries, 414, 439
- singularity theorems of Penrose and Hawking, 433
- sky in different astronomical wavebands, 4–5
- Sloan Digital Sky Survey (SDSS), 4, 7, 77, 80, 81, 82, 84, 85, 88, 97, 98, 100, 590, 591, 592, 714, 724, 725
- slow or s-process, 65
- Smithsonian Sub-Millimetre Array (SMA), 14
- Smoluchowski’s envelope, 103
- soft γ -ray repeaters, 418–419
- soft X-ray emission from the Galactic plane, 359
- Solar and Heliospheric Observatory (SOHO) of ESA, 52, 53
- solar flares, 322
 - γ -ray spectrum of, 289, 291
- solar luminosity, 36
- Solar Magnetohydrodynamics* (Priest), 322
- solar mass, 36, 759
- Solar Maximum Mission, 391
- solar modulation, 185, 187, 225, 358, 502, 505
 - cosmic ray energy spectrum and, 493
 - diffusive-convective model for, 493
 - electron energy spectrum and, 495
- solar neutrinos, 54–58
 - and neutrino oscillations, 57, 58
 - chlorine detector for, 54, 55
 - GALLEX solar neutrino experiment, 56
 - gallium experiments, 56
 - Kamiokande II experiment, 55
 - SAGE experiment, 56
 - Sudbury Neutrino Observatory (SNO), Ontario, Canada, 57, 58, 59
 - SuperKamiokande experiment, 56
- solar radius, 36
- solar seismology, *see* helioseismology

- Solar System abundances of the elements, 496–497, 499
 - local interstellar abundances, 497, 498
 - meteoritic abundances, 497
- Solar Wind, 19, 70, 303, 312–314, 319, 426, 493
 - high-speed winds observed in, 312, 313
 - magnetic field in, 312
 - magnetosphere and the, 319–321
 - drag forces associated with, 320
 - rotating garden sprinkler and trajectories of particles in, 312
 - spiral configuration of magnetic field in, 313
 - out to 20–25 AU, 312
 - typical properties of, 312
- Soudan Cryogenic Dark Matter Search (CDMS), 34
- source function, 222
- south celestial pole (SCP), 753, 754
- South Pole Observatory, 14
- Soviet atomic and hydrogen bomb programme, 250
- spallation, 150–151, 279, 495, 499, 500, 507
 - formation of L from M elements, 508
 - formation of radioactive isotopes in meteorites and, 150, 151
 - formation of rare isotopes in meteorites and, 150
 - path length distribution for, 509–511
 - characteristic escape time τ_e , 510
 - dependence upon cosmic ray energy, 513, 514
 - exponential, 510
 - Gaussian, 510
 - isotopic anomalies, 515
 - leaky box model for, 510
 - truncated exponential, 510
 - path length through interstellar gas for, 507
 - production of ^3He from ^4He , 509
 - products of, of iron nuclei, 509
 - radioactive products, 500
 - slab model for, 508, 510
- spallation cross-sections, 282–283, 507
 - dependence upon particle energy, 283
 - for iron nuclei, 283
 - features of, 283
 - methods of determining
 - experimental, 282
 - Monte Carlo techniques, 282
 - semi-empirical relations, 282
 - partial, 282–283, 507
 - total inelastic, 283
 - weighted average total inelastic, 508, 509
- spallation fragments, 280
 - relativistic, 282
- special relativity
 - notation, 781–782
- specific angular momentum, 431, 433
- specific angular momentum in general relativity, 434
- specific heat capacities γ_{SH}
 - ratio of, for perfect gas, 218
 - ratio of, for relativistic gas, 218
- specific heat capacity per unit mass, 308
- specific volume, 315
- speckles, 771
- spectral energy distribution of galaxies
 - evolution of, 729–731
 - in far-infrared and submillimetre wavebands, 740, 741
- spectral index, 212, 217
- spectrum of radiation of an arbitrarily moving electron, 202–203
- spin temperature for 21-cm absorption, 335
- spinning dust grains
 - radio emission of, 374–376
- spiral arm tracers in the Galaxy, 356
- spiral galaxies
 - dark matter haloes, 93
- Spitzer infrared space observatory, 10, 11, 714, 737
- spontaneous and induced processes, 247, 249
 - rules for, 247, 249
- stability of disc galaxies and dark matter haloes, 93
- stand-off distance, 319, 320
- stand-off shock waves, 314, 319
- standard wavebands used in ground-based astronomy, 761, 762
- star clusters
 - ages of, 68
 - open, 69
- star formation, 75, 361–369
 - angular momentum problem, 367
 - energy problem, 367
 - initial mass function, 361–362
 - issues in the theory of, 367–369
 - Jeans' instability, 368
 - magnetic field problem, 368
 - model for, 353, 355
 - pre-main sequence evolutionary tracks, 70
 - pre-main sequence stars and, 353, 354
 - regions of, 362–367
 - Schmidt–Kennicutt law, 361–362
- star formation in molecular clouds
 - radiation of heated dust grains at infrared wavelengths as a signature of, 352
 - role of interstellar dust grains, 351
- star-forming galaxies, 352
 - spectrum of, 737
- starburst galaxies, 740
 - ultraviolet spectra of, 743, 744
- starquakes, 423
- stars and stellar evolution, 35–76
 - basic observations of, 35–39

- equations of energy generation and energy transport, 43–47
- equations of hydrostatic support and mass conservation, 40–41
- equations of stellar structure, 47–50
- evolution of high and low mass stars, 59–68
 - high mass stars, 62–65
 - low mass stars, 62, 66–68
- Hayashi tracks, 59–61
- helioseismology and the internal structure of the Sun, 51–54
- importance of mass loss, 71, 72
- mass loss, 70–75
 - horizontal branch, 73
 - overall mass loss rate, 75
 - P-Cygni profiles and Wolf–Rayet stars, 70–73
 - planetary nebulae, 73–74
- observations of solar neutrinos, 54–58
- stellar evolution on the colour–magnitude diagram, 68–70
- stellar structure, 39–43
- Sun as a star, 50–58
- virial theorem for stars, 42–43
- statistical equation of motion for mean drift velocity
 - of electrons in electric field, 303
- statistical equilibrium, 91, 759
- statistical weights, 171, 248
- Stefan–Boltzmann law, 35, 37, 46, 459, 758
- stellar coronae, 70
- stellar evolution
 - formation of isothermal core, 59
 - growth of central helium core, 62
 - hydrogen-shell burning, 59
 - lower mass limit of $0.08 M_{\odot}$ for hydrogen burning stars, 66
 - of a $1.3 M_{\odot}$ star, 49
 - of a $15 M_{\odot}$ star, 384
 - core collapse of, 385
 - formation of iron core, 385
 - neutrino luminosity of, 385
 - of a $5 M_{\odot}$ star, 62, 63
- Stellar Magnetism* (Mestel), 424
- stellar structure
 - equations of, 39–50
- stellar winds, 70
- stellar X-ray sources in Magellanic Clouds
 - X-ray luminosities of, 446, 447
- Stokes' theorem, 324
- stopping power, 142
- straggling, 144
- structural index, or structural length, 104
- sub-dwarf (sdB) stars, 38, 589
- sub-giant stars, 38
- Subaru 8.2 metre telescope, 382, 744
- Subaru Deep Surveys, 744
- submillimetre background radiation, 743
- Sudbury Neutrino Observatory (SNO), 32
- Sun
 - central pressure of, 41
 - corona of, 312
 - main sequence lifetime of, 50
 - minimum central temperature of, 42
 - origin of magnetic field of, 54
 - properties of, 36
 - rotation of, 312
 - speed of sound as a function of radius, 52–54
- sunspots, 322
- Sunyaev–Zeldovich effect, 257–259
 - hot gas in clusters of galaxies and, 259
 - Hubble's constant and, 259
 - in Rayleigh–Jeans region of the spectrum, 115, 258
 - increase in energy density of the background radiation, 258
 - physical nature of result in Rayleigh–Jeans spectral region, 259
- Sunyaev–Zeldovich effect in hot intracluster gas, 99, 114–115, 758
 - distance estimates using, 115
 - shape of spectral distortions, 115, 259
 - SuZIE experiment and measurement of shape of spectral distortions, 115, 259
- super-Alfvénic motions, 321
- superCDMS experiment, 127
- superclustering of galaxies, 101
- superconductivity and superfluidity in neutron stars, 404–405
- supergiant stars, 38
- superluminal motions, 683–697
 - in microquasars, 440
- supernova light curve
 - radioactive origin of, 288
- supernova remnants, 379, 394
 - as X-ray sources, 394
 - evolution of, 554–556
- supernova remnants as sources of high energy electrons, 553
- supernova remnants as sources of high energy particles, 545–548
 - γ -ray observations of shell-like, 547–548
 - radio observations of, 545, 547
- supernova SN 1987A, 388–393
 - ^{44}Ti energy source for light curve, 289, 392

- supernova SN 1987A, (*cont.*)
 ^{56}Co γ -ray emission lines from, 288, 391
 ^{57}Co energy source for light curve, 392
 [Co II] and [Ni II] infrared emission lines from, 391, 392
 collision of envelope with mass-loss ring, 392, 393
 observed at optical, X-ray and radio wavelengths, 393
 distance estimate from [O III] ring, 392
 dust formation in, 392
 light curve of, 388, 389, 390, 391, 392
 limits to neutrino mass, 390
 neutrino luminosity of, 390
 neutrinos from, 279
 progenitor of, 389
 rings of [O III] about, 392, 393
 stellar mass-loss prior to, 389, 392, 393
 Type IIP, 388
- supernova units (SNu), 381
- supernovae, 75, 378–394
 as sources of high energy particles, 394
 classification of, 379
 core-collapse, 384–386
 bounce mechanism for, 386
 formation of neutron stars and black holes and, 384–386
 inhomogeneous expulsion of outer layers, 386
 kinetic energy release, 385
 neutrinos from, 390
 historical, 378–380
 kinetic energy of ejected material, 394
 light curves, 380
 rates of occurrence, 382
 Type Ia, 380–384, 466
 Type II, 467
 Types I and II, 379
 differences between, 380
 typology, 378–380
- supersonic motion, *see* shock waves
- supersonic piston, 317–319
 location of shock front relative to, 318
 supernovae and the, 319
- Sweet–Parker mechanism of magnetic reconnection, 324–326
 dissipation rate of, 324, 326
 effects of gas pressure, 325
 energy released in, 326
- SWIFT satellite, 418, 706, 707, 708, 709, 710, 712
- SWIRE Legacy sample, 740
- symbiotic stars, 383, 461
- synchro–Compton catastrophe, 261–264
- synchrotron radiation, 193–227, 377, 410, 489, 715
 as the relativistic limit of cyclotron radiation, 197
 asymptotic expression for emissivity at high and low frequencies, 210
 critical angular frequency for, 207, 208
 critical frequency for, 201, 211, 212, 218, 223
 high frequency limit, 210–211
 map of Galactic, 18
 minimum energy requirements for, 549–552
 polarisation of, 214–217
 circular, 217
 fractional, for power-law electron energy spectrum, 216–217
 spectra of orthogonal polarisations I_{\perp} and I_{\parallel} , 214
 system of coordinates for, 204
 total energy in polarisations I_{\perp} and I_{\parallel} , 215
 radio emission of the Galaxy and, 224–227
 relation between spectral index a and spectral index of electron spectrum p , 212
 self-absorption of, 217–222
 absorption coefficient for, 219–222
 physical arguments, 217–219
 spectral emissivity of
 in orthogonal polarisations, 208
 maximum of, 209
 total, 208
 spectrum of a power law distribution of electron energies, 212–214
 emissivity per unit volume, 213
 full analysis, 213
 physical arguments, 212
 spectrum of, detailed analysis, 202–211
 algebra of, 204–207
 of radiation of an arbitrarily moving electron, 202–203
 results of, 207–211
 system of coordinates for, 203–204
 spectrum of, physical arguments, 198–202
 spontaneous transition probability for, 219
 total energy loss rate, 193–195, 210
 useful numerical results, 222–224
 absorption coefficient χ_{ν} for a random magnetic field, 224
 critical frequency ν_c , 223
 emission spectrum of a single electron, 222
 radiation spectrum of a power-law electron energy distribution, 223
 total energy loss rate, 222
- synchrotron radiation as the scattering of virtual photons, 241
- synchrotron radiation facilities, 209
- synchrotron self-absorption, 217–222, 262, 263
 absorption coefficient for, 219–222
 for a randomly oriented magnetic field, 221
 two-level system for, 219
- evidence for presence of relativistic electrons, 219, 263

- physical arguments, 217–219
 polarisation of synchrotron self-absorbed source, 222
 spectrum of radio source exhibiting, 219
 synchrotron–self-Compton radiation, 260–264
 models of sources of, 264, 265
 homogeneous, 264
 inhomogeneous, 264
 synchro–Compton catastrophe, 261–264
 Système International d’Unités (SI units), 779–781
- TAMA gravitational wave experiment, 33
 tearing mode instabilities, 327
 technetium Tc, 65
 telluric absorption, 10
 temperature–frequency relation for black-body radiation, 6
 term diagram for doubly ionised oxygen O III, 342, 343
The Physics of Solar Flares (Tandberg-Hanssen and Emslie), 322
Theoretical Concepts in Physics (Longair), xiii, 160, 429, 777, 778, 782
 thermal bremsstrahlung, *see* bremsstrahlung, thermal, 340, 477
 absorption in plane of Galaxy, 340
 absorption, at radio wavelengths, 340
 at soft X-ray energies from hot component of interstellar gas, 340
 at X-ray energies from intracluster gas, 340
 and FeXXV emission lines, 340
 at X-ray energies from supernova remnants and FeXXV emission lines, 340
 thermal energy per unit mass, 42
 thermal instabilities, 360–361
 thermal paradox for stars, 43
 thermal time-scale for stars, 43
 thermalisation time for stellar systems, 93
 thermalisation time of particles in a plasma, 302–303
 thermonuclear runaway, 473, 478, 482
 stabilisation at about 10^8 K, 479
 thick accretion discs, 461–463
 funnels along polar directions, 462, 463
 Newtonian rotationally supported vorticity-free torus, 462, 463
 stability of, 462
 thin accretion discs, 451–461
 about black holes, 458
 inner boundary condition, 458
 conditions for, 451–452
 continuum spectra of, 476
 detailed models of, 459–461
 Doppler tomography of, 475, 476
 emission spectra of, 458–459
 in black-body approximation, 458
 emission spectrum of, 459, 460, 462
 emission spectrum of, in optically thin region, 461
 formation of hot spot, 467, 474, 475
 instabilities in, 478
 opacity of material of, 460
 role of viscosity – the α parameter, 452–455
 structure of thin discs, 455–458
 temperature distribution in, 458–459
 transition from dominance of gas pressure to radiation pressure, 459, 460
- Third Reference Catalogue of Bright Galaxies* (de Vaucouleurs *et al.*), 86
 Thomson and Compton scattering, 231–237
 Thomson cross-section, 46, 155, 195, 229, 446
 Thomson scattering, 46, 48, 232–445
 degree of polarisation of, 234
 derivation of formulae for, 232–235
 differential cross-section for, 233, 241, 250
 Eddington limiting luminosity and, 413
 for 100% polarised emission, 234
 geometry of, 232
 mean free path for, 235
 optical depth for, 235, 244, 253, 254, 256
 polarisation of, 234
 properties of, 233–235
 total scattering cross-section for, 233
 3CR radio galaxies, 654, 655, 720, 748
 early formation of bulk of stellar population, 748
 stellar masses of large redshift, 748
 3CR radio sources, 720, 723
 threshold detectors, 265
 tidal radius of cluster of galaxies, 104
 tidal radius of galaxies, 122
 time dilation formula
 in general relativity, 431
 time to reach a given signal-to-noise ratio, 777
 tokamaks, 323
 torque, magnetic, 470, 471, 473
 torque, viscous, 453, 455, 470
 total depth of the atmosphere in kg m^{-2} , 176
 transfer equation for radiation, 170, 171, 221
 in terms of Einstein coefficients for spontaneous and induced emission, 249
 in terms of occupation numbers, 249
 Transition Region and Coronal Explorer (TRACE) spacecraft of NASA, 309
 transmission function $G(z)$ of one-dimensional aperture, 765
 Fourier transform of, 765
 Gaussian, 768
 transmission function T_ν of astronomical filters, 762
 transparency of the atmosphere as a function of wavelength, 5, 6
 in the infrared and submillimetre wavebands, 10, 14
 windows in the submillimetre waveband, 14

- tree-ring dating, 295
 triple- α process, 64
 Tully–Fisher relation for spiral galaxies, 87
 and the distances of galaxies, 87
 infrared, 87
 turbulence
 magnetohydrodynamic, 455
 21-cm line emission and absorption, 333–335
 absorption coefficient for, 334–335
 column density of neutral hydrogen from,
 334
 emissivity of, 334
 kinematics of gas in galaxies from, 334
 spin temperature for, 335
 spontaneous transition probability of, 333
 2dF galaxy redshift survey, 589, 714
 2dF quasar redshift survey, 589, 590, 591, 592, 593,
 724, 725
 Two Micron All Sky Survey (2MASS), 11, 98
 two-colour diagram for stars, 763, 764
 Type Ia supernovae, 380–384, 478–479
 as standard candles, 381
 evolution of colours of, 382
 formation of ^{56}Ni , 382
 light curves
 radioactive decay of ^{56}Co , 382, 383
 light curves of, 380
 luminosity–width relation, 380
 most luminous supernovae, 381
 rates of occurrence, 381
 redshift–distance relation and, 381
 thermonuclear explosions and, 380, 382
 UHURU X-ray Observatory,
 UHURU X-ray observatory, 23, 24, 410, 485, 600,
 725
 UK Schmidt Telescope, 589
 ultra-high energy γ -ray telescopes, 275
 ultrahigh energy γ -rays
 detection of, 272–275
 ultraluminous infrared galaxies (ULIRGs), 741
 ultraviolet waveband, 21–22
 extreme ultraviolet (EUV), 22
 observations of resonance lines of common
 elements, 22
 Ulysses mission of the European Space Agency and
 NASA, 312, 313
 unstable stars, 73
 useful statistics about galaxies, 97–98
 V/V_{max} or luminosity–volume test, 718–719
 banded, 719
 for radio quiet quasars, 724
 space distribution of galaxies, quasars active
 galaxies, 718–719
 variance, 775
 of sum of two quantities, 775
 total, as the sum of variances, 776
 vector potential \mathcal{A} , 158, 160, 183, 210
 Vela satellites, 27
 velocity cone, 214, 215, 217
 velocity of Solar System through the Cosmic
 Microwave Background Radiation, 16
 velocity–distance relation for galaxies, 757
 vernal equinox, 753
 Very Large Array (VLA), 21, 123, 774
 Very Long Baseline Interferometry (VLBI), 21, 219,
 263
 vicinity of the black hole, 637–660
 violent interstellar medium, 359
 supernova explosions and, 359
 VIRGO gravitational wave experiment, 33
 virial theorem, 103, 400
 virial theorem for galaxies and clusters, 89–92, 93, 94,
 759
 problems of application to observed systems, 91,
 92
 virial theorem for stars, 42–43, 89
 viscosity, 453, 454, 459, 656
 effective, in shock fronts, 574
 kinematic, 445, 657
 turbulent, 462, 469
 viscosity parameter α , 459, 461, 478, 660
 viscosity, dynamic or shear η , 452, 454, 455, 457
 viscosity, kinematic ν , 453
 viscosity, turbulent, 454, 455, 459
 visible matter in the Universe
 integrated luminosity of, 97
 VLT Antu telescope, ISAAC infrared camera of, 365
 VLT Kueyen Telescope, FORS2 instrument of, 365,
 366
 voids in the distribution of galaxies, 731
 Voyager missions of NASA, 312
 W UMa-type binaries, 464
 wave impedance Z_0 , 777
 wavebands used in ground-based astronomy,
 761
 wavefront errors, 768, 770
 white dwarf, 310
 diffusion time for magnetic field from, 310, 311
 magnetic flux density of, 310
 white dwarfs, 37, 38, 68, 74, 76, 378, 401, 443,
 589
 carbon-oxygen, 382
 cooling curves for, 402
 cooling times for, 401
 Hertzsprung–Russell diagram for, 402
 ultimate fate of, 401
 with carbon-oxygen cores, 401
 white dwarfs, neutron stars and the Chandrasekhar
 limit, 394–401

- Wien distribution, 246, 247, 255
 average energy of photons of, 246
 Wien's displacement law, 5
 Wilkinson Microwave Anisotropy Probe (WMAP),
 16
 WIMPs
 astrophysical limits to the masses of, 126
 candidates for, 125
 laboratory detection of, 127
 laboratory limits to the masses of, 126
 suppression mechanisms for, 127
 Wolf–Rayet stars, 70–73, 288, 466, 467, 515,
 713
 mass loss rates of, 72
 WC and WN types, 72
 W^\pm and Z^0 bosons, 126
 X mass fraction of hydrogen, 69
 X-ray absorption, 339–340
 X-ray absorption coefficient of interstellar matter,
 229, 231
 column depth for, 230
 optical depth and, 230
 X-ray atomic energy levels, 230
 X-ray background emission
 at hard X-ray energies
 nature of sources contributing to, 602,
 729
 at soft X-ray energies, 24, 25
 nature of sources contributing to,
 728
 contributions of different classes of source to,
 728
 spectrum of, 728
 X-ray binary systems, 410–415, 461, 467,
 479–491
 accretion in, 413
 estimate of masses of neutron stars and black holes
 in, 414–415
 high mass X-ray binaries, 413, 485–486
 late O or early B type companion stars, 413,
 414
 low mass X-ray binaries, 479–484
 Galactic bulge sources, 479
 in globular clusters, 414, 479
 luminosities of, 413
 soft X-ray transients, 414
 symbiotic X-ray binaries, 414
 typical temperature of, 413
 X-ray bursters, 414
 X-ray pulsars, 414
 X-ray emission of intracluster gas, 99
 X-ray nova, 487
 X-ray pulsars, 24, 438
 X-ray source spectra and solutions of the Kompaneets
 equation, 253–257
 X-ray sources
 binary pulsating
 as rotating magnetised neutron stars, 446
 Comptonisation and, 602, 729
 evolution of luminosity function of, with cosmic
 epoch, 727
 populations at soft and hard X-ray energies, 602,
 728
 strongly absorbed, 602, 729
 template spectra for strongly absorbed sources, 602,
 729
 X-ray waveband, 22–25
 detectors for, 23
 observing in, 22–23
 sky in, 23–25
 XMM-Newton X-Ray Observatory, 25, 108, 110, 113,
 197, 257, 386, 421, 628, 629, 633, 714, 725
 Y mass fraction of helium, 69
 year 2000.0 coordinate system, 753, 754
 Yerkes spectral classification system, 37
 Z mass fraction of ‘metals’, 69
 Zeeman splitting
 of 21-cm line radiation, 377
 circularly polarised components of, 377
 of OH absorption lines, 377
 zenith equidistant projection, 7, 755, 756