
Index

- adapted, 37
- additive functional, 95
- Adelman, Omer, 94, 150, 322, 326
- almost surely, 8
- arcsine law
 - generalised, 223
 - for the last sign-change, 136
 - for the last zero, 136
 - for the position of the maximum, 136
 - for the time spent above zero, 137, 215
- Azéma–Yor embedding theorem, 129

- Bachelier, Louis, 33
- ballot problem, 63
- Bessel process, 64
 - two-dimensional, 171
- Blumenthal’s 0-1 law, 38
- bounded variation, 22
- Brown, Robert, 33
- Brownian bridge, 30, 61, 285
- Brownian excursion, 244
- Brownian frontier, *see* outer boundary
- Brownian hull, 329
- Brownian motion
 - area, 46
 - conformal invariance, 202
 - d-dimensional, 36
 - definition, 7
 - fractional, 34
 - graph, 102
 - image, 102
 - infinite multiplicity, 385
 - Lévy’s construction, 9
 - linear, 7
 - monotonicity, 18
 - non-colliding, 152
 - path, 102
 - planar, 36
 - range, 102
 - reflected, 146
 - scaling invariance, 12
 - skew-product representation, 206
 - standard, 2, 7, 36
 - time inversion, 13
 - transient, 78, 228
 - two-sided, 30
 - with drift, 7
 - zero set, 48
- Brownian scaling, 13
- Burdzy, Krzysztof, 94, 150, 326, 345, 384
- Burkholder–Davis–Gundy inequality, 64

- Cameron–Martin theorem, 25
- Cantor set
 - Hausdorff dimension, 115
 - Minkowski dimension, 115
- capacity
 - α -capacity, 113, 234
 - general definition, 234
 - Newtonian, 113
 - of an edge, 358
 - Riesz, 113
- Cauchy process, 52
 - compactness argument, 359
- conditional expectation, 48
- conformal invariance, 5, 202
- continuity
 - Lévy’s modulus, 16
 - local Hölder, 17
- convergence in distribution, 346
- convolution, 46
- cooling, 214
- countable stability property, 97
- countable subadditivity, 100
- covering, 96
- cut line, 150
- cut point, 150, 328, 344
- cutset, 359

- Davis, Burgess, 34, 64, 222, 307, 326
- derivative
 - upper and lower, 19
- differentiability
 - in a point, 20
 - nowhere, 21
- diffusion
 - matrix, 2
- dimension, 96
- Dirichlet problem
 - existence, 70
 - harmonic measure, 84
 - representation of solution, 3
 - solution, 69
 - uniqueness, 225

- Dirichlet space, 24, 220
- dissipation rate, 213
- domain, 65
- Donsker's invariance principle, 4, 132
- Doob's L^p maximal inequality, 355
- Doob's weak maximal inequality, 355
- Doob, Joe, 64
- downcrossing, 153
- drift, 7
 - vector, 2
- Dubins' embedding theorem, 127
- Dvoretzky, Aryeh, 34, 73, 94, 150, 287, 307, 326
- Dvoretzky–Erdős test, 73
- Dynkin, Eugene, 63

- Einstein, Albert, 33
- embedding
 - Azéma–Yor, 129
 - Dubins, 127
 - Skorokhod, 127
- energy
 - α -energy, 108, 234
- energy method
 - terminology, 108
- envelope
 - lower, 73
 - upper, 118
- equilibrium measure, 228, 229
- equivalent measure, 25
- Erdős, Paul, 34, 73, 94, 150, 221, 287
- Erdős–Kac theorem, 221
- Evans, Steven N., 150, 288, 313, 326
- exceptional set
 - of times, 20
- exchangeable, 19
- excursion, 148, 244
- exit from an interval, 217
- exit time, 57, 62

- fast time, 291
- Feynman–Kac formula, 214, 216
- filtered probability space, 37
- filtration, 37
 - complete, 190
 - convention, 42, 190
- finite-dimensional distributions, 8
- first arcsine law, 136
- first moment method, 259
- FKG inequality, 151
- flow, 358
- fractional Brownian motion, 34
- Frostman's lemma, 111, 117
- Frostman, Otto, 117, 253
- functional central limit theorem, 132

- Galton–Watson tree, 360
- gauge function, 117, 178, 287
- Gaussian
 - random vector, 9
 - standard, 349
 - process, 34
- geometric distribution, 154
- germ
 - 0-1 law, 38

- σ -algebra, 38
- Girsanov's theorem, 64
- global maximum, 39
- Green kernel, 80
- Green's function
 - definition, 80
 - properties, 81

- harmonic function
 - definition, 65
 - history, 253
 - maximum principle, 67
 - mean value property, 65
 - removable, 253
- harmonic measure
 - conformal invariance, 204
 - definition, 84
 - from infinity, 87
 - on the sphere, 85
 - support, 87
- Harnack principle, 84
- Harris inequality, 123
- Hausdorff content, 99
- Hausdorff dimension, 4
 - and measure, 100
 - countable stability, 115
 - definition, 99
 - of graph, 110
 - of range, 110
 - of zero set, 108
- Hausdorff gauge, *see* gauge function
- Hausdorff measure
 - definition, 99
 - generalised, 178
- Hausdorff, Felix, 116
- Hawkes' theorem, 259
- heat equation, 213
- heating, 214
- Helly–Bray theorem, 348
- Hewitt–Savage 0-1 law, 19
- hitting probability, 72, 236
- Hölder continuous, 101
- hull, 329, 336

- increasing event, 147
- independent, 37
- independent increments, 1, 7
- initial distribution, 2
- integral test, 73
- intersection equivalence
 - definition, 263
- intersection exponents, 288, 327, 343, 344, 345
- intersections
 - dimension, 261
 - existence, 255, 257, 261
 - nonexistence, 255, 257
- intrinsic, 96
- inversion at the circle, 86
- irregular point, 224
- Itô's formula
 - multidimensional, 200
 - nonsmooth case, 210
 - one-dimensional, 196
 - with additional dependence, 197

- Itô, Kiyoshi, 187, 195, 209, 258
- Kahane, Jean-Pierre, 33, 287, 326
- Kakutani's theorem, 234
- Kakutani, Shizuo, 6, 30, 34, 94, 150, 234, 253, 287
- Kallianpur–Robbins law, 93, 95
- Kaufman's theorem, 115, 279
- Kelvin transform, 94
- kernel, 232
- Khoshnevisan, Davar, 287, 302, 325, 384
- Kochen–Stone lemma, 74, 91
- Kolmogorov, A.N., 33, 133, 149, 223, 240
- Laplace transform, 348
- Laplace's method, 207
- law of
- maximum, 45
- law of large numbers, 14
- law of the iterated logarithm
- failure, 290
 - for Brownian motion, 118
 - for general random walk, 127
 - for simple random walk, 121
 - Hartman and Wintner, 127, 149
 - Khinchin, 119, 121, 149
 - Kolmogorov, 149
- Lawler, Gregory, 150, 222, 254, 326, 343, 385
- Le Gall, J.-F., 117, 152, 187, 222, 254, 288, 383
- Lebesgue's thorn, 250
- Lévy, Paul, viii, 7, 9, 16, 22, 33, 50, 160, 212, 354
- Lévy's downward theorem, 354
- Lévy's theorem
- for local time, 212
 - for the maximum process, 50
- limsup fractal, 293
- Liouville's theorem, 70, 253
- local maximum, 39
- local time
- at zero, 154
 - definition, 210
 - for planar Brownian motion, 385
 - Lévy's theorem, 212
- Loewner evolution, 336
- Loewner's equation, 332, 344
- loop erasure, 334
- loop-erased random walk, 333
- lower envelope, 73
- Lyons' theorem, 266
- Lyons, Russell, 117, 265, 287, 325
- macroscopic, 1
- Makarov's theorem, 254, 326
- Mandelbrot's conjecture, 254
- Markov
- strong property, 43
- Markov process, 49
- Markov property, 37
- Markov transition kernel, 49
- Markov, Andrej, 63
- Martin kernel, 235
- martingale, 53
- binary splitting, 127
 - discrete, 352
 - reverse, 354
 - uniformly integrable, 353
- martingale inequality, 355
- mass distribution, 105
- mass distribution principle, 105
- max-flow min-cut theorem, 359
- McKean's theorem, 102, 114
- McKean, Henry, 102, 114, 117, 222, 258, 287
- microscopic, 1
- Minkowski dimension
- lower, 97
 - upper, 97
- modification, 194
- modulus normal distribution, 49
- modulus of continuity, 14, 16, 31
- monotonicity, 100
- in an interval, 18
- multiple points
- existence, 272
 - nonexistence, 272
- neighbourhood recurrent, 72
- nonpolar set, 85
- nowhere differentiable, 21
- optional stopping theorem, 54
- Orey and Taylor's theorem, 71
- Ornstein–Uhlenbeck diffusion, 14, 61
- outer boundary, 87, 326, 328, 344, 384
- outer measure, 100
- packing dimension, 299
- packing number, 298
- Paley, Wiener, Zygmund's theorem, 21
- Paley–Wiener stochastic integral, 26
- Paley–Zygmund inequality, 74, 91
- Pemantle, Robin, 94, 117, 150, 384
- percolation, 266
- percolation interface, 337
- percolation limit set
- definition, 258
 - generation dependent, 264
- perfect set, 48
- Perkins, Edwin, 34, 188, 287, 307, 326, 384
- permutation
- finite, 19
- Pitman's theorem, 64, 152
- Pitman, Jim, 64, 118, 140, 152, 187, 222
- Plancherel's theorem, 253
- Poincaré cone condition, 224
- point of increase
- global, 125
 - local, 123
- point recurrent, 72
- Poisson kernel, 85
- Poisson problem
- definition, 226
 - uniqueness, 251
- Poisson's formula, 85
- Poisson, Siméon-Denis, 94
- polar
- for Brownian motion, 85
 - for percolation, 259
- points, 47
- set, 234

- Portmanteau theorem, 347
 potential
 α -potential, 108
 electrostatic, 84
 gravitational, 108
 Newtonian, 84
 potential kernel, 80, 235
 product formula, 301
 progressively measurable, 190
- quadratic variation, 23, 195
- radial potential, 234
 random closed set, 263
 random field, 166
 random walk, 1
 Ray's theorem, 177
 Ray–Knight theorem, 5, 170
 record time, 106
 recurrent, 72
 neighbourhood, 72
 point, 72
 reflected Brownian motion, 146
 reflection principle, 44, 70, 217
 regular point, 224
 regularisation, 299
 removable set, 253
 resolvent operator, 218
 reverse Hölder, 102, 117
 reverse martingale, 354
 Riemann mapping theorem, 202
 right-continuity, 42
- sample path properties, 7
 scaling invariance, 4
 Schramm, Oded, 117, 150, 222
 Schramm–Loewner evolution, *see* SLE
 second arcsine law, 137, 215
 second moment method, 260
 semimartingale, 64
 singular measure, 25
 Skorokhod embedding problem, 4
 Skorokhod embedding theorem, 127
 SLE, 327
 chordal, 338, 339
 radial, 336, 339
 Smirnov, Stanislav, 337
 spectrum, 291
 Spitzer's law, 209
 Spitzer, Frank, 94, 117, 209, 222, 254
 stable subordinator, 51, 252
 stationary increments, 2
 stochastic integral
 as martingale, 194
 construction, 191
 continuous, 194
 Fubini's theorem, 221
 of Paley–Wiener, 26
 up to finite time, 194
 stochastic integration, 6, 190
 stochastic Loewner evolution, *see* SLE
- stochastic process, 7
 stopping time
 definition, 40
 for two-sided motion, 60
 reverse, 60
 Strassen's law, 150
 subharmonic function, 65
 submartingale, 53
- tail
 0-1 law, 39
 σ -algebra, 39
 event, 39
 Tanaka's formula, 210
 Taylor, S. James, 35, 109, 117, 144, 179, 188, 223,
 258, 287, 290, 324
 thick times, 289, 325
 thin times, 289, 325
 transient, 72
 trees
 terminology, 358
 Tricot, Claude, 326
 Trotter's theorem, 165
 typical times, 20
- universal object, 1
 universality, 1
 upcrossing excursion, 275
 upper envelope, 118
- value of a covering, 98
 value of a packing, 298
 visible part of a set, 324
- Wald's identity, *see* Wald's lemma
 Wald's lemma, 55
 first, 55
 second, 56
 weak convergence, 252, 346
 Weierstrass function, 117
 Werner, Wendelin, 150, 222, 384
 Wiener sausage, 116, 254
 Wiener's theorem, 9
 Wiener, Norbert, 9
 Williams, David, 63, 146, 152, 187, 351
 winding number, 209
- Xiao, Yimin, 116, 289, 302
- Yor, Marc, 33, 187, 222
- zero set
 Hausdorff dimension, 108
 Hausdorff measure, 103
 no isolated points, 48
 uncountable, 48
- zero-one law
 for tail events, 39
 Galton–Watson, 286
 of Blumenthal, 38
 of Hewitt–Savage, 19