

Index

- absolute convergence of series, 547
- acceleration vector, 88
- addition rule for probabilities, 618, 623
- addition theorem for spherical harmonics
 $Y_\ell^m(\theta, \phi)$, 340
- adjoint, *see* Hermitian conjugate
- adjoint operators, 303–7
- adjustment of parameters, 506–7
- algebra of
 - functions in a vector space, 300
 - matrices, 9–10
 - unions and intersections, 616
 - vectors
 - in a vector space, 2
- Ampère's rule (law), 132, 160
- amplitude modulation of radio waves, 203
- analytic (regular) functions, 542
- angular frequency, 405n
 - in Fourier series, 174
- angular momentum
 - of particles, 90
 - of solid body, 148
- angular velocity, vector representation, 103
- anti-Hermitian matrices, 39
 - eigenvalues, 43
 - eigenvectors, 43
- antisymmetric functions, 171
 - and Fourier series, 174–5
 - and Fourier transforms, 203
- antisymmetric matrices, 38
 - general properties, *see* anti-Hermitian matrices
- aperture function, 195
- arbitrary parameters for ODE, 229
- Archimedean upthrust, 147, 165
- area of
 - region, as a line integral, 137
 - surfaces, 95
 - as vector, 145–6, 160
- area, maximal enclosure, 492
- Argand diagram, 541
- arrays, *see* matrices
- associated Laguerre equation, 277, 366–8
 - as example of Sturm–Liouville equation, 310, 367
 - natural interval, 311, 367
- associated Laguerre polynomials $L_n^m(x)$, 366
 - generating function, 368
 - orthogonality, 367
 - recurrence relations, 368
 - Rodrigues' formula, 367
- associated Legendre equation, 277, 333–9, 441, 481
 - as example of Sturm–Liouville equation, 310, 336, 337
 - general solution, 334
 - natural interval, 311, 336, 337
- associated Legendre functions, 333–9
 - of first kind $P_\ell^m(x)$, 334, 441, 481
 - generating function, 338
 - normalization, 336
 - orthogonality, 336, 337
 - recurrence relations, 338
 - Rodrigues' formula, 334
 - of second kind $Q_\ell^m(x)$, 334
- associative law for
 - addition
 - in a vector space of finite dimensionality, 2
 - in a vector space of infinite dimensionality, 300
 - of matrices, 9
 - convolution, 205, 216
 - linear operators, 6–7
 - multiplication
 - of a matrix by a scalar, 9
 - of matrices, 11
 - multiplication by a scalar
 - in a vector space of finite dimensionality, 2
 - in a vector space of infinite dimensionality, 300
- atomic orbitals, *s*-states, 639
- auxiliary equation, 234
 - repeated roots, 234

- basis functions
 - for linear least squares estimation, 732
 - in a vector space of infinite dimensionality, 300
- basis vectors, 3
 - non-orthogonal, 5
 - orthonormal, 4–5
- Bayes' theorem, 625–6
- Bessel correction to variance estimate, 724
- Bessel equation, 277, 347–52, 360
 - as example of Sturm–Liouville equation, 310
 - natural interval, 353
- Bessel functions $J_\nu(x)$, 347–59, 437, 446
 - generating function, 357
 - graph of, 351
 - integral relationships, 355
 - integral representation, 358–9
 - orthogonality, 353–6
 - recurrence relations, 356–7
 - second kind $Y_\nu(x)$, 352
 - graph of, 352
 - series, 349
 - $\nu = 0$, 351
 - $\nu = \pm 1/2$, 349
 - spherical $j_\ell(x)$, 360, 449
 - zeros of, 437, 447
- Bessel inequality, 5, 303, 785
- best unbiased estimator, 715
- bias of estimator, 714
 - root mean square error, 717
- binomial coefficient C_k , 629–31
- binomial distribution $\text{Bin}(n, p)$, 654–7
 - and Gaussian distribution, 673
 - and Poisson distribution, 661, 664
 - mean and variance, 656
 - MGF, 656
 - recurrence formula, 656
- birthdays, different, 627
- bivariate distributions, 683–91
 - conditional, 685
 - continuous, 684
 - correlation, 686–91
 - and independence, 687
 - matrix, 689–91
 - positive and negative, 687
 - uncorrelated, 687
 - covariance, 686–91
 - matrix, 689
 - expectation (mean), 686
 - independent, 684, 687
 - marginal, 685
 - variance, 686
- Born approximation, 320
- Bose–Einstein statistics, 632
- boundary conditions
 - and Laplace equation, 472, 475
 - for Green's functions, 254, 256–8
 - inhomogeneous, 257
 - for ODE, 229, 230, 242
 - for PDE, 393, 397–9
 - for Sturm–Liouville equations, 308–9
 - homogeneous and inhomogeneous, 397, 431, 460, 462
 - superposition solutions, 426–33
 - types, 411–12
- branch cut, 552
- branch points, 551
- Breit–Wigner distribution, 680
- Bromwich integral, 599
- calculus of residues, *see* zeros of a function of a complex variable *and* contour integration
- calculus of variations
 - constrained variation, 496–8
 - estimation of ODE eigenvalues, 501
 - Euler–Lagrange equation, 489–90
 - Fermat's principle, 498
 - Hamilton's principle, 499
 - higher-order derivatives, 495
 - several dependent variables, 495
 - several independent variables, 495
 - soap films, 493–4
- card drawing, 619, 620, 621, 622, 629, 630, 689
- carrier frequency of radio waves, 203
- catenary, 494, 498
- Cauchy
 - boundary conditions, 411
 - distribution, 643
 - inequality, 568
 - integrals, 566–8
 - root test, 547
 - theorem, 563
- Cauchy–Riemann relations, 543–6, 564, 584, 586
 - in terms of z and z^* , 545
- central limit theorem, 681–2
- central moments, *see* moments (of distributions), central
- CF, *see* complementary function
- change of basis, *see* similarity transformations
- change of variables in RVD, 642–5
- characteristic equation, 46
 - normal mode form, 61
 - of recurrence relation, 240
- characteristic function, *see* moment generating functions (MGF)
- charge (point), Dirac δ -function representation, 199

- charged particle in electromagnetic fields, 121
- Chebyshev equation, 277, 341–7
 - as example of Sturm–Liouville equation, 310, 344
 - general solution, 342
 - natural interval, 311, 344
 - polynomial solutions, 296
- Chebyshev functions, 341–7
- Chebyshev polynomials
 - of first kind $T_n(x)$, 341
 - generating function, 346
 - graph of, 342
 - normalization, 345
 - orthogonality, 344
 - recurrence relations, 346
 - Rodrigues' formula, 344
 - of second kind $U_n(x)$, 342
 - generating function, 346
 - graph of, 343
 - normalization, 345
 - orthogonality, 344
 - Rodrigues' formula, 344
- chi-squared (χ^2) distribution, 679
 - and goodness of fit, 752
 - and likelihood-ratio test, 739, 748
 - percentage points tabulation, 738
 - test for correlation, 753, 762
- Cholesky decomposition, 33, 76
- circle of convergence, 547–8
- closure property of eigenfunctions of an Hermitian operator, 307
- cofactor of a matrix element, 17–18
- column matrix, 8
- column vector, 8
- combinations (probability), 627–33
- commutative law for
 - addition
 - in a vector space of finite dimensionality, 2
 - in a vector space of infinite dimensionality, 300
 - of matrices, 9
- convolution, 205, 216
- inner product, 4, 782
- commutator of two matrices, 74
- complement, 614
 - probability for, 618
- complementary equation, 231
- complementary error function, 377
- complementary function (CF), 231
 - for ODE, 233
 - partially known, 248
 - repeated roots of auxiliary equation, 234
- completeness of
 - basis vectors, 3
 - eigenfunctions of an Hermitian operator, 304, 307
 - eigenvectors of a normal matrix, 793
 - spherical harmonics $Y_\ell^m(\theta, \phi)$, 340
- completing the square to evaluate Gaussian integral, 194, 458
- complex conjugate
 - z^* , of complex number, 545
 - of a matrix, 14–16
- complex exponential function, 549
- complex Fourier series, 180–1
- complex integrals, 559–63, *see also* contour integration
 - Cauchy integrals, 566–8
 - Cauchy's theorem, 563
 - definition, 560
 - Jordan's lemma, 594–5
 - Morera's theorem, 565
 - of z^{-1} , 561
 - path dependence, 562–5
 - principal value, 594
 - residue theorem, 573–5
- complex logarithms, 550
 - principal value of, 550
- complex numbers
 - complex conjugate of, *see* complex conjugate
 - de Moivre's theorem, *see* de Moivre's theorem
- complex potentials, 582–7
 - and fluid flow, 584–5
 - equipotentials and field lines, 582
 - for circular and elliptic cylinders, 587
 - for parallel cylinders, 607
 - for plates, 588–90, 607
 - for strip, 607
 - for wedges, 589
 - under conformal transformations, 587–90
- complex variables, *see* functions of a complex variable *and* power series in a complex variable *and* complex integrals
- complex variables, further applications, 602
- components of a vector, uniqueness, 3
- conditional (constrained) variation, 496–8
- conditional distributions, 685
- conditional probability, *see* probability, conditional
- confidence interval, 719
- confidence limits, of estimators (statistics), 718
- confluent hypergeometric equation, 277
 - as example of Sturm–Liouville equation, 310

- conformal transformations (mappings), 556–90
 - applications, 587–90
 - examples, 558–9
 - properties, 556–8
- connectivity of regions, 134
- conservative fields, 138–41
 - necessary and sufficient conditions, 139–40
 - potential (function), 140
- consistency, of estimator, 714
- constant coefficients in ODE, 233–44
 - auxiliary equation, 234
- constants of integration, 229
- constrained variation, 496–8
- contingency analysis, 753
- contingency table, 753
- continuity correction for discrete RV, 673
- continuity equation, 156
- contour integration, 590–602
 - infinite integrals, 592–7
 - inverse Laplace transforms, 599–602
 - residue theorem, 573–97
 - sinusoidal functions, 591–2
 - summing series, 597–9
- convergence of infinite series, 547–8
 - absolute, 547
 - ratio test, 548
 - root test (Cauchy), 547
- convolution
 - Fourier transforms, *see* Fourier transforms, convolution
 - Laplace transforms, *see* Laplace transforms, convolution
- convolution theorem
 - Fourier transforms, 206
 - Laplace transforms, 215
- coordinate systems, *see* curvilinear, cylindrical polar, plane polar *and* spherical polar coordinates
- coordinate transformations
 - and matrices, *see* similarity transformations
- correlation matrix, of sample, 712
- correlation of bivariate distributions, 686–91
- correlation of sample data, 710–12
- correlation, chi-squared test, 753, 762
- correspondence principle in quantum mechanics, 699
- cosh, hyperbolic cosine, 550, *see also* hyperbolic functions
- cosine, $\cos(x)$, orthogonality relations, 171–2
- coupled pendulums, 80, 82
- covariance matrix
 - of linear least squares estimators, 732
 - of sample, 712
- covariance of bivariate distributions, 686–91
- covariance of sample data, 710–12
- CPF, *see* probability functions, cumulative
- Cramér–Rao (Fisher’s) inequality, 715
- Cramer determinant, 34
- Cramer’s rule, 34–5
- curl of a vector field, 102
 - as a determinant, 102
 - as integral, 149–50, 152
 - curl curl, 106
 - in curvilinear coordinates, 118
 - in cylindrical polars, 110
 - in spherical polars, 112
 - Stoke’s theorem, 158–61
- current-carrying wire, magnetic potential, 437
- curvilinear coordinates, 113–19
 - basis vectors, 115
 - length and volume elements, 115
 - scale factors, 115
 - surfaces and curves, 114
 - vector operators, 116–19
- cut plane, 596
- cycloid, 122
- cylinders, conducting, 585, 587, *see* complex potentials, for circular and elliptic cylinders
- cylindrical polar coordinates, 107–11
 - area element, 109
 - basis vectors, 108
 - Laplace equation, 436–9
 - length element, 109
 - vector operators, 107–11
 - volume element, 109
- δ -function (Dirac), *see* Dirac δ -function
- δ_{ij} (δ_i^j), Kronecker delta, *see* Kronecker delta, δ_{ij} (δ_i^j)
- D’Alembert’s ratio test, 548
- D’Alembert’s solution to wave equation, 406
- damped harmonic oscillators and Parseval’s theorem, 208
- data modeling, statistics, 730–5
- de Broglie relation, 194, 417, 480
- de Moivre’s theorem, 591
- de Morgan’s laws, 617
- deconvolution, 207, *see* Fourier transforms, deconvolution
- defective matrices, 44, 77
- degenerate (separable) kernel, 519–21
- degenerate eigenvalues, 43, 47–8, 793
- degree
 - of ODE, 228

- del ∇ , *see* gradient operator (grad)
- del squared ∇^2 (Laplacian), 102, 388
 - as integral, 152
 - in curvilinear coordinates, 118
 - in cylindrical polar coordinates, 110
 - in polar coordinates, 433
 - in spherical polar coordinates, 112, 449
- delta function (Dirac), *see* Dirac δ -function
- dependent random variables, 683–91
- derivative
 - Fourier transform of, 202
 - Laplace transform of, 213
 - normal, 99
 - of basis vectors, 89–90
 - of composite vector expressions, 90–1
 - of function of a complex variable, 541
 - of vectors, 87
- derivative method for second series solution of
 - ODE, 287–90
- determinant form
 - and ϵ_{ijk} , 790
 - for curl, 102
- determinants, 17–21
 - adding rows or columns, 20
 - and singular matrices, 21
 - as product of eigenvalues, 53
 - evaluation
 - using ϵ_{ijk} , 790
 - using Laplace expansion, 18
 - identical rows or columns, 20
 - in terms of cofactors, 18
 - interchanging two rows or two columns, 20
 - notation, 17
 - of Hermitian conjugate matrices, 20
 - of order three, in components, 18
 - of transpose matrices, 20
 - product rule, 20
 - properties, 19–21, 79
 - relationship with rank, 25–6
 - removing factors, 20
 - secular, 46
- diagonal matrices, 37
- diagonalization of matrices, 51–3
 - normal matrices, 52–3
 - properties of eigenvalues, 53
 - simultaneous, 81, 82
- dice throwing, 619, 641, 655, 688
- differentiable function of a complex variable, 541–3
- differential equations, *see* ordinary differential equations *and* partial differential equations
- differential equations, particular
 - associated Laguerre, 277, 310, 366–8
 - associated Legendre, 277, 310, 333–9
 - Bessel, 277, 310, 347–52
 - Chebyshev, 277, 310, 341–7
 - confluent hypergeometric, 277, 310
 - diffusion, 389, 408–11, 424, 431–2
 - Euler, 245
 - Euler–Lagrange, 489–90
 - Helmholtz, 445–9
 - Hermite, 277, 310, 369–73
 - hypergeometric, 277, 310
 - Lagrange, 499
 - Laguerre, 277, 310, 361–5
 - Laplace, 391, 402, 425, 427
 - Legendre, 275, 277, 310, 322–32
 - Legendre linear, 244–6
 - Poisson, 391, 452–4
 - Schrödinger, 391, 449, 480, 506
 - simple harmonic oscillator, 277, 310
 - Sturm–Liouville, 501
 - wave, 388–9, 401, 405–7, 422, 445, 500
- differential of a vector, 91, 93
- differential operators, *see* linear differential operator
- differentiation
 - of Fourier series, 179–80
- diffraction, *see* Fraunhofer diffraction
- diffusion equation, 389, 400, 408–11
 - combination of variables, 408–11
 - integral transforms, 455–6
 - separation of variables, 424
 - simple solution, 408
 - superposition, 431–2
- diffusion of solute, 389, 408, 455–6
- dimensionality of vector space, 2
- Dirac δ -function, 105, 157, 197–202
 - and convolution, 205
 - and Green's functions, 253, 254
 - as limit of various distributions, 201
 - as sum of harmonic waves, 200
 - definition, 197
 - Fourier transform of, 201
 - impulses, 199
 - point charges, 199
 - properties, 197
 - reality of, 201
 - relation to Fourier transforms, 200–2
 - relation to Heaviside (unit step) function, 200
 - three-dimensional, 199, 209
- Dirichlet boundary conditions, 411, 566n
 - Green's functions, 462, 464–73
 - method of images, 466–73
- Dirichlet conditions, for Fourier series, 170–1

- discontinuous functions and Fourier series, 175–6
- discrete Fourier transforms, 221
- disjoint events, *see* mutually exclusive events
- displacement kernel, 521
- distributive law for
 - addition of matrix products, 12
 - convolution, 205, 216
 - inner product, 4, 782
 - linear operators, 6–7
 - multiplication by a scalar
 - in a vector space of finite dimensionality, 2
 - in a vector space of infinite dimensionality, 300
 - multiplication of a matrix by a scalar, 9
- div, *see* divergence of vector fields
- divergence of vector fields, 100
 - as integral, 149–50, 151
 - in curvilinear coordinates, 117
 - in cylindrical polars, 110
 - in spherical polars, 112
- divergence theorem
 - for vectors, 153–4
 - in two dimensions, 135
 - physical applications, 156–8
 - related theorems, 155
- dot product, *see* scalar product
- drum skin, *see* membrane
- ϵ_{ijk} , Levi–Civita symbol, 789–92
 - identities, 791
 - vector products, 790
- e^x , *see* exponential function
- efficiency, of estimator, 715
- eigenequation for differential operators, 298
 - more general form, 299
- eigenfrequencies, 61
 - estimation using Rayleigh–Ritz method, 64–7
- eigenfunctions
 - completeness for Hermitian operators, 304, 307
 - construction of a real set for an Hermitian operator, 307
 - definition, 298–9
 - normalization for Hermitian operators, 306
 - of integral equations, 530
 - of linear differential operators, 299
 - of simple harmonic oscillators, 299
 - orthogonality for Hermitian operators, 305–7
- eigenvalues, 40–8, *see* Hermitian operators
 - characteristic equation, 46
 - definition, 41
 - degenerate, 47–8
 - determination, 45–8
 - estimation for ODE, 501
 - estimation using Rayleigh–Ritz method, 64–7
 - notation, 41
 - of anti-Hermitian matrices, *see* anti-Hermitian matrices
 - of Fredholm equations, 521
 - of general square matrices, 44
 - of Hermitian matrices, *see* Hermitian matrices
 - of integral equations, 521, 529
 - of linear differential operators
 - adjustment of parameters, 506–7
 - definition, 298–9
 - error in estimate of, 504
 - estimation, 501–7
 - higher eigenvalues, 504, 513
 - simple harmonic oscillator, 299
 - of linear operators, 41
 - of unitary matrices, 43
 - under similarity transformation, 53
- eigenvectors, 40–8
 - characteristic equation, 46
 - definition, 41
 - determination, 45–8
 - normalization condition, 41
 - notation, 41
 - of anti-Hermitian matrices, *see* anti-Hermitian matrices
 - of commuting matrices, 44
 - of general square matrices, 44
 - of Hermitian matrices, *see* Hermitian matrices
 - of linear operators, 41
 - of unitary matrices, 43
 - stationary properties for quadratic and Hermitian forms, 55–7
- Einstein relation, 194, 417, 480
- electromagnetic fields
 - flux, 147
 - Maxwell's equations, 124, 160
- electrostatic fields and potentials
 - charged split sphere, 443
 - conducting cylinder in uniform field, 587
 - conducting sphere in uniform field, 442
 - from charge density, 453, 466
 - from complex potential, 584
 - infinite charged plate, 467, 588
 - infinite charged wedge, 588
 - infinite wedge with line charge, 590
 - of line charges, 469, 583
 - semi-infinite charged plate, 588
 - sphere with point charge, 472
- ellipse
 - area of, 137
 - as section of quadratic surface, 57
- elliptic PDE, 399, 402

- empty event $\emptyset$, 614
- end-points for variations
 - contributions from, 495
 - fixed, 490
- energy levels of
 - particle in a box, 480
 - simple harmonic oscillator, 382–3
- energy spectrum and Fourier transforms, 208
- entire functions, 549n
- equivalence transformations, *see* similarity transformations
- error function, $\operatorname{erf}(x)$, 376, 409, 456
- error terms in Fourier series, 189
- errors, first and second kind, 736
- essential singularity, 554, 571
- estimation of eigenvalues
 - linear differential operator, 503–6
 - Rayleigh–Ritz method, 64–7
- estimators (statistics), 713
 - best unbiased, 715
 - bias, 714
 - central confidence interval, 719
 - confidence interval, 719
 - confidence limits, 718
 - consistency, 714
 - efficiency, 715
 - minimum-variance, 715
 - standard error, 716
- Euler’s differential equation, 245, 261
- Euler–Lagrange equation, 489–90
 - special cases, 490–4
- even functions, *see* symmetric functions
- events, 612
 - complement of, 614
 - empty $\emptyset$, 614
 - intersection of $\cap$, 614
 - mutually exclusive, 622
 - statistically independent, 623
 - union of $\cup$, 614
- exact equations, 246–8
- expectation values, *see* probability distributions, mean
- exponential distribution, 678
 - from Poisson, 678
 - MGF, 678
- exponential function
 - and a general power, 549
 - and logarithms, 550
 - of a complex variable, 549
 - logarithmic form, 751
- factorial function, general, 373
- Fermat’s principle, 498, 510
- Fermi–Dirac statistics, 632
- Fibonacci series, 267
- field lines and complex potentials, 583
- fields
 - conservative, 138–41
 - scalar, 96
 - vector, 96
- fields, electrostatic, *see* electrostatic fields and potentials
- fields, gravitational, *see* gravitational fields and potentials
- first-order differential equations, *see* ordinary differential equations
- Fisher distribution, *see* F -distribution (Fisher)
- Fisher’s inequality, 715
- fluids
 - Archimedean upthrust, 147, 165
 - complex velocity potential, 584
 - continuity equation, 156
 - cylinder in uniform flow, 585
 - flow, 584–5
 - flux, 147, 586
 - irrotational flow, 103
 - sources and sinks, 156–8, 584
 - stagnation points, 584
 - velocity potential, 161, 391
 - vortex flow, 161, 585
- Fourier cosine transforms, 204
- Fourier series, 170–90
 - and separation of variables, 427–30, 432
 - coefficients, 172–4, 180
 - complex, 180–1
 - differentiation, 179–80
 - Dirichlet conditions, 170–1
 - discontinuous functions, 175–6
 - error term, 189
 - integration, 179–80
 - non-periodic functions, 176–8
 - orthogonality of terms, 171–2
 - complex case, 180
 - Parseval’s theorem, 181–3
 - standard form, 172
 - summation of series, 183
 - symmetry considerations, 174–5
 - uses, 170
- Fourier series, examples
 - square-wave, 174
 - x , 180, 181
 - x^2 , 178
 - x^3 , 179–80
- F -distribution (Fisher), 746–51
 - critical points table, 750

- Fourier sine transforms, 204
- Fourier transforms, 191–210
 - as generalization of Fourier series, 191–2
 - convolution, 204–8
 - and the Dirac δ -function, 205
 - associativity, commutativity, distributivity, 205
 - definition, 205
 - resolution function, 204
 - convolution theorem, 206
 - cosine transforms, 204
 - deconvolution, 207–8
 - definition, 192
 - discrete, 221
 - evaluation using convolution theorem, 207
 - for integral equations, 521–5
 - for PDE, 457–60
 - Fourier-related (conjugate) variables, 194
 - in higher dimensions, 209–10
 - inverse, definition, 192
 - odd and even functions, 203
 - Parseval's theorem, 208
 - properties: differentiation, exponential multiplication, integration, scaling, translation, 202
 - relation to Dirac δ -function, 200–2
 - sine transforms, 204
- Fourier transforms, examples
 - convolution, 205
 - damped harmonic oscillator, 208
 - Dirac δ -function, 201
 - exponential decay function, 193
 - Gaussian (normal) distribution, 193
 - rectangular distribution, 201
 - spherically symmetric functions, 209
 - two narrow slits, 207
 - two wide slits, 196, 207
- Fourier's inversion theorem, 192
- Fraunhofer diffraction, 195–7
 - diffraction grating, 220
 - two narrow slits, 207
 - two wide slits, 196, 207
- Fredholm integral equations, 518
 - eigenvalues, 521
 - operator form, 518
 - with separable kernel, 519–21
- Fredholm theory, 528–9
- Frobenius series, 281
- Fuch's theorem, 281
- function of a matrix, 13
- functional, 489
- functions of a complex variable, 541–56, 568–73
 - analyticity, 542
 - behavior at infinity, 555
 - branch points, 551
 - Cauchy integrals, 566–8
 - Cauchy–Riemann relations, 543–6
 - conformal transformations, 556–9
 - derivative, 541
 - differentiation, 541–6
 - identity theorem, 569
 - Laplace equation, 546, 582
 - Laurent expansion, 570–3
 - multivalued and branch cuts, 551–3, 600
 - particular functions, 549–51
 - poles, 554
 - power series, 547–8
 - real and imaginary parts, 541, 546
 - singularities, 542, 553–6
 - Taylor expansion, 568–9
 - zeros, 555
- functions of one real variable
 - decomposition into even and odd functions, 171
 - Fourier series, *see* Fourier series
- fundamental solution, 465–6
- fundamental theorem of
 - algebra, 579
 - complex numbers, *see* de Moivre's theorem
- gamma distribution, 678
- gamma function
 - as general factorial function, 373
 - definition and properties, 373
 - graph of, 374
- Gauss's theorem, 474
- Gaussian (normal) distribution $N(\mu, \sigma^2)$, 667–77
 - and binomial distribution, 673
 - and central limit theorem, 681
 - and Poisson distribution, 675–6
 - continuity correction, 673
 - CPF, 668
 - tabulation, 670
 - Fourier transform, 193
 - mean and variance, 667–72
 - MGF, 672, 676
 - multiple, 676–7
 - sigma limits, 669
 - standard variable, 667
- Gaussian elimination with interchange, 29–30
- generalized likelihood ratio, 737
- generating functions
 - associated Laguerre polynomials, 368
 - associated Legendre polynomials, 338
 - Bessel functions, 357

- generating functions (*cont.*)
 - Chebyshev polynomials, 346
 - Hermite polynomials, 372
 - Laguerre polynomials, 364
 - Legendre polynomials, 329–31
- generating functions in probability, 646–53
- generating functions, probability, *see also*
 - moment generating functions and
 - probability generating functions
- geodesics, 510
- geometric distribution, 648, 659
- Gibbs' phenomenon, 176
- golden mean, 267
- gradient of scalar, 97–100
- gradient operator (grad), 97
 - as integral, 149–50
 - in curvilinear coordinates, 116
 - in cylindrical polars, 110
 - in spherical polars, 112
- Gram–Schmidt orthogonalization of
 - eigenfunctions of Hermitian operators, 306–7
 - eigenvectors of
 - Hermitian matrices, 43
 - normal matrices, 793
 - functions in a Hilbert space, 301–2
- gravitational fields and potentials
 - Laplace equation, 391
 - Newton's law, 92
 - Poisson equation, 391, 452
 - uniform disc, 484
 - uniform ring, 450
- Green's functions, 312–15, 460–76
 - and boundary conditions, 254, 256
 - and Dirac δ -function, 253
 - and partial differential operators, 461
 - and Wronskian, 269
 - diffusion equation, 457
 - Dirichlet problems, 464–73
 - for ODE, 252–8
 - Neumann problems, 473–6
 - particular integrals from, 256
 - Poisson's equation, 463
- Green's theorems
 - applications, 413, 462, 563
 - in a plane, 135–8, 159
 - in three dimensions, 154
- ground-state energy
 - harmonic oscillator, 507
 - hydrogen atom, 513
- $H_n(x)$, *see* Hermite polynomials
- Hamilton's principle, 499
- Hamiltonian, 506
- Hankel functions $H_\nu^{(1)}(x)$, $H_\nu^{(2)}(x)$, 352
- Hankel transforms, 217
- harmonic oscillators
 - damped, 208
 - ground-state energy, 507
 - Schrödinger equation, 506
 - simple, *see* simple harmonic oscillator
- heat flow
 - diffusion equation, 389, 408, 431
 - in bar, 431–2, 457, 483
 - in thin sheet, 410
- Heaviside function, 199
 - relation to Dirac δ -function, 200
- Heisenberg's uncertainty principle, 193–5
- Helmholtz equation, 445–9
 - cylindrical polars, 447
 - plane polars, 446–7
 - spherical polars, 448–9
- Hermite equation, 277, 369–73
 - as example of Sturm–Liouville equation, 310
 - natural interval, 311
- Hermite polynomials $H_n(x)$, 369
 - generating function, 372
 - graph of, 369
 - normalization, 371
 - orthogonality, 371
 - recurrence relations, 373
 - Rodrigues' formula, 370
- Hermitian conjugate, 14–16
 - and inner product, 16
 - product rule, 15
- Hermitian forms, 53–8
 - positive definite and semi-definite, 55
 - stationary properties of eigenvectors, 55–7
- Hermitian kernel, 529
- Hermitian matrices, 39
 - eigenvalues, 42–4
 - reality, 42
 - eigenvectors, 42–4
 - orthogonality, 42–4
- Hermitian operators, 303–7
 - boundary condition for simple harmonic oscillators, 303–4
 - eigenfunctions
 - completeness, 304, 307
 - orthogonality, 305–7
 - eigenvalues
 - reality, 305
 - Green's functions, 312–15
 - importance of, 299, 304
 - in Sturm–Liouville equations, 308–9
 - properties, 305–7
 - superposition methods, 312–15

- higher-order differential equations, *see* ordinary differential equations
- Hilbert spaces, 301–3
- homogeneous
 - boundary conditions, *see* boundary conditions, homogeneous and inhomogeneous
 - differential equations, 231
 - dimensionally consistent, 262
 - simultaneous linear equations, 27
- hydrogen atom
 - s*-states, 639
 - ground-state energy, 513
- hyperbola, as section of quadratic surface, 57
- hyperbolic functions, 550
 - definitions, 550
- hyperbolic PDE, 399, 402
- hypergeometric distribution, 660–1
 - mean and variance, 660
- hypergeometric equation, 277
 - as example of Sturm–Liouville equation, 310, 311
 - natural interval, 311
- hypothesis testing, 735–55
 - errors, first and second kind, 736
 - generalized likelihood ratio, 737
 - generalized likelihood-ratio test, 737
 - goodness of fit, 751
 - null, 735
 - power, 737
 - rejection region, 736
 - simple or composite, 735
 - statistical tests, 736
 - test statistic, 736
- identity matrices, 12, 13
- identity operator, 7
- image source, 466, 590
- images, method of, *see* method of images
- impulses, δ -function representation, 199
- incomplete gamma function, 375
- independent random variables, 645, 687
- indices, of regular singular points, 282
- indicial equation, 282
 - distinct roots with non-integral difference, 282–4
 - repeated roots, 284, 288, 289
 - roots differ by integer, 284–6, 288
- inequalities
 - Bessel, 5, 303
 - Schwarz, 5, 302
 - triangle, 5, 303
- infinite integrals by contour integration, 592–7
- infinity, point at, 276, 555
- inhomogeneous
 - boundary conditions, *see* boundary conditions, homogeneous and inhomogeneous
 - differential equations, 231
 - simultaneous linear equations, 27
- inner product in a vector space, *see also* scalar product
 - of finite dimensionality, 3–5, 782
 - and Hermitian conjugate, 16
 - commutativity, 4, 782
 - distributivity over addition, 4, 782
 - of infinite dimensionality, 300
- integral equations
 - eigenfunctions, 530
 - eigenvalues, 521, 529
 - Fredholm, 518
 - from differential equations, 516–17
 - homogeneous, 517
 - linear, 517
 - first kind, 517
 - second kind, 517
 - nomenclature, 517
 - singular, 518
 - Volterra, 518
- integral equations, methods for
 - differentiation, 525
 - Fredholm theory, 528–9
 - integral transforms, 521–5
 - Fourier, 521–5
 - Laplace, 523
 - Neumann series, 526–8
 - Schmidt–Hilbert theory, 529–32
 - separable (degenerate) kernels, 519–21
- integral functions, 549n
- integral transforms, *see also* Fourier transforms and Laplace transforms
 - general form, 217
 - Hankel transforms, 217
 - Mellin transforms, 217
- integrals
 - complex, *see* complex integrals
 - Fourier transform of, 202
 - inequalities, 302–3
 - Laplace transform of, 214
 - line, *see* line integrals
 - of vectors, 92
- integrals of vectors, *see* vectors, calculus of, integration
 - integration
- integrating factor (IF), 247
- integration
 - multivalued functions, 596–7, 600
 - of Fourier series, 179–80
 - of sinusoidal functions, 591

- integration, methods for
 - contour, *see* contour integration
- intersection $\cap$
 - algebra of, 616
 - probability for, *see* probability, for intersection
- inverse integral transforms
 - Fourier, 192
 - Laplace, 212, 599–602
 - uniqueness, 212
- inverse matrices, 21–4
 - elements, 22
 - in solution of simultaneous linear equations, 30–1
 - left and right, 22n
 - product rule, 24
 - properties, 24
- inverse of a linear operator, 7
- inversion theorem, Fourier's, 192
- irregular singular points, 275
- irrotational vectors, 102
- isotope decay, 267
- iteration schemes for integral equations, 526–9
- $J_\nu(x)$, *see* Bessel functions $J_\nu(x)$
- $j_\ell(z)$, *see* spherical Bessel functions
- joint distributions, *see* bivariate distributions *and* multivariate distributions
- Jordan's lemma, 594–5
- kernel of an integral transform, 217
- kernel of integral equations
 - displacement, 521
 - Hermitian, 529
 - of form $\exp(-ixz)$, 523–5
 - of linear integral equations, 517
 - resolvent, 527, 528
 - separable (degenerate), 519–21
- kinetic energy of oscillating system, 59
- Klein–Gordon equation
 - Green's function for, 485
 - uniqueness of solution, 419
- Kronecker delta, δ_{ij} , 787, 789–92
 - and orthogonality, 4
 - identities, 791
- Lagrange equations, 499
 - and energy conservation, 509
- Lagrange undetermined multipliers
 - and ODE eigenvalue estimation, 503
 - application to stationary properties of the eigenvectors of quadratic and Hermitian forms, 56
 - integral constraints, 496
- Lagrangian, 499, 509
- Laguerre equation, 277, 361–5
 - as example of Sturm–Liouville equation, 310, 363
 - natural interval, 311, 363
- Laguerre polynomials $L_n(x)$, 362
 - generating function, 364
 - graph of, 362
 - normalization, 364
 - orthogonality, 363
 - recurrence relations, 365
 - Rodrigues' formula, 363
- Laplace equation, 391
 - expansion methods, 449–52
 - in two dimensions, 400, 402, 425, 427
 - and analytic functions, 546
 - and conformal transformations, 587–90
 - plane polars, 433–5
 - separated variables, 425
 - in three dimensions
 - cylindrical polars, 436–9
 - spherical polars, 439–45
 - uniqueness of solution, 449
 - with specified boundary values, 472, 475
- Laplace expansion, 18
- Laplace transforms, 210–17, 599
 - convolution
 - associativity, commutativity, distributivity, 216
 - definition, 215
 - convolution theorem, 215
 - definition, 210
 - for ODE with constant coefficients, 242–4
 - for PDE, 455–6
 - inverse, 212, 599–602
 - uniqueness, 212
 - properties: translation, exponential multiplication, etc., 214
 - table for common functions, 212
- Laplace transforms, examples
 - constant, 211
 - derivatives, 213
 - exponential function, 211
 - integrals, 214
 - polynomial, 211
- Laplacian, *see* del squared ∇^2 (Laplacian)
- Laurent expansion, 570–3
 - analytic and principal parts, 570
 - region of convergence, 570
- least squares, method of, 730–5
 - basis functions, 732
 - linear, 732, 795
 - response matrix, 732, 795

- Legendre equation, 275, 277, 322–32
 - as example of Sturm–Liouville equation, 310, 328
 - associated, *see* associated Legendre equation
 - general solution, 323, 325
 - natural interval, 311, 328
- Legendre functions $P_\ell(x)$, 322–32
 - associated Legendre functions, 481
 - of second kind $Q_\ell(x)$, 324
 - graph of, 326
- Legendre linear equation, 244
- Legendre polynomials $P_\ell(x)$, 323
 - associated Legendre functions, 441
 - generating function, 329–31
 - graph of, 324
 - normalization, 324, 327
 - orthogonality, 328, 444
 - recurrence relations, 330–2
 - Rodrigues' formula, 326
- Levi–Civita symbol, *see* ϵ_{ijk} , Levi–Civita symbol
- line charge, electrostatic potential, 583, 590
- line integrals
 - and Cauchy integrals, 566–8
 - and Stokes' theorem, 158–61
 - of scalars, 128–38
 - of vectors, 128–41
 - physical examples, 132
 - round closed loop, 138
- linear dependence and independence
 - definition in a vector space, 2
 - relationship with rank, 25
- linear differential operator $\mathcal{L}$, 253, 287, 298
 - adjoint $\mathcal{L}^\dagger$, 303
 - eigenfunctions, *see* eigenfunctions, of linear differential operators
 - eigenvalues, *see* eigenvalues, of linear differential operators
 - for Sturm–Liouville equation, 308–12
 - Hermitian, 299, 303–7
 - self-adjoint, 303
- linear equations, differential
 - general ODE, 230–58
 - ODE with constant coefficients, 233–44
 - ODE with variable coefficients, 244–58
- linear equations, simultaneous, *see* simultaneous linear equations
- linear independence of functions, 231
 - Wronskian test, 232, 274
- linear integral operator $\mathcal{K}$, 518
 - and Schmidt–Hilbert theory, 529–31
 - Hermitian conjugate, 518
 - inverse, 518
- linear least squares, method of, 732, 795
- linear molecules, normal modes of, 63–4
- linear operators, 5–7
 - associativity, 6–7
 - distributivity over addition, 6–7
 - eigenvalues and eigenvectors, 41
 - in a particular basis, 6
 - inverse, 7
 - non-commutativity, 7
 - particular: identity, null or zero, singular and non-singular, 7
 - properties, 6–7
- linear vector spaces, *see* vector spaces
- Liouville's theorem, 568
- Ln of a complex number, 550
- $\ln$, natural logarithm of a complex number, 550
- longitudinal vibrations in a rod, 389
- lottery (UK), and hypergeometric distribution, 661
- lower triangular matrices, 37
- LU decomposition, 31–3
- marginal distributions, 685
- matrices, 1–58
 - as a vector space, 10
 - as arrays of numbers, 7
 - as representation of a linear operator, 7
 - column, 8
 - elements, 7
 - minors and cofactors, 17
 - identity or unit, 12
 - row, 8
 - zero or null, 12
- matrices, algebra of
 - addition, 9–10
 - and normal modes, *see* normal modes
 - change of basis, 49–51
 - Cholesky decomposition, 33, 76
 - diagonalization, *see* diagonalization of matrices
 - LU decomposition, 31–3
 - multiplication, 10–12
 - and common eigenvalues, 44
 - commutator, 74
 - non-commutativity, 12
 - multiplication by a scalar, 9–10
 - similarity transformations, *see* similarity transformations
 - simultaneous linear equations, *see* simultaneous linear equations
 - subtraction, 9
- matrices, derived
 - adjoint, 14–16
 - complex conjugate, 14–16
 - Hermitian conjugate, 14–16

- matrices, derived (*cont.*)
 - inverse, *see* inverse matrices
 - table of, 68
 - transpose, 8
- matrices, properties of
 - anti- or skew-symmetric, 38
 - anti-Hermitian, *see* anti-Hermitian matrices
 - determinant, *see* determinants
 - diagonal, 37
 - eigenvalues, *see* eigenvalues
 - eigenvectors, *see* eigenvectors
 - Hermitian, *see* Hermitian matrices
 - normal, *see* normal matrices
 - order, 7
 - orthogonal, 38–9
 - rank, 25
 - square, 7
 - symmetric, 38
 - trace or spur, 16
 - triangular, 37
 - unitary, *see* unitary matrices
- Maxwell's electromagnetic equations, 124, 160
- Maxwell–Boltzmann statistics, 632
- mean μ
 - from MGF, 651
 - from PGF, 647
 - of RVD, 638–9
 - of sample, 706
 - of sample: geometric, harmonic, root mean square, 707
- median of RVD, 639
- Mellin transforms, 217
- membrane
 - deformed rim, 433–5
 - normal modes, 447
 - transverse vibrations, 389, 447, 480
- method of images, 413, 466–73, 589
 - disc (section of cylinder), 472, 475
 - infinite plate, 467
 - intersecting plates in two dimensions, 469
 - sphere, 470–2, 484
- MGF, *see* moment generating functions
- minimum-variance estimator, 715
- minor of a matrix element, 17–18
- mode of RVD, 639
- moment generating functions (MGFs), 651–3
 - and central limit theorem, 682
 - and PGF, 651
 - mean and variance, 651
 - particular distributions
 - binomial, 656
 - exponential, 678
 - Gaussian, 652, 672
 - Poisson, 664
 - properties
 - scaling and shifting, 652
 - sums of RVs, 653
 - uniqueness, 653
 - variable-length sums of RVs, 653
- moments (of distributions)
 - central, 653
 - of RVD, 641
- Moreira's theorem, 565
- multinomial distribution, 657–9
- multiplication theorem, *see* Parseval's theorem
- multivalued functions, 551–3
 - integration of, 596–7
- multivariate distributions, 683
 - multinomial, 657–9
- mutually exclusive events, 614, 622
- $n_\ell(z)$, *see* spherical Bessel functions
- nabla ∇ , *see* gradient operator (grad)
- natural interval
 - for associated Laguerre equation, 311, 367
 - for associated Legendre equation, 311, 336, 337
 - for Bessel equation, 353
 - for Chebyshev equation, 311, 344
 - for Hermite equation, 311
 - for Laguerre equation, 311, 363
 - for Legendre equation, 311, 328
 - for simple harmonic oscillator equation, 311
 - for Sturm–Liouville equations, 309, 311
- natural logarithm, *see* $\ln$ and $\ln$
- negative binomial distribution, 659
- negative function, 300
- negative vector, 2
- Neumann boundary conditions, 411
 - Green's functions, 462, 473–6
 - method of images, 473–6
 - self-consistency, 473
- Neumann functions $Y_\nu(x)$, 352
- Neumann series, 526–8
- Neyman–Pearson test, 737
- nodes of oscillation, 406
- non-Cartesian coordinates, *see* curvilinear,
 - cylindrical polar, plane polar *and* spherical polar coordinates
- non-linear differential equations, *see* ordinary
 - differential equations, non-linear
- norm of
 - function, 301
 - vector, 4, 782

- normal
 - to coordinate surface, 116
 - to surface, 95, 100, 141
- normal derivative, 99
- normal distribution, *see* Gaussian (normal) distribution
- normal matrices, 40
 - eigenvectors
 - completeness, 793
- normal modes, 58–67
 - characteristic equation, 61
 - coupled pendulums, 80, 82
 - definition, 62
 - frequencies of, 61
 - linear molecular system, 63–4
 - membrane, 447
 - normal coordinates, 62
 - normal equations, 62
 - number of, 61*n*
 - rod–string system, 59–62
 - zero frequency mode, 64
- normalization of
 - eigenfunctions, 306
 - eigenvectors, 41
 - functions, 301
- null (zero)
 - matrix, 12, 13
 - operator, 7
 - vector, 2, 300
- observables in quantum mechanics, 43, 304
- odd functions, *see* antisymmetric functions
- ODE, *see* ordinary differential equations
- operators
 - Hermitian, *see* Hermitian operators
 - linear, *see* linear operators *and* linear differential operator
- order of ODE, 228
- ordinary differential equations (ODE), *see also* differential equations, particular
 - boundary conditions, 229, 230, 242
 - complementary function, 231
 - degree, 228
 - exact, 246–8
 - general form of solution, 229–30
 - higher-order, 228–62
 - homogeneous, 231
 - homogeneous in x or y alone, 260
 - linear, 230–58
 - non-linear, 258–62
 - x absent, 259
 - y absent, 258
 - order, 228
 - ordinary point, *see* ordinary points of ODE
 - particular integral (solution), 229, 232, 235–6
 - singular point, *see* singular points of ODE
 - singular solution, 229
- ordinary differential equations, methods for
 - eigenfunctions, 298–315
 - equations with constant coefficients, 233–44
 - Green's functions, 252–8
 - Laplace transforms, 242–4
 - partially known CF, 248
 - series solutions, 273–92, 349
 - undetermined coefficients, 235
 - variation of parameters, 250–2
- ordinary points of ODE, 275, 277–80
 - indicial equation, 286
- orthogonal matrices, 38–9
 - general properties, *see* unitary matrices
- orthogonal systems of coordinates, 115
- orthogonality of
 - eigenfunctions of an Hermitian operator, 305–7
 - eigenvectors of an Hermitian matrix, 42–4
 - functions, 301
 - terms in Fourier series, 171–2, 180
 - vectors, 4
- orthogonalization (Gram–Schmidt) of
 - eigenfunctions of an Hermitian operator, 306–7
 - eigenvectors of a normal matrix, 793
 - functions in a Hilbert space, 301–2
- orthonormal
 - basis functions, 301
 - basis vectors, 4–5
 - under unitary transformation, 50–1
- oscillations, *see* normal modes
- outcome, of trial, 612
- $P_\ell(x)$, *see* Legendre polynomials
- $P_\ell^m(x)$, *see* associated Legendre functions
- parabolic PDE, 399, 402
- parallelogram equality, 5
- parameter estimation (statistics), 713–29
 - Bessel correction, 724
 - error in mean, 722
 - mean, 721
 - standard deviation, 724
 - variance, 722–4
- parameters, variation of, 250–2
- parametric equations
 - of cycloid, 122
 - of surfaces, 94
- Parseval's theorem
 - conservation of energy, 208
 - for Fourier series, 181–3
 - for Fourier transforms, 208

- partial differential equations (PDE), 387–413, 421–76, *see also* differential equations, particular
 - arbitrary functions, 392–3, 394–7
 - boundary conditions, 393, 411–13, 431
 - equation types, 399
 - first-order, 393–9
 - general solution, 393–405
 - homogeneous, 397
 - inhomogeneous equation and problem, 397–99, 452–4, 460–76
 - particular solutions (integrals), 397–405
 - second-order, 399–411
- partial differential equations (PDE), methods for
 - change of variables, 403–5, 408–11
 - constant coefficients, 399
 - general solution, 401
 - integral transform methods, 455–60
 - method of images, *see* method of images
 - separation of variables, *see* separation of variables
 - superposition methods, 425–33
 - with no undifferentiated term, 396–7
- partial fractions, in inverse Laplace transforms, 213, 243
- particular integrals (PI), 229, *see also* ordinary differential equation, methods for *and* partial differential equations, methods for
- path integrals, *see* line integrals
- PDE, *see* partial differential equations
- PDF, *see* probability functions, density functions
- PDFs, 635
- Pearson's chi-squared test, 753
- pendulums, coupled, 80, 82
- periodic function representation, *see* Fourier series
- permutations, 627–33
 - distinguishable, 628
 - symbol nP_k , 627
- perpendicular vectors, 4
- PF, *see* probability functions
- PGF, *see* probability generating functions
- PI, *see* particular integrals
- plane polar coordinates, 89
 - arc length, 111
 - area element, 111
 - basis vectors, 89
 - velocity and acceleration, 89
- plane waves, 407, 423
- planes, and simultaneous linear equations, 35–6
- plates, conducting, *see also* complex potentials, for plates
 - line charge near, 469
 - point charge near, 467
- point at infinity, 276, 555
- point charges, δ -function representation, 199
- Poisson distribution $Po(\lambda)$, 661–6
 - and Gaussian distribution, 675–6
 - as limit of binomial distribution, 661, 664
 - mean and variance, 663
 - MGF, 664
 - multiple, 665–6
 - recurrence formula, 663
- Poisson equation, 319–20, 391, 452–4
 - fundamental solution, 465–6
 - Green's functions, 462–76
 - uniqueness, 412–13
- Poisson summation formula, 221
- polar coordinates, *see* plane polar *and* cylindrical polar *and* spherical polar coordinates
- pole, of a function of a complex variable
 - contours containing, 590–7, 599–602
 - order, 554, 571
 - residue, 571–3
- polynomial equations, number of roots, 579
- polynomial solutions of ODE, 280, 290–2
- populations, sampling of, 706
 - covariance and correlation, 726–9
 - moments, 725
 - covariance, 726
 - variance, 725
- positive (semi-)definite quadratic and Hermitian forms, 55
- positive semi-definite norm, 4
- potential energy of oscillating system, 59
- potential function
 - and conservative fields, 140
 - complex, 582–7
 - electrostatic, *see* electrostatic fields and potentials
 - gravitational, *see* gravitational fields and potentials
 - vector, 141
- power series
 - and differential equations, *see* series solutions of differential equations
- power series in a complex variable, 547–8
 - analyticity, 548
 - circle and radius of convergence, 547–8
 - convergence tests, 547, 548
 - form, 547
- power, in hypothesis testing, 737
- powers, complex, 549
- principal axes of quadratic surfaces, 57

- principal value of
 - complex integrals, 594
 - complex logarithms, 550
- probability, 617–91
 - axioms, 618
 - conditional, 622–6
 - Bayes' theorem, 625–6
 - combining, 623
 - definition, 618
 - for intersection $\cap$, 614
 - for union $\cup$, 614, 618, 621
- probability distributions, 633, *see also* probability distributions, individual
 - bivariate, *see* bivariate distributions
 - change of variables, 642–5
 - generating functions, *see* moment generating functions *and* probability generating functions
 - mean μ , 638–9
 - mean of functions, 639
 - mode, median and quartiles, 639
 - moments, 641–2
 - multivariate, *see* multivariate distributions
 - standard deviation σ , 640
 - table of
 - continuous distributions, 666
 - discrete distributions, 654
 - variance σ^2 , 640
- probability distributions, individual
 - binomial $\text{Bin}(n, p)$, 654–7
 - Cauchy (Breit–Wigner), 680
 - chi-squared (χ^2), 679
 - exponential, 678
 - gamma $\gamma(\lambda, r)$, 678
 - Gaussian (normal) $N(\mu, \sigma^2)$, 667–77
 - geometric, 659
 - hypergeometric, 660
 - multinomial, 657–9
 - negative binomial, 659
 - Poisson $\text{Po}(\lambda)$, 661–6
 - uniform (rectangular), 667
- probability functions (PFs), 633
 - cumulative (CPFs), 633, 635
 - density functions (PDFs), 635
- probability generating functions (PGFs), 646–51
 - and MGF, 651
 - binomial, 650
 - definition, 647
 - geometric, 648
 - mean and variance, 647–8
 - Poisson, 647
 - sums of RV, 649
 - trials, 647
 - variable sums of RV, 650–1
- quadratic forms, 53–8
 - positive definite and semi-definite, 55
 - quadratic surfaces, 57–8
 - removing cross terms, 54–5
 - stationary properties of eigenvectors, 55–7
- quartiles, of RVD, 639
- radius of convergence, 547
- random variable distributions, *see* probability distributions
- random variables (RV), 612, 633–7
 - continuous, 635–7
 - dependent, 683–91
 - discrete, 633–4
 - independent, 645, 687
 - sums of, 648–51
 - uncorrelated, 687
- rank of matrices, 25
 - and determinants, 25–6
 - and linear dependence, 25
- ratio test (D'Alembert), 548
- Rayleigh–Ritz method, 64–7, 512, 513
- rectangular distribution, 667
 - Fourier transform of, 201
- recurrence relations (functions), 330, 356–7
 - associated Laguerre polynomials, 368
 - associated Legendre functions, 338
 - Chebyshev polynomials, 346
 - Hermite polynomials, 373
 - Laguerre polynomials, 365
 - Legendre polynomials, 332
- recurrence relations (series), 237–42
 - characteristic equation, 240
 - coefficients, 278, 280
 - first-order, 238
 - second-order, 240
 - higher-order, 242
- regular functions, *see* analytic (regular) functions
- regular singular points, 275, 280–2
- repeated roots of auxiliary equation, 234
- residue
 - at a pole, 571–3
 - theorem, 573–5
- resolution function, 204
- resolvent kernel, 527, 528
- response matrix, for linear least squares, 732, 795
- Rodrigues' formula for
 - associated Laguerre polynomials, 367
 - associated Legendre functions, 334

- Rodrigues' formula for (*cont.*)
 - Chebyshev polynomials, 344
 - Hermite polynomials, 370
 - Laguerre polynomials, 363
 - Legendre polynomials, 326
 - orthonormal polynomials, 326n
- root test (Cauchy), 547
- roots of a complex variable, 550
- rope, suspended at its ends, 496
- rotation of a vector, *see* curl of a vector field
- row matrix, 8
- RV, *see* random variables
- RVD (random variable distributions), *see* probability distributions
- sampling
 - correlation, 711
 - covariance, 711
 - space, 612
 - statistics, 706–12
 - with or without replacement, 622–3
- scalar fields, 96
 - derivative along a space curve, 98
 - gradient, 97–100
 - line integrals, 128–38
 - rate of change, 98
- scalar product
 - and inner product, 3, 782
 - and perpendicular vectors, 4
- scale factors, 109, 111, 115
- scattering in quantum mechanics, 223
- Schmidt–Hilbert theory, 529–32
- Schrödinger equation, 391
 - constant potential, 480
 - hydrogen atom, 449
 - variational approach, 506
- Schwarz inequality, 5, 302, 784
- second-order differential equations, *see* ordinary differential equations *and* partial differential equations
- secular determinant, 46
- self-adjoint operators, 303–7, *see* Hermitian operators
- separable kernel in integral equations, 519–21
- separation constants, 423, 425
- separation of variables, for PDE, 421–54
 - diffusion equation, 424, 430–2, 445, 459
 - expansion methods, 449–52
 - general method, 421–5
 - Helmholtz equation, 445–9
 - inhomogeneous boundary conditions, 430–2
 - inhomogeneous equations, 452–4
 - Laplace equation, 425, 427–30, 433–45, 449
 - polar coordinates, 433–54
 - separation constants, 423, 425
 - superposition methods, 425–33
 - wave equation, 422–3, 445, 447
- series
 - convergence of, *see* convergence of infinite series
 - summation, *see* summation of series
- series, particular
 - Fourier, *see* Fourier series
 - power, *see* power series
- series solutions of differential equations, 273–92
 - about ordinary points, 277–80
 - about regular singular points, 280–2
 - Frobenius series, 281
 - convergence, 278
 - indicial equation, 282
 - linear independence, 282
 - polynomial solutions, 280, 290–2
 - recurrence relation, 278, 280
 - second solution, 279, 286–90
 - derivative method, 287–90
 - Wronskian method, 286, 325
- shortest path, 491
- similarity transformations, 49–51
 - properties of matrix under, 50
 - unitary transformations, 50–1
- simple harmonic oscillator, 299
 - energy levels of, 382–3
 - equation, 277, 310
- simple poles, 554
- simultaneous linear equations, 27–36
 - and intersection of planes, 35–6
 - homogeneous and inhomogeneous, 27
 - number of solutions, 27–8
 - solution using
 - Cramer's rule, 34–5
 - Gaussian elimination, 29–30
 - inverse matrix, 30–1
 - LU decomposition, 31–3
- sine, $\sin(x)$, orthogonality relations, 171–2
- singular and non-singular
 - integral equations, 518
 - linear operators, 7
 - matrices, 21
- singular point (singularity), 542, 553–6
 - essential, 554, 571
 - pole of order n , 554
 - removable, 555
- singular points of ODE, 275
 - irregular, 275
 - particular equations, 277
 - regular, 275

- singular solution of ODE, 229
- $\sinh$, hyperbolic sine, 550, *see also* hyperbolic functions
- sinusoidal functions, common values, 172
- skew-symmetric matrices, 38
- Snell's law, 498
- soap films, 493–4
- solenoidal vectors, 100, 141
- solid angle
 - as surface integral, 147
 - subtended by rectangle, 165
- source density, 391
- spaces, *see* vector spaces
- span of a set of vectors, 2
- spherical Bessel functions, 360–1
 - of first kind $j_\ell(z)$, 360
 - of second kind $n_\ell(z)$, 360
- spherical Bessel functions $j_\ell(z)$, $n_\ell(z)$, 449
- spherical harmonics $Y_\ell^m(\theta, \phi)$, 339–40
 - addition theorem, 340
- spherical polar coordinates, 111–12
 - area element, 112
 - basis vectors, 111
 - length element, 112
 - vector operators, 111–12
 - volume element, 112
- spur, of a matrix, *see* trace of a matrix
- square matrices, 7
- square-wave, Fourier series for, 174
- stagnation points of fluid flow, 584
- standard deviation σ , 640
 - of sample, 708
- standing waves, 405
- stationary values
 - of integrals, 488
- statistical tests, and hypothesis testing, 736
- statistics, 612, 705–55
 - describing data, 706–12
 - estimating parameters, 713–29
- Stirling's
 - approximation, 375, 673
 - asymptotic series, 375
- Stokes' equation, 383, 511
- Stokes' theorem, 139, 158–61
 - physical applications, 160
 - related theorems, 159
- streamlines and complex potentials, 584
- string
 - loaded, 510
 - plucked, 482
 - transverse vibrations of, 388, 500
- Student's t -distribution
 - normalization, 742
 - plots, 743
- Student's t -test, 740–6
 - comparison of means, 745
 - critical points table, 744
 - one- and two-tailed confidence limits, 744
- Sturm–Liouville equations, 308–12
 - boundary conditions, 308–9
 - examples, 310
 - associated Laguerre, 310, 367
 - associated Legendre, 310, 336, 337
 - Bessel, 310, 353–6
 - Chebyshev, 310, 344
 - confluent hypergeometric, 310
 - Hermite, 310
 - hypergeometric, 310
 - Laguerre, 310, 363
 - Legendre, 310, 328
 - manipulation to self-adjoint form, 309–12
 - natural interval, 309, 311
 - two independent variables, 514
 - variational approach, 501–6
 - weight function, 501
 - zeros of eigenfunctions, 317
- submatrices, 25–6
- subscripts
 - and the summation convention, 786
 - dummy, 787
 - free, 787
- summation convention, 67, 786–8
- summation of series
 - contour integration method, 597–9
 - Fourier series method, 183
- superposition methods
 - for ODE, 298, 312–15
 - for PDE, 425–33
- surface area, as a vector, 145–6
 - as a line integral, 145
- surface integrals
 - and divergence theorem, 153
 - Archimedean upthrust, 147, 165
 - of scalars, vectors, 141–7
 - physical examples, 147
- surfaces, 94–6
 - area of, 95
 - sphere, 95
 - coordinate curves, 95
 - normal to, 95, 100
 - parametric equations, 94
 - quadratic, 57–8
 - tangent plane, 95

- symmetric functions, 171
 - and Fourier series, 174–5
 - and Fourier transforms, 203
- symmetric matrices, 38
 - general properties, *see* Hermitian matrices
- t*-test, *see* Student's *t*-test
- tangent planes to surfaces, 95
- tanh, hyperbolic tangent, *see* hyperbolic functions
- Taylor series
 - and Taylor's theorem, 568
 - for functions of a complex variable, 568–9
- test statistic, 736
- top-hat function, *see* rectangular distribution
- trace of a matrix, 16
 - as sum of eigenvalues, 46, 53
 - invariance under similarity transformations, 50
- transformation matrix, 49, 54–5
- transformations
 - conformal, 556–9
 - coordinate, *see* coordinate transformations
 - similarity, *see* similarity transformations
- transforms, integral, *see* integral transforms *and* Fourier transforms *and* Laplace transforms
- transients, and the diffusion equation, 431
- transpose of a matrix, 8, 13–14
 - product rule, 14
- transverse vibrations
 - membrane, 389, 447, 480
 - rod, 482
 - string, 388
- trial functions
 - for eigenvalue estimation, 503
 - for particular integrals of ODE, 235
- trials, 612
- triangle inequality, 5, 303, 784
- triangular matrices, 31, 37
- uncertainty principle (Heisenberg), 193–5
- undetermined coefficients, method of, 235
- undetermined multipliers, *see* Lagrange
 - undetermined multipliers
- uniform distribution, 667
- union $\cup$
 - algebra of, 616
 - probability for, *see* probability, for union
- uniqueness theorem
 - Klein–Gordon equation, 419
 - Laplace equation, 449
 - Poisson equation, 412–13
- unit step function, *see* Heaviside function
- unitary matrices, 39
 - eigenvalues and eigenvectors, 43
- unitary transformations, 50–1
- upper triangular matrices, 37
- variables, separation of, *see* separation of variables
- variance σ^2 , 640
 - from MGF, 652
 - from PGF, 647
 - of dependent RV, 688
 - of sample, 708
- variation of parameters, 250–2
- variation, constrained, 496–8
- variational principles, physical, 498–500
 - Fermat, 498
 - Hamilton, 499
- variations, calculus of, *see* calculus of variations
- vector operators, 96–119
 - acting on sums and products, 103–5
 - combinations of, 105–7
 - curl, 102, 118
 - del ∇ , 97
 - del squared ∇^2 , 102
 - divergence (div), 100
 - geometrical definitions, 149–52
 - gradient operator (grad), 97–100, 116
 - identities, 105
 - Laplacian, 102, 118
 - non-Cartesian, 107–19
- vector spaces, 2–5
 - associativity of addition, 2
 - basis vectors, 3
 - commutativity of addition, 2
 - complex, 2
 - defining properties, 2
 - dimensionality, 2
 - inequalities: Bessel, Schwarz, triangle, 5, 784–5
 - matrices as an example, 10
 - of infinite dimensionality, 300–3
 - associativity of addition, 300
 - basis functions, 300
 - commutativity of addition, 300
 - defining properties, 300
 - Hilbert spaces, 301–3
 - inequalities: Bessel, Schwarz, triangle, 302–3
 - parallelogram equality, 5
 - real, 2
 - span of a set of vectors in, 2
- vectors
 - as geometrical objects, 1
 - base, 89
 - column, 8

- irrotational, 102
- non-Cartesian, 89, 108, 111
- solenoidal, 100, 141
- span of, 2
- vectors, calculus of, 87–119
 - differentiation, 87–91, 93
 - integration, 92–3
 - line integrals, 128–41
 - surface integrals, 141–7
 - volume integrals, 147–9
- vectors, derived quantities
 - curl, 102
 - derivative, 87
 - differential, 91, 93
 - divergence (div), 100
 - vector fields, 96
 - curl, 158
 - divergence, 100
 - flux, 147
 - rate of change, 99
- vectors, physical
 - acceleration, 88
 - angular velocity, 103
 - area, 145–6, 160
 - velocity, 88
- velocity vectors, 88
- Venn diagrams, 612–17
- vibrations
 - internal, *see* normal modes
 - longitudinal, in a rod, 389
 - transverse
 - membrane, 389, 447, 480, 512, 514
 - rod, 482
 - string, 388, 500
- Volterra integral equation, 517, 518
 - differentiation methods, 525
 - Laplace transform methods, 523
- volume elements
 - curvilinear coordinates, 115
 - cylindrical polars, 109
 - spherical polars, 112
- volume integrals, 147–9
 - and divergence theorem, 153
- volumes, as surface integrals, 148, 153
- wave equation, 388–9, 400, 500
 - boundary conditions, 406–7
 - from Maxwell's equations, 124
 - in one dimension, 401, 405–7
 - in three dimensions, 407, 422, 445
 - standing waves, 405
- wave number, 195, 405n
- wave packet, 194
- wave vector, $\mathbf{k}$, 195
- Weber functions $Y_\nu(x)$, 352
- weight function, 299, 501
- work done by force, 132
- Wronskian
 - and Green's functions, 269
 - for second solution of ODE, 286, 325
 - from ODE, 274
 - test for linear independence, 232, 274
- $Y_\ell^m(\theta, \phi)$, *see* spherical harmonics
- $Y_\nu(x)$, Bessel functions of second kind, 352
- Young's modulus, 389
- zero (null)
 - matrix, 12, 13
 - operator, 7
 - vector, 2, 300
- zeros of a function of a complex variable, 555
 - order, 556, 570
- zeros of Sturm–Liouville eigenfunctions, 317