

INDEX

Abronia Jussieu, 136
umbellata Lamarck, 136
 'Grandiflora', 136
Acanthocalycium aurantiacum Rausch, 250
chionanthum (Spegazzini) Backeberg, 250
glaucum Ritter, 250
klimpelianum (Weidlich & Werdermann)
 Backeberg, 250
peitscherianum Backeberg, 250
spiniflorum (Schumann) Backeberg, 250
thionanthum (Spegazzini) Backeberg, 250
variiflorum Backeberg, 250
violaceum (Werdermann) Backeberg, 250
Acanthocereus (Berger) Britton & Rose, 221
pentagonus (Linnaeus) Britton & Rose, 221
tetragonus (Linnaeus) Hummelman, 221
Acantholobivia tegeleriana (Backeberg) Backeberg, 254
Aceranthus diphylloides Morren & Decaisne, 413
Acharagma (Taylor) Glass, 298
 roseanum (Boedecker) Anderson, 298
Achlys de Candolle, 415
californica Fukuda & Baker, 415
triphylla (Smith) de Candolle, 415
Aconitum Linnaeus, 355–358
amplexicaule Lauener, 358
anthora Linnaeus, 356
bicolor Schultes, 358
californicum misapplied, 358
 × *cammarum* Linnaeus, 358
carmichaelii Debeaux, 358
firme Reichenbach, 356
fischeri Forbes & Hemsl., 358
fischeri Reichenbach, 358
hemslelianum Pritzl., 358
henryi Pritzl., 358
lamarckii Reichenbach, 356
lycoctonum Linnaeus, 356
 subsp. *lycoctonum*, 356
 subsp. *moldavicum* (Hacquet) Jalas, 356
 subsp. *neapolitanum* (Tenore) Nyman, 356
 subsp. *vulparia* (Reichenbach) Schinz & Keller, 356
moldavicum Hacquet, 356
napellus Linnaeus, 356, 358
orientalis Miller, 356
paniculatum Lamarck, 358
pyramidalis Miller, 356
pyrenaicum Linnaeus, 356
septentrionale Koelle, 356
 × *stoerckianum* Reichenbach, 358
tauricum Wulfen, 356
uncinatum Linnaeus, 358

variegatum Linnaeus, 358
vilmorinianum Komarov, 358
vulabile misapplied, 358
vulabile Pallas, 358
vulparia Reichenbach, 356
Aconogonon campanulatum (Hooker) Hara, 131
molle (Don) Hara, 131
polystachyum (Meissner) Haraldson, 131
weyrichii (Schmidt) Hara, 131
Acrodon Brown, 143
bellidiflorus (Linnaeus) Brown, 143
Actaea Linnaeus, 344–345
acuminata Royle, 345
alba (Linnaeus) Miller, 345
forma rubrocarpa (Killip) Fernald, 345
alba Mackenzie & Rydberg, 345
arguta Nuttall, 345
asiatica Hara, 345
eburnea Rydberg, 345
erythrocarpa Fischer, 345
neglecta Gillman, 345
nigra Gaertner, 345
pachypoda Elliot, 345
rubra (Aiton) Willdenow, 345
 forma *neglecta* (Gillman) Robinson, 345
 subsp. *arguta* (Nuttall) Hultén, 345
spicata Linnaeus, 345
 var. *acuminata* (Royle) Hara, 345
 var. *alba* Linnaeus, 345
 var. *rubra* Aiton, 345
Actinidia Lindley, 453–454
arguta (Siebold & Zuccarini) Miquel, 453–454
 var. *cordifolia* (Miquel) Dunn, 453
 var. *purpurea* (Rehder) Liang, 454
 var. *rufa* (Siebold & Zuccarini) Maximowicz, 453
callosa Lindley, 454
chinensis Planchon, 454
 var. *deliciosa* (Chevalier) Chevalier, 454
 var. *hispida* Liang, 454
deliciosa (Chevalier) Liang & Ferguson, 454
 'Bruno', 454
 'Hayward', 454
 'Matua', 454
 'Tomuri', 454
 var. *deliciosa*, 454
giraldii Diels, 454
kolomikta (Maximowicz & Ruprecht) Maximowicz, 454
 var. *gagnepainii* (Nakai) Li, 454
 var. *kolomikta*, 454
latifolia Merrill var. *deliciosa* Chevalier, 454
melanandra Franchet, 454

polygama (Siebold & Zuccarini) Maximowicz, 454
 var. *lecomtei* (Nakai) Li, 454
 var. *polygama*, 454
polygama misapplied, 453
purpurea Rehder, 454
vulobilis misapplied, 453
vulobilis (Siebold & Zuccarini) Miquel, 454
Actinidiaceae, 453–455
Adlumia de Candolle, 537
 fungosa (Aiton) Britton, Sterns & Poggenburg, 537
Adonis Linnaeus, 387–389
aestivalis Linnaeus, 388
aleppica Boissier, 388
amurensis Regel & Radde, 388
annua Linnaeus, 388
autumnalis Linnaeus, 388
chrysocathus Hooker & Thomson, 388
flammea Jacquin, 387–388
pyrenaica de Candolle, 388
vernalis Linnaeus, 388
volgensis Steven, 388
Aerva Forsskål, 207–208
sanguinea Anon., 208
sanguinolenta Blume, 208
scandens (Roxburgh) Wallich, 208
 forma *sanguinea* Standley, 208
Aethionema R. Brown, 575–576
armenum Boissier, 576
 'Warley Rose', 576
bourgaei Boissier, 576
cardiophyllum Boissier & Heldreich, 575
chlorifolium (Sibthorp & Smith) de Candolle, 576
cordatum (Desfontaines) Boissier, 575
coridifolium de Candolle, 576
creticum Boissier & Heldreich, 576
diastrophis Bunge, 576
gracile de Candolle, 576
graecum Boissier & Spruner, 576
grandiflorum Boissier & Hohenacker, 576
iberideum (Boissier) Boissier, 576
jucundum misapplied, 576
koenigii Woronow, 575
kotschyii misapplied, 576
lacerum Boissier & Balansa, 575
oppositifolium (Persoon) Hedge, 576
ovalifolium (de Candolle) Boissier, 576
ovalifolium misapplied, 576
pulchellum Boissier & Huet, 576
recurvum Haussknecht & Bornmuller, 576
rotundifolia misapplied, 576
saxatile (Linnaeus) R. Brown, 576

- Aethionema* R. Brown (*continued*)
 subsp. *creticum* (Boissier & Heldreich) I.A. Anderson et al, 576
 subsp. *graeum* (Boissier & Spruner) Hayek, 576
 subsp. *ovalifolium* (de Candolle) Nyman, 576
 subsp. *saxatile*, 576
schistosum Boissier & Kotschy, 576
stylosum de Candolle, 575–576
theodorum misapplied, 576
thomasianum Gray, 576
trinervium (de Candolle) Boissier, 576
- Agrostemma* Linnaeus, 188
coeli-rosa Linnaeus, 187
coronaria Linnaeus, 187
flos-jovis Linnaeus, 187
githago Linnaeus, 188
- Aizoaceae*, 137–176
- Akebia* Decaisne, 420
lobata Decaisne, 420
quinata (Houttuyn) Decaisne, 420
 × *pentaphylla* (Makino) Makino, 420
trifoliata (Thunberg) Koidzumi, 420
- Aldrovanda* Linnaeus, 515
vesiculosa Linnaeus, 515
- Alliaria* Scopoli, 550
petiolata (Bieberstein) Cavara & Grande, 550
- Allocasuarina* *littoralis* (Salisbury) Johnson, 15
torulosa (Aiton) Johnson, 15
verticillata (Lamarck) Johnson, 15
- Alluaudia* Drake, 318
ascendens (Drake) Drake, 318
comosa Drake, 318
dumosa Drake, 318
humbertii Choux, 318
montagnacii Rauh, 318
procera (Drake) Drake, 318
- Alluaudiopsis* Humbert & Choux, 317
fiberensis Humbert & Choux, 317
marnieriana Rauh, 317
- Alnus* Miller, 45–49
cordata Desfontaines, 49
cordifolia Tenore, 49
 firma Siebold & Zuccarini, 47
 var. *multinervis* Regel, 47
glutinosa (Linnaeus) Gaertner, 48
 'Aurea', 48
 'Pyramidalis', 48
- hirsuta* (Spach) Ruprecht, 48
 var. *sibirica* (Spach) Schneider, 48
- incana* (Linnaeus) Moench, 48
 'Ramulis Coccineis', 48
 var. *hirsuta* Spach, 48
- japonica* (Thunberg) Steudel, 48
- maritima* (Marshall) Nuttall, 49
- maximowiczii* Callier, 49
- nepalensis* Don, 49
- nitida* (Spach) Endlicher, 48–49
- oregona* Nuttall, 48
- pendula* Matsumura, 47–48
- rubra* Bongard, 48
- rugosa* (Duroi) Sprengel, 48
 var. *serrulata* Aiton, 48
- serrulata* (Aiton) Willdenow, 48
- sieboldiana* Matsumura, 47
- sinuata* (Regel) Rydberg, 47
sitchensis Sargent, 47
 × *spaethii* Callier, 48
- subcordata* Meyer, 49
- subgenus *Alnobetula* (Ehrhart) Persoon, 47
- subgenus *Alnus*, 48
viridis (Chaix) de Candolle, 47
 subsp. *crispata* (Aiton) Turrill, 47
- Aloinopsis* Schwantes, 156–157
jamesii Bolus, 157
luckhoffii (Bolus) Bolus, 157
malherbei (Bolus) Bolus, 156–157
peersii (Bolus) Bolus, 156
rubrolineata (Brown) Schwantes, 157
setifera (Bolus) Bolus, 157
spathulata (Thunberg) Bolus, 157
villettii (Bolus) Bolus, 157
- Alsine aretoides* (Sommerauer) Mertens & Koch, 199
cherleri Fenzl, 200
graminifolia Vitman, 199
laricifolia (Linnaeus) Crantz, 200
octandra (Sieber) Kerner, 199
recurva (Allioni) Wahlenberg, 199
sedoides (Linnaeus) Kittel, 200
verna (Linnaeus) Wahlenberg, 199
- Alternanthera* Forsskål, 208
amoena (Lemaire) Voss, 208
bettzickiana (Regel) Nicholson, 208
ficoidea (Linnaeus) Roemer & Schultes, 208
 'Amoena', 208
 'Bettzickiana', 208
 'Versicolor', 208
versicolor (Lemaire) Seubert, 208
- Alyssoides* Miller, 562
cretica (Linnaeus) Medicus, 562
graeca (Reuter) Jávorka, 562
utriculata (Linnaeus) Medicus, 562
- Alyssum* Linnaeus, 562–566
alpestre Linnaeus, 566
arduini Fritsch, 567
argenteum misapplied, 566
atlanticum Desfontaines, 566
clypeata Linnaeus, 562
corymbosum (Grisebach) Boissier, 567
creticum Linnaeus, 562
cuneifolium Tenore, 566
edentulum Waldstein & Kitaibel, 567
gemonense Linnaeus, 567
halimifolium misapplied, 565
idaeum Boissier & Heldreich, 566
lagascae misapplied, 565
lapeyrousonianum Jordan, 565
ligusticum Breistroffer, 565
longicaule Boissier, 565
maritimum Linnaeus, 567
moellendorfianum G. Beck, 566
montanum Linnaeus, 566
murale Waldstein & Kitaibel, 566
orientale Arduino, 567
ovirensis Kerner, 566
petraeum Arduino, 567
podolicum Besser, 568
pulvinare Velenovsky, 566
purpureum Lagasca & Rodriguez, 565
pyrenaicum Picot de Lapeyrouse, 565
- repens* Baumgarten, 565
reverchonii (Degen & Hervier) Greuter & Burdet, 565
rostratum misapplied, 566
rupestre Tenore, 567
saxatile Linnaeus, 567
serpyllifolium Desfontaines, 566
sinuatum Linnaeus, 567
speciosum Pomel, 566
spinosum Linnaeus, 565
stribriyi Velenovsky, 566
transilvanicum misapplied, 565
trichostachyum Ruprecht, 565
vesicaria Linnaeus, 573
wierzbickii Heuffel, 566
wulfenianum Bernhardi, 565
- Amaranthaceae*, 206–209
- Amaranthus* Linnaeus, 206–207
chlorostachys Linnaeus, 207
caudatus Linnaeus, 207
cruentus Linnaeus, 207
gangeticus Linnaeus, 207
hybridus Linnaeus, 207
 subsp. *incurvatus* var. *cruentus* (Linnaeus) Mansfeld, 207
hypochondriacus Linnaeus, 207
melancholicus Linnaeus, 207
paniculatus Linnaeus, 207
retroflexus Linnaeus, 207
salicifolius Veitch, 207
tricolor Linnaeus, 207
 var. *salicifolius* (Veitch) Aellen, 207
 'Splendens', 207
- Amphibolia* Bolus, 175
littlewoodii (Bolus) Bolus, 175
- Anabasis* Linnaeus, 205–206
aphylla Linnaeus, 205–206
- Anacampseros* Linnaeus, 179–180
albissima Marloth, 180
alstonii Schonland, 180
arachnoides Sims, 180
buderiana von Poellnitz, 180
densifolia Dinter, 180
dinteri Schinz, 180
filamentosa Sims, 180
papyracea Sonder, 180
quinaria Sonder, 180
rufescens de Candolle, 180
 Subgenus *Anacampseros*, 179
 Subgenus *Avonia* Meyer, 179
 Subgenus *Telephiastrum* Dilleni, 179
telephiastrum de Candolle, 180
- Anamirta* Colebrook, 421
coccinea (Linnaeus) Wight & Arnott, 421
paniculata Colebrook, 421
- Anastatica* Linnaeus, 554–555
heirochuntica Linnaeus, 555
- Ancistrocactus brevihamatus* (Engelmann) Britton & Rose, 282
- crassihamatus* (Weber) Benson, 282
megarhizus (Rose) Britton & Rose, 282
scheeri (Salm-Dyck) Britton & Rose, 282
uncinatus (Galeotti) Benson, 282
- Androsaemum cambessedesii* Nyman invalid, 485
- hircinum* (Linnaeus) Spach, 484

INDEX

599

- officinale* Allioni, 484
parviflorum Spach, 484
pyramidalis invalid, 484
vulgare Gaertner, 484
webbianum Spach, 484
xystostylolum Spach, 485
Anemone Linnaeus, 367–373
albana Steven, 374
subsp. armena (Boissier) Smirnov, 374
alpina Linnaeus, 373
altaica Meyer, 369–370
apennina Linnaeus, 369
 var. *albiflora* Strobl, 369
armena Boissier, 374
baldensis Linnaeus, 372
biarniensis Juzepczuk, 373
biflora de Candolle, 371
blanda Schott & Kotschy, 370
 ‘Atrocaerulea’, 370
 ‘Charmer’, 370
 ‘Ingramii’, 370
 ‘Radar’, 370
 ‘Scythinica’, 370
 ‘White Splendour’, 370
 var. *parvula* de Candolle, 370
bucharica Finet & Gagnepain, 371
canadensis Linnaeus, 372
caucasica Ruprecht, 370
coronaria Linnaeus, 370
 De Caen group, 370
 St Brigid group, 370
 var. *alba* (Goaty & Pons) Burnat, 370
 var. *coccinea* (Gordon) Burnat, 370
 var. *coronaria*, 370
 var. *cyanea* (Risso) Arduino, 370
 var. *rosea* (Hanry) Rouy & Foucaud, 370
cylindrica Gray, 372
demissa Hooker & Thomson, 372
dichotoma Linnaeus, 369
 × *elegans* Decaisne, 372
eranthoides Regel, 371
fasciculata Linnaeus, 372
flaccida Schmidt, 369
 × *fulgens* Gay, 370–371
 ‘Annulata Grandiflora’, 371
 ‘Multipetala’, 371
 St Bavo Group, 367, 371
globosa Pritzel, 372
gortschakowii Karelin & Kirilov, 371
heldreichiana (Boissier) Gandoner, 370
hepatica Linnaeus, 375
hirsutissima (Britton) Macmillan, 375
hortensis Linnaeus, 370
hudsoniana Richardson, 372
hupehensis Lemoine, 371
 var. *japonica* (Thunberg) Bowles & Steam, 371
 × *hybrida* Paxton, 372
 ‘Honorine Jobert’, 372
 × *intermedia* Winkler, 369
keiskeana Ito, 369
 × *lesseri* Wehrhahn, 372
 × *lipsiensis* Beck, 369
ludoviciana de Candolle, 375
magellanica in gardens, 372
montana Hoppe, 374
multifida Poiret, 372
narcissiflora Linnaeus, 372–373
nemorosa Linnaeus, 369
 ‘Alboplena’, 369
 ‘Allenii’, 369
 ‘Bracteata’, 369
 ‘Leeds Variety’, 369
 ‘Lismore Pink’, 369
 ‘Robinsoniana’, 369
 ‘Vestal’, 369
nipponica Merrill, 371
nuttalliana de Candolle, 375
nuttallii Nuttall, 375
obtusiloba Don, 373
occidentalis Watson, 374
palmata Linnaeus 370,
patens Linnaeus, 375
 subsp. *hirsutissima* (Britton) Zamels, 375
 var. *nuttalliana* (de Candolle) Gray, 375
pavonina Lamarck, 370–371
 var. *ocellata* (Moggridge) Bowles & Stearn, 370
 var. *purpureo-violacea* (Boissier) Halacsy, 370
petiolulosa Juzepczuk, 371
polyanthes Don, 373
pratensis Linnaeus, 374
pulsatilla Linnaeus, 374
radeana Regel, 370
ranunculoides Linnaeus, 369
 ‘Flore Pleno’, 369
 ‘Grandiflora’, 369
 ‘Pleniflora’, 369
rivularis de Candolle, 373
rupicola Cambessedes, 372
 × *seemannii* Camus, 369
stellata Lamarck, 370
 var. *heldreichii* Boissier, 370
sylvestris Linnaeus, 372
 ‘Flore Pleno’, 372
 ‘Macrantha’, 372
tetrasperma Royle, 372
thalictroides Linnaeus, 367
tomentosa (Maximowicz) P'ei, 371
transsilvanica (Fuss) Heuffel, 375
trifolia Linnaeus, 369
 subsp. *albida* (Matiz) Tutin, 369
 subsp. *trifolia*, 369
trullifolia Hooker & Thomson, 373
tschernjaewii Regel, 371
vernalis Linnaeus, 374
virginiana Linnaeus, 372
vitifolia de Candolle, 371
vitifolia misapplied, 371
 ‘Robustissima’, 371
wolfgangiana Besser, 375
zephyra Nelson, 373
Anemonella Spach, 367
 (Linnaeus) Spach, 367
Anemonopsis Siebold & Zuccarini, 353
 macrophylla Siebold & Zuccarini, 353
Anemopsis Hooker, 429
 californica Hooker, 429
Anhalonium kotschoubeyanum Lemaire, 289
trigonum Weber, 290
Annona Linnaeus, 331–332
cherimola Miller, 331–332
 ‘Booth’, 332
glabra Linnaeus, 331
muricata Linnaeus, 331
reticulata Linnaeus, 332
squamosa Linnaeus, 331
Annonaceae, 331–333
Anredera Jussieu, 182
 cordifolia (Tenore) van Steenis, 182
Antegibbaeum Schwantes, 167
 fissoides (Haworth) Schwantes, 167
Antidesma scandens Loureiro, 103
Antigonon Endlicher, 132
 leptopus Hooker & Arnott, 132
 ‘Album’, 132
Aporocactus conzattii Britton & Rose, 231
 flagelliformis (Linnaeus) Lemaire, 231
 flagriformis (Pfeiffer) Britton & Rose, 231
 leptophis (de Candolle) Britton & Rose, 231
 var. *martianus* (Zuccarini) Britton & Rose, 231
Aptenia Brown, 140
 cordifolia Brown, 140
 ‘Variegata’, 140
Aquilegia Linnaeus, 349–353
 ikitensis Huth, 351
 alpina Linnaeus, 351
 ‘Alba’, 351
 ‘Atrovioletacea’, 351
amaliae Boissier, 350
amurensis misapplied, 350
atrata Koch, 350
atrovioletacea Beck, 350
baicalensis, 350
beata Rapaics, 351
bertolonii Schott, 351
buergeriana Siebold & Zuccarini, 352
caerulea James, 352
canadensis Linnaeus, 352
chrysanthia Gray, 352
clemataquila, 350
discolor Levier & Leresche, 351
ecalcarata Maximowicz, 349
einseleana Schultz, 351–352
elegantula Greene, 352
flabellata Siebold & Zuccarini, 350–351
 ‘Nana Alba’, 351
 var. *pumila* Kudo, 351
flavescens Watson, 352
formosa Fischer, 352
 var. *flavescens* Hooker, 352
fragrans Bentham, 352
glandulosia Link, 352
glaucia Lindley, 352
grata Zimmeter, 351
guarensis Losa, 351
japonica Nakai & Hara, 350
jonesii Parry, 351
lactiflora Karelin & Kirilow, 352–353
longissima Watson, 352
nevadensis Boissier & Reuter, 351
olympica Boissier, 350
oxysepala Trautvetter & Meyer, 350
pyrenaica de Candolle, 351

- Aquilegia Linnaeus (continued)*
- reuteri* Boissier, 352
 - saximontana* Rydberg, 351
 - scopulorum* Tidestrom, 351
 - sibirica* Lamarck, 350
 - skinneri* Hooker, 353
 - suaveolens* Durand & Jackson, 352
 - thalicrifolia* Schott & Kotschy, 352
 - viridiflora* Pallas, 353
 - vulgaris* Linnaeus, 350
 - 'Flore Plena', 350
 - 'Nivea', 350
 - var. *caryophylloides*, 350
 - var. *stellata*, 350
 - Arabis Linnaeus*, 558–560
 - albida* Steven, 559
 - alpina* Linnaeus, 559
 - 'Aureovariegata', 560
 - 'Coccinea', 559–560
 - 'Flore plena', 559–560
 - 'Grandiflora superba', 560
 - 'Rosabella', 560
 - 'Rosea', 560
 - 'Variegata', 560
 - subsp. *alpina*, 559
 - subsp. *brevifolia* (de Candolle) Cullen, 559
 - subsp. *caucasica* (Willdenow) Briquet, 559
 - androsacea* Fenzl, 559
 - arendsii* misapplied, 560
 - aubretioides* Boissier, 559
 - bellidifolia* Jacquin, 560
 - billardieri* de Candolle, 559
 - blepharophylla* Hooker & Arnott, 558
 - brevifolia* de Candolle, 559
 - bryoides* Boissier, 559
 - caerulea* (Allioni) Haenke, 559
 - carduchorum* Boissier, 559
 - caucasica* Willdenow, 559
 - collina* Tenore, 558–559
 - cypria* Holmboe, 560
 - ferdinand-coburgii* J. Kellerer & Sündermann, 559
 - flavescens* Weltot, 559
 - jacquinii* G. Beck, 560
 - japonica* (A. Gray) A. Gray, 558
 - × *kellери* Sündermann, 559
 - lucida* misapplied, 559
 - mollis* misapplied, 559
 - muralis* Bertoloni, 558
 - praecox* misapplied, 559
 - procurrens* Waldstein & Kitaibel, 559
 - pumila* Jacquin, 560
 - rosea* de Candolle, 558
 - serrata* Franchet & Savatier, 558
 - soyeri* Reuter & Huet, 560
 - subsp. *jacquinii* (G. Beck) B.M.G. Jones, 560
 - stelleri* de Candolle, 558
 - var. *japonica* (A. Gray) F. Schmidt, 558
 - × *suendermannii* Sündermann, 559
 - verna* (Linnaeus) R. Brown, 560
 - vochinensis* Sprengel, 559
 - × *wilczekii* Sündermann, 559
 - Arceuthobium* Bieberstein, 123–124
 - oxycedri* (de Candolle) Bieberstein, 123–124
 - Arenaria Linnaeus*, 198–199
 - aggregata* (Linnaeus) Loiseleur, 199
 - balearica* Linnaeus, 199
 - capitata* Lamarck, 199
 - ciliata* Linnaeus, 199
 - erinacea* Boissier, 199
 - graminifolia* Schrader, 199
 - ledebouriana* Fenzl, 199
 - montana* Linnaeus, 199
 - norvegica* Gunnnerus, 199
 - procera* Sprengel, 198
 - purpurascens* de Candolle, 199
 - tetraquetra* Linnaeus, 199
 - verna* Linnaeus, 199
 - Arequipa hampeliana* (Guerke) Oehme, 246
 - rettigii* (Quehl) Oehme, 246
 - spinossissima* Ritter, 246
 - weingartiana* Backeberg, 246
 - Argemone Linnaeus*, 521–522
 - alba* James, 522
 - grandiflora* Sweet, 5211
 - mexicana* Linnaeus, 521
 - platyceras* Link & Otto, 521
 - polyanthemos* (Feddé) Ownbey, 522
 - Argyroderma* Brown, 155–156
 - aureum* Bolus, 156
 - braunsii* (Schwantes) Schwantes, 156
 - brevisipes* (Schlechter) Bolus, 156
 - delaetii* Maass, 156
 - fissum* (Haworth) Bolus, 156
 - framesii* Bolus, 156
 - subsp. *framesii*, 156
 - subsp. *hallii* (Bolus) Hartmann, 156
 - jamesii* Bolus, 156
 - luckhoffii* Bolus, 156
 - orientale* Bolus, 156
 - patens* Bolus, 156
 - pearsonii* (Brown) Schwantes, 156
 - roseum* Schwantes, 156
 - rubrolineatus* (Brown) Schwantes, 156
 - schildtii* Schwantes, 156
 - setifera* (Bolus) Bolus, 156
 - spathulata* (Thunberg) Bolus, 156
 - subalbum* (Brown) Brown, 156
 - testiculare* (Aiton) Brown, 156
 - villetii* (Bolus) Bolus, 156
 - Ariocarpus Scheidweileri*, 289–290
 - agavoidea* (Castaneda) Anderson, 290
 - fissuratus* (Engelmann) Schumann, 289
 - var. *lloydii* (Rose) Marshall, 289
 - furfuraceus* (Watson) Thompson, 290
 - kotschoubeyanus* (Lemaire) Schumann, 289–290
 - var. *lloydii* Rose, 289
 - macdowellii* Marshall, 289
 - retusus* Scheidweiler, 290
 - scaphirostris* Boedeker, 290
 - trigonos* (Weber) Schumann, 290
 - Aristolochia Linnaeus*, 440–442
 - altissima* Desfontaines, 441
 - baetica* Linnaeus, 441
 - brasiliensis* Martius & Zuccarini, 441
 - californica* Torrey, 441
 - chrysops* (Stapf) Hemsley, 440–441
 - ciliosa* Bentham, 441
 - clematitis* Linnaeus, 442
 - cymbifera* Martius & Zuccarini, 441
 - durior* Hill, 441
 - elegans* Masters, 441
 - fimbriata* Chamisso, 441
 - foetens* Lindley, 441
 - gigantea* Hooker, 441
 - gigas* Lindley, 441
 - grandiflora* Swartz, 441
 - labiata* Willdenow, 441
 - labiosa* Ker Gawler, 441
 - littoralis* Parodi, 441–442
 - macrophylla* Lamarck, 441
 - moupinensis* Franchet, 441
 - ornithocephala* Hooker, 441
 - ringens* Vahl, 441
 - rotunda* Linnaeus, 442
 - semperfirens* Linnaeus, 441
 - sipro* L'Héritier, 441
 - tomentosa* Sims, 441
 - Aristolochiaceae*, 439–442
 - Armatocereus* Backeberg, 221
 - cartwrightianus* (Britton & Rose) Backeberg, 221
 - laetus* (Kunth) Backeberg, 221
 - matucanensis* Backeberg, 221
 - Armoracia Gaertner*, Meyer & Scherbius, 555–556
 - lapathifolium* misapplied, 555
 - rusticana* Gaertner, Meyer & Scherbius, 555–556
 - Arrojadoa* Britton & Rose, 238–239
 - penicillata* (Guerke) Britton & Rose, 239
 - rhodantha* (Guerke) Britton & Rose, 238–239
 - Artabotrys* Brown, 332
 - hexapetalus* (Linnaeus) Bhandari, 332
 - uncinatus* (Lamarck) Merill, 332
 - Artananthe magnifica* Linden, 438
 - Arthroceres mirabilis* (Spegazzini) Marshall, 250
 - Artocarpus* Forster & Forster, 88–89
 - altilis* (Parkinson) Fosberg, 88–89
 - communis* Forster & Forster, 88
 - heterophyllus* Lamarck, 89
 - incisus* Linnaeus, 88
 - integer* (Thunberg) Merrill, 89
 - integrifolius* Linnaeus, 89
 - integrifolius* misapplied, 89
 - jaca* Lamarck, 89
 - Asarum Linnaeus*, 439–440
 - arifolium* Michaux, 440
 - canadense* Linnaeus, 440
 - caudatum* Lindley, 440
 - europaeum* Linnaeus, 440
 - grandiflorum* Klotzsch, 440
 - grandiflorum* Small, 440
 - hartwegii* Watson, 440
 - macranthum* (Shuttleworth) Small, 440
 - shuttleworthii* Britton & Baker, 440
 - shuttleworthii* misapplied, 440
 - virginicum* Linnaeus, 440
 - Ascyrum crux-andreae* Linnaeus, 497
 - hypericoides* Linnaeus, 497
 - involutum* Labillardière, 501
 - multicaule* Willdenow, 497
 - stans* Michaux, 497
 - villosum* Linnaeus, 500

INDEX

601

- Asimina* Adanson, 332
 triloba (Linnaeus) Dunal, 332
- Astridia* Dinter & Schwantes, 144
 dinteri Bolus, 144
velutina (Dinter) Dinter, 144
- Astrophytum* Lemaire, 280
 asterias (Zuccarini) Lemaire, 280
 capricorne (Dietrich) Britton & Rose, 280
 coahuilense (Moeller) Kayser, 280
crassispinum (Moeller) Haage & Sadovsky, 280
 myriostigma Lemaire, 280
niveum (Kayser) Haage & Sadovsky, 280
 ornatum (de Candolle) Britton & Rose, 280
senile Fric, 280
tulense (Kayser) Sadovsky & Schuetz, 280
- Atherosperma* Labillardière, 336
 moschatum Labillardière, 336
- Atraphaxis* Linnaeus, 127–128
 billardieri Jaubert & Spach, 128
 frutescens (Linnaeus) Koch, 128
 spinosa Linnaeus, 128
- Atriplex* Linnaeus, 203–204
 canescens (Pursh) Nuttall, 204
 halimus Linnaeus, 204
 hortensis Linnaeus, 204
 ‘Cupreatorosea’, 204
 ‘Rubra’, 204
 var. *atrosanguinea* Bailey, 204
 var. *rubra* Linnaeus, 204
- nummularia* Lindley, 204
 patula Linnaeus, 204
- Aubrieta* Adanson, 560–561
antilibani misapplied, 561
 canescens (Boissier) Bornmuller subsp. *cilicica* (Boissier) Cullen, 561
 subsp. *macrostyla* Cullen & Huber-Morath, 561
- columnae* Gussone, 560–561
 subsp. *columnae*, 561
 subsp. *croatica* (Schott, Nyman & Kotschy) Mattfeld, 561
 subsp. *italica* (Boissier) Mattfeld, 561
- cultorum* misapplied, 560
- deltoidea* (Linnaeus) de Candolle, 560
 ‘Argentea’, 560
 ‘Aurea’, 560
 ‘Dr Mules’, 560
 ‘Eyrei’, 560
 ‘Leichtlinii’, 560
 ‘Monarch’, 560
 ‘Nana Variegata’, 560
 ‘Red Cascade’, 560
 ‘Rosea’, 560
 ‘Variegata’, 560
 var. *graeca* (Grisebach) Regel, 560
 var. *intermedia* (Boissier) Baldacci, 560
- erubescens* Grisebach, 561
- gracilis* Boissier, 561
 subsp. *glabrescens* (Turrill) Akeroyd, 561
 subsp. *gracilis*, 561
 subsp. *scardica* (Wettstein) Phitos, 561
- graeaca* Grisebach, 560
- hybrida* Haussknecht, 560
- intermedia* Boissier, 560
- kotschyi* Boissier, 561
- libanotica* Boissier, 561
- olympica* Boissier, 561
parviflora Boissier, 561
pinardii Boissier, 561
thessala Boissier, 561
- Aulax* Bergius, 112
cancellata (Linnaeus) Druce, 112
cneorifolia Knight, 112
pallasia Stapf, 112
pinifolia Bergius, 112
umbellata (Thunberg) Brown, 112
- Aurinia* Desvaux, 566–567
corymbosa Grisebach, 567
petraea (Arduino) Schur, 567
rupestris (Heynhold) Cullen & T.R. Dudley, 567
 var. *scardicum* misapplied, 567
saxatilis (Linnaeus) Desvaux, 567
 ‘Citrina’, 567
 ‘Compacta’, 567
 ‘Dudley Neville’, 567
 ‘Lutea’, 567
 ‘Plena’, 567
 ‘Sulphurea’, 567
 ‘Variegata’, 567
 subsp. *orientalis* (Arduino) T.R. Dudley, 567
 sinuata (Linnaeus) Grisebach, 567
- Astrocephalocereus* dybowskii (Roland-Gosselin) Backeberg, 238
- Astrocytindropuntia* Backeberg, 312
cylindrica (Lamarck) Backeberg, 312
floccosa (Salm-Dyck) Ritter, 312
salmiana (Pfeiffer) Backeberg, 315
subulata (Muehlenpfordt) Backeberg, 312
 subsp. *exaltata* (Berger) Hunt, 312
 subsp. *subulata*, 312
verschaffeltii (Weber) Backeberg, 312
vestita (Salm-Dyck) Backeberg, 312
- Aztekium* Boedeker, 280–281
 ritteri (Boedeker) Boedeker, 281
- Azureocereus* hertingianus (Backeberg) Backeberg, 235
- Backebertia* militaris (Audot) Sanchez Mejorada, 223
- Banksia* Linnaeus, 118–120
aculeata George, 119
caleyi Brown, 119
canei Willis, 119
coccinea Brown, 119
elderiana Mueller & Tate, 119
ericifolia Linnaeus, 119
grandis Willdenow, 119
integrifolia Linnaeus, 119
 var. *integrifolia*, 119
lehmanniiana Meisner, 119
marginata Cavanilles, 119
media Brown, 119
nutans Brown, 119
occidentalis Brown, 120
ornata Meisner, 120
pilosostylis Gardner, 120
prionotes Lindley, 120
quercifolia Brown, 120
sceprium Meisner, 120
- serrata* Linnaeus, 120
speciosa Brown, 120
spinulosa Smith, 120
 var. *collina* (Brown) George, 120
 var. *spinulosa*, 120
verticillata Brown, 120
- Barbarea* R. Brown, 555
praecox (Smith) R. Brown, 555
verna (Miller) Ascherson, 555
vulgaris R. Brown, 555
 ‘Variegata’, 555
- Bartschella* schumannii (Hildmann) Britton & Rose, 304
- Basella* Linnaeus, 182
 alba Linnaeus, 182
rubra Linnaeus, 182
tuberosa (Caldas) Humboldt, Bonpland & Knuth, 182
- Basellaceae*, 181–182
- Bassia* Allioni, 205
 diacantha (Nees) Mueller, 205
hyssopifolia (Pallas) Kuntze, 205
scoparia (Linnaeus) Scott, 205
- Bellendena* Brown, 108
montana Brown, 108
- Benzoin* aestivale Nees, 339
glaucum Siebold & Zuccarini, 339
odoriferum Nees, 339
praecox Siebold & Zuccarini, 339
- Berberidaceae*, 389–418
- Berberis* Linnaeus, 393–410
 actinacantha Martelli, 408
acuminatam misapplied, 399
aemulans Schneider, 402
aetnensis Presl, 407
aggregata Schneider, 406
 var. *prattii* (Schneider) Schneider, 406
- amoena* Dunn, 404
amurensis Ruprecht, 406
angulosa Hooker & Thomson, 401
 × *antoniana* Ahrendt, 409
approximata Sprague, 403
aqifolium Pursh, 392
arido-calida Ahrendt, 407
aristata de Candolle, 400–401
aristata misapplied, 401
asiatica Roxburgh, 400
 var. *clarkeana* Schneider, 400
atrocarpa Schneider, 400
beaniana Schneider, 406
bergmanniae Schneider, 399
 var. *acanthophylla* Schneider, 399
brachypoda Maximowicz, 405
 × *bristolensis* Ahrendt, 398
- buxifolia* Lamarck, 409
 var. *buxifolia*, 409
 var. *nana* Usteri, 409
cabrerae Job, 408
calliantha Mulligan, 397
canadensis Miller, 405
candidula Schneider, 398
capillaris Ahrendt, 401
 × *carminea* Ahrendt, 407
 ‘Barbarossa’, 407
cavaleriei misapplied, 399
 × *chenaultii* Ahrendt, 398

- Berberis Linnaeus (*continued*)
chillanensis (Schneider) Sprague, 409
 var. *chillanensis*, 409
 var. *hirsutipes* Sprague, 409
chinensis Poiret, 410
chitria Ker Gawler, 401
chrysosphaera Mulligan, 397–398
circumserata Schneider, 402
 var. *occidentalior* Ahrendt, 402
 var. *subarmata* Ahrendt, 402
comberi Sprague, 409
concinna Hooker & Thomson, 401–402
congestiflora Gay, 408
coriaria Lindley, 401
 var. *patula* Ahrendt, 401
coryi Veitch, 407
coxi Schneider, 398
crispa Gay, 408
darwinii Hooker, 409
diaphana Maximowicz, 402
 var. *uniflora* Ahrendt, 402
dictyophylla Franchet, 402–403
 var. *epruinosa* Schneider, 403
delsingiana Fedde, 406
dulcis Sweet, 409
dumicola Schneider, 400
empetrifolia Lamarck, 408
fendleri Gray, 405
floribunda Don, 401
formosana Ahrendt, 399
forrestii Ahrendt, 403
fortunei Lindley, 391
franchetiana Schneider var. *franchetiana*, 403
 var. *glabripes* Ahrendt, 403
 var. *macrobotrys* Ahrendt, 403
francisci-ferdinandi Schneider, 405
fremontii Torrey, 392
 × *frikartii* Schneider, 398
gagnepainii Schneider, 398
 var. *lanceifolia* Ahrendt, 398
gilgiana Fedde, 405
glaucocarpa Stapf, 400
gracilipes Oliver, 391
gyalaica Ahrendt, 407
haematocarpa Wooton, 392
hakeoides (Hooker) Schneider, 408
henryana Schneider, 406
heteropoda Schrenk, 408
hispanica Boissier & Reuter, 407
hookeri Lemaire, 397
 var. *viridis* Schneider, 397
 × *hybridogagnepainii* Ahrendt, 398
hypokerina Airy-Shaw, 398–399
hypoleuca Lindley, 400
ignorata misapplied, 402
ilicifolia Forster, 409
incrassata Ahrendt, 398
insignis Hooker & Thomson, 398
 subsp. *incrassata* (Ahrendt) Chamberlain & Hu, 398
 var. *bucahwangensis* Ahrendt, 398
 subsp. *insignis*, 398
 × *interposita* Ahrendt, 398
 × *irwinii* Byharrer, 408
jamesiana Forrest & Smith, 405
jamesonii misapplied, 397
- japonica* (Regel) Schneider, 406
johannii Ahrendt, 403
julianae Schneider, 400
kawakamii Hayata, 399
knightii misapplied, 399
koreana Palibin, 406
lecomtei Schneider, 403
leichtensteinii Schneider, 400
lempergiana Ahrendt, 399
lepidifolia Ahrendt, 405
leptoclada Diels, 404
levis misapplied, 400
linearifolia Philippi, 409
 × *lologensis* Sandwith, 409
lucida Schrader, 406
ludlowii Ahrendt, 401
lycium Royle, 400
 × *macrocantha* Ahrendt, 401
macrosepala Hooker & Thomson, 401
manipurana Ahrendt, 399
 × *media* Grotterberg, 404
 'Mentorensis', 404
mitifolia Stapf, 405–406
montana Gay, 408
morrisonensis Hayata, 402
mouillacana Schneider, 404–405
mucrifolia Ahrendt, 403
nana Greene, 392
nervosa Pursh, 392
neubertii Baumann, 393
nevini Gray, 392
oblonga (Regel) Schneider, 407–408
orthobotrys Aitchison, 403
 var. *canescens* Ahrendt, 403
 var. *rubicunda* Ahrendt, 403
 × *ottawensis* Schneider, 404
 'Superba', 404
pallens misapplied, 403
panlanensis Ahrendt, 399
paravirescens Ahrendt, 402
parisepala Ahrendt, 401
parkeriana Schneider, 400
parvifolia Sprague, 407
pinnata Lagasca, 392
poiretii Schneider, 405
polyantha misapplied, 406
potaninii Maximowicz, 400
prattii Schneider, 406–407
 var. *recurvata* Schneider, 407
pruinosa Franchet, 399–400
pumila Greene, 392
quelpaertensis Nakai, 404
regelianae Schneider, 406
repens Lindley, 392
replicata Smith, 399
 × *rubrostilla* Chittenden, 407
 'Chealii', 407
 'Cherry Ripe', 407
 'Crawleyensis', 407
sanguinea Schneider, 399
sargentiana Schneider, 399
schiedeana Schlechtendahl, 392
sherriffii Ahrendt, 407
sibirica Pallas, 403
sieboldii Miquel, 404
sikkimensis (Schneider) Ahrendt, 401
- silva-taroucana* Schneider, 404
soulieana Schneider, 400
stearnii Ahrendt, 404
 × *stenophylla* Lindley, 408
 'Autumnalis', 408
 'Corallina', 408
suberecta Ahrendt, 410
taliensis Schneider, 399
taylorii Ahrendt, 407
temolaica Ahrendt, 402
 var. *artisepala* Ahrendt, 402
thunbergii de Candolle, 404
 'Atropurpurea', 404
 'Atropurpurea Nana', 404
 'Aurea', 404
tischieri Schneider, 402
toluacensis Anon., 392
triacanthophora misapplied, 398
trifolia (Chamisso & Schlechtendahl) Schultes, 392
trifoliata Lindley, 392
trifoliolata Moricand, 392
tsangoensis Ahrendt, 402
tsarongensis Stapf, 403–404
umbellata Don, 401
valdiviana Philippi, 409–410
validisepala Ahrendt, 410
 var. *primaglauca* Ahrendt, 410
veitchii Schneider, 399
vernae Schneider, 405
verruculosa Hemsley & Wilson, 398
virescens Hooker & Thomson, 402
virgetorum Schneider, 404
vulgaris Linnaeus, 406
wallichiana misapplied, 393
wilsoniae Hemsley, 407
 var. *parvifolia* (Sprague) Ahrendt, 407
 var. *stapfiana* (Schneider) Schneider, 407
 var. *subcaulialata* (Schneider) Schneider, 407
 × *wintonensis* Ahrendt, 399
wisleyensis Ahrendt, 398
 × *wokingensis* Ahrendt, 398
xanthoxylon misapplied, 399
yunnanensis Franchet, 404
yumanensis misapplied, 402
zabeliana Schneider, 404
Bergeranthus Schwantes, 144
multiceps (Salm-Dyck) Schwantes, 144
rhomboides (Salm-Dyck) Schwantes, 145
scapiger (Haworth) Brown, 144
vespertinus (Berger) Schwantes, 144
Berteroa de Candolle, 567–568
incana (Linnaeus) de Candolle, 568
mutabilis (Ventenat) de Candolle, 568
Beta Linnaeus, 202
vulgaris Linnaeus, 202
 'Cruenta', 202
 'Dracaenifolia', 202
 'Victoria', 202
Betula Linnaeus, 49–55
aetnensis Rafinesque, 52
albosinensis Burkill, 55
 var. *septentrionalis* Schneider, 55
alleghaniensis Britton, 54
bhopattra Wallich, 55

INDEX

603

- candelae* Koidzumi, 54
carpinifolia Ehrhart, 54
carpinifolia Siebold & Zuccarini, 54
celtiberica Rothmaler & Vasconcellos, 53
coerulea-grandis Blanchard, 52–53
corylifolia Regel & Maximowicz, 54
costata misapplied, 55
costata Trautvetter, 55
dahurica Regel, 53
davurica Pallas, 53–54
ermanii Chamisso, 55
fontinalis Sargent, 54
grossa Siebold & Zuccarini, 54
humilis Schrank, 55
jacquemontii Spach, 55
lenta Linnaeus, 54
lutea Michaux, 54
mandshurica (Regel) Nakai, 52
 var. *szechuanica* Schneider, 53
maximowicziana Regel, 54
medwediewii Regel, 54–55
nana Linnaeus, 55
nigra Linnaeus, 55
occidentalis Hooker, 54
papyracea Horton, 53
papyrifera Marshall, 53
pendula Roth, 52
 'Dalecarlica', 52
platiphylla Sukatchev, 52
 var. *szechuanica* (Schneider) Rehder, 53
populifolia Marshall, 52
pubescens Ehrhart, 53
Series Acuminatae Regel, 54
Series Albae Regel, 52
Series Costatae Regel, 54
Series Humiles Koch, 55
szechuanica (Schneider) Jansson, 53
tortuosa Ledebour, 53
ulmifolia Siebold & Zuccarini, 54
utilis Don, 55
 var. *jacquemontii* (Spach) Winkler, 55
 'Jermyns', 55
verrucosa Ehrhart, 52
- Betulaceae, 45–55
Bijlia Brown, 145
 cana Brown, 145
Bilderdyka aubertii (Henry) Dumortier, 131
baldschuanica (Regel) Webb, 131
Biscutella Linnaeus, 578
 frutescens Cossion, 578
laciniata de Candolle, 578
laevigata Linnaeus, 578
megalocarpa de Candolle, 578
Bistorta affinis (Don) Greene, 129
amplexicaulis (Don) Greene, 130
griffithii (Hooker) Grierson, 130
macrophylla (Don) Sojak, 130
major Gray, 130
milletii Léveillé, 130
tenuicaule (Bisset & Moore) Nakai, 130
vaccinifolia (Meissner) Greene, 129
vivipara (Linnaeus) Gray, 130
Blitum capitatum Linnaeus, 203
virgatum Linnaeus, 203
Blossfeldia Werdermann, 276
atroviridis Ritter, 276
- campaniflora* Backeberg, 276
fechseri Backeberg, 276
liliputana Werdermann, 276–277
minima Ritter, 276
pedicellata Ritter, 276
Bocconia Linnaeus, 533
arborea Watson, 533
cordata Willdenow, 533
frutescens Linnaeus, 533
integerrifolia (Humboldt & Bonpland) de Candolle, 533
microcarpa Maximowicz, 533
Boehmeria Jacquin, 106
argentea misapplied, 107
biloba Weddell, 106
japonica Miquel var. *platanifolia* (Franchet & Savatier) Maximowicz, 106
nivea (Linnaeus) Gaudichaud-Beaupré, 106
platanifolia Franchet & Savatier, 106
Bolivicereus samaipatanus Cardenas, 245
Bongardia Meyer, 416
 chrysogonium (Linnaeus) Spach, 416
rauwolfii Meyer, 416
× *Bonstedtia lilacina* (Donckelaar) Wehrhahn, 413
youngiana (Fischer & Meyer) Wehrhahn, 413
Bornmuellera Haussknecht, 567
cappadocica (de Candolle) Cullen & T.R. Dudley, 567
Borzicactus acanthurus (Vaupel) Britton & Rose, 244
aurantiacus (Vaupel) Kimnach & Hutchison, 247
aureispinus (Ritter) Hutchison & Kimnach, 245
aurivillus (Schumann) Britton & Rose, 244
fieldianus Britton & Rose, 244
hempelianus (Guerke) Donald, 246
huagalensis Donald & Lau, 247
icosagonus (Kunth) Britton & Rose, 244
intertextus (Ritter) Donald, 247
madisoniorum Hutchison, 247
paucicostatus (Ritter) Donald, 247
roezlii (Haage) Marshall, 244
samaipatanus (Cardenas) Kimnach, 245
sepium (Kunth) Britton & Rose, 244
tessellatus Akers & Buining, 244
Boscia albitrunca (Burchell) Gilg & Benedict, 546
Bosea Linnaeus, 206
yervamora Linnaeus, 206
Bougainvillea Jussieu, 135–136
 × *buttiiana* Holttum & Standley, 135
glabra Choisy, 135
peruviana Humboldt & Bonpland, 135
spectabilis Willdenow, 135–136
 'Variegata', 136
Boussingaultia baselloides misapplied, 182
cordifolia Tenore, 182
gracilis Miers, 182
 forma *pseudobaselloides* Hauman, 182
 var. *pseudobaselloides* (Hauman) Bailey, 182
Brachycalycium tilcarense (Backeberg) Backeberg, 263
- Brasenia* Schreber, 427–428
peltata Pursh, 428
schreberi Gmelin, 428
Brasilicactus graessneri (Schumann) Backeberg, 271
haselbergii (Ruempel) Backeberg, 271
Brasilioopuntia (Schumann) Berger, 314
brasiliensis (Willdenow) Berger, 314
Brasiliparodia alacriportana (Backeberg & Voll) Ritter, 271
brevihamata (Backeberg) Ritter, 271
buenekeri (Buining) Ritter, 271
Brassica Linnaeus, 579–580
campestris Linnaeus, 580
cernua Forbes & Hemsley, 580
chinensis Linnaeus, 579
cretica Lamarck subsp. *botrytis* (Linnaeus) O. Schwartz, 579
integrifolia (West) O.E. Schulz, 580
juncea (Linnaeus) Czernajew, 580
napus Linnaeus, 579–580
 var. *napobrassica* (Linnaeus) Reichenbach, 580
nigra (Linnaeus) Koch, 580
oleracea Linnaeus, 579
 var. *botrytis* Linnaeus, 579
 var. *capitata* Linnaeus, 579
 var. *gemmifera* Linnaeus, 579
 var. *gongylodes* Linnaeus, 579
 var. *sabauda* Linnaeus, 579
pekinensis Ruprecht, 579
sylvestris (Linnaeus) Miller, 579
rapa Linnaeus, 580
 subsp. *rapa*, 580
 subsp. *sylvestris* (Linnaeus) Janchen, 580
Brassicaceae, 547
Brathys laxa Blume, 501
Braunsia Schwantes, 152
apiculata (Kensit) Bolus, 152
geminata (Haworth) Bolus, 152
Braya von Sternberg & Hoppe, 551
alpina von Sternberg & Hoppe, 551
pinnatifida (Lamarck) Koch, 550
Brittonia davisii Armstrong, 293
Broussonetia Ventenat, 88
kaempferi misapplied, 88
kaempferi Sieber, 88
kazinoki Sieber, 88
papyrifera (Linnaeus) Ventenat, 88
 'Laciiniata', 88
sieboldii Blume, 88
Brownia Britton & Rose, 235–236
candelaris (Meyen) Britton & Rose, 235
chlorocarpa (Kunth) Marshall, 235
hertlingiana (Backeberg) Buxbaum, 235–236
Buckleya Torrey, 122
distichophylla (Nuttall) Torrey, 122
Buiningia Buxbaum, 239
brevicylindrica Buining, 239
- Cabomba* Aublet, 427
aquatica Aublet, 427
aquatica de Candolle, 427
australis Spegazzini, 427
caroliniana Gray, 427

- Cabomba Aublet* (*continued*)
 var. *pulcherrima* Harper, 427
pulcherrima (Harper) Fassett, 427
viridifolia invalid, 427
- Cabombaceae*, 428
- Cactaceae*, 209–317
- Cactus bahiensis* Britton & Rose
brandegei Coulter, 311
coronatus Lamarck, 241
densispinus Coulter, 307
erinaceus Haworth, 274
harlowii Britton & Rose, 241
intortus Miller, 241
latispinus Haworth, 293
linkii Lehmann, 272
mammillaris Linnaeus, 310
maxoni Rose, 241
melocactus misapplied, 239
 var. *communis* Aiton, 241
nobilis Linnaeus, 340
oaxacensis Britton & Rose, 241
ottonis Lehmann, 271
placentiformis Lehmann, 264
pringlei Coulter, 307
proliferus Miller, 306
recurvus Miller, 293
scopa Sprengel, 272
serpentinus Lagasca & Rodriguez, 222
triangularis Linnaeus, 230
viviparus Nuttall, 298
zehntneri Britton & Rose, 240
- Calandrinia Humboldt*, Bonpland & Knuth, 178
- ciliata* de Candolle var. *menziesii* (Hooker)
 Macbride, 178
- grandiflora* Lindley, 178
- speciosa* misapplied, 178
- umbellata* de Candolle, 178
- Callianthemum Meyer*, 388–389
anemonoides (Zahlbrückner) Heynold, 389
cachemirianum Cambessedes, 388
coriandrifolium Reichenbach, 389
kernerianum Freyn, 389
pimpinelloides (Don) Hooker & Thomson, 388
rutifolium misapplied, 389
- Calophyllum Linnaeus*, 501–502
antillanum Britton, 502
brasiliense Cambessèdes, 502
calaba invalid, 502
inophyllum Linnaeus, 501–502
- Caltha Linnaeus*, 353–354
biflora de Candolle, 354
leptosepala de Candolle, 354
palustris Linnaeus, 354
 var. *alba* Anon., 354
- Calycanthaceae*, 336–337
- Calycanthus Linnaeus*, 336–337
floridus Linnaeus, 336–337
 var. *floridus*, 337
 var. *laevigatus* (Willdenow) Torrey & Gray, 337
fertilis Walter, 337
glaucus Willdenow, 337
laevigatus Willdenow, 337
occidentalis Hooker & Arnott, 337
- praecox* Linnaeus, 337
Calymmanthium Ritter, 219
 substerile Ritter, 219
Calyptridium umbellatum (Torrey) Greene, 180
- Camphorosma Linnaeus*, 204
monspeliaca Linnaeus, 204
Cambogia gummi-gutta Linnaeus, 505
- Camellia Linnaeus*, 459–467
'Akebono', 466
axillaris Griffith, 465
axillaris Ker-Gawler, 467
buisanensis Sasaki, 465
caduca Brandis, 460
caudata Wallich, 465
 var. *gracilis* (Hemsley) Yamamoto, 465
crapnelliana Tutcher, 461
cuspidata (Kochs) Wright, 465
 'Cornish Snow', 467
 'Cornish Spring', 467
drupifera Loureiro, 461
drupifera misapplied, 460
 'El Dorado', 462
 'Fragrant Pink', 465
fraterna Hance, 465–466
gracilis Hemsley, 465
granthamiana Sealy, 461
 × *heterophylla* Hu, 462, 466
 × *hiemalis* Nakai, 461
hongkongensis Seemann, 461
iniquicarpa (Kochs) Cohen Stuart, 460
japonica Linnaeus, 461–462
 subsp. *rusticana* (Honda) Kitamura, 462
japonica misapplied, 461, 466
 'Adolphe Audusson', 466, 467
 'Akashigata', 466
 'Alba Grandiflora', 466
 'Alba Plena', 466
 'Alba Simplex', 466
 'Althaeiflora', 466
 'Apollo', 466
 'Arajishi', 466
 'Arejishi', 466
 'Are-jishi', 466
 'Black Camellia', 466
 'Blood of China', 466
 'Chandleri Elegans', 466
 'Contessa Lavinia Maggi', 466
 'Coquetii', 466
 'Debutante', 467
 'Devonia', 466
 'Devoniensis', 466
 'Donckelaeri', 466
 'Elegans', 466
 'Fimbriata Superba', 466
 'Fred Sander', 466
 'Gauntletii', 466
 'Gloire de Nantes', 466
 'Grandiflora Alba', 466
 'Grandiflora Rosea', 466
 'Hagaromo', 466
 'Jupiter', 466
 'Konron-Koku', 466
 'Kouron-juri', 466
 'Kuro-Tsubaki', 466
 'Lady Clare', 466
 'Lady de Saumarez', 466
- 'Lady Vansittart', 466
 'Lotus', 466
 'Magnoliiflora', 466
 'Mathotiana', 466
 'Mathotiana Alba', 466
 'Mathotiana Rosea', 466
 'Mathotiana Rubra', 466
 'Pukura', 467
 'Rubescens Major', 466
 'Sieboldii', 466
 'Sode-gashuki', 466
 'Sode Kakushi', 466
 'Tiffany', 462
 'Tricolor', 466
kissi Wallich, 460
lutchuensis Ito, 465
 × *maliflora* Lindley, 465
mutabilis Paxton, 461
oleifera Abel, 461
oleosa misapplied, 461
pitardii Cohen Stuart var. *yunnanica* Sealy, 462
pitardii misapplied, 462
 var. *lucidissima* (Léveillé) Rehder, 462
reticulata Lindley, 462
 'Barbara Hillier', 466
 'Buddha', 466, 467
 'Captain Rawes', 462, 466
 'Crimson Robe', 466, 467
 'Dali Cha', 467
 'Dataohong', 466
 'Flore Pleno', 467
 'Innovation', 467
 'Leonard Messel', 467
 'Mary Christian', 467
 'Noble Pearl', 467
 'Pagoda', 467
 'Pine-Cone-Scale', 467
 'Purple Gown', 467
 'Robert Fortune', 467
 'Semi-Plena', 467
 'Songzilin', 467
 'Tali Queen', 467
 'Tzepao', 467
 'Zipao', 467
 var. *albo-rosea* Kitamura, 462
 var. *campanulata* Kitamura, 462
 var. *rosea* (Makino) Makino, 462
 var. *wabiske* (Makino) Kitamura, 462
rosiflora Hooker, 465
salicifolia Bentham, 465
 var. *longisepala* Keng, 465
saluenensis Bean, 462
 'Francie L.', 467
 'Grand Jury', 467
 'Inspiration', 467
 'Salutation', 467
sasanqua misapplied, 461
sasanqua Thunberg, 460–461
 'Fukuzu-tsumi', 467
 'Jaume', 461
 'Lady Banks', 461
 'Narumi-gata', 467
 'Palmer's Double', 461
 var. *oleifera* misapplied, 467

INDEX

605

- var. oleosa* misapplied, 461
sinensis (Linnaeus) Kuntze, 462
 var. *assamica* (Masters) Kitamura, 462
 var. *sinensis*, 462
spectabilis Bentham, 462
taliensis (W.W. Smith) Melchior, 462–465
thea Link, 462
 'Tiny Princess', 466
tsaii Hu, 465
uraku Kitamura, 462
 × *vernalis* (Makino) Makino, 461
wabiske (Makino) Kitamura forma *uraku*
 (Kitamura) Kitamura, 462
 × *williamsii* W.W. Smith, 462, 466, 467
 'Apple Blossom', 467
 'Bow Bells', 467
 'C.F. Coates', 467
 'Debbie', 467
 'Donation', 467
 'Elizabeth Rothschild', 467
 'Elsie Jury', 467
 'Francis Hanger', 467
 'J.C. Williams', 467
 'Lady Gowrie', 467
 'Mary Christian', 467
 'St. Ewe', 467
 'William's Lavender', 467
Camelliastrum buisanense (Sasaki) Nakai, 465
caudatum (Wallich) Nakai, 465
gracile (Hemsley) Nakai, 465
salicifolium (Champion) Nakai, 465
Campylopus cerastoides Spach, 489
Cananga (de Candolle) Hooker & Thomson,
 332
odorata Hooker & Thomson, 332
Candollea cuneiformis Labillardière, 444
latifolia Steudel, 444
tetrandra Lindley, 444
Canella Brown, 334
alba Murray, 334
 winterana (Linnaeus) Gaertner, 334
Canellaceae, 333–334
Cannabaceae, 103–104
Cannabis Linnaeus, 103–104
gigantea Vilmorin, 104
ruderale Janischewsky, 104
sativa Linnaeus, 104
Capnoidea sempervirens (Linnaeus) Borkhausen,
 539
Capparaceae, 546
Capparis Linnaeus, 546
inermis Turra, 546
ovata Desfontaines, 546
rupestris Smith, 546
spinosa Linnaeus, 546
 subsp. *spinosa*, 546
 subsp. *rupestris* (Smith) Nyman, 546
Cardamine Linnaeus, 556–558
amara Linnaeus subsp. *amara*, 557–558
asarifolia Linnaeus, 557
bulbifera (Linnaeus) Crantz, 557
californica (Nuttall) Greene, 557
enneaphyllos (Linnaeus) Crantz, 557
heptaphylla (Villars) Schulz, 557
kitaibelii Becherer, 557
latifolia Vahl, 558
pentaphyllos (Linnaeus) Crantz, 557
pratensis Linnaeus subsp. *pratensis*, 558
 'Flore Plena', 558
raphanifolia Pourret subsp. *raphanifolia*, 558
trifolia Linnaeus, 557
Carnegiea Britton & Rose, 223
gigantea (Engelmann) Britton & Rose, 223
polylopha (de Candolle) Hunt, 223
Carpanthea Brown, 175
pomeridianum (Linnaeus) Brown, 175
Carpinus Linnaeus, 56–57
americana Michaux, 56
betulus Linnaeus, 56
 'Fastigiata', 56
 'Pendula', 56
forma pendula Kirchner, 56
forma pyramidalis Moehl, 56
 var. *fastigiata* Jaeger, 56
caroliniana Walter, 56
carpinoides Makino, 57
cordata Blume, 57
fargesii Franchet, 56
fargesii Winkler, 57
fauriei Nakai, 57
henryana Winkler, 57
japonica Blume, 57
laxiflora (Siebold & Zuccarini) Blume, 56
 var. *macrostachya* Oliver, 56
orientalis Miller, 56
ostrya Linnaeus, 57
tschonoskii Maximowicz, 57
virginiana Miller, 57
yedoensis Maximowicz, 57
Carpobrotus Brown, 176
acinaciformis (Linnaeus) Bolus, 176
deliciosus (Bolus) Bolus, 176
edulis (Linnaeus) Bolus, 176
Carya Nuttall, 17–18
alba misapplied, 18
alba Nuttall, 18
amara (Michaux) Nuttall, 17
aquatica (Michaux) Nuttall, 17
arkansana Sargent, 18
 × *brownii* Sargent, 17
buckleyi Durand, 18
cathayensis Sargent, 17
cordiformis (Wangenheim) Koch, 17
glabra (Miller) Sweet, 18
illinoiensis (Wangenheim) Koch, 17
laciniosa (Michaux) Loudon, 18
 × *laneyi* Sargent, 17
 × *lecontei* Little, 17
microcarpa Nuttall, 18
minima (Marshall) Britton, 17
myristiciformis (Michaux) Nuttall, 18
oliviformis (Michaux) Nuttall, 17
ovalis (Wangenheim) Sargent, 18
ovata (Miller) Koch, 18
pallida (Ashe) Engler & Graebner, 18
pecan (Marshall) Engler & Graebner, 17
porcina (Michaux) Nuttall, 18
pubescens (Willdenow) Sweet, 18
sulcata Nuttall, 18
texana Buckley, 18
tomentosa (Poiret) Nuttall, 18
villosa (Sargent) Schneider, 18
Caryophyllaceae, 182–200
Castanea Miller, 64–65
alnifolia Nuttall, 65
americana Rafinesque, 65
bungeana Blume, 64
chrysophylla Hooker, 65
crenata Siebold & Zuccarini, 64
dentata (Marsh) Borkhausen, 65
henryi (Skan) Rehder & Wilson, 65
japonica Blume, 64
mollissima Blume, 64
nana Muehlenberg, 65
ozarkensis (Ashe) Tucker, 65
pumila (Linnaeus) Miller, 64–65
 var. *ozarkensis* (Ashe) Tucker, 65
sativa Miller, 64
seguinii Dode, 65
vesca Gaertner, 64
vulgaris Lamarck, 64
Castanopsis (Don) Spach, 65
chinensis Hance, 65
chrysophylla (Hooker) de Candolle, 65
concolor Rehder & Wilson, 65
cuspidata (Thunberg) Schottky, 65
 'Variegata', 65
delavayi Franchet, 65
sempervirens (Kellogg) Dudley, 66
Casuarina Adanson, 13–15
cunninghamiana Miquel, 13
equisetifolia Forster & Forster, 13
equisetifolia misapplied, 13
glaucia Sprengel, 13, 15
littoralis Salisbury, 15
stricta Aiton, 15
suberosa Otto & Dietrich, 15
torulosa Aiton, 15
verticillata Lamarck, 15
Casuarinaceae, 13–15
Cathartia villosa Hooker, 528
Caulophyllum Michaux, 415–416
thalictroides (Linnaeus) Michaux, 416
Celosia Linnaeus, 206
argentea Linnaeus var. *cristata* Kuntze, 206
cristata Linnaeus, 206
 'Childsii' group, 206
 'Cristata' group, 206
thompsonii, 206
Celtis Linnaeus, 81
australis Linnaeus, 81
occidentalis Linnaeus, 81
Cephalocereus Pfeiffer, 223–224
dybowskii (Roland-Gosselin) Britton & Rose,
 238
fluminensis (Miquel) Britton & Rose, 239
glaucescens (Labouret) Borg, 238
melocactus Schumann, 239
palmeri (Rose) Byles & Rowley, 237
pentaedrophorus (Labouret) Britton & Rose,
 237
polyanthus Werdermann, 238
purpureus misapplied, 239
royenii (Linnaeus) Britton & Rose, 237
senilis (Haworth) Schumann, 223–224
smithianus Britton & Rose, 236
Cephalocleistocactus ritteri (Backeberg) Backeberg,
 245

- Cephalophyllum Brown, 146–147
alstonii Marloth, 147
aureorubrum Bolus, 147
decipiens (Haworth) Bolus, 146
framesii Bolus, 147
frutescens Bolus, 146
gracile Bolus, 146
pillansii Bolus, 146–147
pulchrum Bolus, 147
spongiosum (Bolus) Bolus, 146
subulatoides (Haworth) Brown, 147
tricolorum (Haworth) Brown, 147
- Cerastium* Linnaeus, 197–198
alpinum Linnaeus, 198
arvense Linnaeus, 197–198
biebersteinii de Candolle, 198
lanatum Lamarck, 198
tomentosum Linnaeus, 198
 ‘*Columnae*’, 198
- Ceratocarpus claviculata* (Linnaeus) Lidén, 544
- Ceratophyllaceae*, 428–429
- Ceratophyllum* Linnaeus, 428–429
demersum Linnaeus, 428–429
 var. *echinatum* (Gray) Gray, 429
echinatum Gray, 429
submersum Linnaeus, 429
 var. *echinatum* (Gray) Wilmot-Dear, 429
- Cercidiphyllaceae*, 341
- Cercidiphyllum* Siebold & Zuccarini, 341
japonicum Siebold & Zuccarini, 341
 var. *magnificum* Nakai, 341
- Cereus* Miller, 236–237
aethiops Haworth, 237
azureus Pfeiffer, 237
berlandieri Engelmann, 227
caespitosus Engelmann, 228
chloranthus Engelmann, 227
chalybaeus Foerster, 237
cinerascens de Candolle, 227
coerulescens Salm-Dyck, 237
dubius Engelmann, 227
dumortieri Scheidweiler, 224
ehrenbergii Pfeiffer, 227
engelmannii Engelmann, 226
fendleri Engelmann, 226
forbesii Salm-Dyck, 237
giganteus Engelmann, 223
greggii Engelmann, 222
hildmannianus Schumann, 237
 subsp. *hildmannianus*, 237
 subsp. *uruguayanus* (Kiesling) Taylor, 247
jamacaru de Candolle, 236
lamprochlorus Lemaire, 251
lividus Pfeiffer, 236
multiplex Pfeiffer, 252
pachyrhizus Schumann, 237
pectinatus var. *armatus* Poselger, 228
 var. *rigidissimus* Engelmann, 228
pentaphyllum de Candolle, 227
peruvianus misapplied, 237
pringlei Watson, 222
procumbens Engelmann, 227
roezlii Haage, 244
scheeri Salm-Dyck, 227
schottii Engelmann, 223
- silvestrii* Spegazzini, 255
spiegazzinii Weber, 237
smithianus (Britton & Rose) Werdermann, 236
spachianus Lemaire, 251
stramineus Engelmann, 227
striatus Brandegee, 222
thurberi Engelmann, 225
tweediei Hooker, 244
uruguayanus Kiesling, 237
validus Haworth, 237
viperinus Weber, 222
- Cerochlamys* Brown, 152
pachyphylla (Bolus) Bolus, 152
- Chamaecereus silvestrii* (Spegazzini) Britton & Rose, 255
- Chasmatophyllum* Dinter & Schwantes, 159
musculinum (Haworth) Dinter & Schwantes, 159
- Cheiranthus africanus* Linnaeus, 582–583
allionii misapplied, 552
annuus Linnaeus, 554
cheiri Linnaeus, 552
fruticosus Linnaeus, 554
incanus Linnaeus, 554
linearis Thunberg, 583
linifolius Persoon, 552
maritimus Linnaeus, 553
mutabilis misapplied, 552
senoreri Heldreich & Sartori, 552
- Cheiridopsis* Brown, 147–148
acuminata Bolus, 148
aurea Bolus, 148
brevis Bolus, 148
brevis Schwantes, 148
candidissima (Haworth) Brown, 148
carinata Bolus, 148
cigaretifera (Berger) Brown, 148
crassa Bolus, 148
denticulata (Haworth) Brown, 148
duplessii Bolus, 148
framesii Bolus, 148
gibbosa Schick & Tischer, 148
inconspicua Brown, 148
longipes Bolus, 148
luckhoffii Bolus, 148
marlothii Bolus, 148
peculiaris Brown, 148
pillansii Bolus, 148
 var. *crassa* (Bolus) Rowley, 148
'purpurata' in error, 148
purpurea Bolus, 148
robusta (Haworth) Brown, 148
rostrata (Linnaeus) Brown, 148
rostratoidea (Haworth) Brown, 148
scabra Bolus, 148
splendens Bolus, 148
tuberculata Miller, 148
velutina Bolus, 148
- Chelidonium* Linnaeus, 531
japonicum Thunberg, 531
majus Linnaeus, 531
 ‘*Flore-Pleno*’, 531
 ‘*Laciinatus*’, 531
- Chenopodiaceae*, 201–206
- Chenopodium* Linnaeus, 202–203
 album Linnaeus, 203
- amaranticolor* (Coste & Reynier) Coste & Reynier, 203
- ambrosioides* Linnaeus, 203
- anthelminticum* misapplied, 203
- atriplicis* Linnaeus, 203
- bonus-henricus* Linnaeus, 202
- botrys* Linnaeus, 203
- capitatum* (Linnaeus) Ascherson, 203
- foliosum* Ascherson, 203
- giganteum* Don, 203
- purpurascens* Jacquin, 203
- purpurascens* misapplied, 203
- quinoa* Willdenow, 203
- Cherleria sedoides* Linnaeus, 200
- Chileorebutia glabrescens* Ritter, 266
- Chimonanthus* Lindley, 337
fragrans (Loiseleur) Lindley, 337
praecox (Linnaeus) Link, 337
- Chloranthaceae*, 438–439
- Chloranthus* Swartz, 439
brachystachys Blume, 438
glaber (Thunberg) Makino, 438–439
inconspicuus Swartz, 439
oldhamii Solms-Laubach, 439
serratus misapplied, 439
spicatus (Thunberg) Makino, 439
- Chondodendron* Ruiz & Pavón, 421
microphyllum (Eichler) Moldenke, 421
platiphyllum (St Hilaire) Miers, 421
tomentosum Ruiz & Pavón, 421
- Chosenia arbutifolia* (Pallas) Skvortsov, 25
- Chrysanthemum californicum* (Torrey) Greene, 505
- Chrysolepis* Hjelmqvist, 65–66
chrysophylla (Hooker) Hjelmqvist, 65–66
 ‘*Obovata*’, 66
 var. *minor* (Bentham) de Candolle, 66
 var. *sempervirens* (Kellogg) Henry, 66
sempervirens (Kellogg) Hjelmqvist, 66
- Cimicifuga* Linnaeus, 343–344
acerina (Siebold & Zuccarini) Tanaka, 344
americana Michaux, 344
cordifolia Pursh, 344
dahurica (Turczaninow) Maximowicz, 344
foetida Linnaeus, 344
japonica (Thunberg) Sprengel, 344
 var. *acerina* (Siebold & Zuccarini) Huth, 344
racemosa (Linnaeus) Nuttall, 344
 var. *cordifolia* (Pursh) Gray, 344
simplex Wormskiold, 344
 ‘*Elstead*’, 344
- Cinnamomum* Schaeffer, 338–339
camphora (Linnaeus) Siebold, 338
japonicum Nees, 338
micranthum (Hayata) Hayata, 338
pedunculatum Nees, 338
zeylanicum Blume, 338–339
- Cissus porphyrophylla* Lindley, 438
- Cladostemon kirkii* A. Braun & Vatke, 546
- Claytonia* Linnaeus, 181
alsinoides Sims, 181
australisica Hooker, 181
megarhiza (Gray) Watson, 181
 var. *nivalis* (English) Hitchcock, 181
nivalis English, 181

INDEX

607

-
- perfoliata Willdenow, 181
 sibirica Linnaeus, 181
 virginica Linnaeus, 181
Cleistocactus Lemaire, 244–246
 acanthurus (Vaupel) Hunt, 244
anguinus (Guerke) Britton & Rose, 244
 baumannii (Lemaire) Lemaire, 244
 subsp. baumannii, 244
 subsp. santacruzensis (Backeberg)
 Mottram, 244
 brookeae Cardenas, 245
 subsp. brookeae, 245
 subsp. *vulpis-cauda* (Ritter & Cullmann)
 Mottram, 245
 candellila Cardenas, 245
 chlorocarpus Kunth, 235
 fieldianus (Britton & Rose) Hunt, 244
flavescens Haage, 245
flavirufus invalid, 245
fossulatus Mottram, 246
fusiflorus Cardenas, 245
hildegardiae Ritter, 245
hildewinterae invalid, 245
hyalacanthus (Schumann) Roland-Gosselin,
 245
 subsp. *hyalacanthus*, 245
 subsp. *tarijensis* (Cardenas) Mortram,
 245
icosagonus (Kunth) Roland-Gosselin, 244
jujuvensis (Backeberg) Backeberg, 245
luribayensis Cardenas, 245
 morawetzianus Backeberg, 245
 parviflorus (Schumann) Roland-Gosselin, 245
reae Cardenas, 245
rhodacanthus (Salm-Dyck) Lemaire, 246
ritteri Backeberg, 245
roezlii (Haage) Backeberg, 244
rojoi Cardenas, 245
 samaipatanus (Cardenas) Hunt, 245
santacruzensis Backeberg, 244
sepium (Kunth) Roland-Gosselin, 244
 smaragdiflorus (Weber) Britton & Rose,
 245
 straussii (Heese) Backeberg, 245
tarijensis Cardenas, 245
villamontesii Cardenas, 245
vulpis-cauda Ritter & Cullmann, 245
wendlandiorum Backeberg, 245
winteri Hunt, 245
Clematis Linnaeus, 375–382
 addisonii Vail, 378–379
 aethusifolia Turczaninow, 377
 afoliata Buchanan, 381
 alpina (Linnaeus) Miller, 377
amplexicaulis Edgeworth, 377
aphylla Kuntze, 381
 aristata Brown, 380
 armandii Franchet, 381
 × *aromatica* Lenné & Koch, 381
balearica Richard, 380
barbellata Edgeworth, 377
brevicaudata de Candolle, 380
buchananiana de Candolle, 378
caerulea odorata invalid, 381
calycina Solander, 380
campaniflora Brotero, 382
 chrysocoma Franchet, 380
cirrhosa Linnaeus, 380
coccinea Engelmann, 379
colensoi Hooker, 381
columbiana Torrey & Gray, 377
connata de Candolle, 377
crispa Linnaeus, 379
davidiana Decaisne, 377
dioscoerifolia Léveillé & Vaniot, 380–381
douglasii Hooker, 379
 'Durandii', 379
 × *durandii* Kuntze, 379
 × *eriostemon* Decaisne, 382
fargesii Franchet, 381
flammula Linnaeus, 381
florida Thunberg, 382
Florida-group, 382
forsteri Gmelin, 381
fusca Turczaninow, 379
gebleriana Bongard, 381
glauca Willdenow, 378
glaucophylla Small, 379
glycinoides de Candolle, 380
gracilis Edgeworth, 377
grata Wallich, 380
graveolens Lindley, 378
grewiiflora de Candolle, 378
henryi Oliver, 382
heracleifolia de Candolle, 377
hexapetala Linnaeus, 381
hexasepala de Candolle, 381
hirsutissima Pursh, 379
indivisa Willdenow, 381
integerrifolia Linnaeus, 379
 × *jackmanii* Moore, 382
Jackmanii-group, 382
 × *jouiniana* Schneider, 380
koreana Komarov, 378
lanuginosa Lindley & Paxton, 382
Lanuginosa-group, 382
ligusticifolia Torrey & Gray, 379–380
linearifolia Steudel, 380
loasaefolia de Candolle, 378
macropetala Ledebour, 377–378
maximowicziana Franchet & Savatier,
 380
meyeniana Walpers, 381
microphylla de Candolle, 380
montana de Candolle, 380
 var. *rubens* Wilson, 380
 var. *sericea* Franchet, 380
montana Don, 377
napaulensis de Candolle, 377
nepalensis Royle, 377
nutans Royle, 378
 var. *thyrsoides* Rehder & Wilson,
 377
ochotensis Poiret, 377
ochroleuca Solander, 379
odorata invalid, 381
oreophila Hance, 381
orientalis Linnaeus, 378
paniculata Gmelin, 381
paniculata Thunberg, 380
patens Morren & Decaisne, 382
Patens group, 382
 phlebantha Williams, 381
petriei Allan, 381–382
pitcheri Torrey & Gray, 379
potaninii Maximowicz, 381
 var. *souliei* Finet & Gagnepain, 381
recta Linnaeus, 380–381
rehderiana Craib, 377
serratifolia Rehder, 378
sibirica (Linnaeus) Miller, 377
songarica Bunge, 381
spooneri Rehder & Wilson, 380
stans Siebold & Zuccarini, 377
stenophylla Fraser, 380
stenosepala de Candolle, 380
tangutica (Maximowicz) Korshinsky,
 378
terniflora de Candolle, 380–381
 var. *mandshurica* (Ruprecht) Ohwi,
 381
texensis Buckley, 379
Texensis-group, 382
tibetana Kuntze, 378
tubulosa Turczaninow, 377
veitchiana Craib, 377
velutina Edgeworth, 377
venosa Royle, 377
vernayi Fischer, 378
versicolor Rydberg, 379
viorna Linnaeus, 378
virginiana Linnaeus, 379
vitalba Linnaeus, 380
viticella Linnaeus, 382
Viticella-group, 382
Clematiclethra (Franchet) Maximowicz,
 454–455
actinoides Maximowicz, 454
integrifolia Maximowicz, 454
lasioclada Maximowicz, 454–455
 var. *grandis* (Hemsley) Rehder, 455
scandens (Franchet) Maximowicz, 455
Cleome Linnaeus, 546–547
arborea misapplied, 546
gigantea misapplied, 546
gynandra Linnaeus, 547
hasslerana Chodat, 546–547
 'Alba', 547
 'Helen Ballard', 547
 'Pink Queen', 547
 'Rosea', 547
 'Rose Queen', 547
isomeris Greene, 547
pentaphylla Linnaeus, 547
pungens misapplied, 546
spinosa misapplied, 546
Clethra scandens Franchet, 455
Cleyera Thunberg, 469–470
fortunei J.D. Hooker, 469
gymnanthera Wight & Arnott, 469
japonica Thunberg, 469–470
 'Tricolor', 469
 var. *kaempferiana* (de Candolle) Sealy,
 469
 var. *tricolor* W. Miller, 469
 var. *wallichiana* (de Candolle) Sealy, 469
 forma *tricolor* (Nicholson) Kobuski, 469
japonica foliis variegatis Verschaffelt, 469

- Cleyera* Thunberg (*continued*)
japonica tricolor Nicholson, 469
mertensiana Siebold & Zuccarini, 468
ochnacea de Candolle, 468
 var. *kaempferiana* de Candolle, 469
 var. *wallichiana* de Candolle, 469
panamensis (Standley) Kobuski, 469
theoides (Swartz) Choisy, 469
Clusia Linnaeus, 502
 var. *rosea* Jacquin, 502
Clusiaceae, 471
Coccocoba Browne, 133
 var. *uvifera* (Linnaeus) Linnaeus, 133
Coccus de Candolle, 421–422
 var. *carolinus* (Linnaeus) de Candolle, 421
laurifolius de Candolle, 422
orbiculatus (Linnaeus) de Candolle, 421–422
palmatus (Lamarck) de Candolle, 421
trilobus (Thunberg) de Candolle, 421
Cochemiea pondii (Greene) Walton, 303
 var. *poselgeri* (Hildmann) Britton & Rose, 302
Cochlearia Linnaeus, 573
officinalis Linnaeus, 573
Coleocephalocereus Backeberg, 239
brevicylindricus (Buining) Ritter, 239
fluminensis (Miquel) Backeberg, 239
goebelianus (Vaupel) Buining, 239
pachystele Ritter, 239
pluricostatus Buining & Brederoo, 239
Colobanthus Bartling, 200
 var. *muscodoides* Hooker, 200
Coluteocarpus Boissier, 573–574
 var. *reticulatus* Boissier, 573
vesicaria (Linnaeus) Holmboe, 573
Comandra Nuttall, 123
 var. *pallida* de Candolle, 123
Comptonia Aiton, 16
 var. *asplenifolia* (Linnaeus) Aiton, 16
peregrina (Linnaeus) Coulter, 16
 var. *asplenifolia* (Linnaeus) Fernald, 16
Conicosia Brown, 175–176
 var. *capensis* (Haworth) Brown, 176
pugioniformis (Linnaeus) Brown, 176
Conophyllum moniliforme (Haworth) Schwantes, 175
Conophytum Brown, 167–171
 var. *advenum* Brown, 170
andausanum Brown, 168
bilobum (Marloth) Brown, 168
brevipetalum Lavis, 170
calculus (Berger) Brown, 170
ectypum Brown, 170
elishae (Brown) Brown, 168
flavum Brown, 169
friedrichiae, 170–171
fulleri Bolus, 170
giftbergense Tischer, 170
hians Brown, 169
kubusananum Brown, 169
labyrinthicum (Brown) Brown, 170
leightoniae Bolus, 170
luisae Schwantes, 168–169
meyerae Schwantes, 168
meyeri Brown, 169
minimum (Haworth) Brown, 170
minutum (Haworth) Brown, 169
 var. *pearsonii* (Brown) Boom, 169
 var. *sellatum* (Tischer) Boom, 169
mundum Brown, 170
notatum Brown, 169
novicium Brown, 169
obcordellum (Haworth) Brown, 170
occultum Bolus, 170
pearsonii Brown, 169
pillansii Lavis, 168
piluliforme (Brown) Brown, 170
placitum (Brown) Brown, 169
polyandrum Lavis, 169
praecinctum Brown, 170
praesectum Brown, 170
saxetanum (Brown) Brown, 169
schlechteri, 171
scitulum (Brown) Brown, 170
sellatum Tischer, 169
tischeri Schick, 169
truncatum (Thunberg) Brown, 169
 var. *brevitubum* (Lavis) Tischer, 169
uviforme (Haworth) Brown, 169
vagum Brown, 170
velutinum (Schwantes) Schwantes, 169
viridicatum (Brown) Brown, 169
Consolea Lemaire, 314
 var. *macracantha* (Grisebach) Berger, 314
picardae (Urban) Areces Mallea, 314
rubescens (de Candolle) Lemaire, 314
spinosissima (Miller) Lemaire, 314
Consolida (de Candolle) Gray, 364
 var. *ajacis* (Linnaeus) Schur, 364
ambigua (Linnaeus) Ball, 364
orientalis (Gray) Schrödinger, 364
regalis Gray, 364
 var. *paniculata* (Host) Soó, 364
Copiapoa Britton & Rose, 277–279
 var. *applana* invalid, 277
barquitensis invalid, 278
bridgesii (Pfeiffer) Backeberg, 277
calderana Ritter, 278
 var. *spinosior* Ritter, 278
carrizalensis Ritter, 279
cinerascens (Salm-Dyck) Britton & Rose, 277
cinerea (Philippi) Britton & Rose, 278–279
 subsp. *cinerea*, 279
 subsp. *columna-alba* (Ritter) Backeberg, 279
 subsp. *haseltoniana* (Backeberg) Taylor, 278–279
columna-alba Ritter, 279
coquimbana (Ruempler) Britton & Rose, 278
 var. *wagenknechii* Ritter, 278
cuprea Ritter, 277
dealbata Ritter, 279
dura Ritter, 277
echinata Ritter, 278
echinoides (Salm-Dyck) Britton & Rose, 277
eremophila Ritter, 278
ferox invalid, 277
gigantea Backeberg, 278
grandiflora Ritter, 278
haseltoniana Backeberg, 278
humilis (Philippi) Hutchison, 278
hypogaea Ritter, 278
 subsp. *laui* (Diers) Charles, 278
 var. *barquitensis* Ritter, 278
 var. *lauti* Diers, 278
lembckeii invalid, 278
marginata (Salm-Dyck) Britton & Rose, 277
megarhiza Britton & Rose, 278
melanohystrix Ritter, 279
mollicula Ritter, 278
montana Ritter, 278
olivana Ritter, 278
solaris (Ritter) Ritter, 277
Subgenus Pilocopiapoa (Ritter) Ritter, 277
tenebrosa Ritter, 278
totoralensis Ritter, 278
wagenknechii invalid, 278
Coptis Salisbury, 343
asplenifolia Salisbury, 343
brachypetala Siebold & Zuccarini, 343
japonica (Thunberg) Makino, 343
 var. *dissecta* (Yatabe) Nakai, 343
 var. *major* (Miquel) Satake, 343
quinquefolia Miquel, 343
trifolia (Linnaeus) Salisbury, 343
 subsp. *groenlandica* (Oeder) Hultén, 343
Coronaria flos-jovis (Linnaeus) Braun, 187
tomentosa Braun, 187
Corynocactus Britton & Rose, 219–220
brachypetalus (Vaupel) Britton & Rose, 220
brevistylus (Schumann) Britton & Rose, 220
erectus (Backeberg) Ritter, 220
melanotrichus (Schumann) Britton & Rose, 220
pulquinensis Cardenas, 220
squarrosum (Vaupel) Hutchison, 220
Corydalis Ventenat, 537–544
allenii Fedde, 539, 542
 × *allenii* Irving, 539
ambigua Chamisso & Schlechtendahl, 539
 var. *jezoensis* (Miquel) Anon., 539
angustifolia (Bieberstein) de Candolle, 539
aurea Willdenow, 544
bracteata (Stephan) Persoon, 539
bulbosa (Linnaeus) de Candolle, 539
 subsp. *marschalliana* (Pallas) Chater, 541
bulbosa misapplied, 541
cashmeriana Royle, 541
cava (Linnaeus) Schweigger & Koerte, 541
 var. *albiflora*, 541
 var. *albiflora* Anon., 541
chaerophylla de Candolle, 542
cheilanthsifolia Hemsley, 542
claviculata (Linnaeus) de Candolle, 544
densiflora Presl & Presl, 539
diphylla Wallich, 541
elata Bureau & Franchet, 542
flexuosa Franchet, 542
 'Balang Mist', 542
 'Blue Panda', 542
 'China Blue', 542
 'Pere David', 542
 'Purple Leaf', 542

INDEX

609

- glauca* (Curtis) Pursh, 539
jezoensis Miquel, 539
longiflora (Willdenow) Persoon, 539
lutea (Linnaeus) de Candolle, 544
marschalliana (Pallas) Persoon, 541
nobilis (Linnaeus) Persoon, 542
ochroleuca Koch, 544
omeiana (Wu) Liden, 542
ophiocarpa Hooker & Thomson, 542, 544
paczoskii Busch, 539
popovii Popov, 541
rupestris Boissier, 542
rutifolia (Sibthorpe & Smith) de Candolle, 541
saxicola Bunting, 544
schanginii (Pallas) Fedtschenko, 539, 541
scouleri Hooker, 542
sempervirens (Linnaeus) Pursh, 539
sibirica (Linnaeus filius) Persoon, 542
solida (Linnaeus) Clairville, 539
 ‘Alba’, 539
thalictrifolia Franchet, 544
tomentella Franchet, 544
tomentosa Brown, 544
tuberosa de Candolle, 541
vaginans Royle, 544
verticillaris de Candolle, 541
wilsonii Brown, 544
 Corylaceae, 56–57
Corylus Linnaeus, 58–59
 americana Marshall, 59
 avellana Linnaeus, 59
 ‘Aurea’, 59
 ‘Contorta’, 59
 ‘Pendula’, 59
 forma aurea Kirchner, 59
 forma pendula Dippel, 59
 var. *contorta* Bean, 59
 chinensis Franchet, 58–59
 columna Linnaeus, 58
 var. *chinensis* (Franchet) Burkhill, 58
 cornuta Marshall, 59
 davidiana Baillon, 58
 ferox Wallich, 58
 var. *tibetica* Franchet, 58
 heterophylla Fischer & Trautvetter, 59
 jacquemontii Decaisne, 58
 lacera Wallich, 58
 maxima Miller, 59
 ‘Purpurea’, 59
 var. *purpurea* (Loudon) Rehder, 59
 rostrata Aiton, 59
 var. *sieboldiana* (Blume) Maximowicz, 59
 sieboldiana Blume, 59
 var. *mandshurica* (Maximowicz)
 Schneider, 59
 tibetica Batalin, 58
 tuberosa Willdenow, 59
Corynopuntia Knuth, 313
 emoryi (Engelmann) Griffiths, 314
 invicta (Brandegee) Knuth, 314
 marenae (Parsons) Griffith, 314
Coryphantha (Engelmann) Lemaire, 296–297
 alversonii (Zeissold) Orcutt, 299
 asperispina Boedeker, 299
 bisbeeana Orcutt, 298
 bumamma (Ehrenberg) Britton & Rose, 297
 calcarata (Engelmann) Lemaire, 297
 chaffeyi (Britton & Rose) Fosberg, 299
 clavata (Scheidweiler) Backeberg, 297
 cornifera (de Candolle) Lemaire, 297
 var. *echinus* (Engelmann) Benson, 297
 deserti (Engelmann) Britton & Rose, 298
 difficilis (Quehl) Orcutt, 297
 duncanii (Hester) Benson, 299
 durangensis (Schumann) Britton & Rose,
 296
 echinus (Engelmann) Britton & Rose, 297
 elephantidens (Lemaire) Lemaire, 297
 subsp. *bumamma* (Ehrenberg) Dicht &
 Lüthy, 297
 subsp. *elephantidens*, 297
 erecta (Pfeiffer) Lemaire, 297
 glanduligera (Otto) Lemaire, 297
 hesteri Wright, 299
 macromeris (Engelmann) Lemaire, 296
 subsp. *runyonii* (Britton & Rose) Benson,
 296
 maiz-tablasensis Backeberg, 296–297
 marstonii Clover, 299
 neomexicana (Engelmann) Britton & Rose,
 298
 odorata Boedeker, 297
 pallida Britton & Rose, 297
 pectinata (Engelmann) Britton & Rose, 297
 poselgeriana (Dietrich) Britton & Rose,
 296–297
 radians (de Candolle) Britton & Rose, 297
 ramillosa Cutak, 297
 retusa (Pfeiffer) Britton & Rose, 297
 rosea Clokey, 298
 Subgenus *Coryphantha*, 296
 Subgenus *Neocoryphantha* Backeberg, 296
 sulcata (Engelmann) Britton & Rose, 297
 sulcolanata (Lemaire) Lemaire, 297
 varicolor Tiegel, 298
 vivipara (Nuttall) Britton & Rose, 298
 zilziana Boedeker, 299
Crambe Linnaeus, 581
 cordifolia Steven, 581
 junccea Bieberstein, 581
 koktebelica (Junge) N. Busch, 581
 kotschyana Boissier, 581
 maritima Linnaeus, 581
 orientalis Linnaeus, 581
 tataria Sebeök, 581
 tatarica Pallas, 581
Cossinia africana Durieu, 582
 platycarpa Cossion, 582
Crateva Linnaeus, 546
 adansonii de Candolle, 546
 religiosa Forster filius, 546
Cruciferae, 547–583
Cryophyllum barklyi (Brown) Brown, 141
 crystallinum (Linnaeus) Brown, 141
Cubeba officinalis Miquel, 437
Cucubalus Linnaeus, 188
 baccifer Linnaeus, 188
Cudrania Trécul, 89
 tricuspidata (Carrière) Bureau, 89
Cumarinia Buxbaum, 297
 odorata (Boedeker) Buxbaum, 297
Cumulopuntia Ritter, 312
boliviiana (Salm-Dyck) Ritter, 312
 sphaerica (Foerster) Anderson, 312
Cydocarpus paliurus (Batalin) Iljinskaya, 20
Cylindrophyllum Schwantes, 149
 calamiforme (Linnaeus) Schwantes, 149
 comptonii Bolus, 149
 tugwelliae Bolus, 149
Cylindropuntia (Engelmann) Knuth, 313
 imbricata (Haworth) Knuth, 313
 leptocaulis (de Candolle) Knuth, 313
 rosea (de Candolle) Knuth, 313
 tunicata (Lehmann) Knuth, 313
Cysticarpnos vesicarius (Linnaeus) Fedde, 544
Dactylopsis Brown, 141
 digitata (Aiton) Brown, 141
Daphnidium strychnifolium Siebold & Zuccarini,
 340
Darlingtonia Torrey, 505
 californica Torrey, 505
Debregeasia Gaudichaud-Beaupré, 107
 longifolia (Burman) Weddell, 107
 velutina Gaudichaud-Beaupré, 107
Decaisnea Hooker & Thomson, 418–419
 fargesii Franchet, 418–419
Decarya Choux, 317
 madagascariensis Choux, 317
Degenia Hayek, 562
 velebitica (Degen) Hayek, 562
Delosperma Brown, 152–154
 ashtonii Bolus, 154
 cooperi (Hooker) Bolus, 153–154
 echinatum (Aiton) Schwantes, 153
 ecklonis (Salm-Dyck) Schwantes, 153
 lehmannii (Ecklon & Zeyher) Schwantes,
 153
 litorale (Kensit) Bolus, 153
 lydenburgense Bolus, 153
 obtusum Bolus, 153
 pergamentaceum Bolus, 153
 pruinosum (Thunberg) Ingram, 153
 subpetiolatum Bolus, 153
 sutherlandii (Hooker) Brown, 153
Delphinium Linnaeus, 359–364
 aitchisonii Huth, 360
 ajacis Linnaeus, 364
 ajacis misapplied, 364
 bicolor Nuttall, 362
 brachycentrum Ledebour, 360
 brunonianum Royle, 360
 cardinale Hooker, 362
 cashmerianum Royle, 360
 caucasicum Meyer, 360
 cheilanthus Meyer, 360
 consolida Linnaeus, 364
 delavayi Franchet, 362
 denudatum Hooker & Thomson, 360, 362
 elatum Linnaeus, 360
 fissum Waldstein & Kitaibel, 362
 formosum Beaton, 360
 formosum Boissier & Huet, 360
 grandiflorum Linnaeus, 362
 huetianum Meikle, 360
 jacquemontianum Cambessedes, 360
 leroyi Huth, 364
 maackianum Regel, 360

- Delphinium* Linnaeus (*continued*)
muscosum Exell & Hillcoat, 360
nudicaule Torrey & Gray, 362
nuttallianum Pritzl, 364
nuttallii Gray, 362, 364
orientalis Gay, 364
pylzowii Regel, 360
requienii de Candolle, 364
semibarbatum Boissier, 360
staphisagria Linnaeus, 364
tatsienense Franchet, 362
tricorne Michaux, 362
trollifolium Gray, 362
virescens Nuttall, 362
wellbyi Hemsley, 364
zalil Aitchison, 360
- Dendromecon* Bentham, 534
harfordii Kellogg, 534
rigida Bentham, 534
 var. *harfordii* (Kellogg) Brandegee, 534
- Denmoza* Britton & Rose, 246
erythrocephala (Schumann) Berger, 246
rhodacantha (Salm-Dyck) Britton & Rose, 246
- Dentaria* *bulbifera* Linnaeus, 557
californica Nuttall, 557
digitata Lamarck, 557
enneaphyllos Linnaeus, 557
pinnata Lamarck, 557
polyphylla Walstein & Kitaibel, 557
- Derenbergia* *friedrichii* (Dinter) Schwantes, 170
- Desmitus* *reticulata* (Lindley) Rafinesque, 462
- Dianthus* Linnaeus, 191–197
 × ‘Allwoodii’, 194
 ‘Allwoodii Alpinus’, 194
alpinus Linnaeus, 194
 ‘Albus’, 194
anatolicus Boissier, 196
arboreus Linnaeus, 193
arenarius Linnaeus, 196
armeria Linnaeus, 192–193
 × *avernensis* Rouy & Foucaud, 197
atorubens Allioni, 193
barbatus Linnaeus, 193
biflorus Sibthorp & Smith, 193
brachyanthus Boissier, 196
brevicaulis Fenzl, 194
caesioides Smith, 197
 × *calalpinus* invalid, 194
callizonus Schott & Kotschy, 194
calocephalus Baldacci, 193
campestris Bieberstein, 194–195
capitatus de Candolle, 193
carthusianorum Linnaeus, 193
caryophyllus Linnaeus, 196
chinensis Linnaeus, 195
 ‘Hedewigii’, 195
cruentus Grisebach, 193
deltoides Linnaeus, 195
freynii Vandas, 194
fruticosus Linnaeus, 193
furcatus Balbis, 196
gallicus Persoon, 196
gelidus Schott, Nyman & Kotschy, 194
giganteus D’Urville, 193
glacialis Haenke, 194
- gracilis* Sibthorp & Smith, 195
graniticus Jordan, 197
gratiopolitanus Villars, 197
haematochalix Boissier & Heldreich, 195
holzmannianus Heldreich & Haussknecht, 193
knappii (Pantocsek) Borbás, 193
lateritius Halacsy, 193
microlepis Boissier, 194
monspessulanus Linnaeus, 197
 subsp. *sternbergii* (Sieber) Hegi, 197
myrtinervius Grisebach, 195
nardiformis Janka, 195
neglectus Loiseleur, 194
nitidus misapplied, 194
nitidus Waldstein & Kitaibel, 194
pavonius Tausch, 194
petraeus Waldstein & Kitaibel, 197
pindicola Vierhapper, 195
pinifolius Sibthorp & Smith, 193–194
plumarius Linnaeus, 196
pungens Linnaeus, 196
roysii of gardens, 194
sanguineus Visiani, 193
saxifragus Linnaeus, 197
scardicus Wettstein, 194
 Section *Barbulatum* Williams, 194
 Section *Caryophyllum*, 195
 Section *Plumaria* Opiz, 196
seguieri Villars, 195
serratus Lapeyrouse, 196
spiculifolius Schur, 197
squarrosum Bieberstein, 196
sternbergii Sieber, 197
strictus misapplied, 197
subacaulis Villars, 196
 Subgenus *Armeriastrum* Seringe, 192
 Subgenus *Caryophyllum* Seringe, 193
superbus Linnaeus, 196–197
sylvaticus Hoppe, 195
sylvestris Wulfen, 195–196
 subsp. *siculus* (Presl) Tutin, 196
tenuifolius Schur, 193
zonatus Fenzl, 194
- Dicentra* Bernhardi, 535–537
canadensis (Goldie) Walpers, 537
chrysanthia (Hooker & Arnott) Walpers, 536
cucullaria (Linnaeus) Bernhardi, 537
eximia (Ker) Torrey, 536
formosa (Haworth) Walpers, 536
 ‘Alba’, 536
 subsp. *oregana* (Eastwood) Munz, 536
- macrantha* Oliver, 536
macrocapnos Prain, 537
nevadensis Eastwood, 536
ochroleuca Engelmann, 536
pauciflora Watson, 537
peregrina (Rudolph) Makino, 536–537
 var. *pusilla* (Siebold & Zuccarini) Makino, 536
pusilla Siebold & Zuccarini, 536
spectabilis (Linnaeus) Lemaire, 536
 Subgenus *Dactylicapnos* (Wallich) Stern, 537
uniflora Kellogg, 537
- Dicranostigma* Hooker & Thompson, 532
franchetianum (Prain) Fedde, 532
- lactucoides* Hooker & Thomson, 532
leptopodium (Maximowicz) Fedde, 532
- Didierea* Baillon, 318–319
ascendens Drake, 318
madagascariensis Baillon, 318–319
mirabilis Baillon, 318
procera Drake, 318
trollii Capuron & Rauh, 318
- Didiereaceae*, 317–319
- Didymaotus* Brown, 167
lapidiformis (Marloth) Brown, 167
- Dillenia* Linnaeus 442
indica Linnaeus, 442
philippinensis Rolfe, 442
procumbens Labillardière, 444
scandens Willdenow, 444
speciosa misapplied, 444
speciosa Thunberg, 442
vulobilis Ventenat, 444
- Dilleniaceae*, 442–444
- Dinteranthus* Schwantes, 164–165
inexpectatus Jacobsen, 164
microspermus (Dinter & Derenberg)
 Derenburg subsp., *microspermus*, 164
 subsp. *puberulus* (Brown) Sauer, 164
pole-evansii (Brown) Schwantes, 165
puberulus Brown, 164
punctatus Bolus, 164
vanzyliae (Bolus) Schwantes, 164–165
wilmotianus Bolus, 164
 subsp. *impunctatus* Sauer, 164
 subsp. *wilmotianus*, 164
- Dionaea* Ellis, 515
muscipula Ellis, 515
- Dioscoreophyllum* Engler, 421
cumminsii (Stapf) Diels, 421
- Diphylliea* Michaux, 417
cymosa Michaux, 417
- Discocactus* Pfeiffer, 264
albispinus Buining & Brederoo, 264
araneispinus Buining & Brederoo, 264
bahiensis Britton & Rose, 264
boomianus Buining & Brederoo, 264
hartmannii (Schumann) Britton & Rose, 264
heptacanthus (Rodrigues) Britton & Rose, 264
horstii Buining & Brederoo, 264
latispinus Buining & Brederoo, 264
magnimammus Buining & Brederoo, 264
mamillosus Buining & Brederoo, 264
patulifolius Buining & Brederoo, 264
placentiformis (Lehmann) Schumann, 264
tricornis Pfeiffer, 264
woutersianus Brederoo & Vandebroeck, 264
zehntneri Britton & Rose, 264
- Disocactus* Lindley, 231
flagelliformis (Linnaeus) Barthlott, 231
martianus (Zuccarini) Barthlott, 231
phyllanthoides (de Candolle) Barthlott, 231
ramulosus (Salm-Dyck) Kimnach, 232
speciosus (Cavanilles) Barthlott, 231
- Distegocarpus* *carpinus* Siebold & Zuccarini, 57
laxiflorus Siebold & Zuccarini, 56

INDEX

611

- Dolichothele baumii* (Boedeker) Werdermann & Buxbaum, 302
longimamma (de Candolle) Britton & Rose, 302
sphaerica (Dietrich) Britton & Rose, 302
surculosa (Boedeker) Buxbaum, 302
uberiformis (Zuccarini) Britton & Rose, 302
Dorotheanthus Schwantes, 173–174
 bellidiformis (Burman) Brown, 174
 gramineus (Haworth) Schwantes, 174
 hallii Bolus, 174
 maughanii Brown, 173–174
 var. maughanii, 174
 var. stayneri Bolus, 174
 tricolor (Willdenow) Bolus, 174
Dorstenia Linnaeus, 89–91
 argentata Hooker, 91
 arifolia Lamarck, 90
 barteri var. *multiradiata* (Engler) Hijman & Berg, 90
 contrajerva Linnaeus, 90
 convexa De Wildemann, 91
 erecta Vellozo, 91
 foetida (Forsskål) Schweinfurth, 90–91
 hildebrandtii Engler, 90
 hirta Desvaux, 91
 multiradiata Engler, 90
 psilurus Welwitsch, 90
 urceolata Schott, 91
 ‘Variegata’, 91
 yambuyaensis De Wildeman, 90
Draba Linnaeus, 568–572
 aizoides Linnaeus, 569
 aizoon Wahlenberg, 569
 arabisans Michaux, 571
 aramata Schott, Nyman & Kotschy, 569
 aspera Bertoloni, 569
 atlantica Pomel, 570
 bertoloni Nyman, 569
 bruniifolia Steven, 570
 bryoides de Candolle, 570
 cappadocica Boissier & Bolansa, 570–571
 compacta Schott, Nyman & Kotschy, 569
 crassifolia R.C. Graham, 571–572
 cuspidata Bieberstein, 569
 dedeana Boissier & Reuter, 570
 doerfleri Wetttstein, 568
 elongata Host, 569
 glacialis Adams, 570
 haynaldii Stur, 570
 hispanica Boissier, 570
 incana Linnaeus, 571
 incerta Payson, 570
 lasiocarpa Rochel, 569
 longirostra Schott, Nyman & Kotschy, 569
 longisiliqua Schmalhausen, 571
 mollissima Steven, 571
 norvegica Gunnerus, 571
 oligosperma Hooker, 570
 var. pilosa (Regal) Schulz, 570
 oreadum Maire, 571
 parnassica Boissier & Heldreich, 569–570
 polytricha Ledebour, 570
 pyrenaica Linnaeus, 572
 reuteri Boissier & Huet, 570
 rigida Willdenow, 570
 var. bryoides (de Candolle) Boissier, 570
 rosularis Boissier, 571
 rupestris R. Brown, 571
 × salomonii Sündermann, 570
 sauteri Hoppe, 569
 sibirica (Pallas) Thellung, 570
 stellata Jacquin, 571
 tomentosa Clairville, 571
 ussuriensis Pohle, 571
Drimys Forster & Forster, 330
 andina invalid, 330
 aromatica (Brown) Mueller, 330
 aromatica Murray, 330
 axillaris Forster & Forster, 331
 chilense de Candolle, 330
 colorata Raoul, 331
 lanceolata (Poiret) Baillon, 330
 latifolia invalid, 330
 winteri Forster & Forster, 330
 var. andina Reiche, 330
 var. chilense (de Candolle) Gray, 330
 var. latifolia Miers, 330
 var. punctata (Lamarck) de Candolle, 330
 var. winteri, 330
Drosanthemum Schwantes, 154
 ambiguum Bolus, 154
 archeri Bolus, 154
 bellum Bolus, 154
 floribundum Schwantes, 154
 hallii Bolus, 154
 hispidum (Linnaeus) Schwantes, 154
 kolbei invalid, 152
 micans (Linnaeus) Schwantes, 154
 speciosum (Haworth) Schwantes, 154
 splendens Bolus, 154
Drosera Linnaeus, 515–520
 adelae F. von Mueller, 518
 aliciae Hamet, 519
 anglica Hudson, 518
 auriculata Planchon, 517
 binata Labillardière, 517–518
 ‘Dichotoma Giant’, 518
 ‘Multifida’, 518
 ‘Multifida Extrema’, 518
 ‘Multifida Pink’, 518
 brevifolia Pursh, 519–520
 burkeana Planchon, 519
 burmannii Vahl, 518
 callistos Marchant & Lowrie, 517
 capensis Linnaeus, 518–519
 capillaris Poiret, 519
 cistiflora Linnaeus, 516
 cuneifolia Linnaeus filius, 519
 curviflora Salter, 519
 dichotoma Smith, 517
 dichrosepala Turczaninow, 517
 erythrorhiza Lindley, 516–517
 subsp. collina Marchant & Lowrie, 517
 subsp. erythrorhiza, 517
 subsp. magna Marchant & Lowrie, 517
 subsp. squamosa (Bentham) Marchant & Lowrie, 517
 filiformis Rafinesque, 518
 var. typica Wayne, 518
 glabripes (Planchon) Stein, 519
 indica Linnaeus, 442
 intermedia Hayne, 518
longifolia Linnaeus, in part, 518
 montana Saint-Hilaire, 519
 × obovata Mertens & Koch, 518
 paleacea de Candolle, 517
 pauciflora de Candolle, 516
 pedata Persoon, 517
 peltata Thunberg, 517
 pygmaea de Candolle, 517
 regia Stephens, 518
 rotundifolia Linnaeus, 518
 scorpioides Planchon, 517
 scorpioides misapplied not Planchon, 517
 slackii Cheek, 519
 spathulata Labillardière, 520
 ‘Kansai’, 520
 ‘Kanto’, 520
 villosa Saint-Hilaire, 519
Drosseraceae, 514–520
Drosophyllum Link, 520
 lusitanicum (Linnaeus) Link, 520
Dulacia Vellozo, 122
 inopiflora (Miers) Kuntze, 122
Dysosma Woodson, 417
 aurantiocaule (Handel-Mazzetti) Hu, 417
 delavayi Franchet, 418
 difformis (Hemsley & B Wilson) Wang, 418
 pleiantha (Hance) Woodson, 418
 tsayuensis Ying, 418
 veitchii Hemsley & Wilson, 418
Eberlanzia Schwantes, 143
 spinosa (Linnaeus) Schwantes, 143
Ebracteola Dinter & Schwantes, 152
 montis-moltkei (Dinter) Dinter & Schwantes, 152
Echinocactus Link & Otto, 279–280
 alamosanus Britton & Rose, 295
 anfractuosus Pfeiffer, 296
 apicus Arechavaleta, 272
 arechavaletai Spegazzini-, 271
 arrigens Dietrich, 295
 asterias Zuccarini, 280
 beguinii var. senilis Josefki, 286
 bicolor Pfeiffer, 285
 bolaensis Runge, 285
 bridgesii Pfeiffer, 277
 caespitosus Spegazzini, 272
 capricornis Dietrich, 280
 cataphractus Dams, 276
 cinerascens Salm-Dyck, 277
 cinereus Philippi, 278
 cinnabarinus Hooker, 254
 chilensis Schumann, 266
 chlorophthalmus Hooker, 227
 chrysacanthion Schumann, 269
 chrysanthus Orcutt, 294
 colombianus Werdermann, 275
 columnaris Pfeiffer, 277
 concinnus Monville, 272
 var. tabularis Ruempler, 272
 conothelos Regel & Klein, 285
 coptonogonus Lemaire, 295
 coquimbanus Ruempler, 278
 crispatus de Candolle, 295
 cupreatus Hildmann, 277
 denudatus Link & Otto, 261

- Echinocactus* Link & Otto (*continued*)
dichroacanthus Pfeiffer, 296
diguetii Weber, 295
echidna de Candolle, 292
echinoides Salm-Dyck, 277
ehrenbergii Pfeiffer, 285
electracanthus Lemaire, 293
 var. *haematacanthus* Salm-Dyck, 293
emoryi Engelmann, 295
 var. *rectispinus* Engelmann, 295
erectocentrus Coulter, 283
eyriesii Turpin, 252
flavovirens Scheidweiler, 292
floricomus Arechavaleta, 273
fordii Orcutt, 294
fossulatus Scheidweiler, 286
gielsdorffianus Werdermann, 287
gladiatus Link & Otto, 296
glaucescens de Candolle, 292
glaucus Schumann, 283
gracillimus Lemaire, 275
graessneri Schumann, 271
grahamianus Schumann, 275
grandicornis (Lemaire) Britton. & Rose, 296
grandis Rose, 279
grusonii Hildmann, 279
guerranianus Backeberg, 295
hamatacanthus Muehlenpfordt, 293
hartmannii Schumann, 264
herteri Werdermann, 273
hamatacanthus Muehlenpfordt, 293
heterochromus Weber, 285
hexaedrophorus Lemaire, 286
histrix de Candolle, 293
horizonthalonius Lemaire, 279
 var. *nicholii* Benson, 279
humilis Philippi, 278
ingens Zuccarini, 279
 × *iphaeanthus* Miquel, 296
intertextus Engelmann, 283
iphaeanthus Miquel, 296
johsonii Engelmann, 283
knippelianus Quehl, 275
knuthianus Boedeker, 287
lamellosus Dietrich, 295
lancifer Dietrich, 295
lecontei Engelmann, 294
leninghausii Schumann, 271
leucacanthus Pfeiffer, 285
lophothele Salm-Dyck, 286
maccowelli Quehl, 285
macrodiscus Martius, 293
 var. *multiflorus* Meyer, 293
malletianus Salm-Dyck, 279
mammulosus Lemaire, 273
mandragora Berger, 286
marginatus Salm-Dyck, 277
megapotamicus Osten, 272
melocactiformis de Candolle, 293
microspermus Spegazzini, 268
 var. *erythranthus* Spegazzini, 268
mirbelii Lemaire, 280
monvillei Lemaire, 261
mostii Guerke, 262
multicostatus Schumann, 295
multiflorus Hooker, 261
obvallatus de Candolle, 295
ornatus de Candolle, 280
orcuttii Engelmann, 294
ottonis var. *tortuosus* (Link & Otto) Haage, 272
oxygonus Link, 252
palmeri Rose, 279
pectinatus Scheidweiler, 226
peninsulae Weber, 293
pentacanthus Lemaire, 295
pentlandii Hooker, 254
phyllacanthus Dietrich & Otto, 296
piliferus Ehrenberg, 294
pilosus Salm-Dyck, 294
 var. *pringlei* Coulter, 294
 var. *stainesi* Salm-Dyck, 294
platyacanthus Link & Otto, 279
polyancistrus Engelmann & Bigelow, 284
pottsii Salm-Dyck, 294
pulcherrimus Arechavaleta, 275
pumilus Lemaire, 275
pygmaeus Spegazzini, 275
 var. *phaeodiscus* Spegazzini, 276
rafaelensis Purpus, 292
reichei Schumann, 266
reichenbachii Walpers, 228
rhodophthalmus Hooker, 285
rinconensis Poselger, 286
ritteri Boedeker, 281
robustus Pfeiffer, 293
roseanus Boedeker, 298
saueri Boedeker, 287
scheeri Salm-Dyck, 282
schilinzkyanus Schumann, 275
schmiedickeanus Boedeker, 287
schumannianus Nicolai, 270
schwebsianus Werdermann, 270
scopa forma *haselbergii* Ruempler, 271
setispinus Engelmann, 284
simpsonii Engelmann, 281
sinuatus Dietrich, 293
smithii Muehlenpfordt, 286
spiralis Pfeiffer, 293
stuemerii Werdermann, 270
streptocalon Hooker, 277
strobiliformis Poselger, 298
submammulosus Lemaire, 273
sulphureus Dietrich, 296
tenuispinus Link & Otto, 271
tetraxyphus Schumann, 296
texensis Hopffer, 279–280
tortuosus Link & Otto, 272
tricuspidatus Scheidweiler, 296
tulensis Poselger, 285
uncinatus Galeotti, 282
unguispinus Engelmann, 282
uruguayensis Arechavaleta, 260
vaupelianus (Werdermann) Backeberg &
 Knuth, 296
victoriensis Rose, 292
viereckii Werdermann, 287
violaciflorus (Quehl) Britton & Rose, 295
viridescens Torrey & Gray, 294
 var. *cylindraceus* Engelmann, 294
visnaga Hooker, 279
wagnerianus Berger, 285
williamsii Salm-Dyck, 289
wippermannii Muehlenpfordt, 296
Echinocereus Engelmann, 225–229
adustus Engelmann, 228–229
 subsp. *adustus*, 229
 subsp. *schwarzii* (Lau) Taylor, 229
armatus (Poselger) Berger, 228
baileyi Rose, 228
berlandieri (Engelmann) Haage, 227
blan(c)kii misapplied, 227
bonkeriae Thorner & Bonker, 226
boyce-thompsonii Orcutt, 226
bristoli Marshall, 228
caespitosus (Engelmann) Engelmann, 228
chloranthus (Engelmann) Haage, 227
 var. *cylindricus* (Engelmann) Taylor, 227
cinerascens (de Candolle) Lemaire, 227
 subsp. *tulensis* (Bravo) Taylor, 227
coccineus Engelmann, 227
ctenoides Engelmann, 226
cucumis Werdermann, 227
dasyacanthus Engelmann, 226
davisii Houghton, 227
engelmannii (Engelmann) Lemaire, 226
enneacanthus Engelmann, 227
 subsp. *brevispinus* (Moore) Taylor, 227
 subsp. *enneacanthus*, 227
 var. *stramineus* (Engelmann) Benson, 227
fasciculatus (Jackson) Benson, 226
 var. *bonkeriae* (Thorner & Bonker) Benson,
 226
fendleri (Engelmann) Ruempler, 226
 var. *fasciculata* (Jackson) Taylor, 226
 subsp. *fendleri*, 226
 var. *ledingii* (Peebles) Taylor, 226
 subsp. *rectispinus* (Peebles) Benson, 226
fitchii Britton & Rose, 228
gentryi Clover, 227
knippelianus Liebner, 229
lau Frank, 229
ledingii Peebles, 226
leonensis Mathsson, 227
luteus Britton & Rose, 228
melanocentrus Lowry, 228
merkeri Schumann, 227
ochoterenae Ortega, 228
papillosus Ruempler, 226
 var. *angusticeps* (Clover) Marshall, 226
pectinatus (Scheidweiler) Engelmann, 226
 var. *dasyacanthus* (Engelmann) Taylor,
 226
 var. *pectinatus* misapplied, 228
 var. *rubispinus* Frank & Lau, 228
pentalophus (de Candolle) Lemaire, 227–228
 subsp. *leonensis* (Mathsson) Taylor, 227
perbellus Britton & Rose, 228
polyacanthus Engelmann, 226
poselgeri Lemaire, 228
pulchellus (Martius) Seitz, 228
purpureus Lahman, 228
radians Engelmann, 228
rectispinus Peebles, 226
reichenbachii (Walpers) Haage, 228
 var. *albispinus* (Lahman) Benson, 228
 subsp. *armatus* (Poselger) Taylor, 228
 subsp. *baileyi* (Rose) Taylor, 228
 subsp. *fitchii* (Britton & Rose) Benson, 228

INDEX

613

- subsp. *perbellus* (Britton & Rose) Benson, 228
 subsp. *reichenbachii*, 228
rigidissimus (Engelmann) Haage, 228
 subsp. *rubispinus* (Frank & Lau) Taylor, 228
rosei Wooten & Standley, 227
russanthus Weniger, 227
salm-dyckianus Scheer, 227
scheeri (Salm-Dyck) Scheer, 227
 var. *gentryi* (Clover) Taylor, 227
schwarzii Lau, 228
stoloniferus Marshall, 228
stramineus (Engelmann) Ruempler, 227
subinermis Scheer, 228
 subsp. *ochoterenae* (Ortega) Taylor, 228
tayopensis Marshall, 228
triglochidiatus Engelmann, 226–227
 var. *melanacanthus* (Engelmann) Benson
 'Inermis', 227
 subsp. *mojavensis* (Engelmann & Bigelow)
 Blume & Lange, 227
tulensis Bravo, 227
viridiflorus Engelmann, 227
 subsp. *chloranthus* (Engelmann) Taylor, 227
 subsp. *cylindricus* (Engelmann) Taylor, 227
 subsp. *davisii* (Houghton) Taylor, 227
 var. *cylindricus* (Engelmann) Ruempler, 227
- Echinofossulocactus albatus* misapplied, 296
arrigens (Dietrich) Britton & Rose, 295
bustumantei Croizat, 295
caespitosus Backeberg, 295
coptonogonus (Lemaire) Lawrence, 295
grandicornis (Lemaire) Britton & Rose, 296
 × *iphaeanthus* (Miquel) Backeberg, 296
lamellosus (Dietrich) Britton & Rose, 295
lexarzai Croizat, 295
lloydii Britton & Rose, 286
multicostatus (Schumann) Britton & Rose, 295
ochoterenae (Tiegel) Whitmore, 295
phyllacanthus (Dietrich & Otto) Lawrence, 296
sulphureus (Dietrich) Ito, 296
vaupelianus (Werdermann) Whitmore, 296
violaceiflorus (Quehl) Britton & Rose, 295
- Echinomastus acunensis* Marshall, 283
dasyacanthus (Engelmann) Britton & Rose, 283
durangensis (Runge) Britton & Rose, 282
erectocentrus (Coulter) Britton & Rose, 283
intertextus (Engelmann) Britton & Rose, 283
johsonii (Engelmann) Baxter, 283
lauti Frank & Zecher, 282
macdowellii (Quehl) Britton & Rose, 285
mapimiensis Backeberg, 282
mariposensis Hester, 283
unguispinus (Engelmann) Britton & Rose, 282
warnockii (Benson) Glass & Foster, 283
- Echinopsis* Zuccarini, 249–255
albispinosa Schumann, 252
ancistrophora Spegazzini, 253
andagalensis invalid, 252
arachnacantha (Buining & Ritter) Friedrich, 253
atacamensis (Philippi) Friedrich & Rowley
 subsp. *pasacana* (Ruempler)
 Navarro, 251
aurea Britton & Rose, 254–255
ayopayana Ritter & Rausch, 253
backebergii Werdermann, 254
bridgesii Salm-Dyck subsp. *vallegrandis*
 (Cárdenas) Lowry, 253
bruchii (Britton & Rose) Friedrich & Glaetzel, 254
cachensis Spegazzini, 255
calochlora Schumann, 252
calorubra Cardenas, 253
campylacantha Pfeiffer, 252
chamaecereus Friedrich & Rowley, 255
chiloensis (Colla) Friedrich & Rowley, 251
chrysantha Werdermann, 255
cinnabrina (Hooker) Labouret, 254
comarapana Cardenas, 253
coquimbana (Molina) Friedrich & Rowley, 251
cristata Salm-Dyck, 253
culpinensis invalid, 254
densispina Werdermann, 255
deserticola (Werdermann) Friedrich & Rowley, 251
ducis-pauli misapplied, 253
eyriesii (Turpin) Pfeiffer & Otto, 252
famatinensis (Spegazzini) Werdermann, 255
ferox (Britton & Rose) Backeberg, 253
fibrigii Guerke, 253
formosa (Pfeiffer) Salm-Dyck, 253–254
 subsp. *bruchii* (Britton & Rose) Lowry, 254
 subsp. *formosa*, 254
frankii invalid, 253
fulviflora (Ritter) Friedrich & Rowley, 251
gigantea Meyer, 251
hamatacantha Backeberg, 253
hertrichiana (Backeberg) Hunt, 254
huasca (Weber) Friedrich & Rowley, 252
kermesina Krainz, 253
korethroides Werdermann, 254
kratochviliana Backeberg, 253
kuehnrichii (Fric) Friedrich & Glaetzel, 255
lageniformis (Foerster) Friedrich & Rowley, 251
lamprochlorus (Lemaire) Friedrich & Glaetzel, 251
lecoriensis Cardenas, 253
leucantha (Salm-Dyck) Walpers, 252–253
leucorhodantha Backeberg, 253
litoralis (Johow) Friedrich & Rowley, 251
longispina (Britton & Rose) Backeberg, 253
macrogona (Salm-Dyck) Friedrich & Rowley, 251
mamillosa Guerke, 253
 var. *kermesina* (Krainz) Friedrich, 253
 var. *ritteri* (Boedeker) Ritter, 253
marsoneri Werdermann, 255
maximiliana Heyder, 254
millarensis invalid, 254
mirabilis Spegazzini, 250–251
multiplex (Pfeiffer) Pfeiffer & Otto, 252
nigra Backeberg, 253
obrepanda (Salm-Dyck) Schumann, 253
 var. *fiebrigii* (Guerke) Friedrich, 253
oxygona (Link) Pfeiffer & Otto, 252
pachanoi (Britton & Rose) Friedrich & Rowley, 251
pasacana (Ruempler) Friedrich, 251
pecheretianus (Backeberg) Friedrich & Rowley, 252
pelecyrhachis Backeberg, 253
pentlandii (Hooker) Salm-Dyck, 254
perezii Cardenas, 253
peruviana (Britton & Rose) Friedrich & Rowley, 251
polyancistra Backeberg, 253
pugionacantha Rose & Boedeker, 254
rhodotricha Schumann, 252
rowleyi Friedrich, 252
saltensis Spegazzini, 255
schickendantzii Weber, 252
schielliana (Backeberg) Hunt, 255
schreiteri (Castellanos) Werdermann, 255
shaferi Britton & Rose, 252
silvestrii Spegazzini, 252
spathiana (Lemaire) Friedrich & Rowley, 251–252
spiegazziniana Britton & Rose, 252
spiniflora (Schumann) Berger, 250
strigosa (Salm-Dyck) Friedrich & Rowley, 252
subdenudata Cardenas, 253
tacaquirensis (Vaupel) Friedrich & Rowley, 251
tarijensis (Vaupel) Friedrich & Rowley, 253
tegeleriana (Backeberg) Hunt, 254
terscheckii (Pfeiffer) Friedrich & Rowley, 251
thelegona (Schumann) Friedrich & Rowley, 252
thelegonoides (Spegazzini) Freidrich & Rowley, 252
thionantha (Spegazzini) Werdermann, 250
toralapania Cardenas, 253
torrecillasensis Cardenas, 253
tubiflora (Pfeiffer) Schumann, 252
turbinata (Pfeiffer) Pfeiffer & Otto, 252
walteri (Kiesling) Friedrich & Glaetzel, 254
werdermanniana (Backeberg) Friedrich & Rowley, 251
Elatostema pulchra (Brown) Hall, 106
repens (Loureiro) Hall, 106
Elodes palustris Spach, 500
Embothrium Forster & Forster, 116
coccineum Forster & Forster, 116
 var. *lanceolatum* (Ruiz & Pavón) Kuntze, 116
lanceolatum Ruiz & Pavón, 116
longifolium invalid, 116
speciosissimum Smith, 116
Encephalocarpus strobiliformis (Werdermann) Berger, 300
Enemion binternatum Rafinesque, 349
Eomecon Hance, 532
 chionantha Hance, 532
Epimedium Linnaeus, 410–414
acrainatum Franchet, 414
alpinum Linnaeus, 411
 var. *rubrum* (Morren) Hooker, 412
brevicornu Maximowicz, 414
 × *cantabrigiense* Stearn, 412
citrinum Baker, 413
continuum Vatke, 413

- Epimedium* Linnaeus (*continued*)
cremeum Nakai, 412
davidii Franchet, 413–414
diphyllum Graham, 413
grandiflorum Morren, 412
 ‘Rose Queen’, 412
 forma *flavescens* Stearn, 412
 forma *grandiflorum*, 412
 forma *violaceum* (Morren) Stearn, 412
koreanum Nakai, 412
lilacinum Donckelaar, 413
longifolium Decaisne, 412
macranthum Morren & Decaisne, 412
musschianum misapplied, 413
niveum Vilmorin-Andrieux, 413
 × *perralchicum* Stearn, 411
perralderianum Cosson, 411
pinnatum de Candolle,
 subsp. *colchicum* (Boissier) Busch, 411
 subsp. *pinnatum*, 411
 var. *sulphureum* (Morren) Bergmans, 413
pubescens Maximowicz, 414
pubigerum (de Candolle) Morren & Decaisne,
 412
roseum Vilmorin-Andrieux, 413
 × *rubrum* Morren, 412
sagittatum (Siebold & Zuccarini) Maximowicz,
 414
semperfervens Nakai, 413
sulphurellum Nakai, 412
sulphureum Morren, 413
trifoliolatobinatum (Koidzumi) Koidzumi, 413
 × *versicolor* Morren, 413
 ‘Neosulphureum’, 413
 ‘Sulphureum’, 413
 ‘Versicolor’, 413
 × *warleyense* Stearn, 412
 × *youngianum* Fischer & Meyer, 413
 ‘Niveum’, 413
 ‘Roseum’, 413
 ‘Yenomoto’, 413
 ‘Youngianum’, 413
Epiphyllum Haworth, 230–231
anguliger (Lemaire) Don, 231
chrysocardium Alexander, 230
crenatum (Lindley) Don, 230–231
darrahii (Schumann) Britton & Rose, 231
hookeri Haworth, 231
oxypetalum (de Candolle) Haworth, 230
phyllanthus (Linnaeus) Haworth, 231
pumilum (Vaupel) Britton & Rose, 230
russelianum Hooker, 235
truncatum Haworth, 235
Epithelantha Britton & Rose, 290–291
bokei Benson, 291
micromeris (Engelmann) Britton & Rose,
 290–291
 var. *bokei* (Benson) Glass & Foster, 291
 subsp. *greggii* (Engelmann) Taylor, 291
 subsp. *micromeris*, 291
 subsp. *pachyrhiza* (Marshall) Taylor, 291
 subsp. *polycephala* (Backeberg), 291
 subsp. *unguispina* (Boedeker) Taylor,
 291
polycephala Backeberg, 291
Eranthis Salisburi, 348
- cilicicus* Schott & Kotschy, 348
hyemalis (Linnaeus) Salisbury, 348
pinnatifida Maximowicz, 348
sibirica de Candolle, 348
 × *tubergenii* Hoog, 348
Ercilla Jussieu, 133
spicata (Hooker & Arnott) Moquin, 133
volubilis Jussieu, 133
Erdisia erecta Backeberg, 220
squarrosa (Vaupel) Britton & Rose, 220
Eremanthe patula (Thunberg) K. Koch, 481
Erepsia Brown, 155
lacera (Haworth) Leide, 155
pillansii (Kensit) Leide, 155
Eriocactus ampliostatus Ritter, 270
claviceps Ritter, 270–271
grossei (Schumann) Backeberg, 270
leninghausii (Schumann) Backeberg, 271
magnificus Ritter, 271
schumannianus (Nicolai) Backeberg, 270
warasii Ritter, 271
Eriocereus jussertii (Schumann) Riccobono, 248
martinii (Labouret) Riccobono, 249
pomanensis (Weber) Riccobono, 249
Eriogonum Michaux, 124–125
caespitosum Nuttall, 124–125
 subsp. *douglasii* (Bentham) Stokes, 125
compositum Bentham, 125
douglasii Bentham, 125
fasciculatum Bentham, 125
niveum Bentham, 125
ovalifolium Nuttall, 125
 subsp. *vineum* (Small) Stokes, 125
 var. *purpureum* (Nuttall) Nelson, 125
polyanthum Bentham, 125
proliferum Torrey & Gray, 125
speciosum Drew, 125
subalpinum Greene, 125
torreyanum Gray, 125
umbellatum Torrey, 125
 var. *polyanthum* (Bentham) Jones, 125
 var. *subalpinum* (Greene) Jones, 125
 var. *torreyanum* (Gray) Jones, 125
vineum Small, 125
Eriosyce Philippi, 264
bulbocalyx (Werdermann) Kattermann, 267
chilensis (Schumann) Kattermann, 266
curvispina (Colla) Kattermann, 266
 subsp. *armata* (Ritter) Kattermann, 266
 subsp. *curvispina*, 266
heinrichiana (Backeberg) Kattermann, 266
islayensis (Förster) Kattermann, 267
napina (Philippi) Kattermann, 266
odieri (Lemaire) Kattermann, 266
paucicostata (Ritter) Ferryman, 266
senilis (Backeberg) Kattermann, 265
 subsp. *coimasensis* (Ritter) Kattermann,
 265
 subsp. *senilis*, 265
subgibbosa (Haworth) Kattermann, 265
 subsp. *clavata* Schumann, 265
 subsp. *subgibbosa*, 265
 subsp. *wagenknechtii* (Ritter) Kattermann,
 265
taltalensis (Hutchinson) Kattermann, 266
villosa (Monville) Kattermann, 266
- Eroteum theaeoides* Swartz, 469
Eruca Miller, 580
 sativa Miller, 580
vesicaria (Linnaeus) Cavanilles, 580
 subsp. *sativa* (Miller) Thellung, 580
Erysimum Linnaeus, 551–552
 × *allionii* invalid, 552
 ‘Lemon Delight’, 552
alpinum misapplied, 552
arkansanum Nuttall, 551–552
 ‘Golden Gem’, 552
asperum de Candolle, 552
 ‘Bowles Mauve’, 552
capitatum (Douglas) Greene, 552
cheiri (Linnaeus) Crantz, 552
 ‘Bloody Warrior’, 552
 ‘Harpur Crewe’, 552
 ‘Wenlock Beauty’, 552
 ‘E.A. Bowles’, 552
helveticum (Jacquin) de Candolle, 552
helveticum misapplied, 552
hieracifolium Linnaeus, 552
jugicola Jordan, 552
kotschyuanum Gray, 552
linifolium (Persoon) Gray, 552
 subsp. *linifolium*, 552
 ‘Glaucum’, 552
 ‘Variegatum’, 552
murale Desfontaines, 552
mutabile Boissier & Heldreich, 552
perofskianum Fischer & Meyer, 552
pulchellum (Willdenow) Gray, 552
pumilum misapplied, 552
rhaeticum (Hornemann) de Candolle, 552
rupestre (Smith) de Candolle, 552
senoreri (Heldreich & Sartori) Wettstein,
 552
suffruticosum Sprengel, 552
Eschscholzia Chamisso, 533–534
caespitosa Bentham, 533
californica Chamisso, 533
crocea Bentham, 533
Escobaria Britton & Rose, 298–299
aguirreana (Glass & Foster) Taylor, 298
alversonii (Coulter) Taylor, 299
bella Britton & Rose, 299
chaffeyi Britton & Rose, 299
chihuahuensis Britton & Rose, 298
 subsp. *chihuahuensis*, 298
 subsp. *henricksonii* (Glass & Foster) Taylor,
 298
dasyacantha (Engelmann) Britton & Rose, 299
 subsp. *chaffeyi* (Britton & Rose) Taylor,
 299
 subsp. *dasyacantha*, 299
 var. *duncanii* (Hester) Taylor, 299
duncanii (Hester) Buxbaum, 299
emskoetteriana (Quehl) Borg, 299
hericksonii Glass & Foster, 298
hesteri (Wright) Buxbaum, 299
missouriensis (Sweet) Hunt, 299
 subsp. *asperispina* (Boedeker) Taylor, 299
muehlbaueriana (Boedeker) Knuth, 299
roseana (Boedeker) Buxbaum, 298
runyonii Britton & Rose, 299
 Section *Pleurantha* Taylor, 298

INDEX

615

- strobiliformis* misapplied, 298
tuberculosa (Engelmann) Britton & Rose, 298
tuberculosa misapplied, 299
vivipara (Nuttall) Buxbaum, 298–299
 var. *deserti* (Engelmann) Hunt, 298
 var. *neomexicana* (Engelmann) Buxbaum,
 298
zilziana (Boedeker) Backeberg, 299
Escobeseya duncanii Hester, 299
Espostoa Britton & Rose, 243
 blossfeldiorum (Werdermann) Buxbaum, 243
hyllaea Ritter, 243
lanata (Kunth) Britton & Rose, 243
melanosteles (Vaupel) Borg, 243
 subsp. *melanosteles*, 243
 subsp. *nana* (Ritter) Charles, 243
mirabilis Ritter, 243
nana Ritter, 243
ritteri Buining, 243
senilis (Ritter) Taylor, 243
sericata (Backeberg) Backeberg, 243
superba Ritter, 243
Espostoopsis Buxbaum, 238
 dybowskii (Roland-Gosselin) Buxbaum, 238
Eucarpha (Brown) Spach, 117
Eucommia Oliver, 87
 ulmoides Oliver, 87
Eucommiaceae, 87
Eucryphia Cavanilles, 451–453
 billardieri Spach, 451
 cordifolia Cavanilles, 451
 glutinosa (Poeppig & Endlicher) Baillon, 453
 × hillieri Ivens, 451–452
 'Winton', 452
 × hybrida Bausch, 451
 × intermedia Bausch, 453
 'Rostrevor', 453
lucida (Labillardière) Baillon, 451
 'Pink Cloud', 451
 var. *milliganii* (J.D. Hooker) Summerhayes,
 451
milliganii J.D. Hooker, 451
moorei F. Mueller, 452–453
 × *nymansensis* Bausch, 453
 'Mount Usher', 453
 'Nymansey', 453
 'Penwith', 451
 pinnatifolia Gay, 453
Eucryphiaceae, 451–453
Eudianthe coeli-rosa (Linnaeus) Reichenbach, 187
Eulychnia Philippi, 220–221
 acida Philippi, 220
 breviflora Philippi, 220–221
 castanea Philippi, 220
floresiana invalid, 221
iquiquensis (Schumann) Britton & Rose, 221
 subsp. *iquiquensis*, 221
 subsp. *ritteri* (Cullmann) Hunt., 221
morromorenoensis Ritter, 221
ritteri Cullmann, 220
saint-pieana Ritter, 220–221
spinibarbis misapplied, 220–221
Eunomia iberidea Boissier, 576
oppositifolia (Persoon) de Candolle, 576
Euptelea Siebold & Zuccarini, 341
 franchetii van Tieghem, 341
pleiosperma Hooker & Thomson, 341
polyandra Siebold & Zuccarini, 341
Eupteleaceae, 341
Eurya Thunberg, 470
 chinensis R. Brown, 470
 chinensis misapplied, 470
emarginata (Thunberg) Makino, 470
 'Microphylla', 470
 var. *microphylla* Makino, 470
japonica Thunberg, 470
 var. *parvifolia* Thwaites, 470
 var. *pusilla* Blume, 470
latifolia C. Koch, 470
latifolia variegata Verschaffelt, 469
ochnacea (de Candolle) Szyszylowicz, 469
panamensis Standley, 469
parvifolia Gardner, 470
pusilla Blume, 470
theoides (Swartz) Blume, 469
Eutrema wasabi (Siebold) Maximowicz, 550
Euryale Salisbury, 427
 ferox Salisbury, 427
Fagaceae, 59–80
Fagopyrum cymosum (Treviranus) Meissner, 132
dibotrys (Don) Hara, 132
esculentum Moench, 131
sagittatum Gilibert, 131
Fagus Linnaeus, 60–61
americana Sweet, 60
asiatica (de Candolle) Winkler, 60
crenata Blume, 61
engleriana Seemen, 61
ferruginea Aiton, 60
grandifolia Ehrhart, 60–61
japonica Maximowicz, 61
longipetiolata Seemen, 61
lucida Rehder & Wilson, 61
macrophylla (Hohenacker) Koidzumi, 60
moesiaca (Maly) Czeczkott, 60
orientalis Lipsky, 60
sieboldii de Candolle, 61
sylvatica Linnaeus, 60
 'Asplenifolia', 60
 'Aurea Pendula', 60
 'Aurea Variegata', 60
 'Borneensis', 60
 'Cristata', 60
 'Dawyck', 60
 'Fastigiata', 60
 'Grandidentata', 60
 'Laciniata', 60
 'Miltonensis', 60
 'Pendula', 60
 'Purpurea', 60
 'Purpurea Pendula', 60
 'Purpurea Tricolor', 60
 'Rohanii', 60
 'Rotundifolia', 60
 var. *chinensis* Franchet, 61
 var. *longipes* Oliver, 61
 var. *macrophylla* Hohenacker, 60
 var. *sieboldii* (de Candolle) Maximowicz,
 61
Fallopia aubertii (Henry) Holub, 131
baldschuanica (Regel) Holub, 131
Farsetia clypeata (Linnaeus) R. Brown, 562
Faucaria Schwantes, 171–172
 albidens Brown, 171
bosscanea (Berger) Schwantes, 172
 var. *haagei* (Tischer) Jacobsen, 172
britteniae Bolus, 171
haagei Tischer, 172
kingiae Bolus, 171
subintegra Bolus, 171
tigrina (Haworth) Schwantes, 172
tuberculosa (Rolle) Schwantes, 171–172
Fenestraria Brown, 147
aurantiaca Brown, 147
 forma *rhopalophylla* (Schlechter & Diels)
 Rowley, 147
rhopalophylla (Schlechter & Diels) Brown, 147
 subsp. *aurantiaca* (Brown) Hartmann, 147
 subsp. *rhopalophylla*, 147
Ferocactus Britton & Rose, 291–295
acanthodes misapplied, 294
 var. *eastwoodiae* Benson, 294
alamosanus (Britton & Rose) Britton & Rose,
 295
 var. *platygonus* Lindsay, 294
chrysacanthus (Orcutt) Britton & Rose, 294
coloratus Gates, 294
covillei Britton & Rose, 295
crassihamatus (Weber) Britton & Rose, 282
cylindraceus (Engelmann) Orcutt, 294
 subsp. *cylindraceus*, 294
 subsp. *eastwoodiae* (Benson) Taylor,
 294
 subsp. *lecontei* (Engelmann) Taylor, 294
 subsp. *tortulispinus* (Gates) Taylor, 294
diguetii (Weber) Britton & Rose, 295
eastwoodiae (Benson) Benson, 294
echidne (de Candolle) Britton & Rose, 292
emoryi (Engelmann) Orcutt, 295
 subsp. *rectispinus* (Engelmann) Taylor,
 295
flavovirens (Scheidweiler) Britton & Rose, 292
fordii (Orcutt) Britton & Rose, 294
gatesii Lindsay, 294
glaucescens (de Candolle) Britton & Rose, 292
gracilis Gates, 294
haematacanthus (Salm-Dyck) Backeberg &
 Knuth, 293
hamatacanthus (Muehlenpfordt) Britton &
 Rose, 293
 subsp. *hamatacanthus*, 293
 subsp. *sinuatus* (Dietrich) Benson, 293
herrerae Ortega, 293
histrix (de Candolle) Lindsay, 293
horridus Britton & Rose, 293
latispinus (Haworth) Britton & Rose, 293
 subsp. *greenwoodii* (Glass) Taylor, 293
 subsp. *latispinus*, 293
 subsp. *spiralis* (Pfeiffer) Taylor, 293
lecontei (Engelmann) Britton & Rose, 294
macrodiscus (Martius) Britton & Rose, 293
melocactiformis Britton & Rose, 293
nobilis Britton & Rose, 293
orcuttii (Engelmann) Britton & Rose, 294
peninsulae (Weber) Britton & Rose, 294
 var. *santa-maria* (Britton & Rose) Taylor,
 294

Ferocactus Britton & Rose (*continued*)
 var. *townsendianus* (Britton & Rose) Taylor, 294
piliferus (Ehrenberg) Unger, 294
pilosus (Salm-Dyck) Werdermann, 294
pottsii (Salm-Dyck) Backeberg, 294–295
 var. *alamosanus* (Britton & Rose) Unger, 295
pringlei (Coulter) Britton & Rose, 294
rafaelensis (Purpus) Borg, 292
rectispinus (Engelmann) Britton & Rose, 295
recurvus Borg, 293
reppenhagenii Unger, 295
robustus (Pfeiffer) Britton & Rose, 293
santa-maria Britton & Rose, 294
schwarzii Lindsay, 292
 Section Bisnaga (Orcutt) Taylor & Clark, 291
 Section Ferocactus, 291
setispinus (Engelmann) Benson, 284
sinuatus invalid, 293
stainesii (Salm-Dyck) Britton & Rose, 294
 var. *haematacanthus* Backeberg, 294
tortulispinus Gates, 294
townsendianus Britton & Rose, 294
uncinatus (Galeotti) Britton & Rose, 282
viridescens (Torrey & Gray) Britton & Rose, 294
 var. *littoralis* Lindsay, 294
viscainensis Gates, 294
wislizenii (Engelmann) Britton & Rose, 293
 var. *herrerae* (Ortega) Taylor, 293
Fibigia Medicus, 562
 clypeata (Linnaeus) Medicus, 562
Ficus Linnaeus, 91–103
acuminata Roxburgh, 96
acuminate misapplied, 399
altissima Blume, 102
aspera Forster, 96
aurea Nuttall, 100
auriculata Loureiro, 102–103
australis Willdenow, 101
barbata Miquel, 93
barteri Sprague, 99
bellingeri Moore & Betcha, 99
benghalensis Linnaeus, 101
 var. *krishnae* (de Candolle) Corner, 101
benjamina Linnaeus, 100
 'Exotica', 100
 'Variegata', 100
 var. *nuda* (Miquel) Barrett, 100
brassii Brown, 103
buxifolia de Wildeman, 101
callosa Willdenow, 102
cannonii (Van Houtte) Brown, 96
capensis Thunberg, 103
carica Linnaeus, 102
cerasiformis Desfontaines, 102
chauvienii Gillaumin, 101
comosa Roxburgh, 100
 'Comosa', 100
cyathistipula Warburg, 99
deltoidea Jack, 100
diversifolia Blume, 100
drupacea Thunberg var. *drupacea*, 102
 var. *pubescens* (Roth) Corner, 102
dryepondtiana Gentil, 96

edulis Bureau, 101
eetveldiana André, 100
elastica Roxburgh, 99–100
 'Belgica', 99
 'Decora', 99
 'Doescheri', 99
 'Schrijveriana', 99
 'Tricolor', 99
 'Variegata', 100
erecta Thunberg, 100–101
eugenioides Miquel, 100
falcata Miquel, 96
foveolata Wallich var. *nipponica* (Franchet & Savatier) King, 96
glabella Blume, 99
glomerata Roxburgh, 102
habrophylla Seemann, 101–102
heterophylla Linnaeus, 96
hispida Linnaeus, 103
indica Linnaeus, 442
indica misapplied, 99
inectoria Miquel, 99
lacor Hamilton, 99
lepturieuri Miquel, 101
lingua De Wildeman & Durand, 101
lutea Vahl, 101
lutescens Desfontaines, 100
lyrata Warburg, 96
macrocarpa Blume, 96
macrocarpa Bouché, 99
macrophylla Persoon, 99
macrophylla misapplied, 102
magnolioides Borzi, 99
microcarpa Linnaeus, 100
 var. *hillii* (Bailey) Corner, 100
minima Anon., 93
montana Burman, 96
mysorensis Roth, 102
natalensis Hochstetter subsp. *lepturieuri* (Miquel) Berg, 101
nekbudu Warburg, 101
nekbudu misapplied, 101
nipponica Franchet & Savatier, 96
nitida Thunberg, 100
nitida misapplied, 100
nota (Blanco) Merrill, 102
 'Nuda', 100
nymphaeifolia Miller, 100
obliqua Forster, 100
obliqua Miquel, 100
palmata Forsskål, 102
pandurata misapplied, 96
parcellii Cogniaux & Marchal, 96
parietalis Blume, 102
philippinensis Anon., 100
philippinensis misapplied, 99
platypoda Miquel, 100
porteana Regel, 102
pseudocarica Miquel, 102
pumila Linnaeus, 93–95
 'Minima', 93
 'Variegata', 93
punctata Thunberg, 96
quercifolia Blume, 96
quibeba Fical, 101
racemosa Linnaeus, 102

radicans Desfontaines, 93
religiosa Linnaeus, 96
repens misapplied, 93
retusa misapplied, 100
rostrata Anon., 93
roxburghii Miquel, 102
ruginosa Ventenat, 101
 'Variegata', 101
rumphii Blume, 96, 97
sagittata Vahl, 93
 'Variegata', 93
salicifolia Miquel, 96
sarmentosa Smith var. *nipponica* (Franchet & Savatier) Corner, 96
scandens Lamarck, 93
schlechteri Warburg, 100
stipulata Thunberg, 93
stricta Miquel, 99
subulata Blume, 96
sundaica Blume, 99
sus Forsskål, 103
sycomorus Linnaeus, 101
triangularis Warburg, 101
ulmifolia Lamarck, 96
utilis Sim, 101
vesca Miquel, 102
villosa Blume, 93
virens Aiton, 99
vogelii Miquel, 101
watkinsiana Bailey, 99
Frailea Britton & Rose, 274–276
alaciportana Backeberg & Voll, 275
albiareolata Buining & Brederoo, 275
albicolumnaris Ritter, 276
albifusca Ritter, 275
asperispina Ritter, 275
asteroides Werdermann, 276
aureinitens Buining & Brederoo, 275
aureispina Ritter, 275
bruchii Spegazzini, 261
caespitosa (Spegazzini) Britton & Rose, 272
carminalifilamentosa Backeberg, 275
castanea Backeberg, 276
cataphracta (Dams) Britton & Rose, 276
 var. *cataphracta*, 276
 var. *duchii* Moser, 276
 var. *tuyensis* Buining & Moser, 276
cataphractoides Backeberg, 276
chiquitana Cardenas, 275
chrysanthia Hrabe, 275
colombiana (Werdermann) Backeberg, 275
curvispina Buining & Brederoo, 276
friedrichii Buining & Moser, 275
fulviseta Buining & Brederoo, 275
gracillima (Lemaire) Britton & Rose, 275
 subsp. *gracillima*, 275
 subsp. *horstii* (Ritter) Braun & Esteves Pereira, 275
grahiana (Schumann) Britton & Rose, 275
grahiana misapplied, 275
horstii Ritter, 275
ignacionensis Buining & Moser, 275
itapuensis invalid, 275
knippelianiana (Quehl) Britton & Rose, 275
lepidia Buining & Brederoo, 275
magnifica Pestle, 275

INDEX

617

-
- mammifera* Buining & Brederoo, 275
matoana Buining & Brederoo, 276
melitae Buining & Brederoo, 276
moseriana Buining & Brederoo, 275
perbella Prestle, 276
perumbilicata Ritter, 275
phaeodisca (Spegazzini) Spegazzini, 276
pseudopulcherrima Ito, 276
pulcherrima (Arechavaleta) Spegazzini, 275
pullispina Backeberg, 275
pumila (Lemaire) Britton & Rose, 275
pumila misapplied, 275
pygmaea (Spegazzini) Britton & Rose, 275–276
 subsp. *albicolumnaris* (Ritter) Hofacker, 276
 subsp. *pygmaea*, 276
 subsp. *tuyensis* (Buining & Moser) Metz, 276
 var. *phaeodisca* (Spegazzini) Ito, 276
 var. *tuyensis* Buining & Moser, 276
schilinzkyana (Schumann) Britton & Rose, 275
 subsp. *concepcionensis* (Buining & Moser) Braun & Esteves Pereira, 275
uhligiana Backeberg, 276
tuyensis Buining & Moser, 276
Franklinia Marshall, 456
 alatamaha Marshall, 456
Freziera theoides (Swartz) Swartz, 469
Frithia Brown, 165
 pulchra Brown, 165
Fumaria Linnaeus, 544–545
 officinalis Linnaeus, 545
Fumariaceae, 534–546
- Gale palustris* (Lamarck) Chevalier, 15
Garcinia Linnaeus, 502–505
 angolensis Vesque, 503
 baikieana Vesque, 503
 cambogia Desrousseaux, 505
 dulcis (Roxburgh) Kurz, 503
 elliptica Choisy not Wallich, 503
 ferrandii Chiovenda, 503
 gummi-gutta (Linnaeus) N. Robson, 505
 gutta Wight, 505
 humilis (Vahl) Adams, 503
lateriflora Blume, 503
livingstonei T. Anderson, 503
mangostana Linnaeus, 503–505
morella (Gaertner) Desrousseaux, 505
pictoria (Roxburgh) D'Arcy, invalid, 503
tinctoria (de Candolle) W.F. Wright, 503
 xanthochymus J.D. Hooker, 503
Gevuina Molina, 115–116
 avellana Molina, 116
Gibbaeum Haworth, 165–167
 album Brown, 165
 forma *rosea* (Brown) Rowley, 166
comptonii (Bolus) Bolus, 166
cryptopodium (Kensit) Bolus, 166
 dispar Brown, 166
 geminum Brown, 166
gibbosum (Haworth) Brown, 165–166
 haagei Schwantes, 166
 heathii (Brown) Bolus, 166
- luckhoffii* (Bolus) Bolus, 157
pachypodium (Kensit) Bolus, 166
periride (Haworth) Brown, 165
 petrense (Brown) Tischer, 167
pilosulum (Brown) Brown, 166
pubescens (Haworth) Brown, 166
 schwantesii Tischer, 166
 shandii (Brown) Brown, 166
velutinum (Bolus) Schwantes, 166
Glandulicactus crassihamatus (Weber) Backeberg, 282
uncinatus (Galeotti) Backeberg, 282
Glaucidiaeae, 389
Glaucidium Siebold & Zuccarini, 389
 palmatum Siebold & Zuccarini, 389
 var. leucanthum Makino, 389
Glaucium Miller, 531–532
 corniculatum (Linnaeus) Rudolph, 532
flavum Crantz, 532
 var. *flavum*, 532
 var. *fulvum* (Smith) Fedde, 532
 var. *serpieri* (Heldreich) Halacsy, 532
grandiflorum Boissier & Huet, 532
squamigerum Karelin & Kirilloff, 532
vitellinum misapplied, 532
Glottiphyllum (Haworth) Brown, 172–173
 davisii Bolus, 173
fragrans (Salm-Dyck) Schwantes, 173
 herrei Bolus, 173
linguiforme (Linnaeus) Brown, 173
longum (Haworth) Brown, 173
 murii Brown, 173
 nelii Schwantes, 173
oligocarpum Bolus, 173
parvifolium Bolus, 172–173
praepingue (Haworth) Brown, 173
semicylindricum (Haworth) Brown, 173
suave Brown, 173
Gomphrena Linnaeus, 208
coccinea Decaisne, 208
globosa Linnaeus, 208
haageana Klotsch, 208
Gordonia Ellis, 467–468
 alatamaha (Marshall) Sargent, 456
 anomala Sprengel, 467
axillaris (Ker-Gawler) D. Dietrich, 467
chrysandra Cowan, 468
lasianthus (Linnaeus) Ellis, 468
pubescens L' Héritier, 456
 sinensis Hemsley & Wilson, 468
wallichii de Candolle, 468
Grevillea Brown, 112–113
 alpina Lindley, 112
alpestris Meisner, 112
australis Brown, 113
banksii Brown, 113
 'Kingaroy Slipper', 113
biternata Meisner, 113
hilliana Mueller, 113
juniperina Brown, 113
 forma *sulphurea* (Cunningham) Ferguson, 113
 var. *sulphurea* (Cunningham) Bentham, 113
preissii Meisner, 113
robusta Cunningham, 113
- rosmarinifolia* Cunningham, 113
 × *semperflorens* Mulligan, 113
sulphurea Cunningham, 113
thelmanniana Heugel, 113
thyrsoides Meisner, 113
victoriae Mueller, 113
Grusonia emoryi (Engelmann) Pinkava, 314
Guttiferae, 471–505
Gymnocalycium aguirreanum Glass & Foster, 298
beguinii Backeberg, 286
coноthelos (Regel & Klein) Backeberg, 285
gielsdorfianus (Werdermann) Backeberg, 287
horripilus (Lemaire) Backeberg, 287
knuthianus (Boedeker) Backeberg, 287
mandragora (Berger) Backeberg, 286
roseanus (Boedeker) Glass & Foster, 298
saueri (Boedeker) Backeberg, 287
valdezianus (Moeller) Backeberg, 288
 var. *albiflorus* (Pazout) Backeberg, 288
viereckii (Werdermann) Backeberg, 287
 var. *major* Glass & Foster, 287
Gymnocalycium Pfeiffer, 259–264
andreae (Boedeker) Backeberg, 260
anisitsii (Schumann) Britton & Rose, 263
 subsp. *damsii* (Schumann) Charles, 263
artigas Herter, 260
asterium Ito, 262
baldianum (Spegazzini) Spegazzini, 261
bodenbenderianum (Hosseus) Berger, 262
bruchii (Spegazzini) Hosseus, 261
bueneckeri Swales, 261
calochlorum (Boedeker) Ito, 260–261
capillaense (Schick) Backeberg, 260
cardenasianum Ritter, 263
castellaniosii Backeberg, 263
chiquitanum Cardenas, 261–262
chlorostictum Invalid, 263
damsii (Schumann) Britton & Rose, 263
denudatum (Link & Otto) Pfeiffer, 261
fleischerianum Backeberg, 261
friedrichii (Werdermann) Pazout, 264
gibbosum (Haworth) Pfeiffer, 260
glaucum Ritter, 262
hammerschmidii Backeberg, 261
horstii Buining, 261
 subsp. *buenoecckeri* (Swales) Braun & Hofacker, 261
 subsp. *horstii*, 261
 hossei (Haage) Hill, 262
hypoleurum (Schumann) Backeberg, 261
izogozsii Cardenas, 264
'Jan Suba', 261
lafaldense Vaupel, 261
lagunillasense Cardenas, 264
leptanthum (Spegazzini) Spegazzini, 260
marsoneri (Fric) Ito, 263
 subsp. *mattoense* (Buining & Brederoo) Braun & Esteves Pereira, 263
mattoense Buining & Brederoo, 263
mazanense (Backeberg) Backeberg, 262
megataea Ito, 263
mesopotamicum Kiesling, 262
mihanovichii (Fric & Guerke) Britton & Rose, 263–264
 'Gold Cap', 263
 'Pink Cap', 263

- Gymnocalycium Pfeiffer (*continued*)
'Red Cap', 263
 var. *friedrichii* Werdermann, 264
millaresii Cardenas, 264
monvillei (Lemaire) Britton & Rose, 261
moserianum Schuetz, 262
mostii (Guerke) Britton & Rose, 262
multiflorum (Hooker) Britton & Rose, 261
ochoterenae Backeberg, 262
oenanthemum Backeberg, 262
onychocanthum Ito, 263
paraguayense (Schumann) Schuetz, 261
pflanzii (Vaupel) Werdermann, 264
 subsp. *pflanzii*, 264
 subsp. *zegaruae* (Cárdenas) Charles, 264
platense (Spegazzini) Britton & Rose, 260
pseudomalacocarpus Backeberg, 263
quehlianum (Haage) Berger, 262
ragonesei Castellanos, 262
saglionis (Cels) Britton & Rose, 263
sanguiniflorum (Werdermann) Werdermann, 261
schickendantzii (Weber) Britton & Rose, 263
schlumbergeri invalid, 260
schroederianum Osten, 260
sigelianum (Schick) Berger, 260
spiegazzinii Britton & Rose, 262–263
 subsp. *cardenasianum* (Ritter) Kies & Metz, 263
 subsp. *spiegazzinii*, 263
stellatum Spegazzini, 262
sutterianum (Schick) Berger, 260
tilcarense (Backeberg) Schuetz, 263
tillianum Rausch, 262
tudae Ito, 263
uruguayense (Arechavaleta) Britton & Rose, 260
'Roseiflorum', 260
 var. *roseiflorum* Ito, 260
vatteri Buining, 262
venturianum (Fric) Backeberg, 261
weissianum Backeberg, 262
zegaruae Cardenas, 264
Gymnospermium Spach, 416
alberti (Regel) Takhtajan, 416
altaicum (Pallas) Spach, 416
Gynandropsis gynandra (Linnaeus) Briquet, 547
pentaphylla (Linnaeus) de Candolle, 547
Gypsophila Linnaeus, 188–189
aretioides Boissier, 189
'Caucasica', 189
cerastoides Don, 189
elegans Bieberstein, 189
imbricata Ruprecht, 189
pacifica Komarov, 189
paniculata Linnaeus, 189
'Rosenschlier', 189
petraea (Baumgarten) Reichenbach, 189
repens Linnaeus, 189
tenuifolia Bieberstein, 189
Haageocereus Backeberg, 242–243
acanthocladus Rauh & Backeberg, 242
acranthus (Vaupel) Backeberg, 242
 subsp. *acranthus*, 242
 subsp. *olowinskianus* (Backeberg) Otto, 242
albispinus (Akers) Backeberg, 242
chosicensis (Werdermann & Backeberg)
 Backeberg, 242
decumbens (Vaupel) Backeberg, 242–243
divaricatispinus Rauh & Backeberg,
limensis (Salm-Dyck) Ritter, 242
multangularis (Willdenow) Ritter, 242
olowinskianus Backeberg, 242
pacalaensis Backeberg, 242
paradoxus Rauh & Backeberg, 244
platinospinus (Werdermann & Backeberg)
 Backeberg & Kunth, 242
pseudomelanostele (Werdermann & Backeberg)
 Backeberg, 242
 subsp. *acanthocladus* (Rauh & Backeberg),
Osto, 242
 subsp. *melanostelete*, 242
versicolor (Werdermann & Backeberg)
 Backeberg, 242
weberbaueri (Vaupel) Hunt, 243
zonatus Rauh & Backeberg, 242
Hakea Schrader, 114–115
acicularis Knight, 114
 var. *lissosperma* (Brown) Bentham, 114
bucculenta Gardner, 115
crassifolia Meisner, 114
elliptica (Smith) Brown, 114
epiglottis Labillardière, 114
eriantha Brown, 114
laurina Brown, 114
leucoptera Brown, 114
lissosperma Brown, 114
microcarpa Brown, 114
microphylla invalid, 114
minyma Maconchie, 114–115
multilineata Meisner, 115
oleifolia (Smtih) Brown, 115
petiolaris Meisner, 115
salicifolia (Ventenat) Burtt, 115
saligna (Knight) Salisbury, 115
sericea Schrader, 115
 var. *lissosperma* (Brown) Maiden & Betche, 114
suaveolens Brown, 115
tenuifolia (Salisbury) Britten, 115
ulicina Brown, 114
Hamatocactus setispinus (Engelmann) Britton & Rose, 284
sinuatus (Dietrich) Orcutt, 293
uncinatus (Galeotti) Orcutt, 282
Harrisia Britton, 248–249
aboriginum Small, 248
balansae (Schumann) Taylor, 248
bonplandii (Pfeiffer) Britton & Rose, 248
eriophora (Pfeiffer) Britton, 248
fragrans Small, 248
gracilis (Miller) Britton, 248
guelichii (Spegazzini) Britton & Rose, 248
jusbertii (Schumann) Borg, 248
martinii (Labouret) Britton & Rose, 249
pomanensis (Weber) Britton & Rose, 249
regelii (Weingart) Borg, 249
simpsonii Small, 248
Subgenus Eriocereus Riccobono, 248
 Subgenus *Harrisia*, 248
tetracantha (Labouret) Hunt, 249
tortuosa (Forbes) Britton & Rose, 249
Hartia Dunn, 456
sinensis Dunn, 458
Hatori Britton & Rose, 234
gaertneri (Regel) Barthlott, 234
 × *graeseri* (Werdermann) Barthlott, 234
rosea (Lagerheim) Barthlott, 234
salicornioides (Haworth) Britton & Rose, 234
Hebradendron cambogiidies (Murray) Graham, 505
Heimerliodendron brunonianum (Endlicher)
 Skottsberg, 136
Heisteria Jacquin, 121
coccinea Jacquin, 121
Heliamphora Bentham, 505–506
heterodoxa Steyermark, 506
ionasi Maguire, 506
macdonaldiae Gleason, 506
minor Gleason, 506
nebulinae Maguire, 506
nutans Bentham, 506
tatei Gleason, 506
 var. *nebulinae* Maguire, 506
 var. *tatei*, 506
tyleri Gleason, 506
Helianthocereus grandiflorus (Britton & Rose)
 Backeberg, 252
pasacana (Ruempler) Backeberg, 251
poco (Backeberg) Backeberg, 253
Heliocereus (Berger) Britton & Rose, 231
speciosus (Cavailles) Britton & Rose, 231
Heliophila Linnaeus, 582–583
africana (Linnaeus) Marais, 582–583
amplexicaulis Linnaeus filius, 582
coronopifolia Linnaeus, 582
crithmifolia Willdenow, 582
integrifolia Linnaeus, 583
linearifolia de Candolle, 583
linearis (Thunberg) de Candolle, 583
reticulata Ecklon & Zeyher, 583
scandens Harvey, 583
Heliosperma quadrifidum in the sense of Hegi, 186
Helleborus Linnaeus, 345–348
abchasicus Braun, 347
antiquorum Braun, 347
argutifolius Viviani, 346
atropurpureus Schultes, 347
atrorubens misapplied, 348
atrorubens Waldstein & Kitaibel,
'Ballard's Black', 347–348
boccone Tenore, 347
caucasicus Braun, 347
cupreus Host, 347
cyclophyllus Boissier, 347
dumetorum Waldstein & Kitaibel, 347
 subsp. *atrorubens* (Waldstein & Kitaibel)
 Merxmüller & Podlech, 347
foetidus Linnaeus, 346
guttatus Braun & Sauer, 347
intermedius Host, 348
kochii Schiffner, 347
lividus Aiton, 346
 subsp. *corsicus* (Briquet) Yeo, 346

INDEX

619

- multifidus* Visiani, 347
 subsp. *istriacus* (Schiffner) Merxmuller & Podlech, 347
 subsp. *serbicu*s (Adamović) Merxmuller & Podlech, 348
niger Linnaeus, 346–347
 subsp. *macranthus* (Freyn) Schiffner, 347
 × *nigercors* Wall, 346
odorus Waldstein & Kitaibel, 347
olympicus Lindley, 347
orientalis Lamarck, 347
pallidus Host, 347
purpurascens Waldstein & Kitaibel, 348
*serbicu*s Adamović, 348
siculus Schiffner, 347
 × *sternii* Turrill, 346
torquatus Archer-Hind, 348
vesicarius Aucher, 346
viridis Linnaeus, 347
 subsp. *dumetorum* (Waldstein & Kitaibel) Hayek, 347
 subsp. *occidentalis* (Reuter) Schiffner, 347
 subsp. *viridis*, 347
- Helxine soleirolii* Requien, 107
- Hepatica* Miller, 375
acutiloba de Candolle, 375
americana (de Candolle) Ker Gawler, 375
 × *media* Simonkai, 375
nobilis Miller, 375
transsilvanica Fuss, 375
triloba Chaix, 375
triloba misapplied, 375
- Hereroa* (Schwantes) Dinter & Schwantes, 144–145
dolabriformis (Linnaeus) Bolus, 145
dyeri Bolus, 144–145
granulata (Brown) Dinter & Schwantes, 144
hesperantha (Dinter) Dinter & Schwantes, 145
incurva Bolus, 145
nelii Schwantes, 144
puttkameriana (Berger & Dinter) Dinter & Schwantes, 145
- Herniaria* Linnaeus, 201
glabra Linnaeus, 201
- Herrea* Schwantes, 176
grandis Bolus, 176
- Herreanthus* Schwantes, 167
meyeri Schwantes, 170
- Hesperis* Linnaeus, 552–553
bicuspidata (Willdenow) Poiret, 553
dinarica G. Beck, 553
lutea Maximowicz, 550
matronalis Linnaeus subsp. *matronalis*, 553
tristis Linnaeus, 553
violacea Boissier, 553
- Hexastylis arifolia* (Michaux) Small, 440
shuttleworthii (Britton & Baker) Small, 440
virginica (Linnaeus) Small, 440
- Hibbertia* Andrews, 442–444
angustifolia Salisbury, 444
cuneiformis (Labillardière) Smith, 444
dentata R. Brown, 444
obcuneata Salisbury, 444
procumbens (Labillardière) de Candolle, 444
scandens (Willdenow) Dryander, 444
tetrandra (Lindley) Gilg, 444
- vulgaris* (Ventenat) Andrews, 444
Hicoria pecan (Marshall) Britton, 17
Hildewintera aureispina (Ritter) Ritter, 245
Holboellia Wallich, 419
angustifolia Wallich, 419
coriacea Diels, 419
grandiflora Réaumur, 419
latifolia Wallich, 419
Homalocephala texensis (Hopfer) Britton & Rose, 279
- Homalocladium* (Mueller) Bailey, 133
platycladum (Mueller) Bailey, 133
- Horridocactus kesselringianus* Doelz, 266
tuberisulcatus (Jacobi) Ito, 266
- Houttuynia* Thunberg, 429
cordata Thunberg, 429
- Hugueninia* Riechenbach, 550
tanacetifolia (Linnaeus) Reichenbach, 550
 subsp. *suffruticosa* (Coste & Soulié) Ball, 550
subsp. tanacetifolia, 550
- Humulus* Linnaeus, 103
americanus Nuttall, 103
japonicus Siebold & Zuccarini, 103
'Variegatus', 103
- lupulus* Linnaeus, 103
'Aureus', 103
scandens (Loureiro) Merrill, 103
yunnanensis Hu, 103
- Hunnemannia* Sweet, 534
fumariifolia Sweet, 534
- Hutchinsia alpina* (Linnaeus) R. Brown, 574
- Hydrastis* Linnaeus, 342
canadensis Linnaeus, 342
- Hydropeltis purpurea* Michaux, 428
- Hylocereus* (Berger) Britton & Rose, 230
megalanthus (Vaupel) Bauer, 419
setaceus (de Candolle) Werdermann, 230
triangularis of some authors, 230
undatus (Haworth) Britton & Rose, 230
- Hylomecon* Maximowicz, 531
japonica (Thunberg) Prantl & Kundig, 531
 var. *dissecta* (Franchet & Savatier) Fedde, 531
 var. *lanceolate* Makino, 531
vernalis Maximowicz, 531
- Hymenocallis lutea* (Haworth) Schwantes, 172
pureoocroceus (Haworth) Schwantes, 172
- Hypecoaceae*, 534
- Hypecoum* Linnaeus, 535
grandiflorum Bentham, 535
imberbe Sibthorp & Smith, 535
leptocarpum Hooker & Thomson, 535
procumbens Linnaeus, 535
- Hypericum* Linnaeus, 471–501
acmosepalum N. Robson, 480
acutum Moench invalid, 487
addingtonii N. Robson, 480–481
adenotrichum Spach, 491
aegypticum Linnaeus, 499
alpestre Steven, 492
alpigenum Kitaibel, 491
alpinum Waldstein & Kitaibel, 491
ambiguum Elliot, 496
amoenum Pursh, 494
anagaloides Chamisso & Schlechtendal, 501
- androsaemum* Linnaeus, 484
'Aureum', 484
'Mrs Gladys Brabazon', 484
 forma *variegatum* McClintock & Nelson, 484
- anglicum* Bertoloni, 484
- annulatum* Moris, 499
- apollinis* Boissier & Heldreich, 490
 × *arnoldianum* Rehder, 496
- ascyron* Linnaeus, 485
 var. *americanum* (Spach) Y. Kimura, 485
 var. *brevistylum* Maximowicz, 485
 var. *longistylum* Maximowicz, 485
 var. *vilmorinii* Rehder, 485
 forma *vilmorinii* (Rehder) Rehder, 485
- aspalathoides* Willdenow, 496
- assamicum* S.N. Biswas, 488
- athoum* Boissier & Orphanides, 500
- atomarium* Boissier, 499
 atomarium misapplied, 499
 subsp. *degenii* (Bornmüller) Hayek, 499
- augustinii* N. Robson, 477–479
- aureum* Bartram, 494
- axillare* Lamarck, 496
- bacciferum* Lamarck, 484
- balearicum* Linnaeus, 477
- barbatum* Jacquin, 490
- beanii* N. Robson, 483
'Eastleigh Gold', 482
'Gold Cup', 481
- bellum* H.L. Li, 482
 subsp. *bellum*, 482
- subsp. *latisepalum** N. Robson, 482
- bracteatum* Wallich, 477
- bracteatum* Kellogg not D. Don, 485
- bryophytum* Elmer, 501
- buckleyi* M.A. Curtis, 496
- buckleii* invalid, 496
- bupleuroides* Grisebach, 485
- burseri* (de Candolle) Spach, 491
- calycinum* Linnaeus, 479
- cambessedesii* Barceló, 485
- canadense* Linnaeus var. *majus* A. Gray, 501
- canariense* Linnaeus, 497
 var. *floribundum* (Aiton) Bornmüller, 497
- capitatum* Choisy, 492
 var. *capitatum*, 492
- var. *luteum** N. Robson, 492
- cerastoides* (Spach) N. Robson, 489
 subsp. *cerastoides*, 489
- subsp. *meuselianum** Hagemann, 489
- cernuum* D. Don, 479
- chinense* Linnaeus, 479
 var. *salicifolium* (Sieber & Zuccarini)
 Choisy, 479
- choisanum* N. Robson, 482
- ciliatum* Lamarck, 490
- cistifolium* Lamarck, 496
- concinnum* Bentham, 485–487
- confertum* Choisy, 493
 subsp. *confertum*, 493
 subsp. *stenobotrys* (Boissier) Holmboe, 493
- cordifolium* Choisy, 477
- coris* Linnaeus, 494
- corymbosum* Mühlberg, 488
- crenulatum* Boissier, 493

Hypericum Linnaeus (continued)
crux-andreae (Linnaeus) Crantz, 497
cuneatum Poiret, 497
curvisepalum N. Robson, 483
 × *cyathiflorum* N. Robson, 481
 × *dawsonianum* Rehder, 496
decipiens H. Watson, 487
decussatum Kunze, 491
degenii Bornmüller, 499
delphicum Boissier & Heldreich, 500
densiflorum Pursh, 496
 var. *lobocarpum* (Gattinger) Svenson, 494
 × *desetangii* Lamotte, 487
dubium Leers, 487
 × *dummeri* N. Robson, 483–484
 ‘Peter Dummer’, 483
dyeri Rehder, 480
dyeri misapplied, 483
 × ‘Eastleigh Gold’ N. Robson, 482–483
elatum misapplied, 484
elatum Aiton, 484
electrocarpum Maximowicz, 488
elegans Willdenow, 487–488
ellipticum Hooker, 496–497
elodeoides Choisy, 500
elodes Linnaeus, 500
elongatum Ledebour, 492
 subsp. *elongatum*, 492
empetrifolium Willdenow, 493–494
 subsp. *empetrifolium*, 493
 subsp. *oliganthum* (Rechinger filius)
 Hagemann, 493
 subsp. *tortuosum* (Rechinger) Hagemann,
 493–494
 var. *oliganthum* Rechinger, 493
 var. *prostratum* invalid, 493
 var. *tortuosum* Rechinger, 493
erectum Murray, 488
 ‘Gemo’, 488
ericoides Linnaeus, 494
 subsp. *ericoides*, 494
 subsp. *maroccanum* Maire & Wilczek, 494
 subsp. *robertii* (Battandier) Maire &
 Wilczek, 494
eudistichum invalid, 481
fallax Grimm, 487
fasciculatum Lamarck, 496
fimbriatum Lamarck, 491
 var. *burseri* de Candolle, 491
floribundum Aiton, 497
foliosum Aiton, 484
formosum Kunth, 488
 subsp. *scouleri* (Hooker) Hitchcock, 488
 var. *scouleri* (Hooker) Coulter, 488
forrestii (Chittenden) N. Robson, 483
fragile Boissier, 493
fragile misapplied, 489
frondosum Michaux, 494
galioides Lamarck, 496
 var. *ambiguum* (Elliott) Chapman, 496
 var. *aspalathoides* (Willdenow) Torrey &
 Gray, 496
 var. *fasciculatum* (Lamarck) Svenson, 496
gebleri Ledebour, 485
gentianoides (Linnaeus) Britton, Sterns &
 Poggenburg, 500

glandulosum Aiton, 499
glomeratum Small, 496
gracile Boissier, 499
gramineum G. Forster, 501
grandifolium Choisy, 484
graveolens Buckley, 488
grisebachii Boissier, 491
henryi H. Léveillé & Vaniot, 481
 subsp. *hancockii* N. Robson, 481
 subsp. *henryi*, 481
 subsp. *uraloides* (Rehder) N. Robson, 481
henryi misapplied, 483
 × ‘Hidcote’, 481
 ‘Hidcote Gold’, 481
hircinum Linnaeus, 484–485
 subsp. *albimontanum* (Greuter) N. Robson,
 485
 subsp. *cambessedesii* (Barceló) Sauvage,
 485
 subsp. *hircinum*, 485
 subsp. *hircinum* misapplied, 484
 subsp. *majus* (Aiton) N. Robson, 484
 subsp. *obtusifolium* (Choisy) Sauvage, 485
 var. *albimontanum* Greuter, 485
 var. *cambessedesii* (Barceló) Ramos, 485
 var. *majus* Aiton, 484
 var. *minus* Aiton in part, 485
 var. *obtusifolium* Choisy, 485
 var. *pumilum* Watson, 485
hirsutum Linnaeus, 492
hookerianum Wight & Arnott, 481
 ‘Buttercup’, 481
 ‘Charles Rogers’, 481
 ‘Rogersii’, 481
hookerianum in part, misapplied, 479
 ‘Gold Cup’, 481
 ‘Hidcote’, 481
 ‘Rowallane’, 480
 var. *leschenaultii* misapplied, 482
humifusum Linnaeus, 491
hypericoides (Linnaeus) Crantz, 497
 subsp. *hypericoides*, 497
 subsp. *multicaule* (Willdenow) N. Robson,
 497
 var. *multicaule* (Willdenow) Adams &
 Robson, 497
hyssopifolium Villars, 492
 subsp. *elongatum* (Ledebour) Woronow,
 492
 var. *elongatum* (Ledebour) Ledebour,
 492
 × *inodorum* Miller, 484
 ‘Beattie’s Variety’, 484
 ‘Elstead’, 484
 ‘Elstead Variety’, 484
 ‘Goudelsje’, 484
 ‘Hysan’, 484
 ‘Summergold’, 484
 ‘Ysella’, 484
inodorum Willdenow not Miller, 485
involutum (Labillardière) Choisy, 501
japonicum Murray, 501
jaubertii Spach, 491
kalmianum Linnaeus, 494
kelleri Baldacci, 489–490
keniense Schweinfurth, 477

kiusianum Koidzumi var. *yakusimense*
 (Koidzumi) Kato, 488
kohlianum Sprengel, 487
kotschyianum Boissier, 492–493
kouytchense H. Léveillé, 482
kouytchense misapplied, 480
laeve Boissier & Haussknecht, 492
 var. *rubrum* (Hochstetter) Boissier, 492
lagarocladum N. Robson, 480
lancasteri N. Robson, 483
lanceolatum misapplied, 477
lanuginosum Lamarck, 499
 var. *gracile* (Boissier) Boissier, 499
lasianthus Linnaeus, 468
 ‘Lawrence Johnston’, 481
laxum (Blume) Koidzumi, 501
leschenaultii misapplied, 480
leschenaultii Choisy, 480
leucoptychodes A. Richard, 477
linariifolium Vahl, 491
linarioides Bosse, 492
lobpii N. Robson, 479
lobocarpum Gattinger, 494–496
lydium Boissier, 492
lysimachioides Dyer, 480
lysimachioides misapplied, 483
macarenii N. Robson, 482
maculatum Crantz, 487
 subsp. *maculatum*, 487
 subsp. *obtusiusculum* (Tourlet) Hayek,
 487
 var. *immaculatum* (Murbbeck) Jordanov &
 Kozhuharov, 487
maculatum Walter not Crantz, 488
majus (A. Gray) Britton, 501
maritimum Sieber, 499
minus invalid, 485
mitchellianum Rydberg, 488
monogynum Linnaeus, 479
 var. *salicifolium* (Sieber & Zuccarini)
 André, 479
montanum Linnaeus, 499–500
montbretii Spach, 490
 × *moserianum* André, 482
 ‘Tricolor’, 482
 var. *tricolor* Maumen, 482
multiflorum invalid, 484
mutilum Linnaeus, 501
 subsp. *mutilum*, 501
nanum Poiret, 497
napaulense Choisy, 500
nothum Rehder, 496
nudicaule Walter, 500
nudiflorum Michaux, 496
nummularium Linnaeus, 493
oblongifolium misapplied, 480
oblongifolium Choisy, 479
obtusum Moench invalid, 487
ocymoides Loddiges invalid, 485
officinarum Crantz, 487
olympicum Linnaeus, 489
 ‘Sunburst’, 489
citrinum invalid, 489
 var. *grandiflorum* invalid, 489
 var. *latifolium* Sims not Stefanoff, 489
forma majus Haussknecht, 489

INDEX

621

- forma minus Haussknecht, 489
 'Sulphureum', 489
 forma olympicum, 489
 forma prostratum Jordanov & Kozuharov, 489
 forma uniflorum Jordanov & Kozuharov, 489
 'Citrinum', 489
 'Sunburst', 489
 opacum Torrey & Gray, 496
 orientale Linnaeus, 491–492
 var. jaubertii (Spach) Boissier, 491
 var. ptarmicifolium (Spach) Boissier, 491
 var. tournefortii (Spach) Boissier, 491
 origanifolium Willdenow, 489
 pallens Banks & Solander, 497–499
 parviflorum Willdenow, 501
 patulum Thunberg, 481–482
 patulum misapplied, 481
 'Gold Cup', 481
 'Hidcote', 481
 'Hidcote Variety', 481
 'Laplace', 482
 'Rothschild's Form', 483
 'Summergold', 482
 'Sungold', 482
 var. forrestii Chittenden, 483
 var. grandiflorum invalid, 482
 var. henryi Bean, 483
 var. henryi misapplied, 480, 483
 var. oblongifolium misapplied, 480, 481
 var. uralum (D. Don) Koehne, 481
 forma forrestii (Chittenden) Rehder, 483
 penduliflorum invalid, 482
 perfoliatum Linnaeus, 490
 perforatum Linnaeus, 487
 var. angustifolium de Candolle, 487
 var. latifolium Koch, 487
 var. microphyllum de Candolle, 487
 × persistens 'Elatum', 484
 'Elstead', 484
 pilosum Walter, 500
 polygonifolium Ruprecht, 492
 polyphyllum Boissier & Balansa, 489
 polyphyllum misapplied, 489
 citrinum invalid, 489
 pluriflorum Linnaeus, 494
 var. densiflorum (Pursh) A. Gray, 496
 pseudohenryi N. Robson, 483
 pseudohenryi misapplied, 483
 pseudopetiolaratum var. yakusimense (Koidzumi) Y. Kimura, 488
 ptarmicifolium Spach, 491
 pulchrum Linnaeus, 493
 punctatum Lamarck, 488
 pusillum Choisy, 501
 pyramidatum Aiton, 485
 quadrangulum misapplied, 487
 subsp. obtusiusculum Tourlet, 487
 quadrangulum Linnaeus, invalid, 487
 quinquenervium Walter, 501
 ramosissimum Ledebour, 485
 reflexum Linnaeus filius, 499
 repens invalid, 492
 repens misapplied, 489
 citrinum invalid, 489
 reptans Dyer, 479
 revolutum Vahl, 477
 subsp. keniense (Schweinfurth) N. Robson, 477
 subsp. revolutum, 477
 rhodoppeum Frivaldszky, 489
 richeri Villars, 490–491
 subsp. alpinum (Kitaibel) E. Schmid, 491
 subsp. burseri (de Candolle) Nyman, 491
 subsp. richeri, 491
 subsp. grisebachii (Boissier) Nyman, 491
 robertii Battandier, 494
 rogersii invalid, 481
 × 'Rowallane' Armitage Moore, 480
 rubrum Hochstetter, 492
 rumeliacum Boissier, 490
 subsp. rumeliacum, 490
 subsp. apollinis (Boissier & Heldreich) Robson & Strid, 490
 salicifolium Sieber & Zuccarini, 479
 sampsonii Hance, 488
 saroethra Michaux, 500
 saturejifolium Jaubert & Spach, 493
 scouleri Hooker, 488–489
 subsp. nortoniae (Jones) Gillett, 489
 subsp. scouleri, 489
 Section Adenosepalum Spach, 499
 Section Adenotrias (Jaubert & Spach) R. Keller, 499
 Section Androsaemum (Duhamel) Godron, 483–484
 Section Arthropodium Jaubert & Spach, 497
 Section Ascyreia Choisy, 477
 Section Brathys (Linnaeus filius) Choisy, 500
 Section Bupleurodes Stefanoff, 484
 Section Campylosporus (Spach) Keller, 477
 Section Coridium Spach, 493
 Section Drosocarpium (broad sense), 489
 Section Elodes (Adanson) W. Koch, 500
 Section Hirtella Stefanoff, 491–495
 Section Hypericum, 485
 Section Inodora Stefanoff, 494
 Section Myriandra (Spach) R. Keller, 494
 Section Psorophytum (Spach) Nyman, 477
 Section Roscyna (Spach) R. Keller, 485
 Section Taeniocarpium Jaubert & Spach, 492
 Section Triadenioides Jaubert & Spach, 497
 Section Webbia (Spach) R. Keller, 497
 seleri R. Keller, 485
 setosum Linnaeus, 500–501
 spathulatum (Spach) Steudel, 494
 spruneri Boissier, 490
 stans (Michaux) Adams & Robson, 497
 stellatum N. Robson, 483
 stenobotrys Boissier, 493
 stragulum Adams & Robson, 497
 subsessile N. Robson, 480
 'Sunburst', 489, 494
 tapetoides A. Nelson, 501
 tenuicaule Dyer, 479
 tetrapterum Fries, 487
 tomentosum Linnaeus, 500
 tournefortii Spach, 491
 trichocaulon Boissier & Heldreich, 491
 triflorum Blume, 480
 undulatum Willdenow, 487
 uraloides Rehder, 481
 uralum D. Don, 481
 × urberuagae P. & S. Dupont, 484
 vacciniifolium Hayek & Siehe, 497
 × vanfleetii Rehder, 494
 villosum (Linnaeus) Crantz, 500
 vulgare Lamarck, 487
 webbii Steudel, 499
 wilsonii N. Robson, 480
 xylosteifolium (Spach) N. Robson, 485
 yakusimanum invalid, 488
 yakusimense Koidzumi, 488
 forma lucidum Y. Kimura, 488
 Iberis Linnaeus, 576–578
 acutiloba Bertoloni, 577
 amara Linnaeus, 577
 candolleana Jordan, 577
 cappadocica de Candolle, 567
 commutata Schott & Kotschy, 577
 crenata Linnaeus, 577
 gibraltarica Linnaeus, 577
 jordanii Boissier, 577
 juncunda Schott & Kotschy, 577
 odorata Linnaeus, 577
 pigmaea invalid, 577
 pinnata Linnaeus, 577
 pruitii Tineo, 577
 saxatalis Linnaeus, 577
 var. corifolia Sims, 577
 semperflorens Linnaeus, 577
 sempervirens Linnaeus, 577
 'Little Gem', 577
 'Snowflake', 577
 var. garrexiana Allioni, 577
 var. nana Allioni, 577
 umbellata Linnaeus, 577–578
Ilex emarginata Thunberg, 570
 Illecebraceae, 201
 Illiciaceae, 335
 Illicium Linnaeus, 335
 anisatum Linnaeus, 335
 floridanum Ellis, 335
 henryi Diels, 335
 parviflorum Ventenat, 335
 religiosum Siebold & Zuccarini, 335
 verum Hooker, 335
Ioxylon pomiferanum Rafinesque, 89
 Iresine Browne, 208–209
 herbstii Hooker, 209
 'Aureoreticulata', 209
 'Brilliantissima', 209
 'Wallisii', 209
 lindenii Van Houtte, 209
 'Formosa', 209
 Isatis Linnaeus, 551
 allionii P.W. Ball, 551
 alpina misapplied, 551
 canescens de Candolle, 551
 glauca Boissier, 551
 tinctoria Linnaeus, 551

Islaya bicolor Akers & Buining, 267
copiapoides Rauh & Backeberg, 267
divaricatiflora Ritter, 267
flavida Ritter, 267
grandiflorens Rauh & Backeberg, 267
maritima Ritter, 267
minor Backeberg, 267
mollendensis (Vaupel) Backeberg, 267
paucispina Rauh & Backeberg, 267
paucispinosa Rauh & Backeberg, 267
Isolatocereus dumortieri (Scheidweiler) Backeberg, 224
Isomeris arborea Nuttall, 547
Isopyrum Linnaeus, 348–349
 biternatum (Rafinesque) Torrey & Gray, 349
fumarioides Linnaeus, 353
thalictroides Linnaeus, 348–349
Isotrema chrysops Stapf, 440
Jacobsenia Bolus & Schwantes, 152
kolbei (Bolus) Bolus & Schwantes, 152
Jateorhiza Miers, 421
columba (Roxburgh) Miers, 421
palmata (Lamarck) Miers, 421
Jeffersonia Barton, 415
diphylla (Linnaeus) Persoon, 415
dubia (Maximowicz) Baker & Moore, 415
Juglandaceae, 16–20
Juglans Linnaeus, 18–19
 ailanthifolia Carrière, 19
 var. *ailanthifolia*, 19
 var. *cordiformis*, 19
alba Linnaeus, 18
 × *bixbyi* Rehder, 19
californica, 19
cathayensis Dode, 19
cinerea Linnaeus, 19
cordiformis Maximowicz, 19
elaeopyren Dode, 19
hindsii (Jepson) Smith, 19
 × *intermedia* Carrière, 19
major (Torrey) Heller, 19
mandshurica Maximowicz, 19
microcarpa Berlandier, 19
microcarpa misapplied, 19
nana Engelm., 19
 × *notha* Rehder, 19
nigra Linnaeus, 19
orientis Dode, 18
 × *quadrangulata* (Carrière) Rehder, 19
regia Linnaeus, 18–19
rupestris Torrey, 19
sargentii Sudworth, 19
sieboldiana Maximowicz, 19
sinensis (de Candolle) Dode, 18
stenocarpa Maximowicz, 19
Juttadinteria Schwantes, 159
albata (Bolus) Bolus, 159
longipetala Bolus, 159
Kadsura Jussieu, 335
japonica (Linnaeus) Dunal, 335
 'Variegata', 335
Kensitia pillansii (Kensit) Brown, 155
Kernera Medicus, 573
auriculata (Lamarck) Reichenbach, 573

decipiens (Willkomm) Nyman, 573
saxatalis (Linnaeus) Reichenbach, 573
Knightia Brown, 117–118
 excelsa Brown, 118
Koeberlinia spinosa Zuccarini, 546
Kochia Roth, 205
rohrlachii Wilson, 205
scoparia (Linnaeus) Schrader, 205
 'Childsii', 205
 'Trichophylla', 205
 var. *childsii* Kraus, 205
 var. *trichophylla* (Voss) Boom, 205
Kohlrauschia saxifraga (Linnaeus) Dandy, 197
Lampranthus Brown, 150–151
aurantiacus (de Candolle) Schwantes, 150
aureus (Linnaeus) Brown, 150–151
blandus (Haworth) Schwantes, 151
brownii (Hooker) Brown, 150
conspicuus (Haworth) Brown, 151
emarginatus (Linnaeus) Brown, 151
falcatus (Linnaeus) Brown, 151
falciformis (Haworth) Brown, 151
glaucus (Linnaeus) Brown, 150
glomeratus (Linnaeus) Brown, 151
haworthii (Don) Brown, 151
roseus (Willdenow) Schwantes, 151
sociorum (Bolus) Brown, 151
spectabilis (Haworth) Brown, 151
zeyheri (Salm-Dyck) Brown, 151
Lapidaria Schwantes, 164
 margaretae (Schwantes) Dinter & Schwantes, 164
Lardizabal Ruiz & Pavón, 419
 biaternata Ruiz & Pavón, 419
Lardizabalaceae, 418–420
Lauraceae, 337–340
Laurelia Jussieu, 336
 sempervirens (Ruiz & Pavón) Tulasne, 336
serrata Bertero, 336
Laurus Linnaeus, 340
albida Nuttall, 337
azorica (Seubert) Franco, 340
benzoin Linnaeus, 339
camphora Linnaeus, 338
canariensis Webb & Berthelot, 340
nobilis Linnaeus, 340
 'Angustifolia', 340
 'Crispa', 340
sericea Blume, 339
Ledenbergia roseo-aenea Lemaire, 134
Leipoldtia Bolus, 146
 jacobseniana Schwantes, 146
weigangiana (Dinter) Dinter & Schwantes, 146
Lemaireocereus beneckeii (Ehrenberg) Britton & Rose, 224
eruca (Brandegee) Britton & Rose, 224
laetus (Kunth) Britton & Rose, 221
pruinosus (Pfeiffer) Britton & Rose, 224
queretaroensis (Weber) Safford, 225
stellatus (Pfeiffer) Britton & Rose, 225
thurberi (Engelmann) Britton & Rose, 225
weberi (Coulter) Britton & Rose, 222
Leontice Linnaeus, 416
alberti Regel, 416
altaica Pallas, 416
chrysogonum Linnaeus, 416
leontopetalum Linnaeus, 416
Lepidium Linnaeus, 578
sativum Linnaeus, 578
Lepismium Pfeiffer, 232
 cruciforme (Vellozo) Miquel, 232
houilletianum (Lemaire) Barthlott, 232
ianthothele (Monville) Barthlott, 219
marnieranum Backeberg, 233
paradoxum Pfeiffer, 234
warmingianum (Schumann) Barthlott, 232
Leptomeria Brown, 122
billardieri Brown, 122
Leptopyrum Reichenbach, 353
fumarioides (Linnaeus) Reichenbach, 353
Lesquerella S. Watson, 572
fendleri (Gray) S. Watson, 572
foliacea Greene, 572
kingii (S. Watson) S. Watson, 572
stenophylla (Gray) Rydberg, 572
Leucadendron Brown, 111–112
ascendens Brown, 111–112
argenteum (Linnaeus) Brown, 111
coniferum (Linnaeus) Meissner, 111
eucalyptifolium Meissner, 111
laureolum (Lamarck) Fourcade, 111
microcephalum (Gandoger) Gandoger & Schinz, 111
rubrum Burman, 111
salignum Bergius, 111–112
stokoei Phillips, 111
teretifolium (Andrews) Williams, 112
xanthoconus (Kuntze) Schumann, 112
Leuchtenbergia Hooker, 291
principis Hooker, 291
Leucospermum Brown, 110–111
attenuatum Brown, 110
cordifolium (Knight) Fourcade, 110
cuneiforme (Burman) Rourke, 110–111
ellipticum (Thunberg) Brown, 110
Lewisia Pursh, 177–178
brachycalyx Gray, 178
cantelovii Howell, 178
columbiana (Howell) Robinson, 178
 'Rosea', 178
cotyledon (Watson) Robinson, 177–178
 var. *cotyledon*, 178
 var. *heckneri* (Morton) Munz, 178
 var. *howellii* (Watson) Jepson, 178
leana (Porter) Robinson, 178
nevadensis Gray, 178
pygmaea (Gray) Robinson, 178
 var. *nevadensis* (Gray) Fosberg, 178
 var. *pygmaea*, 178
rediviva Pursh, 178
tweedyi (Gray) Robinson, 177
Lindera Thunberg, 339–340
benzoin (Linnaeus) Blume, 339
glauca (Siebold & Zuccarini) Blume, 339–340
megaphylla Hemsley, 339
obtusiloba Blume, 340
praecox (Siebold & Zuccarini) Blume, 339

INDEX

623

- strychnifolia* (Siebold & Zuccarini) Vilmorin, 340
umbellata Thunberg, 339
Liriiodendron Linnaeus, 329–330
 chinensis (Hemsley) Sargent, 330
tulipifera Linnaeus, 329–330
 var. *chinensis* Hemsley, 330
Liriosma ovata Miers, 122
Lithocarpus Blume, 66
 cleistocarpa (Seemen) Rehder & Wilson, 66
densiflorus (Hooker & Arnott) Rehder, 66
 var. *echinoides* (Brown) Abrams, 66
edulis (Makino) Nakai, 66
glabra (Thunberg) Nakai, 66
henryi (Seemen) Rehder, 66
pachyphyllus (Kurz) Rehder, 66
Lithops Brown, 160
archeri De Boer, 162
aucampiae Bolus, 162
 var. *aucampiae*, 162
 var. *euniciae* De Boer, 162
 var. *fluminalis* Cole, 162
 var. *koelemanii* (De Boer) Cole, 162
bella Brown, 161
 var. *bella*, 161
 var. *eberlanzii* (Dinter & Schwantes) De Boer & Boom, 161
brevis Bolus, 163
bromfieldii Bolus, 163
 var. *glaudinae* (De Boer) Cole, 163
 var. *insularis* (Bolus) Fearn, 163
 var. *mennellii* (Bolus) Fearn, 163
christinae De Boer, 163
comptonii Bolus, 163
dabneri Bolus, 163
deboeri Schwantes, 162
dendritica Nel, 162
dinteri Schwantes, 162–163
 var. *brevis* (Bolus) Fearn, 163
 var. *dinteri*, 163
 var. *frederici* Cole, 163
 var. *multipunctata* De Boer, 163
diutina Bolus, 161
elisae De Boer, 161
erniana Jacobsen, 161–162
 var. *aiaensis* De Boer, 161
 var. *erniana*, 161
 var. *witzputensis* De Boer, 162
erniana Loesch & Tischer, 161
farinosa Dinter, 162
framesii Bolus, 161
franciscii (Dinter & Schwantes) Brown, 162
 var. *gesiniae* (De Boer) Fearn, 162
fulleri Brown, 161–162
 var. *kennedyi* De Boer, 162
fulviceps (Brown) Brown, 162
 var. *lactinea* Cole, 162
gesinæ De Boer, 162
glaudinae De Boer, 163
gracilidelineata Dinter, 162
hallii De Boer, 161
helmutii Bolus, 163
herrei Bolus, 163
insularis Bolus, 163
jacobsoniana Schwantes, 161
julii (Dinter & Schwantes) Brown, 161
 subsp. *fulleri* (Brown) Fearn, 161
 var. *julii*, 161
 var. *littlewoodii* De Boer, 161
 var. *reticulata* De Boer, 161
 var. *rouxii* De Boer, 161
karasmontana (Dinter & Schwantes) Brown, 161
 var. *karasmontana*, 161
 var. *lericheana* (Dinter & Schwantes) Cole, 161
 var. *mickebergensis* (Dinter) De Boer & Boom, 161
 var. *opalina* (Dinter) De Boer & Boom, 161
 var. *tischeri* Cole, 161
kiubisensis Jacobsen, 163
koelemanii De Boer, 162
lesliei (Brown) Brown, 162
localis (Brown) Schwantes, 162
marginata Nel, 163
marmorata (Brown) Brown, 161
 var. *elisae* (De Boer) Cole, 161
mennellii Bolus, 163
meyeri Bolus, 163
nelii Schwantes, 163
olivacea Bolus, 163
optica (Marloth) Brown, 161
 forma *rubra* Tischer, 161
otzeniana Nel, 163
pseudotruncatella (Berger) Brown, 162
 var. *archerae* (De Boer) Cole, 162
 var. *dendritica* (Nel) De Boer & Boom, 162
 var. *edithae* (Brown) De Boer, 162
 var. *elisabethae* (Dinter) De Boer & Boom, 162
 var. *gracilidelineata* (Dinter) Fearn, 162
 var. *pulmoncula* (Jacobsen) Jacobsen, 162
 var. *volkii* De Boer & Boom, 162
rugosa Dinter, 163
ruschiorum (Dinter & Schwantes) Brown, 163
salicola Bolus, 162
schwantzesii Dinter, 163
 var. *christinae* (De Boer) Fearn, 163
 var. *gebseri* De Boer, 163
 var. *kunjasensis* (Dinter) De Boer & Boom, 163
 var. *marthae* (Loesch & Tischer) Cole, 163
 var. *nutupsdriftensis* De Boer, 163
 var. *rugosa* (Dinter) De Boer & Boom, 163
 var. *schwantzesii*, 163
 var. *triebneri* (Bolus) De Boer & Boom, 163
 var. *urikosensis* (Dinter) De Boer & Boom, 163
 Subgenus *Leucolithops* Schwantes, 160
 Subgenus *Lithops*, 160
triebneri Bolus, 163
turbiniformis (Haworth) Brown, 163
 var. *brunneoviolacea* De Boer, 163
 var. *dabneri* (Bolus) Cole, 163
 var. *elephina* Cole, 163
 var. *lutea* De Boer, 163
 var. *marginata* (Nel) Cole, 163
 var. *subfenestrata* De Boer, 163
urikosensis Dinter, 163
vallis-mariae (Dinter & Schwantes) Brown, 163
 var. *groendraaiensis* (Jacobsen) De Boer, 163
 var. *margarethae* De Boer, 163
verruculosa Nel, 162
 var. *glabra* De Boer, 162
villetii Bolus, 162
 var. *deboeri* (Schwantes) Cole, 162
 var. *kennedyi* (De Boer) Cole, 162
viridis Luckhoff, 163
wernerii Schwantes & Jacobsen, 162
Lobivia allegraiana Backeberg, 254
andgalensis (Schumann) Britton & Rose, 252
backebergii (Werdermann) Backeberg, 254
binghamiana Backeberg, 254
bruchii Britton & Rose, 254
chrysantha (Werdermann) Backeberg, 255
cinnabarina (Hooker) Britton & Rose, 254
culpinensis Ritter, 254
cylindrica Backeberg, 254
densispina Werdermann, 255
densispina (Werdermann) Wessner, 255
divaricata invalid, 254
ducis-paulii misapplied, 253
euanthema Backeberg, 258
famatimensis (Spegazzini) Britton & Rose, 255
ferox Britton & Rose, 253
glauca Rausch, 255
grandiflora Britton & Rose, 252
grandis Britton & Rose, 254
higginsiana Backeberg, 254
huascha (Weber) Marshall, 252
incaica Backeberg, 254
jajoiana Backeberg, 255
kieslingii Rausch, 254
kuehnrichii Fric, 255
laræ Cardenas, 254
maximiliana (Heyder) Backeberg, 254
muhriae Backeberg, 255
nigrispina Backeberg, 255
oligotricha Cardenas, 254
pentlandii (Hooker) Britton & Rose, 254
planiceps Backeberg, 254
pugionacantha (Rose & Boedecker) Backeberg, 254
saltensis (Spegazzini) Britton & Rose, 255
schieliana Backeberg, 255
schreiteri Castellanos, 255
shaferi Britton & Rose, 254–255
silvestrii (Spegazzini) Rowley, 255
soehrensiana,
tegeleriana Backeberg, 254
vatteri Krainz, 255
violacea (Werdermann) Berger, 250
walteri Kiesling, 254
westii Hutchison, 254
winteriana Ritter, 254
wrightiana Backeberg, 254
Lobularia Desvaux, 567
maritima (Linnaeus) Desvaux, 567
Lomatia Brown, 116–117
 dentata (Ruiz & Pavón) Brown, 117
ferruginea (Cavanilles) Brown, 117
fraxinifolia Bentham, 117

- Lomatia Brown (*continued*)
hirsuta (Lamarck) Diels, 117
ilicifolia Brown, 117
longifolia Brown, 117
myricoides (Gaertner) Domin, 117
obliqua Brown, 117
pinnatifolia invalid, 117
pinnatifida invalid, 117
silafolia (Smith) Brown, 117
tinctoria (Labillardière) Brown, 117
Lophira Gaertner, 455
alata misapplied, 455
lanceolata Keay, 455
Lophocereus schottii (Engelmann) Britton & Rose, 223
Lophophora Coulter, 288–289
diffusa (Croizat) Bravo, 289
echinata Croizat, 289
 var. *diffusa* Croizat, 289
fričii Habermann, 289
jourdaniana Habermann, 289
lewini (Coulter) Rusby, 289
williamsii (Salm-Dyck) Coulter, 289
Loranthaceae, 123
Loranthus Jacquin, 123
europaeus Jacquin, 123
Lunaria Linnaeus, 561
annua Linnaeus, 561
 'Alba', 561
 'Atrococcinea', 561
 'Munstead Purple', 561
 'Variegata', 561
biennis Moench, 561
japonica Miquel, 550
rediviva Linnaeus, 561
Lychnis Linnaeus, 187–188
alpina Linnaeus, 188
 'Arkwrightii', 187
chalconica Linnaeus, 187
coeli-rosa (Linnaeus) Desrousseaux, 187
coronaria (Linnaeus) Desrousseaux, 187
dioica Linnaeus, 186
flos-cuculi Linnaeus, 188
 var. *congesta* Ascherson & Graebner, 188
flos-jovis (Linnaeus) Desrousseaux, 187
fulgens Sims, 187
githago (Linnaeus) Scopoli, 188
 × *haageana* Regel, 187–188
pyrenaica Bergeret, 188
 'Vesuvius', 188
viscaria Linnaeus, 188
 'Plena', 188
Macadamia Mueller, 115
integrifolia Maiden & Betche, 115
ternifolia Mueller, 115
tetraphylla Johnson, 115
Machaerocereus eruca (Brandegee) Britton & Rose, 224
Machairophyllum Schwantes, 145–146
acuminatum Bolus, 145
albidum (Linnaeus) Schwantes, 146
Machilus kanehirai Hayata, 338
miranthum Hayata, 338
Macleaya R. Brown, 533
cordata (Willdenow) Brown, 533
 × *kewensis* Turrill, 533
microcarpa (Maximowicz) Fedde, 533
 × *Madudrania hybrida* André, 89
Maclura Nuttall, 89
aurantiaca Nuttall, 89
pomifera (Rafinesque) Schneider, 89
 'Inermis', 89
tricuspidata Carrière, 89
Magnolia Linnaeus, 319–328
acuminata (Linnaeus) Linnaeus, 328
 var. *subcordata* (Spach) Dandy, 328
ashei Weatherby, 323
biondii Pampanini, 319
 × *brooklynensis* Kalmbacher, 328
 'Evamaria', 328
 'Woodsman', 328
campbellii Hooker & Thomson, 324
 subsp. *mollicomata* (Smith) Johnstone, 324
 'Charles Coats', 323
conspicua Salisbury, 324
cordata Michaux, 328
cylindrica Wilson, 326
dawsoniana Rehder & Wilson, 326
delavayi Franchet, 323
denudata Desrousseaux, 324–326
discolor Ventenat, 328
diva Millais, 326
fraseri Walter, 323
 var. *pyramidalis* (Bartram) Pampanini, 323
freemannii invalid, 321
glauca Linnaeus, 323
 var. *major* Sims, 323
 var. *thompsoniana* Loudon, 323
globosa Hooker & Thomson, 324
grandiflora Linnaeus, 321
 'Exmouth', 321
 var. *exoniensis* Loudon, 321
grandiflora × *virginiana*, 321
 'Freeman', 321
 'Maryland', 321
heptapheta (Buc'hoz) Dandy, 324
 × *highdownensis* Dandy, 324
hypoleuca Siebold & Zuccarini, 323
 × *kewensis* Pearce, 326
lobus de Candolle, 326
 var. *borealis* Sargent, 326
 var. *loebneri* (Kache) Spongberg, 328
 var. *stellata* (Siebold & Zuccarini)
 Blackburn, 326
 'Leonard Messel', 328
liliiflora Desrousseaux, 328
 × *loebneri* Kache, 328
macrophylla Michaux, 323
 subsp. *ashei* (Weatherby) Spongberg, 323
 'Merrill', 328
nitida Smith, 321–323
obovata Thunberg, 323
officinalis Rehder & Wilson, 323–324
 var. *biloba* Rehder & Wilson, 324
parviflora Siebold & Zuccarini, 324
praecocissima Koidzumi, 326
 × *proctoriana* Rehder, 326
purea Curtis, 328
pyramidalis Bartram, 323
quinquepetala (Buc'hoz) Dandy, 328
rostrata Smith, 324
salicifolia (Siebold & Zuccarini) Maximowicz, 326
sargentiana Rehder & Wilson, 326
 var. *robusta* Rehder & Wilson, 326
 var. *sargentiana*, 326
sieboldii Koch, 324
 subsp. *sinensis* (Rehder & Wilson) Spongberg, 324
sinensis Rehder & Wilson, 324
 × *slavinii* Harkness, 326
 × *soulangiana* Soulange-Bodin, 326
sprengeri Pampanini, 326
 'Diva', 326
 var. *elongata* (Rehder & Wilson)
 Johnstone, 326
 var. *diva* (Millais) Johnstone, 326
 var. *sprengeri*, 326
stellata (Siebold & Zuccarini) Maximowicz, 326–328
 × *thompsoniana* (Loudon) de Vos, 323
tomentosa Thunberg, 328
tripetala Linnaeus, 323
 × *veitchii* Bean, 324
 'Peter Veitch', 324
virginiana Linnaeus, 323
 × *watsonii* Hooker, 324
 × *wieseneri* Carrière, 324
wilsonii (Finet & Gagnepain) Rehder, 324
yulan Desfontaines, 324
zenii Cheng, 319
Magnoliaceae, 319–330
 × *Mahoberberis* Schneider, 392–393
neubertii (Baumann) Schneider, 393
Mahonia Nuttall, 390–392
acanthifolia Don, 391
aquifolium (Pursh) Nuttall, 392
 'Atropurpurea', 392
bealei (Fortune) Carrière, 391
 'Cantab', 391
confusa Sprague, 392
dictyota (Japson) Fedde, 392
eutriphylla de Candolle, 392
fascicularis de Candolle, 392
fortunei (Lindley) Fedde, 391
fremontii (Torrey) Fedde, 392
gracilipes (Oliver) Fedde, 391
haematocarpa (Wooton) Fedde, 392
 'Heterophylla', 392
higginsiae (Munz) Ahrendt, 392
japonica (Thunberg) de Candolle, 391
 'Hiemalis', 391
lomariifolia Takeda, 391
 × *media* Brickell, 391
 'Charity', 391
 'Lionel Fortescue', 391
 'Winter Sun', 391
moranensis (Schultes) Johnston, 392
nana (Greene) Fedde, 392
napaulensis de Candolle, 391
nervosa (Pursh) Nuttall, 392
nevinii (Gray) Fedde, 392
pinnata (Lagasca) Fedde, 392
pinnata misapplied, 392
piperiana Abrams, 392
pumila (Greene) Fedde, 392

Cambridge University Press

978-0-521-76151-2 — The European Garden Flora Flowering Plants, Volume 2

2nd Edition

Edited by James Cullen , Sabina G. Knees , H. Suzanne Cubey

Index

[More Information](#)

INDEX

625

- repens* (Lindley) Don, 392
'Rotundifolia', 392
schiiediana (Schlechtendahl) Fedde, 392
siamensis Takeda, 391
swaseyi (Buckland) Fedde, 392
toluacensis misapplied, 392
trifolia Chamisso & Schlechtendahl, 392
trifoliolate (Lindley) Lavallée, 392
trifoliolata (Moricand) Fedde, 392
 \times *wagneri* (Jouin) Rehder, 392
'Aldenhamensis', 392
'Undulata', 392
'Vicaryi', 392
Maihuenia (Weber) Schumann, 219
poepigii (Pfeiffer) Schumann, 219
Maihueniopsis Spegazzini, 312
clavarioides (Pfeiffer) Anerson, 312
darwini (Henslow) Ritter, 312
glomerata (Haworth) Kiesling, 312
Maireana rohrlachii (Wilson) Wilson, 205
Malacocarpus arechavaletai (Spegazzini) Berger, 272
corynodes (Pfeiffer) Krainz, 274
fricii (Arechavaleta) Berger, 274
heptacanthus Rodrigues, 264
pauciareolatus (Arechavaleta) Berger, 274
sellowii (Link & Otto) Schumann, 274
sessiliflorus (Pfeiffer) Backeberg, 274
tephracanthus (Link & Otto) Schumann, 274
Malacodendron monogynum Dumont de Courset, 458
ovatum Cavanilles, 458
Malcolmia R. Brown, 553–554
bicolor Boissier & Heldreich, 553
chia (Linnaeus) de Candolle, 554
graeca Boissier & Spruner, 553
subsp. *bicolor* (Boissier & Heldreich) A.L. Stork, 553
littorea (Linnaeus) R. Brown, 553
maritima (Linnaeus) R. Brown, 553
'Virginia Stock', 553
Malephora Brown, 172
crassa (Bolus) Jacobsen & Schwantes, 172
crocea (Jacquin) Schwantes var. *crocea*, 172
var. *purpureocrocea* (Haworth) Jacobsen & Schwantes, 172
lutea (Haworth) Schwantes, 172
Mammea Linnaeus, 502
americana Linnaeus, 502
humilis Vesque, 503
Mammillaria Haworth, 300–311
albescens Tiegel, 307
albicans (Britton & Rose) Berger subsp. *fraileana* (Britton & Rose) Hunt, 304
albiarmata Boedeker, 310
albicoma Boedeker, 306
albilanata Backeberg, 308
aljibensis invalid, 309
arizonica Engelmann, 298
armillata Brandegee, 304
aurihamata Boedeker, 305
backebergiana Buchenau, 308
balsasoides Craig, 302
barbata Engelmann, 303
baumii Boedeker, 302
baxteriana (Gates) Backeberg & Knuth, 311
bella Backeberg, 308
benecke Ehrenberg, 302
blossfeldiana Boedeker, 304
bocasana Poselger, 305
bogotensis Werdermann, 308
bombycina Quehl, 305
boolii Lindsay, 304
brandegei (Coulter) Brandegee, 311
camptotricha Dams, 307
candida Scheidweiler, 291
canelensis Craig, 310
capensis (Gates) Craig, 304
carmenae Castaneda, 306
carnea Zuccarini, 311
carretii Schumann, 302
celsiana Lemaire, 309
centricirrha Lemaire, 311
chionocephala Purpus, 309
coahuilensis (Boedeker) Moran, 310
collina Purpus, 308
collinsii (Britton & Rose) Orcutt, 311
columbiana Salm-Dyck, 308–309
compressa de Candolle, 311
confusa (Britton & Rose) Orcutt, 311
conoidea de Candolle, 290
crinita de Candolle, 305
subsp. *leucantha* (Boedeker) Hunt, 305
subsp. *wildii* (Dietrich) Hunt, 305
crinita misapplied, 305
dasycantha Engelmann, 299
decipiens Scheidweiler, 306–307
subsp. *albescens* (Tiegel) Hunt, 307
subsp. *camptotricha* (Dams) Hunt, 307
subsp. *decipiens*, 307
deherdtiana Farwig, 303
subsp. *dodsonii* (Bravo) Hunt, 303
densispina (Coulter) Orcutt, 307
dioica Brandegee, 304
disciformis de Candolle, 288
discolor Haworth, 307
dixanthocentron Mottram, 309
dodonii Bravo, 303
dumetorum Purpus, 306
duoformis Craig & Dawson, 308
durispina Boedeker, 308
echinaria de Candolle, 307
elegans de Candolle, 308
elongata de Candolle, 307
emskoetteriana Quehl, 299
erectohamata Boedeker, 305
eriacantha Pfeiffer, 308
erythrosperma Boedeker, 305
fasciculata Jackson, 226
fera-rubra Craig, 307
fissurata Engelmann, 289
formosa Scheidweiler, 309
subsp. *chionocephala* (Purpus) Hunt, 309
subsp. *formosa*, 309
subsp. *pseudocrucigera* (Craig) Hunt, 309
fraileana Boedeker, 304
fuaxiana Backeberg, 308
gaumeri (Britton & Rose) Orcutt, 310
geminispina Haworth, 309
subsp. *geminispina*, 309
subsp. *leucocentra* (Berg) Hunt, 309
gigantea Schumann, 310
goldii Glass & Foster, 303
goodridgei Salm-Dyck, 304
gracilis Pfeiffer, 306
grahamii Engelmann, 304
subsp. *grahamii*, 304
subsp. *shedonii* (Britton & Rose) Hunt, 304
grusonii Runge, 310
guelzowiana Werdermann, 303
gummifera Engelmann, 310
haageana Pfeiffer, 308–309
var. *schmollii* (Craig) Hunt, 308
hahniana Werdermann, 309
haudeana Lau & Wagner, 303
heidiae Krainz, 303
hemisphaerica Engelmann, 310
herrerae Werdermann, 306
heyderi Muehlenpfordt, 310
hidalgensis Purpus, 308
hirsuta Boedeker, 305
horripila Lemaire, 287
humboldti Ehrenberg, 305–306
hutchisoniana (Gates) Boedeker, 304
icamolensis Boedeker, 305
insularis Gates, 304
johnstonii (Britton & Rose) Orcutt, 310–311
karwinskiana Martius, 311
subsp. *karwinskiana*, 311
subsp. *nejapensis* (Craig & Dawson) Hunt, 311
kelleriana Craig, 308
kevensis Salm-Dyck, 308
kraehenbuehlii (Krainz) Krainz, 307
kuentziana invalid, 306
kunzeana Boedeker & Quehl, 305
lanata (Britton & Rose) Orcutt, 309
lasiacantha Engelmann, 305
lau Hunt, 306
leona Poselger, 307
leucantha Boedeker, 305
leucocentra Berg, 309
lloydii (Britton & Rose) Orcutt, 311
longicoma (Britton & Rose) Berger, 305
longiflora (Britton & Rose) Berger, 303
longimamma de Candolle, 302
louisiae Lindsay, 304
macdougallii Rose, 310
magneticola Meyran, 306
magnifica Buchenau, 308
magnimamma Haworth, 311
mainiae Brandegee, 304
mammillaris (Linnaeus) Karsten, 310
marksiana Krainz, 310
marshalliana (Gates) Backeberg & Knuth, 311
matudae Bravo, 308
mazatlanensis Schumann, 305
meiacantha Engelmann, 310
melanocentra Poselger, 310
mendelianae (Bravo) Werdermann, 309
mercadensis Patoni, 305

Cambridge University Press

978-0-521-76151-2 — The European Garden Flora Flowering Plants, Volume 2

2nd Edition

Edited by James Cullen, Sabina G. Knees, H. Suzanne Cubey

Index

[More Information](#)

- Mammillaria* Haworth (*continued*)
meyranii Bravo, 308
microcarpa Engelmann, 304
microhelia Werdermann, 307
microheliopsis Werdermann, 307
micromeris Engelmann, 290
 var. *bokei* (Benson) Glass & Foster, 291
 var. *greggii* Engelmann, 291
 var. *unguispina* Boedeker, 291
milleri (Britton & Rose) Boedeker, 304
missouriensis Sweet, 299
moellendorffiana Shurly, 307
morganiana Tiegel, 309
muehlenpfordtii Foerster, 309
multiceps Salm-Dyck, 306
multidigitata Lindsay, 304
multisetia Ehrenberg, 311
mystax Martius, 311
napina Purpus, 303
nejapensis Craig & Dawson, 311
neopotosina Craig, 309
nunezii (Britton & Rose) Orcutt, 308
 subsp. *bella* (Backeberg) Hunt, 308
 subsp. *nunezii*, 308
obconella Scheidweiler, 308
obscura Hildmann, 310
occidentalis (Britton & Rose) Boedeker, 305
ottonis Pfeiffer, 297
pacifica (Gates) Backeberg & Knuth, 311
papyracantha Engelmann, 284
parkinsonii Ehrenberg, 309
pectinifera Weber, 306
pennispinosa Krainz, 305
perbella Schumann, 309
petrophila Gates subsp. *baxteriana* (Gates)
 Hunt, 311
petterssonii Hildmann, 310
phelosperma Engelmann, 303
picta Meinhhausen, 306
pilcayensis Bravo, 308
pilispina Purpus, 306
plumosa Weber, 306
polythele Martius, 308
 subsp. *obconella* (Scheidweiler) Hunt, 308
 subsp. *polythele*, 308
pondii Greene, 303
poselgeri Hildmann, 302–303
pottsi Salm-Dyck, 307
praelii Muehlenpfadt, 311
pringlei (Coulter) Brandegee, 307
prolifera (Miller) Haworth, 306
pseudocrucigera Craig, 309
pseudoperbella Quehl, 309
pseudosupertexta, 309
pullihamata invalid, 308
radiosa Engelmann, 298
rekoii (Britton & Rose) Vaupel, 308
rhodantha Link & Otto, 307
 subsp. *fera-rubra* (Craig) Hunt, 307
 subsp. *moellendorfiana* (Shurly) Hunt, 307
 subsp. *rhodantha*, 307
rosensis Craig, 309
saboeae Glass, 303
 subsp. *goldii* (Glass & Foster) Hunt, 303
subsp. haudeana (Lau & Wagner) Hunt, 303
subsp. saboae, 303
sanluisensis Shurly, 306
sanluisensis misapplied, 306
schiedeana Ehrenberg, 306
schumannii Hildmann, 304
scrippiana (Britton & Rose) Orcutt, 310
semperfervi de Candolle, 309–310
senilis Salm-Dyck, 302
sheldonii (Britton & Rose) Boedeker, 304
shurliana (Gates) Gates, 304
similis Engelmann, 299
simplex Haworth, 310
solisii (Britton & Rose) Boedeker, 308
sonorensis Craig, 310
sphaelata Martius, 307
sphaerica Dietrich, 302
spinossima Lemaire, 308
subsp. pilcayensis (Bravo) Hunt, 308
standleyi (Britton & Rose) Orcutt, 310
supertexta Martius, 309
surculosa Boedeker, 302
swinglei (Britton & Rose) Boedeker, 304
tespacensia Craig, 310
tetracantha Pfeiffer, 308
tetrancistra Engelmann, 303
theresiae Cutak, 303
thornberi Orcutt, 304
 subsp. *thornberi*, 304
 subsp. *yaquensis* (Craig) Hunt, 304
tuberculosa Engelmann, 298
uncinata Zuccarini, 310
vaupelii Tiegel, 308
vetula Martius, 306
 subsp. *gracilis* (Pfeiffer) Hunt, 306
 subsp. *vetula*, 306
viereckii Boedeker, 306
viperina Purpus, 307
viridiflora (Britton & Rose) Boedeker, 303
vivipara (Nuttall) Haworth, 298
 subvar. *neomexicana* Engelmann, 298
voburnensis Scheer, 311
wiesingeri Boedeker, 307
wildii Dietrich, 305
woodsii Craig, 309
wrightii Engelmann, 303–304
yaquensis Craig, 304
yucatanensis (Britton & Rose) Orcutt, 308
zeilmanniana Boedeker, 305
zephyranthoides Scheidweiler, 303
 subsp. *heidiae* (Krainz) Lüthy, 303
 subsp. *zephyranthoides*, 303
zeyeriana Schumann, 310
zuccariniana Martius, 311
Mamillosia senilis (Salm-Dyck) Britton & Rose, 302
Mammillloydia Buxbaum, *candida* (Scheidweiler), 291
Manglietia Blume, 328–329
 forrestii misapplied, 328
 hookeri misapplied, 328
 insignis (Wallich) Blume, 328
Mangostana morella Gaertner, 505
Marcgravia Choisy, 470–471
 brachysepala Urban, 471
brownii (Triana & Planchon) Krug & Urban, 470
rectiflora Triana & Planchon, 470
trinitatis Presl, 470
umbellata Linnaeus, 470–471
Marcgraviaceae, 470–471
Marginatocereus marginatus (de Candolle) Backeberg, 222
Marniera chrysocardium (Alexander) Backeberg, 230
Matthiola R. Brown, 554
 fenestralis (Linnaeus) R. Brown, 554
 fruticulosa (Linnaeus) Maire, 554
 subsp. *perennis* (P. Conti) P.W. Ball, 554
 subsp. *valesiaca* (Boissier) P.W. Ball, 554
incana (Linnaeus) R. Brown, 554
 ' Brompton', 554
 ' East Lothian', 554
 var. *annua* (Linnaeus) Voss, 554
longipetala (Ventenat) de Candolle, 554
 subsp. *bicornis* (Sibthorpe & Smith) P.W. Ball, 554
odoratissima (Bieberstein) R. Brown, 554
oyensis Menier & Viaud, 554
perennis P. Conti, 554
sinuata (Linnaeus) R. Brown, 554
tricuspidata (Linnaeus) R. Brown, 554
tristis R. Brown, 554
 subsp. *valesiaca* (Boissier) Rouy & Forcaud, 554
varia (Sibthorpe & Smith) de Candolle, 554
Matucana Britton & Rose, 247–248
 aurantiaca (Vaupel) Buxbaum, 247
 aureiflora Ritter, 248
 crinifera Ritter, 247
Cajamarca, 248
formosa Ritter, 247
haynei (Otto) Britton & Rose, 247
herzogiana Backeberg, 247
huagalensis (Donald & Lau) Bergman, 247
intertexta Ritter, 247
lutea, 172
madisoniorum (Hutchison) Rowley, 247
multicolor Rauh & Backeberg, 247
myriacantha (Vaupel) Buxbaum, 247
paucicostata Ritter, 247
ritteri Buining, 247
weberbaueri (Vaupel) Backeberg, 247
yanganicensis Rauh & Backeberg, 247
Meconopsis Viguier, 526–530
 aculeata Royle, 530
 baileyi Prahn, 529
 bella Prahn, 530
 beamishii Prahn, 529–530
 betonicifolia Franchet, 529
 cambrica (Linnaeus) Viguier, 527
 chelidonifolia Bureau & Franchet, 527–528
 cookei G. Taylor, 529
 delavayi (Franchet) Prahn, 528
 dhwojii Hay, 528
 discigera Prahn, 530
 grandis Prahn, 529–530
 heterophylla Benthham, 530
 horridula J.D. Hooker & Thomson, 530
 integrifolia (Maximowicz) Franchet, 529
 latifolia (Prahn) Prahn, 530

INDEX

627

- napaulensis* D. Don, 528
paniculata (D. Don) Prain, 528
punicia Maximowicz, 529
quintuplinervia Regel, 529
regia G. Taylor, 528
 × *sarsonii* Sarsons, 529
 × *sheldonii* G. Taylor, 529
sherriffii G. Taylor, 529
simplicifolia (D. Don) Walpers, 528–529
superba Prain, 528
villosa (J.D. Hooker) G. Taylor, 528
wallichii Hooker, 528
Mediocactus coccineus (de Candolle) Britton. & Rose, 230
Mediolobivia kesselringiana Cullmann, 258
Megacarpaea de Candolle, 578
 bifida Benthams, 578
megalocarpa (de Candolle) B. Fedtschenko, 578
 polyandra Benthams, 578
Melandrium dioicum (Linnaeus) Cosson & Germaine, 187
elisabethae (Jan) Rohrbach, 185
keiskii (Miquel) Ohwi, 186
rubrum (Weigel) Garcke, 186–197
zawadzkii (Herbich) Braun, 185
Melocactus Link & Otto, 239–241
actinacanthus Areces Mallea, 240
acunai Leon, 241
albescens (Tiegel) Hunt, 307
albicephalus Buining & Brederoo, 240
amethystinus Buining & Brederoo, 240
amstutziae Rauh & Backeberg, 241
axiniphorus Buining & Brederoo, 240
azulensis Buining et al., 240
azureus Buining & Brederoo, 240
bahiensis (Britton & Rose), Luetzelburg, 240
bahiensis misapplied, 240
borhidii Meszaros, 241
broadwayi (Britton & Rose), Berger, 241
canescens Ritter, 240
communis (Aiton) Link & Otto, 241
concinnum Buining & Brederoo, 240
coronatus Backeberg, 241
curvicornis Buining & Brederoo, 240
curvispinus Pfeiffer, 241
delessertianus Lemaire, 241
depressus Hooker, 240
diersianus Buining & Brederoo, 240
ernestii Vaupel, 240–241
erythracanthus Buining & Brederoo, 240
evae Meszaros, 241
florschuetzianus Buining & Brederoo, 240
fortalezensis Rauh & Backeberg, 241
giganteus Buining & Brederoo, 240
glaucescens Buining & Brederoo, 240
griseoloviridis Buining & Brederoo, 240
harlowii (Britton & Rose) Vaupel, 241
helvolilanatus Buining & Brederoo, 240
huallancaensis Rauh & Backeberg, 241
interpositus Ritter, 240
intortus (Miller) Urban, 241
janssenianus Backeberg, 241
krainzianus Buining & Brederoo, 240
lensslinkianus Buining & Brederoo, 240
levitestatus Buining & Brederoo, 240
longispinus Buining et al., 240
macrodiscus Werdermann, 240
matanzanus Leon, 240
maxonii (Rose) Guerke, 241
nagyi Meszaros, 241
nitidus Ritter, 240
oaxacensis (Britton & Rose) Backeberg, 241
peruvianus Vaupel, 241
radoczii Meszaros, 241
robustispinus Buining et al., 240
rubrispinus Ritter, 240
Salvador Murillo, 241
salvadorensis Werdermann, 241
saxicola Diers & Esteves Pereira, 240
securituberculatus Buining & Brederoo, 240
truijilloensis Rauh & Backeberg, 241
uebelmannii Braun, 240
unguispinus Backeberg, 241
violaceus Pfeiffer, 240
warasii Esteves Pereira & Bueneker, 240
zehntneri (Britton & Rose) Luetzelburg, 240
Menispermaceae, 420–422
Menispernum Linnaeus, 422
 canadense Linnaeus, 422
dauricum de Candolle, 422
Meratia praecox (Linnaeus) Rehder & Wilson, 337
Mesembryanthemaceae, 172
Mesembryanthemum Linnaeus, 141
 barklyi Braun, 141
bellidiflorum Linnaeus, 143
cordifolium Linnaeus, 140
crystallinum Linnaeus, 141
digitatum Aiton, 141
digitiforme Thunberg, 141
dolomiticum Dinter, 143
duale Brown, 142
grandifolium misapplied, 141
macowanii Bolus, 143
molle Berger, 143
multiflorum Haworth, 142
odontocalyx Schlechter & Diels, 142
perfoliatum Miller, 142
purpureoceanum Haworth, 172
pygmaeum Haworth, 143
quartziticum Dinter, 143
semidentatum Salm-Dyck, 142
spinosum Linnaeus, 143
strubeniae Bolus, 142
tumidulum Brown & Bolus, 142
tumidulum Haworth, 142
umbellatum Linnaeus, 142
uncinatum Linnaeus, 142
vulvarium Dinter, 142
Meyerophytum Schwantes, 175
 meyeri (Schwantes) Schwantes, 175
Michelia Linnaeus, 328–329
 champaca Linnaeus, 328
compressa (Maximowicz) Sargent, 328
doltsope de Candolle, 329
figo (Loureiro) Sprengel, 328
fuscata (Andrews) Wallich, 328
Micranthocereus Backeberg, 238
densiflorus Buining & Brederoo, 238
flaviflorus Buining & Brederoo, 238
polyanthus (Werdermann) Backeberg, 238
purpleus (Guercke) Ritter, 238
violaciflorus Buining, 238
Mila Britton & Rose, 242
caespitosa Britton & Rose, 242
 subsp. *caespitosa*, 242
 subsp. *pugionifera* (Britton & Rose) Hunt, 242
fortalezensis Rauh & Backeberg, 242
pugionifera Rauh & Backeberg, 242
sublanata Rauh & Backeberg, 242
Minuartia Linnaeus, 199–200
aretoides (Sommerauer) Schinz & Thellung, 200
cherleroides (Hoppe) Becherer, 199
graminifolia (Arduino) Jávorka, 199
laricifolia (Linnaeus) Schinz & Thellung, 200
recurva (Allioni) Schinz & Thellung, 199
sedoides (Linnaeus) Hiern, 200
verna (Linnaeus) Hiern, 199–200
 subsp. *verna*, 200
 'Aurea', 200
Mirabilis Linnaeus, 136–137
jalapa Linnaeus, 136–137
 'Pumila Variegata', 137
 'Variegata', 137
longiflora Linnaeus, 137
 'Violacea', 137
 var. *wrightiana* (Gray) Kearney & Peebles, 137
Mitrophyllum Schwantes, 174
clivorum (Brown) Schwantes, 174
framesii Bolus, 174
grande Brown, 174
meyeri Schwantes, 175
mitratum (Marloth) Schwantes, 174
Moehringia Linnaeus, 200
muscosa Linnaeus, 200
Malacocarpus arechavaletai (Spegazzini) Berger, 271
corynodes (Pfeiffer) Krainz, 274
erinaceus (Haworth) Ruempler, 274
fricii (Arechevaleta) Berger, 274
heptacanthus Rodrigues, 264
pauciareolatus (Arechavaleta) Berger, 274
sellowii (Link & Otto) Schumann, 274
sessiliflorus (Pfeiffer) Backeberg, 274
tephracanthus (Link & Otto) Schumann, 274
vorwerckianus (Werdermann) Backeberg, 274
Monilaria (Schwantes) Schwantes, 174–175
chrysoleuca (Schlechter) Schwantes, 175
 var. *chrysoleuca*, 175
 var. *polita* (Bolus) Ihlenfeldt & Jorgensen, 175
moniliformis (Thunberg) Ihlenfeldt & Jorgensen, 175
pisiformis (Haworth) Schwantes, 175
Monimiaceae, 336
Monodora Dunal, 333
myristica (Gaertner) Dunal, 33
Montia Linnaeus, 181
australasica (Hooker) Pax & Hoffmann, 181
perfoliata (Willdenow) Howell, 181
sibirica (Linnaeus) Howell, 181
Monvillea Britton & Rose, 236
campinensis (Backeberg & Voll) Backeberg, 236
rhodoleucantha (Schumann) Berger, 236

- Monvillea Britton & Rose (*continued*)
smithiana (Britton & Rose) Backeberg, 236
spiegazzinii (Weber) Britton & Rose, 237
- Moraceae, 87–103
- Morawetzia doelziana* Backeberg, 246
- Moricandia de Candolle, 579
arvensis (Linnaeus) de Candolle, 579
moricandiooides (Boissier) Heywood, 579
ramburii Webb, 579
- Morisia Gay, 581
hypogaea Gay, 581
monanthos Viviani, 581
- Morus Linnaeus, 87–88
acidosa Griffith, 88
alba Linnaeus, 87–88
 ‘Laciniata’, 88
 ‘Pendula’, 88
 var. *mongolica* Bureau, 88
 var. *multicaulis*, 87
- australis Poiret, 88
- cathayana Hemsley, 88
- kagayamae* Koidzumi, 87
- mongolica (Bureau) Schneider, 88
- multicaulis* Perrotet, 87
- nigra* Linnaeus, 88
- papyrifera* Linnaeus, 88
- rubra* Linnaeus, 88
- Muehlenbeckia Meissner, 132
adpressa (Labillardière) Meissner, 132
 var. *hastata* Meissner, 132
- axillaris* (Hooker) Walpers, 132
- australis (Forster) Meissner, 132
- complexa (Cunningham) Meissner, 132
 var. *microphylla* (Colenso) Cockayne, 132
- var. *triloba* (Colenso) Chesseman, 132
- ephedroides Hooker, 132
 var. *muriculata* (Colenso) Cheeseman, 132
- gunnii (Hooker) Walpers, 132
- nana* misapplied, 132
- platyclada* (Mueller) Meissner, 133
- sagittifolia* (Ortega) Meissner, 132
- triloba* Colenso, 132
 varians Meissner, 132
- Murbeckiella Rothmaler, 550
pinnatifida (Lamarck) Rothmaler, 550
- Myosorus Linnaeus, 387
minimus Linnaeus, 387
- Myriandra prolifica* (Linnaeus) Spach, 494
spathulata Spach, 494
- Myrica Linnaeus, 15–16
asplenifolia Linnaeus, 16
californica Chamisso, 16
caroliniensis Miller, 16
carolinensis misapplied, 15
cerifera Linnaeus, 16
faya Aiton, 16
gale Linnaeus, 15
 var. *tomentosa* de Candolle, 15
- heterophylla Rafinesque, 16
- pensylvanica* Loiseleur-Deslongchamps, 15–16
- peregrina* (Linnaeus) Kuntze, 16
rubra Siebold & Zuccarini, 16
- Myricaceae, 15–16
- Myriocarpa Bentham, 106–107
stipitata Bentham, 107
- Myristica Gronovius, 333
argentea Warburg, 333
fragrans Houttuyn, 333
officinalis Linnaeus, 333
- Myristicaceae, 333
- Myrtillocactus Console, 224
geometrizans (Martius) Console, 224
schenkii (Purpus) Britton & Rose, 224
- Namibia (Schwantes) Dinter & Schwantes, 159
cinerea (Marloth) Dinter & Schwantes, 159
ponderosa (Dinter) Dinter & Schwantes 159
- Nananthus malherbei* Bolus, 156
- Nandina Thunberg, 390
domestica Thunberg, 390
 var. *leucocarpa* Yanagawa, 390
- Nasturtium R. Brown, 556
microphyllum Reichenbach, 556
officinale R. Brown, 556
uniseriatum Howard & Manton, 556
- Navajoa ficeisenii* Backeberg, 281
peeblesiana Croizat, 281
- Nelumbo Adanson, 428
flavescens Bailey, 428
lutea (Willdenow) Persoon, 428
 ‘Flavescens’, 428
nucifera Gaertner, 428
 ‘Alba’, 428
 ‘Alba Grandiflora’, 428
 ‘Roseum’, 428
 ‘Shiroima’, 428
pentapetala (Walter) Fernald, 428
speciosa Willdenow, 428
- Nelumbonaceae, 428
- Neobesseyea missouriensis* (Sweet) Britton & Rose, 299
zilziana (Boedeker) Boedeker, 299
- Neobuxbaumia Backeberg, 223
euphorbioides (Haworth) Bravo, 223
polylopha (de Candolle) Backeberg, 223
- Neocardenasia herzogiana* Backeberg, 221
- Neochilenia aerocarpa* (Ritter) Backeberg, 266
chilensis (Schumann) Backeberg, 266
krausii (Ritter) Backeberg, 266
mebbesii (Schumann) Backeberg, 266
mitis (Philippi) Backeberg, 266
napina (Philippi) Backeberg, 266
- Neoevansia striata* (Brandegee) Sanchez-Majorada, 222
- Neogomesia agavoides* Castaneda, 290
- Neohenricia* Bolus, 159
sibbetti (Bolus) Bolus, 159
- Neolitsea (Bentham) Merrill, 339
glauca misapplied, 339
latifolia misapplied, 339
sericea (Blume) Koidzumi, 339
- Neolloydia Britton & Rose, 290
beguinii Britton & Rose, 286
ceratites (Quehl) Britton & Rose, 290
conoidea (de Candolle) Britton & Rose, 290
erectocentra (Coulter) Benson, 283
gielsdorfiana (Werdermann) Knuth, 287
grandiflora (Pfeiffer) Knuth, 290
horripila (Lemaire) Britton & Rose, 287
- intertexta* (Engelmann) Benson, 283
johsonii (Engelmann) Benson, 283
knuthiana (Boedeker) Knuth, 287
lauri (Glass & Foster) Anderson, 287
lophophoroides (Werdermann) Anderson, 287
- macdowellii* (Quehl) Moore, 285
- mandragora* (Berger) Anderson, 286
- mariposensis* (Hester) Benson, 283
- matehualeensis* Backeberg, 290
- odorata* (Boedeker) Backeberg, 297
- pseudomacrochele* (Backeberg) Anderson, 288
- pseudopectinata* (Backeberg) Anderson, 288
- saueri* (Boedeker) Knuth, 287
- schmiedickeana* (Boedeker) Anderson, 287
 var. *dickisoniae* (Glass & Foster) Anderson, 288
- var. *flaviflora* (Frank & Lau) Anderson, 288
- var. *gracilis* (Glass & Foster) Anderson, 287
- var. *klinkeriana* (Backeberg & Jacobsen) Anderson, 288
- var. *macrochele* (Werdermann) Anderson, 288
- var. *schwarzii* (Shurly) Anderson, 288
- smithii* (Muehlenpfordt) Kladiwa & Fittkau, 286
- subterranea* (Backeberg) Moore, 287
- var. *zaragozae* (Glass & Foster) Anderson, 286
- texensis* Britton & Rose, 290
- valdeziana* (Moeller) Anderson, 288
- viereckii* (Werdermann) Knuth, 287
- warnockii* Benson, 283
- Neolobivia divaricata* Ritter, 254
- Neomammillaria baxteriana* Gates, 311
capensis Gates, 304
celsiana Britton & Rose, 309
collinsii Britton & Rose, 311
confusa Britton & Rose, 311
fraileana Britton & Rose, 304
gaumeri Britton & Rose, 310
hutchisoniana Gates, 304
johnstonii Britton & Rose, 310
lanata Britton & Rose, 309
lloydii Britton & Rose, 311
longiflora Britton & Rose, 303
marshalliana Gates, 311
mendelianae Bravo, 309
nunezii Britton & Rose, 308
occidentalis Britton & Rose, 305
pacifica Gates, 311
rekoii Britton & Rose, 308
scrippsiiana Britton & Rose, 310
sheldonii Britton & Rose, 304
solisii Britton & Rose, 308
standleyi Britton & Rose, 310
swingeli Britton & Rose, 304
viridiflora Britton & Rose, 303
yucatanensis Britton & Rose, 308
- Neoporteria aerocarpa* invalid, 266
bicolor (Akers & Buining) Donald & Rowley, 267
- bulbocalyx* (Werdermann) Donald & Rowley, 267
- chilensis* (Schumann) Britton & Rose, 266
choopensis (Ritter) Donald & Rowley, 266

INDEX

629

- clavata* (Soehrens) Werdermann, 265
coimasensis Ritter, 265
curvispina (Bertero) Donald & Rowley, 266
dimorpha (Ritter) Backeberg, 266
divaricatiflora invalid, 267
froehlichiana invalid, 266
gerocephala Ito, 265
glabrescens invalid, 266
horrida (Gay) Hunt, 266
intermedia (Ritter) Donald & Rowley, 266
islayensis (Foerster) Donald & Rowley, 267
jussieui (Monville) Britton & Rose, 266
kesselringiana invalid, 266
krainziana (Ritter) Donald & Rowley, 267
krausii (Ritter) Buxbaum, 266
kunzei (Foerster) Backeberg, 266
lindleyi (Foerster) Donald & Rowley, 267
litoralis Ritter, 265
mammillarioides misapplied, 265
maritima invalid, 267
mebbesii invalid, 266
microperma Ritter, 265
mitis invalid, 266
multicolor Ritter, 265
napina (Philippi) Backeberg, 266
nidus Britton & Rose, 265
nigricans (Linke) Britton & Rose, 266
nigrihorrida (Backeberg & Knuth) Backeberg, 265
odieri (Lemaire) Backeberg, 266
paucicostata (Ritter) Donald & Rowley, 266
rapifera Ritter, 265
reichei (Schumann) Backeberg, 266
robusta Ritter, 265
setosiflora (Ritter) Donald & Rowley, 266
subgibbosa (Haworth) Britton & Rose, 265
taltalensis Hutchison, 266
tuberisulcata (Jacobi) Donald & Rowley, 266
var. *froehlichiana* (Schumann) Donald & Rowley, 266
villosa (Monville) Berger, 266
wagenknechtii Ritter, 265
Neoramondia Britton & Rose, 221
arequipensis (Meyen) Backeberg, 221
herzogiana (Backeberg) Buxbaum, 221
macrostibas (Schumann) Backeberg, 221
roseiflora (Werdermann & Backeberg)
Backeberg, 221
Neowerdermannia Backeberg, 264–265
chilensis Backeberg, 265
vorwerkii (Fric) Backeberg, 264–265
Nepenthaceae, 507–514
Nepenthes Linnaeus, 508–514
albomarginata Lindley, 510
alata Blanco, 511
ampullaria Jack, 509–510
bicalcarata J.D. Hooker, 510
burbidgeae Burbidge, 512
× *'chelsonii'*, 509
× *'coccinea'*, 509
× *coccinea* Group, 509
× *'dormanniana'*, 509
× *'dominii'*, 509
fusca Danser, 512–513
gracilis Korthals, 513
gracillima Ridley, 514
× *'henryana'*, 509
hookeriana Lindley, 510
× *'hybrida'*, 509
khassiana J.D. Hooker, 513
lowii J.D. Hooker, 511
macfarlanei Hemsley, 511
macrovulgaris Turnbull & Middleton, 514
maxima Nees, 512
merrilliana Macfarlane, 513
mirabilis (Loureiro) Druce, 509
'morganae', 509
northiana J.D. Hooker, 512
pilosa Danser, 512
rafflesiana Jack, 514
rajah J.D. Hooker, 510–511
reinwardtiana Miquel, 510
'sanderiana', 509
sanguinea Lindley, 514
stenophylla Masters, 512
tentaculata J.D. Hooker, 513
× *trichocarpa* Miquel, 510
truncata Macfarlane, 510
ventricosa Blanco, 511
veitchii J.D. Hooker, 511–512
viellardii J.D. Hooker, 513
× *'williamsii'*, 509
Nigella Linnaeus, 355
damascena Linnaeus, 355
'Miss Jekyll', 355
'Persian Jewels', 355
hispanica Linnaeus, 355
'Alba', 355
'Atropurpurea', 355
sativa Linnaeus, 355
Noccaea alpina (Linnaeus) Reichenbach, 574
Nopalea Salm-Dyck, 315
auberi (Pfeiffer) Salm-Dyck, 315
cochenillifera (Linnaeus) Salm-Dyck, 315
Nopalxochia phyllanthoides (de Candolle) Britton & Rose, 231
Normanbokea pseudopectinata (Backeberg) Kladiwa & Buxbaum, 288
valdeziana (Moeller) Kladiwa & Buxbaum, 288
Norysca chinensis (Linnaeus) Spach, 479
patula (Thunberg) Voigt, 481
var. *salicifolia* (Sieber & Zuccarini) Y. Kimura, 479
Nothofagus Blume, 61–64
alessandri Espinosa, 64
alpina (Poeppig & Endlicher) Oersted, 64
antarctica (Forster) Oersted, 64
betuloides (Mirbel) Blume, 62
cliffortioides (Hooker) Oersted, 62
cunninghamii (Hooker) Oersted, 62
dombeyi (Mirbel) Blume, 62
fusca (Hooker) Oersted, 62
glauca (Philippi) Mirbel, 63
menziesii (Hooker) Oersted, 62
moorei (Mueller) Krasser, 62
nitida (Philippi) Krasser, 62
obliqua (Mirbel) Blume, 62, 64
procera (Poeppig & Endlicher) Oersted, 64
pumilio (Poeppig & Endlicher) Krasser, 64
solandri (Hooker) Oersted, 62
var. *cliffortioides* (Hooker) Poole, 62
Notocactus acutus Ritter, 274
agnetae Vliet, 272
alaciportanus (Backeberg & Voll) Buxbaum, 271
allospion Marchesi, 273
apricus (Arechavaleta) Berger, 272
arachnites Ritter, 273
arechavaletai (Spegazzini) Herter, 271
arechavaletai misapplied, 271
blaauwianus Vliet, 272
brevihamatus (Backeberg) Buxbaum, 271
buenekeri (Buining) Buxbaum, 271
buiningii Buxbaum, 274
caespitosus (Spegazzini) Backeberg, 272
carambeicensis Buining & Brederoo, 272
claviceps (Ritter) Kraenzl, 271
concinus (Monville) Berger, 272
corynodes (Pfeiffer) Kraenzl, 274
crassigibbus Ritter, 273
eremiticus Ritter, 272
erinaceus (Haworth) Kraenzl, 274
floricomus (Arechavaleta) Berger, 273
fricci (Arechavaleta) Kraenzl, 274
fucus Ritter, 272
glaucinus Ritter, 271
globularis Ritter, 271
graessneri (Schumann) Berger, 271
grossii (Schumann) Fric, 270
haselbergii (Ruempler) Berger, 271
herteri (Werdermann) Buining & Kreuzinger, 273
horstii Ritter, 273
ibicuiensis Prestle, 271
incomptus Anon, 272
laetivirens Ritter, 271
leninghausii (Schumann) Berger, 271
linkii (Lehmann) Herter, 272
magnificus (Ritter) Taylor, 271
mammulosus (Lemaire) Berger, 273
megapotamicus (Osten) Herter, 272
minimus Fric & Kreuzinger, 273
mueller-melchersii Backeberg, 273
mueller-moelleri Fleischer & Scheutz, 273
multicostatus Buining & Brederoo, 272
muricatus (Pfeiffer) Berger, 272
neobuenekeri Ritter, 272
neohorstii Theunissen, 274
ottonis (Lehmann) Berger, 271
oxycostatus Buining & Brederoo, 272
pampeanus (Spegazzini) Backeberg, 273
pauciareolatus (Arechavaleta) Kraenzl, 274
purpureus Ritter, 273
roseoluteus Vliet, 273
rutilans Daeniker & Kraenzl, 273
schumannianus (Nicolai) Fric, 270
scopa (Sprengel) Berger, 272
securituberculatus Ritter, 272
sessiliflorus (Pfeiffer) Kraenzl, 274
submammulosus (Lemaire) Backeberg, 273
succineus Ritter, 272
tabularis (Ruempler) Berger, 272
tenuicylindricus Ritter, 273
tephracanthus (Link & Otto) Kraenzl, 274
uebelmannianus Buining, 273
vaniilletii var. *gracilis* Rausch, 272
villa-velhensis (Backeberg & Voll) Slaba, 272

- Notocactus acutus Ritter (*continued*)
 warasii (Ritter) Hewitt & Donald, 271
 werdermannianus Herter, 272
 Notothlaspi J.D. Hooker, 578–579
 rosulatum J.D. Hooker, 579
 Nuphar Smith, 426
 advena (Aiton) Aiton, 426
 japonica de Candolle, 426
 lutea (Linnaeus) Smith, 426
 pumila (Timm) de Candolle, 426
 Nyctaginaceae, 135–137
Nyctocereus serpentinus (Lagasca & Rodriguez)
 Britton & Rose, 222
Nymphaea Linnaeus, 422–426
 alba Linnaeus, 425
 'Candidissima', 425
 'Candidissima Rosea', 425
 var. rubra Lonnroth, 425
 amazonum Martius & Zuccarini, 426
 baumii Rehnel & Henkel, 424
 caerulea misapplied, 424
 caerulea Savigny, 424
 var. albiflora Caspary, 424
 candida Presl & Presl, 425
 capensis misapplied, 424
 capensis Thunberg, 424
 'Azurea', 424
 var. zanzibariensis (Caspary) Conard, 424
 citrina Peter, 424
 colorata Peter, 424
 × daubenyana Daubeny, 424
 elegans Hooker, 424
 flava Leitner, 424
 flavovirens Lehman, 423–424
 gigantea Hooker, 423
 forma rosea Bentham & Muller, 423
 var. alba (Bentham & Muller) Landon, 423
gracilis misapplied, 423
 × helvola Anon., 425
heudeletii Planchon, 424
 × laydekeri Marliac, 425
 'Fulgens', 425
 'Liliacea', 425
 'Purpurata', 425
lotus Linnaeus, 425–426
 'Dentata Superba', 426
 var. *dentata* misapplied, 425
 var. *dentata* (Schumacher & Thonning)
 Nichols, 426
 var. *thermalis* (de Candolle) Tucson, 425
 × marliacea Marliac, 425
 'Albida', 425
 'Carnea', 425
 'Chromatella', 425
 'Flammea', 425
 'Rosea', 425
mexicana Zuccarini, 424
micrantha Guillemin & Perrott, 424
odorata Aiton, 425
 var. *gigantea* Tricker, 425
 var. *minor* Sims, 425
 var. *rosea* Pursh, 425
pygmaea Aiton, 425
 var. *helvola* Marliac, 425
rubra Roxburgh & Salisbury, 426
 'Rosea', 426
stellata misapplied, 424
stellata Willdenow, 424
 var. *cyannea* (Roxburgh) Hooker &
 Thomson, 424
 var. *versicolor* (Roxburgh) Hooer &
 Thomson, 424
stuhlmannii (Schweinfurth) Gilg, 424
tetragona Georgi, 424–425
 'Helvola', 425
tuberosa Paine, 425
 var. *flavescens* invalid, 425
Nymphaeaceae, 422–427
Obregonia Fric, 289
 denegrii Fric, 289
Ochna Schreber, 455–456
 atropurpurea de Candolle, 455
 atropurpurea invalid, not de Candolle,
 455
 japonica misapplied, 455
 kirkii D. Oliver, 455–456
 multiflora misapplied, 455
 serratifolia misapplied, 455
 serrulata (Hochstetter) Walpers, 455
Ochnaceae, 455–456
Odontophorus Brown, 149–150
 marlothii Brown, 150
 nanus Bolus, 150
 primulinus Bolus, 150
Olacaceae, 121–122
Olax Linnaeus, 121–122
 imbricata Roxburgh, 122
 scandens Roxburgh, 122
 stricta Brown, 122
Ongokea Pierre, 122
 gore (Hua) Pierre, 122
Oophytum Brown, 171
 nanum (Schlechter) Bolus, 171
 oviforme (Brown) Brown, 171
Ophthalmyllum friedrichiae (Dinter) Dinter &
 Schwantes, 170
jacobsenianum Schwantes, 170
praesectum (Brown) Schwantes, 170
schlechteri Schwantes, 171
Opuntia Miller, 315
 arborescens Engelmann, 313
 articulata (Pfeiffer) Hunt, 313
 auberi Pfeiffer, 315
 aurantiaca Lindley, 315–316
 basilaris Engelmann & Bigelow, 316
brasiliensis (Willdenow) Haworth, 314
clavarioides Pfeiffer, 312
cochenillifera (Linnaeus) Miller, 315
compressa (Salisbury) Macbride, 316
corrugata Salm-Dyck, 314
cylindrica (Lamarck) de Candolle, 312
dillenii (Ker Gawler) Haworth, 316
emoryi Engelmann, 314
engelmannii Salm-Dyck, 317
engelmannii misapplied, 316
erinacea Engelmann & Bigelow, 316
 var. *ursina* (Weber) Parrish, 316
 var. *utahensis* (Engelmann) Benson, 316
exaltata Berger, 312
ficus-indica (Linnaeus) Miller, 317
floccosa Salm-Dyck, 312
fragilis (Nuttall) Haworth, 315
glomerata Haworth, 312
gosseliniana Weber, 316
humifusa (Rafinesque) Rafinesque, 316
hystricina Engelmann & Bigelow, 316
imbricata (Haworth) de Candolle, 313
inermis (de Candolle) de Candolle, 316
invicta Brandegee, 314
leptocaulis de Candolle, 313
leucotricha de Candolle, 316
macracantha Grisebach, 314
macrocentra Engelmann, 316
marenai Parsons, 314
megacantha Salm-Dyck, 317
microdasys (Lehmann) Pfeiffer, 316
molinensis Spegazzini, 313
monacantha (Willdenow) Haworth,
 316–317
pailana Weingart, 316
pallida Rose, 313
paraguayensis Schumann, 317
pentlandii Salm-Dyck, 312
pestifer Britton & Rose, 316
phaeacantha Engelmann, 316
polyacantha Haworth, 316
pubescens Pfeiffer, 316
rufinesquei Engelmann, 316
robusta Pfeiffer, 317
salimiana Pfeiffer, 315
scheeri Weber, 316
sphaerica Foerster, 312
spinosissima (Martin) Miller, 314
stricta Haworth, 316
 subsp. *dillenii* (Ker Gawler) Benson, 316
 subsp. *stricta*, 316
subinermis Backeberg, 312
subulata (Muehlenpförtner) Engelmann, 312
tomentosa Salm-Dyck, 316
tunicata (Lehmann) Link & Otto, 313
verschaffeltii Cels, 312
vestita Salm-Dyck, 312
violeta Engelmann, 316
vulgaris misapplied, 316
Oreocereus (Berger) Riccobono, 246–247
 celsianus (Salm-Dyck) Riccobono, 246
 doelzianus (Backeberg) Borg, 246
 fossulatus (Labouré) Backeberg, 246
 hempelianus (Guerke) Hunt, 246–247
 hendriksenianus Backeberg, 246
leoriensis,
 leucotrichus (Philippi) Wagenknecht, 246
maximus Backeberg, 246
neocelsianus Backeberg, 246
 pseudofossulatus Hunt, 246
rettigii (Quehl) Buxbaum, 246
 trollii (Kupper) Backeberg, 246
Oroya Britton & Rose, 248
 borchersii (Boedeker) Backeberg, 248
gibbosa Ritter, 248
laxiareolata Rauh & Backeberg, 248
neoperuviana Backeberg, 248
peruviana (Schumann) Britton & Rose,
 248
subgibbosa, 248
subocculta Rauh & Backeberg, 248

INDEX

631

- Oscularia* Schwantes, 151–152
caulescens (Miller) Schwantes, 151–152
deltoides (Linnaeus) Schwantes, 151
Ostrya Scopoli, 57
carpinifolia Scopoli, 57
italica Winkler, 57
japonica Sargent, 57
virginiana (Miller) Koch, 57
virginica Willdenow, 57
vulgaris Willdenow, 57
Ostryopsis Decaisne, 57–58
davidiana (Baillon) Decaisne, 58
Osiris Linnaeus, 123
alba Linnaeus, 123
Oxandra lanceolate Baillon, 333
Oxyria Hill, 126
digyna (Linnaeus) Hill, 126
Pachycereus (Berger) Britton & Rose, 222–223
marginatus (de Candolle) Britton & Rose, 222
militaris (Audot) Hunt, 223
pecten-aboriginum (Engelmann) Britton & Rose, 222
pringlei (Watson) Britton & Rose, 222
schottii (Engelmann) Hunt, 223
Monstrosus', 223
weberi (Coulter) Backeberg, 222
Pachyphragma Busch, 575
macrophyllum (Hoffmann) Busch, 575
Paeonia Linnaeus, 444–450
albiflora Pallas, 449
anomala Linnaeus, 450
var. anomala, 450
var. intermedia (C.A. Meyer) O. & B. Fedtschenko, 450
var. nudicarpa Huth, 450
arborea Donn, 448
× arendsi Bergmans, 448
arietina G. Anderson, 449
bakeri Lynch, 449
banatica Rochel, 450
beresowskii Komarov, 450
bergiana invalid, 450
broteroii Bossier & Reuter, 449
cambessedesii (Willkomm) Willkomm, 448–449
× chamaeleon Troitzky, 448
corallina Retzius, 449
var. cambessedesii Willkomm, 448
var. pubescens Moris, 449
coriacea Boissier, 449
cultorum Bergmans, 449
daurica Andrews, 449
decora G. Anderson, 450
delavayi Franchet, 448
var. angustifolia Rehder & Wilson, 448
var. lutea (Franchet) Finet & Gagnepain, 448
emodi Royle, 449
var. emodi, 449
var. glabrata J.D. Hooker & Thomson, 449
feminea (Linnaeus) Miller, 450
festiva Tausch, 450
flavescens C. Presl, 449
× hybrida Pallas, 450
humilis Retzius, 450
var. humilis, 450
var. villosa (Huth) F.C. Stern, 450
intermedia C.A. Meyer, 450
japonica (Makino) Miyabe & Takeda, 449
laciiniata Pallas, 450
lactiflora Pallas, 449
× lemoinei Rehder, 448
lusitanica Miller, 449
lutea Franchet, 448
var. ludlowii F.C. Stern & G. Taylor, 448
var. lutea, 448
mascula (Linnaeus) Miller, 449
subsp. arietina (G. Anderson) Cullen & Heywood, 449
subsp. hellenica Tzanoudakis, 449
subsp. mascula, 449
subsp. russi (Bivona) Cullen & Heywood, 449
subsp. tritermata (Bossier) Stearn & Davis, 449
var. russi (Bivona) Gürke, 449
mlukosewitschii Lomakin, 448
modesta Jordan, 450
monticola Jordan, 450
moutan Sims, 448
obovata Maximowicz, 449
var. japonica Makino, 449
var. obovata, 449
var. willmottiae (Stapf) F.C. Stern, 449
officinalis Linnaeus, 450
subsp. banatica (Rochel) Sóo, 450
subsp. humilis (Retzius) Cullen & Heywood, 450
subsp. officinalis, 450
subsp. villosa (Huth) Cullen & Heywood, 450
var. mascula Linnaeus, 450
var. rubra Sabine, 450
papaveracea Andrews, 448
paradoxa G. Anderson, 450
peregrina Miller, 450
potaninii Komarov, 448
var. potaninii, 448
var. trollioides (Stapf) F.C. Stern, 448
forma alba (Bean) F.C. Stern, 448
revelieri Jordan, 449
romonica Brandza, 450
russi Bivona, 449
× smoothii Van Houtte, 450
suffruticosa Andrews, 448
suffruticosa Haworth, 448
'Joseph Rock', 448
'Rockii', 448
subsp. rockii Haw & Lauener, 448
subsp. spontanea Rehder, 448
subsp. suffruticosa, 448
tenuifolia Linnaeus, 450
'Plena', 450
'Rosea', 450
tomentosa (Lomakin) N. Busch, 448
trollioides Stapf, 448
veitchii Lynch, 450
var. veitchii, 450
forma alba, 450
var. Woodwardii Bergmans, 450
villarsii Jordan, 450
willmottiae Stapf, 449
wittmanniana F.C. Stern, 448
wittmanniana Lindley, 448
var. nudicarpa Schipczinsky, 448
var. tomentosa Lomakin, 448
var. wittmanniana, 448
woodwardii Cox, 450
Paeoniaceae, 444–450
Papaver Linnaeus, 522–526
aculeatum Thunberg, 525
alpinum Linnaeus subsp. *burseri* (Crantz) Fedde, 525
subsp. kernerii (Hayek) Fedde, 525
subsp. rhaeticum (Leresche) Hayek, 525
subsp. sendtneri (Hayek) Schinz & Keller, 525
amurensis Karrer, 524
anomalum misapplied, 524
apokrinomenon Fedde, 523
argemone Linnaeus, 526
atlanticum Cosson, 524
bracteatum Lindley, 523
var. pseudo-orientale Fedde, 523
burseri Crantz, 525
californicum Gray, 526
canescens Tolmachev, 524
caucasicum Bieberstein, 525
commutatum Fischer & Meyer, 526
croceum Ledebour, 524
dubium Linnaeus, 526
fauriei Fedde, 524–525
fugax Poiret, 525
glaucum Boissier & Haussknecht, 526
heldreichii Boissier, 523
var. sparsipilosum Boissier, 523
hybridum Linnaeus, 526
kernerii Hayek, 525
lateritium Koch, 523–524
macounii Greene, 524
macrostomum Boissier & Huet, 526
miyabeanum Tatewaki, 524
monanthum Trautvetter, 524
'Namum Flore Pleno', 524
nudicaule invalid, not Linnaeus, 524
nudicaule Linnaeus subsp. *amurensis* (Karrer) Busch, 524
orientale Linnaeus, 523
var. bracteatum (Lindley) Ledebour, 523
pavoninum Fischer & Meyer, 526
pilosum group, 523
pilosum Sibthorp & Smith, 523
pseudo-orientale (Fedde) Medwedew, 523
pseudocanescens misapplied, 524
pseudostrictum Fedde, 523
pyrenaicum (Linnaeus) Kerner subsp. *rhaeticum* (Leresche) Fedde, 525
subsp. sendtneri (Hayek) Fedde, 525
radicatum Rottboell, 524
rhaeticum Leresche, 525
rhoeas Linnaeus, 525–526
'Shirley', 526
rupifragum Boissier & Reuter, 524
subsp. atlanticum (Cosson) Maire, 524

- Papaver Linnaeus* (*continued*)
 Section Argemonidium Spach, 526
 Section Argemonorrhoeades Fedde, 526
 Section Carinatae Fedde, 526
 Section Horrida Elkan, 525
 Section Lasiotrachyphyllea Bernhardi, 524
 Section Macrantha Elkan, 523
 Section Meconella Spach, 524
 Section Meconella Bernhardi, 526
 Section Meconidium Spach, 525
 Section Miltantha Bernhardi, 525
 Section Orthorrhoeades Fedde, 525
 Section Oxytona Bernhardi, 523
 Section Papaver, 526
 Section Pilosa Prantl, 523
 Section Rhoeadium Spach, 525
 Section Scapiflora Reichenbach, 524
sendtneri Hayek, 525
sommiferum Linnaeus, 526
spicatum Boissier & Balansa, 523
 var. *luschanii* Fedde, 523
strictum Boissier & Balansa, 523
strigosum Boenninghausen, 525
triniifolium Boissier, 525
Papaveraceae, 520–534
Parabenzoïn praecox (Siebold & Zuccarini) Nakai, 339
Paraquilegia Drummond & Hutchinson, 353
anemonoides (Willdenow) Ulbrich, 353
grandiflora (de Candolle) Drummond & Hutchinson, 353
microphylla (Royle) Drummond & Hutchinson, 353
Parodia Spegazzini, 267–274
alaciportana Backeberg & Voll, 271
allophon (Marchesi) Taylor, 273–274
applana Brandt, 270
aureicentra Backeberg, 270
aureispina Backeberg, 268
ayopayana Cardenas, 269–270
 var. *elata* Ritter, 269
borealis Ritter, 269
brevihamata Backeberg, 271
buenekeri Buining, 271
buiningii (Buxbaum) Taylor, 274
caespitosa (Spegazzini) Taylor, 272
camargensis Buining & Ritter, 270
carambeiensis (Buining & Brederoo) Hofacker, 272
cardenasi Ritter, 269
catamarcensis Backeberg, 268
chaetocarpa Ritter, 269
challamarcana Brandt, 270
chrysacanthion (Schumann) Backeberg, 269
claviceps (Ritter) Brandt, 270–271
comarapana Cardenas, 269
commutans Ritter, 270
comosa Ritter, 269
concinna (Monville) Taylor, 272
crassigibba (Ritter) Taylor, 273
echinopsoides Brandt, 269
echinus Ritter, 269
erinacea (Haworth) Taylor, 274
erythrantha (Spegazzini) Backeberg, 268
faustiana Backeberg, 269
formosa Ritter, 269
friciana Brandt, 270
gibbulosa Ritter, 269
gibbulosoides Brandt, 269
gigantea Krainz, 270
gracilis Ritter, 269
graessneri (Schumann) Brandt, 271
gummifera Backeberg & Voll, 241
haselbergii (Ruempfer) Brandt, 271
 subsp. *graessneri* (Schumann) Hofacker & Braun, 271
 subsp. *haselbergii*, 271
herteri (Werdermann) Taylor, 273
heteracantha Weskamp, 268
horstii (Ritter) Taylor, 273
leninghausii (Schumann) Brandt, 271
liliputana (Werdermann) Taylor, 276
linkii (Lehmann) Kiesling, 272
maassii (Heese) Berger, 270
forma maxima (Ritter) Krainz, 270
 var. *commutans* (Ritter) Krainz, 270
magnifica (Ritter) Brandt, 271
mairanana Cárdenas, 269
mammulosa (Lemaire) Taylor, 273
maxima Ritter Krainz, 270
microperma (Weber) Spegazzini, 268–269
 subsp. *microperma*, 269
 subsp. *horrida* (Brandt) Kiesling & Ferrari, 269
miguillensis Cardenas, 269–270
mueller-melchersii (Backeberg) Taylor, 273
mutabilis Backeberg, 268
neglecta Brandt, 269
neglectoides Brandt, 269
neohorstii (Theunissen) Taylor, 274
nivosa Backeberg, 269
ocampoi Cardenas, 269
ottonis (Lehmann) Taylor, 271–272
 var. *ottonis*, 272
 var. *tortuosus* (Link & Otto) Taylor, 272
otuyensis Ritter, 270
oxycostata (Buining & Brederoo) Hofacker, 272
penicillata Fechser & Van Der Steeg, 269
procera Ritter, 269, 270
pseudoprocera Brandt, 270
purpureoaura Ritter, 269
rubricentra Backeberg, 270
rigidisepia Krainz, 268
rubricentra Backeberg, 270
rutilans (Daeniker & Krainz) Taylor, 273
saint-pieana Backeberg, 269
sanagasta Weingart, 268
sanguiniflora Backeberg, 268
schuetziana Jajo, 270
schumanniana (Nicolai) Brandt, 270–271
 subsp. *claviceps* (Ritter) Hofacker, 271
 subsp. *schumanniana*, 271
schwebsiana (Werdermann) Backeberg, 270
scopa (Sprengel) Taylor, 272–273
 subsp. *scopa*, 272
 subsp. *succinea* (Ritter) Hofacker & Braun, 272
setifera Backeberg, 268
setispina Ritter, 269
succinea (Ritter) Taylor, 272
suprema Ritter, 270
tarabucina Cárdenas, 270
tenuicylindrica (Ritter) Hunt, 273
tilcarensis (Werdermann & Backeberg) Backeberg, 270
tuberculata Cárdenas, 270
uhligiana Backeberg, 270
varicolor Ritter, 270
warasii (Ritter) Brandt, 271
werdermanniana (Herter) Taylor, 272
Paronychia Miller, 201
argentea Lamarck, 201
capitata (Linnaeus) Lamarck, 201
capitata misapplied, 201
kapela (Hacquet) Kerner, 201
nivea de Candolle, 201
serpyllifolia de Candolle, 201
Parrya menziesii (Hooker) Greene, 555
Pasania densiflora (Hooker & Arnott) Oersted, 66
edulis Makino, 66
glabra (Thunberg) Oersted, 66
Pediocactus Britton & Rose, 281
knowltonii Benson, 281
papyracanthus (Engelmann) Benson, 284
paradinei Benson, 281
peeblesianus (Croizat) Benson, 281
sileri (Engelmann) Benson, 281
simpsonii (Engelmann) Britton & Rose, 281
wrightiae (Benson) Arp, 284
Pelecyphora Ehrenberg, 299–300
aselliformis Ehrenberg, 299–300
pseudopectinata Backeberg, 299
strobiliformis (Werdermann) Kreuzinger, 300
valdeziana Moeller, 299
Pellonia Gaudichaud-Beaupré, 106
argentea invalid, 106
daveawna (Carrière) Brown, 106
pulchra Brown, 106
repens (Loureiro) Merrill, 106
Peniocereus (Berger) Britton & Rose, 221–222
greggii (Englemann) Britton & Rose, 222
serpentinus (Lagasca & Rodriguez) Taylor, 222
striatus (Brandegge) Buxbaum, 222
viperinus (Weber) Kreuzinger, 222
Peperomia Ruiz & Pavón, 430–436
angulata Humboldt, Bonpland & Kunth, 431
argyreia Morren, 436
bicolor Sodiro, 433
blanda (Jacquin) Humboldt, Bonpland & Kunth, 432–433
caperata Yuncker, 435
clusifolia (Jacquin) Hooker, 434
cuspidilimba misapplied, 431
dahlstedtii de Candolle, 431
dolabriformis Humboldt, Bonpland & Kunth, 433
forsteri invalid, 431
fraseri de Candolle, 435
galoides Humboldt, Bonpland & Kunth, 432
glabella (Swartz) Dietrich, 434
griseo-argentea Yuncker, 435–436
haughtii Trelease & Yuncker, 431
hederafolia Anon, 435
hoffmannii de Candolle, 432
incana (Haworth) Hooker, 433
maculosa (Linnaeus) Hooker, 435

INDEX

633

- magnoliaefolia* (Jacquin) Dietrich, 434
marmorata Hooker, 436
metallica Linden & Rodigas, 433
microphylla Humboldt, Bonpland & Kunth, 432
nivalis Miquel, 433
nummularifolia Humboldt, Bonpland & Kunth, 434
obtusifolia (Linnaeus) Dietrich, 434
orba Bunting, 433
 ‘Pixie’, 433
 ‘Princess Astrid’, 433
 ‘Teardrop’, 433
ornata Yuncker, 435
peltifolia misapplied, 436
pereskiafolia (Jacquin) Humboldt, Bonpland & Kunth, 432
prostrata Masters & Moore, 435
pseudovariegata de Candolle, 435
pulchella Dietrich, 432
puteolata Trelease, 431–432
quadrangularis (Thompson) Dietrich, 431
resedaflora Linden & André, 435
rhombea Ruiz & Pavón, 432
rotundifolia (Linnaeus) Humboldt, Bonpland & Kunth, 434–435
 var. *pilosior* (Miquel) de Candolle, 435
rubella (Haworth) Hooker, 432
sandersii de Candolle, 436
sarcophylla Sodiro, 435
scandens Ruiz & Pavón, 434
serpens (Swartz) Loudon, 434
tithymaloides Dietrich, 434
variegata Ruiz & Pavón, 435
velutina Linden & André, 433
verschaffeltii Lemaire, 436
verticillata (Linnaeus) Dietrich, 432
Pereskia Miller, 218–219
 aculeata Miller, 218–219
 ‘Godseffiana’, 219
grandifolia Haworth, 219
 subsp. *grandifolia*, 219
 subsp. *violacea* Leuenberger, 219
nemorosa Rojas, 219
sacharosa Grisebach, 219
sparsiflora, 219
Pereskia Britton & Rose, 313
 diguetii (Weber) Britton & Rose, 313
velutina Rose, 313
Persea Miller, 338
 americana Miller, 338
 indica (Linnaeus) Sprengel, 338
Persicaria *alata* (Don) Gross, 129
amphibia (Linnaeus) Gray, 129
capitata (Buchanan-Hamilton) Gross, 129
orientalis (Linnaeus) Vilmorin, 129
Petrocotis Braun, 188
glaucifolia, 188
lagascae (Willkomm) Willkomm, 188
pyrenaica (Bergeret) Braun, 188
Petrorrhagia (de Candolle) Link, 197
saxifraga (Linnaeus) Link, 197
Peumus Molina, 336
 boldus Molina, 336
Pfeiffera Salm-Dyck, 219
 ianthothele (Monville) Weber, 219
- Pherellobus* Brown, 173
maughanii Brown, 173
 var. *maughanii*, 174
 var. *stayneri* Bolus, 174
Philippicereus castaneus (Philippi) Backeberg, 220
Phoebe Nees, 338
formosana (Hayata) Hayata, 338
shearei (Hemsley) Gamble, 338
Phoenicaulis Nuttall, 555
cheiranthoides Nuttall, 555
Phryne pinnatifida (Lamarck) Bubani, 550
Physaria (Nuttall) A. Gray, 572–573
acutifolia Rydberg, 573
alpestris Suksdorf, 572–573
didymocarpa (Hooker) A. Gray, 573
floribunda Rydberg, 573
geyeri (Hooker) A. Gray, 572
 var. *purpurea* Rollins, 572
oregona Watson, 572
vitulifera Rydberg, 573
Phytolacca Linnaeus, 133–134
acinosa Roxburgh, 134
americana Linnaeus, 134
arborea Moquin, 134
clavigera Smith, 134
decandra Linnaeus, 134
dioica Linnaeus, 134
esculenta Van Houtte, 134
polyandra Batalin, 134
rigida Small, 134
Phytolaccaceae, 133–135
Pilea Lindley, 104–106
callitrichoides (Knuth) Knuth, 105
cardierei Gagnepain & Guillaumin, 106
crassifolia (Willdenow) Blume, 105–106
grandifolia (Linnaeus) Blume, 106
involuta (Sims) Urban, 105
 ‘Curly Top’, 105
 ‘Moon Valley’, 105
 ‘Norfolk’, 105
microphylla (Linnaeus) Liebman, 105
muscosa Lindley, 105
nummularifolia (Swartz) Weddell, 105
peperomioides Diels, 105
pubescens misapplied, 105
repens (Swartz) Weddell, 105
serpillacaea (Knuth) Liebman, 105
serpillaryfolia misapplied, 105
spruceana misapplied, 105
Pilocanthus *paradinei* (Benson) Benson & Backeberg, 281
Pilocopia *solaris* Ritter, 277
Pilosocereus Byles & Rowley, 237–238
aurisetus, 238
densilanatus **invalid.**
glaucescens (Labouret) Byles & Rowley, 238
glaucochrous (Werdermann) Byles & Rowley, 237
gounellei (Weber) Byles & Rowley, 237
 leucocephalus (Poselger) Byles & Rowley, 237
pachycladus Ritter, 238
penetaedrophorus (Labouret) Byles & Rowley, 237
palmeri (Rose) Byles & Rowley, 237
royenii (Linnaeus) Byles & Rowley, 237
- werdermannianus* (Buining & Brederoo) Ritter, 238
Piper Linnaeus, 436–438
aduncum Linnaeus, 438
angustifolium Ruiz & Pavón var. *cordulatum* de Candolle, 438
 betle Linnaeus, 437
bicolor Yuncker, 438
crocatum misapplied, 438
cubeba Linnaeus, 437
elongation Vahl var. *cordulatum* de Candolle, 438
longum Linnaeus, 437
magnificum Trelease, 438
methysticum Forster, 437
nigrum Linnaeus, 436–437
ornatum Brown, 438
porphyrophyllum (Lindley) Brown, 438
sylvaticum Roxburgh, 437
Piperaceae, 430–438
Pisonia Linnaeus, 136
alba Spanoghe, 136
brunoniana Endlicher, 136
excelsa Blume, 136
grandis Brown, 136
umbellifera (Forster & Forster) Seeman, 136
 ‘Variegata’, 136
Plagiorhegma dubium Maximowicz, 415
Platycarya Siebold & Zuccarini, 16–17
 strobilacea Siebold & Zuccarini, 16–17
Platyopuntia corrugata (Salm-Dyck) Ritter, 314
Platystemon Bentham, 531
 californicus Bentham, 531
Pleiospilos Brown, 157–158
bolusii (Hooker) Brown, 158
compactus (Aiton) Schwantes, 158
 subsp. *canus* (Haworth) Hartmann & Leide, 158
 subsp. *compactus*, 158
 subsp. *sororius* (Brown) Hartmann & Leide, 158
dimidiatus Bolus, 158
hilmarii Bolus, 158
leipoldtii Bolus, 158
magnipunctatus (Haworth) Schwantes, 158
nelli Schwantes, 158
optatus (Brown) Schwantes, 158
prismaticus (Marloth) Schwantes, 158
 × *purpusii* Schwantes, 158
rouxii Bolus, 158
Pleuropteropyrum alpinum (Allioni) Nakai, 130
Podophyllaceae, 389
Podophyllum Linnaeus, 417–418
 aurantiocaule Handel-Mazzettii, 417–418
delavayi Franchet, 418
difforme Hemsley & Wilson, 418
modi Wallich, 417
 var. *chinense* Sprague, 417
hexandrum Royle, 417
 × *inexpectatum* Shaw, 417
peltatum Linnaeus, 417
 forma *deamii* Raymond, 417
pleianthum Hance, 418
sikkimense Chatterjee & Mukerjee, 417
versipelle Hance, 418
Polygonaceae, 124–133

- Polygonum* Linnaeus, 128–133
 affine Don, 129
 'Donald Lowndes', 129
 alatum Don, 129
 alpinum Allioni, 130
 amphibium Linnaeus, 129
 amplexicaule Don, 130
 aubertii Henry, 131
 baldschuanicum Regel, 131
 bistorta Linnaeus, 130
 subsp. *carneum* (Koch) Coode & Cullen, 130
 'Superbum', 130
brunonis Meissner, 129
 campanulatum Hooker, 131
 var. *lichiangense* (Smith) Steward, 131
 capitatum Buchanan-Hamilton, 129
carneum Koch, 130
chlorostachyum Diels, 130
chinensis misapplied, 132
compactum Hooker, 131
cuspidatum Siebold & Zuccarini, 131
dibotrys Don, 132
equisetiforme misapplied, 129
fagopyrum Linnaeus, 131–132
griffithii Hooker, 130
japonicum Meissner, 131
 'Spectabile', 131
 var. *compactum* (Hooker) Bailey, 131
lanigerum Brown, 129
lichiangensis Smith, 131
macrophyllum Don, 130
milletii (Léveillé) Léveillé, 130
 molle Don, 131
 orientale Linnaeus, 129
paniculatum Blume, 131
polystachyum Meissner, 131
reynoutria misapplied, 131
rude Meissner, 131
sachalinense Schmidt, 131
scoparium Loiseleur, 129
senegalense misapplied, 129
sericeum misapplied, 130
sieboldii de Vries, 131
sphaerostachyum Meissner, 130
sphaerostachyum misapplied, 130
tenuicaule Bisset & Moore, 130
undulatum Murray, 130
vacciniifolium Meissner, 129
virginianum Linnaeus, 130
 'Painter's Palette', 130
 'Variegatum', 130
 var. *filiforme* (Thunberg) Merrill, 130
viviparum Linnaeus, 130
weyrichii Schmidt, 131
Polyspora axillaris (Ker-Gawler) Sweet, 467
Populus Linnaeus, 41–45
 acuminata Rydberg, 44
 adenopoda Maximowicz, 43
 alba Linnaeus, 42–43
 var. *pyramidalis* Bunge, 43
 angulata Aiton, 45
 var. *missouriensis* Henry, 45
 angustifolia Torrey, 44
 balsamifera Linnaeus, 44–45
var. michauxii Henry, 44
var. subcordata Hylander, 45
 × *berolinensis* Dippel, 44
 'Frye', 44
 'Rumford', 44
bolleana Carrière, 43
 × *canadensis* Moench, 45
 'Eugenei', 45
 'Gelrica', 45
 'Marilandica', 45
 'Regenerata', 45
 'Robusta', 45
 'Serotina', 45
candicans Aiton, 44
 'Aurora', 44
 × *canescens* (Aiton) Smith, 43
cathayana Rehder, 44
deltoides Marshall, 45
 'Carolin', 45
 'Cordata', 45
 var. *missouriensis* (Henry) Henry, 45
 × *eugenei* Mathieu, 45
fremontii Watson, 44
 × *generosa* Henry, 43–44
 × *gileadensis* Rouleau, 44
grandidentata Michaux, 60
lasiocarpa Oliver, 43
 var. *tibetica*, 43
laurifolia Ledebour, 44
forma lindleyana (Carrière) Ascherson & Graebner, 44
 × *marilandica* Poirier, 45
maximowiczii Henry, 44
 'Androscoggins', 44
 'Oxford', 44
 'Rochester', 44
michauxii Dode, 44
monilifera Aiton, 45
nigra Linnaeus, 45
 'Gigantea', 45
 var. *afghanica* Aitchison & Hemsley, 45
 var. *betulifolia* (Pursh) Torrey, 45
 var. *italica* Muenchhausen, 45
 var. *plantierensis* (Dode) Schneider, 45
plantierensis Dode, 45
 × *regenerata* Henry, 45
 × *robusta* Schneider, 45
sargentii Dode, 44
 Section *Aegeiros* Duby, 45
 Section *Leucoides* Spach, 43
 Section *Populus*, 42
 Section *Tacamahaca* Spach, 43
 × *serotina* Hartig, 45
sieboldii Miquel, 43
simonii Carrière, 44
 var. *fastigiata* Schneider, 44
 var. *pendula* Schneider, 44
suaveolens Fischer, 44
szechuanica Schneider, 43
 var. *tibetica* Schneider, 43
tacamahaca Miller, 44
thevestina Dode, 45
tremula Linnaeus, 43
tremuloides Michaux, 43
 'Pendula', 43
- trichocarpa Hooker, 43
uzbekistanica Komarov '*Afghanica*', 45
violascens Dode, 43
wilsonii Schneider, 43
yunnanensis Dode, 44
Porfiria coahuilensis Boedeker, 310
Portulaca Linnaeus, 177
 grandiflora Hooker, 177
 oleracea Linnaeus, 177
 subsp. *sativa* (Haworth) Celakovsky, 177
Portulacaceae, 176–181
Portulacaria Jacquin, 177
 afra (Linnaeus) Jacquin, 177
Praecereus Buxbaum, 236
 campinensis (Backeberg & Voll), 236
Buxbaum, 236
euchlorus (Schumann) Taylhor, 236
 subsp. *euchlorus*, 236
 subsp. *smithiana* (Britton & Rose) Taylor, 236
saxicola (Morong) Taylor, 236
Pritzelago O. Kuntze, 573–574
 alpina (Linnaeus) O. Kuntze, 574
 subsp. *alpina*, 574
 subsp. *auerswaldii* (Willkomm) Greuter & Burdet, 574
 subsp. *brevicaulis* (Hoppe) Greuter & Burdet, 574
Protea Linnaeus, 108–110
 aurea (Burman) Rourke, 108–109
 caffra Meissner, 109
 compacta Brown, 109
 cynaroides (Linnaeus) Linnaeus, 109
 eximia (Knight) Fourcade, 109
 grandiceps Trattinick, 109
 lacticolor Salisbury, 109
 longiflora Lamarck, 109
 longifolia Andrews, 109
 minor (Phillips) Compton, 109
 neriifolia Brown, 109–110
 obtusifolia Meissner, 110
 punctata Meissner, 110
 repens (Linnaeus) Linnaeus, 110
 roupelliae Miesner, 110
 subsp. *hamiltonii* Rourke, 110
 sclomocephala (Linnaeus) Reichard, 110
 susannae Phillips, 110
Proteaceae, 107–120
Pseudoespostoa melanostele (Vaupel) Backeberg, 243
Pseudofumaria alba (Miller) Lidén, 544
 lutea (Linnaeus) Borckhausen, 544
Pseudolobivia aurea (Britton & Rose) Backeberg, 254
 carmineoflora invalid, 253
Pseudomammillaria kraehenbuehlii Krainz, 307
Pseudopilocereus werdermannianus Buining & Brederoo, 238
Pseudorhipsalis Britton & Rose, 232
 ramulosa (Salm-Dyck) Barthlott, 232
Pseudowintera Dandy, 330–331
 axillaris (Forster & Forster) Dandy, 331
 colorata (Raoul) Dandy, 331
Pteridophyllum Siebold & Zuccarini, 534–535
 racemosum Siebold & Zuccarini, 535

INDEX

635

- Pterocactus Schumann, 313
kuntzei Schumann, 313
tuberosus (Pfeiffer) Britton & Rose, 313
- Petrocallis R. Brown, 572
pyrenaica (Linnaeus) R. Brown, 572
 'Albiflora', 572
- Pterocarya Kunth, 19–20
caucasica Meyer, 19
fraxinifolia (Lamarck) Spach, 19
 'Dumosa', 19
hupehensis Skan, 20
japonica Dippel, 19
laevigata Lavallée, 19
paliurus Batalin, 20
 × *rehderiana* Schneider, 19
rhoifolia Siebold & Zuccarini, 20
sinensis Rehder, 19
sorbifolia Dippel, 19
stenoptera de Candolle, 19–20
- Ptilotrichum cappadocicum* (de Candolle) Boissier, 567
halimifolium Boissier, 565
lapeyrouseianum (Jordan) Jordan, 565
longicaule (Boissier) Boissier, 565
purpureum (Lagasca & Rodriguez) Boissier, 565
pyrenaicum (Picot de Lapeyrouse) Boissier, 565
reverchonii Degen & Hervier, 565
rupestre (Heynhold) Boissier, 567
spinosum (Linnaeus) Boissier, 565
- Ptilotus Brown, 208
manglesii (Lindley) Mueller, 208
- Ptychopetalum Bentham, 121
olacoides Bentham, 121
uncinatum Anselmino, 121
- Pulsatilla Miller, 373–375
alba Reichenbach, 374
albana (steven) Berchtold & Presl, 374
alpina (Linnaeus) Delarb're, 373–374
 subsp. *alpina*, 374
 subsp. *apiifolia* (Scopoli) Nyman, 374
 subsp. *sulphurea* (de Candolle) Ascherson & Graebner, 374
armena (Boissier) Ruprecht, 374
grandis Wenderoth, 375
 'Budapest', 375
- halleri (Allioni) Willdenow, 374–375
 'Budapest', 375
 subsp. *grandis* (Wenderoth) Meikle, 375
 subsp. *halleri*, 375
 subsp. *slavica* (Reuss) Zamels, 375
- hirsutissima* Britton, 375
ludoviciana (Nuttall) Heller, 375
montana (Hoppe) Reichenbach, 374
nigricans Störk, 374
nuttalliana (de Candolle) Sprenger, 375
occidentalis (Watson) Freyn, 374
patens (Linnaeus) Miller, 375
 subsp. *multifida* (Protzel) Zamels, 375
 var. *wolfgangiana* (Besser) Regel, 375
- pratensis (Linnaeus) Miller, 374
 subsp. *nigricans* (Stork) Zamels, 374
- rubra* (Lamarck) Delarb're, 374
vernalis (Linnaeus) Miller, 374
vulgaris Miller, 374
 'Alba', 374
- 'Barton's Pink', 374
 'Budapest', 374
 'Coccinea', 374
 'Mrs Van der Elst', 374
 'Rosea', 374
 'Rubra', 374
- Pupalia Jussieu, 207
atropurpurea Moquin, 207
- Pycnanthus Warburg, 333
angolensis (Welwitsch) Warburg, 333
kombo (Baillon) Warburg, 333
- Pyrrhocactus aricensis Ritter,**
bulbocalyx (Werdermann) Backeberg, 267
curvispinus (Bertero) Backeberg & Knuth, 266
- Pyrularia Michaux, 122–123
pubera Michaux, 123
- Quercus Linnaeus, 66–80
acuta Thunberg, 70
acutissima Carruthers, 72
aegilops Willdenow, 70
agrifolia Née, 77
alba Linnaeus, 77
aliena Blume, 75
alnifolia Poech, 70
aquatica Walter, 78
arkansana Sargent, 78
bicolor Willdenow, 75
borealis Michaux, 80
bungeana Forbes, 72
canariensis Willdenow, 73
castaneifolia Meyer, 70
cerris Linnaeus, 72
chinensis Bunge, 72
chrysolepis Liebmamn, 77
cleistocarpa Seemen, 66
coccifera Linnaeus, 70
coccinea Muenchhausen, 80
conferta Schultes, 72
cuspidata Thunberg, 65
densiflora Hooker & Arnott, 66
dentata Thunberg, 72
douglasii Hooker & Arnott, 75
edulis Makino, 66
elliptoidalis Hill, 80
falcata Michaux, 78, 80
 var. *pagodifolia* Elliott, 80
farnetto Tenore, 72
frainetto Tenore, 72
fruticosa Brotero, 73
garryana Douglas, 75, 77
genuensis invalid, 75
glabra Thunberg, 66
glandulifera Blume, 73
glauca Thunberg, 69–70
graeca Kotschy, 70
hartwissiana Steven, 73
henryi Seemen, 66
 × *hispanica* Lamarck, 72
 'Dentata', 72
 'Diversifolia', 72
 'Lucombeana', 72
- hypoleuca* Engelmann, 78
hypoleucoides Camus, 78
ilex Linnaeus, 73
- ilicifolia* Wangenheim, 80
imbricaria Michaux, 78
inectoria Olivier, 73
kelloggii Newberry, 80
 × *kewensis* Osborn, 78
lanuginosa (Lamarck) Thuillier, 75
laurifolia Michaux, 78
 × *leana* Nuttall, 77
libani Olivier, 70
lobata Née, 77
lusitanica misapplied, 73
lyrata Walter, 77
macedonica de Candolle, 72
macranthera Hohenacker, 72
macrocarpa Michaux, 77
macrolepis Kotschy, 70
marilandica Muenchhausen, 78
michauxii Nuttall, 75
mirbeckii Durieu, 73
mongolica Turczaninow, 73
 var. *grosseserrata* (Blume) Rehder & Wilson, 73
montana Willdenow, 75
muehlenbergii Engelmann, 75
myrsinifolia Blume, 69
nigra Linnaeus, 78
pachyphyllus Kurz, 66
palustris Muenchhausen, 80
pedunculata Ehrhart, 73
petraea (Mattuschka) Lieblein, 73
phellos Linnaeus, 78
platanoides (Lamarck) Sudworth, 75
pontica Koch, 72
prinoides Willdenow, 75
prinus Linnaeus, 75
pubescens Willdenow, 75
pyrenaica Willdenow, 72–73
robur Linnaeus, 73
rubra Linnaeus, 80
 Section *Cerris* Spach, 70
 Section *Erythrobalanus* Spach, 77
 Section *Lepidobalanus* Endlicher, 73
 Section *Mesobalanus* Camus, 72
 Section *Protobalanus* Trelease, 77
 Section *Quercus*, 70
Semicarpifolia Smith, 70
serrata Thunberg, 72
sessiliflora Salisbury, 73
sessilis Ehrhart, 73
shumardii Buckley, 80
stellata Wangenheim, 77
suber Linnaeus, 70
 Subgenus *Cyclobalanopsis* (Oersted) Schneider, 69
 Subgenus *Euquerqus*, 70
 Subgenus *Quercus*, 70
toza Bastard, 72
trojana Webb, 72
 × *turneri* Willdenow, 75
variabilis Blume, 72
velutina Lamarck, 80
vibreyana Franchet & Savatier, 69
virginiana Miller, 75
warburgii Camus, 75
wilsonii Seemen, 66
wislizenii de Candolle, 77–78

- Raffenaldia Godron, 582
platycarpa (Cosson) Stapf, 582
primulooides Godron, 582
 Ranunculaceae, 341–389
 Ranunculus Linnaeus, 382–387
abnormis Cutanda & Willkomm, 386
acetosellifolius Boissier, 385
aconitifolius Linnaeus, 385
 ‘Flore Pleno’, 385
acris Linnaeus, 384
 ‘Flore Pleno’, 384
adoneus Gray, 385
alpestris Linnaeus, 385
amplexicaulis Linnaeus, 386
aquatalis Linnaeus, 387
asiaticus Linnaeus, 384
bulbosus Linnaeus, 384
 ‘F.M.Burton’, 384
 ‘Pleniflorus’, 384
bullatus Linnaeus, 385
calandrinoides Oliver, 386
carpaticus Herbich, 384
circinatus Sibthorp, 388
cortusifolius Willdenow, 384
crenatus Waldstein & Kitaibel, 385
divaricatus misapplied, 388
eschscholtzii Schlechtendahl, 385–386
ficaria Linnaeus, 384
 subsp. *bulbifer* (Marsden-Jones) Lawalrée, 384
 subsp. *ficaria*, 384
 ‘Brazen Hussy’, 384
 subsp. *ficariiformis* Rouy & Foucaud, 384
 var. *grandiflora* (Robert) Strobl, 384
flammula Linnaeus, 386
geraniifolius misapplied, 384
glacialis Linnaeus, 385
gouanii Willdenow, 384
gramineus Linnaeus, 386
 ‘Flore Pleno’, 386
graminifolius Salisbury, 386
heterophyllus Weber, 387
insignis Hooker, 387
lanuginosus Linnaeus, 383
 ‘Pleniflorus’, 383
lingua Linnaeus, 386
lyallii Hooker, 387–388
millefoliatus Vahl, 384
montanus Willdenow, 384
parnassifolius Linnaeus, 386
platanifolius Linnaeus, 385
pyrenaicus Linnaeus, 386
 subsp. *alismoides* (Rouy) Bolos & Font-Quer, 386
 subsp. *plantagineus* (Allioni) Rouy & Foucaud, 386
 subsp. *pyrenaeus*, 386
repens Linnaeus, 383
 ‘Flore Pleno’, 383
seguieri Villars, 385
speciosus plenus, 384
suksdorffii Gray, 385
thora Linnaeus, 385
traunfellneri Hoppe, 385
triseptus Eastwood, 385
 Ranzania Ito, 410
japonica (Ito) Ito, 410
 Raphanus Linnaeus, 581–582
raphanistrum Linnaeus, 582
sativus Linnaeus, 581–582
 ‘Black Spanish’, 582
 ‘China Rose’, 582
 ‘French Breakfast’, 582
 ‘Scarlet Globe’, 582
Rathbunia alamosensis (Coulter) Britton & Rose, 255
 Rebutia Schumann, 255
albipilosa Ritter, 258
albopectinata Rausch, 258
arenacea Cardenas, 257
aureiflora Backeberg, 258
forma kesselringiana (Cullmann) Donald, 258
cajasensis Ritter, 258
calliantha Bewerunge, 258
candiae Cárdenas, 257
canigueralii Cárdenas, 257
chrysacantha Backeberg, 258
costata Werdermann, 258
cylindrica (Donald) Hunt, 256
dasyphrissa Werdermann, 258
deminuta (Weber) Berger, 258
 subsp. *deminuta*, 258
 subsp. *kupperiana* (Boedecker) Hjertson, 258
einsteinii Fric, 257–258
 subsp. *aureiflora* (Backeberg) Hjertsen, 258
forma kesselringii (Cullmann) Donald, 258
 subsp. *einsteinii*, 258
euanthema invalid, 258
eucaliptana (Backeberg) Buining & Donald, 258
famatinensis (Spegazzini) Spegazzini, 255
fidana (Backeberg) Hunt, 256
fiebrigii (Guerke) Britton & Rose, 258
flavistyla Ritter, 258
glomeriseta Cardenas, 257
graciliflora Backeberg, 258
grandiflora Backeberg, 258
grasshevi,
heliosa Rausch, 258
kesselringiana Bewerunge, 258
krainziana Kesselring, 258
kupperiana Boedecker, 258
levida invalid, 257
margarethae Rausch, 259
marsoneri Werdermann, 258
menesesii Cardenas, 257
mentosa (Ritter) Hunt, 257
 subsp. *mentosa*, 257
 subsp. *purpurea* (Donald & Lau) Hunt, 257
minuscula Schumann, 258–259
muscula Ritter & Thiele, 258
neocumingii (Backeberg) Hunt, 256
 subsp. *neocumingii*, 256
 subsp. *lanata* (Ritter) Hunt, 256
 subsp. *pulquinensis* (Cárdenas) Hunt, 259
neumanniana (Backeberg) Hunt, 256
padcayensis Rausch, 259
pseudodeminuta Backeberg, 258
pseudominuscula (Spegazzini) Donald & Buining, 258
pulchra Cárdenas, 257
 pulvinosa Ritter & Buining, 258
pygmaea (Fries) Britton & Rose, 258
rauschii (Frank) Hunt, 257
robustispina Ritter, 258
scarlatea Fric, 258
senilis Backeberg, 258
forma kesselringiana (Bewerunge) Buining & Donald, 258
spegazziniana Backeberg, 258
spinosisima Backeberg, 258
steinbachii Werdermann, 257
 subsp. *steinbachii*, 257
 subsp. *tiraquensis* (Cárdenas) Hunt, 257
steinmannii (Solms-Laubach) Britton & Rose, 258
taratensis Cárdenas, 257
tiraquensis Cárdenas, 257
tunariensis Cárdenas, 257
violaciflora Backeberg, 258
vizcarrae Cárdenas, 257
wessneriana Bewerunge, 258
xanthocarpa Backeberg, 258
Reicheocactus pseudoreicheanus Backeberg, 255
Reynoutria japonica (Meissner) Houttuyn, 131
 var. *compacta* (Hooker) Buchheim, 131
sachalinense (Schmidt) Nakai, 131
Rheedia lateriflora Linnaeus, 503
sessiliflora Vesque, 503
Rheum Linnaeus, 127
alexandrac Batalin, 127
australe Don, 127
× cultorum invalid, 127
emodi Wallich, 127
nobile Hooker & Thomson, 127
officinale Baillon, 127
palmatum Linnaeus, 127
 ‘Atrosanguineum’, 127
 ‘Bowles Crimson’, 127
 var. *tanguticum* Regel, 127
rhabarbarum Linnaeus, 127
rhabarbarum misapplied, 127
rhaponticum misapplied, 127
ribes Linnaeus, 127
undulatum misapplied, 127
Rhinephyllum Brown, 159
broomii Bolus, 159
Rhipsalidopsis gaertneri (Regel) Moran, 234
rosea (Lagerheim) Britton & Rose, 234
Rhipsalis Gaertneri, 232–234
 baccifera (Miller) Steam, 233
capilliformis Weber, 233
cassutha Gaertner, 233
cereoides (Backeberg & Voll) Castellanos, 234
cereuscula Haworth, 233
clavata Weber, 233
coriacea Polakowsky, 232
cribrata (Lemaire) Ruempler, 233
crispata (Haworth) Pfeiffer, 234
cruciformis (Vellozo) Castellanos, 232
dissimilis (Lindberg) Schumann, 233–234
floccosa Pfeiffer, 233
 subsp. *pulvinigera* (Lindberg) Barthlott, 233
gaertneri (Regel) Vaupel, 234
gibberula Weber, 233

INDEX

637

- grandiflora* Haworth, 233
houletiana Lemaire, 232
megantha Loefgren, 233
mesembryanthemoides Haworth, 233
micrantha (Kunth) de Candolle, 234
neves-armondii Schumann, 233
neves-armondii Schumann, 233
pachyptera Pfeiffer, 234
paradoxa (Pfeiffer) Salm-Dyck, 234
pilocarpa Loefgren, 233
pulvinigera Lindberg, 233
punicodiscus Lindberg, 233
rosea (Lagerheim) Britton & Rose, 234
saglionis (Lemaire) Otto, 233
salicornioides Haworth, 234
teres (Vellozo) Steudel, 233
trigona Pfeiffer, 234
warmingiana Schumann, 232
- Rhombophyllum* Schwantes, 145
 dolabiforme (Linnaeus) Schwantes, 145
nelli Schwantes, 145
 rhomboideum (Salm-Dyck) Schwantes, 145
- Ricotia* Linnaeus, 561–562
aegyptiaca Linnaeus, 562
davisiana B.L. Burtt, 562
lunaria (Linnaeus) de Candolle, 562
- Rimaria heathii* (Brown) Brown, 166
- Ritterocereus queretaroensis* (Weber) Backeberg, 225
- Rivina* Linnaeus, 134
 humilis Linnaeus, 134
 var. *glabra* Linnaeus, 134
laevis Linnaeus, 134
- Roemeria* Medikus, 530
 hybrida (Linnaeus) de Candolle, 530
 refracta de Candolle, 530
- Romneya* Harvey, 521
 coulteri Harvey, 521
 var. *trichocalyx* (Eastwood) Jepson, 521
 × *hybrida* invalid, 521
 trichocalyx Eastwood, 521
 × *vandedenii* invalid, 521
- Rorippa* Scopoli, 556
microphylla (Reichenbach) Hylander, 556
nasturtium-aquaticum (Linnaeus) Hayek, 556
 × *sterilis* Airy Shaw, 556
- Roscyna americana* Spach, 485
- Roseocactus fissuratus* (Engelmann) Berger, 289
intermedius Backeberg & Kilian, 289
kotschoubeyanus (Lemaire) Berger, 289
- Roseocereus tetracanthus* (Labouret) Backeberg, 249
- Roupala* Aublet, 115
brasiliensis Klotzsch, 115
elegans Pohl, 115
longipettolata Pohl, 115
macrophylla Pohl, 115
pohlii Meisner, 115
- Rumex* Linnaeus, 125–126
acetosa Linnaeus, 126
acetosa misapplied, 126
alpinus Linnaeus, 126
flexuosus Hooker, 126
hydrolapathum Hudson, 126
lunaria Linnaeus, 125
patientia Linnaeus, 126
- sanguineus* Linnaeus, 126
 var. *sanguineus*, 126
 var. *viridis* Sibthorp, 126
scutatus Linnaeus, 125–126
rugosus Campdéra, 126
- Rupicapnos* Pomel, 545
africanus (Lamarck) Pomel, 545
 subsp. *africanus*, 545
 subsp. *decipiens* (Pugsley) Maire, 545
- Ruschia* Schwantes, 141–143
amoena Schwantes, 143
dolomitica (Dinter) Dinter & Schwantes, 143
dialis (Brown) Bolus, 142–143
evoluta (Brown) Bolus, 143
macowanii (Bolus) Schwantes, 143
mollis (Berger) Schwantes, 143
multiflora (Haworth) Schwantes, 142
nobilis Schwantes, 143
odontocalyx (Schlechter & Diels) Schwantes, 142
perfoliata (Miller) Schwantes, 142
pygmaea (Haworth) Schwantes, 143
quartzitica (Dinter) Dinter & Schwantes, 143
robusta Bolus, 142
rupicola (Engler) Schwantes, 142
semidentata (Salm-Dyck) Schwantes, 142
strubeniae (Bolus) Schwantes, 142
tumidula (Haworth) Schwantes, 142
umbellata (Linnaeus) Schwantes, 142
uncinata (Linnaeus) Schwantes, 142
vulvaria (Dinter) Schwantes, 142
- Sagina* Linnaeus, 200
boydii Buchanan-White, 200
caespitosa misapplied, 200
glabra misapplied, 200
pilifera misapplied, 200
procumbens Linnaeus, 200
subulata (Swartz) Presl, 200
 ‘*Aurea*’, 200
- Salicaceae*, 20–45
- Salicornia* Linnaeus, 205
europaea Linnaeus, 205
- Salix* Linnaeus, 20–41
acutifolia Willdenow, 39
adenophylla Hooker, 30
aegyptiaca Linnaeus, 33
alba Linnaeus, 25
 ‘*Britzensis*’, 25
 ‘*Cardinal*’, 25
 ‘*Chermesina*’, 25
 ‘*Chrysostela*’, 25
 forma *argentea* Wimmer, 25
 var. *alba*, 25
 var. *caerulea* (Smith) Smith, 25
 var. *sericea* Gaudin, 25
 var. *vitellina* (Linnaeus) Stokes, 25
- alpina* Scopoli, 30
amygdalina Linnaeus, 23
annularis Forbes, 27
apoda Trautvetter, 33
aquatica Smith, 35
aquatica grandis invalid, 35
arbuscula Linnaeus, 33
arbutifolia Pallas, 25
arenaria Linnaeus, 41
- argentea* Smith, 41
aurita Linnaeus, 37
babylonica Linnaeus, 27
 ‘*Crispa*’, 27
 ‘*Lavallei*’, 27
 var. *babylonica*, 27
 var. *pekinensis* Henry, 27
 ‘*Pendula*’, 27
 ‘*Tortuosa*’, 27
- bakko* Kimura, 35
 × *balfourii* Linton, 35
- balsamifera* Bebb, 33
 × *bebbii* Gandoer, 33
- bicolor* Willdenow, 33
 × *blanda* Andersson, 27
- bockii* Seeman, 41
 × *boydii* Linton, 29
- caesia* Villars, 41
 × *calodendron* Wimmer, 35
- caprea* Linnaeus, 33, 35
 ‘*Kilmarnock*’, 35
 ‘*Weeping Sally*’, 35
 var. *sphacelata* (Smith) Wahlenberg, 35
- caspica* misapplied, 39
- chilensis* Molina, 23
 × *chrysocoma* Dode, 27
- cinerea* Linnaeus, 35, 37
 subsp. *cineraria*, 35
 subsp. *oleifolia* Macreight, 35
 ‘*Tricolor*’, 37
- cordata* Michaux, 30
cordata Muhlenberg, 30
 × *cottetii* Kerner, 29
- daphnoides* Villars, 39
 ‘*Aglaia*’, 39
 × *dasyclados* Wimmer, 35
 ‘*Grandis*’, 35
- detipiens* Hoffmann, 27
- discolor* Muhlenberg, 37
 × *ehrhartiana* Smith, 25
- elaeagnos* Scopoli, 39
- elbursensis* Boissier, 41
 × *elegantissima* Koch, 27
- eriocephala* Michaux, 30, 33
 ‘*Americana*’, 30
 × *erythroxyliflora* Ragonese, 27
- eucalyptoides* Schneider, 25
- exigua* Nuttall, 27, 29
- fargesii* Burkitt, 30
 × *finmarchica* Willdenow, 30
- foetida* Schleicher, 33
 × *forbyana* Smith, 37
- fragilis* Linnaeus, 27
 var. *decipiens* (Hoffmann) Koch, 27
- var. *fragilis**, 27
- var. *furcata** Gaudin, 27
- var. *russelliana** (Smith) Koch, 27
- var. *sphaerica** Hryniewiecki, 27
- var. *gillotii** misapplied, 29
- glaucia* Linnaeus, 30
- glaucosericea* Floderus, 30
- gracilis* Andersson, 30
- gracilistyla* Miquel, 39
 var. *melanostachys* (Makino) Schneider,
 39
- var. *variegata** Kimura, 39

- Salix* Linnaeus (*continued*)
- × *grahamii* Baker, 29
 - var. *grahamii*, 29
 - var. *moorei* (White) Meikle, 29
 - '*Hagensis'*, 35
 - hastata* Linnaeus, 33
 - '*Wehrhahnii'*, 33
 - helvetica* Villars, 39
 - herbacea* Linnaeus, 29
 - hippophaefolia* Thuillier, 25
 - hookeriana* Barratt, 39
 - humboldtiana* Willdenow, 23
 - humilis* Marshall, 37
 - hylematica* misapplied, 30
 - incana* Schrank, 39
 - integra* Thunberg, 41
 - irrorata* Andersson, 41
 - jacquinii* Host, 30
 - japonica* misapplied, 27
 - japonica* Thunberg, 27
 - kitaibeliana* Willdenow, 29
 - lambertiana* Smith, 41
 - lanata* Linnaeus, 39
 - lapponum* Linnaeus, 39
 - lasiandra* Bentham, 25
 - lasiocarpa* Bentham, 41
 - laurifolia* Wesmael, 25
 - lavandulifolia* misapplied, 39
 - × *leucopithecia* Kimura, 35
 - lindleyana* Andersson, 30
 - livida* Wahlenberg, 37
 - lucida* Muhlenberg, 25
 - magnifica* Hemsley, 30
 - matsudana* Koidzumi, 27
 - medemii* Boissier, 33
 - melanostachys* Makino, 39
 - × *meyeriana* Willdenow, 25
 - microstachya* Trautvetter, 41
 - mielichhoferi* Sauter, 33
 - missouriensis* Bebb, 30
 - miyabeana* Seeman, 41
 - × *mollissima* Elwert, 23, 25
 - var. *hippophaefolia* (Thuillier) Wimmer, 25
 - var. *mollissima*, 23
 - var. *undulata* (Ehrhart) Wimmer, 23, 25
 - moupinensis* Franchet, 30
 - myricoides* misapplied, 33
 - myrsinifolia* Salisbury, 33
 - myrsinutes* Linnaeus, 29–30
 - myrtilloides* Linnaeus, 30
 - nakamurae* Koidzumi, 29
 - var. *yezoalpina* (Koidzumi) Kimura, 29
 - nepalensis* invalid, 30
 - nicholsonii purpurascens* invalid, 30
 - nigra* Marshall, 23
 - nigricans* Smith, 33
 - nitida* Gmelin, 33
 - pendulina* Wenderoth, 27
 - var. *blanda* Andersson, 27
 - var. *elegantissima* (Koch) Meikle, 27
 - var. *pendulina*, 27
 - pentandra* Linnaeus, 25
 - petiolaris* Smith, 30
 - phylicifolia* Linnaeus, 33
 - piperi* Bebb, 39
 - polaris* Wahlenberg, 29
 - prunifolia* Smith, 33
 - purea* Linnaeus, 41
 - '*Pendula'*, 41
 - subsp. *lambertiana* (Smith) Rechinger, 41
 - var. *gracilis* Grenier & Godron, 41
 - pyrifolia* Andersson, 33
 - rehderiana* Schneider, 37, 39
 - repens* Linnaeus, 39.
 - var. *argentea* (Smith) Wimmer & Grabowski, 41
 - var. *subopposita* (Miquel) Seeman, 41
 - reticulata* Linnaeus, 29
 - retusa* Linnaeus, 29
 - rigida* Muhlenberg, 30
 - rosmarinifolia* Linnaeus, 41
 - × *rubens* Schrank, 25
 - forma *basfordiana* Meikle, 25
 - forma *sanguinea* Meikle, 25
 - var. *rubens*, 25
 - × *rubra* Hudson, 37
 - russelliana* Smith, 27
 - sachalinensis* Schmidt, 37
 - × *salamonii* Henry, 25
 - schraderiana* Willdenow, 33
 - × *sepulcralis* Simonkai, 25, 27
 - '*Erythroflexuosa'*, 27
 - var. *chrysocoma* (Dode) Meikle, 27
 - var. *sepulcralis*, 27
 - × *sericans* Kerner, 35
 - × *seringeana* Gaudin, 35
 - serpyllifolia* Scopoli, 29
 - × *smithiana* Willdenow, 37
 - starkeana* Willdenow, 37
 - × *stipularis* Smith, 35
 - subgenus *Chamaetia* Dumortier, 20
 - subgenus *Salix*, 20
 - subgenus *Vetrix* Dumortier, 20
 - subopposita* Miquel, 41
 - triandra* Linnaeus, 23
 - tristis* Aiton, 37
 - udensis* Trautvetter & Meyer, 37
 - '*Sekka'*, 37
 - undulata* Ehrhart, 23, 25
 - uva-ursi* Pursh, 30
 - variegata* Franchet, 41
 - viminalis* Linnaeus, 37
 - waldsteiniana* Willdenow, 33
 - wehrhahnii* Bonstedt, 33
 - wilhelmsiana* Bieberstein, 41
 - var. *microstachya* (Trautvetter) Herder, 41
 - × *wimmeriana* Grenier & Godron, 35
- Sanguinaria* Linnaeus, 532–533
- canadensis Linnaeus, 533
 - '*Flore Pleno'*, 533
 - '*Multiplex'*, 533
- Santalaceae*, 122–123
- Santalum* Linnaeus, 123
- album Linnaeus, 123
 - obtusifolium* Brown, 123
- Saponaria* Linnaeus, 189–190
- bellidifolia* Smith, 190
 - caespitosa* de Candolle, 190
 - calabrica* Gussone, 190
 - cypria* Boissier, 190
 - haussknechtii* Simmler, 190
- × *lempergii* Anon., 190
 - '*Max Frei'*, 190
 - lutea* Linnaeus, 190
 - ocymoides* Linnaeus, 190
 - '*Bressingham*', 190
 - '*Rubra Compacta'*, 190
 - officinalis* Linnaeus, 190
 - × *olivana* Wocke, 190
 - pumila* (St. Lager) Janchen, 190
 - pumilio* (Linnaeus) Braun, 190
 - sicula* Rafinesque subsp. *intermedia* (Simmler) Chater, 190
 - vaccaria* Linnaeus, 190
- Sarcandra* Gardner, 438–439
- glabra* (Thunberg) Nakai, 438–439
- Sarcocapnos* de Candolle, 545–546
- baetica* (Boissier & Reuter) Nyman, 545
 - crassifolia* (Desfontaines) de Candolle, 545–546
 - subsp. *atlantis* (Emberger & Maire) Lidén, 545
 - subsp. *crassifolia*, 545
 - subsp. *speciosa* (Boissier) Rouy, 545
- enaeophylla* (Linnaeus) de Candolle, 545
- speciosa* Boissier, 545
- Sarothra gentianoides* Linnaeus, 500
- japonica* (Murray) Y. Kimura, 501
 - laxa* (Blume) Y. Kimura, 501
- Sarracenia* Linnaeus, 506–507
- alata* (Wood) Wood, 506–507
 - alabamensis* Case & Case, 507
 - drummondii* Croom, 507
 - flava* Linnaeus, 507
 - var. *oreophila* Kearney, 507
- jonesii* Wherry, 507
- leucophylla* Rafinesque, 507
- minor* Walter, 507
- nutans* (Bentham) Dietrich, 506
- oreophila* (Kearney) Wherry, 507
- psittacina* Michaux, 507
- purpurea* Linnaeus, 507
- rubra* Walter, 507
- variolaris* Michaux, 507
- Sarraceniaceae*, 505–507
- Sasanqua odorata* Rafinesque, 460–461
- oleifera* (Abel) Rafinesque, 461
 - vulgaris* Nees, 460
- Sassafras* Trew, 337–338
- albidum* (Nuttall) Nees, 337–338
 - officinale* Nees & Ebermair var. *albidum* (Nuttall) Blake, 337
- Saurauia* Willdenow, 455
- nepalensis* de Candolle, 455
 - purgans* B.L. Burtt, 455
 - subspinosa* Anthony, 455
 - tomentosa* (Kunth) Sprengel, 455
- Saururaceae*, 429–430
- Saururus* Linnaeus, 429–430
- cernuus* Linnaeus, 429–430
 - cernuus* Thunberg, 430
 - chinensis* (Loureiro) Baillon, 430
 - lucidus* Dona, 429
- Schima* Blume, 468
- argentea* E. Pritz, 468
 - crenata* Korthals, 468
 - forrestii* Airy-Shaw, 468

INDEX

639

- khasiana* Dyer, 468
noronhae Blume, 468
sericea Airy-Shaw, 468
superba Gardner & Champion, 468
wallichii (de Candolle) Korthals, 468
 subsp. *noronhae* (Gardner & Champion)
 Bloembergen var. *superba* (Gardner & Champion) Bloembergen, 468
 subsp. *wallichii* var. *khasiana* (Dyer) Bloembergen, 468
Schisandra Michaux, 334–335
 chinensis (Turczaninow) Baillon, 334
glaucescens Diels, 334
grandiflora Hooker & Thomson, 334
 var. *rubriflora* (Rehder & Wilson) Schneider, 334
propinqua (Wallich) Baillon, 334–335
rubriflora Render & Wilson, 334
sphenanthera Rehder & Wilson, 334
Schisandraceae, 334–335
Schivereckia de Candolle, 568
 bornmuelleri Prantl, 568
 doerfleri (Wettstein) Bornmüller, 568
 podolica (Besser) de Candolle, 568
Schizopetalon Sims, 549
 walkeri Sims, 549
Schlumbergera Lemaire, 234–235
bridgesii (Lemaire) Loefgren, 235
 × *buckleyi* (Moore) Tjaden, 235
gaertneri (Regel) Britton & Rose, 234
microsphaerica (Schumann) Hoevel, 235
obtusangula (Schumann) Hunt, 235
opuntioides (Loefgren & Dusen) Hunt, 235
orssichiana Barthlott & McMillan, 235
russelliana (Hooker) Britton & Rose, 235
truncata (Haworth) Moran, 235
truncata misapplied, 235
Schwantesia Dinter, 163–164
ruedebuschii Dinter, 164
triebneri Bolus, 164
Scleranthus Linnaeus, 201
 biflorus (Forster & Forster) Hooker, 201
brockiei Williamson, 201
uniflorus Williamson, 201
Sclerocactus Britton & Rose, 281–284
 brevihamatus Engelmann, 271
 erectocentrus (Coulter) Taylor, 283
franklinii Evans, 283
glaucus (Schumann) Benson, 283
intermedius Peebles, 284
 intertextus (Engelmann) Taylor, 283
 var. *dasyacanthus* (Engelmann) Taylor, 283
johnsonii (Engelmann) Taylor, 283
mariposensis (Hester) Taylor, 283
papyracanthus (Engelmann) Taylor, 284
parviflorus Clover & Jotter, 284
polyancistrus (Engelmann & Bigelow) Britton & Rose, 284
scheeri (Salm-Dyck) Taylor, 282
uncinatus (Galeotti) Taylor, 282
 subsp. *crassihamatus* (Weber) Taylor, 282
 subsp. *wrightii* (Engelmann) Taylor, 282
unguispinus (Engelmann) Taylor, 282–283
 var. *durangensis* (Runge) Taylor, 283
warnockii (Benson) Taylor, 283
whipplei (Engelmann & Bigelow) Britton & Rose, 283–284
wrightiae Benson, 284
Scleroletta diacantha (Nees) Bentham, 205
Selenicereus (Berger) Britton & Rose, 229–230
 chrysocardium (Alexander) Kimnach, 230
grandiflorus (Linnaeus) Britton & Rose, 229
hamatus (Scheidweiler) Britton & Rose, 229
macdonaldiae (Hooker) Britton & Rose, 229
megalanthus (Vaupel) Moran, 230
pteranthus (Link & Otto) Britton & Rose, 229
setaceus (de Candolle) Werederman, 230
spinulosus (de Candolle) Britton & Rose, 229–230
urbanianus (Guercke & Weingart) Britton & Rose, 229
Semiaquilegia Makino, 349
ecalcarata (Maximowicz) Sparague & Hutchinson, 349
simulatrix Drummond & Hutchinson, 349
Semnanthe lacera (Haworth) Brown, 155
Seticereus chlorocarpus (Kunth) Backeberg, 244
icosagonum (Schumann) Backeberg, 244
roezlii (Haage) Backeberg, 244
Setiechinopsis mirabilis (Spegazzini) De Haas, 250
Silene Linnaeus, 184–187
acaulis (Linnaeus) Jacquin, 186
 'Correvoniana', 186
alba, 187
alpestris Jacquin, 186
armeria Linnaeus, 186
californica Durand, 185
coeli-rosa (Linnaeus) Godron, 187
 'Oculata', 187
compacta Fischer, 186
dioica (Linnaeus) Clairvaux, 186–187
elisabethae Jan, 185
elongata Bellardi, 186
exscapa Allioni, 186
fimbriata Sims, 185–186
fruticosa Linnaeus, 185
gallica Linnaeus var. *quinquevulnera* (Linnaeus) Mertens & Koch, 187
hifacensis Willdenow, 185
hookeri Torrey & Gray, 186
keiskii Miquel, 186
 forma minor Takeda, 186
longiscapa Kerner, 186
maritima Withering, 186
mollissima (Linnaeus) Persoon, 185
multifida (Adams) Rohrbach, 185
nutans Linnaeus, 185
pendula Linnaeus, 187
pumilio Wulf, 190
pusilla Wadstein & Kitaibel, 186
quadridentata in the sense of Hayek, 186
quadrifida Linnaeus, 186
schafta Hohenacker, 186
sicula Ucria.
uniflora Roth, 186
vallesia Linnaeus subsp. *vallesia*, 186
virginica Linnaeus, 185
vulgaris Linnaeus subsp. *maritima* (Withering) Love & Love, 186
 subsp. *vulgaris*, 186
zawadskii Herbich.
Sinofranchetia (Diels) Henry, 419–420
chinensis (Franchet) Hemsley, 420
Sinomenium Diels, 422
acutum (Thunberg) Rehder & Wilson, 422
diversifolium (Miquel) Diels, 422
Sinopodophyllum Ying, 416–417
 emodi (Wallich) Ying, 417
hexandrum (Royle) Ying, 417
 var. *chinense* (Sprague) Shaw, 417
 var. *emodi* (Wallich) Shaw, 417
 'Major', 417
 var. *hexandrum*, 417
Sisymbrium Linnaeus, 549–550
luteum (Maximowicz) O.E. Schulz, 550
nasturtium-aquaticum Linnaeus, 556
pinnatifidum (Lamarck) de Candolle, 550
tanacetifolium Linnaeus, 550
Sitodium altile Parkinson, 88
Soehrensia bruchi (Britton & Rose) Backeberg, 253, 254
formosa (Pfeiffer) Backeberg, 253
grandis (Britton & Rose) Backeberg, 254
Soleirolia Gaudichaud-Beaupré, 107
soleirolii (Requien) Dandy, 107
Spinacia Linnaeus, 203
oleracea Linnaeus, 203
Spraguea Torrey, 180–181
multiceps Howell, 180
umbellata Torrey, 180–181
 var. *caudicifera* Gray, 181
Stalagmitis cambogioides Murray, 505
dulcis (Roxburgh) Cambessèdes, 503
Stauntonia de Candolle, 419
hexaphylla (Thunberg) Decaisne, 419
latifolia (Wallich) Wallich, 419
Stenocactus (Schumann) Hill, 295–296
coptonogonus (Lemaire) Hill, 295
crispatus (de Candolle) Hill, 295
multicostatus (Schumann) Hill, 295
obvallatus (de Candolle) Hill, 295
ochoterenaus Tiegel, 295–296
phyllacanthus (Dietrich & Otto) Hill, 296
sulphureus (Dietrich) Bravo, 296
vaupelianus (Werdermann) Backeberg, 296
Stenocarpus Brown, 118
cunninghamii invalid, 118
salignus Brown, 118
sinuatus Endlicher, 118
Stenocereus Riccobono, 224–225
alamensis (Coulter) Gibson and Horak, 225
beneckei (Ehrenberg) Buxbaum, 224
dumortieri (Scheidweiler) Buxbaum, 224–225
eruca (Brandegee) Gibson & Horak, 224
marginatus (de Candolle) Berger & Buxbaum, 222
pruinosis (Pfeiffer) Buxbaum, 224
queretaroensis (Weber) Buxbaum, 225
stellatus (Pfeiffer) Riccobono, 225
thurberi (Engelmann) Buxbaum, 225
Stetsonia Britton & Rose, 236
coryne (Salm-Dyck) Britton & Rose, 236
Stewartia Linnaeus, 456–459
 gemmata Chien & Chang, 459
grandiflora Carrière, 459

- Stewartia* Linnaeus (*continued*)
 × *henryae* Li, 459
koreana Rehder, 459
malacodendron Linnaeus, 458
monadelpha Siebold & Zuccarini, 459
ovata (Cavanilles) Weatherby, 458
 forma *grandiflora* (Bean) Kobuski, 458
pentagyna L'Hritier, 458
pseudocamellia Maximowicz, 459
 var. *koreana* (Rehder) Sealy, 459
pteropetiolata W.C. Cheng, 458
rostrata Spongberg, 458–459
sericea Nakai, 459
serrata Maximowicz, 458
sinensis misapplied, 458
sinensis Rehder & Wilson, 459
virginica Cavanilles, 458
Stoeberia Dinter & Schwantes, 175
beetzi (Dinter) Dinter & Schwantes, 175
carpii Friedrich, 175
littlewoodii Bolus, 175
Stomatiatum Schwantes, 158–159
geoffreyi Bolus, 158
meyeri Bolus, 159
niveum Bolus, 158–159
trifarium Bolus, 159
Strombocactus Britton & Rose, 288
disciformis (de Candolle) Britton & Rose, 288
Stuartia, 457
Stylomecon Taylor, 530
 heterophylla (Bentham) Taylor, 530
Stylophorum Nuttall, 531
diphyllum (Michaux) Nuttall, 531
Suaeda Scopoli, 205
fruticosa invalid, 205
vera Gmelin, 205
Sulcorebutia arenacea (Cardenas) Ritter, 257
bicolorispina invalid, 257
candiae (Cardenas) Buining & Donald, 257
caniguerallii (Cardenas) Buining & Donald, 257
cylindrica Donald, 256
flavissima Rausch, 257
glomeriseta (Cardenas) Ritter, 257
hoffmanniana (Backeberg) Backeberg, 257
leptida Ritter, 257
mentosa Ritter, 257
rauschii Frank, 257
steinbachii (Werdermann) Backeberg, 257
tarabucoensis Rausch, 257
taratensis (Cardenas) Buining & Donald, 257
vizcarrae (Cardenas) Donald, 257
- Talauma* *salicifolia* Siebold & Zuccarini var.
concolor Miquel, 326
- Talinum* Adanson, 178–179
caffrum (Thunberg) Ecklon & Zeyher, 179
calycinum Engelmann, 179
okanoganense English, 179
paniculatum (Jacquin) Gaertner, 179
spinescens Torrey, 179
teretifolium Pursh, 179
Tanquana *hilmarii* (Bolus) Hartmann & Leide, 158
prismatica (Schwantes) Hartmann & Leide,
 158
- Tasmannia* Brown, 330
aromatica Brown, 330
- Telopea* Brown, 116
 'Braidwood Brilliant', 116
mongaensis Cheel, 116
oreades Mueller, 116
speciosissimum (Smith) Brown, 116
truncata (Labillardière) Brown, 116
 forma *lutea* Gray, 116
- Tephrocactus* Lemaire, 312
articulatus (Pfeiffer) Backeberg, 313
molinensis (Spegazzini) Backeberg, 313
pentlandii (Salm-Dyck) Backeberg, 312
- Ternstroemia* Linnaeus filius, 469
gymnanthera (Wight & Arnott) Sprague,
 469
 'Variegata', 469
japonica misapplied, 469
japonica Thunberg, 469
- Tetracentraceae*, 340
- Tetracentron* Oliver, 340
 sinense Oliver, 340
- Thalictrum* Linnaeus, 364–367
adiantifolium Besser, 366
alpinum Linnaeus, 365
anemonoides Michaux, 367
angustifolium misapplied, 366
aquilegiifolium Linnaeus, 366
 'Album', 366
arenarium Butcher, 366
calabricum Sprengel, 366
chelidonii de Candolle, 367
coreanum Léveillé, 366
delavayi Franchet, 366
 'Album', 366
diffusiflorum Marquand & Airy-Shaw, 366
dipterocarpum Franchet, 367
dipterocarpum misapplied, 366
elatum Boissier, 366
fendleri Engelmann, 367
flavum Linnaeus, 366
 subsp. *glaucum* (Desfontaines) Battandier,
 366
foeniculaceum Bunge, 365
foetidum Linnaeus, 365
gallicum Rouy & Foucaud, 366
glaucum Desfontaines, 366
 'Hewitt's Double', 366
ichangense Oliver, 366
javanicum Blume, 366
kemense Fries, 366
kiusianum Nakai, 366
lucidum Linnaeus, 366
majus Crantz, 366
minus Linnaeus, 365–366
orientale Boissier, 365
psilotifolium invalid, 365
pubescens Schleicher, 366
purpureum Shang, 366
reniforme Wallich, 367
rochebrunianum Franchet & Savatier, 366
rugosum Aiton, 366
saxatilis de Candolle, 366
simplex Linnaeus, 366
speciosissimum Linnaeus, 366
tuberosum Linnaeus, 365
- Thea* *bachmaensis* Gagnepain, 460
bohea Linnaeus, 462
- brachystemon* Gagnepain, 460
camellia Hoffmannsegg, 461
 var. *lucidissima* Léveillé, 462
cantonensis Loureiro, 462
caudata (Wallich) Seemann, 465
cochininchinensis Loureiro, 462
crapnelliana (Tutcher) Rehder, 461
cuspidata Kochs, 465
fraterna (Hance) O. Kuntze, 465
fusiger Gagnepain, 465
gracilis (Hemsley) Hayata, 465
hongkongensis (Seemann) Pierre, 461
hozanensis Hayata, 461
iniquicarpa Kochs, 460
japonica (Linnaeus) Baillon, 461
maliflora (Lindley) Seemann, 465
oleosa Loureiro, 462
pitardii (Cohen Stuart) Rehder, in part, 462
 var. *lucidissima* (Léveillé) Rehder, 462
podogyna Léveillé, 461
reticulata (Lindley) Kochs, 462
rosaeflora (Hooker) O. Kuntze, 465
 var. *glabra* Kochs, 465
 var. *pilosa* Kochs, 465
salicifolia (Champion) Seemann, 465
 var. *warburgii* Kochs, 465
sasanqua misapplied, 461
sasanqua (Thunberg) Cels, 460
 var. *kissi* (Wallich) Pierre, 460
 var. *thunbergii* Pierre, 460
sinensis Linnaeus, 462
speciosa Handel-Mazetti, in part, 462
taliensis W.W. Smith, 462
tsaii (Hu) Gagnepain, 465
viridis Linnaeus, 462
- Theaceae*, 456–470
- Thelocactus* Britton & Rose, 284
bicolor (Pfeiffer) Britton & Rose, 285
 subsp. *bicolor*, *flavidispinus* Backeberg,
 285
 subsp. *heterochromus* (Weber) Mosco &
 Zanelli, 285
 subsp. *schwarzii* (Backeberg) Anderson,
 285
- buekii* (Klein) Britton & Rose, 285
conothelos (Regel & Klein) Knuth, 285
ehrenbergii (Pfeiffer) Knuth, 285
flavidispinus (Backeberg) Backeberg, 485
fossulatus (Scheidweiler) Britton & Rose, 486
goldii Bravo, 287
heterochromus (Weber) Oosten, 285
hexaedrophorus (Lemaire) Britton & Rose,
 285–286
 subsp. *hexaedrophorus*, 286
 subsp. *lloydii* (Britton & Rose) Taylor, 286
- leucacanthus* (Pfeiffer) Britton & Rose, 285
lloydii Britton & Rose, 286
lophophoroides Werdermann, 287
lophothele (Salm-Dyck) Britton & Rose, 286
macdowellii (Quehl) Glass, 285
matudae Sanchez-Mejorada & Lau, 285
nidulans (Quehl) Britton & Rose, 286
phyllanthothelos (Ruempel) Britton & Rose, 286
pottsi misapplied, 285
rinconensis (Poselger) Britton & Rose, 286
sanchezmejoradae Meyran, 285

INDEX

641

- sauvieri* (Weber) Berger, 285
schwarzii Backeberg, 285
setispinus (Engelmann) Anderson, 284–285
tulensis (Poselger) Britton & Rose, 285
 var. *buekii* (Klein) Anderson, 285
wagnerianus Berger, 285
Theopsis fraterna (Hance) Nakai, 465
Thlaspi Linnaeus, 574–575
 alpestre Jacquin, 574
 alpestre misapplied, 574
 alpinum Crantz, 574
 bellidifolium Grisebach, 575
 bulbosum Spruner, 574
 caerulescens J. & C. Presl, 574
 cepaeifolium (Wulfen) Koch, 574–575
 subsp. *cepaefolium*, 575
 subsp. *rotundifolium* (Linnaeus) Greuter & Burdet, 575
densiflorum Boissier & Kotschy, 575
kerneri Huter, 574
latifolium von Bieberstein, 575
macrophyllum Hoffmann, 575
montanum Linnaeus, 574
rotundifolium misapplied, 574
 var. *limosellifolium* Burnet, 574
stylorum (Tenore) Mutel, 574
sylvestre Jordan, 574
violascens Boissier, 575
Thrixanthocereus blossfeldiorum (Werdermann) Backeberg, 243
senilis Ritter, 243
Titanopsis Schwantes, 157
 calcarea (Marloth) Schwantes, 157
fulleri Tischer, 157
luederitzii Tischer, 157
primosii Bolus, 157
schwantesii (Dinter) Schwantes, 157
 'Primosii', 157
Toumeya papyracantha (Engelmann) Britton & Rose, 281
Tovara filiforme (Thunberg) Nakai, 130
virginiana (Linnaeus) Rafinesque, 130
Triadenia aegyptica (Linnaeus) Boissier, 499
maritimum (Sieber) Boissier, 499
Trichinium manglesii Lindley, 208
Trichocereus andalgalensis (Schumann) Hosseus, 252
 candicans (Salm-Dyck) Britton & Rose, 251
chiloensis (Colla) Britton & Rose, 251
coquimbanus (Molina) Britton & Rose, 251
courantii (Schumann) Backeberg, 251
fulvilanus Ritter, 251
grandiflorus invalid, 252
lamprochlorus (Lemaire) Britton & Rose, 251
macrogonus (Salm-Dyck) Riccobono, 251
pachanoi Britton & Rose, 251
pasacana (Ruempler) Britton & Rose, 251
poco (Backeberg) Backeberg, 253
santiaguensis (Spegazzini) Backeberg, 252
schickendantzii (Weber) Britton & Rose, 252
spachianus (Lemaire) Riccobono, 251
strigosus (Salm-Dyck) Britton & Rose, 252
tacaquierenensis (Vaupel) Cardenas, 251
taquimbalensis (Cardenas) Friedrich & Rowley, 253
tarijensis (Vaupel) Werdermann, 253
terscheckii (Pfeiffer) Britton & Rose, 251
thelegonoides (Spegazzini) Britton & Rose, 252
thelegonus (Schumann) Britton & Rose, 252
werdermannianus Backeberg, 251
Trichodiadema Schwantes, 154–155
 barbatum (Linnaeus) Schwantes, 155
bulbosum (Linnaeus) Schwantes, 154–155
densum (Haworth) Schwantes, 155
intonsum (Haworth) Schwantes, 155
peersii Bolus, 155
stellatum (Miller) Schwantes, 155
Trichostigma Richard, 134–135
 peruvianum (Moquin) Walter, 134–135
Tritylum ochnaceum (de Candolle) Merrill, 469
Trochodendraceae, 340–341
Trochodendron Siebold & Zuccarini, 340–341
 aralioides Siebold & Zuccarini, 341
Trochostigma rufa Siebold & Zuccarini, 453
Trollius Linnaeus, 354–355
 acaulis Lindley, 355
albiflorus Rydberg, 355
 asiaticus Linnaeus, 354
 'Fortunei', 354
caucasicus Steven, 355
chinensis Bunge, 354
 × *cultorum* Bergmans, 355
europaeus Linnaeus, 354–355
farreri Stapf, 355
giganteus invalid, 354
 × *hybridus* invalid, 355
laxus Salisbury, 355
 'Albiflorus', 355
ledebourii Reichenbach, 354
patulus Salisbury, 355
pumilus Don, 355
 'Farreri', 355
ranunculinus (Smith) Steam, 355
yunnanensis (Franchet) Ulbrich, 354
Tunica saxifraga (Linnaeus) Scopoli, 197
Tunilla Hunt & Iliff, 314
 corrugata (Salm-Dyck) Hunt & Iliff, 314
Turbinicarpus (Backeberg) Buxbaum & Backeberg, 286
 beguinii (Taylor) Mosco & Zanolatto, 286
 subsp. *beguinii*, 286
 subsp. *zaragozae* (Glass & Foster) Hunt, 286
flaviflorus Frank & Lau, 288
gielsdorfianus (Werdermann) John & Riha, 288
gracilis Glass & Foster, 287
horriplis klinkerianus Backeberg & Jacobsen, 288
krainzianus (Frank) Backeberg, 288
laui Glass & Foster, 287
lophophoroides (Werdermann) Buxbaum & Backeberg, 287
macrochele (Werdermann) Buxbaum & Backeberg, 288
mandragora (Berger) Zimmermann, 286
polaskii Backeberg, 288
pseudomacrochele (Backeberg) Buxbaum & Backeberg, 288
pseudopectinatus (Backeberg) Glass & Foster, 288
saueri (Boedecker) John & Riha, 286
 subsp. *knuthianus* (Boedecker) Lüthy, 286
 subsp. *saueri*, 286
schmiedickeanus (Boedecker) Buxbaum & Backeberg, 288
 subsp. *dicksoniae* (Glass & Foster) Taylor, 287
 subsp. *flaviflorus* (Frank & Lau) Glass, 288
 subsp. *gracilis* (Glass & Foster) Glass, 287
 subsp. *klinkerianus* (Backeberg & Jacobsen) Taylor, 288
 subsp. *macrochele* (Werdermann) Taylor, 288
 subsp. *schmiedickeanus*, 287
 subsp. *schwarzii* (Shurly) Taylor, 288
 var. *dicksoniae* Glass & Foster, 288
schwarzii (Shurly) Backeberg, 288
subterraneus (Backeberg) Zimmermann, 287
valdezianus (Moeller) Glass & Foster, 288
viereckii (Werdermann) John & Riha, 287
Uebelmannia Buining, 241–242
buiningii Donald, 242
gummifera (Backeberg & Voll) Buining, 241–242
 subsp. *gummifera*, 242
 subsp. *meninensis* (Buining) Braun & Esteves Pereira, 242
meninensis Buining, 241
pectinifera Buining, 241
Ullucus Caldas, 184
tuberosus Lozano, 182
Ulmaceae, 80–87
Ulmus Linnaeus, 81–87
americana Linnaeus, 83
angustifolia (Weston) Weston, 86
 var. *cornubiensis* (Weston) Melville, 86
 × *belgica* Burgsdorf, 84
campestris Linnaeus, 84
campestris misapplied, 84
carpinifolia Suckow, 86
 forma *pendula* (Henry) Rehder, 86
 forma *wredei* (Juelke) Rehder, 86
 var. *cornubiensis* (Weston) Rehder, 86
 var. *dampieri* (Wesmael) Rehder, 86
 var. *sarniensis* (Loudon) Rehder, 86
 var. *umbraculifera* (Trautvetter) Rehder, 86
 var. *wheatleyi* (Simon-Louis) Bean, 86
coritana Melville, 86
effusa Willdenow, 83
 × *elegantissima* 'Jacqueline Hillier', 84
fulva Michaux, 84
glabra Hudson, 84
 'Camperdownii', 84
 'Exoniensis', 84
 'Horizontalis', 84
 'Pendula', 84
 var. *fastigiata* invalid, 84
 × *hollandica* Miller, 84
 'Belgica', 84
 'Dampieri', 84
 'Hollandica', 84
 'Jacqueline Hillier', 84
 'Major', 84
 'Vegeta', 84

- Ulmus Linnaeus (continued)*
 var. *major* (Smith) Rehder, 84
 var. *vegeta* (Loudon) Rehder, 84
laevis Pallas, 83
minor Miller, 84–86
 ‘*Cornubiensis*’, 86
 ‘*Dampieri*’, 86
 ‘*Pendula*’, 86
 ‘*Sarniensis*’, 86
 ‘*Umbraculifera*’, 86
 ‘*Wredei*’, 86
montana Withering, 84
nitens Moench, 86
parvifolia Jacquin, 87
plotii Druce, 86
procera Salisbury, 86
pumila Linnaeus, 86–87
 var. *arborea* Latvinov, 86–87
racemosa Borkhausen, 83
rubra Muhlenberg, 84
sarniensis invalid, 86
stricta (Aiton) Lindley, 86
 var. *sarniensis* (Loudon) Moss, 86
 × *vegeta* ‘*Camperdownii*’, 84
wheatleyi invalid, 86
Umbellularia Nuttall, 339
californica (Hooker & Arnott) Nuttall, 339
Urera Gaudichaud-Beaupré, 104
baccifera (Linnaeus) Weddell, 104
Urtica Linnaeus, 104
 dioica Linnaeus, 104
 pilulifera Linnaeus, 104
 urens Linnaeus, 104
Urticaceae, 104–107
Utahia sileri (Engelmann) Britton & Rose, 281

Vaccaria Medicus, 190–191
hispanica (Miller) Rauschert, 190–191
pyramidalis Medicus, 190
Vancouveria Morren & Decaisne, 414–415
 chrysanthia Greene, 415
 hexandra (Hooker) Morren & Decaisne, 414–415
parviflora Greene, 415
planipetala Calloni, 415
Vanheerdeea Bolus, 148–149
 angusta (Bolus) Bolus, 149
 divergens (Bolus) Bolus, 149
 primosii Bolus, 149
Vanzijlia Bolus, 149
angustipetala (Bolus) Brown, 149
annulata (Berger) Bolus, 149
Vella Linnaeus, 580–581
 anremerica (Litardišre & Maire) Gémez-Campo, 581
 badalii Pau, 580

glabrescens Cosson, 580
mairei Humbert, 581
monosperma Menendez-Amor, 580
pseudocytisus Linnaeus, 580–581
 subsp. *anremerica* Litardišre & Maire, 581
 subsp. *glabrescens* (Cosson) Litardišre & Maire, 580
 subsp. *iberica* Litardišre & Maire, 580
 subsp. *pauii* Gémez-Campo, 580
 subsp. *pseudocytisus*, 580
 var. *glabrescens* Willkomm, 580
spinosa Boissier, 581
Vesicaria fendleri Gray, 572
graeca Reuter, 562
kingii S. Watson, 572
Victoria Lindley, 426–427
amazonica (Poeppig) Sowerby, 426–427
cruziana Orbigny, 427
 ‘*Longwood Hybrid*’, 427
regia misapplied, 427
regia Lindley, 426
trickeri invalid, 427
Viscaceae, 123–124
Viscaria alpina (Linnaeus) Don, 188
vulgaris Bernhardi, 188
Viscum Linnaeus, 124
 album Linnaeus, 124
 subsp. *abietis* (Wiesbaur) Abromeit, 124
 subsp. *album*, 124
 subsp. *austriacum* (Wiesbaur) Vollman, 124
Visnea Linnaeus filius, 468–469
mocanera Linnaeus filius, 468–469

Wasabia Matsumura, 550–551
japonica (Miquel) Matsumura, 550–551
Webbia canariensis (Linnaeus) Webb & Berthelot, 497
floribunda (Aiton) Spach, 497
platysepala Spach, 497
Weberbauerocereus Backeberg, 243
albus Ritter, 243
fascicularis (Meyen) Backeberg, 243
horridispinus Rauh & Backeberg, 243
johsonii Ritter, 243
rauhii Backeberg, 243
seyboldianus Rauh & Backeberg, 243
weberbaueri (Vaupel) Backeberg, 243
winterianus Ritter,
Weberocereus Britton & Rose, 229
tonduzii (Weber) Rowley, 229
Weingartia cintiensis Cárdenas, 256
corroana Cárdenas, 256
cumingii misapplied, 256
fidaiana (Backeberg) Werdermann, 256

kargliana Rausch, 256
lanata Ritter, 256
longigibba Ritter, 256
neocumingii Backeberg, 256
neumanniana (Backeberg) Werdermann, 256
 subsp. *pulquinensis* (Backeberg) Donald, 256
pulquinensis Cárdenas, 256
purpurea Donald & Lau, 257
riograndensis Ritter, 256
sucrensis Ritter, 256
torotorensis Cárdenas, 257
Werckleocereus tonduzii Britton & Rose, 229
Wigginsia corynodes (Pfeiffer) Porter, 274
erinacea (Haworth) Porter, 274
fricii (Arechavaleta) Porter, 274
horstii Ritter, 274
sellowii (Link & Otto) Ritter, 274
sessiliflora (Pfeiffer) Porter, 274
tephracantha (Link & Otto) Porter, 274
vorwerkiana (Werdermann) Porter, 274
Wilcoxia poselgeri (Lemaire) Britton & Rose, 228
striata (Brandege) Britton & Brown, 222
tamaulipeca Werdermann, 228
tuberosa Kreuzinger, 228
viperina (Weber) Britton & Rose, 222
Wintera colorata (Raoul) van Tieghem, 331
Winteraceae, 330–331
Winterocereus aureispinus (Ritter) Backeberg, 245

Xanthochymus dulcis Roxburgh, 503
javanensis Blume, 503
pictorius Roxburgh, 503
tinctorius de Candolle, 503
Xanthorrhiza Marshall, 343
simplicissima Marshall, 343
Ximenia Linnaeus, 121
americana Linnaeus, 121
caffra Sender, 121
Xylopia Linnaeus, 332–333
aethiopica (Dunal) Richard, 332–333
quintasii Engler & Diels, 333
striata Engler, 333

Yatabea japonica (Ito) Yatabe, 410

Zanthorrhiza apifolia L'Héritier, 343
Zelkova Spach, 81
carpinifolia (Pallas) Koch, 81
crenata (Michaux) Spach, 81
serrata (Thunberg) Makino, 81
Zygocactus truncatus (Haworth) Schumann, 235