

Index

- action
 - area, 342, 343
 - classical, 3, 4
 - coordinates and conservation, 189
 - E&M, 212
 - Einstein–Hilbert, 237, 243, 253, 293
 - field, 183
 - first-order, 200–2
 - first-order form, 234, 243
 - geodesic, 331
 - length, 62
 - mass term, 201, 228
 - Nambu–Goto, 347*f*
 - Palatini, 242*f*
 - Polyakov, 360
 - relativistic, 63*ff*
 - reparametrization invariance, 62, 71, 331, 342
 - scalar field, 174*f*, 183, 201, 226
 - second-order form, 213, 253
 - source term, 214, 240
 - tensor field, 241
 - variation, 3*f*, 175, 177, 178, 180
 - vector field, 206–8, 226
- advanced solution, 309*f*
- analytic extension, 282
- angle between vectors, 121
- angular momentum, 48, 69, 71
 - conservation, 47
 - scalar field, 195*f*
 - Schwarzschild geodesics, 266
- aphelion, 21
- apparent singularity, 294
- arc-length parametrization, 129, 138
- area minimization, 340–2
 - relativistic, 345
- axial symmetry, 258
- balls and springs, 171
- basis vectors, 99, 102, 109, 289*f*, 294
 - coordinate, 115, 117
 - spatial, 287
 - transformation, 102–4, 109
- bending of light, 272, 276*f*
- Bianchi identity, 149, 162*f*
 - for E&M, 166
 - linearized, 240
- Birkhoff's theorem
 - E&M, 259
 - black holes, 285
 - Born–Infeld E&M, 259
 - bound orbit, 51
 - boundary condition
 - Dirichlet, 349
 - free endpoint, 349
 - Boyer–Lindquist coordinates, 331, 334
- canonical infinitesimal transformations, 37
- canonical momentum, 30*f*, 73, 193
 - field, 193, 200
 - relativistic, 71, 73
 - scalar field, 234
 - strings, 348, 352
 - tensor field, 233, 241
 - vector field, 206
- canonical transformations, 33
 - generating functions, 34, 35
 - identity, 38
 - infinitesimal, 38
 - infinitesimal generator, 39
- Carter's constant, 335
- central potential, 7, 16, 45
- centripetal acceleration, 84
- charge conservation, 162, 191, 213*ff*
- Chern–Simon term, 247
- Christoffel connection, 115*f*, 122, 135, 241
- circular light-like orbits for Kerr, 336
- circular orbit, 316
- comma notation, 22, 32
- complex scalar fields, 220
- conformal flatness, 151
- conjugate momentum, 18
- connection, *see* Christoffel connection, 14, 44, 114–16, 123
 - transformation, 114

364

Index

conserved current, 220
 continuity, 199
 continuity equation, 191, 223
 contravariant transformation, 98
 coordinate basis vectors, *see* basis vectors, 115, 117, 292
 coordinate differential, 22
 coordinate invariance, 217
 coordinate singularity, 282, 294
 coordinate time, 76, 78
 coordinate transformation, 21, 23
 cosmological constant, 293^f
 cosmological model, 326
 Coulomb gauge, 297
 Coulomb potential, 253, 255
 covariant derivative, 44, 113^f, 122, 125, 130^f, 145, 245
 density, 185
 E&M, 223
 covariant transformation, 98, 106
 cross polarization, 305
 cross-derivative equality, 130^f
 current, 191, 213
 from fields, 220
 curvature
 curves, 139
 Ricci scalar, 140^f
 curved space, 134
 cylindrical coordinates, 5, 123
 D'Alembertian, 306, 308
 deflection angle, 277
 density, 184
 derivative along a curve, 119
 determinant, 126, 230
 determinant of the metric, 182
 dipole moment, 313
 dipole radiation, 314^f
 dipole source, 305
 Dirac delta function, 198, 306, 308, 310
 Dirichlet boundary conditions, 349
 divergence theorem, 180, 186, 192
 dummy index, 13
 eccentricity, 269
 Eddington coordinates, 283–285
 Einstein summation notation, 11
 dummy index, 13
 Einstein tensor, 163
 linearized, 260^f
 Einstein's equation, 153, 157, 161–3, 237
 Einstein–Hilbert action, 237, 243, 253
 ellipse, 16, 19–21, 50
 eccentricity, 269
 Kepler's laws, 52
 period, 52
 semi-major axis, 52
 elliptical orbit, 19
 energy
 Schwarzschild geodesics, 266
 energy and momentum conservation, 162

energy density, 95, 193, 200
 field, 194
 particle, 199
 energy–momentum tensor, *see* stress energy tensor,
see also stress tensor, 191, 197, 200
 density, 198
 E&M, 211^f
 particles, 197
 equations of motion, 2–5, 14, 31
 continuum limit, 170
 relativistic, 75
 equivalence principle, 152
 escape speed, 286
 Euler's method, 337
 Euler–Lagrange equations, 3–5, 178, 181
 field equations, 180
 event horizon, 280, 285
 extended body infall, 287
 extremal length, 128
 extrinsic curvature, 141
 field equations
 first-order, 201
 linearized, 260
 tensor, 232
 vector, 208
 field-strength tensor, 206, 210
 finite difference, 337
 first-order form, 200
 flat space, 134
 Fourier transform, 298, 308, 310, 312^f
 charge conservation, 312
 Dirac delta function, 310
 Lorentz gauge, 312
 free endpoint boundary conditions, 349
 free scalar field, 178, 193
 gauge choice, 300
 E&M, 297^f
 linearized GR, 299–301
 string, 349
 gauge field, 229
 gauge freedom, 217, 354
 charge conservation, 215
 E&M, 209
 gauge invariance, 213
 general covariance, 181
 generating function, 34^f
 geodesic, 14, 122–4, 129, 132, 145, 161
 action, 331
 effective force, 262
 Euclidean, 123
 Kerr, 334
 light, 277, 280^f, 284
 light-like, 272–4, 276^f
 on cylinder, 124
 on sphere, 123
 perturbation, 268, 274
 radial, 277, 281, 284
 Schwarzschild, 265
 geodesic deviation, 158–161, 288, 292, 303

Index

365

- geodesic equation, 98, 246, 266
- gradient, 22, 108*f*
- gravitational field, 153
 - general relativity, 94
 - Newtonian, 88, 96
- gravitational radiation, 318
 - energy, 318
 - energy loss, 321
- gravitational redshift, 286*f*
- gravitational wave detector, 317
- gravitational waves, 302, 305, 316
 - sources, 305
- gravitomagnetic force, 93, 264, 328
- gravity
 - as geometry, 154
 - Newtonian, 19, 87, 152
- Gravity Probe B, 93, 333
- Green's function, 306–10, 322
- Green's theorem, 307
- Hamiltonian, 28, 30
 - canonical infinitesimal transformations, 38
 - canonical transformations, 37
 - equations of motion, 30–2
 - field, 200
 - relativistic, 71, 73
 - total energy, 73
 - transformation, 39
- Helmholtz equation, 309
- Hulse, Taylor, 321
- hyperbolic motion, 76
- identity transformation, 38
- ignorable coordinate, 18, 33
- indefinite length, 58
- induced metric, 341, 346
- inertial mass, 153
- infall
 - extended body, 287
 - light, 280
 - light and coordinates, 281, 284
 - massive, 277
- infinitesimal Lorentz boost, 70
- infinitesimal rotation, 48*f*, 53, 67*f*
 - generator, 69
- integration by parts, 3, 178, 180, 313
- intrinsic curvature, 141
- isometry, 40
- Jacobian, 182–4
- Kepler's second law, 52
- Kepler's third law, 52
- Kerr metric, 328, 331, 333
 - equatorial geodesic, 339
 - geodesics, 334–6, 339
 - linearized, 332
 - singularity, 337
- Killing tensor, 125*f*, 335
- Killing vector, 44, 46, 125
- Killing's equation, 44, 46, 53, 125*f*, 335
- Klein–Gordon equation, 196, 201–203
- Kronecker delta, 13, 24, 126
- Lagrange density, 175, 179, 181, 189, 200
 - particles, 198
- Lagrange multiplier, 74
- Lagrangian, 2, 5, 61
 - central potential, 8
 - classical, 12
 - classical mechanics, 2
 - for fields, 167, 173, 181
 - relativistic, 65, 78
 - scalar field, 174, 226
 - tensor field, 236
 - vector field, 226
- Legendre transform, 25–8, 30, 35, 73, 200
- length-extremizing curve, 124
- Lense–Thirring precession, 93, 333
- Levi–Civita symbol, 69
- Levi–Civita tensor density, 229*f*
- light-like, 58, 272, 299
- LIGO, 317, 321
- line element, 11*f*, 58, 63, 128
- linear ODE, 274
- linearized Einstein tensor, 261
- linearized gravity, 260
- LISA, 321
- local gauge invariance, 218, 222, 224*f*
- local rest frame, 64
- longitudinal waves, 172
- Lorentz boost, 59
- Lorentz gauge, 192, 209, 229, 297*f*, 312
 - GR, 306
- Lorentz gauge condition, 192
- Lorentz transformation, 58*f*
 - boost, 59, 70
 - infinitesimal, 70
 - infinitesimal generator, 71
 - rapidity, 60, 70
- lowering, 22, 107
- mass current, 262, 264
- mass distribution, 262
- mass in meters, 165
- massive scalar field, 196, 201
- massive vector field, 228
- matrix, 16
 - antisymmetric, 15
 - determinant, 126
 - inverse, 22
 - orthogonal, 101
 - rotation, 100*f*
 - symmetric, 16
- matrix–vector notation, 9
- Maxwell stress tensor, 162, 200, 212
- Mercury, 270
- metric, 9, 10, 12, 23, 107
 - as tensor field, 237, 242
 - Christoffel connection, 115*f*, 122
 - connection, 14, 123
 - derivative, 32

- metric (*cont.*)

derivative identity, 43

determinant, 182, 184

Euclidean, 9

indefinite, 58, 63

induced, 341

Kerr, 328, 331–3

line element, 11

Minkowski, 57*f*

perturbation, 251, 260, 301

Reissner–Nordstrom, 295

Schwarzschild, 257, 264

signature, 134, 183

spherically symmetric ansatz, 252, 255

transformation, 105

Weyl, 258
- metric connection, 115

metric density, 242

metric field, 157

metric perturbation, 251, 301

minimal substitution, 119, 224, 237, 245

minimal surface, 342

Minkowski diagram, 60

Minkowski distance, 82

Minkowski metric, 58

Minkowski space-time, 57

momentum conservation, 33

momentum density, 195, 199*f*

 scalar field, 194

momentum for relativistic particles, 199

monopole source, 305
- Nambu–Goto action, 347, 348

 static gauge, 350

Newton’s second law, 1

Newtonian

 gravity, 16, 87, 152*f*

 potential, 16, 19

Newtonian deviation, 158, 161

Newtonian gravity, 152*f*

Newtonian orbits

 Hamiltonian, 46

Noether’s theorem, 40, 173

 fields, 190

 particles, 40

non-tensorial derivative, 111

normal coordinates, 146–9, 151

null vector, 272, 281, 299
- observer at infinity, 287

open index, 14

orbital motion, 16, 46, 264

orbital period, 52

orthonormal basis, 292
- Palatini form, 242

parallel transport, 117–20, 129, 131, 133*f*, 145, 289

passive mass, 154

path dependence for parallel transport, 131

perihelion, 21

perihelion precession, 265, 268, 270

period, 269
- perturbation

 bending of light, 274

 perihelion precession, 268

plane-wave solution, 302

 exact, 323

plus polarization, 305

Poisson bracket, 39

polar coordinates, 6, 24, 183

polarization tensor, 299, 302*f*

polarization vector, 298

Polyakov action, 360

post-Newtonian approximation, 271

Poynting vector, 162, 200, 300

 gravitational, 318

precession, 265, 268

Proca equation, 229

projection, 106, 289

 transverse, traceless gauge, 319

prolate spheroidal coordinates, 165

proper time, 64, 72, 138

 light, 272

pseudo-Riemannian manifold, 128
- quadrupole moment, 314–6

quadrupole radiation, 315
- radial geodesic (Schwarzschild), 280*f*, 284

radial geodesics (Schwarzschild), 277

radial infall, 20

radial infall, massive, 278

radius of curvature, 139

raising, 22, 106

rapidity, 60, 70

redshift of light, 286

Reissner–Nordstrom metric, 295

relativistic

 circular orbits, 83, 85

 constant force, 76*f*

 infall, 82

 spring force, 78*f*

relativistic momentum, 72, 76

relativistic string, 345*f*

reparametrization invariance of action, 62, 71, 331, 342

reparametrization-invariant, 349

rest frame, 64, 290

retarded solution, 309*f*

Ricci curvature, 137

Ricci scalar, 137, 140*f*, 143, 256

Ricci tensor, 141, 143, 162, 241

 Bianchi identity, 163

 linearized, 238, 240, 249

Riemann tensor, 129, 132, 134, 136*f*, 142–6, 149, 161

 Bianchi identity, 149

 contractions, 140

 counting components, 149

 for flat space, 134

 geodesic deviation, 161

 linearized, 249, 303

 normal coordinates, 148

 symmetries, 146, 148

Riemann tensor (defined), 131

- Riemannian manifold, 127, 150
- Robertson–Walker cosmological model, 326
- Rosen
 - gravitational waves, 324
 - rotation, 67*f*, 99–101
 - Runge–Kutta, 337–9
 - Runge–Lenz vector, 126
 - scalar, 101
 - scalar density, 184
 - scalar field, 171, 173*f*
 - massive, 196, 201
 - Schwarzschild metric, 251, 257, 264
 - Eddington coordinates, 283, 285
 - light, 272–4, 276*f*
 - orbital motion, 268
 - Schwarzschild radius, 280, 286
 - second-rank tensor field, 231
 - self-coupling, 241
 - semi-major axis, 269
 - semicolon notation, 44
 - separation of variables, 41
 - additive, 41
 - multiplicative, 41
 - separation vector, 304
 - signature (metric), 134
 - sources in E&M, 213
 - sources in general relativity, 244
 - space-like, 58, 272
 - space-time, 57, 82
 - special relativity, 58
 - speed limit, 85
 - spherical coordinates, 8
 - spherically symmetric potential, 19
 - static gauge, 347, 352
 - stress energy tensor, *see* energy–momentum tensor,
 - see* stress tensor, 161–3
 - stress tensor, *see* energy–momentum tensor, *see* stress
 - energy tensor, 95, 192*f*, 195, 240, 244, 246, 261
 - conservation, 162, 192
 - continuity, 191
 - density, 246
 - E&M, 211
 - field definition, 191
 - fields, 192, 199
 - for linearized gravity, 239
 - for metric perturbation, 318
 - particle, 197
 - perfect fluid, 293
 - scalar field, 193
 - string
 - arc-length parametrization, 350, 357
 - boundary conditions, 351
 - effective mass density, 358
 - effective tension, 358
 - energy density, 356
 - equations of motion, 352
 - equations of motion (arc-length), 355
 - gauge choice, 349
 - momentum, 356
 - Nambu–Goto action, 347
 - Polyakov action, 360
 - static gauge, 350, 357
 - temporal parametrization, 350
 - wave equation, 353
 - strong equivalence principle, 156*f*, 237, 245
 - superposition, 226
 - tensor, 22*f*
 - antisymmetric, 15
 - contravariant, 22*f*, 98, 102, 103
 - covariant, 22*f*, 98, 106
 - covariant derivative, 113*f*, 125
 - covariant derivative (covariant form), 125
 - definition, 21
 - density, 184
 - derivatives, 111*f*
 - lowering, 22
 - matrix form, 15
 - mixed, 23
 - raising, 22
 - rank, 23
 - second-rank, 107, 108
 - symmetric, 15
 - tensor density, 184
 - derivative, 185
 - transformation, 184
 - weight, 184
 - tensor field equations, 232
 - tidal force, 292
 - time-like, 58, 272
 - torsion, 116, 128, 130
 - trace, 166, 232
 - stress tensor, 166
 - trace-reversed form, 232
 - traceless, 301*f*
 - transverse, 299, 301
 - transverse velocity, 351
 - transverse, traceless gauge, 301, 304, 316, 319, 325
 - twin paradox, 80*f*
 - units
 - Gaussian, 213
 - SI, 212
 - variation, 3*f*
 - variational derivative, 4
 - vector field, 205
 - vector plane wave, 299
 - vector potentials, 209
 - wave equation, 172, 178, 180, 298
 - weak equivalence principle, 153*f*
 - Weyl method, 251, 253–5, 295
 - E&M, 254*f*
 - general relativity, 255
 - Weyl tensor, 151
 - world-line, 60
 - world-sheet, 346
 - Young’s modulus, 172
 - zoom-whirl, 339