CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

Index

aberrant axonal sprouting, 170
AC component, 63
Acacia longifolia (coast wattle), 272, 279, 280, 281, 282, 283, 285
acoustic adaptation hypothesis,
acoustic fovea, 41
Acris crepitans blanchardi, 43
Acris crepitans crepitans, 43
activation, 8
activation function, 238
actor-critic learning, 16
adaptive behaviour, 346
adaptive gain control, 70
adaptive learning rate, 230
adjacency matrix, 137
Agapetus boulderensis (Trichoptera: Glossosomatidae), 353, 354, 367
agonistic encounters, 269
allele complex, 247
allopatric individuals, 188
allopatry, 187, 208
Alzheimer's disease, 160
amphibian audition, 41
Amphibolurus muricatus, 270, 271, 272, 279, 282, 288
amygdala, 2, 95, 98, 101, 111
amygdala-lesioned 1 rats, 95
amygdala-nucleus accumbens, 95
amygdala-nucleus accumbens pathway, 104
animal behaviour, 35, 318, 319, 320
animal signals, 269
Anolis lizards, 270, 288
ANOVA, 197
antecedent stimuli, 94
antennal lobes, 238
Anuran audition, 42
anurans, 41, 194
aposematic warning signal, 218
aposematism, 229, 231, 232
applying graph theory to the brain, 168
ArcView GIS, 357
artificial intelligence, 334
artificial life, 344, 348
artificial neural networks,
  as a black box, 7, 22, 359
  as a statistical tool, 308, 353
  as statistical models, 22
  biological analogy, 215
  general description, 220–2
  in evolution and ecology, 220
  principles, 8
  the problem of biological realism, 22–3
  to study character displacement, 189
  training, 13–16
  uses, 7, 215
artificial neurons, 8–9
artificial organism, 129
as back propagation, 336
associative learning, 295, 296, 303
associative memory, 135, 137
associative reward-penalty algorithm, 323, 330
assortative mating, 236, 247, 249
audition, 9
auditory cortex, 54
Australian lizard *Amphibolurus muricatus*, 269
autonomous learning, 110
autonomous robotics, 110
average degree, 136

Banksia integrifolia (coastal banksia), 279, 282, 284
BA model, 136
background complexity, 231
background matching, 216, 230
back-propagation, 3, 15, 116, 120, 122, 123, 126, 308, 310, 311, 313, 315, 319, 322, 323, 327, 330, 335, 336, 358
back-propagation algorithm, 220, 326
back-propagation through time, 77, 87
barn owls, 41
basal ganglia, 95
basilar papilla, 43
basolateral amygdala complex (BLA), 98

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

Batesian mimicry, 218, 223, 232
Bayesian approaches, 318
behavioural ecology, 54, 220, 308
behavioural syndromes, 316
benthic insects, 352
benthiscapes, 352
bias, 220, 251
biodiversity conservation, 351
biological analogy of the artificial neuron, 9
BOLD, 162
Bonferroni corrected alpha level, 198
bottom-up selective attention, 274
brachial lobes, 383
brain, 135
brain tumour, 2, 94, 149, 150, 160, 166
brain tumours and network topology, 173

Caenorhabditis elegans, 135, 139, 142, 143, 147, 155, 159
cactus bugs (*Chelinidea vittiger*), 368
camouflage, 216, 217
cAMP, 382
canonical genetic algorithm, 338
cat cortex, 159
catastrophic forgetting, 122
catecholamines, 382
cats, 159
cellular encoding, 342
central tendency effect, 302, 303
centre-surround operations, 274
cephalopod, 374, 375, 377
cephalopod statocyst, 375, 379
cephalopod vestibular system, 3
cerebral cortex, 159
cGMP, 382
character displacement, 2, 190, 194
chimpanzee, 266
cholinergic system, 380
chromosomes, 338, 340
cichlid fishes of Lake Victoria, 38
classical conditioning, 93, 94
clustering coefficient, 136, 143, 146, 147, 155, 169
cognition and network topology, 167
cognitive functioning in brain tumour patients, 152
cognitivist view, 114
combinatoriality, 265
communication network, 2
comparison of encoding schemes, 343, 346
comparison of evolutionary optimisation methods for artificial neural networks, 339
compensatory mechanisms of synchronisation, 168
complex networks, 136
computational embodied neuroscience, 96–7, 110
concealment, 216
conditional entropy, 259
conditional mutual information, 259
cones, 38
confusion effect, 310
conjugate gradient descent algorithm, 358
connection weight approach, 335, 360
connection weights, 129, 359, 360
connectionism, 2, 18
connectionist encoding, 338
connectionist models, 189
connectionist view, 114
consciousness, 158
conspecific, 190
conspecific calls, 187–215
conspicuity map, 274, 278
constructive method, 336
context nodes, 20
convergence times, 337
correlation-type motion detector, 63
cortex-basal ganglia pathway, 108
cortex-dorsolateral striatum, 95, 103
cortex-dorsolateral striatum pathway, 101, 103
cosine grating, 276
credit assignment problem, 15
cricket frog, *Acris crepitans*, 43, 44
crista, 386
crista epithelium, 376, 383
crista morphology, 376
crista strip, 376, 377
crista/cupula system, 375, 377
critical thresholds, 366, 369
cross-validation, 17, 18, 222
crossover, 340, 341
crypsis, 226, 227, 231, 232
cryptic colouration, 217, 227
CS-US associator, 95, 101
cultural learning in populations of neural networks, 347
cupula, 376, 377, 384
cupula displacements, 378

Darwin, 53, 335
DC component, 63
deceitful signalling, 218
decision line, 12
degree correlation, 155, 169
degree distribution, 144, 146, 147, 155
Delaunay triangulation, 313
delta rule, 15
descriptive model, 21
destructive method, 336
desynchronisation, 171
devaluation, 2, 94, 98
development of spatial representations in robots, 347
dichromatic vision, 38
diet breadth, 236

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

dimension reduction, 27
direct encoding, 338
discrete network predictive states, 311
discriminant analysis, 196
disruptive colouration, 216
disruptive selection, 236, 237, 243, 249
distractive marking, 217
distributed information processing, 162
distributed, partially autonomous components, 255
dopamine, 102, 104, 105
dopamine D2 receptors, 162
Dorogovtsev–Mendes–Samukhin (DMS) model, 135, 140
dorsal stream, 116
dorsomedial striatum, 95

early stopping procedure, 310
echolocation, 41
ecological learning, 318, 319, 320, 329
ecological specialisation, 2
ecological thresholds, 351
  definition, 351
ecology, 1, 3
edge encoding, 342
EEG, 153, 168, 170, 171, 174
EEG coherence, 163
effect of brain tumours on network properties, 162
eigenvalues, 198
electrical coupling within the crista network, 381
electroencephalography (EEG), 152, 160
Elman architecture, 21, 191
Elman network, 2, 20, 21, 44, 191
emancipation, 39
emergent property, 77
empiricism, 120, 129
Endler, 35, 37
endolymph filled cavities, 375
environmental management, 351
epilepsy, 150, 171, 175
epileptic seizure, 149, 164
epileptic seizure (epileptogenesis), 152
epoch, 310, 358
error, 13
errorless discrimination learning, 296, 298, 299, 309
error-weight hyperspace, 310
error-weight surface, 311
evolution,
  of connection weights, 336
  of guilds, 242
  of learning rules, 335
  of neural network architectures, 334, 336
  of primates, 128
  of primate vision, 38–9
  of sexual ornaments, 39
  of specialists versus generalists, 243
  of transfer functions, 335
  of weights, 335
evolutionary biology, 1, 3, 215
evolutionary computation, 334
evolutionary connectionism, 114
evolutionary ecology, 220, 308
evolutionary training, 221
exclusion dependence, 261
expected outcomes, 94
extinction, 110

feature contrasts, 274
feature map, 274, 277, 278
feature-detector, 45
feedforward network, 220, 251
feedforward connections, 77, 85
feedforward networks and classification, 9–13, 10, 35, 39, 40, 223, 229, 270, 296, 308
feedforward neural network, 2, 3, 10, 238, 309, 315, 322
feedforward neural networks to represent ecological learning, 329
FEF, 84, 85
female preferences, 188, 209
Finnish language sounds, 51
fitness formula, 120
fitness function, 45, 221
flies, 309
flower detection, 38
fly motion detection, 64
fly visual system, 64, 68
fMRI, 168
fMRI BOLD, 159
Fodor, 114
forskolin, 382
Fourier analysis, 24
Fourier transform, 45
fovea, 127
freshwater snail *Physa sp.* (Pulmonata: Physidae), 353, 354
frog, 128
functional magnetic resonance imaging, 159–60

GABA, 380
Gabor filters, 275, 276
GANNet, 340
Gaussian envelope (2D), 276
Gaussian filter, 276
Gaussian pyramid, 274, 275, 276, 289
Gaussian signal and noise distributions, 70
gaze-centred coordinate system, 75
gaze-centred receptive fields, 75
gaze-fixed target, 77, 79, 80, 82, 84, 85, 86
generalisation, 9, 16–18, 116, 123, 222, 259

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

generalisation gradient, 296, 299
generalise, 127
GENESYS, 340
genetic algorithm, 45, 118, 120, 126, 129, 193, 196, 199, 221, 319, 331, 335, 337, 340, 341, 347
genetic algorithm encoding strategies, 338
genetic drift, 35
genetic interference, 2, 118, 120, 121, 129
genetic recombination, 120
GENITOR, 338
gliomas, 150
global minimum, 14, 359
global searching capability of genetic algorithms, 336
goal-directed behaviours, 94
golden lion tamarins (*Sanguinus oedipus*), 256
gradient descent, 14
gradient descent algorithms, 296
gradient descent techniques, 336
gradient detector, 63, 64, 65, 66, 67, 70
gradient detector model, 273
gradient motion detector, 2, 63–71, 289
grammar trees, 342
graph theoretical properties of MEG recordings, 161
graph theory, 153
graph theory and brain tumour patients, 164
grasshoppers, 41
green odour, 237
green-eyed tree-frog (*Litoria genimaculata*) 211
group-selection, 242
growth encoding, 343

H1 neuron, 69
habitat fragmentation, 351
habitat heterogeneity, 228
half frequencies, 46, 47
Hardy–Weinberg equilibrium, 249
Hassenstein–Reichardt, 63
Hebb, 27, 50
Hebbian, 52
Hebbian learning, 51
Hebbian modulation, 385
Hebbian rule, 137, 138
heterogeneous benthic landscape, 352
heterophages, 243
heterospecific, 190
heterospecific calls, 187–215
hidden layer, 10, 19, 44, 77, 80, 85, 87, 126, 191, 229, 309
hidden nodes, 251
hidden preferences, 35
hidden units, 80, 81, 82, 85, 119
high-grade glioma (HGG), 150, 151
hippocampus (Hip), 101, 170
historical development of artificial neural networks, 374
homogenising effect of genetic recombination, 246
honest signalling, 218
Hopfield model, 134, 135, 136, 137, 139, 146, 147
Hopfield network, 2
host races, 236
human brain, 149
humans, 74, 159
hyberbolic tangent (tansig), 191
hydrodynamic drag, 354
hyperbolic tan (tanh) activation function, 309
hypersynchronisation, 171
hypersynchronisation and epilepsy, 171

ICEAsim, 98
ideal free distribution, 240, 243
incentive learning, 94
incorporating costs into artificial neural network models, 48
indirect encoding, 341
inferotemporal cortex (IT), 101, 116
information flow or on selection for signalling system robustness, 255
information theory, 53
innatism, 129
insect path integration, 346
instrumental conditioning, 2, 93, 94, 98, 101, 109
insular cortex (IC), 101
integration of segregated components, 259
interictal period, 152
internal representation, 19
interpreting the contributions of the independent variables in neural networks, 359
intimidating eyespots, 219
intracellular calcium concentration, 382
intraoperative electrocorticography (ECoG) recordings, 172
Ising model of spin glasses, 134

jumping spiders (Habronattus dossenus), 256

killifish, 38
knockout distribution, 262
knowledge representation in artificial neural networks, Kohonen's self-organizing map (SOM), 50

landscape ecology, 351
landscape heterogeneity, 352
larva (*Agapetus boulderensis)*, 353
lateral intraparietal area (LIP), 75
layer-based encoding, 340
leaky integrate-and-fire neurons, 2, 70, 275, 276
learning, 318
learning algorithm, 122
learning rate, 87
learning rules, 337
learning speed, 327

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

learning temporal sequences, 20–1
left hemisphere, 164
Lepidoptera, 219, 230
lesioned brain, 162
Leucopogon parviflorus (coast bearded heath), 272, 280, 281, 283, 285
LGG, 169
Lindermayer-systems, 343
Linear separability, 11
linear transfer function, 230
linkage, 120
LIP, 77, 79, 80, 83, 84
LIP neurons, 75, 85
LISP symbolic expressions, 340
lizard, 2
lizard displays in plant motion noise, 275
local inhibition, 276
local maxima, 335, 336
local minimum, 14
local optima, 45
logistic function, 86
logistic sigmoid function, 229
Lomandra longifolia (mat rush), 272, 280, 281, 283, 285
low-grade glioma (LGG), 150, 151
low-pass filtering, 64
Lycaena butterflies, 38

macaque cortex, 159
macaques, 159
macula cells, 376
macula system, 375
magnetoencephalography (MEG), 152, 160
magnocellular lobes, 383
maltodextrin, 98
mammal brain, 95
mammalian somatosensory cortex, 49
MANOVA, 197
marker-based encoding, 341
Markov transition matrix, 257
Marr's hierarchical analysis, 23–6
masquerade, 217
matched filter, 53
mate choice, 2
mate recognition, 188
matrix rewriting, 342
McCulloch–Pitts neurons, 9, 137
medial temporal lobe, 111
MEG, 154, 157, 169, 174
mimetic hoverflies, 224
mimicry, 218, 244
Mini Mental State Examination (MMSE), 167
model neuron, 8
modularity, 2, 114–34, 341
modularity of mind, 114
modulation of electrical coupling, 382
monkeys, 74, 75, 76, 79, 88
monophages, 243
Monte Carlo method, 138
Monte Carlo simulation, 139
motion detection, 2, 25
motion detector algorithms, 271
motion vision, 63
moustache bats, 49
movement-based visual signals, 269
MRI, 151
MT in primates, 26
Müllerian mimicry, 218, 321
multi-channel signals, 255
multi-dimensional hyperspace, 221
multi-layer perceptrons, 11
multi-modal signals, 2, 255, 256
multi-modality, 265
multiple back-propagation iterations per experience, 324
multiple sclerosis, 160
multi-response artificial neural network (MANN), 357, 362
mushroom bodies, 238
mutation, 194
mutation rate, 120
mutual information, 259

nativism, 120
natural selection, 2
negative fitness, 193
neocortex, 26
network complexity, 259, 265
network theory, 153, 173
network topology, 150, 175
neural interference, 117, 120, 122
neural interpretation diagram, 360, 361, 363
neural limitations hypothesis on niche width, 237
neural module, 259
neural network error surface, 313
neural network models of topographic maps, 50–2
neural network structure and functioning, 2
neural networks, 134, 136
neural networks and epilepsy, 170
neural networks and stock market prediction, 22
neural networks as a black box, 3, 318
neurobiology, 3
neuro-evolution, 337
Neuro-evolution of Augmenting Topologies (NEAT), 341
neuro-oncology, 150
neuroscience, 110
niche overlap, 243
niche specialisation, 240, 243, 250
niche width, 249, 251
nitric oxide, 382
node-based encoding, 340

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

noise in sensory systems, 269
nonlinear regression, 18
Noyes pellets, 98
nucleus accumbens, 95
Nymphalini, 250

Octopus statocyst, 376
ocular dominance, 28
odour, 237
old world apes, 38
olfactory receptor proteins, 248
oligophages, 243
operant conditioning, 93
optic flow fields, 289
optimal brain functioning, 158
optimal neural network architecture, 16–17
output layer, 10
overfitting, 17

Pagastia partica, 354
parallel distributed processing, 15, 20
parallel processing, 11
path dependence, 3, 295, 303, 304, 309, 316
path length, 134, 145, 146, 147, 155, 169
pattern classification, 11
pattern recognition, 9
pattern recognition and object tracking principles, 289
Pavlovian conditioning, 93, 101, 109
Pavlovian instrumental transfer, 94
PCA, 27
peak shift, 296, 298, 301, 309
perceptron, 9, 237, 257, 258
perceptual allocation, 1
perceptual bias, 1, 36
perceptual processes, 1
phase lag index (PLI), 164
pheasant trains, 39
phylogenetic history, 35
Physa sp., 367
physiological connections of the crista/cupula network, 377
phytophagous insects, 236, 249
pigeons, 224
plant motion, 270, 271
plant motion noise, 279
pleiotropic effect, 209
pleiotropy, 35
Poisson distribution, 136, 146
Poisson nature of photon emission, 66
pontine tegmental nucleus (PPT), 102
population genetics, 120
posterior intralaminar nucleui of thalamus (PIL), 101
posterior parietal cortex, 116
postictal period, 152
post-zygotic reproductive isolation, 236, 248, 250
power grids, 134
power law degree distribution, 140
power plants in the USA, 155
prefrontal cortex (PFC), 101
premotor cortex (PM), 103
prey colouration, 2, 215
pre-zygotic reproductive isolation, 236, 248, 250
primary brain tumours, 150
primary sensory hair cells, 376
primate brain, 2, 75
primate cortical visual systems, 116
primates, 2, 309
principal component analysis, 198
principle of robust overdesign, 267
problem solving through imitation, 344
pseudo-Newton error minimisation method, 311
psychology, 3, 110
pulse length, 195
pulse rate, 195
pure linear transfer function, 193

quantifying variable importance in neural networks, 359
quantum catch, 37
quantum flux, 37, 42, 53
quickprop, 323

raccoon, 50
radial basis function network, 229
rand, 44
random brain networks, 173
random network, 135, 141, 142, 144, 146, 147, 154, 155, 158
random walk, 310, 313
randomisation test for eliminating connection weights, 360
receiver operating characteristic (ROC), 80, 89, 90
receptive fields, 79, 89
reciprocal thalamo-cortical connections, 103
reciprocally connected leaky neurons, 101
recombination in sexual reproduction, 236
recurrent connections, 21, 77, 85
recurrent hidden layer, 76
recurrent neural network, 45, 77, 80
red queen, 244
region of interest (ROI), 277
regular network, 141, 155, 158
regular-random network, 135, 139, 140, 141, 144, 145, 146
Reichardt motion detector, 2, 63–74, 289
reinforcement, 208, 209, 324
reinforcement learning, 16
reinforcement learning algorithms, 93, 94
reinforcement learning model problems, 94

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

replication, 308
reproductive character displacement, 187, 188, 189, 208, 209, 211
reproductive character displacement and speciation, 198, 203
reproductive isolation, 208, 236
retinal ganglion cells, 379
retrieval time, 135, 139, 141, 146
rhesus monkeys, 77, 87
ritualisation, 39
RNA secondary structure, 116
robotic rat, 95
robots, 110
robust, multi-modal, signals, 255
robustness, 2, 263, 284, 308
  informal definition, 261
robustness and measures of complexity, 267
robustness and recurrent networks, 262
Rprop, 323

saccade, 74, 75, 77, 85, 88
saccadic eye movements, 271
Saccharomyces cerevisiae, 130
salience, 270
salience map, 290
saliency, 286
saliency analysis: identifying the focus of attention, 274
saliency map, 2, 274, 276, 278
saliency model, 275, 289
Sammon mapping, 311, 313, 314
scale-free network, 134
Scaphiopus couchii, 190, 195
second-order polynomial regression, 197
secondary brain tumours, 150
secondary defence, 228
secondary sensory hair cells, 376
seizure, 171
seizure onset in relation to network topology, 172
selection to avoid mating with heterospecifics, 208
self-organisation, 27
self-organising networks, 27
self-organising feature map, 51
self-shadow concealment, 217
sensitivity analysis, 361, 362, 365, 366
sensory drive, 35, 36
sensory drive model, 289
sensory ecology, 35, 36, 40, 54
sensory exploitation, 36
sensory map, 309
sequential learning, 129
S-expressions, 340
sexual reproduction, 2, 129, 246
sexual signals, 187
Shannon entropy, 258
Shannon information, 258
shrews, 52
sigmoid function, 252
sigmoid transfer function, 327
signal detection theory, 53
signal efficacy, 282
signal robustness, 267
signalling, 218
signalling and evolutionary innovation, 267
signalling systems, 255
simulating rat, 95, 99
simulating the evolution of conspecific recognition, 193
sine grating, 66
sinusoidal displacement of the cupula, 378
small world, 147, 150, 161, 169, 171
small-world network, 2, 134, 135, 141, 142, 154, 158, 170
small worldness, 155
social network, 2
somatosensory cortex, 50, 54
sonogram, 47
space constancy, 74
spadefoot toad, *Spea multiplicata*, 190
spatial working memory, 84
Spea bombifrons, 190
speciation, 188, 189, 210, 211
species recognition, 209
spinal cord injury (SCI), 162
squashing function, 8
S-R associations, 95, 101
star-nosed mole, *Condylura cristata*, 50
statoconia, 375
statocyst, 375, 383, 385
statocyst crista/cupula system, 379
statocyst sphere, 376
statolith, 375
stochastic multi-modal communication, 255–257
stochastic replication, 312
stochastic replication of artificial neural networks, 309, 315
stochastic replication of training, 310
stomatopods, 38
storage capacity, 135, 143, 146
stream benthiscapes, 352
striatum, 95
string instrument players, 49
Stroop processing, 28
Stroop task, 29
suboesophageal lobes of the brain, 383
suitability of different weight optimisation algorithms, 323
supervised training, 13
Sutton & Barto, 93
sympatric speciation, 2, 188, 236, 237, 249, 250
sympatry, 187, 208

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-76395-0 - Modelling Perception with Artificial Neural Networks
Colin R. Tosh and Graeme D. Ruxton
Index
More information

synaptic connections, 137
synchronisation of networks, 156

tail flicking, 270, 279, 282, 284
tamarin, 265
target audience, 1, 3
temporal difference learning, 16
temporal lobe epilepsy (TLE), 170
temporal lobe seizures, 171
temporal-difference learning algorithms (TD-learning), 94
terrestrial insects, 352
test pattern, 17
lesioned brain, 162
theoretical cumulativity, 96
three-layer network, 10
three-layered feedforward, 238
three-layered recurrent neural network, 76, 83
threshold function, 221, 229
threshold logic unit, 9
timescale of ecological learning and evolution, 321
T-maze, 330
topographic maps, 49
topographic maps of retinotopy, 27
topographical representation, 49
touch, 49–50
training, 10, 220
training feedforward networks, 13–16
training set, 10
transfer functions, 220, 221, 229, 337
trial-and-error learning, 98
trichromatic vision, 38
TSE Complexity, 260, 264
Tukey–Kramer HSD, 197
tumour, 165, 173
tumour-related epilepsy, 94
túngara frog, 2, 44, 45, 46, 47, 53, 190, 191
Turing machine, 342
unimodal signals, 256

V1, 27
validation set, 18
vertebrate retina, 384
vestigial preferences, 46, 47
visual cortex, 52, 116
visual cortical area V1, 26
visual leaky-neuron layer, 103
visual sensory cortex (SC) leaky-neuron layer, 103
visual space, 2
visualising direct and interactive variable effects, 359
Von Neumann, 261

Wada test, 163
Walther & Koch, 274, 276
warning signals in prey, 321
water-filling principle, 68
Watts & Strogatz, 134, 154, 156, 158, 159
Watts–Strogatz model, 145, 146
Webots*TM*, 98
weight, 86
weighted graphs, 174
weighted networks, 157
weighted versus unweighted graphs, 156
weights, 8, 9, 335
Werbos, 15
'What' task, 116, 117
'Where' task, 116, 117
white noise, 191, 196
whole cell patch clamp recordings, 379
Widrow & Hoff, 15, 296
wind-blown plants, 270, 272, 282
winner-take-all algorithm, 51
winner-take-all neural network, 2, 270, 271, 275, 276
winner-take-all neural network of leaky integrate-and-fire neurons, 274
winner-take-all neuron, 276
world-fixed target, 77, 80, 82, 84, 85, 86
WS model, 136, 139, 141, 143

XOR problem, 343

Zahavi, 36

δ rule, 315, 296

© in this web service Cambridge University Press www.cambridge.org