

Index

- absolute loss, 88
- absolute score, 125
- Alias's paradox, 74
- aliasing, 306
- alibi creation, 320
- ambience, 188
- AMP models, 242
- analyst, 5
- ancestor, 208
- ancestral graph, 208
- ancestral set, 208
- anchoring, 114
- Arrow's paradox, 68
- assessment of prior information, 112
- asymptotic unidentifiability, 305
- attributes, 217
- auditor, 5, 13
- availability, 114
- average cause, 268
- axiom of comparability, 105
- axiom of probabilistic determinism, 65
- axiom of strong substitution, 74
- axiom of weak Archimedean, 69
- axiom of weak substitution, 71

- backdoor criterion, 273
- Backdoor theorem, 272
- backwards induction, 50
- balls in a bag, 103
- Bayes decision under linear utility, 11
- Bayes decision, 78
- Bayes rule in court, 20
- Bayes rule, 15
- Bayesian inference, 3
- Bayesian network, 203, 206
- beta - binomial prior to posterior analysis, 141
- beta density, 140
- betting wheel, 103
- bifurcating decision making, 93
- bimodal, 149

- bounded utility functions, 97
- Brier score, 124

- calibration, 118
- called off bet, 107
- Cauchy density, 95
- causal Bayesian network, 265
- causal directionality, 213
- causality, 14, 261
- chain event graph, 241
- chain factorisation, 288
- chain graphs, 242
- characterisations of classes of utility function, 84
- child, 29, 208
- clique, 227
- coherent probability, 106
- common cause, 214, 222
- compatible order, 249
- compliance, 264
- computable sequences, 121
- computer generated English, 195
- conditional independence, 16, 199
- conditional utility function, 176, 189
- Condorcet's paradox, 68
- confidentiality, 188
- conflict between data and prior, 149
- conflicting decisions, 91
- conjugate family, 140
- consequences, 44
- consistent estimator, 309
- context specific Bayesian network, 240
- contingencies, 194
- controlled causality, 262
- convex loss functions, 96
- core of an influence diagram, 255
- counterfactual inferences, 263, 160
- credence decomposition, 43, 159, 282, 283, 286, 313
- criterion weight, 172, 176, 189
- current judgement optimal, 47

336

De Finetti theorems, 133
 decision analysis, 3, 4, 9
 decision conferences, 187
 decision problem representation, 248
 decision rule, 46
 decision space, 10
 decision subtree, 49
 decision table, 10
 decision tree, 182
 decomposable, 208, 230
 density factorisation, 282
 density with tight tails, 312
 directed acyclic graph, 206
 directed graph, 29
 directed tree, 29
 Dirichlet density, 143
 Dirichlet-multinomial prior to posterior
 analysis, 145
 distributions closed under sampling, 139
 domain expert, 188
 dominating decision rule, 56
 double counting, 160

elicit a beta prior, 141
 eliciting a Bayesian network, 217
 eliciting a utility function, 178, 187
 eliciting mass functions, 225
 empirical score, 125
 empirically well calibrated, 120
 episodic tree, 35
 equivalent sample size, 142
 estimating probabilities in a Bayesian
 network, 298
 estimating probabilities on trees, 292
 event tree, 31
 exchange rate method, 181
 exchangeability, 133
 exchangeable sequence, 309
 expected monetary value, 11
 expected utility maximisation for continuous
 variables, 86
 expected value of perfect information, 84
 experiments, 282
 expert, 5, 13
 explicit features, 219
 extensive form analysis, 50
 extensive form influence diagrams, 259
 extensive form tree, 47

facilitator, 188
 factorisations, 205
 features, 217
 finite additivity, 111, 204
 floret, 29

Index

functioning posterior, 307
 functioning prior, 307

gamma density, 146
 genuine posterior, 307
 genuine prior, 307
 global independence, 299

hidden cause, 264
 hidden variable, 270
 hierarchical models, 133, 283
 Hilbert space, 204
 historic influence diagram, 250
 historic tree, 29, 77, 262
 hyper-Dirichlet family, 304

identifying a total cause, 270, 272
 idle Bayesian network, 265
 idle probability tree, 33
 implicit features, 219
 indifference curves, 170
 influence diagram, 248, 250
 irrelevance, 199, 201
 isomorphic trees, 36

Jensen's inequality, 82
 junction tree, 229, 233

Law of Total Probability, 15, 138
 leaf, 29
 Level 1 features, 217
 Level 2 features, 217
 linear model, 150
 local independence, 299
 local log density ratio distance, 310
 log – likelihood ratio, 18
 log odds ratio, 17
 logarithmic pool, 319
 logarithmic score, 124
 logistic regression, 152
 loss function, 10

majority voting, 68
 manifest variable, 270
 marginal likelihood, 137
maximum a posteriori (MAP) models, 156
 midpoint method, 82
 minimum length credibility interval, 88
 mixed graph, 208
 mixtures of densities, 154
 model selection, 156
 moralised graph, 208
 multilevel models, 133
 multilinear, 173
 multiregression dynamic model, 277

- multivariate normal-inverse gamma regression
 - prior, 149
- mutually utility independent attributes, 177
- naïve Bayes model, 15, 16, 200
- negative binomial mass function, 147
- network of simulators, 266
- non-linear utility function, 89
- non-ancestral sampling, 295
- non-conjugate inference, 151
- non-linear utility function, 73
- non-separable missingness, 305
- normal form tree, 54
- normal-inverse gamma density, 147
- normal/Gaussian density, 149
- normal/Gaussian univariate density, 147
- no-stake condition, 109
- observational studies, 282
- observed system, 265
- pair preferentially utility equivalent
 - attributes, 177
- parallel situations, 31, 32, 239
- parameter independence, 304
- parent set, 206
- parent, 29, 208
- Pareto density, 146
- parsimony, 255, 256
- pattern, 212, 303
- pay-off, 11
- peer pressure, 264
- perfect composition of irrelevance, 202
- phylogenetic trees, 306
- placebo effect, 264
- plausible results, 138
- Poisson ancestral sample, 293, 302, 296
- posterior density concentration, 308
- posterior inferences, 132
- posterior log odds, 18
- posterior mass function, 10
- posterior probabilities, 15
- posterior probability density, 137
- power law density, 146
- power steady model, 278
- precision matrix, 150
- predictive inferences, 132
- predictive mass function, 143
- preferential equivalent, 170
- preferential independence, 171
- prejunction tree, 233
- prequential analysis, 122
- prior log odds, 18
- prior probability density, 136
- prior to posterior analyses, 136, 132
- probability mass function, 10
- probability propagation, 229
- probability tree, 31
- problem structuring, 162
- proper scores, 123
- proper scoring rule, 123
- prosecutor fallacy, 22, 114
- provisional analysis, 25
- quadratic loss, 87
- qualitative beliefs, 248, 201, 210, 253, 258
- qualitative preferences, 175
- real time support, 193
- recorder, 188
- reduced graph of an influence diagram, 250
- reference priors, 159
- referenced utility function, 70
- regression model, 150
- relevance, 199, 200
- remainder set, 206
- representativeness, 114
- requisite, 119, 209, 222, 256
- reversing conditioning, 14
- robustness to prior mis-specification, 306, 311
- rollback decision tree, 46, 47
- root to leaf path, 28, 298
- root vertex, 29
- running intersection property, 232
- sampling density, 136
- sampling probability mass function, 136
- sampling schemes, 282
- sampling subtree, 36
- scientific judgements 14
- scoring rule 123
- semi-graphoid, 200, 203
- sensitivity analysis, 116, 189, 216, 307
- separable likelihood, 286, 286
- separate, 209
- separators, 232
- Sets of irrelevances, 203
- simple preferential independence, 171
- singly utility independent, 173
- situation, 29
- skeleton, 208
- St Petersburg paradox, 62
- stable decisions, 96
- stage of a tree, 295
- staged tree, 239, 296, 299
- states of nature, 10
- step payoff, 88
- storage on Bayesian networks, 224
- storing cliques, 227

338

storing conditional probabilities, 224
strictly dominating decision rule, 56
student t density, 148, 149
subjective probabilities, 103
support theory, 114
surprise, 138
symmetry of irrelevance, 202

targets, 66
temporal coherence, 58
the strong likelihood principle, 137
time series, 276
total cause, 268
total order, 67, 67
trace-back graph, 218

Index

triangulation, 229, 230
two time slice dynamic model, 277

undirected Markov graphical models, 242
uniform decision problem, 249
utility independence, 170, 173, 174
utility trees, 184
utility, 64

valid DAG, 206
valid influence diagram, 250
value independent attributes, 180, 181
value tree, 185
variation distance, 307
variational dependence, 172