

Index

- Abrus*, 368
- Acacia*, 368
- Acanthocercus*, 368
- Actinoscirpus*, 441
- adaptation, 3, 11, 18–21, 28, 67, 69–70, 83, 142, 170, 178–181, 185–187, 194, 214, 281, 295–296, 316, 322, 324, 357, 459, 461–464, 476, 507
 - drought, 143
 - phytochrome, 21, 182–183
- Adelanthus*, 503, 505
- Africa, 28, 157, 166, 169, 188, 190, 252, 256, 273–274, 282, 284, 287, 290, 292, 296, 304–306, 309–310, 313, 346, 348, 351, 353, 356, 360, 415, 441, 444–445, 447, 452
 - East, 25, 254, 304–305, 312–313, 316
 - sub-Saharan, 28, 252, 346, 348, 351, 353, 356–357, 360
 - West-Central, 312–313
- alder, 23
- Alectoria*, 466, 468, 470
- algae, 21, 201–220, 239, 457
 - terrestrial algae, 21, 202–204, 207–208, 211, 214, 216, 218–220
- Alloteropsis*, 165
- alpine plants, 22
- altitude, 22, 141–142, 147, 161, 203, 462, 490, 495–499, 501–502, 506–507
- Amandinea*, 461
- amphibians, 13, 26–28, 252, 256, 385, 396, 399, 402, 404–405, 417–418
- analogue communities, 28
- Anastrophyllum*, 505
- ancestral area reconstruction, 268, 274
- Aneides*, 416
- Angiosperm phylogeny group (APG), 145–146
- angiosperms, 7, 16, 123–126, 129–132, 135, 141–142, 144–145, 289, 325, 440–441
- Annonaceae, 304, 306–307, 313, 316
- anoxia, 110
- Antarctica, 8, 47, 59–60, 203, 209, 217–218, 362, 461, 465
- Anthemis*, 238
- Apatococcus*, 203, 205, 209, 213, 218
- Arabia, 365–366, 368–369, 371–377
- Arabidopsis*, 183–184
- Araucaria, 14
- Arctic, 6, 20, 23, 57, 60–61, 110, 115, 441, 460, 501
- arctic-alpine, 27, 492, 501
- Arctostaphylos*, 468, 470, 499
- Arecaceae, 284
- ascomycetes, 458–459
- Asia, 6, 55, 273, 285, 305, 445, 450, 476
- aspen., *See Populus*
- assortative mating, 188, 190, 193
- Asteraceae, 73
- Australia, 13, 15, 59, 157, 159, 169, 186, 239, 268, 271, 307, 442, 445
- Bailey trends, 145
- Bazzania*, 503
- belemnites, 10
- benthic zones, 11
- Betula*, 498
- biodiversity,
 - crisis, 29, 87, 387
 - informatics, 231
 - hotspots, 15, 306, 381–383, 387, 410–412, 415, 420, 476
- biogeochemical weathering, 26
- biogeography, 11, 70, 110, 160, 201–202, 208, 239, 265, 271, 281–283, 293, 304–305, 385, 461
- disjunct distribution, 316, 503

Cambridge University Press

978-0-521-76609-8 - Climate Change, Ecology and Systematics

Edited by Trevor R. Hodgkinson, Michael B. Jones, Stephen Waldren and John A. N. Parnell

Index

[More information](#)

- biogeosphere, 10
- biomes, 11–13, 110, 114, 117, 156–157, 160–163, 165, 170–171
 - biome shifts, 26, 114
- bioprospecting, 72
- bioremediation, 72
- BirdLife International, 346, 348, 350–352
- birds, 19–20, 22–23, 26, 28, 177–179, 181, 185, 188–193, 235, 268, 348, 361, 396, 399, 415
 - blackbirds, 239
 - Geospiza*, 80
 - migratory, 178–179, 188–190
 - rufous hummingbird, 23
 - song evolution, 25
 - Swainson's thrush, 25
 - timing of egg laying, 189
- boreal forest, 18
- botanic gardens, 85, 180
- brachiopods, 10
- Bracteacoccus*, 207, 218
- bryophytes, 27, 126, 360, 490–492, 497, 499–501, 503–510
- Buellia*, 461
- butterflies, 23, 185, 415
 - African plain tiger, 23
 - Edith's checkerspot, 22
 - Maculinea*, 81
 - sooty copper, 23
- C₃ photosynthesis, 17, 129, 159–161, 164–165, 443–445, 452–453
- C₄ photosynthesis, 17, 125, 136, 156–157, 159–163, 165–170, 440, 443–447, 450, 453
- caecilians, 404
- Calluna*, 468, 496–497, 499–501, 504–505
- Cambrian explosion, 7
- Candelariella*, 461
- candidate genes, 20–21, 184
- carbon cycle, 10, 15, 48, 51, 55, 127–129
- carbon sinks, 10–11
- Carboniferous, 7, 54–55, 103, 113, 127
- Carex*, 440–441, 443, 451–452, 500
- catastrophic change, 113–114
- Cavernularia*, 464
- Cenozoic, 7, 13, 45, 47, 49, 54–55, 57, 59–60, 101–102, 111, 124–125, 127, 129, 133, 157, 162, 280, 282, 296
- Centaurea*, 257
- Cetraria*, 468
- Charophyceae, 207
- Chlamydomonas*, 211–212, 220
- Chloranomala*, 212
- Chlorella*, 203–204, 207–209, 211–213, 216, 218
- Chlorococcum*, 203–204, 207–208, 211–212
- Chlorokybophyceae, 207
- Chlorophyceae, 206–208, 214, 218
- Chlorophyta, 202, 206
- chloroplast DNA, 18
- Chlorosarcinopsis*, 203, 205
- CITES, 25, 265–266, 411
- cladistic, 75
- Climate
 - cloud feedbacks, 53
 - forcing, 8
 - general circulation, 50–51, 248, 353
 - modelling, 44, 49, 371
 - reconstruction, 141, 150
 - regional climate model (RCM), 53
- climate variability, 45
- clinal variation, 21
- coccolithophorids, 202
- coevolution, 18, 45, 157, 187
- Coleochaetophyceae, 207
- Coleoptera, 16, 87
- common garden experiments, 21, 180, 463
- comparative biology, 70, 74, 385
- competition, 11, 15, 122–123, 132, 134–136, 156, 180–181, 244–245, 325, 447, 460, 467, 470–471, 491, 502, 507–508
- conodonts, 10
- conservation, 3, 24, 27–30, 50, 67, 69, 71–72, 244, 246, 266, 271, 347, 360, 365, 369–371, 377, 380–387, 394, 397–398, 400–403, 406, 409, 411–413, 415–417, 419–420, 440–442, 452–453, 458, 475, 506, 510
- Convention on Biological Diversity, 373
- Global Strategy for Plant Conservation, 368
- habitat loss and fragmentation, 472
- International Union for the Conservation of Nature (IUCN), 253, 350, 368, 400
- national parks, 451–452
- red lists, 350
- protected areas, 27, 345, 347, 357, 360, 370–371, 410
- strategies, 27
- copepods, 417
- corals, 7, 21, 27, 399
- coral bleaching, 27
- coral reefs, 11, 27

518 INDEX

- cosmic ray, 10
- Costa Rica, 22, 27
- Court Jester model, 15, 99, 115
- crayfish, 397
- Cretaceous, 7, 15, 54–55, 59, 103, 105, 107, 109, 113, 125–126, 133, 135, 143–144, 284
- cryosphere, 6
- cryptic diversity, 29, 380, 382, 384–388, 398, 403–406, 410–413, 415, 417, 419–420, 463
- Cyclamen*, 13, 25, 239, 265–269, 271–274, 276, 307
- Cyperaceae, 17, 170, 439–444, 447, 450–451, 453, 499
- Cyperus*, 440–441, 443–449, 453
- Darwin Charles, 11, 21, 80, 382, 387, 401, 413
- data,
 - georeferenced, 235
 - palaeobotanical, 285–286
- databases,
 - Chronos, 238
 - Fossil Pollen, 237
 - InsideWood, 146, 151
 - Palaeoflora, 238
 - Paleobiology, 108, 237
 - plant speciation, 127–128
 - WorldClim, 23, 247, 350
- Deccan Traps, 55
- dendroclimatology, 142
- deserts, 12, 110, 146, 157, 159, 203, 207, 214, 447, 459
- Desmococcus*, 203, 205, 209
- Desmognathus*, 405, 414
- diatoms, 202
- Dictyochloropsis*, 203
- dinoflagellates, 202
- Diptera, 87
- diseases, 26, 72, 179
- dispersal, 18, 26–27, 81, 116, 170, 181, 208, 245, 247, 266, 268, 271, 273, 275, 290, 292, 305–306, 321, 324, 359–360, 383, 398, 417, 450, 457–459, 465–466, 472–473, 476, 491, 505–506, 508
- diversification rate hypothesis, 14
- DNA, 18, 20–22, 29, 67, 71, 73, 75–80, 89–91, 145, 160, 184–185, 192, 204, 207, 233, 237, 252–254, 289, 322, 326, 328, 373, 390, 400, 402, 440, 443, 473
- barcoding, 78–79
- cpDNA, 18, 289–291
- genetic variation, 181–182, 185–186, 192, 297, 324, 397, 463–465, 473
- sequence data, 76–77, 91, 160, 204, 207, 233, 237, 394, 400, 402
- dormancy, 21, 183–185, 334
- endodormancy, 184–185
- Dothistroma*, 81
- Douglas-fir, 21
- Drosera*, 239, 268
- Drosophila*, 186
- Ebenaceae, 236
- ecosystem flammability, 170
- ecotones, 18
- El Niño, 27, 61, 80
- Eleocharis*, 444
- Eleutherodactylus*, 258
- Elliptochloris*, 218
- Empetrum*, 499
- endemism, 26, 28, 275, 294, 387, 411–412, 415
- Eocene, 7, 17, 55, 57–61, 101, 103, 134, 148, 169, 284
 - climate optimum, 57
- epiphytes, 22, 460, 474–475
- Erica*, 497
- Ericales, 146
- Eriophorum*, 441
- Eucalyptus*, 151
- Eurasia, 14, 180, 282, 284
- euxinia, 15, 110–111, 114, 116–117
- evolution,
 - coevolution, 10, 166–167
 - macro, 124, 202, 472
 - rates, 113, 116
 - selection pressure, 85, 129, 182
 - xylem, 17, 142
- extinction, 3–4, 11, 14–16, 26–27, 55, 99–102, 105–117, 124, 133, 135–136, 179, 193–194, 268, 271–272, 276, 281–285, 287, 292–293, 295–297, 322–323, 368–370, 381, 383, 385, 411, 413, 415–417, 450, 463, 472, 475–476
- big five, 15, 55
- KT extinction, 56
- mass, 55, 105, 108–110, 113, 124
- megaextinctions, 4, 15
- origination after, 115
- rates, 15, 99, 105, 110, 113, 417
- risks, 27

Cambridge University Press

978-0-521-76609-8 - Climate Change, Ecology and Systematics

Edited by Trevor R. Hodkinson, Michael B. Jones, Stephen Waldren and John A. N. Parnell

Index

[More information](#)

- Fabaceae, 146, 235, 294, 368
- Fagaceae, 284
- Fagus*, 151
- fibre, 17, 141, 143
- Ficedula*, 188, 192
- fingerprints,
 - climate, 4
 - climate change, 26
- fire, 11, 17, 156, 161–162, 170–171, 258
- fisheries, 72, 85, 114, 415
- Flavocetraria*, 466, 468
- floras, 371
- foraminifera, 9–10, 57–58, 127
- forest, 11–12, 82, 146, 157, 180, 252, 280,
 - 282–285, 295–296, 304, 306–307, 313, 316, 450, 460, 498
 - cloud, 22, 27
- fossil record, 4, 15, 99, 101–104, 106, 108–110,
 - 112, 115–117, 124–125, 128, 134–136, 142, 145, 147, 202–203, 237, 267, 276, 282–283, 285, 292, 297
- fox, 23
- Fraxinus*, 19, 320–321, 323, 326, 328–329,
 - 331–333, 335
- frogs, 25, 252–255, 258, 404
 - Afrotropical reed, 244, 252
 - harlequin, 27
 - Hyperolius*, 25, 244, 252–255
- fundamental niche, 12, 232, 244–245, 257
- funding,
 - research, 68–70, 72, 82–88, 90, 239, 276, 335, 375, 377, 406, 510
- fungus, 27, 458, 473
 - Batrachochytrium*, 27
- Galápagos tortoise, 397
- GCM., *See under* modelling, general circulation modelling
- gene,
 - expression, 178–179, 183–185
- geneflow, 18–20
 - pollen mediated, 324
 - genetic variation, 18–19, 191, 291–292
- geographical information systems (GIS),
 - 24
- georeferencing, 23, 246
- geosphere, 10
- GIS., *See* geographical information systems
- glacial refugia, 18, 286, 288, 291–292
- glaciation, 7–9, 47, 54–56, 59–61, 112, 239, 285,
 - 287–289, 292, 294
- glacier, 6
- Global Biodiversity Information Facility, 23,
 - 233–234, 246, 445
- gopher, 20
- grasses (*see also poaceae*), 13, 17, 156–167,
 - 169–171, 239, 440
 - silica densities, 166
- Greenland, 8, 14, 38, 49, 60
- groupers, 415
- Gryllus*, 325
- Gulf Stream, 215, 493, 509
- gymnosperms, 14, 16, 123–127, 129–132
- haplotypes, 18, 291–292, 328, 410
- heath, 27, 441, 468–469, 471, 490, 496–506,
 - 508–509
- Heinrich events, 10
- Helianthus*, 323
- hepatic mats, 499, 503–506, 508
- herbaria, 23, 234, 312, 374, 442
- herbivores, 18, 156, 162–163, 166
 - megaherbivores, 166
- herbivory, 11, 15, 156, 166, 182, 458
 - antiherbivore defence, 166
- Himalayas, 441, 504
- historical area prediction, 267
- Holocene, 18, 49, 111, 346, 498
- hothouse, 7–8, 15
- hotspot, 15, 503
- humans, 6, 232, 296, 385, 441
- hurricanes, 151
- Hutchinson, 12, 232, 244–245, 248, 350
- hybridisation, 19, 81, 266, 273, 294, 321–328,
 - 332–333, 335, 402, 410, 416
 - hybrid zones, 19, 322–323, 325, 410
- hyperoceanic mountain, 496
- Hyperoliidae, 244, 252
- hyperthermals, 58
 - Palaeocene–Eocene Thermal Maximum, 58
- IBAs., *See* important bird areas,
- Iberia, 18, 287, 290
- ice core, 8–9
- icehouse, 7, 48, 54–56, 60–61, 103, 106,
 - 110–113
- Icteridae, 239
- identification,
 - web based, 67
- igneous provinces, 48, 110
 - eruptions, 99, 109

520 INDEX

- Imperata*, 440
- important bird areas, 28, 345–360
- insects, 16, 20, 143, 177–179, 181, 185–188, 190, 193, 325, 385
- interglacials, 150, 287, 292, 346
- Intergovernmental Panel on Climate Change, 6, 52, 99, 178, 233–234, 248, 466
- introggression, 81, 320–324, 328, 330, 332, 335, 398
- invasive species, 26, 246, 257, 267
- IPCC., *See* Intergovernmental Panel on Climate Change
- Ireland, 3, 27, 53, 190, 215, 220, 321, 328–330, 332–333, 335, 447, 449, 458, 490, 492–510
- Irish mountains, 490, 497–500, 502, 510
- Isolepis*, 440, 452
- isotopes, 9, 45, 47–48, 51, 57–58, 101, 104, 149
 - benthic $\delta^{18}\text{O}$, 59
 - carbon, 166
 - stable, 15, 127
 - oxygen, 9, 47, 101
- Juniperus*, 367–368, 371
- Jurassic, 7
- Karsenia*, 405
- key innovations, 16
- Khaosokia*, 440, 451
- Klebsormidiophyceae, 207, 214, 218
- Klebsormidium*, 203, 206–209, 215, 218
- Kranz anatomy, 160
- La Niña, 61
- Last Glacial Maximum, 47, 248, 254–255
- Late Palaeocene thermal maximum (LPTM), 134
- latitude, 9, 14, 21–23, 26, 46, 50–52, 56–57, 60–61, 104–105, 110, 113, 116, 141–142, 147, 149, 157, 162, 234, 246, 248–249, 350–351, 358, 493, 496–498
- latitudinal shifts, 22
- Lauraceae, 280, 282, 284–285, 291, 296
- Laurophyllum*, 284
- Laurus*, 280, 282–287
- leaves,
 - evolution of, 16–17, 125, 127, 142, 150, 178, 182–183, 371, 447
 - megaphyllous, 136
 - microphylls, 16
- Lecanora*, 461
- legumes, 134, 368
- Leguminosae (*See also* *Fabaceae*), 134, 235
- lemurs, 396, 400, 413, 415
- Lepidoptera, 81
- Letharia*, 466
- lichens, 23, 27, 126, 216, 360, 457–468, 470–475
 - and climate change, 460
- Life Science Identifier (LSID), 237
- Lindera*, 284
- Linnean, 73, 90
- Linnean binomial, 73
- Litsea*, 284
- little ice age, 20
- liverwort, 499, 501, 503, 505
- Lobaria*, 473
- lycophytes, 16
- Macaronesia, 281–282, 285, 287, 290, 292–293, 295, 503
- macrofossil, 22, 237
- mammals, 7, 16, 23, 26, 28, 101, 158, 162, 166, 385, 395, 399, 409, 412–413, 417
- Mapania*, 440, 443, 450
- marginal habitats, 18
- Mastigophora*, 497
- medieval warm period, 20
- Mediterranean, 6, 23, 25, 146, 180, 215, 238, 265–266, 268, 274, 281–285, 287, 290, 292–296, 307, 328, 330, 447
- meridional overturning circulation (MOC), 10
- Merops*, 353–354
- Mesostigmatophyceae, 207
- Mesozoic, 13, 124–125, 127, 133
- meta-analyses, 26, 123
- meteorites, 15
- methane hydrate, 113
- methane release, 58
- mice, 397, 409, 415
- migration, 3, 18–21, 136, 177, 179, 181, 185, 188–191, 193, 271, 275, 281–284, 291–292, 296, 413–414, 473, 510
- Milancovitch, 8
- Mimusops*, 368
- Miocene, 17, 60, 125, 148, 163, 166–167, 169–170, 268, 273–274, 282, 284, 292, 306–307, 310, 313
- modelling, 23–25, 28, 44, 49, 51–53, 57–58, 61, 100, 106, 110, 115, 126–129, 133, 170–171, 187, 192, 214–215, 220, 232–234, 243–245, 247–250, 252, 256, 258, 266–269, 271–272,

- 275, 283, 285–287, 289, 291–293, 295, 297,
 305, 308, 316, 329–330, 348–355, 360, 366,
 370, 386, 410, 419, 445, 451, 453, 461–462,
 466, 476, 509
- ace of spades, 16
- BIOCLIM, 238, 250–251, 272, 305–306
- BIOMOD, 250
- climate envelope, 27, 99–101, 113, 377
- climate envelope models, 23–24, 28, 346
 pitfalls, 256
- climate modelling, 44
- climate response surfaces (CRSs), 348
- DOMAIN, 250–251
- ecological niche modelling, 25, 28–29,
 231–232, 234, 238, 265
- environmental niche, 419
- general circulation modelling, 248, 353
- GEOCARB, 48, 126–128, 130–131
- Geocarb III, 102, 106, 126–128, 131
- GEOCARBSULF, 126–127, 132
- GFDL CM2.X, 234
- HadCM3, 51–52, 234, 353, 355
- Maxent, 238, 250, 254–256, 269, 308–312,
 329–331
- ocean–earth–atmosphere, 115
- OpenModeller, 238
- phyloclimatic, 24–25, 231–233, 237, 239, 265,
 268, 273, 276, 305, 307
 see climate envelope models
- Red Queen model, 15
- species' distribution models, 23, 28,
 280–281, 285, 308, 311–312
- statistical niche models, 23
- Monodora*, 25, 305–308, 310, 312–313, 316
- montane heath, 499
- morphometric data, 76
- mountain plant communities, 27
- mountain tops, 491, 499, 509–510
- mycorrhiza, 126
- mycosporine-like amino acids (MAAs),
 218
- Myrmecia*, 218
- Myrmica*, 81
- Myrtaceae, 284
- Myrtus*, 295
- natural selection, 19
- Neoproterozoic, 7, 56
- Neotropics, 13, 305, 313
- net primary productivity, 28
- Neurachne*, 165
- Neuropogon*, 461–462
- niche, 11–12, 23, 30, 156, 179, 232–233,
 244–245, 251, 256, 266, 268–269, 271, 273,
 275–276, 294, 297, 305, 324
- realised niche, 12, 244
- ancestral, 268
- Eltonian, 245
- Grinnellian, 232, 245
- conservatism, 12–13, 18, 28, 257–258, 267,
 281, 288, 296–297, 316
- lability, 12
- shifts, 22, 28, 256
- North America, 14, 20, 22, 69, 87, 101, 128, 169,
 235, 239, 258, 285, 404, 464, 466, 474, 476, 503
- Nothofagus*, 18
- NPP, *See* net primary productivity
- oak, 18, 21
- ocean,
 currents, 10
 sediment, 6, 10
- oceanic mountains, 495, 502
- oceanicity, 492–493
- Ocotea*, 284
- Oenothera*, 239
- Olea*, 295, 418
- Oligocene, 47, 55, 59–60, 162, 165, 169–170,
 282, 307, 313
- Operopthera*, 189
- orchids, 78
- Ordovician, 7, 15, 54–55, 103, 105, 107, 112
- Ormocarpum*, 368
- Pabia*, 218
- palaeoclimate, 6–7, 9, 25, 44, 49, 51, 61,
 233–234, 248, 254, 256, 265, 267–268, 273,
 275, 286, 289
- palaeodistribution, 25, 233, 283, 292, 297
- palaeoecological, 22, 163
- palaeogene, 59, 284
- palaeogeography, 25, 239, 265, 283, 291
- Palaeotropics, 13
- Palaeozoic, 7, 16, 109, 123–127, 129, 133
- Panamanian hypothesis, 60
- Panicum*, 165
- papyrus, 441
- Paralia*, 236
- parataxonomists, 79–80, 377
- Park Grass Experiment, 82–83
- Parmelia*, 461
- Parus*, 189
- peatlands, 497

522 INDEX

- Permian, 15, 54–55, 103, 105, 107, 110, 113–114, 117, 127
- Persea*, 293
- pests, 26, 72, 179
- Phanaerozoic, 7, 45, 48, 55, 101–103, 106, 109–112, 115–116, 135
- phenetic, 75, 77, 394
- phenology, 20, 178–183, 185–188, 193, 266, 305, 322–323, 325, 328, 330, 332–333, 335, 492
 - budburst, 20, 178–179, 508
 - bud dormancy, 182
 - plant insect and bird, 178–179
- phenotypic plasticity, 4, 20, 177, 178–181, 185–186, 188, 191–194, 293
- Phillyrea*, 295
- photoperiod, 183–184, 190
- photoprotective pigments, 217, 219
- photosynthesis, 17, 129, 156–157, 160, 162, 165, 169–170, 202, 211–213, 216, 445, 453, 474
- Phylloscopus*, 188
- phylochronological, 20
- phylogenetic approaches, 16, 163
 - sister clade comparisons, 16
 - phylogeographic, 24, 406–407, 410
- phylogeography, 25, 70, 280, 282–283, 289–290, 292, 297
 - DIVA, 25, 248, 250, 268, 273–275, 305, 310
- phytoliths, 162
- phytoplankton, 127, 202, 211, 236
- Piliostigma*, 368
- Pinaceae, 14
- pine., *See Pinus*
- Pinus*, 19, 81, 180, 182
- Piptostigma*, 313
- Pistacia*, 295
- Planophila*, 208
- Pleistocene, 83, 162, 166, 267, 285, 287–289, 292, 294–296, 307, 461, 464
- Plethodon*, 405
- Pliocene, 60, 273, 285–289, 292, 307, 461
- Ploceus*, 354
- Poaceae (*See also* grasses), 17, 163, 239, 440
- Podocarpaceae, 14
- polar forests, 7
- pollen, 18–19, 22, 134, 166, 237, 285, 290, 321, 325, 328–329, 332–334
- pollination, 18, 440
 - syndromes, 129
- Populus*, 21, 180, 182–184
- Prasiola*, 203, 207, 209–210, 215, 218
- Prasiolopsis*, 218
- primates, 397
- Printzina*, 203, 206, 208–210
- proteins heat shock, 135
- protologue, 73–74, 91
- proxy,
 - data, 6, 8–10, 44–46, 48–49, 57, 60–61, 102–103, 127–128, 135, 142, 166, 276, 350
 - temperature proxies, 45
- Prunus*, 282, 295
- Pseudochlorella*, 218
- Pseudococcomyxa*, 218
- pteridophyte, 123
- Quaternary, 7–9, 102, 111, 165–166, 285, 296, 346
- Racomitrium*, 497, 501–502, 506, 508
- Rana*, 416
- range shifts, 19, 22, 26, 28, 100, 150, 187, 329, 335, 352, 357, 359, 417, 461, 473
- realms, 11–13, 281, 472
- Red Queen hypothesis, 115
- redwoods, 17
- refugia, 18, 285, 287, 289, 292, 397
- reproductive biology, 122, 125, 322
- reptiles, 28
- Rhizocarpon*, 461, 465
- Rhododendron*, 282, 284, 295
- Rhynchospora*, 444
- Riparia*, 191
- Rosenvingiella*, 203, 206, 215
- rushes, 499–500
- Sahel, 6
- salamanders, 322, 409, 413–414, 416
- Sassafras*, 284
- Saudi Arabia, 367–368, 370–371, 374–375
- savanna, 156–158, 161–163, 165–167, 170–171, 396
 - evolution, 157
- scalariform perforations, 17, 144–147
- Scapania*, 497, 503
- Scirpus*, 441
- sea level, 6, 49, 109, 113, 116, 160, 162, 239, 255, 441, 498, 501
- sedge, 17, 441, 443, 499–500
- sediment cores, 9

- Senecio*, 375
- Siberian Traps theory *See* ice house,
- silicate rocks,
 - weathering, 10, 48, 55, 126
- Silurian, 54, 103
- slushball earth theory. *See* ice house,
- snipefishes, 397
- snowball earth theory. *See* ice house,
- solar energy, 17, 50
- Solenopsis*, 258
- South Africa, 6, 157, 159, 404
- South America, 6, 13, 157, 162, 374, 445
- speciation, 3, 11, 14, 24–25, 80, 116, 122,
 - 124–125, 127–136, 160, 165, 170, 190, 238,
 - 244, 246, 256, 258, 266, 273, 295, 307, 313,
 - 316, 322–323, 385, 393, 402
- allopatric, 316
- origination rates, 15, 102, 105, 116, 128–129
- species,
 - boundaries, 75, 77, 392
 - concepts, 29, 386–388, 390, 392–394, 399,
 - 401–402, 404, 408, 419
 - cryptic, 380, 385, 387, 389, 394, 406, 413
 - definition, 29, 381, 407
 - description, 68, 87–89
 - diversity, 11, 13–14, 128, 130–132, 160, 166,
 - 209, 267–268, 306
 - eurytopic, 413–414, 420
 - geographical distributions, 24, 27, 208, 244,
 - 258, 267, 281, 285, 329, 345, 348–350,
 - 353, 355–356
 - identification, 365, 370
 - locality data, 23
 - occurrence data, 29
 - stenotopic, 413, 415, 420
- Sphagnum*, 499, 504
- spruce, 23
- Stereospermum*, 368
- Stern report, 68
- Stichococcus*, 203, 207, 209, 211, 213,
- 216–218
- stomata, 7, 16–17, 127
- Streptophyta, 202, 206
- Sturnus*, 188
- Sylvia*, 190
- symbiosis, 81, 463–464
- systematic biology, 67, 69–71, 85
- Taxodiaceae, 14
- taxonomy 29, 69–72, 86, 369, 392, 411
 - biological species concept, 396
 - digital image-based identification, 365
 - digital literature, 29
 - digital photographs, 373
 - enabling science, 29
 - field guides, 29, 365, 369–370, 372–377
 - photographic guides, 372–373, 375, 377
 - taxonomic crisis, 29
 - taxonomic impediment, 29, 91, 369, 372
 - taxonomic inflation, 398
 - taxonomy–phylogeny gap (TPG), 392,
 - 400–404, 411–412
- Tectona teak*, 143
- tectonics, 10–11, 13, 15, 47, 55, 109, 126,
- 162
- terrestrial green algae,
- microalgae, 201
- Tertiary, 55, 111, 127, 147, 149, 169, 281, 287,
- 292, 295–296, 305, 313, 461
- Tethyan, 13, 280–281, 283, 285, 291, 296
- Tethys, 55, 114, 284
- Tetracystis*, 212
- Thamnia*, 466
- The Assembling the Tree of Life programme,
- 86
- Thymus*, 81
- time area hypothesis, 14
- tipping elements, 10
- tracheids, 17, 142, 144–145
- Tragopogon*, 323
- Trebouxioiophyceae, 206–208, 214, 218–219
- tree lines, 22
- tree of life, 5, 16, 71, 206
- tree ring, 7
- trees, 7, 17–21, 23, 25, 77, 81, 108, 147, 151–152,
- 157, 160, 165, 167, 170, 177–184, 237, 250,
- 268, 282, 297, 304, 307, 313, 321, 328–329,
- 332–335, 374, 410, 443, 475, 497–498
- ash, 329
- East African rainforest, 25
- Trentepohlia*, 203, 206, 208–210, 213,
- 216
- Trichomanes*, 503
- Trigonobalanopsis*, 284
- tropical cyclone, 57
- tropical grasslands, 157
- type specimen, 73, 75, 91
- typological, 73–74, 78
- Ulvophyceae, 206–207, 218
- Umbilicaria*, 463, 465
- ungulates, 18, 156, 161, 163

524 INDEX

- Ursplerepes*, 405
- Usnea*, 462
- Vaccinium*, 150, 468, 499, 504
- Varanus*, 368
- vascular plants, 123, 128, 150, 461, 467–468, 470–471, 491
- vessel, 17, 141–145, 147–148, 151
- Vitaceae, 284
- volcanic outgassing, 55, 126
- vole, 20
- Volkeria*, 443
- Vostok, 8–9
- Wallace, 4, 11, 13
- weathering, silicate rock, 58
- weeds, 440, 444, 453
 - world’s worst weed, 440, 444
- Wilson cycle, 48
- wood anatomy, 16, 141–142, 147, 150–152
- WORLDCLIM, 23
- Wyeomyia*, 186
- Xanthoria*, 463
- xylem, 17, 142, 144, 146, 150–151
- Zygnemophyceae, 207