

# Notation index

- $\text{ann}_A U$ , 5  
 $A^{\text{op}}$ , 2  
  
 $b^G$ , 351  
 $B_0(G)$ , 325  
 $\text{Bifo}_K V$ , 17  
 $\text{Bl}(G \mid b)$ , 361  
 $\text{Bl}_p(G)$ , 321  
 $\text{Br}_P$ , 358  
  
 $\text{cf}(G, K)$ , 92  
 $\text{cl}(G)$ , 3  
 $\text{Char}_K(G)$ , 87  
  
 $d_{\chi, \varphi}^x$ , 397  
 $d_{\chi, \varphi}$ , 308  
 $\text{d}(B)$ , 325  
 $\text{d}_p(\chi)$ , 325  
 $\det \chi$ , 232  
 $\text{Def}(B)$ , 345  
 $\text{Def}_p(C)$ , 345  
  
 $\text{End}_A V$ , 5  
  
 $\mathbf{f}^{-1}(W)$ , 378  
 $\mathbf{f}(V)$ , 378  
 $\text{Fix}_\Omega(g)$ , 24  
  
 $g^G$ , 3  
 $G_{p'}$ , 302  
 $\text{GL}(V)$ , 1  
 $\text{GL}_n(K)$ , 1  
  
 $\text{ht}_p(\chi)$ , 325  
 $\text{H}_S(V)$ , 50  
 $H \wr P$ , 183  
  
 $\underline{\text{Hom}}_A(V, W)$ , 5  
 $\overline{\text{Hom}}_A(V, W)$ , 76  
  
 $\text{id}_V$ , 5  
 $\text{IBr}(B)$ , 321  
 $\text{IBr}_\theta(G)$ , 302  
 $\text{IBr}_p(G)$ , 306  
 $\text{Ind}(G, \text{Cyc})$ , 194  
 $\text{Inf}_\varphi V$ , 7  
 $\text{Inv}^G(V)$ , 7  
 $\text{Inv}_G(V)$ , 7  
 $\text{Irr}(B)$ , 321  
 $\text{Irr}(G)$ , 87  
 $\text{Irr}_K(A)$ , 87  
 $\text{Irr}_K(G)$ , 87  
  
 $J(A)$ , 52  
  
 $(K R F, \eta)$ , 296  
 $(K R F)$ , 297  
 $\mathbf{k}(B)$ , 322  
 $K(\chi)$ , 169  
 $KA$ , 83  
 $KV$ , 83  
 $K_m$ , 101  
 $\ker \chi$ , 103  
 $\ker_V(a)$ , 5  
 $\ker_V A'$ , 5  
  
 $l(B)$ , 322  
 $l(V)$ , 36  
 $\mathcal{L}(SG)$ , 378  
 $LA$ , 13  
 $LV$ , 13  
  
 $\mathbf{m}_K(\chi)$ , 170  
 $M^+$ , 3

456

Notation index

- $\mathbf{1}_G$ , 87  
 $o(\chi)$ , 232  
 $\text{pHom}_A(V, W)$ , 76  
 $P(V)$ , 72  
 $\mathbb{Q}_m$ , 297  
 $\text{Rad } V$ , 50  
 $\text{sec}_p(x)$ , 396  
 $\mathcal{S}_p(G)$ , 396  
 $\text{Soc } V$ , 50  
 $\text{Stab}_G(\omega)$ , 24  
 $\text{SK}(V, m)$ , 143  
 $T_G(W)$ , 224  
 $T_G(\varphi)$ , 226  
 $T_G(b)$ , 362  
 $\text{Tr}_H^G$ , 366  
 $U =_G H$ , 122  
 $U \leq_G H$ , 122  
 $U \leq_A V$ , 5  
 $U \mid_A V, \quad U \mid V$ , 63  
 $[V]$ , 378  
 $V^{[1^2]}$ , 142  
 $V^{[2]}$ , 142  
 $V^*$ , 13  
 $V_H$ , 179  
 $\text{Vtx}(V)$ , 367  
 $W^G$ , 182  
 $W^\circ$ , 14  
 $\mathbb{Z}_{(p)}$ , 290  
 $\mathbf{Z}(A)$ , 2  
 $\alpha_C$ , 122  
 $\chi \square \psi$ , 145  
 $\chi^{[1^2]}$ , 142  
 $\chi^{[2]}$ , 142  
 $\chi_H$ , 179  
 $\chi_V$ , 87  
 $\epsilon_\chi$ , 89  
 $\gamma_C^G$ , 122  
 $\nu_2$ , 165  
 $\nu_k$ , 164  
 $\omega_\chi$ , 109  
 $\otimes^m V$ , 143  
 $\Omega(V)$ , 72  
 $\Omega^{-1}(V)$ , 75  
 $\Omega^0(V)$ , 75  
 $\hat{\omega}_B$ , 324  
 $(\varphi, \psi)_G$ , 92  
 $(\varphi, \psi)_{G_{p'}}$ , 315  
 $\varphi^G$ , 183  
 $\Phi_\varphi$ , 315  
 $\rho_G$ , 88  
 $\Sigma_C$ , 122  
 $\Sigma_C^H(G)$ , 121  
 $\Sigma_C^{\leq H}(G)$ , 122  
 $\theta_B$ , 322

# Subject index

- A*-lattice, 290
- A*-module
  - absolutely irreducible, 13
  - absolutely simple, 13
  - algebraically conjugate, 84
  - artinian, 64
  - condensed, 68
  - dual, 13
  - of finite length, 36
  - indecomposable, 6
  - inflated, 7
  - left regular, 2
  - length, 36
  - noetherian, 64
  - projective, 70
  - projective indecomposable, 70
  - semisimple, 55
  - simple, 6
- algebra, 2
  - center, 2
  - of finite length, 36
  - semisimple, 55
- basic set of  $p$ -projective characters, 331
- basic set of Brauer characters, 331
- block
  - central character, 324
  - cover, 361
  - defined, 351
  - induced, 351
- block decomposition, 79
- block ideals, 79
- block idempotent, 79
- Brauer character, 302
  - irreducible, 302
- Brauer correspondence, 360
- Brauer graph, 321
- Brauer homomorphism, 358
- Brauer pair, 135
- Brauer tree, 410
- Burnside ring, 215
- Cartan matrix, 81
- central character, 109, 324
- character, 87
  - $\alpha$ -projective, 254
  - canonical, 349, 363
  - faithful, 103
  - inflation, 88
  - irreducible, 87
  - linear, 87
  - norm, 92
  - $p$ -projective, 315
  - $p$ -rational, 105
  - projective indecomposable, 315
  - regular, 88
  - symmetrization, 143
- character table, 94
  - power maps, 95
- character table automorphism, 135
- characters
  - algebraic conjugate, 105
  - Galois conjugate, 105
  - $p$ -conjugate, 105
- class multiplication coefficients, 109
- Clifford correspondence, 226, 318
- Clifford matrix, 261
- completion, 296
- component, homogeneous, 50

- conjugacy class
  - rational, 105
  - real, 105
- conjugacy classes
  - algebraic conjugate, 105
  - Galois conjugate, 105
  - rigid tuple, 122
- Conway polynomial, 304
- covering group, 243
- cycle type, 199
- decomposition matrix, 299
- decomposition numbers, 299
- defect, 325
- defect class, 346
- defect group, 344, 345
- diagonal action, 16
- direct summand, 63
- discrete Fourier transform, 61
- dominance order, 201
- doubly transitively action, 27
- element
  - $\alpha$ -regular, 253
  - nilpotent, 52
- elementary divisors, 10
- exceptional characters, 407
- exponent, 102
- factor set, 239, 243
- filtration, 296
- Fischer matrix, 261
- fix point condensation, 68
- Frame quotient, 91
- Frobenius–Schur indicator, 164
- $G$ -equivariant, 24
- $G$ -invariants, 7
- $G$ -map, 24
- $G$ -orbit, 24
  - self-paired, 27
- $G$ -set, 24
  - isomorphic, 24
  - mark, 210
  - rank, 27
  - transitive, 24
- generalized character, 151
- generalized decomposition matrix, 397
- generalized decomposition number, 397
- ghost ring, 217
- Green correspondence, 378
- Green correspondent, 378
- group
  - exponent, 102
  - isoclinic, 248
  - $p$ -elementary, 282
  - $p$ -quasi-elementary, 282
  - super-solvable, 278
- group algebra, 3
- Hecke algebra, 29, 68
- height, 325
- Heller module, 72
- Holt–Rees algorithm, 44
- homomorphism, projective, 76
- hook
  - corner, 204
  - leg length, 204
  - length, 204
  - rim, 204
- Hurwitz groups, 134
- idempotent, 26
  - centrally primitive, 79
  - orthogonal, 63
  - primitive, 63
- induced class function, 183
- inertia subgroup, 224
- intersection matrices, 31
- intersection number, 30
- irreducible constituents, 36
- Jacobson radical, 50
- $KG$ -module
  - conjugate, 224
  - contragredient, 15
  - $H$ -projective, 187
  - induced, 182
  - permutation, 24

*Subject index*

459

- kernel of block, 402
- Kronecker product, 16
- Las Vegas algorithm, 45
- lattice, LLL-reduced, 154
- lexicographical order, 201
- linear code, 47
- LLL-algorithm, 154
- M-group, 277
- matrix representation, 4
- matrix representations
  - equivalent, 2
- Meataxe algorithm, 41
- module, 2
  - multiplicity-free, 62
- nil ideal, 52
- non-exceptional characters, 407
- $\mathbf{O}^p(G)$ , 218
- $\mathbf{O}_p(G)$ , 347
- $\mathbf{O}_{p'}(G)$ , 347
- opposite ring, 2
- Ore's conjecture, 138
- $p$ -block, 321
- $(p)$ -Brauer character table, 309
- $p$ -defect, 345
- $p$ -modular reduction, 293
- $p$ -modular splitting system, 296
- $p$ -modular system, 296
  - standard, 306
- $p$ -part, 302
- $p$ -rank, 180
- $p$ -regular, 302
- $p$ -regular part, 302
- $p$ -section, 396
- $p$ -singular, 302
- $p$ -solvable, 422
- $p$ -weight, 430
- partition, 199
  - associated, 201
  - hook, 204
- permutation character, 88
- permutation representation, 24
- polynomial, primitive, 303
- principal ( $p$ -)block, 325
- principal representation, 30
- projective cover, 72
- $R$ -order, 83
- radical, 50
- radical  $p$ -subgroup, 361
- real stem, 411
- reduced basis, 152
- representation, 1, 4
  - absolutely irreducible, 13
  - afforded, 5
  - completely reducible, 55
  - decomposable, 6
  - determinantal order, 232
  - equivalent, 2
  - indecomposable, 6
  - inflated, 7
  - irreducible, 6
  - matrix, 1
  - monomial, 277
  - projective, 238
  - projective equivalent, 239
  - reducible, 6
  - regular, 7
- representation group, 244
- representation module, 4
- ring
  - artinian, 64
  - local, 65
  - noetherian, 64
  - semi-perfect, 72
- Schur algebra, 143
- Schur basis, 29
- Schur index, 170
- Schur multiplier, 239
- section, 243
- set partition, 200
- socle, 50
- source, 368
- space of class functions, 92
- species, 388
- spinning algorithm, 37
- splitting field, 57
- stabilizer, 24

460

*Subject index*

standard basis, 28  
strong symmetric genus, 134  
structure constants, 109  
subdegrees, 28  
subgroup lattice, 122  
symmetric algebra, 17  
symmetrizing trace, 17  
  
table of marks, 210  
tensor product, 12  
TI-subgroup, 380  
trace function, 17  
transversal, 29

trivial source module, 386  
twisted group algebra, 243  
type of permutation, 199  
  
valuation ring, 290  
    complete discrete, 296  
    discrete, 295  
vector, weight, 47  
vertex, 367

Young diagram, 201  
Young subgroup, 200