

## Index

- acoustic wave, 44–7, 237  
 adjoint operator, 35  
 amplitude equation, 247, 256, 261, 269, 271, 272, 283, 284, 289, 296, 297, 320  
   nonautonomous, 260  
 area contraction, 330  
 asymptotic expansion  
   long-wave, 179  
   short-wave, 181  
 attractor, 326, 330  
   basin, 2, 93, 330  
   fractal, 365  
   Hénon, 332, 365  
   strange, 331  
 avalanche, 38, 202–8  
   angle, 202
- Bénard–Marangoni thermocapillary instability, xx, 76–8  
 Bagnold’s conjecture, 212  
 Bagnold, Ralph Alger, 211  
 Benjamin–Feir instability, 278–9, 300  
   –Eckhaus, 313  
   experiment, 279  
 bifurcation, 6–12, 44, 327, 346, 351–64  
   codimension, 327, 352–4  
   generic, 11  
   global, 352, 354, 361  
   heteroclinic, 354  
   homoclinic, 354  
   Hopf, 12, 27, 29, 101, 255, 270, 300, 311, 353, 359–60, 368  
   local, 352  
   of a periodic orbit, 353  
   of codimension two, 360–4  
   period-doubling, 354  
   pitchfork, 9–12, 23, 26, 250, 264, 299, 357  
   saddle–node, 7–9, 14, 15, 20, 23, 251, 299, 353–8  
   subcritical, 158, 233, 307, 309, 315  
   supercritical, 302  
   transcritical, 12, 356
- bifurcation diagram, 8, 14, 250, 272, 346, 367  
   Hopf, 360  
   pitchfork, 358  
   saddle–node, 356  
   transcritical, 357  
 boundary layer instability, xix, xx, 101, 102, 143, 162–9, 193  
   nonparallel effect, 164–8  
   secondary instability, 316  
   turbulent streaks, xx  
 Boussinesq approximation, 24, 28, 73, 304  
 Brunt–Väisälä frequency, 29  
 bubble of gas and vapor, 16–20
- Cauchy conditions, 99  
 central manifold, 264  
 Chandrasekhar, Subrahmanyan, 52  
 characteristic polynomial, 4  
 Chebyshev polynomials, 151, 181  
 colloidal suspension, 20–3  
 consistent depth-averaged equations, 183, 239, 373  
 convection  
   in a ring, 23–7  
   thermal, xx  
   thermohaline, 27, 319  
 Couette plane flow stability, 113, 162, 169  
 Couette–Taylor instability, xix, xx, 126–34, 169, 247  
   Rayleigh criterion, 130, 136  
   secondary instability, 310  
 Coulomb laws, 202, 204, 210  
 coupling between finite  $k$  and zero  $k$ , 317–23  
 critical layer, 111, 150, 153
- Darrieus–Landau instability, 85  
 Dean vortices, 127, 169  
 degree of freedom, 1, 327  
 deterministic chaos, 26, 69, 249, 260, 326  
 dewetting instability, xx  
 dispersion  
   of a wave packet, 88–92, 102, 289  
 dispersion relation, 43–6, 50, 51, 109, 149  
   nonlinear, 276

388

Duffing oscillator, 249, 255–8, 285  
 coupled oscillators, 280  
 dune  
 aeolian, 201, 218  
 barchan, 220  
 subaqueous, 201, 219, 238  
 dynamical system, 2, 326  
 autonomous, 1  
 discrete, 332  
 nonautonomous, 36, 327  
 Eckhaus instability, 299, 305–11  
 zigzag, 309  
 effective mass, 55  
 eigenfunction  
 boundary layer, 164  
 falling film, 179, 181, 193  
 plane Poiseuille flow, 156  
 eigenmode, 46, 51  
 eigenspace, 335  
 eigenvalue, 4, 334  
 continuous spectrum, 111, 113  
 discrete spectrum, 155  
 eigenvector, 4, 5, 31, 334  
 generalized, 334  
 nonorthogonality, 30, 33  
 envelope equation, 288–93, 299, 312  
 erosion, 215–8  
 exponential of a matrix, 334, 365  
 Faraday instability, xxi, 260  
 Faraday, Michael, 21  
 ferrofluid instability, xxi  
 fixed point, 327, 329, 330, 334, 335  
 definition, 3  
 focus, 5, 336  
 hyperbolic, 5, 336  
 in two dimensions, 4–5  
 linear stability, 2–5  
 node, 4, 336  
 nonhyperbolic, 6  
 saddle, 4, 336  
 Fjortoft theorem, 114  
 Floquet theory, 331  
 fluid  
 elastic, 173  
 miscible, 173  
 Fredholm alternative, 325  
 frequency  
 cutoff, 188, 207  
 locking, 259, 269, 271  
 nonlinear correction, 257  
 friction coefficient, 202, 204, 210, 239, 373  
 Blasius, 245, 373  
 Manning–Strickler, 245, 373  
 friction velocity, 209  
 Froude number (critical), 180, 206, 207, 241, 244  
 Görtler vortices, 127, 169  
 Gaster relation, 101, 191  
 genericity, 345–51

*Index*

Ginzburg–Landau equation, 98, 302–4  
 complex coefficients, 312  
 localized solution, 305, 313  
 granular ripples, 201  
 aeolian, 218  
 oscillating flow, 230–8  
 rolling, 231  
 subaqueous, 219, 221–30  
 vortex, 231  
 gravitational potential, 49  
 gravity wave, 103, 206, 238  
 gravity–capillary wave, xx, 54, 60  
 Green function, 94  
 group velocity, 90, 91, 98–100, 102, 289  
 growth rate  
 maximum, 191  
 spatial, 100, 101, 190, 206  
 temporal, 96, 99, 101, 102  
 Hamiltonian, 362  
 Hartman–Grobman theorem, 336  
 Helmholtz, Hermann L. F. von, 121  
 Hilbert transform, 267, 322  
 Howard’s semicircle theorem, 115  
 hysteresis, 8, 251  
 implicit function theorem, 359, 364  
 impulse response, 94, 99, 192  
 initial-value problem, 96  
 instability  
 at small Reynolds number, 171  
 absolute, 95, 98–101, 300, 311  
 centrifugal, 107  
 convective, 94, 98–102, 155, 181, 192, 317  
 elliptical, 316  
 long-wave, 61, 123, 125, 174, 178–81, 262, 319  
 secondary, 309  
 subharmonic, 316  
 three-dimensional, 160  
 interface  
 dynamic condition, 58, 176  
 instability, 178  
 kinematic condition, 58, 176  
 intermittency, 317  
 internal wave, 135  
 invariance  
 Galilean, 95, 317–9, 325  
 reflectional, 10, 60, 249, 289, 309, 311, 320, 346, 357  
 rotational, 129  
 translational, 45, 50, 129, 237, 247, 289, 302, 306, 309, 311–3, 318, 325  
 Jeans gravitational instability, 44–53  
 jet, xxi, 104, 124  
 Kapitza, Pyotr Leonidovich, 174, 186  
 Kelvin (Lord), William Thomson, 120  
 Kelvin–Helmholtz instability, xx, 104, 117–26  
 absolute instability, 124  
 nonparallel effects, 126

- on a viscous film, 137
  - with a wall, 135
  - with gravity and capillarity, 134
- Klein–Gordon
  - amplitude equation, 283
  - equation, 275, 279, 281–7
  - nonlinear wave, 284, 297
- Korteweg–de Vries equation, 272, 298
- Kuramoto–Sivashinsky equation, 261, 272, 309
  
- Landau equation, 247, 264, 289, 302, 360
- Landau, Lev Davidovich, 248
- Laplace–Young law, 13, 17
- limit cycle, 12, 254, 270, 353, 361
- linearization, 50
- liquid film
  - annular, 171
  - falling, 174–92, 203
  - sheared, 171, 193, 264
- Lorenz
  - equations, 23, 26, 331, 368
  - normal form, 367
  
- manifold, 327
  - center, 327, 340, 366
  - invariant, 326, 338–45, 366
- map
  - first return, 331, 332, 353
  - Hénon, 365
  - logistic, 332
- Mathieu equation, 259, 270
- matrix
  - exponential, 334
  - Jacobian, 3, 334
  - Jordan, 5, 31, 334, 341, 354, 360
- Melnikov (perturbation method), 363
- metastability, 129, 251
- mixing layer, xx, 100, 104, 116–26
- mode
  - amplitude, 306
  - global, 95
  - normal, 43, 44, 46
  - phase, 306, 318
  - slave, 74, 79, 133, 264, 306, 307, 320
- modulation, 275
  - instability, 287
- multimedia fluid mechanics, xix
- multiple scales method, 249, 252, 274
  
- non-normality of an operator, 30–6, 160
- normal form
  - of an ODE, 326, 342, 367
  - of the Hopf bifurcation, 12, 359
  - of the pitchfork bifurcation, 10, 30, 358
  - of the saddle–node bifurcation, 9, 356
  - of the transcritical bifurcation, 357
- nucleation–coalescence of a wave, 322
  
- optimal excitation of an unstable mode, 33–6, 41–2
- orbit
  - heteroclinic, 350, 367
  - homoclinic, 348, 350, 363, 364
  - periodic, 329–31, 350, 360
- order parameter, 39, 250
- ordinary differential equation, 1, 326, 327
- Orr–Sommerfeld equation, 148–51, 177, 193
  - asymptotic solution, 150
  - numerical solution, 150
- oscillating boundary layer, 233, 238
- oscillating flow, 202, 230–8
- oscillator
  - coupled, 280
  - dissipative, 249
  - forced harmonic, 36
  - harmonic, 1
  - nonlinear, 249–60
  - parametrically forced, 259, 270–2
  - quasi-periodic, 37, 271
  - relaxation, 270
- particle transport, 208–18
  - Meyer–Peter–Muller law, 213, 239
- perturbation
  - isentropic, 50
  - of finite amplitude, 10
  - of infinitesimal amplitude, 10
  - optimal, 32, 41, 161, 168
  - rotational, 56, 119
- phase
  - dynamics, 307, 309
  - equation, 308, 314
  - gradient, 308
  - instability, 292
  - turbulence, 309
- phase portrait, 2, 3, 31, 32, 254, 329, 334–8, 345, 346, 348, 350, 352, 360–4, 366
- phase space, 2, 4, 326, 327
  - enlarged, 355
- phase transition
  - first-order, 39
  - second-order, 39
- Poincaré section, 331–2, 353
- Poincaré, Jules Henri, 326, 333
- Poiseuille flow instability
  - annular flow, 193, 194
  - pipe flow, xix, 100, 140, 162, 194, 317
  - plane flow, 100, 154–62, 168, 194, 247, 315
- potential, 3, 22, 38, 39
  - chemical, 19
  - double-well, 37
  - electrostatic, 22
  - extremum, 3
  - grand, 19
  - gravitational, 49
  - mechanical, 7, 9
  - thermodynamical, 15, 19, 20, 39
- predictability horizon, 331
- printer’s instability, 85
  
- quasi-periodicity, 259, 269, 330
- quasistatic (boundary condition), 137, 221, 225

390

Rayleigh  
 equation, 110  
 inflection point theorem, 113  
 Rayleigh, John William Strutt, Lord, 75  
 Rayleigh–Bénard instability, xx, 68–74, 132–4, 247  
 boundary conditions, 73  
 free boundaries, 318  
 Landau coefficient, 302  
 mechanism, 71  
 secondary instability, 309  
 Rayleigh–Plateau capillary instability, xx, xxi, 64–8, 82  
 Rayleigh–Taylor instability, xx, 53–64, 176  
 between walls, 80  
 of a viscous film, xx, 81  
 of an evaporating liquid, xxi  
 turbulent, xxi  
 relaxation phenomena, 202, 208, 214–8, 223, 227, 230  
 in oscillating flow, 238  
 acceleration length, 219  
 deposition length, 220  
 residue theorem, 97  
 resonance, 37  
 among Fourier modes, 275, 284, 294  
 among side-band modes, 279–87, 291  
 linear, 154, 170  
 near-resonance, 285  
 of eigenvalues, 337, 344, 366  
 quadruplet, 295  
 self-interaction, 284  
 subharmonic, 295  
 triad, 294  
 resonant nonlinearity, 342  
 Reynolds  
 experiment, 140  
 stress, 152  
 Reynolds number  
 critical, 187  
 effective, 195, 223, 235  
 Reynolds, Osborne, 142  
 Reynolds–Orr equation, 152  
 Richtmeyer–Meshkov instability, xxi  
  
 Saffman–Taylor instability, 83  
 Saint-Venant equations, 182, 203–6, 239–45, 369–74  
 saturation  
 of the amplitude, 249, 251–5, 264–6  
 time, 266  
 Schrödinger equation, 289–93  
 localized solution, 290  
 nonlinear wave, 290  
 second law of thermodynamics, 19  
 sensitivity to initial conditions, 326, 331, 365  
 Shields  
 diagram, 209  
 number, 208  
 side-band instability, 278  
 soap film, xx, xxi, 12–15

*Index*

solvability condition, 249, 253, 257, 293, 297, 298, 304, 325  
 Squire  
 theorem, 110, 146–8, 162, 176  
 theorem with a deformable interface, 148  
 transformation, 109, 146  
 stability  
 asymptotic, 4, 92  
 global, 93, 316  
 in the Lyapunov sense, 92  
 linear, 94, 96  
 marginal, 180  
 mechanical, 18  
 metastability, 8, 17, 40  
 neutral, 5  
 nonlinear, 6, 336  
 spatial, 124, 149  
 structural, 326, 345–52, 367  
 temporal, 51, 149  
 thermodynamical, 19  
 stability diagram, 180, 181  
 stationary phase, method of, 89, 99  
 steady streaming, 234–8  
 Stokes  
 flow, 185, 196  
 wave, 275–6, 287  
 Stokes, George Gabriel, 277  
 subharmonic instability, 259  
 Swift–Hohenberg equation, 303, 318, 323  
 symmetry breaking, 10, 44, 346  
 system  
 confined, 299  
 extended, 299  
  
 Taylor, Geoffrey Ingram, 15  
 Tollmien–Schlichting wave, xx, 145, 174, 193, 299, 300, 311  
 forced, 156, 162  
 linear resonance, 170  
 mechanism, 151–4  
 nonlinear wave, 315  
 transient growth, 1, 30–3, 41–2, 158, 168, 317  
 transversality, 270, 349–50, 355  
 triple deck theory, 198  
 turbulence (transition to), 104, 127, 128, 141–3, 158, 162, 163, 317  
  
 van der Pol oscillator, 249, 251–5  
 forced, 258, 268  
 van der Waals forces, 22  
 velocity  
 group, 99, 180, 191, 312  
 phase, 51  
 video resources, xix–xxi  
 viscous fingering, xx, xxi, 83  
 viscous resuspension, 213  
 vorticity  
 Helmholtz equation, 56, 110, 119, 196  
 penetration depth, 198, 221, 235  
  
 wake, xix–xxi, 101, 105, 124

- wave
  - dispersive, 88
  - gravity, 103, 206, 238, 274, 290
  - gravity–capillary, 54, 60, 294
  - internal, 135
  - nonlinear, 274, 311
  - oblique, 167
  - solitary, 174, 187
  - soliton, 298
  - stationary acoustic, 237
  - Stokes, 313
  - wave packet, 88, 102, 288–9, 300, 302, 311–3
  - weakly nonlinear analysis, 246