

---

## Index

---

- 'Ain Abu Nukayla, 200  
 4.2 ka event, 98–99  
 8.2 ka cold event, 105  
*Acacia*, 160, 221  
 agriculture/farming  
   altitude and, 285–286  
   Bedouin tribes, 192, 240, 247, 291  
   Beidha area, 247–248  
   Bronze Age, 238–239, 299, 385, 396  
   Byzantine period, 386, 397  
   Chalcolithic period, 385, 396–397  
   Classical period, 386, 396  
   crop water requirement threshold, 324  
   current and future water demands, 410–411  
   current urban water supply issues and,  
     456, 457  
   Humayma, 305, 306–308  
   Iron Age, 210  
   irrigation, *See* irrigation  
   Jawa, 299  
   Nabataean period, 385  
   Neolithic period, 196, 238, 383–385, 396–397  
   origins of, 2, 4  
   past Jordanian plant use overview, 383–386  
   southern Ghors (current), 177–178, 187  
   tomato cultivation, 448–449, 450  
   water allocation strategy (current), 409–410  
   water reuse issues, *See* water reuse study  
   water/land management and development, *See* socio-economic  
     development and water/land management study  
   watermelon cultivation, 449–450  
 Ain el Sultan, 197  
 Ain Ghazal, 196  
 Akkadian civilisation, 94  
 alkenone unsaturation ratios, 82  
 altitude  
   carbon stable isotope analysis and, 376, 378  
   cost distance and, 284  
   human settlement patterns and, 277, 284–286  
 Amman  
   current water supply issues, *See* water supply (political discourses  
     and public narratives)  
   Iron Age water system, 210  
   social equity of water supply study, *See* social equity of water  
     supply study (Greater Amman)  
 Amora/Samra Formation, 115  
 amplifier lakes, 114  
 analogue matching, 389  
 anhydrite deposition, 115  
 animal population  
   Bronze Age, 285, 292  
   human population estimation and, 326  
   Humayma study, 330  
   stable isotope analysis of remains, *See* diet and environment  
     reconstruction (Ancient Jordan)  
 aqueducts  
   Humayma, 212–213, 305, 308, 315  
   Petra, 212–213  
   Wadi Faynan, 223  
 aragonite deposition  
   dating of, 117–118  
   Lake Lisan assessment using geochemical  
     proxies, 120–121  
   Lake Lisan findings, 113, 115–116  
   Lake Lisan levels reconstruction and, 119  
   Lisan Formation, 115–116  
   mode of, 81  
 archaeology methodology, development of, 475–476  
 archaeology sub-project, 5, 7  
 aridity  
   Holocene aridification investigation, 105–111  
   trend towards (5,000 BP–present), 94, 95, 102  
 arsenic, water concentrations, 167, 172  
*Artemisia*, 89  
*Arundo donax*, 164  
 ASEZA, 452  
 ash-Shalaf, 384  
 Aşıklı Höyük, 339  
 Atlantic storm track, 47  
 Atlit-Yam, 199  
  
 Ba'ja, 197, 198, 201, 210  
 Bab edh-Dhra (also known as Bab-adh-Dhra), 98, 208, 385  
 Babylonian period, 99–100  
 barley, *See also* cereals  
   nutrient requirements, 420  
   phytolith formation and irrigation, *See* phytolith formation  
     and irrigation study  
 baroclinicity ( $\sigma$ ), tropospheric, 30, 43–44, 47, 48  
 barrages, 203–204, 205–206, 212  
 Basta, 197  
 Bedouin tribes  
   agriculture/farming, 192, 240, 247, 291  
   Bedouin dam, 219  
   desalination methods, 192  
   legal status of land used by, 446–447  
   modern tent site description, 387–388  
   modern tent site phytolith analysis, *See* phytolith analysis  
     (past plant use study)  
   socio-economic development, *See* socio-economic development  
     and water/land management study  
 Beidha  
   buildings at, 196  
   groundwater resources, 197  
   map of surroundings, 246  
   palaeoenvironmental reconstruction, *See* palaeoenvironmental  
     reconstruction (Beidha)  
   previous studies, 246, 253  
 BIOME study, 107  
 Bir Abu Roga, 253  
 Birkat Ram Lake, 79, 96, 99  
 Bølling-Allerød warm interval, 72, 87, 88–89, 252, 471

- bone collagen, stable isotope analysis, *See* diet and environment reconstruction (Ancient Jordan)
- BRIDGE project, 297
- brine evolution studies, 115
- Bronze Age
- agriculture/farming, 238–239, 299, 385, 396
  - Dead Sea levels, 155, 273, 285
  - diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)
  - environmental/climatic review, 95–99
  - hydrological context of human settlement study, 238–239, 241
  - Pella occupation, 340
  - Wadi Faynan occupation, 159, 222–223
  - water management archaeology, 194, 206–207, 207–210, 211, 222
  - water resource and climate change modelling, *See* water resources and climate change modelling study (Jawa)
  - water's influence on settlement patterns, *See* water and settlement pattern investigation (Chalcolithic to Early Bronze Age)
- Byblos, 208
- Byzantine period
- agriculture/farming, 386, 397
  - diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)
  - Khirbet Yajūz occupation, 341
  - Sa'ad occupation, 341
  - Tell Ya'amūn occupation, 341
  - Wadi Faynan occupation, 159, 164, 223
- calcretes, 82
- carbon dioxide, *See also* greenhouse gas (GHG) concentrations
- carbon stable isotope analysis and atmospheric concentrations of, 376
- carbon stable isotope analysis
- archaeological applications, 348, 374–375
  - bone collagen, *See* diet and environment reconstruction (Ancient Jordan)
  - calcretes, 82
  - charred cereal remains, *See* carbon stable isotope analysis and environmental variables study
  - effect of environmental variables on, *See* carbon stable isotope analysis and environmental variables study
  - lacustrine sediments, 81, 107
  - molluscs, *See* molluscs/snails
  - palaeoenvironmental reconstruction, *See* palaeoenvironmental reconstruction (Beidha)
  - principles of, 373–374
  - speleothems, *See* speleothem records
- carbon stable isotope analysis and environmental variables study, 378–379, 476
- archaeological applications of carbon stable isotope analysis, 374–375
  - identification of environmental variables, 375–376
  - method principles, 373–374
  - modern reference dataset development, 376–377
- carbonate (tufa) deposits
- Dead Sea margin distribution, 122
  - sequence analysis, 255–256, 255–256, 259–261, 261–264
- Çatalhöyük, 339
- ceramics, water management archaeology, 207
- cereals
- carbon stable isotope analysis of remains, *See* carbon stable isotope analysis and environmental variables study
  - palynological records, limitations of, 382
  - past plant use, *See* phytolith analysis (past plant use study)
- Chalcolithic period
- agriculture/farming, 385, 396–397
  - environmental/climatic review, 95–98
  - Wadi Faynan occupation, 159, 222
  - water management archaeology, 206–207, 210
  - water's influence on settlement patterns, *See* water and settlement pattern investigation (Chalcolithic to Early Bronze Age)
- Chenopodiaceae, 78, 89, 228
- Choga Mami, 200–201
- cisterns
- Bronze Age, 208, 209
  - covered, 212–213, 326
  - environmental conditions and, 284
  - in Humayma, *See* Humayma hydrological modelling study (2,050–1,050 BP)
- Iron Age, 210
- Nabataean, 211, 212–213
- Neolithic, 204–205
- present-day use, 247
- civilisation, *See also* human settlement
- attributes of, 2
  - evolution in the Levant region, 72
  - meaning of, 1
  - summary of relationships with water, 2
- Classical period
- agriculture/farming, 386, 396
  - hydrological context of human settlement study, 239–241, 242
  - Wadi Faynan occupation, 159, 223–224
  - water management archaeology, 239–241, 242
- clastic deposition
- Lake Lisan findings, 113, 115
  - Lake Lisan levels reconstruction, 119
- climate change
- assessing the impact of, 2–3
  - Bronze Age modelling, *See* water resources and climate change modelling study (Jawa)
  - carbon stable isotope analysis for reconstructing, 374
  - current and future water demand and, 412–413, *See also* water demands and future strategies study (present-day Jordan)
  - Dead Sea levels and future projections, 148
  - impacts on rainfall-runoff, *See* rainfall-runoff study (River Jordan)
  - projected impact on water availability, *See* water availability projection study (Wadi Hasa)
  - sea level pressure (SLP) and projections of, 114–115
  - summary of current water crisis and, 1
  - testing credibility of future projections, 106, 110–111
  - WLC project conclusions, 470–471, 471–472, 479–480
- climate modelling
- climate change impact assessment use, 2–3
  - connecting hydrological models for impacts studies, 63–67
  - data use in hydrological models, 132
  - future climate, *See* climate modelling study (future climate)
  - general circulation models (GCMs), *See* general circulation models (GCMs)
  - Holocene aridification investigation, 105–111
  - inter-disciplinary collaboration and, 478
  - past climates, *See* climate modelling study (past climates)
  - precipitation variability and, 23
  - regional climate models (RCMs), *See* regional climate models (RCMs)
  - spatial resolution refinement, 2–3, 469
  - statistical rainfall model, *See* weather generator
  - WLC project conclusions on, 469–470
  - WLC project model, 5
- climate modelling study (future climate), 51, 61, 470
- accuracy of regional model present-day climate representation, 53–55
  - data and modelling methodology, 52–53
  - key sources of uncertainty, 57–61
  - previous studies, 51–52
  - projected changes, 55–57
- climate modelling study (past climates) 25, 469–470
- experimental configuration and model validation, 26–30
  - ocean heat flux error, 29–30, 35, 38, 40, 47
  - rainfall, 37–47
  - recent past to present day, 30–33
  - surface air temperature (SAT), 37
- climate variability study (present-day), 13
- daily to inter-annual variability, 19–22
  - data and methodology, 14–16
  - mean climate, 16–17
  - previous study findings, 13–14
  - spatial precipitation pattern, 17–19
  - teleconnection patterns, 14, 21–22, 23
- COHMAP (Cooperative Holocene Mapping Project) model, 105
- cooperative management, 446, 447–451
- coral records, 85, 90

- cost distance analysis  
 Chalcolithic to Early Bronze Age, *See* water and settlement pattern investigation (Chalcolithic to Early Bronze Age)  
 cost surface calculations, 273
- Council for British Research in the Levant (CBRL), 4, 6
- CROPWAT model, 144
- Cupressus*, 221
- cyclones  
 future Middle East climate projections and, 51  
 present-day Middle East climate and, 17, 19
- Cypriot Neolithic wells, 198–199
- Dana Nature Reserve, 452
- Darcy's law, 139
- date palm, 383, 396–397
- Dead Sea  
 future water transfer to, 147, 154, 156, 178, 187  
 GIS and shorelines, 148–149  
 maps of, 96, 113  
 mean rainfall (1860–1960), 150  
 rapid climate change response study and, 114  
 setting and early history of, 113–114, 114–116
- Dead Sea levels  
 Bronze Age, 155, 273, 285  
 estimates over past 25,000 years, 148  
 mean rainfall and levels (1860–1960), 150  
 past, present and future levels and rainfall modelling, *See* Dead Sea levels and rainfall modelling study  
 recent decline in, 73, 133, 148  
 regression of level change against Jerusalem rainfall (1860–1960), 152  
 review (25,000–5,000 BP), *See* palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP)  
 review (5,000 BP–present), *See* palaeoenvironmental/palaeoclimatic review (5,000 BP–present)
- Dead Sea levels and rainfall modelling study  
 future levels modelling, 152–154  
 GIS and shorelines, 148–149  
 modelling levels, 149–152  
 rainfall estimation from elevation data, 154–155
- Decapolis, the, 101, 340
- deep-sea cores, 82–85
- Deir 'Alla  
 carbon stable isotope analysis, *See* carbon stable isotope analysis and environmental variables study  
 phytolith formation, *See* phytolith formation and irrigation study  
 water reuse, *See* water reuse study
- desalination, 192, 411
- development studies  
 social equity of water supply, *See* social equity of water supply study (Greater Amman)  
 socio-economic development and water/land management, *See* socio-economic development and water/land management study  
 water reuse, *See* water reuse study  
 WLC sub-project development, 7  
 WLC sub-project members, 5
- Dhra', 205–206, 385
- Dhuweila, 384
- diatoms, 113, 121, 122
- Dibadiba, 266
- diet  
 current food security situation, 134  
 phytolith analysis of past plant use, *See* phytolith analysis (past plant use study)  
 reconstruction of, *See* diet and environment reconstruction (Ancient Jordan)
- diet and environment reconstruction (Ancient Jordan), 344–345, 476  
 animal and human isotope data, 341–344  
 archaeological sites, 339–341  
 isotopic approach, 337–339  
 location map of sites, 338  
 previous isotopic studies in MENA region, 339
- Disi aquifer, 411
- dolomite deposition, 115
- donkey transport, 285
- dune formation, 100
- DYRESM model, 149–150
- Eady growth rate ( $\sigma$ ), 30, 43–44, 47, 48
- East Atlantic (EA) pattern, 21, 22
- East Atlantic/West Russia (EAWR) pattern, 14, 21
- ECHAM5/MPI-OM1 coupled model, 60
- economy  
 impact of past water availability, 472–473  
 Humayma taxation, 305  
 limitations of palynological records as indicator, 382  
 past plant use and changes in, *See* phytolith analysis (past plant use study)  
 water/land management role in contemporary development, *See* socio-economic development and water/land management study
- Ein Feshkha, 100
- el Khawarij, 207
- El Niño southern oscillation (ENSO), 21, 22
- ENSEMBLES project, 145, 296
- Epipalaeolithic period  
 environmental/climatic review, *See* palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP)  
 Wadi Faynan, 158  
 water management archaeology, 193–195, 214
- es-Sela, 210
- evaporation  
 carbonate precipitate composition and, 261, 264  
 Humayma hydrological model, 324  
 salinity and sea surface, 155  
 Wadi Faynan hydrology study, 164–165
- evapotranspiration  
 carbon stable isotope analysis and, 375–376  
 future study directions, 186  
 Humayma hydrological model, 324  
 potential (PET), 180, 185–186  
 southern Ghors, 177–178
- farming, *See* agriculture/farming
- figs (*Ficus carica*), 164, 383–386
- flood water, *See also* runoff  
 Bronze Age exploitation, 208  
 Neolithic exploitation, 206  
 present-day Wadi Faynan, 221  
 Wadi Faynan peak flood estimation, 171
- fluvial sediments, 77, 79, 95, *See also* sedimentation
- forests, *See also* specific tree species  
 deforestation, 99, 229  
 reforestation, 99, 100, 101  
 Wadi Faynan records, 229
- Galilee caves, 80, 99, 101
- gastropods, 81–82, *See also* molluscs/snails
- general circulation models (GCMs)  
 associated uncertainty, 132, 293, 297, 469  
 HadAM3, 5, 73  
 HadAM3P, 52, 107, 153  
 HadCM3, 26, 52, 107  
 HadSM3, 25, 26–27, 153, 296  
 Last Glacial Maximum (LGM) simulation, 73–75  
 output and geological proxy data convergence, 90  
 spatial resolution of, 2  
 stochastic simulation and, *See* water resources and climate change modelling study (Jawa)  
 UK Meteorological Office (UKMO) coupled atmosphere-ocean GCM, 73
- General Linear Model, 377
- GenStat program, 377
- GeoB5844–2 core, 72
- Gerasa (also known as Jerash)  
 archaeological records, 340  
 diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)
- Gezer, 209
- Ghab Valley, 72, 78–79, 88, 89

- Ghassul, 348  
 Ghor Safi, 176–179, 186–187  
 Ghuwayr, 1, 221, 222, 238  
   phytolith analysis study, *See* phytolith analysis (past plant use study)  
 GIS (Geographical Information System) analysis, 271–273  
 GISP 2 ice core, 72, 86  
 Globaler Wandel des Wasserkreislaufs – Jordan River project (GLOWA–JR), 131–132  
 grape cultivation, 385  
 greenhouse gas (GHG) concentrations  
   changes during Holocene, 27, 28, 30–33  
   emissions scenario uncertainty, 59–61, 412  
   future Middle East climate and, 51  
   Mediterranean storm track and, 110, 111  
   past Middle East climates and, 29, 33, 35–36, 47  
 Grosswetterlagen (GWL) regimes, 16, 19–21  
 gypsum deposition  
   Dead Sea findings, 88, 98  
   Lake Lisan assessment using geochemical proxies, 120–121  
   Lake Lisan findings, 81, 113, 115–116  
   Lake Lisan level reconstruction and, 118, 119  
 HadAM3 model, 5, 73  
 HadAM3P model, 52, 107, 153  
 HadCM3 model, 26, 52, 107  
 HadRM3 model, 5, 26, 27, 107  
 HadRM3P model  
   Jordan surface air temperatures simulation, 143  
   River Jordan rainfall-runoff study use, 136–137  
   water availability projection use, 175–176, 179  
 HadSM3 model, 25, 26–27, 107, 153, 297  
 halite deposition  
   Lake Lisan findings, 115  
   Lake Lisan levels reconstruction and, 119  
 Hammam Adethni, 163–164, 172  
 Hamrat al Fidan, 160  
   Hamrat al Fidan spring, 167, 172  
 Harifian culture, 195  
 Hazeva Formation, 115  
 Hazor, 209, 210  
 Heinrich Event 1 (H1), 88  
 Heinrich Event 2 (H2), 88  
 Herodotus Basin, 85, 90  
 Hilazon Tachtit Cave, 194  
 Holocene, *See also* specific time period subdivisions  
   aridification investigation, 111  
   mid-Holocene wet event, 90  
   review of palaeoenvironmental/palaeoclimatic records for early, 87, 90  
   review of palaeoenvironmental/palaeoclimatic records for middle/late,  
     *See* palaeoenvironmental/palaeoclimatic review (5000 BP–present)  
 Hula Basin/Valley  
   current water levels, 133  
   Hula Basin location, 72  
   palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP), 78–79, 89  
   palaeoenvironmental/palaeoclimatic review (5,000 BP–present), 98, 99  
 human settlement  
   chronological framework of Beidha occupation, 248–251  
   current understanding of palaeoclimatic events' impact on, 3  
   diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)  
   Humayma study, *See* Humayma hydrological modelling study (2050–1050 BP)  
   impact of environmental and climatic change 5,000 BP–present,  
     *See* palaeoenvironmental/palaeoclimatic review (5,000 BP–present)  
   Jawa study, *See* water resources and climate change modelling study (Jawa)  
   Northern Hemisphere climatic events and evolution of, 71–72  
   patterns in Neolithic period, 196–197  
   Wadi Faynan, 158–159, 172, *See also* Wadi Faynan human settlement study  
   water's influence on, *See* water and settlement pattern investigation (Chalcolithic to Early Bronze Age)  
   water management archaeology and, *See* water management archaeology water needs, 191–192  
   WLC project conclusions on impact of hydrological climate change, 479–480  
   WLC project conclusions on impact of water availability on prehistoric, 472–473  
 Humayma  
   hydrological modelling, *See* Humayma hydrological modelling study (2050–1050 BP)  
   phytolith analysis, *See* phytolith analysis (past plant use study)  
   water management archaeology, 212, 213, 214  
 Humayma Hydraulic Survey, 305, 306–312, 328–330  
 Humayma hydrological modelling study (2,050–1,050 BP), 302, 473  
   hydrogeological remote sensing and digital elevation modelling, 313–320  
   modelling methodology, 320–326  
   results of modelling, 326–330  
   settlement evidence review, 303–313  
 humidity, 164  
 hunter-gatherer development, 72  
 hydraulic hypothesis, 2  
 Hydrological Model for the Karst Environment (HYMKE), 145  
 hydrological modelling  
   climate change impacts on rainfall-runoff, *See* rainfall-runoff study (River Jordan)  
   climate model data use, 132, 153  
   connecting climate models for impacts studies, 63–67  
   Dead Sea levels/rainfall modelling, *See* Dead Sea levels and rainfall modelling study  
   Humayma, *See* Humayma hydrological modelling study (2,050–1,050 BP)  
   HYMKE model, 145  
   HYSIM model, 180  
   HYSIMM model, 175–176, 180–182  
   importance of, 479  
   INCA model, 131, 137–139  
   KINEROS model, 292  
   Monte Carlo analysis and, *See* water resources and climate change modelling study (Jawa)  
   Pitman model, *See* Pitman model  
   Wadi Faynan, *See* Wadi Faynan hydrology study  
   water availability projection, *See* water availability projection study (Wadi Hasa)  
 hydrologically effective rainfall (HER), 137, 293  
 hydrology sub-project, 5, 6  
 HYDRUS model, 418–419, 423, 427  
 HYMKE model, 145  
 HYSIM model, 180  
 HYSIMM model, 175–176, 180–182  
 ice sheet changes, 35  
 INCA model, 131, 137–139, 145  
 industry  
   current and future water demand, 410  
   deforestation and, 229, 239  
   Wadi Faynan, 223  
   waste management and water quality, 425  
 infiltration  
   hydrological context of human settlement, 224, 228–230, 231–237, 239, 241–242  
   palaeo-infiltration simulation, 228–230  
   potential infiltration rate determination, 181  
   soil moisture relationship with, 139, 141  
   storm conditions and, 163  
   vegetation and, 157, 164, 170, 172–173  
   Wadi Faynan hydrology, 169–170, 172–173  
 insolation  
   Mediterranean storm track and, 108  
   past Middle East climates, 27, 28–29, 35–37, 37–38, 40–41, 47  
 Intergovernmental Panel on Climate Change (IPCC)  
   climate change predictions, 2  
   future Middle East climate data limitations, 51  
 intertropical convergence zone (ITCZ), 37–40, 48  
 Iraq-ed-Dubb, 384  
 Iron Age  
   environmental/climatic review, 99

- Wadi Faynan occupation, 159, 223  
 water management archaeology, 194, 210–211  
 irrigation, *See also* water management, water management archaeology  
 carbon stable isotope analysis, 375, *See also* carbon stable isotope analysis and environmental variables study  
 civilisation and, 2  
 crop water requirement threshold, 324  
 current systems in Wadi Faynan, 159, 162  
 demand projections, 144  
 irrigated field systems, 224, 241  
 Jawa, 299  
 phytolith formation and, *See* phytolith formation and irrigation study  
 southern Ghors, 178, 187  
 water allocation strategy (current), 409  
 water reuse, *See* water reuse study
- Islamic period  
 diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)  
 environmental/climatic review of Early, 100–101  
 Pella occupation, 340  
 Wadi Faynan occupation, 159, 223  
 isotope analysis, *See* stable isotope analysis  
 Israel, climate variability, *See* climate variability study (present day)
- Jabal Amman, 432  
 Jafr Basin Prehistoric Project, 201  
 Jammam-Amghar, *See* Humayma hydrological modelling study (2,050–1,050 BP)
- Jawa  
 past plant use overview, 385  
 water resources and climate change modelling study, *See* water resources and climate change modelling study (Jawa)
- Jebel Druze, 298  
 Jebel Hamrat al Fidan, 158, 172  
 Jerash, *See* Gerasa  
 Jericho, 197, 200  
 Jerusalem, rainfall data (1846–1996), 152  
 Jerusalem West Cave, 72, 79, 81, 89
- Jordan  
 climate variability, *See* climate variability study (present day)  
 current environmental and climatic conditions, 133–134  
 current water demands and future strategies, *See* water demands and future strategies study (present-day Jordan)  
 current water resources, 406–407  
 diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)  
 drainage pattern, 404–405  
 field work summary, 7–8  
 irrigation demand projections, 144  
 Jordan Valley water management archaeology, *See* water management archaeology  
 past water resources, 192–193  
 population size projections, 175  
 population statistics (current), 405  
 present-day climate summary, 404–405  
 Water, Life and Civilisation (WLC) project area, 6  
 Jordan Archaeological Data Information System (JADIS), 270
- Jordan River  
 Globaler Wandel des Wasserkreislaufs – Jordan River project (GLOWA–JR), 131–132  
 rainfall-runoff study, *See* rainfall-runoff study (River Jordan)
- Jordan Valley Authority (JVA), 423, 424, 446, 456  
*Juniperus*, 228
- Kharaneh IV, 194  
 Khirbet an-Nahas, 159  
 Khirbet as Samra (also known as Kherbet as-Samra)  
 carbon stable isotope analysis, *See* carbon stable isotope analysis and environmental variables study  
 phytolith formation, *See* phytolith formation and irrigation study  
 water reuse, *See* water reuse study  
 Khirbet Faynan, 159, 223
- Khirbet Iskander, 98  
 Khirbet Sawwan, 201  
 Khirbet Yajüz  
 archaeological records, 341  
 diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)  
 Khirbet Zeraqoun, 207–208  
 KINEROS model, 292  
 Kirkbride, D., 246
- lacustrine sediments, 75–76, 81, 107, *See also* sedimentation  
 Lake Kinneret (also known as Lake Tiberias)  
 5000 BP–present, 98, 99, 100, 101, 102  
 lake level reconstruction, 120  
 previous modelling study, 150
- lake levels  
 5000 BP–present, *See* palaeoenvironmental/palaeoclimatic review (5000 BP–present)  
 Dead Sea, *See* Dead Sea levels  
 Lake Lisan, *See* Lake Lisan  
 review (25,000–5,000 BP), 75–76, 87, 88, 89, 90
- Lake Lisan  
 chronology, 121–122  
 Dead Sea evolution, 113–114  
 evolution and palaeoclimate assessment using geochemical proxies, 120–121  
 lake levels reconstruction, 118–120  
 levels of, 75–76, 88, 89, 125–126  
 map of, 113  
 new east side data, 125–126  
 palaeoclimatic data limitations, 122  
 previous study limitations, 113, 121–122  
 rainfall estimation from elevation data, 154–155  
 rapid climate change response study and, 114  
 sedimentation, 75–76, 81, 115–118  
 stratigraphy, 115–116, 121–122  
 tectonics, 114–115  
 uranium-series dating, 116–118, 122–126, 471
- Lake Tiberias, *See* Lake Kinneret
- Last Glacial Maximum (LGM)  
 geological record and GCM output convergence, 471  
 Lake Lisan level reconstruction, 118  
 palaeoclimatic records, 87, 88, 252  
 palaeotemperature calculation, 82  
 simulation of, 73–75
- latitude, carbon stable isotope analysis and, 376  
 LEMA, 430, 439, 455, 458–462, 478
- Levant  
 palaeoenvironment/palaeoclimate, *See* palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP), palaeoenvironmental/palaeoclimatic review (5,000 BP–present)
- Leverhulme Trust, 1, 4  
 Lisan Formation, 115–116, 117–118, 121–122
- M44–1-KL83 core, 72  
 Ma'ale Efrayim Cave, 72, 79, 80–81, 88, 95  
 Madaba-Dhiban plateau, 96, 98, 101  
 magnesium/calcium ratios, 81  
 Markov models, first-order, 64, 67  
 Masada, 100  
 maximum likelihood method, 65  
 MD84–461 core, 84  
 Mediterranean Sea, water transfer to Dead Sea, 147, 154, 156  
 Mediterranean storm track  
 climate change projections and, 51, 56–57, 61, 469  
 greenhouse gas (GHG) concentrations and, 110  
 modelling accuracy, 108–109, 110  
 past climates and, 44, 46–47, 48, 469  
 present-day, 16–17
- MEGA (Middle Eastern Geo-Database for Antiquities), 271  
 meridional overturning circulation (MOC), 31  
 Mesopotamia, 2, 200–201  
 meteorology sub-project, 5, 6



- Mg/Ca ratios, 81  
 Middle Range Theory, 389  
 Millennium Development Goals (MDGs), 429, 430  
 mineralogy analyses, 256  
 Ministry of Municipal Affairs (MoMA), 452  
 Ministry of Water and Irrigation (MWI), 407  
   current urban water supply issues, 456, 461–462, 464  
   National Water Master Plan (NWMP), 408–410, 430, 455, 456, 470  
 MM5 model, 55, 59  
 molluscs/snails  
   25,000–5,000 BP, 81–82, 90, 125  
   5,000 BP–present, 95, 96, 99  
 Monte Carlo analysis  
   Humayma hydrological modelling, 303, 320–326  
   water resources and climate change modelling. *See* water resources and climate change modelling study (Jawa)  
 Moringa Cave, 95, 100  
 Mount Sedom Cave, 98  
 Mylouthkia, Neolithic wells, 198–199
- Nabataean period  
   agriculture/farming, 385  
   Beidha human occupation, 251  
   Humayma occupation, 305–306, 312–313, 315  
   Wadi Faynan occupation, 159, 223  
   water management archaeology, 194, 211–214  
 Nahal Qanah Cave, 80, 96, 98, 99  
 National Water Master Plan (NWMP), 408–410, 430, 455, 456, 470  
 Natufian period  
   Beidha human occupation, 249–250, 253–254, 258, 260–261, 264, 265  
   water management archaeology, 194–195
- Negev Desert  
   25,000–5,000 BP, 82, 88, 89, 252  
   5,000 BP–present, 95, 96, 99, 100, 101–102  
   location of, 96  
   water management archaeology, 195
- Neolithic period  
   agriculture/farming, 383–385, 396–397  
   Beidha, human occupation of, 250–251, 254–255, 258, 264–265, 265–266  
   chronological framework, 193  
   human settlement patterns, 196–197  
   hydrological context of human settlement, 237–238  
   site locations, 193  
   Wadi Faynan, 158, 164, 222–223  
   water management archaeology. *See* Neolithic water management archaeology  
 Neolithic water management archaeology  
   cultural developments, 195–196  
   flood water/runoff exploitation, 200–206  
   groundwater exploitation, 197–200  
   human settlement patterns, 196–197  
   water demands, 196, 206
- Nerium oleander*, 164  
 Nile (River)  
   turbidites, 85  
   water levels, 101, 102, 339  
 Nile Valley, diet studies, 339  
 nitrogen isotope analysis, bone collagen. *See* diet and environment reconstruction (Ancient Jordan)  
 North Atlantic Oscillation (NAO), 14, 21–22, 37  
 North Atlantic storm track, 41–44, 48  
 North Caspian Pattern (NCP), 14  
 North Qalkha. *See* Humayma hydrological modelling study (2,050–1,050 BP)  
 North Rift Basin (NRB) settlement. *See* water and settlement patterns investigation (Chalcolithic to Early Bronze Age)  
 Northern Dead Sea Basin (NDSB) settlement. *See* water and settlement patterns investigation (Chalcolithic to Early Bronze Age)  
 Nubia, 339
- oak (*Quercus*), 88, 89, 221, 228  
 oasis theory, 2  
 Ocean Drilling Program (ODP) Site 967, 84  
 Ohalo II, 194, 195
- Oleson, J., 305  
 olive cultivation  
   5,000 BP–present, 99, 100, 305, 307, 385  
   altitude and, 285, 286  
   socio-economic development and, 285  
 orbital parameters, past Middle East climates and, 28–29  
 orography  
   past Middle East climates and, 37, 44  
   precipitation and, 17–19, 164, 176  
 Ottoman period, Wadi Faynan occupation, 159, 164, 223  
 oxygen isotope analysis, 82–85  
   molluscs. *See* molluscs/snails  
   palaeoenvironmental reconstruction. *See* palaeoenvironmental reconstruction (Beidha)  
   speleothems. *See* speleothem records
- Pacific storm track, 47  
 palaeoclimatic records  
   *See* palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP), palaeoenvironmental/palaeoclimatic review (5,000 BP–present)  
 palaeoenvironment  
   Beidha reconstruction. *See* palaeoenvironmental reconstruction (Beidha)  
   palaeoenvironmental studies sub-project, 5, 6–7  
   review of records (5,000 BP–present). *See* palaeoenvironmental/palaeoclimatic review (5,000 BP–present)  
   review of records (25,000–5,000 BP). *See* palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP)  
   Southern Levant (c. 20,000–7,000 cal. BP), 253  
 palaeoenvironmental reconstruction (Beidha), 245, 265–266, 472–473  
 chronological framework of human settlement, 248–251  
 materials and methods, 255–258  
 palaeoenvironmental context, 251–255  
 present day environment, 246–248  
 palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP), 71, 90, 471  
   climate models, 73–75  
   dating, 73  
   generalised climatic evolution of past 25,000 years, 71  
   major climatic events, 85–90  
   marine records, 82–85  
   non-marine sedimentary records, 75–77  
   palaeoclimate record summaries, 85  
   terrestrial geochemical records, 79–82  
   terrestrial palaeobotanical records, 77–79  
 palaeoenvironmental/palaeoclimatic review (5,000 BP–present), 94, 102, 471–472  
   4.2 ka event, 98–99  
   aridity trend, 95, 102  
   Babylonian period, 99–100  
   Bronze Age, 95–99  
   Byzantine period, 99–100  
   Chalcolithic period, 95–98  
   climate change at c. 1,400 BP, 100  
   climate instability at c. 5,200 BP, 98  
   climate instability c. 1,000 BP and Decapolis society demise, 101  
   Early Islamic period, 100–101  
   Iron Age, 99  
   past 850 years, 101–102  
 Palaeolithic period, Wadi Faynan, 158  
 palaeosols  
   25,000–5,000 BP, 77, 89, 90  
   5,000 BP–present, 95, 98, 99, 101  
 palynological records  
   Beidha, 254–255  
   limitations as palaeoeconomic indicator, 382  
   previous study use, 107–108  
   review of. *See* palaeoenvironmental/palaeoclimatic review (5,000 BP–present); palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP)  
   Wadi Faynan, 228–229  
 Peace Treaty (1994), 411  
 pedogenesis, 82

- Pella  
archaeological records, 339–340, 385, 386  
diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)
- Peqin Cave, 72, 80–81
- Petra  
vegetation, 385–386  
water management system, 211, 212, 213–214
- Phoenix, 164, 221
- Phragmites australis*, 164
- phytolith analysis (past plant use study), 381, 397, 476  
archaeological applications of phytolith analysis, 382–383  
methods, 389–391  
overview of Jordanian past plant use, 383–386  
previous ethnoarchaeological studies, 383  
southwest Asian archaeological plant proxies, 382  
study sites, 382, 386–389
- phytolith formation and irrigation study, 347, 370–371, 475–476  
aims of, 351  
archaeological background, 347–348  
materials and methods, 351–356  
phytolith formation background, 348–350  
phytoliths as water availability proxy, 350–351
- phytoliths  
archaeological applications of analysis, 382–383  
formation process, 348–350  
Humayma study, 307  
irrigation and formation of, *See* phytolith formation and irrigation study  
modern plant extraction methodology, 353–355  
past plant use study, *See* phytolith analysis (past plant use study)  
Phytolith Difference Index (PDI), 383  
water availability proxy role, 350–351
- Pinus, 228
- Pistacia*, 79, 89
- Pitman model  
rainfall-runoff study, 131, 137, 138  
Wadi Faynan human settlement study, 224  
Wadi Faynan hydrology study, 157, 168–170
- pollen data, *See* palynological records
- Populus euphratica*, 164
- pore size distribution index, 181
- post-Lisan Damya Formation, 115
- poverty  
national reduction strategies, 451–453  
participatory management and reduction of, 442–443, 450–451
- precipitation/rainfall  
Beidha present-day statistics, 247  
current Middle East variability, *See* climate variability study (present day)  
Dead Sea rainfall modelling, *See* Dead Sea levels and rainfall modelling study  
early Holocene rainfall signal, 108  
future climate modelling, *See* climate modelling study (future)  
GWL regimes' relationship summary, 20  
HadSM3 GCM data, 296  
Holocene aridification investigation, 105–111  
hydrological context of human settlement, *See* Wadi Faynan human settlement study  
Jerusalem rainfall data (1846–1996), 152  
Jordan present-day statistics, 134, 404–405  
LGM and present-day climate model outputs, 73  
mean rainfall and Dead Sea levels data (1860–1960), 150  
modelling past climates, *See* Wadi Faynan human settlement study, *See* climate modelling study (past climates)  
predicted rainfall changes for 2070–2100, 412  
probabilities and River Jordan flow, 139–140  
quintiles for NAO positive and negative years, 22  
simulation in Jawa study, 295–296  
RCM representation, 53–55, 111  
simulated and proxy data comparison, 226–228, 241  
Southern Levant present-day statistics, 245  
statistical rainfall model, *See* weather generator  
Tafilah synthetic rainfall statistics, 225, 226  
unreliability as water source, 192
- Wadi Faynan hydrology study, 172–173  
Wadi Faynan present-day statistics, 164, 219–221
- Qa' el Jinz, 177
- Quercus* (oak), 89, 221, 228
- Qurayqira villages, 444
- radiocarbon dating, Beidha human occupation, 248
- rainfall, *See* precipitation/rainfall
- rainfall-runoff study (River Jordan), 131, 143–145, 470–471  
climate change impact on river flow, 141–144  
future study directions, 145  
modelling framework, 136–139  
sensitivity studies on weather statistics' impact on river flow, 139–141  
study area and data resource, 132  
uncertainties in, 144–145
- Ramtha  
carbon stable isotope analysis, *See* carbon stable isotope analysis and environmental variables study  
phytolith formation, *See* phytolith formation and irrigation study  
water reuse, *See* water reuse study
- Ran aquifer, 411
- Red Sea  
coral records, 85  
palaeoclimatic records compilation, 83–84  
Red Sea Trough, 101, 225  
temperature and salinity, 83–84, 88, 89, 90  
water transfer to Dead Sea, 147, 154, 156, 178, 187
- RegCM2/3, 53–55, 59
- regional climate models (RCMs)  
climate change predictions, 412–413, 472  
future Middle East climate prediction, *See* climate modelling study (future climate)  
HadRM3, 5, 26, 27, 107  
HadRM3P, 136–137, 143, 175–176, 179  
Holocene aridification investigation, 105–111  
hydrological context of human settlement, 218, 224–226  
hydrological model input from, 469  
monthly rainfall data disaggregation in conjunction with weather generator, 65–66  
palaeorainfall simulation, 224–226  
past climate modelling issues, 3  
precipitation representation, 111  
RegCM2/3, 53–55, 59  
spatial resolution of, 2
- reservoirs  
Humayma, *See* Humayma hydrological modelling study (2,050–1,050 BP)  
modern Bedouin, 220
- Roman period  
Beidha human occupation, 251  
diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)  
Humayma occupation, 306, 313  
Khirbet Yajūz occupation, 341  
Pella occupation, 340  
Sa'ad occupation, 341  
Wadi Faynan occupation, 159, 164, 172, 223
- runoff  
advantages and disadvantages as water resource, 192  
climate change impacts, *See* rainfall-runoff study (River Jordan)  
Humayma study coefficients, 324–325  
Neolithic exploitation of, 200–206  
palaeoenvironmental/palaeoclimatic records, 85, 90, 101  
vegetation patterns and, 155  
Wadi Faynan human settlement, 218, 219, 224  
Wadi Faynan hydrology study coefficients, 164  
water availability projection and assessment of, *See* water availability projection study (Wadi Hasa)
- Sa'ad  
archaeological records, 341  
diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)
- Safi, 183–184

- Sail Faynan cooperative, 450–451
- salinity
- brackish groundwater desalination, 192, 411
  - current trend in Jordan, 134, 144
  - evaporation rate and, 155
  - Lake Lisan palaeosalinity, 120
  - sea surface (SSS) 25,000–5,000 BP, 82–85, 87, 88, 89–90
  - seawater desalination, 411
  - water reuse for irrigation and soil, 421–423
- Salix acmophylla*, 164
- sapropels, 85, 89–90, 107
- sea level pressure (SLP), climate change projections and, 56–57
- seawater desalination, 411
- Securing Water to Enhance Local Livelihoods (SWELL), 443
- sedimentation
- carbonate (tufa) deposits, *See* carbonate (tufa) deposits
  - granulometry analysis, 256, 258
  - Lake Lisan assessment using geochemical proxies, 120–121
  - Lake Lisan findings, 115–116
  - Lake Lisan knowledge gaps, 121–122
  - Lake Lisan level reconstruction and, 118–120
  - palaeoenvironmental reconstruction from observations, *See* palaeoenvironmental reconstruction (Beidha)
  - review of records, *See* palaeoenvironmental/palaeoclimatic review (25,000–5,000 BP); palaeoenvironmental/palaeoclimatic review (5,000 BP–present)
- Sedom Formation, 115
- seed grain size analysis, 348
- Sha'ar Hagolan, 199
- Shiqmim, 207
- Shuttle Radar Topography Mission (SRTM) Digital Elevation Model (DEM), 272, 315–319
- silicon
- methodology for analysis of extractable, 357
  - phytolith formation and, 348–350, 358–362, 361–362, 366–370
- Siloam Tunnel, 209
- Smilax aspera*, 164
- snails, *See* molluscs/snails
- social equity of water supply study (Greater Amman), 429, 440
- growth and structure of Greater Amman, 430–432
  - household water supply, 434–435
  - household water management strategies, 435–438
  - interviewees' satisfaction and attitudes, 438–440
  - interviewees' socio-economic and demographic characteristics, 432–434
  - research design, 432
  - water and development issues, 429–430
- socio-economic development and water/land management study, 442, 453, 475
- cooperative management model, 446–448
  - Faynan cooperative and poverty reduction, 450–451
  - irrigated agriculture system dimensions, 448–450
  - National poverty reduction strategies, 451–453
  - participatory management and poverty reduction background, 442–443
  - physical and social context of study area, 443–446
- soil
- analysis in phytolith formation and irrigation study, 353
  - Humayma sampling, 307
  - infiltration and soil moisture relationship, 139, 141
  - leaching methods, 423, 427
  - Wadi Faynan hydrology, 163–164, 169
  - water reuse and soil sustainability, *See* water reuse study
- Soreq Cave
- Beidha human occupation studies, 252, 263–264
  - differences in speleothem and GCM records, 296–297
  - location of, 72
  - palaeorainfall estimation evaluation, 226–228
  - review of records (25,000–5,000 BP), 79, 80–81, 88, 89
  - review of records (5,000 BP–present), 96, 98, 102
- South Qalkha, *See* Humayma hydrological modelling study (2,050–1,050 BP)
- southern Ghors region, 176–177
- southern Levant
- palaeoenvironment (c. 20,000–7,000 cal. BP), 253
  - present-day rainfall statistics, 245
- speleothem records
- 25,000–5,000 BP, 79–81, 87, 88, 89
  - 5,000 BP–present, 95, 98
  - Beidha human occupation studies, 252
  - GCM records and, 297–296
  - palaeorainfall estimation evaluation, 226–228
  - Soreq record, *See* Soreq Cave
- springs, settlement patterns and, 277–281, 284, 285, 286
- stable isotope analysis
- archaeological applications of carbon, 348, 374–375
  - Beidha palaeoenvironmental reconstruction use, *See* palaeoenvironmental reconstruction (Beidha)
  - bone collagen, *See* diet and environment reconstruction (Ancient Jordan)
  - brine evolution investigation, 115
  - calcretes, 82
  - carbon, principles of, 373–374
  - environmental variables and, *See* carbon stable isotope analysis and environmental variables study
  - gypsum, 121
  - lacustrine sediments, 81, 107
  - marine records, 82–85
  - molluscs, *See* molluscs/snails
  - speleothems, *See* speleothem records
- stochastic simulation, *See* water resources and climate change modelling study (Jawa)
- stromatolites, 113, 125
- strontium isotope analysis, 80, 81, 88, 115
- strontium/calcium ratios, 81, 120–121
- sulphur isotope analysis, 115, 121
- synoptic regimes, present-day Middle East climate and, 16, 19–21
- Tafilah (also known as Tafileh), 171, 225, 226
- Tamarix*, 164, 221
- Tannur
- flow records, 178, 183–184
  - future flow projections, 186–187
- Tannur Dam, 177, 185
- taxation, 305
- tectonics, 159
- Tel Bet Yerach, 98
- Tel Rakan I, 384
- teleconnection patterns, 14, 21–22, 23, *See also* specific patterns
- Teleilat Ghassul, 385
- Tell Abu an-Ni'aj, 385
- Tell al-Hayyat, 385
- Tell Deir Allah, 210
- Tell el-Handaqq, 385
- Tell esh-Shuna North, phytolith analysis, *See* phytolith analysis (past plant use study)
- Tell es-Sa'idiyeh, 209
- Tell Handaqq, 208
- Tell Seker al-Aheimar, 199
- Tell Um Hammad, 291
- Tell Wadi Faynan, 159
- Tell Wadi Feinan, 221, 222
- phytolith analysis, *See* phytolith analysis (past plant use study)
- Tell Ya'amūn
- archaeological records, 340–341
  - diet and environment reconstruction, *See* diet and environment reconstruction (Ancient Jordan)
- temperature
- Last Glacial Maximum (LGM) calculation, 82
  - past climate, surface air (SAT), 30–33, 33–37, 48
  - present-day Jordan, 143, 404
  - sea surface (SST) 25,000–5,000 BP, 84, 87, 88, 89–90
  - simulation of future, 143
  - Wadi Faynan (present-day), 164
- terracing, 205–206, 214, 307–308, 312
- thermohaline circulation (THC), 105
- tomato farming, 448–449, 450
- tombs, 341
- tourism
- ecotourism promotion, 452–453



- water demands, 410, 426  
 TRACK software, 16  
 TRAIN model, 144  
 transport, animal, 285  
 treated wastewater, *See* water reuse  
 tropospheric baroclinicity ( $\sigma$ ), 30, 43–44, 47, 48  
 tufa (spring carbonate) deposits  
   Dead Sea margin distribution, 122  
   sequence analysis, 255–256, 259–261, 261–264  
 turbidites, 85, 90
- UK Meteorological Office (UKMO) coupled atmosphere–ocean GCM, 73  
 $U_{37}^k$  index, 82  
*Ulmus*, 228  
 unaccounted for water (UFW), 455, 456–457, 459  
 United Nations  
   Millennium Development Goals (MDGs), 429  
   World Water Development Report, 429  
 University of Reading (UK), 1, 4  
 uranium-series dating  
   Lake Lisan, 116, 117–118, 121–122, 122–126  
   palaeoenvironmental reconstruction at Beidha, 255–256, 259  
   theory, 116–117
- vegetation  
   Beidha area, 247  
   infiltration and, 157, 164, 170, 172–173  
   vegetative feedback systems and monsoon extension, 38–40  
   Wadi Faynan human settlement, 221, 228–230, 231–233, 241, 242  
   Wadi Faynan hydrology, 163–164, 170, 172–173  
 Via Nova Triana, 306
- Wadi Abu Tulayha, 201–205  
 Wadi Afra, 177  
 Wadi al Bustan, 230  
 Wadi al-Wala, 96  
 Wadi Amghar, 308, 318–319  
 Wadi Araba, 159–160  
   Wadi Araba Project, 452  
 Wadi Badda, 205  
 wadi barriers, 307–308, 312  
 Wadi Dana, 159–163, 166, 171, 172  
 Wadi el Farah, 277  
 Wadi Faynan  
   evaporation, 164–165  
   fluvial sediments, 77  
   Holocene archaeology overview, 221–224  
   human settlement, *See* Wadi Faynan human settlement study  
   hydrology, *See* Wadi Faynan hydrology study  
   maps of, 72, 158  
   phytolith analysis, *See* phytolith analysis (past plant use study)  
   precipitation (present-day), 164, 219–221  
   review of palaeoenvironmental/palaeoclimatic records (25,000–5,000 BP), 77, 79, 253  
   review of palaeoenvironmental/palaeoclimatic records (5,000 BP–present), 98, 99, 100, 101–102  
   socio-economic development, *See* socio-economic and water/land management study  
   summary of current physical and social conditions, 443–446  
   temperature (present-day), 164  
   topography, geology and hydrogeology, 159–163  
   WF100, 222, 238  
   WF16, *See* WF16  
   WF4, *See* WF4  
 Wadi Faynan human settlement study, 218, 474–475  
   developing integrative methodologies, 224–230  
   Holocene archaeology overview, 221–224  
   impact of ground cover changes, 231–233  
   impact of rainfall changes, 230–231  
   palaeo-hydrology scenarios, 233–237  
   potential impacts of climatic variation, 237–241  
   present-day vegetation, 221  
   present-day water availability, 219–221  
   scale and uncertainty in human–climate interactions, 218–219
- Wadi Faynan hydrology study  
   conceptual model, 167–168  
   contemporary hydrology and hydrochemistry, 165–167  
   evaporation, 164–165  
   hydrological simulation results, 170–172  
   numerical model, 168–170  
   precipitation, 164, 172–173  
   soils and vegetation, 163–164, 169, 170, 172–173  
   study area and data resource, 158–159  
   temperature, 164  
   topography, geology and hydrogeology, 159–163  
 Wadi Fidan, 158, 163  
 Wadi Fifa, 176  
 Wadi Ghuwayr, 159–163, 166–167, 171, 172, 179  
 Wadi Halfa, 339  
 Wadi Hammeh, 194  
 Wadi Hasa, 166  
   future projections of water availability, *See* water availability projection study (Wadi Hasa)  
 Wadi Kafrein, 179  
 Wadi Kerak, 176  
 Wadi Khanzeira, 176  
 Wadi Muqat, 96  
 Wadi Numeria, 176  
 Wadi Rajil, 291, 293, 295  
 Wadi Rayyan, 207  
 Wadi Ruweishid, 204  
 Wadi Sarar, 208  
 Wadi Shagyr, 160  
 Wadi Yitm, 314  
 Warren's shaft, 209
- water  
   settlement patterns and exploitation of, *See* water and settlement patterns investigation (Chalcolithic to Early Bronze Age)  
   unaccounted for (UFW), 455, 456–457, 459  
   WLC project conclusions on politics and perceptions of, 477–478  
 water and settlement pattern investigation (Chalcolithic to Early Bronze Age), 269, 473–474  
 Water Authority of Jordan (WAJ), current urban water supply issues, 456, 459, 461–462, 462–463, 464  
 water availability, *See also* water resources  
   carbon stable isotope analysis application, *See* carbon stable isotope analysis and environmental variables study  
   current global crisis, 1  
   future projections study, *See* water availability projection study (Wadi Hasa)  
   impact of past changes conclusions, 473  
   water availability index, 391, 393, 397, 476  
 water availability projection study (Wadi Hasa), 175, 187, 471  
   model set-up and calibration, 182–184  
   modelling frameworks, 179–182  
   study area and data resource, 176–179  
 water demand  
   current increases in, 403  
   current uses, 405–407, 422, 437  
   future climate change impact, 470  
   and future strategies, *See* water demand and future strategies study (present-day Jordan)  
   projected, 470  
 water demands and future strategies study (present-day Jordan), 403, 413  
   alternative water sources, 411–412  
   climate change issues, 412–413  
   current water resources, 406–407  
   current water uses, 405–407  
   future strategies, 407–410  
   introduction, 403–404  
   study area, 404–405  
   water use planning and prioritisation, 410–411, 413  
 water management, *See also* irrigation  
   archaeology of, *See* water management archaeology  
   geology and, 284  
   Humayma, *See* Humayma hydrological modelling study (2,050–1,050 BP)  
   Jawa system, 295

- water management, (cont.)  
 social complexity emergence and, 2  
 supply (allocation/distribution), *See* water supply (allocation/distribution)  
 water quality issues, *See* water quality
- water management archaeology, 191, 214  
 Bronze Age, 206–207, 207–210, 211, 222  
 Chalcolithic period, 206–207, 210  
 chronological framework, 193  
 Classical period, 239–241, 242  
 Epipalaeolithic period, 193–195, 214  
 Humayma, 305–306  
 Iron Age, 210–211  
 Jordan Valley water sources, 192–193  
 Nabataean, 211–214  
 Neolithic period, 195–206  
 strategy development conclusions, 476–477  
 Wadi Faynan, 222, 223–224  
 water demands, 191–192
- water quality  
 current control strategies, 410  
 current urban issues, 463  
 social equity of water supply, 437, 439  
 water reuse, 419, 425, 427
- water resources, *See also* water availability, *specific resources*  
 Beidha, 264  
 climate change modelling study, *See* water resources and climate change modelling study (Jawa)  
 current alternatives, 411  
 current decline in, 404  
 current Jordanian, 407  
 Jordanian use by sector in 2000, 406  
 National Water Master Plan (NWMP) strategy, 409  
 past Jordanian, 193  
 water resources and climate change modelling study (Jawa), 289, 299–300, 473  
 methodology, 292–296  
 study area and data resource, 289–290, 290–292
- water reuse  
 background to, 403, 411  
 study of, *See* water reuse study
- water reuse study, 415, 427–428, 475  
 aims of, 417  
 Jordanian water reuse background, 415–417
- Water Strategy for Jordan (1997), 430, 456, 470
- water supply (allocation/distribution)  
 current charges, 430, 438  
 planning and prioritisation, 409–410, 410–411, 413  
 political discourses and public narratives, *See* water supply (political discourses and public narratives)  
 social equity of, *See* social equity of water supply study (Greater Amman)  
 WLC project conclusions, 470, 473–475, 478
- water supply (political discourses and public narratives), 455, 465, 478  
 current situation in Amman, 456–457  
 management of irregularity, 457–459  
 private discourse versus public policy directives, 459–462  
 selected performance indicators, 458  
 unreliability in developing cities, 455–456  
 users' opinions on continuous supply, 462–464
- Water, Life and Civilisation (WLC) project  
 inter-disciplinarity, 1, 6–8, 478–479  
 project development, 6–8  
 scope of, 4–6  
 scope of this volume, 8
- water-balance model, *See* Humayma hydrological modelling study (2,050–1,050 BP)
- watermelon farming, 449–450
- weather generator  
 accuracy of observed seasonal cycle reproduction, 65  
 bias issues, 67  
 design and development of, 64–65  
 hydrological context of human settlement study, 218, 219, 224–226  
 modelling future Dead Sea levels use, 153  
 monthly rainfall data disaggregation use in conjunction with regional model, 65–66  
 palaeorainfall simulation, 224–226  
 rainfall-runoff study use, 132, 137, 138, 144  
 uses of, 63–64  
 water availability projection use, 175–176, 179–180
- wells, 197–200, 210, 212, 214
- West African monsoon, 38–40, 48
- WF100, 222, 238
- WF16, 4, 196, 221, 223, 238  
 phytolith analysis, *See* phytolith analysis (past plant use study)
- WF4, 224, 240–241  
 phytolith analysis, *See* phytolith analysis (past plant use study)
- wheat, *See also* cereals  
 carbon stable isotope analysis, *See* carbon stable isotope analysis and environmental variables study  
 phytolith formation and irrigation, *See* phytolith formation and irrigation study
- wine production, 340, 341, 386
- Wisad pools, 200
- woody material index, past plant use study, 391
- World Water Assessment Programme (WWAP), 429
- Yarmouk River, 406, 411, 426
- Younger Dryas  
 climate and human settlement, 72, 252  
 lake levels, 76  
 Lake Lisan level reconstruction, 119–120  
 review of palaeoenvironmental/palaeoclimatic records, 87, 89, 471  
 tufa analysis, 263–264
- Zahrat adh-Dhra (also known as Zahrat edh-Dhra') 2 (ZAD 2), 384
- Ze'elim, 100