

Cambridge University Press

978-0-521-77142-9 - Stroke Syndromes, Second Edition

Edited by Julien Bogousslavsky and Louis R. Caplan

Index

[More information](#)

Index

Note: page numbers in *italics* refer to figures and tables

- Aachen Aphasia Test 213
- abducens nerve palsy 523
- abducens nucleus
 - lesion 77, 676
 - syndrome 76, 77
- abulia 164, 224, 289–90
 - anterior cerebral artery infarction 227, 446
 - caudate infarcts 258–9, 432, 446, 473, 474
 - cingulate gyrus 446
 - major 199
 - minor 199
 - supplementary motor area 446
 - thalamic hemorrhage 466
 - thalamic infarction 259
- acalculia 311
 - low-flow infarcts 568
 - precentral artery territory infarct 415
- acetazolamide, low-flow infarct diagnosis 572–83, 574
- achromatopsia 102
 - central 309
 - cerebral 103
- acoustic stimuli 149
- acral sensory syndromes 40
- activities of daily living 363
- acute phase of stroke 366
- adrenal steroid secretion, hippocampal 288
- affective disorders 285
- afferent motor aphasia of Luria 417
- age 63
- aggressive burst 291
- agitation 222–30
 - akinetic mutism 227
 - anterior cerebral artery stroke 227–30
 - brain lesions 224
 - brainstem stroke 225–6
 - caudate nucleus infarct 228–30, 473–4
 - hyperactivity 226
 - insomnia 201
 - logorrhoea 226
 - maniform 170
 - medial frontal lesions 227–8

- agitation (*cont.*)
 - meningitis 230
 - middle cerebral artery infarction 226–7
 - neuroanatomical substrate 223–4
 - occipital hematoma 607
 - posterior cerebral artery stroke 224–5
 - right temporal lobe infarcts 227, 228–9
 - subarachnoid hemorrhage 230, 621
 - thalamic stroke 225
 - top of the basilar syndrome 224
 - vertebral artery angiography 225
 - Wernicke's aphasia 227
- agnosia 302–3, 306–14
 - colour 309
 - face 307–8
 - finger 311
 - lesion sites 304–5
 - non-canonical views 310
 - object orientation 310
 - pantomime 314, 316
 - paralinguistic 313
 - sensory 294
 - shape 303, 306–7
 - sound 312
 - tactile 313–14
 - topographical 102, 310
 - of usage 316
 - visuospatial 307, 310, 311
 - see also* apperceptive agnosia; associative agnosia; auditory agnosia; prosopagnosia; visual agnosia
- agrammatism 211, 212–13
- agraphesthesia 313
- agraphia 216–17
 - anterior cerebral artery infarction 447–8
 - aphasic syndromes 217
 - apraxic 316, 319
 - cortical lesions 256
 - finger agnosia 311
 - left unilateral 319
 - posterior cerebral artery left-hemisphere infarction 484
 - precentral artery territory infarct 415
 - pure 256
 - subcortical lesions 256
- agrypnia 201
- airway protection 365
- akathisia 170
- akinesia
 - caudate nucleus infarct 432
 - psychic 474
- akinetic mutism 164, 192, 194
 - agitation 227
 - anterior cerebral artery infarction 446
 - anterior limb of internal capsule 431
 - caudate infarcts 474
 - consciousness disturbance 199, 200
 - hypersomnia 199
 - in deep hemispheric stroke 196
 - differential diagnosis 195
 - vertical eye movement disturbance 199
- akinetopsia 310–11
 - cerebral 105
- alexia 216–17
 - posterior cerebral artery left-hemisphere infarction 484
 - preangular 217
 - precentral artery territory infarct 415
 - pure 100, 101, 306, 308–9, 318
 - associative agnosia 303
 - somesthetic 314
 - subangular 217
 - visual agnosia 267
 - with agraphia 100
 - without agraphia 606, 685
- alien hand sign 319
 - anterior cerebral artery infarction 448–9
- alien hand syndrome 35, 319–21
 - frontal 320
 - mixed frontocallosal 320
 - motor 319–20
 - sensory 321
- Alzheimer's disease 244, 260
 - antihypertensive therapy 276
 - lesions in poststroke dementia 275
 - neuropathological criteria 276
 - stroke patients 273
- amaurosis fugax 11, 13
 - headache 14
 - painful ophthalmoplegia 654
 - repetitive TIAs 6
- amino acids
 - neuroexcitatory 296
 - neurotransmitter release 14
- amitriptyline 72
- amnesia
 - anterior communicating artery aneurysms 447
 - arteriovenous malformation 247
 - caudate infarcts 474
 - medial temporal 244–5
 - memory impairment 242
 - polar artery infarcts 463
 - posterior cerebral artery infarction 244–5
 - bilateral 486
 - left-hemisphere 485
 - retrograde 246
 - rostral brainstem infarcts 682–3
 - thalamic hemorrhage 466
 - thalamic infarcts 245–7, 259
 - thalamic–subthalamic artery infarcts 465
 - transient global 248
 - visual 103, 245
- amphetamine 368, 602
- amusia 153, 215, 312
 - temporal arteries territory infarct 419
- amygdala
 - central nucleus 288
 - emotional functions 294
 - lateral nucleus 294
- ANCA 326, 327, 328
- anesthésie doloureuse* 462
- aneurysms
 - aortic 699
 - carotid 476
 - intracranial 619, 664

- mycotic 621, 623
- seizures 185
- anger** 291
 - cardioembolic stroke 289
 - expression control 288
- angitis**
 - granulomatous of nervous system 603, 700
 - isolated of CNS 502
- angiography**
 - cerebral venous thrombosis 635–6, 642, 643
 - CT 661
 - digital intravenous 635
 - empty delta sign 635, 643
 - lateral sinus thrombosis 636, 644
 - spinal stroke syndromes 702
 - see also* magnetic resonance angiography
- angiopathy**
 - multiple brain infarcts 502
 - see also* cerebral amyloid angiopathy
- angiotensin receptor gene** 288
- angular artery territory infarct** 418
- angular gyrus syndrome** 418
- anisocoria** 113
- anomia**
 - aphasic syndrome 212, 215–16
 - colour 309
 - tactile 314, 447, 448
 - visual 99–100
- anosodiaphoria** 292
 - complete middle cerebral artery pial territory infarct 409
- anosognosia** 23, 269, 291–2
 - putaminal hemorrhage 593
 - sensory alien hand syndrome 321
- anterior cerebral artery** xxiii, xxiv, xxv, 439–49
 - A1 segment 439, 440, 442, 443
 - A2 segment 439, 440
 - akinetic mutism 199, 200
 - anatomy 439
 - atherothrombotic occlusion 444
 - caudate nucleus blood supply 471
 - cerebral hemisphere supply 381
 - cortical branches 439, 441, 442
 - dissection 443
 - dysarthria 335
 - end-zone arteries 439
 - faciobrachial paresis 25
 - fornix blood supply 244
 - frontal lobe irrigation 234
 - hypoplastic 442
 - median 442
 - occlusion 17
 - perforating branches 380
 - simultaneous with single artery occlusion 505
 - thrombosis 442–3
 - vasospasm 446
 - vestibular dysfunction 139, 141
- anterior cerebral artery infarction** 3
 - abulia 446
 - agraphia 447–8
 - akinetic mutism 446
 - alien hand sign 448–9
- aphasia** 447
- apraxia** 256
 - ideomotor 447, 448
 - callosal disconnection syndromes 447–8
 - crossed visuomotor ataxia 448
 - etiology 442–3
 - fecal incontinence 447
 - grasp reflex 447
 - hemispatial neglect 448
 - language disorders 447
 - mirror writing 447
 - motor deficit 443–6
 - motor weakness 24
 - muteness 447
 - neglect 257
 - paraparesis 446
 - pseudoneglect 448
 - sensory deficit 446
 - sphincter dysfunction 446–7
 - stuttering 447
 - tactile anomia 447, 448
 - urinary incontinence 446–7
- anterior cerebral artery stroke**
 - agitation 227–30
 - delirium 227–30
 - manic behaviour 227–8
 - transcortical motor aphasia 214
- anterior choroidal artery** xxiii, 244, 380
 - brainstem supply 375, 376
 - branches 452–3
 - hemineglect 265
 - posterior paraventricular corona radiata 452
 - syndrome 30
 - vascular territory 451–3
- anterior choroidal artery infarctions** 451, 453–6
 - aneurysms 455
 - arteriovenous malformations 451
 - ataxia 454
 - ataxic hemiparesis 454
 - causes 455–6
 - cortical signs 454–5
 - emotional behaviour 455
 - eye movement 455
 - gaze 455
 - hemiballism 455
 - homonymous hemianopia 453
 - Horner's syndrome 455
 - ischemic 455–6
 - lacunar syndrome 449, 454
 - motor hemiparesis 453
 - motor stroke 454
 - neglect 257
 - neuropsychological signs 454–5
 - prognosis 456
 - ptosis 455
 - risk factors 455–6
 - sensorimotor syndrome 454
 - sensory deficit 453
 - sensory stroke 454
 - syndrome 453–5
 - tumours 455

- anterior choroidal artery infarctions (*cont.*)
 - visual field defects 453–4
- anterior cingulate gyrus 470, 471
 - damage 236
- anterior circulation, acute multiple infarction 422
- anterior communicating artery 380, 439–40
 - aneurysms 238, 239, 317, 442, 623
 - amnesia 447
 - memory loss 247–8
 - callosal branch 442
- anterior inferior cerebellar artery (AICA) 52, 668
 - brainstem supply 375, 376
 - cerebellar supply 375, 377, 380
 - course 547
 - internal auditory artery 144
 - ischemia 146
 - medulla blood supply 534, 535
 - occlusion 150, 524
 - syndrome 535
 - classic 546
 - partial 54–5
 - zones of supply 133
- anterior inferior cerebellar artery (AICA) infarction 54–5, 131, 546–7, 678, 679
 - causes 547, 679
 - clinical features 546–7
 - multiple 507, 508
 - posterior circulation 549–50
 - pontine infarcts 561
- anterior internal frontal artery 441, 442
- anterior ischemic optic neuropathy (AION) 122, 654
- anterior operculum syndrome 416, 431
- anterior parietal artery territory infarct 416–18
- anterior perforated substance 377, 406
- anterior spinal artery, brainstem supply 375, 376
- anterior temporal artery 244
- anterior thalamic peduncle 431
- antiaggregation therapy
 - caudate infarcts 475
 - cervico-cerebral artery dissection 664
 - see also* antiplatelet therapy
- anticardiolipin antibodies 70, 114
 - transient monocular blindness type IV 116–17
- anticardiolipin antibody syndrome 639
- anticoagulants
 - cardiac emboli 554
 - caudate infarcts 475
 - cerebral venous thrombosis 641–3
 - cervico-cerebral artery dissection 664
 - complications 641–2
 - lobar hemorrhage 601–2
 - medullary hemorrhage 538
 - spinal cord ischemia 703
- anticonvulsants
 - mania 291
 - seizure management 187
 - stroke recovery 368
 - withdrawal and status epilepticus 184
- antidepressants 368
- antihypertensive therapy 282, 368
- antineur nuclear antibodies 326, 327, 328
- antiphospholipid antibodies 64
 - central retinal artery occlusion 119
 - migraine 70
 - multiple brain infarcts 503
 - spinal cord ischemia 700
 - transient monocular blindness type IV 116–17
- antiphospholipid antibody syndrome
 - multiple brain infarcts 502
 - TIA 117
 - transient monocular blindness 117
 - differential diagnosis 114
- antiplatelet therapy
 - prophylactic 554, 560
 - spinal cord ischemia 703
 - see also* antiaggregation therapy
- antithrombotic agents
 - brainstem infarcts 560
 - cerebellar infarcts 554
- anxiety 287–9
 - abnormal fear reactions 293
 - anger relationship 289
 - delayed occurrence 292
 - with denial 295
 - depression association 287
 - diagnosis 287
 - markers 285
 - prevalence 287
 - respiratory response 356
 - risk factors 287
 - symptoms 14–15
- anxiolytics 368
- aorta, arteriography 700–1
- aortic arch, ulcerated plaques 501
- aortic clamping 699, 700
- aortic coarctation 622, 699
- aortic disease and spinal cord ischemia 699
- apathy, poststroke 289–90
- aphasia/aphasic syndromes 211–18
 - acute 212, 213
 - mixed transcortical 421–2, 655–6
 - multiple infarction of anterior circulation 422
 - adynamic 214
 - agraphia 217
 - anomic 212, 215–16, 685
 - anterior cerebral artery infarction 447
 - apraxia 315
 - capsuloputaminal syndromes 252
 - caudate nucleus infarct 432, 475
 - classification 212, 213
 - complete middle cerebral artery pial territory infarct 408, 409
 - delirium 254
 - depression association 293
 - dysarthria 335–6
 - external capsule infarcts 431
 - fluent 293
 - global 212, 213, 216
 - large hemispheric infarcts 494
 - low-flow infarcts 568
 - multiple infarcts 503
 - putaminal hemorrhage 593
 - simultaneous infarcts in one hemisphere 505

- language
 disturbance 253–4
 functional activation 218
- lesion overlap 212, 213, 214
- middle cerebral artery
 inferior division territory infarct 411
 occlusion 256
 superior division territory infarct 410
- mixed transcortical 212, 215
- multiple infarcts 503–4
- non-fluent 214, 293
- outcome prediction 365
- parietal hematoma 605
- persisting 212, 214
- posterior cerebral artery left-hemisphere infarction 484–5
- precentral artery territory infarct 415
- psychiatric assessment 295–6
- pure motor 212, 213
- putaminal hemorrhage 592–3
- recovery 217–18
- semantic 216
- simultaneous infarcts in one hemisphere 504
- striatocapsular 252–4, 255–6, 434
- subcortical stroke 216, 252–4
 cortical dysfunction 256
 subtranscortical 256
 tactile 314
- temporal hematoma 605
- thalamic 254–6
 hemorrhage 466
- transcortical
 motor 212, 214, 235, 236
 sensory 212, 215
- tuberothalamic infarctions 255
- white matter lesions 212, 213
- see also* Broca's aphasia; conduction aphasia; motor aphasia; optic aphasia; Wernicke's aphasia
- aphemia, precentral artery territory infarct 415
- apnea
 sustained inspiration 353
see also Ondine's curse; sleep apnea
- apneusis 353, 356
- apolipoprotein E (APOE) gene 275
- apperceptive agnosia 99, 100, 303, 307
 visual 267, 268, 303, 307
- apperceptive prosopagnosia 307
- apraxia 23, 302, 314–17
 conceptual 316
 constructional 316–17
 parietal hematoma 606
 unilateral 319
- dressing 317
 parietal hematoma 606
- frontal of Bruns 164
- ideational 316
- lesion sites 304–5
- of lid closure of Lewandowsky 415
- limb kinetic 414
- melokinetic 316
- orofacial 314, 316
- palpatory 314
- primary motor/premotor cortex stroke 234
- respiratory 202
- speech 316
- subcortical lesions 256–7
- substitutions 314–15
- thalamic hemorrhage 466
- trunk 164
- visuomotor 257
- see also* gait apraxia; gaze apraxia; ideomotor apraxia
- aprosodia
 lateral premotor region stroke 234
- middle cerebral artery inferior division territory infarct 411
 receptive 313
- Arnold's bundle 51
- arousal
 decreased 195
 phasic 193
 systems 192–3
 tonic 193
- arrhythmias, congenital 324, 326
- arteria termatica of Wilder 442
- arterial disease
 embolic 65
 occlusive extracranial 115
 thrombotic 65–6
- arterial dissection
 anticoagulation 70
 migraine 69–70
- arterial hypertension
 low-flow infarcts 579
 raised intracranial pressure 329
- arteriosclerosis
 in parkinsonism 162
see also atherosclerosis
- arteriovenous fistula, dural 640, 694, 701
- arteriovenous malformations
 amnesia 247
- anterior choroidal artery infarctions 455
- caudate hemorrhage 476
- dural 701
- intraventricular hemorrhage 613
- lobar hemorrhage 600–1, 603
- medullary hemorrhage 538
- migraine 64–5
- pontine hemorrhage 527
- seizures 185
- spinal 619
 dural 694
- spinal cord ischemia 701
- artery-to-artery embolism 18
- centrum ovale infarcts 420
- complete middle cerebral artery pial territory infarct 408
- deep perforating arteries 501
- lateral medullary infarct 537
- posterior cerebral artery infarction 485–6
- posterior circulation 506
- striatocapsular infarcts 428, 434
- articulation defects 334
- ascending reticular activating system 192–3, 194
- coma-like conditions 199
- syncope 199

- ascending reticular activating system (*cont.*)
 - wakefulness disorders 195
- asimultagnosia 487
- asomatognosia 321
- aspiration
 - cough 343
 - gag 343
 - incidence 344–5
 - pathophysiology 342
 - pneumonia 343, 345, 349
 - prevention 346–7, 348, 349–50
 - silent 342
 - syndromes 341, 342–47, 348, 349–50
- aspirin
 - brainstem infarcts 560
 - cerebellar infarcts 554
 - stroke prevention in migraine patients 72
- associative agnosia 99, 100, 303, 307
 - prosopagnosia 303, 307–8
- astasia, thalamic 462
- astasia–abasia 164
- astereognosia 313
 - cortical stroke 41
- astereopsis 105
- asterixis 168, 515
 - central sulcus artery territory infarct 416
 - midbrain infarcts 516
 - putaminal hemorrhage 595–6
- asymbolia for pain 41
- ataxia
 - anterior choroidal artery infarctions 454
 - appendicular and PICA infarcts 548
 - central sulcus artery territory infarct 416
 - cerebellar 516
 - crossed visuomotor 448
 - homolateral and crural paresis 55, 57, 583
 - lateral medullary infarcts 669
 - pontine ischemia 674
 - postcommunal posterior cerebral artery infarcts 483
 - postural 48
 - sensory 43, 321
 - truncal 338, 545
 - see also* cerebellar ataxia; gait ataxia; limb ataxia; optic ataxia
- ataxic hemiparesis 55–6, 454, 583
 - corona radiata 454
- cortical lesions 454
 - lacunar syndrome 583, 584–5
- midbrain infarcts 516
 - paramedian pontine infarcts 522, 523
 - pure and ischemic lesion size 586
 - sensory variants 585
- thalamic hemorrhage 465
 - thalamic infarction 454
 - unilateral small basal pontine hemorrhage 530
- atheroembolism, diffuse disseminated 114
- atherosclerosis
 - genetic factors 288
 - intracranial 656–7
 - large artery 4
 - multiple brain infarcts 500–1
- PICA infarcts 549
 - speed of onset of stroke 4
- atherothrombosis, midbrain infarcts 517
- athetosis 166
- athymormia 164, 199
- atrial fibrillation 360
- attention defects 89
- audiometry, pure-tone 146
- auditory agnosia 215, 311–13
 - affective 313
 - hemispherical strokes 153
 - temporal lobe infarction 156
- auditory association area 215
- auditory comprehension deficit 252
- auditory cortex, primary 146
- auditory dysfunction 144, 146–53, 154, 155–6, 157–8
 - auditory evoked potentials 148–9
 - brainstem extended/multiple infarcts 558–9
 - auditory function, central 148
 - electrophysiological evaluation 148
 - psychoacoustic evaluation methods 146, 157
 - auditory hallucinations
 - brainstem 146
 - pontine infarcts 678
 - auditory nerve 144–5
 - frequency selective fibres 144
 - auditory pathway
 - descending 146
 - stroke syndromes 149–53, 154, 155–6, 157–8
 - auditory perception of language 218
 - auditory symptoms 147
 - hemispherical strokes 151–3
 - hemorrhage 150
 - large vessel occlusion 149–50
 - small vessel occlusion 150–1
 - auditory system 144–6
 - afferent central 144, 145
 - blood supply 144–6
 - auditory transfer loss 318
 - autonomic dysfunction
 - lateral medullary infarct 536, 537
 - paramedian massive/large pontine hemorrhage 528
 - autonomic processing in orbital frontal cortex 239
 - autonomic system 323–4, 325, 326, 327, 328–32
 - autoregulation of cerebral vascular bed 491
 - awareness 193–4
 - disorders 200–1
 - axial lateropulsion, PICA infarcts 548
 - Babinski reflex (sign) 49, 194
 - bilateral 360
 - lacunar syndromes 584
 - large hemispheric infarcts 493
 - pseudotumoural cerebellar infarct 673
 - transverse spinal cord infarction 695
 - balance impairment in basal ganglia lesions 364
 - Balint's syndrome 83, 98, 104
 - angular artery territory infarct 418
 - multiple infarcts 504
 - posterior cerebral artery bilateral infarcts 487

- simultanagnosia 309, 310
- ballism** 166
 - paroxysmal complex dyskinesia 169
 - see also* diballism
- barbiturates** 496
- basal forebrain** 243
 - damage 238
- basal ganglia**
 - delayed hemichorea 166
 - graphomotor pathway 256
 - lacunes 443
 - parkinsonism associated with small vessel disease 163
- basal ganglia lesions**
 - apraxia 257
 - balance impairment 364
 - catastrophe reactions 290
 - hypotonia 364
 - neurological deficit 364
- basal ganglia–nigral network** 364
- basilar artery** xxvi, 668
 - aneurysm 225–6
 - apex occlusion 465, 506
 - atherosclerosis 667
 - bifurcation 461
 - aneurysm 622
 - brainstem supply 375, 376
 - clot from vertebral artery occlusion 537
 - dissection 678
 - distal 488
 - embolism 4–5
 - ischemia 146
 - migraine 69
 - multiple posterior circulation infarcts 550
 - occlusion 149, 303, 506, 517, 520, 521–2, 677
 - basis pontis infarct 675
 - border zone cerebellar infarcts 551
 - clinical features 557
 - pontine infarcts 677, 678
 - pontine ischemia 674–78
 - prognosis 525–6
 - plaques 547
 - stenosis 525, 526
 - superior cerebellar artery infarct 684
 - thrombosis 525, 526–7
 - brainstem ischemia 560
 - treatment 559–60
 - vestibular syndromes 135, 137, 138
 - see also* rostral basilar artery
- basilar branch atheromatous disease** 521–22
- basis pontis infarct** 675, 676
- basolateral limbic circuit** 243
- beading** 602
- Becker X-linked muscular dystrophy** 324
- behavioural abnormalities**
 - caudate infarcts 473–4
 - subcortical stroke 259–60
- behavioural initiation loss** 236, 237, 238
- Berçet's disease** 502
 - cerebral venous thrombosis 639, 645
- Bell phenomenon** 81
- Benedikt's syndrome** 167, 515
- beta blockers** 72
- biballism** 166
- bibrachial paralysis** 30, 502
- bilharzosis** 700
- binaural tests** 147
- Binswanger's disease** 274
- Biot's breathing** 202
- bipolar disorder** 238
- blepharospasm with midbrain infarcts** 516
- blindness**
 - bilateral 11, 12
 - lone 13
 - cerebral 91, 92
 - common carotid occlusion 656
 - denial 91–2
 - monocular 11, 12
 - acute 117–24
 - low-flow infarcts 567
 - subarachnoid hemorrhage 622
 - psychic 294
 - see also* transient monocular blindness
- blindsight** 92
- blink reflex**
 - brainstem extended/multiple infarcts 559
 - inferior parietal/superior temporal lobe lesions 95
- blood dyscrasia** 185
- blood flow velocity with low-flow infarctions** 565, 566
- blood pressure**
 - acute stroke 329
 - systolic 366
- border zone infarcts** *see* low-flow infarctions
- brachial monoparesis** 29
- brachiorcrural deficit** 430
- bradykinesia, caudate infarcts** 474
- brain**
 - acute lesions 293
 - arterial cartography 381–2, 385–403
 - arterial circulation 375, 376, 377–8
 - bicommissural plane 381, 382
 - damage and insomnia 201
 - herniation and putaminal hemorrhage 591
 - hypoperfusion 502
 - ischemia protection 566
 - reperfusion injury 491
 - vasogenic edema 491
 - venous anatomy 626–9
- brain edema** 491–2
 - cerebral venous thrombosis 633
 - induced hypothermia 497
 - middle cerebral artery infarction 364
 - therapy of postischemic 495–6
- brain hemorrhage, primary** 590
 - hematoma enlargement 595
 - small putaminal hemorrhage 594
- brain venous thrombosis syndromes** 626
 - clinical features 630–1
 - epidemiology 629–30
 - etiology 637–9, 645–6
 - investigations 631–37

- brain venous thrombosis syndromes (*cont.*)
 - pathophysiology 629
 - prognosis 639–41
 - treatment 641–4
 - venous obstruction 629
- brainstem xxvi
 - afferent pathways 52
 - Anatomic structures 400
 - arterial supply 378–9
 - arterial territories 378, 381, 382, 383–4
 - arterial trunks supplying 375, 376
 - auditory evoked responses 148
 - auditory hallucinations 146
 - auditory nerve 145
 - auditory symptoms in strokes 149–51, 158
 - cerebellar arteries 376, 377
 - compression
 - PICA infarcts 548
 - pseudotumoural cerebellar infarcts 553
 - space-occupying cerebellar infarcts 561
 - damage level 135
 - disorders and ataxia 49
 - dysarthria 337
 - dysfunction 492
 - efferent pathways 52
 - extended ischemia 557–60
 - clinical features 557–8
 - electrophysiological testing 558–9
 - imaging 558
 - prognosis 560
 - treatment 559–60
 - hemorrhage 150
 - ischemia 18, 326
 - multilocular 558
 - rostral 679–83
 - micturition centre 331
 - monoamine systems 62
 - multiple lesions 507
 - pontomesencephalic lesions 138
 - respiratory organization 353, 354
 - reticular formation 360
 - sleep-promoting systems 194
 - swallowing centres 341
 - vascular disorders 53
 - vertebrobasilar TIAs 16
- brainstem infarction 554
 - apneusis 356
 - bilateral weakness 30
 - lacunar 524
 - locked-in syndrome 557
 - mechanisms 559
 - multiple 557–60
 - pure motor hemiparesis 26
 - rostral 102, 481
 - speed of onset 4
- brainstem stroke
 - agitation 225–6
 - coma 198–9
 - dysphagia 345–46
 - respiratory syndromes 356, 357, 358–60
 - sleep EEG changes 204
- stupor 198–9
- wakefulness disorders 195
- branch retinal artery occlusion 120–1
- breath holding, inspiratory 202
- breathing
 - ataxic 202
 - automatic 202, 355
 - autonomous 356, 357
 - limbic control 355
 - periodic 194
 - sleep disordered 202, 203
 - volitional 202
 - voluntary 355
 - inability 356, 357
- see also* Cheyne–Stokes breathing; respiration
- Broca's aphasia 100–1, 211, 212–13, 234
- apraxia 315, 316
- central sulcus artery territory infarct 416
- complete middle cerebral artery pial territory infarct 409
- lateral premotor region stroke 234
- middle cerebral artery superior division territory infarct 410
- multiple infarcts 503–4
- putaminal hemorrhage 593
- bromocriptine 290
- Brown–Séquard syndrome 696
- bulbar muscle weakness
 - lateral medullary infarct 671
 - pontine ischemia 674–5
- Bürger's disease 502
- CADASIL
 - headache 71
 - multiple brain infarcts 502
 - poststroke dementia 275
- calcarine arteries 479
- calcarine fissure 87
 - infarction 91
 - posterior cerebral arteries 486–7
- calcific emboli 120–1
- calcium channel blockers 72
- callosal disconnection syndromes 302, 317–21
 - anterior 319–21
 - anterior cerebral artery infarctions 447–8
 - lesion sites 304–5
 - posterior 317
 - tactile anomia 314
- callosal fibres 317
- callosomarginal artery 441, 442
- cancer 328
- Capgras illusion (syndrome) 103, 238, 268
 - brain damage 308
- capillary leak syndrome 487
- capsular genu syndrome 29, 335
- capsular infarction 28
- capsular warning syndrome 28, 42
- carbon dioxide reactivity in carotid ischemic syndromes 652
- carbon monoxide poisoning 100
- cardiac arrest 552
- cardiac arrhythmia 329
- cardiac damage, neurally induced 329
- cardiac embolism

- acute multiple infarction of anterior circulation 422
- anger 289
- border zone cerebellar infarcts 551
- brainstem extended/multiple infarcts 559
- centrum ovale infarcts 420
- complete middle cerebral artery pial territory infarct 408
- double infarction 421
- emotional behaviour 285, 289
- hemiparesis 28, 445
- lacunar strokes 552
- large hemispheric infarcts 490
- middle cerebral artery infarcts 411
- multiple brain infarcts 501–2
- multiple neurological complications 323–4
- PICA infarcts 549
- posterior cerebral artery infarction 485–6
- posterior circulation 506
 - multiple infarcts 550
- speed of onset of stroke 4
- spinal cord ischemia 700
- spontaneous improvement 6
- striatocapsular infarction 428, 434
- superior cerebellar artery infarcts 546
- TIAs 18–19
- cardiac enzyme activity 329
- cardiac hypertrophy 324, 326
- cardiac myxoma 621
- cardiac surgery 700
- cardio-myocytolysis 329
- cardiomyopathies 323–4
 - dilated 326
 - familial hypertrophic 324, 325, 326
- cardiopulmonary bypass, low-flow infarcts 578–9
- cardiovascular disease
 - life setting incidents 288
 - watershed infarctions 653
- cardiovascular dysfunction 328–30
- cardiovascular regulation, neuroanatomy 328–9
- carotid aneurysms, caudate hemorrhage 476
- carotid angioplasty, cervico-cerebral artery dissection 664
- carotid artery
 - angioplasty 70
 - atheroma 422
 - common 656
 - embolism 501
 - external 656
 - occlusive disease
 - intracranial low-flow states 570
 - lower limb weakness 10
 - movements 18
 - perfusion insufficiency 18
 - syndromes 651–57
 - posterior 679, 681
 - stenosis
 - atherosclerotic 500
 - border zone cerebellar infarcts 551
 - hypoperfusion 317
 - low-flow infarcts 566
 - thrombus progression 411
 - TIA 15, 111
- venous phase angiogram 627, 628
 - see also* internal carotid artery
- carotid bruit 113
- carotid disease, centrum ovale infarcts 420
- carotid dissection 657
 - Ehlers–Danlos syndrome 663–4
 - non-arteritic ischemic optic neuropathy 122
 - TIAs 114
 - transient monocular blindness 69
 - differential diagnosis 114
- carotid endarterectomy 70, 500–1
 - low-flow infarcts 564–5, 578
- carotid ischemic syndromes
 - carbon dioxide reactivity 652
 - embolic mechanism 651
 - hemodynamic mechanism 651–2
 - pathophysiology 651–2
 - PET studies 651–2
- catalepsy
 - asymmetric 164
 - middle cerebral artery inferior division territory infarct 411
- cataplexy 194
- catastrophe reactions 290
- catatonia 164
- cauda equina syndrome 696–7
- caudate hemorrhage 469, 475–7
 - clinical features 476–7
 - prognosis 477
 - stroke mechanism 475–6
 - treatment 477
- caudate nucleus
 - anatomy 469, 470, 471–2
 - blood supply 471–2
 - disconnection from frontal lobes 474
 - functional neuroanatomy 469, 470, 471
 - stroke mechanisms 472–3
- caudate nucleus infarct 432, 469, 472–5
 - abulia 258–9, 446
 - agitation 228–30
 - clinical features 473–4
 - depression 446
 - hemiparesis 30
 - intellectual deterioration 259
 - language disturbance 474–5
 - lenticulostriate arteries 472
 - memory impairment 247
 - prognosis 475
 - psychotic features 229
 - risk factors 473
 - speech disturbance 474–5
 - treatment 475
- cavernous angioma
 - caudate hemorrhage 476
 - lobar hemorrhage 600–1, 603
- cavernous sinuses 628–9
 - thrombosis 631, 636
- central post-stroke pain 42–3
- central retinal artery occlusion 117–19, 654
 - amaurotic pupil 118
 - antiphospholipid antibodies 119
 - cardiovascular signs 118–19

- central retinal artery occlusion (*cont.*)
 - cherry-red spot at macula 118
 - clinical signs 119
 - differential diagnosis 120
 - intraocular pressure 118
 - retinal emboli 118
 - treatment 119–20, 121
- central retinal artery TIAs 11
- central sulcus artery territory infarct 416
- central syndromes 194
- central tegmental tract, palatal myoclonus 676
- central vision 88
- centrospinal infarcts 697
- centrum ovale
 - infarcts 420, 422, 654
 - white matter 420, 421
- centrum semi-ovale, microangiopathic lacunar infarction 576
- cerebellar arteries 52, 53
 - see also* anterior inferior cerebellar artery (AICA); posterior inferior cerebellar artery (PICA); superior cerebellar artery (SCA)
- cerebellar ataxia 48–57
 - cerebellar hemorrhage 553
 - definition 48
 - neurological findings 48
 - vascular syndromes 53–7
- cerebellar diaschisis, crossed 55–6
- cerebellar edema 561
- cerebellar hemisphere diseases 53
- cerebellar hemorrhage 553
- cerebellar infarcts 541
 - motor deficit 24
 - multiple 507, 508
 - PICA distribution 673, 674
 - pseudotumoural 552–3
 - PICA infarcts 673
 - ventricular drainage 553
 - space-occupying 561–2
 - topographic classification 507
 - cerebellar lesions, speech disorder 337–8
 - cerebellar syndromes 53, 516, 540–54
 - anterior inferior cerebellar artery infarcts 546–7
 - border zone cerebellar infarcts 550–2
 - imaging 540–1, 542–3
 - lacunar infarction 552
 - multiple posterior circulation infarcts 549–50
 - posterior inferior cerebellar artery infarcts 547–9
 - pseudotumoural infarcts 552–3
 - superior cerebellar artery infarcts 541–6
 - treatment 553–4
- cerebellar system anatomy 49–53
- cerebellum xxvi
 - afferent fibres 50
 - Anatomic structures 400
 - anterior lobe disorders 53
 - arterial circulation 375, 377, 379–80
 - arterial territories 385–87
 - bilateral lesions 103–5
 - cortex 50
 - efferent fibres 50
 - lesion causing contraversive ocular tilt reaction 136
 - nuclei 50
- oculomotor disorders 53
- paravermal zone 545
- pathways 50
- pial anastomotic network 377
- rostral 545
- saccade calibration 82
- smooth pursuit 82
- stroke 53–5
 - subdivisions 49–50
 - territories 402
- vascular disorders 53
- vascular supply 52–3
- vestibular syndromes 133–5
- cerebral akinetopsia 105
- cerebral amyloid angiopathy 275
 - lobar hemorrhage 599–600, 602
 - multiple brain infarcts 502
- cerebral arteries
 - infarction and vestibular dysfunction 139, 141
 - leptomeningeal branches 381
 - perforating branches 380–1
 - territories 412–13
 - see also* anterior cerebral artery; posterior cerebral artery
- cerebral blindness 91
 - blindsight 92
- cerebral blood flow 491
 - regional in low-flow infarctions 565, 566, 572–3, 576–7
- cerebral compliance 491–2
- cerebral cortex
 - afferent connections to cerebellum 50–2
 - anatomy 87–90
 - blood supply 87–90
 - efferent connections 52
 - extrastriate system 89
 - physiology 87–90
 - sleep-wake functions 194
- cerebral hemisphere xxiii–xxv
 - Anatomic structures 401–2
 - arterial circulation 377–8
 - arterial supply 380–1, 382
 - arterial territories 388–99, 403
 - bilateral lesions 103–5
 - dorsal pathway 104–5
 - ventral pathway 103–4
 - dominance 195
 - encoding/retrieval asymmetry 243
 - left-sided ventral lesions 100–1
 - oculomotor impairment 82
 - right-sided ventral lesions 101–3
 - saccades 82–3
 - template map of arteries 412–13
 - unilateral lesions
 - dorsal pathway 98–9
 - posterior 98–103
 - ventral pathway 99–100
 - white matter 420, 421
 - see also* hemispheric infarction; hemispheric infarcts; hemispheric syndrome; hemispherical strokes; left hemisphere; right hemisphere
- cerebral hemorrhage
 - neurological deficit 5

- speed of onset of stroke 4
- cerebral hypoperfusion, global 13
- cerebral ischemia
 - diagnostic criteria 493
 - headache 14
- cerebral lesions
 - contralateral muscle atrophy 330
 - neglect 94
- cerebral peduncle, anterior choroidal artery supply 452
- cerebral perfusion pressure 491, 496
- cerebral polyopia 98
- cerebral shock, bladder hypotonia 345
- cerebral tumours, lobar hemorrhage 601, 604
- cerebral vascular bed autoregulation 491
- cerebral vasoconstriction, hyperventilation 496
- cerebral veins, cortical/deep 626
- cerebral venous thrombosis 626, 627, 629
 - angiography 635–36, 642, 643
 - anticardiolipin antibody syndrome 639
 - anticoagulants 641–2
 - Behcet's disease 639, 645
 - brain edema 633
 - cerebrospinal fluid investigation 636
 - children 631
 - clinical features 630–1
 - coagulation disorders 639, 645
 - cord sign 632
 - CT imaging 631, 632, 633
 - diagnosis 630–1
 - electroencephalography 636
 - epidemiology 629–30
 - etiology 637–9, 645–6
 - hemorrhagic infarct 633, 635
 - heparin 642–3, 644
 - idiopathic 637–8, 645
 - incidence 629–30
 - intracranial hypertension 644
 - investigations 631–7
 - local causes 638, 646
 - MR angiography 635, 640, 641
 - MRI 633–5, 636, 637, 638, 639
 - nadroparin 643
 - neonates 631
 - oral contraceptives 639, 645
 - outcome 643
 - pregnancy 630, 639, 645
 - prognosis 639–41
 - puerperium 638–9, 645
 - septic 644
 - shunting procedures 644
 - signs
 - direct 631–2
 - indirect 632–3
 - spontaneous recovery 642
 - status epilepticus 644
 - systemic disease 638, 645–6
 - systemic lupus erythematosus (SLE) 639, 645
 - Tc-labelled red cell scintigraphy 636–7
 - thrombolytic therapy 643–4
 - treatment
 - etiologic 644
 - symptomatic 644
 - thrombotic process 641–4
 - ulcerative colitis 639
 - ultrasonography 637
 - venous infarcts 632–3
- cerebral visual dysfunction 90–105
 - abnormal positive visual perceptions/distortions 95–6, 98
 - bilateral cerebral lesions 103–5
 - complex visual perception abnormalities 98
 - hemi-neglect 92–5, 97
 - unilateral posterior cerebral hemisphere lesions 98–103
 - visual-field defects 90–2
- cerebrospinal fluid
 - cerebral venous thrombosis 636
 - pressure reduction 644
 - spinal cord ischemia 702
- cerebrovascular disease
 - epilepsy 182, 184
 - headache characteristics 68–9
 - parkinsonism 163
 - silent infarction 187, 189
 - small vessel 122
 - status epilepticus 184
- cerebrovascular reserve capacity 651
- cerebrum, low-flow states 570–2
- cervical artery dissection syndromes 660–4
- cervico-cerebral artery dissection 660–4
 - anticoagulation 664
 - clinical manifestations 663–4
 - diagnosis 660–1
 - familial 664
 - incidence 660
 - intracranial aneurysm risk 664
 - oral contraceptives 664
 - pain 663
 - pathogenesis 661–2
 - prognosis 664
 - prophylaxis 664
 - recanalization rate 664
 - recurrence rate 664
 - risk factors 661–2
 - secondary prevention 664
 - spontaneous 662
 - treatment 664
- Charcot–Wilbrand syndrome 204
- Charles Bonnet syndrome 204
- cheiro-oral-pedal syndrome 38, 40, 41
- cheiro-oral sensory loss 416
- cheiro-oral syndrome 38, 39, 40, 41
 - opercular 416, 417
- cheiro-retroauricular symptoms 38
- cherry red spot 118, 654–5
- Cheyne–Stokes breathing 194, 202
 - bilateral hemispheric stroke 355
 - paramedian massive/large pontine hemorrhage 527–8
- children, cerebral venous thrombosis 631
- cholesterol emboli 111, 113, 120, 323
- chorea
 - caudate nucleus infarct 432
 - paroxysmal complex dyskinesia 169
- choreoathetosis 166

- chorioretinitis 14
 choroid circulation
 ischemia 13
 reduced 14
 see also anterior choroidal artery; posterior choroidal artery
 Churg-Strauss syndrome 327, 328
 cingulate gyrus
 abulia 446
 see also anterior cingulate gyrus
 circle of Willis 377
 anterior 442
 variation 443
 basal perforating branches 439, 440
 compensatory mechanism against ischemia 566
 low-flow infarctions 573, 574
 perforating arteries 429
 plial infarctions 652
 vascular lesion in low-flow infarcts 564
 circumferential perforating arteries 694
 Claude's syndrome 79, 514–15
 clumsiness
 dysarthria 336, 522–3
 lateral medullary infarct 534
 postcommunal posterior cerebral artery infarcts 483
 rostral basilar artery syndrome 544
 see also dysarthria-clumsy hand syndrome
 coagulability, altered state 114–15
 coagulation disorders 621
 cerebral venous thrombosis 639, 645
 spinal cord ischemia 700
 coagulopathy, posterior cerebral artery thrombosis 486
 coarctation of the aorta 622, 699
 cocaine 602
 subarachnoid hemorrhage 620
 coccidiomycosis 700
 cochlea 144
 internal auditory artery occlusion 150
 cochlear nucleus 145
 cognitive decline, antihypertensive therapy 276
 cognitive functioning 367
 cognitive impairment
 caudate infarcts 473–4
 outcome prediction 365
 subcortical vascular dementia 260
 subcortical vascular disease 260
 cognitive organization 235–6
 coital cephalgia 67
 Collier's sign 680
 colour
 agnosia 309
 anomia 101, 103, 308, 309
 splenial split signs 318
 perception with posterior cerebral artery bilateral infarcts 487
 coma 192, 198–9
 AICA infarcts 546
 behavioural with normal EEG 194
 bilateral/basal tegmental pontine hemorrhages 529
 cerebellar hemorrhage 553
 lobar hemorrhage 603
 mortality 199
 PICA infarcts 548
 pseudotumoural cerebellar infarcts 553
 superior cerebellar artery infarct 545
 thalamic hemorrhage 466
 thalamic–subthalamic artery infarcts 463
 coma-like states 192, 199
 commissure of Probst 146
 common carotid artery occlusion 656
 communicating artery *see* anterior communicating artery; posterior communicating artery
 comorbid illness 365–7
 competing stimuli 148
 complement 326
 comprehension, subcortical damage 256
 compulsive manipulation of tools 449
 computed tomography (CT)
 angiography 661
 cerebellar stroke 540, 541
 cerebral venous thrombosis 631, 632, 633
 spinal stroke syndromes 702
 conduction aphasia 212, 215, 504
 anterior parietal artery territory infarct 417
 apraxia 315
 hemiparesis syndrome 655
 putaminal hemorrhage 593
 confusion
 definition 222
 dream-reality 204
 confusional state 222–3
 acute 200, 222, 269
 agitated 170
 middle cerebral artery territory infarct
 inferior division 411
 superior division 410
 subarachnoid hemorrhage 621
 temporal arteries territory infarct 419
 conjugate-gaze palsy 30
 connecting spinal arterial plexus 693
 connective tissue disorders, cervico-cerebral artery dissection 662, 663–4
 consciousness
 arousal 193
 depression 363, 364
 disturbance 192, 194–202, 203, 204
 frontal hematoma 604
 loss and TIAs 12, 15
 paramedian massive/large pontine hemorrhage 527
 physiology 192–4
 pontine infarcts 678
 pseudotumoural cerebellar infarcts 552–3
 space-occupying cerebellar infarction 561–2
 subarachnoid hemorrhage 620–1
 thalamic hemorrhage 466
 thalamic–subthalamic artery infarcts 463, 465
 constructional apraxia 99, 316–17
 posterior cerebral artery right-hemisphere infarction 485
 unilateral 319, 448
 contingency-based learning, orbital frontal cortex 239
 copying ability 485
 cord sign 632
 corectopia, intermittent 515

- corneal reflex absence 360
- corona radiata**
 - adjacent to lateral ventricle infarcts 431
 - ataxic hemiparesis 454
 - caudate infarcts 472, 473
 - posterior paraventricular 452
- coronary artery bypass surgery** 700
- coronary heart disease**
 - behavioural risk factors 288, 289
 - depression 286
- corpus callosum**
 - anterior cerebral artery 441
 - diagnostic dyspraxia 449
 - stroke 317
 - white matter fibre atrophy 317
- see also* callosal disconnection syndromes
- cortex**
 - amino acid neurotransmitter release 14
 - hemiparesis 23
 - cortical atrophy 575, 576
 - neglect 365
 - cortical blindness
 - apperceptive agnosia 303
 - posterior cerebral artery bilateral infarcts 486, 686
 - cortical border zone 574, 576
 - cortical deafness 151, 153, 154, 155, 212, 215
 - internal capsule hemorrhage 153, 154, 155
 - putaminal hemorrhage 596
 - temporal arteries territory infarct 419
 - cortical depression, spreading 62
 - cortical dysfunction, subcortical aphasia 256
 - cortical hypoperfusion 256
 - hemineglect 265
 - subcortical stroke 252
 - cortical infarction
 - hemiparesis 27
 - pure motor hemiparesis 26
 - vestibular syndromes 139, 140, 141
 - cortical ischemia 18
 - repetitive TIAs 6
 - cortical lesions
 - agraphia 256
 - ataxic hemiparesis 454
 - cortical metabolism in cortical stroke 256
 - cortical neglect 258
 - cortical sensory syndrome 418
 - cortical signs, anterior choroidal artery infarctions 454–5
 - cortical streams 302, 303
 - cortical stroke
 - cortical metabolism 256
 - dysarthria 336
 - syndromes 17, 57
 - sensory dysfunction 41
 - unilateral temporal 151–2
 - cortico-subcortical circuits 193
 - cortico-subcortical hemispheric stroke 194
 - corticobulbar tract 52
 - lesions 335
 - supranuclear lesions 30–1
 - corticocaudate connection dysfunction 474, 476
 - corticopontine tract 50–1, 52
 - supranuclear lesions 30–1
 - corticoreticulospinal motor system 430
 - corticospinal fibres 22, 334–5
 - corticospinal syndrome 49
 - corticospinal tract 22–3, 51–2, 334–5
 - lesions 23
 - pseudo-bulbar palsy 31
 - corticothalamic network damage 364
 - cough 360
 - aspiration 343
 - cervico-cerebral artery dissection 661, 662
 - Ondine's curse 360
 - reflexive 342
 - transient hemiplegia 655
 - coumarin 527
 - cranial nerve**
 - abnormalities with small unilateral tegmental pontine hemorrhages 529
 - crossed 529
 - dysfunction with dysphagia 343
 - ipsilateral deficit in cervico-cerebral artery dissection 663
 - ischemia 326
 - ischemic syndromes 326
 - lesions and dysarthria 336
 - paralysis and locked-in syndrome 200
 - swallowing 341
 - cranial nerve palsy**
 - arterial dissection 326
 - lower 30–1, 55, 623
 - compressive 657
 - paramedian massive/large pontine hemorrhage 528
 - peripheral 326
 - pontine ischemia 676
 - superior cerebellar artery classic syndrome 543
 - unilateral tegmental infarcts 524
 - crossed cerebellar diaschisis 55–6
 - crural monoparesis** 29
 - anterior cerebral artery infarction 444
 - crural monoplegia** 444
 - crural paresis** 444
 - crus cerebri** 51
 - crying, pathological** 31, 290
 - anterior choroidal artery infarctions 455
 - pontine ischemia 675
 - subcortical stroke 260
 - cryoglobulinemic vasculitis** 327, 328
 - cryoglobulins, serum** 328
 - cryptococcosis** 700
 - deafness** 146
 - large vessel occlusion 149–50
 - paramedian massive/large pontine hemorrhage 528
 - temporal arteries territory infarct 419
 - unilateral 150
 - word 153, 155–6
 - see also* auditory entries; cortical deafness; hearing deficits; word deafness
 - decerebrate movement** 528
 - decompression sickness** 129
 - decompressive surgery** 497

- deep hemisphere stroke, neurobehaviour 252–61
 defecation control 331–2
see also fecal incontinence
 Degos disease 119
 Dejerine syndrome 537
 Dejerine–Roussy syndrome 170
 delirium 192, 199, 200, 222–30
 anterior cerebral artery stroke 227–30
 aphasia 254
 diagnostic criteria 222, 223
 incidence 224
 middle cerebral artery infarction 226, 227
 inferior division territory 411
 posterior cerebral artery bilateral infarcts 487
 prognosis in elderly 223
 rostral basilar artery 225
 subarachnoid hemorrhage 621
 temporal arteries territory infarct 419
 tremens 222
 delusions with basal forebrain lesions 238
 dementia
 caudate infarcts 474
 memory impairment 244
 multiple infarcts 504, 508–9
 pre-existing 273
 risk factors 508–9
 thalamus infarcts 265
see also vascular dementia
 dementia, poststroke 279–82
 Alzheimer pathology 281
 brain lesions 280–1
 epidemiology 279–80
 incidence 273
 multifactorial origin 281–2
 multiple lacunar infarcts with leukoencephalopathy 280–1
 outcome 280
 prevalence 281
 risk factors 281–2
 strategic vascular lesions 280
 stroke prevention 282
 survival 283
 vascular brain lesions 280
 white matter changes 281
 denial 291, 293
 behavioural reactions 292
 delayed poststroke depression/anxiety 295
 dentate nucleus
 cavernoma 134, 136
 lesions 134
 depression 285–7
 anosognosia coexistence 292
 anxiety association 287
 caudate infarcts 446, 474
 coronary heart disease 286
 delayed occurrence 292
 delayed poststroke with denial 295
 diagnosis 285–6
 hypertension 286
 left hemisphere 285, 286
 lesion location 286
 markers 285
 middle cerebral artery superior division territory infarct 410
 migraine 72
 mortality rate 294
 poststroke 235, 293, 367–8
 prevalence 286
 primary familial 244
 right hemisphere syndromes 286
 risk factors 286
 serotonergic mechanism 296
 severity 286
 stroke outcome 294–5
 subcortical stroke 265–6
 subcortical vascular disease 266
 treatment 287
 depth perception, stereoscopic 105
 descending motor pathways 330
 desipramine 368
 detrusor hyperreflexia 697
 detrusor reflex 331
 detrusor-sphincter dyssynergia 331, 697
 diabetes
 brainstem extended/multiple infarcts 559
 caudate nucleus infarcts 473
 centrum ovale infarcts 420
 multiple brain infarcts 501
 multiple cerebellar infarcts 509
 parkinsonism associated with small vessel disease 163
 diagonal band 243, 247–8
 diaphragm, asymmetric function 355
 diaschisis 217
 cortical 257
 crossed cerebellar 364
 frontal 258
 regional 256
 subcortical damage 252
 diazepam 248
 diballism 166
 diet, aspiration prevention 346–7, 348
 dietary supplements 349
 diffusion weighted imaging 540–1, 542–3
 diltiazem 72
 diplopia 16
 rostral basilar artery syndrome 544
 transient 14
 disseminated intravascular coagulation 502
 multiple infarcts 504
 distal basilar artery occlusion 488
 distal vertebral artery 534, 535
 distorted stimuli 148
 dizziness
 rostral basilar artery syndrome 544
 superior cerebellar artery infarct 545
see also vertigo
 dopamine receptor antagonists 368
 Doppler sonography, cervico-cerebral artery dissection 661–2, 664
 dorsal nucleus hematoma 254
 dorsal visual pathway preservation 307
 dorsolateral pontine nuclei (DLPN) 79, 83, 84
 dorsolateral prefrontal circuit 469, 470

dorsomedial nuclei
 memory loss 245–6
 vascularization 381
dreaming
 altered 202, 204
 cessation 204
 reduction 204
 rostral brainstem ischemia 681–2
dreams, acting out 204
dressing apraxia 317, 606
drowsiness 195–8
 rostral basilar artery syndrome 544
drugs in stroke recovery 368
dural arteriovenous fistula 640, 694, 701
dural arteriovenous malformations 701
dural sinuses 627–9
 neoplastic occlusion 638
 thrombosis 635, 642
dysarthria 10–11, 16, 334–9
 ataxic 337–8
 brachial monoparesis 336
 brainstem 337
 caudate infarcts 474
 central sulcus artery territory infarct 416
 cerebellar 48, 53, 337–8
 cerebellar hemorrhage 553
 classification 334, 336, 337, 338
 combined upper/lower motor neuron lesions 337
 contralateral hemiparesis 335, 336
 cortical stroke 336
 cranial nerve lesions 336
 dysphagia 346
 extrapyramidal lesions 338–9
 flaccid 336–7
 hemiparesis 25
 hyperkinetic 338, 339
 hypokinetic 338–9
 lacunar syndrome 581
 lateral medullary infarct 535, 671
 lower motor neuron lesions 336–7
 pontine ischemia 674–5
 pure 29
 scanning 338
 spastic 335, 336, 337
 subclasses 334
 subcortical stroke 336
 aphasia 216
 superior cerebellar artery infarct 545, 693, 684
 supranuclear lesions 335, 336
 upper motor neuron lesions 334–6, 337
 voice 336, 337, 339
dysarthria-clumsy hand syndrome 55, 56, 336, 520, 583
 lacunar syndrome 583, 584–5
 paramedian pontine infarcts 522–3
 small putaminal hemorrhage 594
 unilateral small basal pontine hemorrhage 530
dysarthria-facial syndrome 523
dysautonomia 49
dysdiadochokinesia 338
dysgraphia 606

dyskinesia
 paroxysmal complex 165–6, 169
 transient/paroxysmal/episodic/orthostatic 169
dyslexia
 central 101
 deep 217
 neglect 92, 100, 309
 occipital hematoma 606
 surface 217
dysmetria 338
 lacunar syndromes 584
 recovery 54
dysphagia 341, 342–47, 348, 349–50
 brainstem stroke 345–6
 cranial nerve dysfunction 343
 diagnosis 342–3, 344
 dysarthria 346
 feeding tubes 346–7, 349
 gastrostomy placement 349–50
 incidence 344–5
 large vessel disease 346
 laryngopharyngeal sensory discrimination deficits 342
 lateral medullary infarct 535
 lesion location 345–6
 management 347
 pathogenesis 345
 pathophysiology 342
 pontine ischemia 674–5
 progression of stroke syndromes 345
 stroke complication 365
 TIAs 10
 treatment 346–7, 348, 349–50
dysphasia 10–11, 16
 deep 215
 hemiparesis 30
 lacunar syndrome 587
dysphonias
 lateral medullary infarcts 671
 pontine ischemia 674–5
dyspnea 355
dyspraxia, diagnostic 449
dysprosody 211
dystonia 166–7
 cephalic 166
 choreoathetosis 166
 focal hand/foot 166
 paroxysmal complex dyskinesia 169
 progressive 167
 tonic spasms 166–7
ear extinction, paradoxical 148, 318
ECG changes 329
echoes, suppression of perception 151
Edinger-Westphal nucleus 677, 681
Ehlers-Danlos syndrome
 cervico-cerebral artery dissection 662
 type II 663–4
 type IV 628
electroconvulsive therapy 287
electroencephalography 636

- electronystagmography 559
- electrophysiology of spinal stroke syndromes 702
- embolism
 - border zone cerebellar infarcts 551
 - carotid artery 501
 - fibrocartilaginous 700
 - infarction speed of onset 4
 - intra-arterial 485
 - intracranial 485–6
 - large hemispheric infarcts 490
 - multiple posterior circulation infarcts 550
 - platelet-fibrin 120, 121
 - pontine infarcts 521–2
 - posterior cerebral artery bilateral infarcts 486–8
 - pulmonary 360, 640
 - thromboembolism 564
 - vascular 323–4
- see also* cardiac embolism; retinal emboli
- emotion appraisal 288
- emotional aptitudes 293–4
- emotional behaviour 285
 - anterior choroidal artery infarctions 455
 - cardioembolic stroke 289
 - index 295
- emotional lability 290
- emotional peak and stroke onset 288
- emotional processing, orbital frontal cortex 239
- emotional reactions
 - middle cerebral artery inferior division territory infarct 411
 - quantification 296
 - respiratory response 356
- see also* crying, pathological; laughter, pathological
- emotional status 367–8
- emotionalism 290
- empathy 239
- empty delta sign 631–2, 633
 - angiography 635, 643
- encephalopathy
 - Binswanger's disease 274
 - diffuse 168
 - metabolic 223
 - post-traumatic 269
 - subcortical arteriosclerotic 56–7
 - toxic 223
- endothelium in migrainous stroke 64
- environment, spatial temporal processing 288
- environmental dependency syndrome 238
- eosinophilic vasculitis 116
- ephedrine 620
- epilepsy
 - age-specific incidence 184
 - post-stroke 186
 - stroke as cause 182
- see also* seizures; status epilepticus
- ergotamine 61, 72
- erythrocyte sedimentation ratio (ESR) 366
- Escherichia coli* 638
- excitatory burst nucleus 77
- executive functions of dorsolateral prefrontal cortex 235
- Exner's area 316
- external capsule 431–2
- external carotid artery 656
- extracranial artery-to-intracranial artery (ECA-ICA)
 - anastomoses 566, 569
 - bypass surgery 572, 578, 579
 - high-flow bypasses 566
- extrapyramidal lesions 338–9
- extrathalamic reticulo-frontal afferents 199
- extrinsic intraspinal perimedullary arterial network 693
- eye deviation
 - complete middle cerebral artery pial territory infarct 409
 - large hemispheric infarcts 494
 - low-flow infarcts 568
 - middle cerebral artery superior division territory infarct 410
- eye disease, progressive ischemic 579–80
- eye movement
 - anterior choroidal artery infarctions 455
 - cerebellar ataxia 48
 - cerebral hemispheres 82–4
 - conjugate lateral 76
 - convergence abnormalities 680
 - disorders 30, 76–84
 - medial medullary infarct 537
 - paramedian massive/large pontine hemorrhage 528
 - lateral 76–9
 - afferences of premotor structures 79
 - final common pathway 76–8
 - premotor structure 77–9
 - pontine ischemia 675, 676–7
 - pursuit 83–4
 - suprareticular structures 82
 - top of the basilar syndrome 679
 - vertical 76, 79–82
 - brainstem afferences 80–2
 - final common pathway 79–80
 - paralysis 81
 - premotor structures 80–2
- see also* gaze; gaze palsies; locked-in syndrome; one-and-a-half syndrome
- eyelid
 - apraxia of lid closure of Lewandowsky 415
 - retraction 515, 680
- face
 - agnosia 307–8
 - paragnosia 308
 - perception testing 102
- facial dysesthesia 670–1
- facial pain
 - lateral medullary infarct 535, 536, 670
 - pontine ischemia 677
 - trigeminal neuralgia 38–9
- facial palsies
 - isolated 335
 - supranuclear 29
- facial paresis
 - isolated 29
 - medial medullary infarct 672
 - syndrome 335
- facial pulses, low-flow infarcts 569
- facial recognition 294
- facial sensory symptoms, bilateral 41–2

- facial sinus infection 638, 646
 facial weakness
 lateral medullary infarct 536
 pontine ischemia 674–5
 unilateral 10
 faciobrachial paresis 23, 25
 faciobrachial sensorimotor deficit 408
 factor V Leiden mutation 639
 fabz cerebri 628
 contrast enhancement 633
 familial hypertrophic cardiomyopathies 324, 325, 326
 family history, caudate nucleus infarcts 473
 fear 287–9
 abnormal reactions 293
 anger relationship 289
 decreased experience 292
 emotional perception 294
 impaired recognition 293
 stroke relationship 287–9
 fecal continence 331–2
 fecal incontinence 331–2
 anterior cerebral artery infarction 447
 outcome prediction 365
 fiberoptic endoscopic evaluation of swallowing (FEES) 342–3
 fibrin
 microemboli 64
 plugs 121
 fibrinogen 366
 fibrinolytic agents
 intravenous 644
 lobar hemorrhage 601–2
 fibrocartilaginous embolism 700
 finger agnosia 311
 flocculonodular syndrome 53
 flocculovestibular neurone 79
 flocculovestibular tract 82
 flunitiazine 72
 fluoxetine 368
 Foix-Alajouanine syndrome 701
 Foix-Chavany-Marie syndrome 31, 416
 orofacial apraxia differential diagnosis 316
 foramen ovale, patent 71, 360
 foveal vision 89
 Frégo syndrome 308
 frontal apraxia of Bruns 164
 frontal artery 441, 442
 frontal cortex
 working memory 243
 see also mesial frontal cortex
 frontal eye field 79
 afferences 80
 dorsolateral prefrontal cortex 235
 lesions 84
 saccade triggering 82–3
 frontal gait disorder 164
 frontal lobe xxiii
 anatomy 232–4
 deficit with caudate nucleus infarct 432
 disequilibrium 164
 hematoma 603–4, 606
 irrigation 234
 lesions 232–4
 cerebellar-like symptoms 49
 neocortical processing 232–3
 organizational features 232–4
 frontal lobe stroke syndromes 232, 234–40
 clinical correlates 234–6, 237, 238–40
 clinical presentation 234–6, 237, 238–40
 deep white matter pathways 239–40
 hypersomnia 196
 lateral 234–6
 mesial 236, 237, 238
 neurorehabilitation 240
 outcome 240
 recovery 240
 ventral 238–9
 frontal-striatal-thalamic-frontal parallel circuits 469, 470, 471
 frontocaudate circuit disturbance 446
 frontopolar artery 441, 442
 frontopontine tract 51
 frontotemporal hypoperfusion 256
 fusiform gyri 102
 fusion ability evaluation 148
 gag, aspiration 343
 gait
 initiation failure 57
 isolated ignition failure 164
 parkinsonian 163
 gait apraxia 164, 317
 gait ataxia 48
 cerebellar hemorrhage 553
 cerebellar stroke 540
 dysarthria 338
 lateral medullary infarcts 536
 PICA infarcts 548
 superior cerebellar artery infarct 545, 684
 gait disorders
 frontal 164
 higher level 163–4
 senile 162, 163–4
 gaze
 anterior choroidal artery infarctions 455
 conjugate horizontal 676
 deviation with putaminal hemorrhage 591
 frontal hematoma 604
 rostral brainstem infarcts 680–1
 top of the basilar syndrome 679
 vertical abnormalities in thalamic hemorrhage 466
 vertical paralysis 80
 gaze apraxia
 Balint's syndrome 104–5
 posterior cerebral artery bilateral infarcts 487
 simultanagnosia 309
 gaze palsies 30
 combined upward-/downward-gaze 515
 conjugate 30
 dissociated vertical 515
 downward-gaze 515
 horizontal 523
 lateral 30

- gaze palsies (*cont.*)
 - PICA infarcts 673
 - pseudosixth 680
 - temporal hematoma 605
 - thalamic–subthalamic artery infarcts 473, 465
 - top of the basilar syndrome 679–80
 - upward-gaze 515
 - vertical 524
- gender 63
- geniculate body 452
 - medial 146
- geniculocalcarine tract 87–8
 - infarction 91
- Gerstmann's syndrome 104, 309, 311
 - angular artery territory infarct 418
 - posterior cerebral artery infarction 685
- giant cell arteritis
 - headache 71
 - ischemic optic neuropathy 123
 - spinal cord ischemia 700
 - temporal artery
 - biopsy 124
 - pulse 113
 - transient monocular blindness
 - differential diagnosis 113–14
 - vasospastic 116
- Glasgow coma scale 360
- glaucoma, neovascular 115
- globus pallidus
 - anterior choroidal artery supply 452
 - caudate nucleus inhibitory projections 475
 - internal nucleus 469
- glutamate
 - hippocampal/hypothalamic responsiveness 296
 - stroke onset 5
- glycerol 496
- glycine 290
- granulomatous angiitis 603, 700
- granulomatous arteritis 71
- graphesthesia 41
- graphomotor pathway, basal ganglia 256
- graphomotor pattern transfer 319
- grasp 320
 - instinctive reaction 449
 - pathological phenomenon 447
 - reflex 449
 - anterior cerebral artery infarction 447
- graviceptive pathway 135
- great radicular artery of Adamkiewicz 691, 692, 693
- Guillain–Barré syndrome 324
- Guillain–Mollaret triangle 676
- hallucinations 202, 204
 - brainstem strokes 149
 - hypnagogic 197
 - middle cerebral artery infarction 226, 227
 - paramedian massive/large pontine hemorrhage 528
 - peduncular 197, 682
 - poststroke psychosis 291
 - release 95–6
 - phenomena 204
- rostral brainstem ischemia 681–2
- visual 95–6
 - see also* auditory hallucinations
- hallucinosis, peduncular 96, 194, 202, 204
- midbrain infarcts 516
- haloperidol 248
- hand
 - anarchic 320
 - dystonia 43
 - thalamic infarcts 462
 - see also* alien hand sign; alien hand syndrome
- headache 60–73
 - aneurysmal 66
 - benign thunderclap 618, 619
 - biphasic 620
 - CADASIL 71
 - cerebellar hemorrhage 553
 - cerebellar stroke 540
 - cerebral venous thrombosis 630
 - cerebrovascular disease subtypes 65–9
 - cervico-cerebral artery dissection 663
 - characteristics in cerebrovascular disease 68–9
 - consciousness loss 66
 - embolic arterial disease 65
 - frontal hematoma 604
 - giant cell arteritis 71
 - granulomatous arteritis 71
 - hemorrhage 62
 - intracerebral hemorrhage 68
 - ischemic stroke 65
 - lacunar infarction 71–2
 - lateral medullary infarct 535, 537, 672
 - lobar hemorrhage 603
 - middle cerebral artery 69
 - non-aneurysmal 66
 - NSAIDs 72
 - occipital 620
 - hematoma 606–7
 - oral contraceptives 70
 - pain location 68, 69
 - pain-sensitive vessels 62
 - pathophysiology 61–2
 - periarteritis nodosa 71
 - PICA infarcts 548, 673
 - posterior cerebral artery 69
 - posterior fossa hemorrhage 68
 - sentinel 66, 619
 - small vessel disease 71–2
 - speed of onset 618–19
 - stroke 64–5
 - risk 63
 - subarachnoid hemorrhage 66, 68–9, 618–19
 - superior cerebellar artery infarct 545
 - Takayasu's disease 71
 - temporal arteritis 71
 - temporal hematoma 604
 - tension-type 68, 69
 - thrombotic arterial disease 65–6
 - thunderclap 66, 67–8
 - TIA 14, 65
 - vasodilatation 62

- venous thrombosis 70
 - see also* migraine
- hearing deficits 146
 - auditory system involvement 158
 - paramedian massive/large pontine hemorrhage 528
 - pontine ischemia 678
 - see also* auditory entries; cortical deafness; deafness; word deafness
 - hearing evaluation 146–9
- heart disease *see* cardiac and cardiovascular entries; coronary heart disease; myocardial infarct
- heart failure, congestive 323
- hemangioblastoma 701
- hematological disorders 502–3
- hematoma
 - fulminant putaminal hemorrhage 591
 - intramural 661
 - hemiacromatopsia 100
 - hemiakinetopsia 99
 - hemialexia, left 318
 - hemianacusia 151–2
 - hemianesthesia 451
 - with sensory tract lesion 49
 - hemianomia, left visual 317–18
 - hemianopia
 - blindsight 92
 - complete 90
 - contralateral 90
 - hemispherical infarction in posterior cerebral artery territory 483–4
 - inattention relationship 94–5
 - large hemispheric infarcts 493
 - macular-involving 100
 - macular-splitting 100
 - partial 90
 - posterior cerebral artery infarction 684–5
 - pure alexia 100, 101
 - simultaneous infarcts in one hemisphere 504
 - simultaneous with single artery occlusion 506
 - temporal hematoma 605
 - watershed infarctions 653–4
 - hemianopia–hemiplegia 421
 - syndrome 655
 - hemianopic defects, bilateral 91, 96
 - hemiasomatognosia 593
 - hemiattention 92–3
 - middle cerebral artery superior division territory infarct 410
 - parietal hematoma 605
 - hemiballism 164–6
 - anterior choroidal artery infarctions 455
 - paroxysmal 165
 - subthalamic nuclei infarcts 683
 - transient 165
 - hemichorea 165
 - delayed 166
 - low-flow infarcts 567
 - putaminal hemorrhage 595
 - hemichorea–hemiballism 164–6
 - putaminal hemorrhage 595
 - hemiconcern, acute 417–18
 - hemidystonia 166
 - delayed 167
 - thalamic infarcts 462
- hemiextinction 418
- hemihypesthesia
 - large hemispheric infarcts 493
 - thalamic hemorrhage 466
- hemihypokinesia 164
- hemimedullary infarction 672–3
- hemimedullary syndrome of Babinski–Nageotte 538
- hemimyoclonus 168
- hemineglect 92–5, 264–6
 - anatomoclinical correlations 265
 - caudate infarcts 474
 - constructional apraxia 99
 - mental imagery 264
 - models 265–6
 - modular deficit 264–5
 - neglect dyslexia 100
 - perception 264, 265
 - precentral artery territory infarct 415
 - recovery 266
 - rehabilitation 266
 - testing 93–4, 97
 - visuo-spatial 265
- hemiparesis 10, 22, 23–5
 - anterior cerebral artery infarction 444–5
 - brachioradial 27
 - cardiac embolism 28
 - caudate infarct 30
 - cerebral-lesion localization 24
 - complete middle cerebral artery pial territory infarct 409
 - cortical infarction 27
 - crural 653
 - dysphasia 30
 - eye-movement disorders 30
 - flaccid 591
 - hemimedullary infarction 673
 - herald 525, 674
 - hypothetic ataxic 30
 - lacunar syndromes 29–30
 - large hemispheric infarcts 493
 - lateral medullary infarct 536
 - low-flow infarcts 568
 - medial medullary infarct 25, 537, 672
 - middle cerebral artery infarction 24
 - superior division territory 410
 - neuropsychological dysfunction 30
 - pontine 24–5
 - postcommunal posterior cerebral artery infarcts 483
 - posterior cerebral artery occlusion 482
 - pure motor 25–8, 29, 430, 431
 - putaminal hemorrhage 591
 - speech dysfunction 30
 - striatocapsular infarction 453
 - subarachnoid hemorrhage 623
 - thalamic hemorrhage 466
 - thalamic infarction 30
 - see also* ataxic hemiparesis
 - hemiphenomena, TIAs 10, 16
 - hemiplegia
 - denial 291
 - flaccid 568
 - hyperkinesia contralateral to 170

- hemiplegia (*cont.*)
 - large hemispheric infarcts 493
 - middle cerebral artery infarction 451
 - paramedian pontine
 - infarcts 522
 - massive/large hemorrhage 528
 - posterior cerebral artery
 - infarction 685
 - occlusion 481–2, 516
 - simultaneous infarcts in one hemisphere 504
 - simultaneous with single artery occlusion 506
 - temporal hematoma 605
 - time of development 3
 - transient cough-induced 655
 - unilateral small basal pontine hemorrhage 530
 - weakness unawareness 23
- hemisensory deficit 591
 - temporal hematoma 605
- hemisensory loss
 - anterior parietal artery territory infarct 416
 - complete middle cerebral artery pial territory infarct 409
 - middle cerebral artery superior division territory infarct 410
 - posterior parietal artery territory infarct 418
 - small unilateral tegmental pontine hemorrhages 529
 - striatocapsular infarction 433–4
- hemisensory neglect 417–18
- hemisensory signs in ataxic hemiparesis 56
- hemispatial attention 258
- hemispatial neglect 321
 - angular artery territory infarct 418
 - anterior cerebral artery infarction 448
 - anterior choroidal artery infarctions 455
 - left 236
 - middle cerebral artery superior division territory infarct 410
 - posterior cerebral artery occlusion 482
- hemispheric infarction
 - bilateral 30
 - double 420–1, 422
 - unilateral 655–6
 - posterior cerebral artery 483–4
 - silent and mania 290
 - status epilepticus 184
 - see also* left hemisphere; right hemisphere
- hemispheric infarcts, large 490–7
 - clinical course 493–4
 - decompressive surgery 497
 - epidemiology 490
 - etiology 490
 - induced hypothermia 497
 - mortality prediction 495
 - pathophysiology 490–2
 - prognosis 494–5
 - radiological findings 492–3, 494
 - secondary hemorrhage risk 495
 - therapy 495–6
 - new/experimental 496–7
- hemispheric infarcts, multiple 499–509
 - causes 500–3
 - frequency 499–500
 - incidence 499–500
- simultaneous 503–8
 - in one hemisphere 504–5
 - with single artery occlusion 505–6
- hemispheric syndrome, major 6
- hemispherical strokes
 - auditory agnosia 153
 - auditory symptoms 151–3
 - coma 198
 - deep 252–61
 - respiration 355
 - sleep EEG changes 204
 - stupor 198
- hemolytic uremic syndrome 503
- hemorrhagic stroke 5
 - headache 66–9
- Henoch–Schönlein purpura 327, 328
- heparin 527
 - brainstem infarcts 560
 - cerebellar infarcts 564
 - cerebral venous thrombosis 642–3, 644
 - cervico-cerebral artery dissection 664
- herald hemiparesis 525, 674
- hereditary hemorrhagic telangiectasia 622
- herpes zoster 328
- Heschl's gyrus 311
- Heubner's artery 439, 440–1, 443
 - caudate nucleus
 - blood supply 471
 - infarcts 472
 - occlusion 445
 - hiccup 360
 - intractable 168–9
 - lateral medullary infarcts 671–2
 - hippocampus
 - adrenal steroid secretion 288
 - emotional functions 294
 - infarction 479
 - memory loss 251
- HIV infection, CSF analysis 702
- Hollenhorst plaques 120, 121
- homolateral ataxia and crural paresis 55, 57, 583, 584–5
- homonymous hemianopia 13, 421
 - anterior choroidal artery
 - infarctions 453
 - syndrome 30
 - congruous 93
 - middle cerebral artery infarction 451
 - complete pial territory 409
 - inferior division territory 411
 - occipital hematoma 607
 - parietal hematoma 605
 - posterior cerebral artery occlusion 482
 - putaminal hemorrhage 591
 - temporal hematoma 604
- homonymous hemifield defects 91
- Horner's syndrome 326
 - anisocoria 113
 - anterior choroidal artery infarctions 455
 - ataxia association 49
 - carotid dissection 657
 - caudate hemorrhage 477

- cervico-cerebral artery dissection 663
- lateral medullary infarcts 535–6, 671
- rostral basilar artery syndrome 544
- superior cerebellar artery classic syndrome 543, 683
- hostility 288–9
- hydrocephalus
 - communicating 615
 - intraventricular hemorrhage 613, 615
 - obstructive
 - after caudate hemorrhage 477
 - cerebellar infarcts 553
 - PICA infarcts 548
 - subarachnoid hemorrhage 623
- hydrops, endolymphatic 129
- 5-hydroxyindoleacetic acid (5HIAA) 296
- 5-hydroxytryptamine (5-HT) *see* serotonin
- hyperactivity
 - agitation 226
 - logorrhea 226
 - neuroanatomical substrate 223–4
- hyperacusis 146
 - brainstem strokes 149
- hyperarousal 199
- hyperattention syndromes 275
- hypercholesterolemia 473
- hyperglycemia 366
- hyperhydrosis 332
- hyperkinesias
 - complex 170
 - with mutism 194
- hyperkinetic movement disorders 164–70
 - akathisia 170
 - asterixis 168
 - athetosis 166
 - compulsive motor behaviours 170
 - delayed hemichorea 166
 - dyskinesia 169
 - dystonia 166–7
 - hemichorea-hemiballism 164–6
 - hyperkinesia
 - complex 170
 - contralateral to hemiplegia 170
 - hyperplexia 169
 - limb shaking 169
 - maniform agitation 170
 - mirror movements 169
 - myoclonus 168–9
 - pseudoathetosis 166
 - stereotypies 169
 - tremor 167–8
- hypermotility, non-goal directed 170
- hyperperfusion syndrome with leukoencephalopathy 70
- hyperplexia 169
- hypersomnia/hypersomnolence 195–8
 - active 195
 - akinetic mutism 199
 - circadian 204
 - daytime 200, 201
 - deep hemispheric stroke 194, 195–6
 - frontal lobe syndrome 196
 - megaphagia 204
- mesencephalic stroke 197
- paroxysmal 204
- passive 195
- pontine stroke 197
- poststroke 195
- presleep behaviour 196
- rostral brainstem infarcts 681
- with supranuclear vertical gaze defects and confabulatory amnesia 196
- tegmental mesencephalic stroke 197
- thalamic stroke 196
- thalamic–subthalamic artery infarcts 463
- hypertension
 - acute stroke 329
 - arterial
 - low-flow infarcts 579
 - raised intracranial pressure 329
 - caudate hemorrhage 475
 - caudate nucleus infarcts 473
 - centrum ovale infarcts 420
 - cerebellar hemorrhage 553
 - depression 286
 - intracranial 630, 644
 - intrathoracic 360
 - lobar hemorrhage 599
 - migrainous stroke 63
 - multiple brain infarcts 501
 - parkinsonism associated with small vessel disease 163
 - pontine hemorrhage 527
 - subarachnoid hemorrhage 622
- hyperthermia
 - outcome prediction 366–7
 - paramedian massive/large pontine hemorrhage 528
- hyperthymia, persisting 291
- hyperventilation
 - central 360
 - cerebral vasoconstriction 496
 - prognosis 360
- hypervigilance 199
- hyperviscosity syndrome 129
- hypesthesia 530
- hypesthetic ataxic hemiparesis syndrome 39–40
- hyphema, spontaneous 115
- hypocapnia 360
- hypokinesia 164
- hypokinetic movement disorders 162–4
 - asymmetric catalepsy 164
 - motor neglect 164
 - senile gait disorders 163–4
- hypophonia 216
- hypotension 330
 - posterior cerebral artery bilateral infarcts 487
 - spinal cord ischemia 701
 - systemic
 - border zone cerebellar infarcts 552
 - low-flow infarcts 568
 - watershed infarction 4, 653
- hypothalamus lesions and thermic dysregulation 332
- hypothermia, induced 497
- hypotonia 338
 - basal ganglia lesions 364

- ideomotor apraxia 314–16, 319
 - anterior cerebral artery infarction 447, 448
 - complete middle cerebral artery pial territory infarct 409
 - left unilateral 319
 - low-flow infarcts 568
- IgA vascular deposits 328
- imipramine 287
- inattention
 - contralateral with occipital hematoma 607
 - hemianopia relationship 94–5
- incontinence 331–2
 - see also* fecal incontinence; urinary incontinence
- infarction
 - speed of onset 3–5
 - watershed 4
- infection, cervico-cerebral artery dissection 661
- infective endocarditis 323, 621
- inferior colliculus 145–6
 - lesion 148
 - small vessel infarcts 151
- inferior mesial frontal cortex 238
- inferior parietal artery 441, 442
- inferior parietal lobule 265
- inferior sagittal sinus 628
- inflammatory bowel disease 328
- inflammatory disease, spinal cord ischemia 700
- infraterritorial stroke 360
- inhibitory burst neurones 76, 78
- inhibitory control of interference loss 228
- inner ear hair cells 144
- insomnia 199, 200, 201
- intellectual impairment
 - deterioration with caudate infarcts 259
 - poststroke 286
- intensive-care units, specialist 365–6
- internal auditory artery 144
 - AICA territory infarct 678
 - occlusion 150
- internal auditory canal 144
- internal capsule 51
 - anterior choroidal artery supply 452
 - anterior limb
 - anterior lenticulostriate arteries 471
 - caudate infarcts 472
 - infarcts 430–1
 - ataxic hemiparesis 56
 - hematoma 591–2
 - hemorrhage and cortical deafness 153, 154, 155
 - inferior genu infarction 247, 259
 - lacunes 443
 - stroke 55–6
 - dysarthria 335
 - subcortical infarcts 252
 - upper part infarcts 431
 - watershed infarcts 436
 - white matter connection damage 434
- internal carotid artery
 - bruit 113
 - cervico-cerebral artery dissection 663, 664
 - disease 443
- dissection 3–4, 113, 326, 443
 - incidence 660
 - low-flow infarctions 565, 576
 - migraine 69
 - site 660
- embolic occlusion 490
 - superior cerebellar artery infarct 545
- embolic phenomenon 3
- extraterritorial infarctions 651
- hemodynamically severe disease 655
- occlusion 4, 13, 18
 - asymptomatic 651
 - atherothrombotic 576
 - bilateral 656
 - carotid dissection 657
 - centrum ovale infarcts 654
 - collateral pathway recruitment 566
 - double infarction 421
 - intracranial 656–7
 - low-flow infarcts 568, 570, 571–2
 - moristic aphasia-sensorimotor hemiparesis 656
 - ocular signs 654–5
 - outcome 571, 573
 - pial infarctions 652
 - prognosis 578
 - risk factors 652
 - seizures 189
 - siphon 656–7
 - stroke rate 652
 - TIA 652, 655
 - unilateral 652–6
 - unilateral double hemispheric infarction 655–6
 - watershed infarctions 652–4
- perforating branches 380
- pseudo-occlusion 565, 573
- stenosis
 - diagnostic imaging 573
 - low-flow infarcts 566
 - seizures 189
 - surgical treatment 579
- territorial infarctions 651
- transient cerebral ischemia 169
- international normalized ratio (INR) 601–2
- internuclear ophthalmoplegia 76, 77, 82
 - paramedian pontine infarcts 523
 - pontine ischemia 676–7
- interpeduncular arteries 378
- interstitial nucleus of Cajal 138, 139
- intra-arterial embolism 485
- intracerebral hemorrhage 18
 - headache 68
 - hematoma enlargement 5
 - seizures 182
 - stroke type 185
 - see also* lobar hemorrhage
- intracranial aneurysm
 - cervico-cerebral artery dissection 664
 - ruptured 619
- intracranial atherosclerotic disease 656–7
- intracranial embolism 485–6

intracranial hypertension
 benign 630
 cerebral venous thrombosis 644

intracranial pressure, raised
 arterial hypertension 329
 barbiturates 496
 cerebellar infarcts 554
 induced hypothermia 497
 intracranial volume 492
 large hemispheric infarcts 494
 posterior cerebral artery infarction 486
 pulmonary edema 329
 subarachnoid hemorrhage 66
 therapy 495
 venous thrombosis 70

intracranial pressure monitoring 496
 intralabyrinthine hemorrhage 150

intralaminar nuclei vascularization 381
 intraocular hemorrhage 622

intraocular pressure, central retinal artery occlusion 118

intraspinal perimedullary arterial network, extrinsic 693

intraventricular hemorrhage 612–16
 blood volume 614
 caudate hemorrhage 476
 clinical features 612–13
 CT scan 613
 fulminant putaminal hemorrhage 591
 memory loss 247
 primary 612, 614, 615
 prognosis 613–16
 secondary 612–13
 surgery 615
 thrombolysis 615, 616
 tissue plasminogen activator (tPA) 615
 treatment 613–16
 urokinase 615

ischemic stroke
 anterior circulation damage 3–4

emotional disturbance 288

headache 65

migraine 63

posterior circulation damage 4–5

isolation syndrome 212, 215

jerks

paroxysmal complex dyskinesia 169
 thalamic infarcts 462

jerky dystonic unsteady hand syndrome 170

Jervell and Lange Nielsen syndrome 326

Kana 217

Kanji 217

kinesthetic aphasia 417

Kleine–Levine-like syndrome 204

Klüver–Bucy syndrome 294

Kölliker–Fuse nucleus 353, 354

Korsakoff syndrome 247

labyrinthian syndrome, vertiginous 673

labyrinthine hemorrhage 129

lacunar infarction 429–30, 552
 ataxic hemiparesis 55
 brainstem 524
 headache 71–2
 isolated facial paresis 29
 isolated monoparesis 28–9
 microangiopathic 576
 multiple brain infarcts 501
 multiple with leukoencephalopathy 274–5
 speed of onset 4
 subcortical vascular dementia 260
 voluntary breathing/swallowing inability 357

lacunar syndrome 17–18

acute stroke treatment 587–8

anterior choroidal artery infarctions 449, 453, 454

ataxic hemiparesis 583, 584–5

centrum ovale infarcts 420

classical 587–88, 586

dysarthria 587

dysarthria–clumsy hand syndrome 583, 584–5

dysphasia 587

extended 584

hemiparesis 29–30

homolateral ataxia and crural paresis 583, 584–5

ischemic lesion size 586

midbrain infarcts 516

partial 586

pontine infarcts 520

paramedian 522

pure motor hemiparesis 25

pure motor stroke 583, 584

pure sensory stroke 583, 584

sensorimotor stroke 583, 585–6

stroke pathology 586

thalamic pure sensory syndrome 40

TIA 587

vascular pathology 586–7

lacunes, giant 429

language

anosognosia for impairment 215

articulated 211

auditory perception 218

comprehension 214

distribution 218

function activation 218

laterality 217

left hemisphere 211

superior mesial frontal cortex stroke 236

thalamic aphasia 254–5

language disorders

anterior cerebral artery infarction 447

caudate hemorrhage 476

caudate infarcts 474–5

posterior cerebral artery left-hemisphere infarction 484

large artery atherosclerosis

brain lesion localization within posterior circulation 667–8

distal intracranial territory 679–87

evaluation 687

infarction speed of onset 4

location 667

- large artery atherosclerosis (*cont.*)
 middle intracranial territory 674–9
 multiple intracranial territory infarcts 687
 proximal intracranial territory 668–74
 strokes sparing lower limb 25
- large artery disease
 cerebellar infarcts 507
 intracranial occlusive 550
 pontine infarcts 521
- large artery occlusion
 border zone cerebellar infarcts 551
 brainstem extended/multiple infarcts 559
 lacunar strokes 552
- large artery thromboembolism *see* large artery atherosclerosis
- large vessel disease 18
 dysphagia 346
- large vessel occlusion, deafness 149–50
- laryngopharyngeal sensory discrimination deficits 342
- lateral frontotemporal infarctions 576
- lateral-gaze palsy 30
- lateral geniculate nucleus 87
 infarction 90
- lateral inferior pontine syndrome 535
- lateral lemniscus infarcts 151
- lateral orbitofrontal circuit 469, 470, 471
- lateral posterior choroidal arteries 479
- lateral sinus hypoplasia 636
 left lateral sinus thrombosis differentiation 634
- lateral sinus thrombosis
 angiography 636, 644
 septic 638, 646
see also left lateral sinus thrombosis
- lateral thalamus
 infarction 482–3
 ischemia 685
- laterality, language 217
- laughter, pathological 31, 290
 pontine infarcts 524
 pontine ischemia 675
 subcortical stroke 260
- left dorsolateral prefrontal cortex 243
- left hemispatial neglect 236
- left hemisphere
 aggressive burst 291
 damage compensation by right hemisphere 217, 218
 depression 285, 286
 infarction 484–5
 language 211
 lesions and visual agnosia 502
 left lateral sinus thrombosis 630, 631, 634
 lateral sinus hypoplasia differentiation 634
 MRI 637
- left sensory-motor hemisynrome 269
- leg *see* lower limb
- lemniscal sensation dysfunction 37
- lemniscus *see* lateral lemniscus; medial lemniscal system
- lenticulostriate arteries 405–6, 428–35, 436–8
 anterior 471–2
 caudate nucleus infarcts 472
 caudate nucleus blood supply 471
- comma-shaped infarct 432–4
- faciobrachial paresis 25
- hemiparesis with dysphasia 30
- hypertensive change 428
- infarctions 452
 lateral 431, 471
 caudate nucleus infarcts 472
 microaneurysms 428
 obstruction sites 432
 origin 429, 430
 pathology/pathogenesis 428
 watershed infarcts 431, 432, 437, 438
- lenticulostriate system 43
- lenticulostriate territory infarcts 428
 apraxia 262
- lentiform nucleus 432
 infarction 435
- leptomeningeal anastomoses 566
- leptomeningeal arteries 377
- Leriche syndrome 699
- leukoencephalopathy
 hyperperfusion syndrome 70
 metabolic–edematous posterior 487
 reversible posterior 310
- Lewy bodies 163
- lexical retrieval 216
- Lhermitte's peduncular hallucinosis 202
- Libman–Sacks endocarditis 502
- limb
 adventitious movements 674
 dysesthesia 670–1
 dysmetria 543, 553
 incoordination with superior cerebellar artery infarcts 683
 movement with superior cerebellar artery infarcts 683
 shaking 169
 low-flow infarcts 567, 569
 supernumerary 269
 unilateral motor neglect 320
see also lower limb; motor weakness; upper limb weakness
- limb ataxia 48
 ataxic hemiparesis 55
 lateral medullary infarcts 536
 superior cerebellar artery
 classic syndrome 683
 infarcts 545, 683, 684
- limb weakness
 anterior cerebral artery infarction 443, 444
 lacunar syndromes 584
- limbic circuit 470, 471
 basolateral 243
- lingual discoordination 342
- lingual gyri 102
- lingual palsy 25
- lingual paresthesia 42
- lipohyalinosis 18
 caudate infarcts 475
 deep perforating arteries 274
 lacunar strokes 552
 pontine lacunes 526
- lipoprotein lipase 288

- listeriosis 328
- lithium 291
- lobar hemorrhage 599–609
 - anticoagulants 601–2
 - arteriovenous malformation 600–1, 603
 - cavernous angioma 600–1, 603
 - cerebral amyloid angiopathy 599–600, 602
 - cerebral tumours 601, 604
 - clinical features 603–7
 - CT scan 599, 600
 - fibrinolytic agents 601–2
 - frequency 599
 - frontal hematoma 603–4, 606
 - hematoma size 608–9
 - hypertension 599
 - management 608–9
 - non-hypertensive mechanisms 599–603
 - occipital hematoma 606–7, 608
 - outcome 607–8
 - parietal hematoma 605–6, 607
 - prognosis 607–8
 - sites 601
 - status epilepticus 184
 - surgical therapy 608–9
 - sympathomimetic drugs 602
 - temporal hernatoma 604–5, 606
 - vascular malformation 600–1, 603
 - vasculitis 602–3
- locked-in syndrome 192, 200, 201
 - brainstem infarction 557
 - midbrain 516
 - midpontine lesions 356
 - pontine ischemia 675
- logorrhea 226
- long latency responses 149
- long-lead burst neurones 81
- long QT syndromes 325, 326
- long-term care costs 363
- low-flow infarctions 550–2
 - anterior border zone 575, 576
 - blood flow velocity 565, 566
 - causes 551
 - clinical features 550–1, 566–9, 570, 571
 - course 551
 - diagnostic imaging 572–4
 - diagnostic techniques 565
 - EEG 569
 - epidemiology 565
 - imaging 565, 574, 575, 576–7
 - simultaneous technique 576–7
 - incidence 565
 - laboratory parameters 565–6
 - mechanisms 566, 567
 - pathophysiology 565–6
 - prognosis 570, 572
 - subcortical 565, 570, 576–7, 578
 - extensions 576
 - superficial 565
 - terminology 564–5
 - therapy 578–80
- TIA 567–8
- vascular findings 572–4
- low-flow states, cerebral 570–2
- lower limb
 - movements in sleep 204
 - weakness 10, 16
 - low flow TIA 18
- lower motor neuron lesions 336–7
- lunar infarcts 185
- lupus anticoagulant 70, 114
 - transient monocular blindness type IV 116–17
- Lyme disease 328, 700
- lymphoma, intravascular 502
- macropsia 98
- macula, cherry-red spot 118
- macular dysfunction 87
 - retinal ischemia 14
- magnetic resonance angiography 635, 640, 641
- magnetic resonance imaging (MRI)
 - cerebellar stroke 540, 541
 - cerebral venous thrombosis 663–5, 636, 637, 638, 639
 - cervico-cerebral artery dissection 661
 - diffusion-weighted 634–5
 - lateral medullary infarction 537
 - migraine 64
 - spin-echo sequences 633
 - spinal stroke syndromes 696, 698, 701–2
 - techniques 493
- mamillo-thalamic tract damage
 - memory defect 259, 683
- mammillary bodies 244
- man in the barrel syndrome 502, 696
- mania 290–1
 - anterior cerebral artery stroke 227–8
 - right hemisphere lesions 285, 290
- mannitol 496
- maprotiline 368
- marche à petit pas 163, 164
- Marfan's syndrome 622
 - cervico-cerebral artery dissection 662
- masking level difference 147–8
- masseter paresis 131
- masseter reflex 559
- medial frontal lesions
 - agitation 227–8
 - motor neglect 445–6
- medial geniculate body 146
- medial lemniscal system 34, 52
 - medial medullary infarct 672
- medial longitudinal fasciculus (MLF) 76, 77
 - ischemia 676
 - rostral interstitial nucleus 80, 81
 - top of the basilar syndrome 679
- medial nuclei vascularization 381
- medial parabrachial nucleus 353, 354
- medial septal nucleus 243
- medial striate arteries 471
- medial superior olive 145
- medial superior visual area 83–4

- medial temporal infarcts 479
 - memory loss 244–5
- medial vestibular nucleus
 - afferent pathways 79
 - lateral slow eye movement 77
- median artery of corpus callosum 442
- medulla
 - arterial supply 378, 534, 535
 - dorsal respiratory group 353–4
 - infarcts 668
 - pain fibre distribution 671
 - PICA infarcts 547, 548
 - respiratory function 353–5
 - ventral respiratory group 353, 354
- medullary hemorrhage 538
- medullary infarction 534–8
 - bilateral 538
 - combined medial and lateral 538
 - lateral 36–7, 43, 534–7, 668–72
 - arterial lesions 537
 - complications 537
 - distribution 669
 - with medial medullary infarcts 673
 - neuroimaging 536–7
 - neurological findings 535–6
 - onset 534
 - partial 535
 - stroke mechanisms 673
 - symptoms 534–5
 - vascular lesions 673
- medial 36–7, 43, 537–8, 672
 - hemiparesis 25
 - stroke mechanisms 673–4
 - unilateral 538
 - vascular lesions 673–4
- Ondine's curse 358
 - see also* hemimedullary infarction
- medullary stroke, sensory dysfunction 36–7
- medullary syndrome, dorsal lateral 548
- megaphagia 204
- melanoma metastasis 604
- MELAS
 - agnosia 303
 - mitochondrial encephalomyopathy 328
 - multiple brain infarcts 502
 - simultanagnosia 310
- memory
 - arterial blood supply 243–4
 - autobiographic 242
 - categories 242
 - classification 242–3
 - cognitive processes 242
 - declarative 242, 243
 - episodic 242, 243
 - medial temporal infarction 245
 - storage 243
 - thalamic infarcts 246
 - functional anatomy 243
 - immediate 242
 - perceptual 242–3
 - priming 243
- primary 242, 243
- procedural 242–3
- processes 98
- retention 242
- retrieval 242
- semantic 242, 243
 - storage 243
- short-term 242
- verbal 246
- visual 246, 457
- working 242, 243
- memory deficit
 - basal forebrain lesions 238
 - caudate nucleus infarct 247, 474
 - emotional perception 293–4
 - inferior mesial cortex stroke 238
 - mamillo-thalamic tract damage 259
 - posterior cerebral artery infarction 685–6
 - left-hemisphere 484
 - rostral brainstem infarcts 682–3
 - stroke 244
 - ventroamygdalofugal pathway 259
 - verbal with thalamic hemorrhage 254
- memory loss 242, 244–9
 - anterior communicating artery aneurysms 247–8
 - behavioural retraining programmes 249
 - dorsomedial nuclei 245–6
 - hippocampus 245
 - inferior genu infarction in internal capsule 247
 - intraventricular hemorrhage 247
 - medial temporal infarcts 244–5
 - reduplicative paramnesia 248
 - subarachnoid hemorrhage 247–8
 - thalamic infarction 245–7, 259
 - transient global amnesia 248
 - treatment 248–9
- meningioma 638
- meningitis
 - agitation 230
 - spinal cord ischemia 700
- mental imagery, hemineglect 264
- mental state abnormality with occipital hematoma 607
- mesencephalic artery
 - infarction and skew torsion 137
 - paramedian 479
 - superior 465
 - vestibular syndromes 135, 137, 138
- mesencephalic stroke
 - hypersomnia 197
 - sensory dysfunction 39
- mesencephalon 52
- mesial frontal cortex
 - infarction 446
 - inferior 238
 - superior 236, 237, 238
- mesial frontal syndromes 236, 237, 238
- metabolic–edematous posterior leukoencephalopathy 487
- metamorphopsia 98
- methylphenidate 248–9, 287
 - poststroke apathy 290
- Meyer's loop 87

- Meynert decussation 79
 mianserin 287
 Marchafava-Bignami disease 317
 microangiopathic disease, diffuse 163
 microangiopathy of retina, inner ear and brain 502
 microatheroma 18
 microembolism, pontine infarcts 521–2
 micrographia 432
 micropsia 98
 microscopic polyangiitis 327, 328
 micturition disorders 331
 neurologic control mechanism impairment 345
 midbrain
 anatomy 512–13
 arterial supply 379, 512–13
 hemorrhage 150
 hiccup 360
 ischemic syndromes 514
 lesion diagnosis 513
 neuro-ophthalmological features 515
 oculomotor syndromes 513–15
 stroke 39
 supranuclear conjugate-/disconjugate-vertical-gaze palsies 515
 yawning 360
 midbrain infarcts 512–18
 auditory symptoms 151
 causes 516–18
 clinical features 513–18
 lacunar syndrome 516
 oculomotor palsies 513–15
 middle cerebellar peduncle cavernoma 134, 136
 middle cerebral artery xxiii, xxiv, xxv
 anatomy 405–6, 407, 408
 anomalies 408
 auditory agnosia 311–12
 bifurcation pattern 406, 407
 caudate nucleus blood supply 471
 cerebral hemisphere supply 381
 cortical territories 409
 course 451–2
 deep territory lesions 364
 dissection 69
 dysarthria 335
 emboli and headache 65
 embolic occlusion 490
 faciobrachial paresis 25
 frontal lobe irrigation 234
 headache 65, 69
 hyperdense sign 492
 ideomotor apraxia 316
 insular region 406
 lesions 442
 origin 451
 perforating branches 380
 radiological description 408
 stenosis 566
 subcortical infarcts 654
 superficial arterial territory 408, 409, 412–13
 superficial branches 408
 superficial syndromes 405, 408–11, 414–22
 superior trunk 409–10
 tactile agnosias 313
 TIAs 17
 trifurcation pattern 406, 407
 middle cerebral artery infarction 3, 23, 141
 agitation 226–7
 apraxia 256
 brain edema 364
 complete pial territory 408–9
 deep white matter 239
 delirium 226, 227
 hemianesthesia 451
 hemiparesis 24, 27
 hemiplegia 451
 homonymous hemianopia 451
 inferior division territory 410–11, 416
 low-flow 575, 576
 monoparesis 29
 multiple 502
 neglect 257
 pial 652
 prognosis 494
 radiological findings 492–3, 494
 simultaneous in one hemisphere 504–5
 simultaneous with single artery occlusion 505–6
 superior division territory 409–10, 411, 415
 therapy 497
 middle cerebral artery occlusion 17, 18, 256
 aphasia 256
 embolic 490
 frontotemporal hypoperfusion 256
 low-flow infarct 578
 striatocapsular infarction 256
 middle internal frontal artery 441, 442
 middle latency responses 149
 middle temporal area 83–4
 midpontine lesions, autonomous breathing 356
 migraine 60–73
 acephalic 116
 antiphospholipid antibodies 70
 arterial dissection 69–70
 arteriovenous malformation 64–5
 with aura 63, 64, 71
 CADASIL 71
 without headache 65
 basilar artery 69
 depression 72
 mitral valve prolapse 70–1
 neuroimaging 64
 patent foramen ovale 71
 posterior cerebral artery
 bilateral infarcts 488
 thrombosis 486
 secondary to cerebrovascular disease 64–5
 stroke
 predisposition 61
 prevention therapy 72
 risk factor 63
 stroke-induced 64
 symptomatic 64–5
 vasospasm 62
 vertebrobasilar stroke 69

- migraine (*cont.*)
 - visual field defects 13, 72
- migrainous stroke 60–1, 62–4
 - incidence 62
 - recurrence risk 72
- Millard-Gubler syndrome 30
- mirror movements 169
- mirror writing 447
- misidentification syndromes 308
- mitochondrial encephalomyopathies 328
- mitral valve prolapse 63
 - migraine 70–1
- monoballism 166
- monocular elevation paralysis 81, 515
- monoparesis 10
 - brachial 28, 29
 - crural 29
 - isolated 28–9
 - subarachnoid hemorrhage 623
- monoplegia 23
- Monro-Kellie doctrine 491–2
- mood
 - caudate infarcts 474
 - emotional perception 293–4
- mood behaviour disorders 285–96
 - acute behavioural changes 295
 - acute brain lesions 293
 - anosodiaphoria 292
 - anosognosia 291–2
 - anxiety 287–9
 - behavioural reactions of denial 292
 - depression 285–7
 - fear 287–9
 - mania 290–1
 - nosognosia 291–3
 - poststroke psychosis 291
 - prognostic impact 294–5
 - pseudodepressive manifestations 289–90
 - recall of acute event 293
 - subjective experience 291–3, 292–3
- moristic aphasia–sensorimotor hemiparesis 656
- motion perception
 - impaired 89
 - loss 310–11
- motor abnormalities
 - caudate infarcts 475
 - compulsive behaviours 170
 - paramedian massive/large pontine hemorrhage 528
 - postcommunal posterior cerebral artery infarcts 482–3
 - unilateral dysfunction 16
- motor aphasia
 - low-flow infarcts 568
 - watershed infarctions 653
- motor circuit, classical 469, 470
- motor cortex 22
 - faciobrachial paresis 25
 - primary 234, 235
- motor deficit
 - anterior cerebral artery infarction 443–46
 - central sulcus artery territory infarct 416
 - small unilateral tegmental pontine hemorrhages 529–30
 - thalamic hemorrhage 466
- motor execution, abnormal 35
- motor hemiparesis
 - anterior choroidal artery infarctions 453
 - central sulcus artery territory infarct 416
 - pure 523
 - small putaminal hemorrhage 594, 595
- motor impersistence 414–15
- motor neglect 23
 - hypokinetic movement disorders 164
 - medial frontal lesions 445–6
 - unilateral limb 320
- motor neurons
 - lower 336–7
 - transsynaptic degeneration 330
 - see also* upper motor neuron lesions
- motor persistence 415
- motor recovery 367
 - amphetamine 368
- motor responses, visual dysfunction 98
- motor speech deficit 252–3
- motor stroke
 - anterior choroidal artery infarctions 454
 - centrum ovale infarcts 420
 - pure 583, 584
 - capsular 584
 - ischemic lesion size 586
 - pontine 584
- motor weakness 22
 - angular artery territory infarct 418
 - bilateral 30
 - caudate infarcts 475
 - face/arm/leg 26–7, 28
 - hemiparesis 23
 - leg-predominant 23
 - rostral basilar artery syndrome 544
 - severity 364
- movement
 - decerebrate 528
 - involuntary 35, 43
- movement disorders 162–70
 - caudate hemorrhage 477
 - caudate infarcts 475
 - centrum ovale infarcts 420
 - cerebellar ataxia 48
 - hemiparesis 23
 - hyperkinetic disorders 164–70
 - hypokinetic disorders 162–4
 - midbrain infarcts 516
 - modification of previous by strokes 170
 - subthalamic nuclei infarcts 683
 - superior cerebellar artery classic syndrome 543
 - TIA 10
- moya-moya disease 476, 502
 - EC-IC bypass surgery 579
 - intracranial internal carotid occlusion 657
 - low-flow infarction 576
- multiple neurological complications (MNCs) 323
 - primary/secondary changes 324

- muscle**
- atrophy contralateral to cerebral lesions 330
 - disease 323–4, 325, 326, 327, 328–32
 - neuromuscular disorders 324
 - weakness
 - with anterior cerebral artery infarction 443
 - bulbar 671, 674–5
 - upper limb 10, 16
 - see also* hypotonia
- muscular dystrophy, Becker X-linked** 324
- mutism**
- anterior cerebral artery infarction 447
 - middle cerebral artery superior division territory infarct 410
 - pseudobulbar 455
 - see also* akinetic mutism
- mycotic aneurysms** 621
- subarachnoid hemorrhage 623
- mydriasis** 513, 514
- myelography for spinal stroke syndromes** 702
- myelopathy, congestive venous** 701
- myocardial infarct**
- caudate nucleus infarcts 473
 - multiple cerebral infarcts 504
- myocardial necrosis, focal** 329
- myoclonus** 168–9
- intention 48
 - sleep 204
 - see also* palatal myoclonus
- nadroparin** 643
- narcolepsy** 204
- nausea** 672
- neck pain** 663
- necrotizing vasculitis** 328
- neglect**
- anterior cerebral artery infarction 257
 - anterior choroidal artery infarction 257
 - caudate infarcts 474
 - cerebral lesions 94
 - cortical 258
 - cortical atrophy 365
 - dyslexia 92, 100, 309
 - hemisensory 417–18
 - low-flow infarcts 568
 - mechanisms 264
 - middle cerebral artery infarction 257
 - motor 23, 164
 - medial frontal lesions 445–46
 - overlap of lesions 265
 - right hemisphere stroke 365
 - simultaneous infarcts in one hemisphere 505
 - striatocapsular infarction 434
 - subcortical stroke 257–8
 - TIA 11, 12
 - unilateral 264
 - spatial with putaminal hemorrhage 591, 593
 - visuospatial* 409
 - see also* hemineglect; hemispatial neglect; motor neglect; visual neglect
- neologistic jargon** 215
- neonates, cerebral venous thrombosis** 631
- neuroleptics in stroke recovery** 368
- neurological deficit**
- early spontaneous improvement 6
 - exacerbation 186
 - severity 363, 364–5
 - see also* multiple neurological complications (MNCs)
- neuromuscular disorders** 324
- neuronal death, delayed** 5
- neuropathy, ischemic monomelic** 323–4
- neuropsychological dysfunction** 364–5
- anterior parietal artery territory infarct 416
 - caudate infarcts 473
 - centrum ovale infarcts 420
 - middle cerebral artery infarction
 - inferior division territory 410–11
 - superior division territory 410
 - posterior parietal artery territory infarct 418
 - precentral territory infarct 414
 - striatocapsular infarction 434–5
 - thalamic hemorrhage 466
- neuropsychological signs with anterior choroidal artery infarctions** 454–5
- neurosurgical emergencies, EC–IC bypass surgery** 579
- neurosyphilis** 328
- nifedipine** 72
- nightmares, recurrent** 204
- nociceptors** 62
- non-steroidal anti-inflammatory drugs (NSAIDs)** 72
- noradrenaline** 368
- noradrenergic reuptake inhibitor** 368
- nortriptyline** 287
- nosognosia** 291–3
- behavioural manifestations of denial 292
 - medical care seeking 293
 - recall of acute event 293
 - subjective experience 292–3
- NOTCH 3 gene mutations** 275
- nucleus accumbens** 472
- nucleus ambiguus** 355
- lateral medullary infarcts 671, 672
- nucleus of Cajal** 80–1
- nucleus of Meynert** 243, 247–8
- nucleus prepositus hypoglossi (NPH)** 77
- nucleus reticularis tegmenti pontis (NRTP)** 79
- numbness, lateral medullary infarct** 534–5
- nutrition for stroke patients** 347, 349
- nystagmus**
- abduction 77
 - cerebellar hemorrhage 553
 - contralateral beating torsional 81
 - convergence retractor 515
 - dissociated vertical 515
 - downbeat 138
 - dysarthria 338
 - gaze-evoked 48, 82
 - internuclear ophthalmoplegia 76
 - lateral medullary infarcts 536, 668, 669
 - PICA infarcts 548, 673
 - pontine ischemia 677

- nystagmus (*cont.*)
 - retraction 465
 - retractory 680
 - see-saw 81, 515
 - spontaneous 131
 - torsional 133
 - upbeat 138
- obsessive-compulsive behaviours 290
- occipital lobe xxiii
 - hematoma with lobar hemorrhage 606–7, 608
- occipitofrontal fibre infarcts 256–7
- occipitofugal system 487
- ocular abnormalities
 - movement 523
 - pontine hemorrhage
 - paramedian massive/large 528
 - small unilateral tegmental 529
- ocular bobbing 82
 - paramedian massive/large pontine hemorrhage 528
 - pontine ischemia 676–7
- ocular ischemic syndrome 115, 654
- ocular lateropulsion 670
- ocular motor apraxia, acquired 105
- ocular tilt reaction 129
 - contralateral 138–9
 - incomplete contraversive 136
 - lateral medullary infarcts 669–70
 - tonic 515
 - top of the basilar syndrome 680
 - vertebral artery occlusion 132–5
- ocular torsion
 - binocular 133
 - lateral medullary infarcts 669
 - skew deviation 135, 138
- oculomotor circuit 469, 470
- oculomotor nuclei 79
- oculomotor palsies 513–15
 - carotid dissection 657
- oculomotor paralysis, ipsilateral 79
- oculomotor rootlet lesions 79
- omnipause neurons 77, 79
 - lesions 82
- Ondine's curse 202, 356, 358, 359, 360, 672
- one-and-a-half syndrome 77, 81
 - paramedian pontine infarcts 523
 - pontine ischemia 676
 - small unilateral tegmental pontine hemorrhages 529, 530
 - thalamic–subthalamic artery infarcts 465
 - top of the basilar syndrome 680
 - vertical 515
- Opalski's syndrome 536
- opercular cheiro-oral syndrome 416, 417
- opercular syndrome 416, 431
- ophthalmic artery
 - central retinal artery occlusion 117
 - TIA 11
- ophthalmic artery occlusion 119
 - clinical signs 119
 - differential diagnosis 120
 - treatment 119–20
- ophthalmopathy, ischemia
 - EC–IC bypass surgery 579–80
 - low-flow infarcts 568–9, 571
 - salvage of eye 579
- ophthalmoplegia
 - painful 654–5, 656
 - see also* internuclear ophthalmoplegia
- optic aphasia 303, 306–7, 318
- optic ataxia 321
 - Balint's syndrome 104
 - disconnection 100
 - posterior cerebral artery bilateral infarcts 487
 - simultanagnosia 309
- optic atrophy 90
- optic disc, swollen 123, 124
- optic nerve
 - decompression for ischemic optic neuropathy 124
 - ischemia 13
- optic neuropathy, ischemic 120, 121–4
 - anterior 122, 654
 - arteritic 123
 - clinical signs 123–4
 - non-arteritic 122–3
 - perioperative 122
 - optic nerve decompression 124
 - posterior 122
 - steroid therapy 124
 - treatment 124
- optic radiations 87–8
 - anterior choroidal artery supply 452
 - infarction 90, 92
- optic tract 87
 - anterior choroidal artery supply 452
 - partial lesions 90
- optico-cerebral syndrome 502, 654
 - simultaneous infarcts in one hemisphere 505
- oral contraceptives 63
 - cerebral venous thrombosis 630, 639, 645
 - cervico-cerebral artery dissection 664
 - headache 70
- orbital infarction, complete 656
- orbitofrontal artery 441, 442
 - territory infarct 411
- orbitofrontal cortex lesions 238–9
 - inhibitory control of interference loss 228
- oro-crural symptoms 38
- orofacial apraxia 314, 316
- oropharyngeal muscle paralysis 671
- oscillopsia 138, 668–9
- osteogenesis imperfecta type I 663–4
- otoacoustic emissions 149
- otoliths 133
 - neuron loss 134
- outcome predictors 363–5
- owl's eye sign 697, 702
- Oxfordshire Community Stroke Project (OCSP)
 - TIA 9, 10–11, 13–15
- pain
 - asymbolia for 41
 - central post-stroke 35, 42–3

- facial 38–9
- ruptured intracranial aneurysm 619
- sensation
 - lateral medullary infarct 536
 - superior cerebellar artery classic syndrome 543
- palatal myoclonus
 - pontine ischemia 675–6
 - superior cerebellar artery classic syndrome 543
- palinopsia 96, 98
- palpitory apraxia 314
- panhemispheric infarcts 490–7
- panic symptoms 14–15
- pantomime agnosia 314, 316
- Papez circuit 103, 243
- papillitis, ischemic 123–4
- paraballism 166
- paracentral artery 441, 442
- paragnosia, face 308
- parakxia 484
- paralinguistic agnosia 313
- paralytic pontine exotropia 676
- paramedian diencephalic syndrome 196
- paramedian infarcts, unilateral 522–4
- paramedian mesencephalic artery 479
- paramedian pontine artery, vestibular syndromes 135, 137, 138
- paramedian pontine reticular formation (PPRF) 76, 77, 78, 78
 - caudal syndrome 77, 78
 - lesions 78–9
 - pontine infarction 676
- paramedian pontine tegmentum lesions 676
- paramnesia, reduplicative 248, 259, 269
 - posterior cerebral artery right-hemisphere infarction 485
- paranoid delusions, poststroke psychosis 291
- paraparesis
 - anterior cerebral artery infarction 446
 - subarachnoid hemorrhage 623
- paraplegia, psychogenic 695–7
- paratonia 194
- paravermal zone of cerebellum 545
- paresis, precentral territory infarct 414
- paresthesia
 - posterior cerebral artery stenosis 480–1
 - rostral basilar artery syndrome 544
- parietal artery
 - anterior territory infarct 416–17
 - see also* inferior parietal artery; posterior parietal artery; superior parietal artery
- parietal cortex
 - action patterns 315
 - working memory 243
- parietal cortical sensory syndrome 41
- parietal fibre infarcts 256–7
- parietal lobe xxii
 - hematoma 605–6, 607
 - motor syndrome 170
- parieto-insular vestibular cortex 139, 140, 141
- parieto-occipital arteries 479
- parieto-occipital border zone infarctions 576
- Parinaud's syndrome 623
- parkinsonian-ataxia 57
- parkinsonism
 - arteriosclerosis 162
 - bilateral putaminal infarction 432
 - cerebrovascular disease 163
 - lower body 57, 162, 163, 164
 - pseudobulbar 163
 - small vessel disease 162–3
 - tremor 167
 - vascular 162, 163
- Parkinson's disease 339
- peduncular hallucinations 197, 682
 - see also* hallucinosis, peduncular
 - peduncular perforating arteries 479
- penetrating arteries, basilar branch atheromatous disease 521–2
- penetrating branch artery disease 473
 - auditory symptoms 150–1
- perception
 - hemiagnosia 264, 265
 - shape 267–8
 - see also* visual perceptions
- perceptual characterization deficits 267–8
- perforating arteries 377–8
- periarteritis nodosa
 - headache 71
 - vasospastic transient monocular blindness 116
- pericallosal artery 441, 442
 - posterior 479
- perilymph fistulas 129
- perimesencephalic hemorrhage 66
- periodic lateralizing epileptiform discharges (PLEDS) 187, 188
 - low-flow infarctions 569
- perioral paresthesia 42
- perioral sensory symptoms, bilateral 41–2
- peripheral nerve
 - compression 330–1
 - disease 323–4, 325, 326, 327, 328–32
- peripheral resistance reduction 566
- periventricular region circulation 612
- periventricular white matter 252–3
- peroneal nerve 331
- persistent vegetative state (PVS) 201
- personality change with orbitofrontal cortex lesions 238–9
- Petren's gait 163, 164
- pharyngeal paresis, lateral medullary infarct 536
- phenylpropanolamine 602
- phonagnosia 153, 313
- phonation 334
- physical therapy 368
- physical training 367
- Pick's disease 214
- pituitary apoplexy 621
- platelet aggregation 64
- platelet antiaggregation 664
- platelet-fibrin emboli 120, 121
- platelets 63
 - plugs 113
- plial artery occlusion 651
- plial infarctions
 - circle of Willis 652
 - internal carotid artery occlusion 652
 - middle cerebral artery 652
 - persistent trigeminal artery 652

- pneumonia, aspiration 343, 345, 349
 pneumotoxic centre 354
 polar artery 461, 462
 infarcts 462–3, 466, 682–3
 thalamus supply 479
 polyarteritis nodosa 700
 polycystic kidney disease 622
 polycystic liver disease 622
 polycythemia 115
 polymyositis, acute 324
 pons
 arterial supply 378–9
 ataxic hemiparesis 56
 base 52
 multilocular brainstem ischemia 558
 neurovascular anatomy 520
 see also paramedian pontine reticular formation (PPRF)
 pontine artery, paramedian 135, 137, 138
 pontine exotropia, paralytic 676
 pontine hemorrhage 527–30
 basal tegmental 528–9
 bilateral tegmental 528–9
 classification 527–30
 clinical course 530
 clinical features 527–30
 drainage 531
 large 527–8
 massive 527–8
 prognosis 530
 stereotactic procedures 531
 surgical management 531
 treatment 530–1
 unilateral small
 basal 530, 531
 tegmental 529–30
 pontine infarcts 520–5
 basilar artery stenosis 525, 526
 bilateral 525
 imaging techniques 520–1
 lacunar syndrome 520
 lower 526
 motor weakness 24–5
 prognosis 525–6
 skew torsion 137
 stroke mechanisms 521–2
 unilateral
 paramedian 522–4
 tegmental 524–5
 upper 526
 pontine ischemia
 basilar artery disease 674–8
 conjugate horizontal gaze 676
 sixth nerve palsy 676
 stroke mechanisms 678
 vascular lesions 678, 680
 treatment 526–7
 pontine micturition centre 331
 pontine nuclei
 afferent connections 50
 see also dorsolateral pontine nuclei
 pontine stroke 55–6
 hypersomnia 197
 sensory dysfunction 37–9
 pontine tegmentum, paramedian 676
 pontomedullary infarctions
 ocular skew torsion 137
 vestibular dysfunction 135, 138
 positron emission tomography (PET) for carotid ischemic syndromes 651–2
 postcentral gyrus 34, 35
 posterior carotid artery infarction, occipital lobe 679, 681
 posterior cerebral artery xxiii, xxiv, xxv, 668
 anatomy 479, 480
 brainstem supply 375, 376
 branches 479, 480
 cerebral hemisphere supply 381
 headache 69
 ischemia 90–1
 bilateral 486–8
 unilateral 479–86
 optic aphasia 306
 proximal disease 465
 rami of interpeduncular arteries 380–1
 stenosis 479–85, 486
 stroke 224–5
 syndrome 482
 thalamus supply 461
 TIAs 686–7
 vestibular dysfunction 139, 141
 posterior cerebral artery infarction 684–7
 alexia
 pure 308
 without agraphia 685
 anomic aphasia 685
 bilateral 486–8, 506
 clinical signs 481
 cortical blindness 686
 Gerstmann's syndrome 685
 hemiparesis 24
 hemispheric 483–4
 large 490
 lateral thalamic ischemia 685
 left-hemisphere 484–5
 memory 685–6
 loss 244–5
 recovery 245
 prosopagnosia 102, 307–8
 right-hemisphere 485
 simultaneous
 multiple 506–7
 with single artery occlusion 505–6
 stroke mechanism 686–7
 unilateral 481, 485–6
 mechanisms 485–6
 visual agnosia 302, 303, 306
 associative 686
 posterior cerebral artery occlusion
 auditory symptoms 150
 with hemiplegia 516
 postcommunal ambient segment 482–3
 proximal 481–2
 posterior choroidal artery 244, 381, 461–2

- infarction 5, 465
- lateral 479
- occlusion 465
- posterior circulation territory
 - brainstem extended/multiple infarcts 557–60
 - cerebellar/brainstem combined infarcts 560–1
 - extended infarcts 557–2
 - ischemia 540
 - multiple infarcts 549–50
 - space-occupying cerebellar infarcts 561–2
 - strokes 224–6
- posterior commissure lesion 81
- posterior communicating artery 244
 - perforating branches 380
 - thalamus supply 461
- posterior fossa
 - hematoma 62
 - hemorrhage 68
 - veins 626–7
- posterior inferior cerebellar artery (PICA) 52, 668
 - brainstem supply 375, 376
 - cerebellum supply 375, 377, 379
 - clinical features 547–8
 - dorsal lateral medullary syndrome 548
 - hemorrhage of vermis 134
 - lateral 548
 - medulla blood supply 534, 535
 - middle 548
 - occlusion 132–5
 - pseudotumoural pattern 548
- posterior inferior cerebellar artery (PICA) infarction 54, 542–3, 546, 547–9
 - cause 549
 - cerebellar 506, 673, 674
 - pseudotumoural 552
 - course 549
 - medullary involvement 547, 548
 - multiple 507
 - cerebellar 507, 508
 - posterior circulation 549–50
 - partial territory 547
 - vermis 134
- posterior internal frontal artery 441, 442
- posterior operculum syndrome of Bruyn 416
- posterior parietal artery territory infarct 418
- posterior parietal cortex 82–3
- posterior perforated substance 378
- posterior pericallosal arteries 479
- posterior spinal artery
 - brainstem supply 375, 376
 - syndrome 697
- posterior temporal artery 244
 - compression 479
- posterior temporal lobe 482
- posterior thalamo-subthalamic paramedian artery lesions 81
- posterior trunk split signs 318–19
- postero-medial portion of lateral nuclei vascularization 381
- postero-medial thalamic hemorrhages 103
- postural ataxia 48
- posture, dystonic 43
- presleep behaviour 196
- precedence effect 151
- precentral artery territory infarct 414–15
- prefrontal artery territory infarct 411, 414
- prefrontal cortex 233
 - depression 286
 - dorsolateral 235–6
 - left 243
 - right 243
 - stimulation for mood control 286
- prefrontal syndrome of Luria 414
- pregnancy, cerebral venous thrombosis 630, 639, 645
- premotor cortex 234, 235
- premotor structure afferences 79
- premotor syndrome of Luria 414
- preretinal hemorrhage 622
- prerolandic territory infarct 414–15
- pressure sore prophylaxis 365
- proatlantal artery, persistent type I 652
- progressive stroke 5
- proprioceptive neuromuscular facilitation 367
- prosody, dysarthria 334
- prosopagnosia 16, 101–2, 268
 - apperceptive 307
 - associative agnosia 303, 307–8
- prostaglandins, cerebral ischemia 14
- protein C 366
 - deficiency 639
- protein S deficiency 639
- Proteus* 638
- protopathic sensory impairment 41
- pseudoathetosis 43, 166
- pseudobobbing, pretectal 515
- pseudobulbar palsy 30–1, 355
- pseudobulbar release phenomena 675
 - see also* crying, pathological; laughter, pathological
- pseudodepression 289–90
- pseudoneglect, bilateral crossed 448
- pseudoparesis 43
- pseudosixth phenomenon 680
- pseudothalamic sensory syndrome 416–17
- pseudotumour cerebri 630
- pseudotumoural syndrome 684
- pseudoxanthoma elasticum 622
- psychiatric disorders, familial 286, 291
- psychic akinesia 474
- psychic blindness 294
- psychic self-activation loss 290
- psychosis, poststroke 291
- ptosis
 - anterior choroidal artery infarctions 455
 - internuclear ophthalmoplegia 515
 - pontine ischemia 677
- puerperium, cerebral venous thrombosis 630, 638–9, 645
- pulmonary edema, neurogenic 329–30
- pulmonary embolism
 - sinus thrombosis 640
 - stroke complication 360
- pulsatility index, low-flow infarctions 565–6, 574
- pulvinar nucleus hematoma 254
- pupil
 - afferent defect 123

- pupil (*cont.*)
 - amaurotic 118
 - mydriasis 513, 514
 - pontine ischemia 677
 - uncal herniation syndrome 494
 - Wernicke's hemianopic 90
- pupillary light reflex 87, 90
 - rostral brainstem lesions 680–1
- pupillary reflex absence 360
- putaminal hemorrhage 590–7
 - aphasia 592–3
 - classic 591–3
 - clinical features 590–1
 - fulminant 591
 - hematoma enlargement 595
 - non-dominant-hemisphere syndromes 593, 594
 - seizures 595
 - silent 596, 597
 - small 593–5
 - unilateral spatial neglect 591, 593
- putaminal infarcts 432
 - caudate 472, 473
- pyramidal syndrome 49
- pyramidal tract 23
 - oculomotor rootlet lesions 79
- QT interval 329
- quadrantanopia 90
 - inferior 91, 94
 - middle cerebral artery inferior division territory infarct 411
 - striate 91
- quadriplegia
 - bilateral medullary infarct 538
 - paramedian massive/large pontine hemorrhage 528
- quality of life 363
 - enhancement 367–8
- radicular arteries 691, 693
 - compression 700
- radiculomedullary arteries 691, 693
- reading disorders 100
 - posterior cerebral artery left-hemisphere infarction 484
 - testing 101
 - see also* alexia, pure
- recurrent artery of Heubner *see* Heubner's artery
- red cells
 - altered viscosity 114–15
 - Tc-labelled scintigraphy 636–7
- red eye, low-flow infarcts 567
- red nucleus
 - oculomotor rootlet lesions 79
 - upper pole 80
- redundant paramnesia 102–3
- reflex sympathetic dystrophy 331
- region of Heschl 146
- registration, memory 242
- rehabilitation
 - costs 363
 - physical training 367
- REM sleep
 - behaviour disorders 204
- regulation 96
- reperfusion, early 6
- reperfusion injury of brain 491
- respiration
 - automatic 672
 - brainstem centres 353, 354
 - brainstem strokes 356, 357, 358–60
 - central organization 353–5, 358
 - dysarthria 334
 - hemispherical strokes 355
 - paramedian massive/large pontine hemorrhage 527–8
 - rostro-caudal organization 353
 - see also* breathing; Ondine's curse
- respiratory apraxia 202
- respiratory arrest 355
- respiratory dysfunction 353, 355–6, 357, 358–61
 - lateral medullary infarct 536, 537, 672
- retention, memory 242
- reticular activating system
 - lesions 96
 - rostral brainstem 681
 - sleep-wake cycle 682
- reticular formation, respiration control 355
- reticulo-thalamo-frontal afferents 199
- retina
 - damage with low-flow infarcts 569
 - pigmentary degeneration 14
 - TIA 655
 - venous outflow blockage 622
- retinal artery
 - platelet plugs 113
 - pressure 13, 113
 - vasospasm 116
 - see also* branch retinal artery occlusion; central retinal artery occlusion
- retinal emboli 111, 113
 - branch retinal vein occlusion 120–1
 - central retinal artery occlusion 118
- retinal ganglion cells 87
- retinal ischemia 11, 13
 - bilateral 13
 - visual loss in bright/white light 14
- retinal vein rupture 622
- retinopathy, venous stasis 14, 115
- retinotopic pattern 87, 88
- retrochiasmal defects 90
- rheumatoid arthritis 328
- right hemianopia 306–7
- right hemisphere
 - acquired deficit of emotional expression/comprehension 294
 - compensation 217, 218
 - hypometabolism 218
 - mania 285
- right hemisphere lesions/syndromes 264–9
 - acute confusional state 269
 - anosognosia 269
 - body scheme alterations 269
 - constructional apraxia 316–17
 - depression 286
 - hemineglect 264–6
 - infarction of posterior cerebral artery 485

- mania 290
- optic aphasia 306–7
- paralinguistic agnosia 313
- prosopagnosia 268
- stroke and neglect 365
- topographical disorientation 266
- visual agnosias 266–8, 269, 302
- right inferior temporal lobe 290
- right prefrontal cortex 243
- right temporal lobe infarcts 227, 228–9
- rigidity, decerebrate 24
- rolandic territory infarct 416
- Romano–Ward syndrome 326
- rostral basilar artery 668
 - delirium 225
 - disease 465
 - infarction 681–2, 684
 - syndrome 544–5
- rotational vertebral artery occlusion 132
- rubeosis iridis with low-flow infarcts 567, 569, 571
- saccades 76
 - cerebral hemispheres 82–3
 - downward paralysis 80, 81
 - dysmetria 82
 - horizontal 78
 - premotor structure 77
 - triggering 82–3
 - upward paralysis 80, 81
 - vertical 79, 82
- saccadic pursuit 131
- sagittal sinus
 - inferior 628
 - thrombosis 30, 70
 - see also* superior sagittal sinus
- saline, hypertonic 496
- sarcoidosis 700
- sarcomeric proteins 324
- schistosomiasis 700
- scotoma 91
 - peripheral 91, 95
- sectoranopia 90, 92
- seizures
 - clinical features of strokes 185–6
 - differential diagnosis 186–7
 - EEG after stroke 187, 188
 - epileptic 139
 - frequency 182, 183, 184
 - lobar hemorrhage 603
 - low-flow infarcts 567, 569
 - management 187
 - mimicking stroke 186
 - mimicking TIAs 187
 - morbidity/mortality 186
 - parietal hematoma 605–6
 - pathogenesis 186
 - poststroke 182, 183, 184–7, 188, 189
 - preceding stroke 187, 189
 - primary brain hemorrhage 595
 - putaminal hemorrhage 595
 - risk factors 185–6
- stroke 185–6, 187, 189
 - subarachnoid hemorrhage 621
 - temporal hematoma 604
 - timing 182, 184
 - types 184–5
 - underlying pathology 185
 - see also* epilepsy
- selective serotonin reuptake inhibitor (SSRI) 368
- semicircular canal 133
- senile gait disorders 162, 163–4
- sensation disturbances 49
- sensorimotor stroke 583, 585–6
 - ischemic lesion size 586
- sensorimotor syndrome
 - anterior choroidal artery infarctions 454
 - thalamic infarcts 462
- sensory agnosia 294
- sensory ataxia 43, 321
- sensory deficit
 - anterior choroidal artery infarctions 453
 - hemispherical infarction in posterior cerebral artery territory 484
 - loss with posterior cerebral artery occlusion 482
 - motor dysfunction 43
- sensory dysfunction
 - after stroke 35–40
 - bilateral 41–2
 - delayed-onset symptoms 43
 - discriminative 43
 - motor incoordination 43
 - pontine tegmental infarcts 524–5
 - poststroke sequelae 42–3
 - related motor dysfunction 43
 - thalamic infarcts 462
 - unilateral 16
- sensory homunculus 34, 35
- sensory stroke
 - anterior choroidal artery infarctions 454
 - paramedian pontine infarcts 522
 - posterior cerebral artery stenosis 481
 - pure 583, 584
 - ischemic lesion size 586
 - pontine 525
 - small putaminal hemorrhage 595, 596
 - thalamic 525
- sensory syndrome
 - acral 40
 - cortical 418
 - pure 462
- septal nuclei 247–8
 - medial 243
- serotonin 62
 - cerebral ischemia 14
 - trigemino-vascular system 61
- serotonin receptor upregulation 286
- serotonin reuptake inhibitors 287
 - pathological laughing/crying 290
- sexual changes 332
- shaggy falx 633
- shape
 - agnosia 303, 306–7
 - perception 267–8

- sharp activity and frontal intermittent delta activity (FIRDA) 187
 sickle cell disease 114–15, 621
 sigmoid sinus 628
 simultanagnosia 104, 307, 309–10
 sinus venous thrombosis recanalization 640–1
 sixth nerve palsy 623, 676
 sixth nerve pseudopalsy 465
 Sjögren's disease 700
 skew deviation 515
 ocular torsion 135, 138
 pontine ischemia 677
 skew torsion 137
 sleep
 breathing disturbance 202, 203
 EEG changes 204
 enhanced mechanisms 195
 increased production 195
 leg movements 204
 myoclonus 204
 neurons 194
 non-REM 194, 201, 204
 REM 201
 mentation release 202, 204
 slow wave 194
 spindles 194
 see also dreaming; dreams
 sleep apnea 359–60
 central 202
 obstructive 202, 359–60
 see also Ondine's curse
 sleep-disordered breathing 202, 203
 sleep-promoting systems 194
 sleepiness 195–8
 sleep–wake cycle 194
 dreaming and rostral basilar artery infarction 681–2
 inversion 199, 201
 reticular activating system 682
 sleep–wake functions
 disturbances 192, 194–202, 203, 204
 physiology 192–4
 small artery disease, border zone cerebellar infarcts 351–2
 small deep infarct (SDI) 583
 small vessel disease 18
 auditory symptoms 150–1
 headache 71–2
 multiple brain infarcts 501
 pontine infarcts 521
 smoking 63
 bilateral carotid occlusion 656
 caudate nucleus infarcts 473
 smooth pursuit
 cerebellum 82
 circuitry 83
 double decussation 79
 eye movement 76
 paramedian pontine infarcts 523
 impairment 83–4
 inferior parietal/superior temporal lobe lesions 95
 ipsilateral deficit 84
 vertical 80
 snake bite (owl's eye) sign 697, 702
 Sneddon's disease 119, 502
 sneeze 360
 social behaviour changes, orbitofrontal cortex lesions 238–9
 somatosensory areas 35
 somatosensory evoked potentials, brainstem infarcts 559
 somatosensory system functional anatomy 34–5
 somatosensory–verbal disconnection 314
 somatotopic body representation 35
 somatotopic organization 23
 somnolence 192, 195–8
 bilateral/basal tegmental pontine hemorrhages 529
 see also hypersomnia/hypersomnolence
 sorbitol 496
 sound
 agnosia 312
 lateralization in binaural tests 147
 localization tests 147
 spaces, recognition 266
 spasms, tonic 169
 spasticity with spinal vascular lesions 23–4
 spatial disorders, visual 309–11
 spatial disorientation 89, 266
 spatial orientation 266
 speech
 apraxia 316
 deficit
 motor 252–3
 superior cerebellar artery infarcts 684
 discrimination 146, 148, 153
 disorder with cerebellar lesions 337–8
 disturbance
 caudate infarcts 474–5
 TIAs 10–11, 16
 dysfunction in hemiparesis 30
 lateral premotor region stroke 234
 spontaneous 214
 stereotypes 169
 superior mesial frontal cortex stroke 236
 thalamic aphasia 254, 255
 time-compressed recognition 148
 see also dysarthria
 speed of onset of stroke 3–5
 sphenoid air sinus infection 638, 646
 sphincter dysfunction 446–7, 695
 spinal apoplexia 695
 spinal arterial plexus, connecting 693
 spinal artery *see* anterior spinal artery; posterior spinal artery; spinal cord, arteries
 spinal claudication 697
 spinal cord
 arteries 691, 692, 693–4
 blood supply 691, 692, 693–4
 chronic syndrome 701
 compression 700
 TIAs 694
 transection and motor unit loss 330
 vascular malformations 693, 701
 veins 694
 thrombosis 701
 spinal cord infarction
 bilateral weakness 30

- MRI 696, 698, 701–2
- transverse 695
- spinal cord ischemia 326, 695–7, 698
 - angiography 702
 - anterior spinal artery syndrome 695–7
 - anticoagulants 703
 - antiplatelet therapy 703
 - aortic disease 699
 - arterial 699–701
 - causes 698–701
 - cervical 695
 - CT 702
 - electrophysiology 702
 - follow-up 702–3
 - iatrogenic complications 700–1
 - lumbar 695
 - mechanisms 698–701
 - myelography 702
 - prophylaxis 703
 - thoracic 695
 - treatment 703
 - ultrasonography 702
 - venous 701
- spinal ischemic syndromes 693
- spinal motoneurons 330
- spinal nerves, swallowing 341
- spinal shock 23, 695
 - urinary retention 331
- spinal stroke syndromes 691, 694–703
 - angiography 702
 - clinical features 695–7, 698
 - CT 702
 - diagnostic evaluation 701–2
 - electrophysiology 702
 - follow-up 702–3
 - MRI 696, 698, 701–2
 - myelography 702
 - spinal cord ischemia mechanisms/causes 698–701
 - TIA 694
 - treatment 703
 - ultrasonography 702
- spinal vascular lesions, acute 23–4
- spinothalamic system 34
 - central poststroke pain 43
 - sensation loss 36–7
- spinothalamic tract 52
 - lateral medullary infarct 670–1
 - pontine ischemia 677
- splenial split signs 317–18
- split-brain syndromes 317
- stapedius reflex measurements 149
- Staphylococcus aureus* 638
- status epilepticus 184
 - cerebral venous thrombosis 644
 - lobar hemorrhage 603
- stereotypies 169
 - paroxysmal complex dyskinesia 169
- stimuli, competing/distorted 148
- straight sinus thrombosis 635, 661
- streptokinase 602
- stress, abnormal fear reactions 293
- striate cortex 88–9
 - infarction 90–1
 - vasculature 89
- striato-pallido-thalamo-cortical loop 432
- striatocapsular hemorrhage 476
- striatocapsular infarction 428, 429–30, 432–5
 - lacunar syndromes 430
 - middle cerebral artery occlusion 256
 - pathogenesis 429
 - seizures 185
- string sign 660, 661
- stroke
 - acute phase 366
 - care 365–6
 - disability 363
 - migraine induction 64
 - mimicking seizures 186
 - onset 3–5
 - prevention and poststroke dementia 276
 - recurrence 63
 - stroke recovery 363–9
 - complications 365–7
 - natural 363
 - therapeutic correlates 365–8
 - stupor 198–9
 - mortality 199
 - stuttering 447
 - subarachnoid hemorrhage
 - agitation 230
 - aneurysmal 618, 619, 622, 623
 - antecedent events 620
 - caudate hemorrhage 476
 - cerebellar signs 623
 - cisternal blood volume 621
 - consciousness 620–1
 - examination 622–3
 - family history 621–2
 - headache 66, 68–9, 618–19
 - history 618–22
 - hypertension 622
 - medical history 621
 - memory loss 247–8
 - monoparesis 623
 - mycotic aneurysms 621, 623
 - neck stiffness 622
 - non-aneurysmal 621
 - paraparesis 623
 - Parinaud's syndrome 623
 - pulmonary edema 329
 - pyrexia 622
 - ruptured aneurysm 619
 - seizures 185, 621
 - sixth nerve palsy 623
 - subhyaloid hemorrhage 622
 - syndromes 618–23
 - third nerve palsy 622–3
 - thunderclap headache differential diagnosis 67–8
 - visual field defects 622
 - warning leaks 619–20
 - subcortical arteriosclerotic encephalopathy (SAE) 56–7
 - subcortical disequilibrium 164

- subcortical infarcts 654
- subcortical-junction infarcts 502
- subcortical lesions
 - agraphia 256
 - apraxia 256–7
 - hemineglect 265
- subcortical loops, hemineglect 265–6
- subcortical region depression 286
- subcortical stroke
 - behavioural change 259–60
 - depression 259–60
 - dysarthria 336
 - neglect 257–8
 - neurobehavioural changes 252–61
 - pathological crying/laughter 260
 - sensory dysfunction 40–3
 - white matter lesions 56–7
- subcortical structures, frontal lobe interconnections 233–4
- subcortical vascular dementia 260–1
- subcortical vascular disease 260
- subdural hematoma 486
- subependymal region circulation 612
- subhyaloid hemorrhage 622
- subinsular infarcts 432
- subjective experience 291–3
- subjective visual vertical (SVV) tilt 132
 - cortical artery infarcts 141
 - deviation 133
 - pathological 132–5
 - thalamic infarcts 138–9
- substance P 62
- substantia nigra
 - Lewy bodies 163
 - pars reticulata lesions 96
 - reticular nucleus 469
- subthalamic nucleus lesion 165
- suicide risk 294
- sulcocommissural arteries 693–4
- sulcocommissural artery syndrome 696
- sundowning 200
- superficial sylvian vein 629
- superior cerebellar artery (SCA) 52, 53, 668
 - aneurysm 622
 - brainstem
 - supply 375, 376
 - territory 543
 - cerebellar arterial supply 380
 - cerebellar hemorrhage 553
 - cerebellum supply 375, 377
 - classic syndrome 541–3, 683
 - lateral syndrome 545
 - occlusion 524
- superior cerebellar artery (SCA) infarcts 54, 541–6, 683–4
 - branch 683, 684
 - causes 545–6
 - cerebellar 506
 - multiple 507, 508
 - pseudotumoural 552
 - clinical features 542–5
 - course 545
- lateral branches 683
- medial branches 683, 684
- multiple posterior circulation 549–50
- partial territory 542
- stroke mechanism 686
- superior colliculus 79
 - lesion 79
 - saccade triggering 83
- superior mesencephalic arteries 465
- superior oblique palsy, isolated 513
- superior olivary complex 145
- superior parietal artery 441, 442
- superior rectus muscle 79–80
- superior sagittal sinus 627–9
 - thrombosis 630, 631
 - septic 638
- superior sagittal sinus thrombosis
 - angiography 635, 642
 - empty delta sign 631–2, 633
 - MRI 637
 - Tc-labelled red cell scintigraphy 637
- supplementary motor area 446
- supplementary motor cortex 214
 - damage 236
 - motor neglect 445–6
- supranuclear lesions 336
- supranuclear palsy 335
 - conjugate-vertical-gaze 515
 - disconjugate-vertical-gaze 515
 - facial 29
- suprareticular structures 82
- supratentorial infarctions
 - dysarthria 335
 - multiple 504
 - prognosis 494
 - vestibular dysfunction 141
- swallow reflex 343
- swallowing
 - anatomy 341–2
 - brainstem centres 341
 - function association with lesions 346
 - inability 356, 357
 - initiation 342
 - persistence of abnormalities 349–50
 - physiology 341–2
 - stages 341
 - tests 342, 343
 - thermal stimulation 347, 349
 - videofluoroscopy 342, 344
 - voluntary 355
- sweating disorders 332
 - paramedian massive/large pontine hemorrhage 528
- sympathomimetic drugs 602
- syncope 199
- syphilis
 - cervical meningo-vascular 696
 - neurosyphilis 328
 - spinal cord ischemia 700
- systemic lupus erythematosus (SLE) 328
- cerebral venous thrombosis 639, 645

- CSF analysis 702
- multiple brain infarcts 502
- spinal cord ischemia 700
- tachypnea 360
- tactile agnosia 313–14
- tactile anomia 314, 447, 448
- tactile transfer loss 318–19
- Takayasu's disease 71
- taste sensation
 - thalamic stroke 40
 - trigeminal neuralgia 38–9
- tegmental infarcts, unilateral 524–5
- tegmental mesencephalic stroke 197
- temperature, body
 - brain damage 366–7
 - progressive stroke 5
 - regulation 332
- temperature sensation
 - lateral medullary infarct 536
 - loss with superior cerebellar artery classic syndrome 543
- temporal arteritis 71
- temporal artery
 - territory infarct 419
 - see also* anterior temporal artery; posterior temporal artery
- temporal lobe xxiii
 - posterior 482
 - right 227, 228–9
 - inferior 290
- temporal lobe lesions
 - auditory agnosia 156
 - cortical deafness 151
 - hematoma with lobar hemorrhage 604–5, 606
 - word deafness 155–6
- temporopontine tract 51–2
- tendon reflex 443
- tentorial herniation 492
- tentorium cerebelli 628
 - contrast enhancement 633
- téphromalacie antérieure 696
- Terson's syndrome 622
- tetraparesis, anarthric 200
- thalamic astasia 462
- thalamic hemorrhage 461, 465–6
 - posteroventral 103
- thalamic infarction 461, 462–3, 464, 465
 - abulia 259
 - amnesia 245–7, 259
 - ataxic hemiparesis 454
 - behavioural change 259–60
 - cortical metabolism 256
 - dementia 259
 - hemiparesis 30
 - lateral 462
 - memory loss 245–7, 259
 - parkinsonism associated with small vessel disease 163
 - vestibular syndrome 138–9, 140
- thalamic lesions and hemineglect 265
- thalamic peduncle, anterior 431
- thalamic relay nuclei 194
- thalamic stroke
 - agitation 225
 - hypersomnia 196
 - sensory dysfunction 39–40
- thalamic syndrome 462
- thalamic–subthalamic arteries 244, 380–1, 461, 462, 479, 681
 - infarcts 463, 465, 682–3, 686
 - posterior paramedian 81
 - superior mesencephalic arteries 465
- thalamic–subthalamic injury 321
- thalamocortical neurons 194
- thalamocortical pathway interruption 585
- thalamocortico–thalamic networks 194
- thalamogeniculate arteries 381, 461, 462
 - occlusion 465
 - pure sensory stroke 481
- thalamomesencephalic artery 515
- thalamoperforating arteries *see* thalamic–subthalamic arteries
- thalamus
 - ataxic hemiparesis 56
 - blood supply 461–2, 463, 464
 - hematoma 465–6
 - hemiataxia 56
 - nuclei 461–2, 464
 - posterior cerebral artery 461
 - infarct 482
 - posterior communicating artery 461
 - stroke 55–6
 - vascularization 381
 - ventrolateral 482, 483
 - see also* lateral thalamus
- thermic dysregulation 332
- third nerve palsy
 - isolated 513
 - plus abnormal movements 515
 - plus cerebellar signs 514–15
 - plus hemiplegia 514
 - subarachnoid hemorrhage 622–3
 - thalamic–subthalamic artery infarcts 465
 - top of the basilar syndrome 681
- three-dimensional information use 266
- thrombocythemia, essential 502, 503, 504
- thrombocytopenic purpura 502
- thrombocytosis 114–15
- thromboembolism
 - brain infarcts 564
 - see also* embolism; venous sinus thrombosis; venous thrombosis
- thrombolysis
 - intra-arterial 554
 - intraventricular hemorrhage 615, 616
- thrombolytic agents in basilar artery thrombosis 526–7
- tinnitus 146
 - brainstem strokes 149
 - carotid dissection 657
 - pontine ischemia 678
- tissue plasminogen activator (tPA) 602
 - intraventricular hemorrhage 615
- Todd's paresis 569
- tone order recognition 148
- tongue paralysis 672

- top of the basilar syndrome 96, 197
 agitation 224
 apperceptive agnosia 303
 mechanisms 517–18
 medial thalamus infarcts 683
 rostral basilar artery occlusive disease 506, 508
 rostral brainstem ischemia 679–83
 wakefulness disturbances 198
 topagnosia, cortical stroke 41
 topographical agnosia 102, 310
 topographical disorientation 266
 torcular Herophili 628
torsade de pointes 329
 tractus solitarius 672
 transcortical aphasia, acute mixed 421–2, 655–6
 transhemispheric diaschisis 194
 transient ischemic attacks (TIAs)
 anxiety symptoms 14–15
 aura differentiation 65
 brainstem infarction 4
 capsular warning syndrome 28
 cardioembolic 18–19
 carotid artery 111
 carotid dissection 114
 cerebral infarction frequency 6
 cervico-cerebral artery dissection 663
 clinical history 17
 clinical types
 etiological relevance 16–19
 neurovascular relevance 15–16
 common carotid occlusion 656
 consciousness loss 12, 15
 cortical 17, 18
 definition 8
 diplopia 14
 focal neurological dysfunction 8
 focal neurological symptoms 8, 9
 headache 14, 65
 hemiphenomena 10, 16
 hemodynamic 655
 internal carotid occlusion 655
 ischemia 8–9
 lacunar 17–18
 syndromes 587
 low flow 18
 infarctions 567–8
 motor symptoms 9–10
 movement disorders 10
 neglect 11, 12
 panic symptoms 14–15
 posterior cerebral artery
 infarction 686–7
 stenosis 479–80, 481
 pure cortical sensory 42
 recurrence 9
 repetitive 6
 retinal 655
 seizures 185
 mimicking 187
 sensory symptoms 11, 12, 13–15, 42
 somatosensory symptoms 11, 12
 speech disturbance 10–11, 16
 spinal cord dysfunction 694
 swallowing difficulty 10
 symptoms 8–11, 12, 13–15
 types 8–11, 12, 13–15
 unsteadiness 10
 vertebrobasilar 16
 vertigo 12, 14
 vestibular symptoms 12, 14–15
 visual symptoms 11, 12
 watershed infarction 4
 weakness
 both sides of body 10
 lower limb 18
 on one side of body 10, 16
 transient monocular blindness 11, 13, 15–16, 111, 112, 113–17
 anisocoria 113
 carotid artery dissection 69, 657
 carotid bruit 113
 central retinal artery occlusion 118
 cholesterol emboli 111, 113
 clinical signs 111, 113, 115, 116–17
 crescendo 111, 117
 emboli sources 112
 facial pulses 113
 ischemic optic neuropathy 123
 platelet plugs 113
 retinal artery pressure 113
 type I 111, 112, 113–15
 type II 112, 115
 type III 112, 115–16
 type IV 112, 116–17
 vasospastic 115–16, 117
 transtentorial herniation 486
 trapezoid body 145
 infarcts and auditory symptoms 151, 152, 153
 trauma, central retinal artery occlusion 118
 trazodone 98, 287, 368
 tremor 167–8, 169
 acute 167
 delayed 167–8
 intention 683
 limb 48
 modification of previous by strokes 167, 170
 parkinsonian 167
 tricyclic antidepressants 290
 trigeminal artery, persistent 652
 trigeminal nerves 34
 bilateral sensory involvement 41
 sensory abnormalities 36, 37, 38–9
 trigeminal reflex stimulation 62
 trigemino-vascular system
 serotonin 61
 vasodilation in headache 62
 triptans 61, 72
 trochlear nuclei 79
 infarcts 513
 truncal ataxia
 dysarthria 338
 superior cerebellar artery infarct 545
 truncal lateropulsion 673

- trunk apraxia 164
- trunk dysesthesia 670–1
- tuberothalamic artery *see* polar artery
- tuberothalamic infarction
 - aphasia 255
 - memory impairment 247
- tumours 455
 - cerebral 601, 604
 - seizures 185
 - see also* pseudotumour cerebri; pseudotumoural syndrome
- two-dimensional information use 266
- ulcerative colitis 639
- ulnar nerve 330–1
- ultrasonography
 - cerebral venous thrombosis 637
 - spinal cord ischemia 702
- uncal herniation syndrome 494
- uncal syndrome 194
- upper eyelid retraction 515, 680
- upper limb weakness 10, 16
- upper motor neuron lesions
 - dysarthria 334–6, 337
 - ischemic 335
- urinary bladder
 - dysfunction with spinal cord ischemia 695
 - function 331
 - hypotonia 345
 - sphincter dysfunction 446–7, 695
 - vesicourethral dysfunction 697
- urinary incontinence 331
 - anterior cerebral artery infarction 446–7
 - outcome prediction 363, 365
- urinary retention in spinal shock 331
- urokinase 644
 - intraventricular hemorrhage 615
- utilization behaviour 238
- uveitis, ischemic 115
- valproic acid 72
 - mania 291
 - stroke prevention in migraine 72
- Valsalva manoeuvre 360
- varicella zoster 700
 - CSF analysis 702
- vasa coronae 693, 694
- vascular dementia 244, 273
 - bilateral paramedian thalamic infarcts 247
 - multiple infarcts 508–9
 - posterior cerebral artery infarction 245
 - subcortical 260–1
- vascular embolisms 323–4
- vascular malformations *see* arteriovenous malformations
- vascular occlusive lesion 4
- vasculitis 326, 327, 328
 - classification 326, 327
 - cryoglobulinemic 327, 328
 - drug-induced 327, 328
 - eosinophilic 116
 - lobar hemorrhage 602–3
 - necrotizing 328
- spinal cord ischemia 700
- vasospasm in subarachnoid hemorrhage 66, 67
- vegetative syndrome 201
- vein of Labb  629
- venous anastomoses 629
- venous infarcts 503
 - cerebral venous thrombosis 632–3
- venous sinus thrombosis 503
- venous thrombosis 70
 - cerebral 632–3
- ventilation
 - mechanical 360
 - support 365
- ventral frontal syndromes 238–9
- ventralis posterolateralis (VPL) nucleus 34
- ventralis posteromedialis (VPM) nucleus 34
- ventricular compression 591
- ventricular drainage 553
- ventroamygdalofugal pathway 259
- ventroanterior nucleus 52
- ventrolateral nucleus 52
- ventrolateral thalamic infarction 482, 483
- ventromedial pulvinar vascularization 381
- ventroposterolateral nucleus 52
- verapamil 72
- verbal memory 246
- verbal recall, polar artery infarcts 463
- vermal nucleus lesions 134
- vertebral artery xxvi, 691, 692
 - angiography 225
 - brainstem supply 375, 376
 - cervico-cerebral artery dissection 663, 664
 - compression with rotational head motion 132
 - disease in spinal cord ischemia 700
 - dissection 70, 326, 549, 620
 - incidence 660
 - sneezing 360
 - transmural 620
 - distal 534, 535
 - extracranial 674
 - atherosclerosis 667
 - multiple intracranial territory infarcts 687
 - occlusion 678
 - stroke mechanism 686
 - intracranial 668, 674
 - atherosclerosis 667
 - multiple intracranial territory infarcts 687
 - occlusion 678
 - stroke mechanism 686
 - lateral medullary infarcts 534, 535
- vertebral artery occlusion
 - bilateral 560
 - border zone cerebellar infarcts 551
 - lateral medullary infarcts 537
 - rotational 132
 - treatment 560
 - vestibular dysfunction 132–5
- vertebrobasilar artery disease
 - auditory symptoms 149–50
 - multiple lesions 506, 508
 - posterior cerebral artery infarction 485–6

- vertebrobasilar artery system
 - collateral circulation 656
 - evaluation 525–6
- vertebrobasilar blood flow 130
- vertebrobasilar infarction 96, 516–17
 - mechanisms 517
 - multiple 506
- vertebrobasilar ischemia 131
- vertebrobasilar migraine 69
- vertebrobasilar stroke 69
 - acute syndrome 560
- vertebrobasilar territory TIAs 15, 16
- vertigo *i*2, 14, 16, 129, *j*30
 - AICA infarcts 547
 - anterior inferior cerebellar artery infarcts 131
 - central ischemic syndromes 131
 - central vascular 129
 - cerebellar stroke 540
 - disabling positional 129
 - epileptic seizures 139
 - episodic 130
 - lateral rotational 133
 - PICA infarcts 547, 548, 673
 - rotary 131
 - severe positional 135
 - vestibular cortex 139
 - see also* dizziness
- vesicourethral dysfunction 697, 703
- vestibular cortex 139
- vestibular dysfunction
 - anterior cerebral artery 139, 141
 - pontomedullary infarctions 135, 138
 - posterior cerebral artery 139, 141
 - roll plane 132
 - supratentorial infarctions 141
 - vestibular ocular reflex 132
- vestibular nuclei
 - climbing fiber pathways 133–4
 - see also* medial vestibular nucleus
 - vestibular ocular reflex 76, 78, 79, 81
 - vestibular dysfunction 132
- vestibular pathways 130–1
- vestibular syndromes 129, 130
 - basilar artery 135, 137, 138
 - cortical infarction 139, 140, 141
 - mesencephalic artery 135, 137, 138
 - paramedian pontine artery 135, 137, 138
 - thalamic infarction 138–9, 140
 - vascular 130
- vestibular vermis 133–5
- vestibulo-ocular reflex 131, 668
- vision
 - binocular blurring *i*2, 13, 18
 - central 88
 - foveal 89
 - loss
 - in bright/white light 13–14
 - in left/right half of visual field 13
 - monocular blurring 18
 - preattentive 264
 - spatial aspects 89
- visual acuity
 - ischemic optic neuropathy 123
 - low-flow infarcts 569
- visual agnosia 89, 99–100, 266–8, 269, 302–3, 306–7
 - anatomical correlates 306
 - apperceptive 267, 274
 - associative 686
 - dorsal visual pathway preservation 307
 - models 268
 - posterior cerebral artery infarction 686
 - left-hemisphere 485
 - right hemisphere syndromes 266–8, 269
- visual allesthesia 98
- visual amnesia 103, 245
- visual anomia 99–100
- visual cortex 87–90
 - extra-striate 89
 - pathways 302
- visual defects/visual field defects 90–2
 - angular artery territory infarct 418
 - anterior choroidal artery infarctions 453–4
 - common carotid occlusion 656
 - distortions 95–6, 98
 - hemifield 102
 - hemispherical infarction in posterior cerebral artery territory 483–4
 - homonymous 90
 - lateral medullary infarct 534
 - middle cerebral artery inferior division territory infarct 410–11
 - migraine 72
 - posterior cerebral artery
 - infarction 684–5
 - stenosis 480
 - posterior choroidal artery infarcts 465
 - rostral basilar artery syndrome 544
 - spatial disorders 309–11
 - subarachnoid hemorrhage 622
 - see also* cerebral visual dysfunction
- visual hallucinations 95–6
- visual hemianomia, left 317–18
- visual hypoemotionality 103
- visual image persistence 96, 98
- visual imagery defects 89
 - neglect 265
- visual information processing 268, 269
- visual memory
 - polar artery infarcts 463
 - thalamic infarcts 246
- visual neglect 92–4, 264–5
 - constructional apraxia 99
 - perception/imagery 265
 - temporal arteries territory infarct 419
 - testing 93–4
 - visuospatial 409
- visual perceptions
 - abnormal positive 95–6, 98
 - complex 98
 - internally represented knowledge 267
 - neglect 265
- visual recognition deficits 267
- visual spread, illusory 98
- visual–spatial–perceptual dysfunction *i*11, *j*12

Cambridge University Press

978-0-521-77142-9 - Stroke Syndromes, Second Edition

Edited by Julien Bogousslavsky and Louis R. Caplan

Index

[More information](#)

- visual–vertical axis deviation 669–70
- visuomotor apraxia 257
- visuospatial agnosia 307, 310, 311
- visuospatial disorders 309–11
- visuospatial impairment 408, 418
- visuospatial processing 235–6
- vitreous hemorrhage 622
- vocal fold paralysis 346
- voice
 - dysarthria 336, 337, 339
 - lateral medullary infarct 535
- vomiting
 - cerebellar stroke 540
 - frontal hematoma 604
 - lateral medullary infarcts 672
 - lobar hemorrhage 603
 - PICA infarcts 673
 - rostral basilar artery syndrome 544
 - superior cerebellar artery infarct 545
- wakefulness 192–3
 - decreased 195
 - disorders 192, 194–9
 - left hemispheric dominance 195
- Wallenberg syndrome 70, 82, 129, 132–5, 534–37
 - AICA infarcts 546
 - medial vestibular nucleus lesions 78
 - ocular tilt reaction 132–5
 - PICA infarcts 548
 - roll 133
- warfarin
 - brainstem infarction 560
 - caudate infarcts 475
 - cerebellar infarcts 554
 - cervico-cerebral artery dissection 664
- watershed area *see* cortical border zone
- watershed infarctions 422
 - bilateral 30, 421, 652
 - anterior 502, 503
 - giant internal 431, 432, 438
 - heart disease 653
 - hemianopia 653–4
- hypotension 653
- internal 431, 437
- internal capsule 436
- internal carotid artery occlusion 652–4
- lacunar strokes 552
- low-flow 575, 576
- motor aphasia 653
- posterior 653–4
- subcortical 654
- terminology 577–8
- unilateral 652
- Weber syndrome 30, 79, 514
- Wegener's granulomatosis 327, 328
- Werneck commissure syndrome 516
- Wernicke's aphasia 212, 214–15
 - agitation 227
 - apraxia 315
 - middle cerebral artery inferior division territory infarct 411
 - neologistic jargon 215
 - pure word deafness 312
 - putaminal hemorrhage 593
 - temporal arteries territory infarct 419
 - temporal hematoma 604
- Wernicke's hemianopic pupil 90
- white blood cells 366
- white-matter
 - hyperintensity 260
 - lesions
 - aphasia 212, 213
 - deep pathways 239
 - periventricular 252–3
 - poststroke dementia 275
 - subcortical changes in vascular dementia 260–1
 - word deafness 153
 - form 215
 - meaning 215
 - pure 212, 215, 312–13
 - temporal lobe lesions 155–6
 - writing 217
 - see also* agraphia
- yawn 360