

Cambridge University Press

0521772001 - Physiology by Numbers: An Encouragement to Quantitative Thinking,

Second Edition

Richard F. Burton

Index

[More information](#)

INDEX

- accuracy, 1–2, 204
acetylcholine, 158
'acid', 159
acid excretion, 105, 184
acid-base balance, 135, 159–84
acidosis, 135, 165, 178–81
action potential, 141, 153–4, 157, 186
adenosine triphosphate, 37–8, 46, 111,
 151–4, 169, 193
air, composition, 25, 69, 73–4
albumin in plasma, 147
alkaline tide, postprandial, 183–4, 229
allometry, 14–16, 41–5, 128–31
altitude, 72–4
alveolar air, 23–4, 72–7, 78–81
alveolar ventilation, 20, 22, 24–5, 78–81
alveoli, 82–91, 219
ammonium in urine, 115
antidiuresis, 116–28
antidiuretic hormone, 133
'antilogarithm', 201
aorta, cross-sectional area, 57
appetite, 33–4
approximate arithmetic, 1–3, 17
arterial carbon dioxide, 20, 23, 74–7
arterial oxygen content, 20–1
arteriole, 58–60
atmospheric pressures, extreme, 67
atomic masses (weights), 199
ATP, *see* adenosine triphosphate
ATPS, 65–9
autoregulation of glomerular filtration,
 112–13
Avogadro's number, 160, 195
axon, 185–9

'base', 159
beer drinker's hyponatraemia, 119–20

bicarbonate
 from bone, 182–3
 from cells, 135
 in cells, 168–9
 in kidneys, 104–5, 110–12
 in mitochondria, 170–1
 in plasma, 20, 23, 70, 141, 162–5, 172–4, 226
blood
 density, 63
 pressure, 43, 55–7, 60–4, 86–7, 89–91, 96,
 113–14
 velocity, 57, 63–4
 volume, 20, 43, 49
BMR, *see* metabolic rate
body size, 14, 19, 29, 40–7, 192
bomb calorimeter, 29
bone, amount in body, 138–9
bone mineral, 136–9, 182–3, 211
Boyle's law, 66
breathing frequency, 20, 22
BTPS, 65–9
buffering by cells, 178–81
buffers, non-bicarbonate
 in cells, 178–81
 in plasma, 172–3
 in urine, 105
bushbaby, 192–3

calcium
 homeostasis, 136–9, 182
 in body, 138–9, 225
 in bone, 136–9, 182
 in muscle, 194–7
 in plasma, 137–8, 141
capacity of cell membrane, 140–1
capillaries, cross-sectional area, 57
capillary wall, 58
carbon dioxide

Index**233**

- in alveoli, 23
- production rate, 20–1, 24
- solubility, 162
- tension, 70–7, 162–6, 170–4, 178–81
- carbonate, 174–5
- carbonic acid, 162, 172
- carbonic anhydrase, 57
- cardiac output, xi–xii, 8, 19–20, 43, 55–8, 109
- cardiovascular system, xi–xii, 8, 19–20, 43–5, 48–64, 109, 188
- catecholamines, 134
- cell water, 24
- centipoise, 210, 216
- Charles' law, 66
- chinning the bar, 190–2, 230
- chloride
 - in plasma, 141
 - in urine, 115
- circulation time, 20
- clearance, renal, 6–7, 97–8
- collecting ducts, 117, 120–6
- colloid osmotic pressure, 85–91, 95–7, 113, 144–8
- conduction velocity, 185–8
- coulomb, 140
- countercurrent heat exchange, 77
- countercurrent mechanism, renal, 120–8
- creatine phosphate, 193–4
- dead space, 20, 22, 73, 78, 83
- decibel, 16
- desert rats, 78
- diabetes insipidus, 116
- diabetes mellitus, 101, 118
- diffusion, 10–11, 70–2, 210
- dilution principle, 212
- dimensional analysis, 209–10, 230
- dissolved O₂ and CO₂, 70
- diuresis, 116–20, 133
- Donnan effect, 94, 104, 136, 143–6
- drinks, hot and cold, 34–5
- drug
 - dosage, 43
 - excretion, 98–100
- dynamic blood pressure, 61–4
- efficiency, 38–40, 62–3, 194
- electrochemical potential difference, 152–4, 171
- electroneutrality principle, 24, 140–2, 144, 159, 173, 181
- elephant, 42–4
- Empire State Building, 185
- Empson, William, 44
- energy, 27–47 (*see* work)
- equilibrium potential, 143–5
 - bicarbonate, 168
 - hydrogen ions, 167–8
- equivalents, definition, 198, 140, 210
- erythrocytes (*see* haematocrit)
 - buffering, 178–81, 226
 - fragility test, 52–3
 - glucose consumption, 37
 - ion content, 142
 - protein content, 149
 - size, 20–1, 49–53
- evaporation, 36, 76–8
- excreted solute load, 114–20
- exercise, 58, 64, 133, 176
- expired air, 73, 76–8
- exponential time course, 13–16, 80–1, 98–100, 210–11, 219
- exponents, 13, 200, 210–1
- extracellular fluid volume, 24, 100, 135, 178, 211–12
 - renal regulation of, 113–14
- Faraday, 198
- fat in body, 29, 33–4, 211
- fatty acids, 111
- Fick Principle, 8, 21, 57, 109
- filtration fraction, 20, 23, 95–6, 108
- fish, respiration in, 74–6
- food reserves, 28–9
- fragility test, 52–3
- Frank–Starling mechanism, 60–1
- functional residual capacity, 78–9
- Galago*, 192
- Galileo, 14
- gas constant, 198
- gas volume, corrections, 65–9, 77
- gastric acid, 183–4
- Gibbs–Donnan equilibrium (*see* Donnan effect)
- gills, 75
- globulins in plasma, 147–8
- glomerular filtrate, 92–5, 143

234 Index

- glomerular filtration rate, 6–7, 20, 23, 43, 95, 97–105, 107–9, 112–14, 123, 129–31
glomerulotubular balance, 112–13
glucose
 energy, 32, 38, 111
 in blood, 36–7
 in kidney, 101, 111
glycogen, 29
Goldman equation, 155–8
- haematocrit, 20–1, 48–55, 95
 optimum, 53–5, 216–17
haemoglobin
 as buffer, 179
 concentration, 149
haemolysis, 51–3
Hales, Stephen, 83
half-time, 80–1, 99
Harvey, William, xi–xii, 60
heart
 rate, 18–20, 43–5
 size, 14, 43
 work, 61–4
Heidenhain, Rudolph, 101–2
helium, 79, 81
Henderson–Hasselbalch equation, 16–17, 23, 159, 162–8, 170–1, 175–7, 211
hexagon, area of, 50
hummingbird, 189
hydrogen ion activity, *seepH*
hyponatraemia, 119–20, 149
hypothalamic osmoreceptors, 132–3
hypoxia, 74
- indices, 13, 200, 210–11
inspired air, 24–5, 69, 72–4
insulin, 134
intracellular fluid volume, 24
inulin, 6–7, 97–102, 136, 212
isosmotic reabsorption, 106–7
- jumping, 192–3
- Kepler, Johannes, 230
kidneys, 6–7, 23, 43, 92–131
 blood flow, 20, 23, 43, 95, 108, 112
 clearance, 6–7, 97–8
 plasma flow, 20, 23, 95, 97–8
 work, 107–9, 221
- kinetic blood pressure, 63–4
Kleiber, Max, xii
- lactate in plasma, 141, 176, 178
lactic acid, buffering of, 176–7
Laplace, 30
 law of, 58–60, 84, 87–8, 219
latent heat of evaporation, 76
Lavoisier, 30
life span, 44–5
lipids in plasma, 149
logarithms
 basic mathematics, 200–4
 use, 15–17, 41, 81, 143–5, 152, 155–8, 160–3, 176–7, 214–15
Lohmann reaction, 193
longevity, 44–5
LSD, 43–4
Ludwig, Carl, 92, 94
lung volumes, 78–9, 82–3
lymphatics, pulmonary, 91
lysergic acid diethylamide, 43–4
- magnesium in plasma, 141
mass balance, 6–8, 60–1, 97, 120–8
mechanical work, 8–9, 61–4
medulla, renal, 117, 120–8
medullary blood flow, 125–8
membrane
 capacity, 140–1
 potential, 140–1, 152–8
metabolic rate, xii, 20–1, 76
 basal, 20–1, 28, 30–1, 35, 40–3, 46–7, 215
metabolic water, 46–7
metabolism (energy), 27–47
milliosmolality, 23
mitochondria
 bicarbonate, 170–1
 in skeletal muscle, 129–30
 oxygen tension, 72
 pH, 160–1, 169–71
 renal, 128–31
 size, 160
molar and molal, 148–50
mouse, xii, 40, 43, 46–7, 118
muscle
 amount in body, 2, 192–3, 230
 contraction time, 189

Index**235**

- tension, 59–60, 191
- work, 61–4, 190–4
- music, 188–90
- myelinated axon, 185–9
- myofibril, 195
-
- Na,KATP-ase, 151, 154, 156–7
- Nernst equation, 13, 16–17, 143–5, 152, 155, 157, 167
- nerve conduction, 185–9
- nitrogen
 - clearance curve, 81
 - excretion, 115–16
 - in protein, 115
 - washout curve, 81
- Notomys*, urine concentration in, 118
-
- octocalcium phosphate, 137
- oncotic pressure, 85–91, 95–7, 113, 144–8
- osmolality, 23, 93, 106–7, 133, 135, 145, 224
 - meaning, 150–1
- osmolarity, meaning, 150–1
- osmole, definition, 224
- osmometer, 106, 132
- osmoreceptor, 132–3
- ‘osmotic coefficient’, 151, 224
- osmotic diuresis, 118
- osmotic engines, 107
- osmotic pressure, 23, 93, 145–8, 224
 - (*see* colloid osmotic pressure)
- oxygen
 - dissolved, 55, 70
 - in blood, 20–1, 36–7, 58, 108–9
 - in tissues, 72
- oxygen consumption
 - body, 20–1, 25, 28, 30–1, 38, 58
 - heart, 61, 109
 - kidneys, 107–9
-
- packed cell volume, 20–1, 48–55, 95
- PAH clearance, 97–8
- panting, 77
- para*-aminohippurate, 97–8
- Parker, Charlie, 188–9
- pendulum, 13, 210
- penicillin, 100–1
- peripheral resistance, 55
- permeability coefficients, 156–7
- pH, 23, 159–84
-
- definition, 15–7, 160–1
- intracellular, 166–71
- phlorizin, 101
- phosphate
 - homeostasis, 136–8
 - in bone, 136–8, 182–3
 - in urine, 115
- plasma
 - ionic composition, 141–2
 - proteins, 141–2, 147–8
 - volume, 20–1, 49
- pleurae, 89–91
- pleural space, 89
- Poiseuille’s equation, 12–13, 48
- polycythaemia, 51
- postprandial alkaline tide, 183–4, 229
- potassium
 - homeostasis, 133–4
 - in acidosis, 181, 183
 - in cells, 24, 133–4, 141–2, 150, 152–7
 - in food, 133
 - in plasma, 141
 - in urine, 115
 - membrane potential, 155–7
- pressure, blood (*see* blood, pressure)
- pressure diuresis, 114
- pressure natriuresis, 114
- protein
 - in diet, 95, 114–16
 - in plasma, 141–2, 147–8
- proximal tubules, 100, 103, 106–7, 110–11, 124
- pulmonary circulation, 55–7, 60–2
 - capillaries, 85–7, 89–91
 - lymphatics, 91
- pulmonary oedema, 86, 89
- pulmonary ventilation rate, 22
- pumping work, 9, 61–4
- Purkinje fibre, cardiac, 188
-
- Ranvier, node of, 186–7
- rate constant, 80, 99
- reaction time, 189–90
- renal function, *see* kidneys
- respiration, 20, 22, 43, 65–91
- respiratory acidosis, 135, 178–81
- respiratory exchange ratio, 20–1, 25, 69, 73
- respiratory quotient, 25, 29, 71

236 Index

- Richards, A.N., 94
Rubner, Max, 41–2
- saltatory conduction, 185–7
sarcomere, 195–7
Sarrus and Rameaux, 40–1
Schwann cell, 186
shrew, 42, 57
skeletal mass, 14–15, 43, 138–9
skeletal muscle, 190–7
 mitochondria, 129–30
smooth muscle, 58–60
sodium
 amount in body, 24
 excretion, 104, 114–15, 119–20
 gradients, 151–7
 in acidosis, 135, 181, 183
 in cells, 152–7
 in extracellular fluid, 24
 in kidneys, 104–5, 107–12
 in plasma, 104, 119–20, 134–6, 148–9
 intake, 24, 114–15, 119–20
 practical problem, 134–6
 transport, 46, 107–12, 151–7
solubilities of O₂ and CO₂, 70, 75
solubility coefficient, 9–10
Sørensen, S.P.L., 160
specific BMR, 40, 215
specific heat capacity of body, 28, 35
standard 70-kg man, 18–19, 211
standard temperature and pressure, 65
standing gradient hypothesis, 106
Starling forces, 85–91, 96–7
Starling's law of the heart, 61
STPD, 65–9
stroke volume, xi-xii, 19–20
sulphate in urine, 115
surface area of body, 40–1
surface rule, 41–2
- surface tension in lungs, 84–5, 87–9
surfactant, 82, 87, 89
sweat, 36
- Tammann, G., 93
temperature regulation, xii, 18, 34–6, 39, 41
tidal volume, 20, 22, 43, 78–9
'tissue buffering', 179
troponin-C, 194–7
- unit analysis, 5–15, 17, 59, 61–2, 122, 209–11
units, conversion factors, 4
urate, 101
urea, 101–4, 114–15, 118
urine
 flowrate, 105, 112–13, 116–20
 total solutes, 114–20, 122
urodilatin, 114
- vasa recta, 114, 121–8
ventricular fibrillation, 133
viscosity, 12–13, 210
 blood, 53–5, 216–17
- walking, energy cost, 32–3, 39
water
 amount in body, 24, 211
 daily intake, 47
 expired, 77–8
 vapour pressure, 25, 66–8, 73–4, 76–7
water-breathing animals, 74–6
Weber-Fechner law, 16
'weight', 8
whale, 42, 46
work
 cardiac, 9, 61–4, 109
 mechanical, 8–9, 61–4
 renal, 107–9, 221