

Name Index

- Aalen, O. O., 218, 222, 555
 Agresti, A., 349, 555
 Akaïke, H., 152, 409
 Almond, R., 293
 Andersen, P. K., 555
 Anderson, D. R., 156, 409
 Anderson, T. W., 293
 Andrews, D. F., 692
 Appleton, D. R., 258
 Aquinas, T., 150
 Arnold, B. C., 49
 Artes, R., 173
 Ashford, J. R., 509
 Atkinson, A. C., 409, 464
 Avery, P. J., 225, 294
 Azzalini, A., 348, 555, 560

 Balakrishnan, N., 49
 Barndorff-Nielsen, O. E., 156, 218, 638, 691, 692
 Bartlett, M. S., 340, 349, 692
 Basawa, I. V., 348
 Basu, D., 649
 Bayes, T., 11
 Bellio, R., 692
 Belsley, D. A., 409
 Beran, J., 293
 Beran, R. J., 522
 Berger, J. O., 638
 Berger, R. L., 348
 Bernardo, J. M., 638
 Bernoulli, J., 30
 Besag, J. E., 255, 292, 533, 626, 638, 639, 692
 Best, N. G., 579, 638
 Bibby, J. M., 256, 293
 Bickel, P. J., 49, 348
 Billingsley, P., 292
 Bishop, Y. M., 554
 Bissell, A. F., 515

 Blackwell, D. H., 309
 Bloomfield, P., 293
 Borgan, Ø., 555
 Bowman, A. W., 348, 555, 560
 Box, G. E. P., 356, 389, 391, 409, 413, 421, 464, 638, 640
 Brazzale, A. R., 692
 Breslow, N. E., 218, 221
 Brillinger, D. R., 293
 Brockwell, P. J., 293
 Brooks, R. J., 409
 Brooks, S. P., 638
 Brown, B. W., 485, 491
 Brown, L. D., 218
 Brown, P. J., 409
 Brémaud, P., 292
 Burnham, K. P., 156, 409
 Burns, E., 17

 Caffo, B., 349
 Calment, J., 196
 Carlin, B. P., 638
 Carlin, J. B., 638
 Carroll, R. J., 409
 Casella, G., 90, 348, 463, 464, 638
 Castillo, E., 293
 Catchpole, E. A., 149, 156
 Cauchy, A. L., 33
 Chai, P., 470
 Chatfield, C., 48, 156, 293, 409
 Chatterjee, S., 409
 Chellappa, R., 292
 Cheng, R. H. C., 156
 Cleveland, W. S., 49
 Clifford, P., 292, 692
 Cobb, G. W., 463
 Cochran, W. G., 453, 463
 Coles, S. G., 293
 Collett, D., 218, 554
 Collins, A. J., 293

 Cook, R. D., 394, 409
 Copas, J. B., 208, 218
 Coull, B. A., 349
 Cowell, R. G., 251, 253, 293
 Cowles, M. K., 638
 Cox, D. R., 4, 48, 49, 156, 218, 220, 292, 293, 348, 349, 389, 391, 401, 409, 432, 463, 464, 541, 543, 554, 555, 557, 559, 564, 638, 691, 692, 693, 695
 Cox, G. M., 453, 463
 Craig, P. S., 638
 Cramér, H., 302
 Cressie, N. A. C., 293
 Crowder, M. J., 218
 Cruddas, A. M., 692

 Dalal, S. R., 6
 Daley, D. J., 293
 Daniels, H. E., 692
 Darwin, C. R., 1, 2
 Davis, R. A., 293
 Davison, A. C., 156, 293, 409, 554, 555, 557, 692
 Dawid, A. P., 251, 253, 293, 464
 de Finetti, B., 619, 638
 de Stavola, B. L., 227
 de Turckheim, E., 292
 DeGroot, M. H., 302, 309, 389, 635
 Dempster, A. P., 218
 Desmond, A., 1
 Diggle, P. J., 293, 555, 692
 Dirac, P. A. M., 310
 Dobson, A. J., 554
 Doksum, K. A., 49, 348
 Donev, A. N., 464
 Draper, N. R., 409

 Eco, U., 150
 Edgeworth, F. Y., 671

- Edwards, A. W. F., 156
 Edwards, D., 292, 464
 Efron, B., 376, 409, 496, 515, 628, 691
 Embrechts, P., 278, 293
- Faddy, M. J., 294
 Fan, J., 555
 Farewell, V. T., 218, 221
 Feigl, P., 541
 Fenlon, J. S., 294
 Ferguson, T. S., 638
 Fienberg, S. E., 554
 Findley, D. F., 152
 Firth, D., 554, 555
 Fisher Box, J., 3
 Fisher, N. I., 522
 Fisher, R. A., 2, 3, 90, 135, 156, 293, 348, 349, 463, 464, 637, 691
 Fishman, G. S., 90
 Fleiss, J. L., 464
 Fleming, T. R., 549, 555
 Flournoy, N., 218, 221
 Forster, J. J., 692
 Fowlkes, E. B., 6
 Fraser, D. A. S., 218, 692
 French, J. M., 258
 Frome, E. L., 8
- Galton, F., 3
 Gamerman, D., 638
 Gauss, J. C. F., 62, 374
 Gaver, D. P., 600
 Gelfand, A. E., 459, 618, 638
 Gelman, A., 638
 Geman, D., 292, 638
 Geman, S., 292, 638
 Gijbels, I., 555
 Gilks, W. R., 93, 579, 638
 Gill, R. D., 555
 Gloeckler, L. A., 554
 Glonek, G. F. V., 555
 Godambe, V. P., 325, 348
 Goetghebeur, E., 218
 Goldstein, H., 464
 Goldstein, M., 638
 Gossett, W. S., 33
 Gouriéroux, C., 293
 Grambsch, P. M., 555
- Green, P. J., 219, 533, 554, 555, 561, 626, 638
 Greenland, S., 349
 Greenwood, M., 197
 Grimmett, G. R., 49, 292, 293
 Gumbel, E. J., 279, 293
 Gutiérrez, J. M., 293
 Guttorp, P., 292, 348
- Hadi, A. S., 293, 409
 Haenszel, W., 558
 Hahn, G. J., 615
 Hall, P. G., 348
 Hammersley, J. M., 292
 Hampel, F. R., 348, 409
 Harrington, D. P., 549, 555
 Hartley, H. O., 63, 464, 692
 Hastie, T. J., 555
 Hastings, W. K., 638
 Heitjan, D. F., 218
 Henderson, C. R., 464
 Henderson, R., 142, 225, 294
 Heyde, C. C., 348, 555
 Higdon, D., 533, 626, 638
 Hills, S. E., 459, 695
 Hinkley, D. V., 156, 348, 349, 409, 691, 692
 Hoadley, B., 6
 Hoaglin, D. C., 49
 Hoel, D. G., 200
 Hoerl, A. E., 409
 Hoerl, R. W., 409
 Hoeting, J. A., 638
 Holland, P. W., 464, 554
 Hollander, M., 485
 Hougaard, P., 222, 292, 555
 Hsu, J. S. J., 638
 Huber, P. J., 321, 409
 Hunter, J. S., 356, 421, 464
 Hunter, W. G., 356, 421, 464
 Hurvich, C. M., 409
 Härdle, W., 560
- Isham, V. S., 292, 293
 Ising, E., 248
- Jain, A., 292
 Jamshidian, M., 218
- Janossy, L., 159
 Jeffreys, H., 575, 637
 Jelinski, Z., 299
 Jennrich, R. I., 218
 Jensen, F. V., 293
 Jensen, J. L., 692
 Jones, M. C., 348, 555
 Jørgensen, B., 409, 554
- Kadane, J. B., 638
 Kalbfleisch, J. D., 218, 221, 562, 692
 Kalbfleisch, J. G., 156
 Kaplan, E. L., 197
 Karr, A. F., 293
 Kass, R. E., 638
 Keiding, N., 218, 555
 Kendall, M. G., 49, 160
 Kennard, R. W., 409
 Kent, J. T., 256, 293
 Kenward, M. G., 218, 223
 Kimber, A. C., 218
 Kinderman, R., 292
 Kiss, D., 159
 Klein, J. P., 218, 555, 564
 Klüppelberg, C., 278, 293
 Knight, K., 49, 156
 Krishnan, T., 218
 Kuh, E., 409
 Kullback, S., 123
 Kuonen, D., 560
 Künsch, H. R., 292
- Laird, N. M., 218
 Laplace, P.-S., 22, 62, 637
 Lauritzen, S. L., 251, 253, 292, 293, 464
 Leadbetter, M. R., 293
 Lee, P. M., 638
 Lehmann, E. L., 48, 348, 349
 Leibler, R. A., 123
 Leonard, T., 638
 Leroy, A. M., 409
 Lewis, P. A. W., 293, 693
 Li, G., 409
 Li, H. G., 218
 Li, W.-H., 295
 Liang, K.-Y., 156, 505, 555, 692
 Lindgren, G., 293

714

Name Index

- Lindley, D. V., 63, 638
 Lindsay, B. G., 219
 Linhart, H., 409
 Little, R. J. A., 218
 Lloyd, C. J., 692
 Loader, C., 555
 Louis, T. A., 638
 Lwin, T., 638
- MacDonald, I. L., 292
 Madigan, D., 638
 Makov, U. E., 219
 Mallows, C. L., 409
 Mantel, N., 558
 Mardia, K. V., 256, 293
 Maritz, J. S., 638
 Markov, A. A., 228
 Matthews, J. N. S., 142
 McCullagh, P., 49, 554, 555, 558, 692, 693
 McCulloch, C. E., 219, 463, 464
 McDonald, J. W., 692
 McLachlan, G. J., 218
 McLeish, D., 348
 McQuarrie, A. D. R., 409
 Meier, P., 197
 Mendel, G., 160
 Meng, X.-L., 218
 Mengersen, K., 533, 626, 638
 Metropolis, N., 638
 Mikosch, T., 278, 293
 Miller, A. J., 409
 Miller, H. D., 292
 Miller, N., 356
 Miller, R. G., 218
 Moeschberger, M. L., 218, 555
 Molenberghs, G., 218, 223
 Mollié, A., 638
 Moore, J., 1
 Moranda, P. B., 299
 Morgan, B. J. T., 90, 149, 156
 Morris, C. N., 218, 639
 Mosteller, F., 48, 49
- Nadaraya, E. A., 522
 Nagaraja, H. N., 49
 Nelder, J. A., 554, 555, 558
 Nelson, W. D., 615
- Neopolitan, E., 293
 Neyman, J., 90, 335, 348, 349, 646
 Norris, J. R., 292
- O'Hagan, A., 638
 O'Muircheartaigh, I. G., 600
 Oakes, D., 4, 192, 217, 218
 Ogata, Y., 288
- Pace, L., 156, 218
 Pareto, V., 41
 Parzen, E., 152
 Patterson, H. D., 464, 692
 Pearl, J., 293, 464
 Pearson, E. S., 63, 90, 335, 348, 349
 Pearson, K., 135, 335
 Percival, D. B., 293
 Peterson, A. V., 218, 221
 Pirazzoli, P. A., 162
 Pitman, E. J. G., 218
 Poisson, S. D., 23
 Pope John XXII, 150
 Prentice, R. L., 218, 221, 554, 692
 Presley, E., 559
 Priestley, M. B., 293
 Prior, A. M., 135
 Prum, B., 292
 Pötscher, B. M., 409
- Qaqish, B., 505, 555
- Racine-Poon, A., 459
 Raftery, A. E., 596, 638, 644
 Raiffa, H., 638
 Rao, C. R., 224, 302, 309
 Rao, J. N. K., 464, 692
 Rawlings, J. O., 409, 469
 Reid, N., 389, 463, 691, 692, 695
 Resnick, S. I., 293
 Reynolds, P. S., 266
 Riani, M., 409
 Rice, J. A., 348
 Richardson, S., 219, 638
 Richardson, T. S., 292
 Rilke, R. M., 174
 Ripley, B. D., 90, 293, 638
 Ritter, C., 638
 Robert, C. P., 90, 638
- Robinson, G. K., 464
 Rodolphe, F., 292
 Roeder, K., 214
 Rolski, T., 293
 Ronchetti, E. M., 348, 409
 Rootzén, H., 293
 Rosenbluth, A. W., 638
 Rosenbluth, M. N., 638
 Ross, S. M., 618
 Rousseeuw, P. J., 348, 409
 Rubenstein, R. Y., 90
 Rubin, D. B., 218, 618, 638
 Ruppert, D., 409
 Rényi, A., 40
- Salvan, A., 156, 218
 Schafer, G., 577
 Scheffé, H., 409, 464
 Schervish, M. J., 104
 Schlaifer, R., 638
 Schmidli, H., 293
 Schmidt, V., 293
 Schwartz, G., 409
 Scott, D. J., 348
 Scott, D. W., 348
 Scott, E. L., 646
 Scott, W. F., 63
 Searle, S. R., 409, 463, 464
 Seber, G. A. F., 293, 409
 Seheult, A. H., 638
 Self, S. G., 156
 Sen, A., 409
 Severini, T. A., 691, 692
 Shao, J., 348
 Sheather, S. J., 348
 Sheehan, N. A., 292
 Shephard, N., 293
 Silverman, B. W., 348, 555, 561
 Silvey, S. D., 156, 348, 464
 Simonoff, J. S., 555
 Simpson, E. H., 257
 Skovgaard, I. M., 691, 692
 Slutsky, E. E., 31
 Small, C. G., 348
 Smith, A. F. M., 219, 459, 596, 618, 638
 Smith, H., 409
 Smith, J. A., 638

- Smith, J. Q., 638
 Smith, P. W. F., 692
 Smith, R. L., 156, 218, 292, 293
 Snell, E. J., 49, 401, 409, 432, 541, 554
 Snell, J. L., 292
 Speed, T. P., 464
 Spiegelhalter, D. J., 251, 253, 293, 579, 596, 638
 Srivastava, M., 409
 Stafford, J. E., 692
 Stahel, W. A., 348, 409
 Starke, H. R., 355
 Stein, C., 635, 639
 Steinour, H. H., 355
 Stephens, M., 638
 Stern, H. S., 638
 Stigler, S. M., 3
 Stirzaker, D. R., 49, 292, 293
 Stone, M., 348, 409
 Stuart, A., 49, 160
 Student, *see* Gossett, W. S.
 Sweeting, T. J., 218
 Sørensen, M., 348

 Tanner, M. A., 218, 638
 Taylor, G. L., 135
 Teller, A. H., 638
 Teller, E., 638

 Teugels, J., 293
 Thatcher, A. R., 194
 Therneau, T. M., 555
 Thisted, R., 628
 Thomas, A., 579, 638
 Thompson, E. A., 292
 Thompson, R., 464, 692
 Tiao, G. C., 638
 Tibshirani, R. J., 409, 555
 Tidwell, P. W., 413
 Tierney, L., 638
 Tippett, L. H. C., 293
 Titterton, D. M., 219
 Tong, H., 293
 Traylor, L., 156
 Tsai, C.-L., 409, 554
 Tsay, R. S., 293
 Tsiatis, A., 218
 Tufte, E. R., 49
 Tukey, J. W., 48, 49, 197, 391, 409

 van Dyck, D., 218
 van Lieshout, M. N. M., 293
 Vanderpump, M. P. J., 258
 Vere-Jones, D., 293
 Volinsky, C. T., 638
 von Mises, R., 174

 Walden, A. T., 293
 Wand, M. P., 348, 555
 Warburg, H. E., 200
 Wasserman, L., 638
 Watson, G. S., 522
 Wedderburn, R. W. M., 554, 555
 Weibull, W., 50
 Weisberg, S., 409
 Welsch, R. E., 409
 Wermuth, N., 292, 464
 Wetherill, G. B., 409
 Whittaker, J., 292
 Wild, P., 93
 William of Ockham, 150
 Wolfson, L. J., 638
 Wolpert, R. L., 638
 Wood, S. N., 555
 Woods, H., 355

 Yates, F., 463
 York, J., 638
 Yule, G. U., 257

 Zeger, S. L., 505, 555, 692
 Zelen, M., 541
 Zucchini, W., 292, 409

Example Index

- 2×2 table, 666
 2^2 factorial experiment, 439, 442
 2^3 factorial experiment, 441
 3×2 layout, 384
- ABO blood group system, 137, 475
 adaptive rejection sampling, 82
 ARMA process, 270
 autoregressive process, 267
 average, 30, 52
- beaver body temperature data, 266, 268
 belief network, 251
 Bernoulli distribution, 30, 104, 566, 568
 Bernoulli probability, 576
 Bernoulli trials, 570
 beta distribution, 172
 binary matched pairs, 683
 binomial distribution, 6, 30, 56, 58, 110, 169, 180, 345, 481
 birth data, 17, 19, 20, 23, 25, 26, 41, 54, 60, 83, 135, 177
 birth process, 288
 bivariate normal density, 608
 Blalock–Tausig shunt data, 192, 198
 blood data, 450
 blood group data, 175
 Box–Cox transformation, 389
 boxplot, 20
 branching process, 324
 breast cancer data, 226, 230, 241
- cake data, 453
 calcium data, 469, 478, 678
 capture-recapture model, 106
 cardiac surgery data, 579, 621
 cat heart data, 446
 Cauchy distribution, 33, 96, 120
 cement data, 354, 379, 381, 399, 593
 censoring, 112
- Challenger data, 6, 97, 100, 122, 130, 603
 chi-squared distribution, 45
 chick bone data, 432
 chimpanzee learning data, 485
 cloth fault data, 514
 covariance and correlation, 32
 cycling data, 356, 362, 372, 388, 395, 444
- Danish fire data, 277, 285, 328
 diagnostic test, 567
 dichotomization, 488
 Dirac comb, 310
 directional data, 172
 discrimination, 631
 DNA data, 225, 230, 234, 236
- empirical distribution function, 19, 30
 epidemiology, 8
 exponential and log-normal, 148
 exponential distribution, 39, 78, 95, 105, 108, 144, 145, 168, 192, 314, 326, 344
 exponential family, 312, 336, 340, 573
 exponential sample, 53
 exponential transformation, 34
 exponential trend, 276
 eye data, 505
- field concrete mixer data, 434, 445
 five-state Markov chain, 232
 forensic evidence, 584
 frailty, 202
 FTSE data, 266, 271, 273
- galaxy data, 213
 gamma distribution, 23, 35, 53, 57, 181, 190, 339, 674
 generalized additive model, 541
 generalized gamma distribution, 132
- generalized linear model, 541
 generalized Pareto distribution, 688
 genetic pedigree, 249
 grouped data, 368
- half-normal distribution, 79
 histogram, 19
 Huber estimator, 321
 human lifetime data, 194
 HUS data, 142, 177, 583
- image, 245
 Ising model, 248
- jacamar data, 470, 483, 502
 Japanese earthquake data, 288, 518, 525
 Jeffreys–Lindley paradox, 586
- Laplace distribution, 22, 24
 leukaemia data, 541, 545
 linear exponential family, 682, 689
 linear model, 317
 link function, 482
 location model, 183
 location-scale model, 61, 185, 187, 576, 588
 log-linear model, 498, 502, 503
 log-logistic distribution, 190
 log-normal mean, 303, 304
 Log-normal mean, 645
 logistic distribution, 202, 316
 logistic regression, 6, 108, 490, 498, 505, 665, 676
 longitudinal data, 457
 lung cancer data, 8, 503
- magnesium data, 208
 maize data, 1, 67, 68, 74, 309, 329, 332, 365, 372, 381
 Markov chain, 245, 247
 maths marks data, 256, 259, 261, 263

- measuring machines, 569
 mixture distribution, 213
 model selection, 153
 moment estimators, 316
 motorette data, 615
 mouse data, 200, 546
 moving average process, 269
 multinomial distribution, 47, 175, 475
 multiplicative model, 359
 multivariate normal distribution, 72, 73
- negative binomial distribution, 211, 512
 Neyman–Scott problem, 646
 nodal involvement data, 490, 676, 684
 non-additivity, 390
 non-linear model, 503, 678
 normal deviance, 472
 normal distribution, 45, 78, 80, 88, 111, 116, 121, 129, 178, 180, 280, 312, 481, 574, 580, 613, 627, 633
 normal hierarchical model, 620
 normal linear model, 474, 589, 649, 656, 681
 normal mean, 333, 337
 normal median, 41
 normal mixture distribution, 145
 normal nonlinear model, 474
 normal variance, 301
 nuclear plant data, 401, 404, 664
- one-way layout, 459
 order statistics, 16
 orthogonal polynomials, 383
 overdispersion, 512
- Pareto distribution, 41
 partial likelihood, 656
- partial spline model, 537
 PBC data, 549
 permutation group, 184
 permutation test, 341
 pig diet data, 431
 pigeon data, 172
 pneumoconiosis data, 508
 poisons data, 391, 436, 440
 Poisson birth process, 98, 108, 146
 Poisson distribution, 23, 46, 59, 94, 153, 170, 177, 311, 313, 340, 481, 670
 Poisson mean, 310
 Poisson process, 112, 287
 polynomial regression, 354
 positron emission tomography, 216
 Premier League data, 498
 probability weighted moment estimators, 317
 publication bias, 208
 pump failure data, 600
- random effects model, 610
 random sample, 106
 rat growth data, 459
 ratio, 34
 regression model, 648
 renewal process, 287
 restricted likelihood, 690
 rounding, 113
- sample moments, 15, 24
 sample shape, 18
 sample variance, 31
 scatterplot, 20
 Shakespeare's vocabulary data, 629
 shoe data, 421
 sign test, 331, 332, 334
- simulated data, 376
 simulation study, 403
 smoking and the Grim Reaper, 258, 494
 spring barley data, 533, 538, 622
 spring failure data, 4, 95, 96, 100, 120, 127, 132, 154
 straight-line regression, 186, 322, 354, 361, 394
 Student t distribution, 140, 653
 Student t statistic, 84
 Student t test, 330, 332, 341, 342
 Studentized statistic, 32
 surveying a triangle, 361
 survival data, 376
- teaching methods data, 427
 toxoplasmosis data, 515, 527, 628
 trimmed average, 86
 two-sample model, 341, 365
 two-state Markov chain, 231, 240
 two-way contingency table, 135
- ulcer data, 495, 666
 uniform distribution, 38, 103, 167, 170, 180, 304, 312, 647, 669
- variance function, 171
 Venice sea level data, 161, 164, 165, 186, 205, 475, 477
 von Mises distribution, 172
- Weibull distribution, 96, 117, 127, 130, 189, 319
 weighted least squares, 514
 Wilcoxon signed-rank test, 331, 332
 Yarmouth sea level data, 281

Index

- 2×2 table, 135, 137, 492–496, 546, 557, 666, 697
 Bayesian analysis, 642
 small-sample analysis, 494
 C_p , 404, 408, 413
 F distribution, 65–68, 76, 140, 486
 F statistic, 367, 378
 $N(\mu, \sigma^2)$ distribution, *see* normal distribution
 O and o notation, 35
 p^* formula, 651, 665, 674
 t distribution, *see* Student t distribution
 α -particle data, 696
 χ^2 distribution, *see* chi-squared distribution
 P-value, *see* significance level
- ABO blood group system, 137, 475
 accelerated life model, 541–553
 acceptance-rejection algorithm, *see* rejection algorithm
 adaptive rejection sampling, 82, 93, 626
 added variable, 414
 adjusted dependent variable, 474
 admissibility, 633
 age-specific failure rate, *see* hazard function
 AIC, 152, 235, 236, 308, 404, 407, 408, 413
 corrected, 403, 404, 524
 air-conditioning failure data, 696
 Akaike information criterion, *see* AIC 152
 Alofi rainfall data, 697
 analysis of covariance, 446, 448
 analysis of deviance, *see* deviance, analysis of
 analysis of variance, 378–386
 Latin square, 434
 one-way layout, 426
 random effects, 451
 split-unit experiment, 455
 two-way layout, 431, 437, 465
 ancillary statistic, 646–656, 693, 698
 Anderson–Darling statistic, 328
 ARCH process, 272
 ARIMA process, 271
 ARMA process, 270, 297, 697
 asymptotic relative efficiency, 51
 autocorrelation function, 267
 autoregressive moving average process, *see* ARMA process
 autoregressive process, 109, 267, 274, 618
 average, 15, 16, 24, 30, 41, 52, 54, 66, 67, 74, 75
 trimmed, 16, 86
- backfitting, 536, 623
 backshift operator, 270
 backward recurrence time, 298
 balanced incomplete block design, 432
 bandwidth, 307, 308, 520
 Barndorff-Nielsen’s formula, *see* p^* formula
 Bartlett adjustment, 340
 Basu’s theorem, 590, 649
 Bayes factor, 582–587, 593, 595, 596, 640
 approximate, 598
 Bayes information criterion, *see* BIC
 Bayes risk, 632
 Bayes rule, 631
 Bayes’ theorem, 11, 565–568
 Bayesian model averaging, 638
 beaver body temperature data, 266, 268, 698
 beetle data, 697
 belief network, 251
 Bernoulli distribution, 31, 89, 566, 568
 Bayesian analysis, 594, 637, 639
 information, 115
 Jeffreys prior, 575, 576
 sufficient statistic, 104
 Bernoulli trials, 570, 577
 best linear unbiased predictor (BLUP), 458, 463, 464, 467
 beta distribution, 89, 172, 219, 566
 beta function, 168
 beta-binomial distribution, 518, 636, 698
 bi-Weibull distribution, 189, 190
 bias, 300
 BIC, 152, 404, 599, 641
 binary data, 487–492, 517, 554, 684, 698
 complete separation, 489
 conditional inference, 694
 conditional likelihood, 665, 683
 deviance, 497, 559
 dichotomization, 488
 model checking, 490
 binomial distribution, 8, 61
 Bayesian analysis, 636
 confidence interval, 56, 58, 62, 345
 conjugate prior, 579
 cumulants, 49
 estimation, 314
 exponential family, 169, 180
 information, 110
 orthogonal parameter, 691
 Poisson approximation, 49
 relation to Bernoulli distribution, 30
 sufficient statistic, 315
 test, 91
 variance function, 481
 biological control data, 294
 birth data, 17, 19, 20, 23, 25, 26, 41, 54, 59, 60, 76, 83, 135, 177, 696
 birth order data, 158
 birth process, 288
 biweight, 375, 376
 Blalock–Taussig shunt data, 192, 198
 blocking, 419
 blood data, 450, 610
 blood group data, 175, 697
 boiling point data, 697

- bootstrap, 376
 Box–Cox transformation, 389, 391, 455, 551
 Box–Tidwell transformation, 412
 boxplot, 20
 branching process, 324
 breakdown point, 17, 27
 breast cancer data, 226, 230, 241
 Brownian bridge, 696
 Brownian motion, 92
 brush and spin plot, 696
 Burt twins data, 697
- cake data, 453
 calcium data, 469, 478, 678
 calibration, 415
 capture-recapture model, 106, 149
 cardiac surgery data, 579, 621
 case diagnostics, *see* model checking
 cat heart data, 446
 Cauchy distribution, 33, 48, 693, 698
 information, 120
 likelihood, 96, 100, 101, 127
 simulation, 81, 91
 Cauchy–Schwarz inequality, 36
 causal inference, 423, 464
 cement data, 354, 379, 381, 385, 399, 408, 593, 697
 censoring, 4, 190, 217, 641
 discrete data, 193
 information, 112
 left, 191
 random, 190
 right, 5, 112, 191
 Type I, 190, 220
 Type II, 190, 220
 central limit theorem, 30, 696
 Challenger data, 6, 97, 100, 122, 130, 139, 603, 697
 changepoint, 142, 583, 698
 characteristic function, 44, 48
 cherry tree data, 697
 chi-squared distribution, 63–64, 67, 76, 139, 219, 558
 cumulants, 45
 noncentral, 51
 simulation, 78
 chi-squared statistic, 133
 chick bone data, 432, 697
 chimpanzee learning data, 485
- Cholesky decomposition, 89, 623
 classical inference, *see* repeated sampling
 clique, 245, 254, 255
 cloth data, 698
 cloth fault data, 514
 coal-mining disaster data, 698
 coefficient of variation, 51
 collinearity, 398, 697
 competing risks, 198–201, 218, 221
 completeness, 311, 315
 bounded, 311, 340
 components of variance, 449–464
 computer bug data, 299, 643
 condition number, 398
 conditional inference, 143, 177
 conditional predictive ordinate, 589
 conditionality principle, 569, 639
 confidence interval, 54
 equi-tailed, 56, 343
 interpretation, 58
 maximum likelihood estimate, 120
 normal linear model, 371
 one-sided, 56
 Student t , 67, 90, 92
 two-sample, 74
 confidence limit, 343
 conservative, 345
 configuration, 186, 187, 650, 655
 confounding, 420, 442, 448, 466
 conjugate density, 573
 consistency, 29
 strong, 123
 constructed variable, 391, 413, 487
 contingency table, 135, 500–507
 continuation ratio model, 510
 continuity correction, 671
 contrast, 443, 445, 465
 control variate, 85
 convergence, 28–37
 diagnostics, 607, 638
 in distribution, 30, 31
 in probability, 28, 36
 Cook statistic, 362, 394, 396
 approximate, 477
 correlation, 32, 36, 69, 90, 347
 partial, 261, 264
 correlogram, 267, 297
 partial, 267
 count data, 498–511
- counterfactual, 424
 counting process, 552
 covariance, 32, 36, 68
 matrix, 68
 partial, 261
 covariate, *see* explanatory variable
 coverage error, 345
 Cramér–Rao lower bound, 302, 319, 325, 377
 multivariate, 304
 Cramér–von Mises statistic, 328
 credible set, 579, 594, 640, 641
 highest posterior density (HPD), 579
 critical region, 333
 invariant, 342
 similar, 339, 665
 unbiased, 337
 uniformly most powerful, 336
 cross-validation, 308, 314, 395, 399, 408, 524, 533, 537
 generalized, 399, 524, 525, 533, 537
 cumulant-generating function, 44–48, 167, 487, 671
 cut, 182, 501
 cycling data, 356, 362, 372, 388, 395, 444, 466
- daily rainfall data, 293
 Danish fire data, 277, 285, 328, 688
 data augmentation, 638, 698
 de Finetti’s theorem, 619
 decision rule, 631
 minimax, 633, 637
 decision theory, 631–636, 638
 defective distribution, 189
 delta method, 33–35, 59, 122
 several variables, 34
 dependent data, 323–324
 design matrix, 354
 detailed balance, 231, 238, 613
 deviance, 471, 483, 556, 559
 analysis of, 484, 486
 normal, 472
 overdispersed, 515
 penalized likelihood, 537
 scaled, 471, 483
 diagnostic test, 567
 differencing, 271, 274
 Dirac comb, 310, 315
 Dirac delta function, 12

directed deviance statistic, *see* signed likelihood ratio statistic
 directional data, 172
 Dirichlet distribution, 181
 discrimination, 631, 637
 dispersion parameter, 480, 487
 distribution constant, 184, 647, 649
 DNA data, 225, 230, 234, 236, 292
 double exponential distribution, *see* Laplace distribution
 dummy variable, 356
 Edgeworth series, 671, 672
 efficiency, 111
 asymptotic relative, 303
 eigendecomposition, 230, 237, 238
 EM algorithm, 210–218, 223, 296, 297, 463, 563, 638, 697
 empirical Bayes, 627–638
 empirical distribution function (EDF), 19, 30, 277, 278
 empirical logistic transform, 36, 490, 509, 559
 endpoint, 146
 envelope simulation, *see* rejection algorithm
 equivalence relation, 107
 equivariant estimator, 185
 ergodic average, 230, 608
 ergodic model, 323
 error
 Type I, 333
 Type II, 333
 estimate, 23
 estimating equation, 316, 512
 generalized, 507
 estimating function, 315–325, 555
 optimal, 318
 estimation, 300–315
 efficient, 303
 non-regular, 304
 unbiased, 300
 estimator, 23
 evolutionary distance data, 295
 exchangeability, 619, 626
 expectation space, 169
 expected information, 109–115, 124, 138, 144, 166, 179, 575
 comparison with observed, 120
 transformation, 156

expert system, 293
 explanatory variable, 4, 161
 exponential distribution, 79, 119, 350, 680
 Bayesian analysis, 639, 641
 censored, 112, 220
 conditional inference, 693
 confidence interval, 314
 estimation, 697
 exponential family, 168
 failure time, 6
 grouped, 159
 hazard, 188, 192
 lack-of-memory property, 39
 likelihood, 95, 125, 127
 mixture, 149
 nested in Weibull, 96, 130
 order statistics, 39
 orthogonal parameter, 691, 695
 probability plot, 26
 shifted, 145, 149, 350
 simulation, 78, 89, 91
 sufficient statistic, 105, 108
 test, 326, 344
 truncated, 698
 exponential family, 166–183, 215, 218, 336, 340, 350, 493, 636, 680
 (p, q), 174
 complementary mean parameter, 689
 completeness, 312
 conditional density, 180
 conditional inference, 674
 conjugate prior, 573, 577, 578, 639
 curved, 174, 182, 677
 inference, 176
 likelihood, 179
 linear, 490
 marginal density, 180
 minimal representation, 172
 natural, 167, 172
 order p , 171, 176, 573
 order 1, 167, 168
 regular, 167
 steep, 170, 220
 exponential scores, 26, 40
 exponential tilting, 167, 168
 eye data, 505
 factor, 356
 crossed, 452
 factorial experiment, 356, 391, 436, 439, 441, 442, 444, 448, 697
 replicated, 436
 factorization criterion, 104, 410, 566
 field concrete mixer data, 434, 445, 448

financial data, 33
 fir seedling data, 640
 first-passage time, 229, 243
 Fisher information, *see* expected information
 Fisher scoring, 118
 fitted value, 361, 362
 force of mortality, *see* hazard function
 forensic evidence, 584
 forward recurrence time, 298
 frailty, 201–202, 218, 221, 555, 563
 shared, 562
 frequentist inference, *see* repeated sampling
 FTSE data, 266, 271, 273, 697
 full conditional density, 245, 605
 funnel plot, 209
 galaxy data, 213
 gamma distribution, 23, 64, 487
 cumulants, 48
 estimation, 57, 696
 exponential family, 181, 182, 219
 generalized, 132
 hazard, 190
 information, 115
 inverse, 182
 probability plot, 26
 simulation, 89
 small-sample inference, 674
 test, 339
 gamma function, 23, 617
 properties, 27
 GARCH process, 273
 Gauss–Markov theorem, 374
 Gaussian distribution, *see* normal distribution
 generalized additive model, 538, 541, 555, 623, 698
 generalized extreme-value distribution, 50, 279, 291
 generalized linear model, 480–487, 518, 541, 554–556, 558
 generalized Pareto distribution, 284, 286, 291, 292, 299, 317, 688, 697
 genetic linkage data, 223
 genetic pedigree, 249
 geometric distribution, 229
 Bayesian analysis, 639, 640
 exponential family, 219
 information, 115

- likelihood, 101
 relation to negative binomial, 50
 simulation, 89
- Gibbs sampler, 605–612, 618, 621, 638, 642, 643, 698
- goodness of fit, 131–138, 177, 327
 posterior predictive, 592
- Graeco-Latin square, 466
- graph
 ancestral subset, 255
 directed acyclic, 249–253, 255
 moral, 250, 251, 255, 262, 265, 296
- graphical design, 21, 28
- graphical model, 260–266, 292
- Greenwood's formula, 197
- group, 183
- group action, 183
- group transformation model, 183–188, 218, 329
 composite, 187
- grouped data, 368, 414
- Gumbel distribution, 203, 279, 297, 413, 475
- half-normal distribution, 79, 696
- half-normal plot, 444
- Hammersley–Clifford theorem, 246, 253, 255, 292, 296, 605
- hat matrix, 362, 369, 385, 413
- hazard function, 188, 203, 275, 286
 bathtub, 190
 cause-specific, 198, 221
 cumulative, 189
 estimation, 220
- head size data, 697
- Heaviside function, 12
- Hermite polynomial, 672
- hierarchical model, 464, 638
 Bayesian, 619–627
 Poisson, 600, 698
- histogram, 19, 305, 349
- Hotelling's T^2 statistic, 260
- Huber estimator, 321, 325, 350, 375, 376
- human lifetime data, 194
- HUS data, 142, 177, 583, 697, 698
- hypergeometric distribution, 495, 557
- hyperparameter, 573
- hypothesis
 alternative, 326
 composite, 326, 339–343
- inference function, *see* estimating function
- incidence matrix, 533
- inference function, *see* estimating function
- infinitesimal generator, 238
- influence, 394, 477, 539
- influence function, 321
- information
 expected, 222
- information distance, *see* Kullback–Leibler discrepancy
- information sandwich, 147, 151, 377
- intensity function
 complete, 286
 conditional, 288
- interaction, 424, 436, 439, 466
 first-order, 440
- interest-preserving reparametrization, 645
- interquartile range (IQR), 17, 20, 37, 43, 61
- interval estimation, 313–314
- invariant, 184
 maximal, 184, 186, 329, 343
- inverse gamma distribution, 580, 588, 640
- inverse Gaussian distribution, 182, 487, 680
- inverse probability, 637
- inversion algorithm, 78–79, 89
- ignorable non-response, 204
- image analysis, 245, 292
- imaginary observations, 596
- importance sampling, 87, 618, 641
 Bayesian application, 602–605
 ratio estimator, 603
 raw estimator, 87
 weight, 87
- incidence matrix, 533
- inference function, *see* estimating function
- infinitesimal generator, 238
- influence, 394, 477, 539
- influence function, 321
- information
 expected, 222
- information distance, *see* Kullback–Leibler discrepancy
- information sandwich, 147, 151, 377
- intensity function
 complete, 286
 conditional, 288
- interaction, 424, 436, 439, 466
 first-order, 440
- interest-preserving reparametrization, 645
- interquartile range (IQR), 17, 20, 37, 43, 61
- interval estimation, 313–314
- invariant, 184
 maximal, 184, 186, 329, 343
- inverse gamma distribution, 580, 588, 640
- inverse Gaussian distribution, 182, 487, 680
- inverse probability, 637
- inversion algorithm, 78–79, 89
- IQR, *see* interquartile range
- Ising model, 248
- iterated expectation, 65
- jacamar data, 470, 483, 502
- Japanese earthquake data, 288, 518, 525
- Jeffreys prior, 639
- Jeffreys–Lindley paradox, 586
- Jensen's inequality, 123
- Kaplan–Meier estimator, *see* product-limit estimator
- kernel, 306, 520
 effective, 521
 tricube, 520
- kernel density estimation, 697
- kernel density estimator, 305–309, 314, 608
- Kolmogorov–Smirnov statistic, 328
- Kronecker delta, 12
- Kullback–Leibler discrepancy, 123, 147, 150
- kurtosis, 46
- Lake Constance data, 697
- Laplace approximation, 596–602, 617, 636, 638, 641
 posterior density, 599
 posterior distribution, 599
- Laplace distribution, 22, 24, 28, 85, 125, 157, 698
 regression model, 377
- Laplace transform, 312
- large deviation region, 652
- Latin square, 434, 438, 446, 466, 697
- law of small numbers, *see* Poisson approximation to binomial distribution
- least squares estimation, 163, 359–369, 697
 generalized, 369
 geometrical interpretation, 362, 369, 378
- iterative generalized (IGLS), 463
- iterative weighted, 472–476, 479, 554–556
- penalized, 560
- restricted iterative generalized (RIGLS), 659
- robustness, 376
- weighted, 368, 369, 409, 514

- least trimmed squares estimation, 376
 leukaemia data, 541, 545, 697, 698
 leverage, 362, 393, 394, 476, 539
 Lexis diagram, 191, 218, 561
 likelihood, 94
 basic properties, 99–100
 complete-data, 210, 215
 conditional, 557, 646, 665, 677, 683, 694
 dependent data, 98
 exponential family, 179
 interpretation, 100–101
 local, 527, 540
 log, 99
 marginal, 646, 656, 665
 modified, 458
 modified profile, 680–691, 694
 non-regular properties, 140–148, 697
 observed-data, 210
 partial, 544, 545, 554, 561, 656, 665
 penalized, 156, 531, 535, 555
 profile, 117, 140, 544, 680, 694
 pure, 101
 quadratic summary, 109, 125
 relative, 99, 102, 109, 119
 reparametrization, 99, 116
 restricted, 458, 657, 690
 summary, 101
 likelihood equation, 116
 likelihood principle, 568–571, 589, 638, 639
 likelihood ratio statistic, 126–139, 330, 340, 366
 generalized, 128
 large-sample distribution, 126, 138
 signed, *see* signed likelihood ratio statistic
 linear congruential generator, 77, 696
 linear exponential family
 conditional inference, 683
 modified profile likelihood, 682
 orthogonal parameter, 689
 linear mixed model, 456, 463, 657
 linear model, 353–417, 479, 554, 661
 Bayesian analysis, 641
 normal, 359, 370–374
 terms, 380
 linear predictor, 480
 linear process, 269
 link function, 480
 binary data, 488, 497
 canonical, 482, 487
 complementary log-log, 488, 497
 identity, 482
 inverse, 482, 486
 log, 482, 486
 log-log, 488, 497
 logit, 8, 484, 488, 490, 497
 probit, 488, 558
 lizards data, 697
 local characteristic, *see* full conditional density
 local polynomial estimation, 519–530, 539, 555
 bias and variance, 522, 529
 degrees of freedom, 521
 smoothing parameter, 523
 location, 15, 27, 61
 location model, 183, 649, 655
 location-scale model, 61, 157, 185, 187
 Bayesian analysis, 639
 conditional inference, 694
 goodness of fit, 588
 Jeffreys prior, 576
 orthogonal parameter, 695
 log odds, 169
 log rank test, 545
 log-concave density, 81
 log-linear model, 498–500, 554, 556, 559, 697
 log-logistic distribution, 190
 log-normal distribution, 37, 91, 190, 303, 304
 probability plot, 26
 logistic distribution, 156, 202, 316
 logistic regression, 97, 100, 122, 130, 490–492, 498, 505, 509, 515, 636, 665, 676, 683, 684, 697, 698
 sufficient statistic, 108
 longitudinal data, 456, 457, 555, 660
 look-up method, 78
 loss function, 631
 lowess, 521
 lung cancer data, 8, 503, 693
 M-estimator, 375, 376
 MAD, *see* median absolute deviation
 magical mystery formula, 651
 magnesium data, 208
 main effect, 440
 maize data, 1, 67, 68, 74, 129, 130, 140, 309, 329, 332, 365, 372, 381, 386, 410, 580
 Manaus river height data, 697

- Mantel–Haenszel test, 558
 marginal model, 505, 554, 559
 Markov chain, 225–245, 292, 606, 697
 classification of states, 229
 continuous-time, 237
 first-order, 234, 247, 293, 660
 geometrically ergodic, 231
 inhomogeneous, 242
 reversible, 231, 238
 second-order, 236, 254, 293
 simulation, 244
 stationary, 228
 two-state, 231, 240
 variable-order, 235
 zeroth-order, 234
 Markov chain Monte Carlo, 605–617, 638, 642, 666
 output analysis, 607
 Markov process, 98, 267, 268, 273
 continuous-time, 294, 295
 Markov property, 98, 228, 244
 global, 251, 262, 296
 local, 251, 253, 254, 296
 pairwise, 296
 Markov random field, 244–255, 292, 293, 622, 626
 martingale, 323, 552
 masking, 388
 matched pairs, 372
 maths marks data, 256, 259, 261, 263
 max stability, 291
 maximum likelihood estimator, 102, 115–126, 210, 324, 346
 computation, 115
 conditional, 677
 consistent, 122
 large-sample distribution, 118, 124
 usual regularity conditions, 118
 mean, 22
 mean excess life function, 203
 mean parameter, 169
 mean residual life plot, 285
 mean squared error, 300–305
 integrated, 308
 measuring machines, 569
 median, 331
 median absolute deviation (MAD), 17, 28, 43
 meta-analysis, 206, 223
 method of moments, *see* moment estimator

- Metropolis–Hastings algorithm,
 612–617, 626, 638, 642, 667,
 698
 random walk, 613, 618, 643
- Michaelis–Menton model, 695
- midrange, 50
- millet plant data, 697
- minimal representation, 172, 182
- minimax decision rule, 633
- minimum variance unbiased estimation,
 309–313
- missing at random (MAR), 204, 205,
 222
- missing completely at random (MCAR),
 204, 205
- missing data, 203–218
- missing information principle, 211
- mixture distribution, 213, 219, 639
- mode, 27
- model
 averaging, 407, 592
 nested, 127, 131, 133, 139, 586
 non-linear, 503
 parametric, 22
 saturated, 471
 selection, 150–155
 uncertainty, 83, 406
 wrong, 147, 377
- model building
 linear model, 397–408
- model checking, 476–479
 Bayesian, 587–592
 linear model, 386–397
- moderate deviation region, 652
- moment estimator, 316, 636
- moment-generating function, 37, 44,
 481, 487
- moments, 44–48
- Monte Carlo integration, 87
- motorette data, 615, 698
- mouse data, 200, 546
- moving average process, 269, 274, 297
- multilevel model, 461, 464
- multimodal distribution, 642
- multinomial distribution, 37, 139, 475,
 654
 cumulants, 47, 51
 estimation, 697
 exponential family, 175, 220
 fit, 133
- multiplicative model, 359
- multivariate t distribution, 297
- multivariate normal distribution, 138,
 247, 255–267
- Nadaraya–Watson estimator, 522, 530,
 540
- natural cubic spline, 530, 533, 535,
 560
- natural observation, 168
- natural parameter, 168
- negative binomial distribution, 630
 exponential family, 219
 genesis, 50
 likelihood, 517
 orthogonal parameter, 691
- neighbourhood system, 244–246,
 248
- nested variation, 450
- network information criterion, 152
- neurological data, 697
- Newton–Raphson algorithm, 116, 211,
 213, 215, 217, 473
- Neyman–Pearson lemma, 335, 632
- nodal involvement data, 490, 676,
 684
- non-additivity test, 390, 391, 486
- non-ignorable non-response (NIN), 204,
 205
- nonlinear model, 678, 695
- nonlinearity, 389
- normal distribution, 62–63, 159, 347,
 481, 646
 Bayesian analysis, 580, 640
 bivariate, 70, 71, 90, 207, 608
 confidence interval, 121
 conjugate prior, 574
 cumulants, 45, 70
 empirical Bayes analysis, 627
 exponential family, 178
 extremes, 280
 goodness of fit, 588
 information, 111
 Jeffreys prior, 577
 likelihood, 116, 129, 180
 linear combination, 45, 72–73, 90, 92,
 164, 165
 mixture, 85, 145, 149, 644, 697
 modified profile likelihood, 690
 multivariate, 68–77, 89, 90, 220,
 259–266, 697
 orthogonal parameter, 689
 risk, 633
 rounding, 114, 616
- sample median, 41
- sampling, 613, 642
- simulation, 78, 80, 91, 696
- standard, 63
- sufficient statistic, 109, 125
- test, 139, 140, 159, 333, 337
- trivariate, 72, 73
- unbiased estimation, 301, 312
- normal equations, 360
- normal hierarchical model, 620
- normal linear model, 474, 479, 593,
 681
 Bayesian analysis, 589, 595
- normal nonlinear model, 474, 479
- normal scores plot, 26, 387
- notation, 12
- nuclear plant data, 401, 404, 664
- null distribution, 326
- observational study, 10, 648
- observed at random (OAR), 217
- observed information, 102, 109–115,
 138, 144, 166, 179
 transformation, 156
- Ockham's razor, 150, 378
- offset, 498
- one-way layout, 426, 438, 449, 459, 465,
 467
- opinion polling, 56, 58
- orbit, 183
- order statistic, 37–44, 106, 186, 190,
 220, 296, 350
 extreme, 41
 summary, 16
- order statistics, 276, 279
- ordinal response, 507–510, 555
- orthogonal polynomials, 383, 445,
 697
- outlier, 17, 149, 320, 388, 697
- overdispersion, 177, 511–518, 527,
 698
- paired comparison, 3, 140, 419, 421,
 425
- panel data, 225
- parameter, 3, 22
 identifiable, 144
 interest, 127, 645
 nuisance, 127, 645
 orthogonal, 487, 685–690
 redundant, 144, 149
 space, 94, 140

parametrization, 23
 corner-point, 440
 Pareto distribution, 41, 348, 594
 partial likelihood, 561
 partial spline model, 537
 PBC data, 549, 698
 pea data, 160
 Pearson's statistic, 135, 140, 160, 177,
 234, 237, 483, 485, 497, 517, 696
 people data, 696
 permutation group, 184
 permutation test, 341, 352
 pig diet data, 431, 438
 pigeon data, 172
 pivot, 53, 61, 67, 313, 343
 approximate, 56, 74
 basis of test, 60
 exact, 139
 properties, 56
 Student t , 66
 two-sample, 74
 plotting position, 26
 pneumoconiosis data, 508
 point process, 274–293
 clustering, 277
 length-biased sampling, 298
 marked, 288
 orderly, 275, 286
 self-exciting, 289
 spatial, 293
 thinning, 291
 poisons data, 391, 436, 440, 464
 Poisson approximation to binomial
 distribution, 49, 282
 Poisson birth process, 98, 108, 146
 Poisson dispersion test, 177
 Poisson distribution, 9, 23, 49, 142, 511
 Bayesian analysis, 626, 637, 640, 644
 complete, 311
 conditional inference, 694
 confidence interval, 61, 160, 697
 conjugate prior, 573, 577
 cumulants, 46
 estimation, 696
 exponential family, 170, 177, 340, 481
 goodness of fit, 135
 likelihood, 94
 marginal inference, 665, 693
 mixture, 697
 orthogonal parameter, 690
 saddlepoint approximation, 670
 sufficient statistic, 109

truncated, 37, 696
 unbiased estimation, 310, 313, 315
 variance stabilization, 59
 Poisson process, 40, 274–287, 293, 486,
 498, 562, 693, 697
 Bayesian analysis, 596, 643
 empirical Bayes analysis, 629
 estimation, 696
 homogeneous, 277, 285
 information, 112
 inhomogeneous, 283, 299, 557, 643,
 697, 698
 intensity, 275
 simulation, 298
 pollution data, 697
 polynomial regression, 354
 positive stable distribution, 563
 positivity condition, 246, 253, 254
 positron emission tomography, 216
 posterior density, 566
 marginal, 578
 normal approximation, 578
 posterior predictive density, 568, 577,
 602, 617
 normal linear model, 591
 Poisson distribution, 577
 potential, 246
 power, 333
 local, 338
 prediction, 60–61, 150, 568, 592
 prediction decomposition, 98
 prediction interval, 60, 165
 normal linear model, 371, 372
 Premier League data, 498
 principal components, 397
 principle of insufficient reason, 577, 637
 principle of parsimony, *see* Ockham's
 razor
 prior density, 566, 572–577, 638
 conjugate, 567, 573, 640
 elicitation, 638
 ignorance, 574
 improper, 574, 580, 640
 Jeffreys, 575
 non-informative, 574
 probability integral transform, 39
 probability plot, 26, 28, 131, 203
 exponential, 159, 277, 278, 286, 696
 Gumbel, 297
 half-normal, 696
 normal, 49, 63, 92, 165, 179, 696
 Weibull, 50

probability weighted moment estimators,
 317
 product moment correlation coefficient,
 see correlation
 product-limit estimator, 196–198
 profile likelihood, 127–131, 479
 proportion data, 487–498
 proportional hazards model, 543–555,
 562, 563, 656, 698
 proportional odds model, 508
 prospective study, 493
 pseudo-random numbers, 77–78
 publication bias, 206–210
 pump failure data, 160, 600, 644, 698

 quantile, 22
 quantile-quantile (Q-Q) plot, 26, 28
 quartile, 16
 quasi-likelihood, 512–517, 555, 698
 quasi-random numbers, *see*
 pseudo-random numbers

 random effects model, 449, 456, 458, 610
 random sample, 21–24
 normal, 66–68
 randomization, 417–426
 distribution, 422
 randomized block design, 429
 rank statistic, 561
 Rao–Blackwell theorem, 309
 rare events, *see* statistics of extremes
 rat growth data, 459
 ratio, 34
 ratio of uniforms algorithm, 81, 91
 regression-scale model, 661–665, 681,
 691
 rejection algorithm, 79–82, 89
 adaptive, 81
 relevant subset, 647
 renewal process, 287
 repeated measures, 456
 repeated sampling, 52, 58, 119
 replication, 464
 residual
 binary response, 492
 Cox–Snell, 541, 548
 deletion, 362, 395, 590, 591
 deviance, 477, 517, 548, 551
 martingale, 548, 551, 552

- Pearson, 517
 properties, 386
 raw, 165, 179, 362, 370, 387, 554, 588
 serial correlation, 387
 standardized, 362, 387, 396, 414, 479, 590, 649
 standardized deviance, 477, 479, 485, 556
 standardized Pearson, 477, 479, 556
 time series, 269, 274
 residual sum of squares, 163, 361, 371
 resistant statistic, 17
 response, 161
 restricted maximum likelihood
 estimation (REML), 458, 461, 464, 467, 659, 665
 retrospective study, 493
 return level, 280, 688
 return period, 280
 reversibility, 607
 ridge regression, 398, 697
 risk function, 632
 risk set, 193, 543
 robustness, 319–322
 roughness penalty, 216, 530–535
 rounding, 113, 115, 145
 rug, 19
 run, 229, 243
 Rényi representation, 40
- saddlepoint approximation, 560, 638, 668–673, 680, 698
 double, 670, 675
 saddlepoint equation, 669
 salinity data, 697
 sample, 15
 average, 51
 maximum, 16, 50, 279, 291
 mean, *see* average
 median, 16, 20, 37, 41, 51, 61, 157, 324
 minimum, 16, 41, 42, 50, 279
 moment, 15, 24, 75
 quantile, 16
 range, 50
 shape, 18, 28
 skewness, 28
 space, 94
 space derivative, 652, 682
 variance, 15, 25, 28, 31, 50, 66–68, 74, 75
 sampling variation, 24–25
 sampling-importance resampling (SIR), 618
 sandwich covariance matrix, 507, 513
 scale, 15, 27, 61
 choice, 58
 scale model, 347, 639
 scatterplot, 4, 20
 matrix, 256
 score statistic, 116, 138, 144, 149, 315, 338, 346
 score test, 132, 338
 seed, 78
 seed germination data, 698
 selection bias, 210, 218
 self-consistency, 223
 semiparametric regression, 518–540, 555
 Shakespeare's vocabulary data, 629
 shoe data, 421
 short time series, 659
 shrinkage, 459, 621, 625, 628, 634
 sign test, 331, 332, 334
 signed likelihood ratio statistic, 128, 346
 modified, 653, 663, 676
 significance level, 325, 582
 conflict with likelihood principle, 570
 interpretation, 326
 mid-*p*, 495, 671
 significance trace, 525
 simple random sample, *see* random sample
 Simpson's paradox, 256–258
 simulation, 77–90
 size, 333
 skew-normal distribution, 91, 160
 skewness, 18, 46
 slash distribution, 85
 Slutsky's lemma, 31–33
 smoking and the Grim Reaper, 258, 494
 smoother, 518
 linear, 532, 539
 smoothing matrix, 521, 537
 spacing, 43, 277
 spectral decomposition, 73, 397
 speed limit data, 697
 speed of light data, 696
 spline, 555
 split-unit experiment, 452
 spring barley data, 533, 538, 622, 626
 spring failure data, 4, 95, 96, 100, 119, 120, 127, 130, 132, 154
 standard error, 52
 stationarity, 267, 607, 641
 second-order, 267
 strict, 267
 statistic, 15
 statistical formulae
 mindless repetition, 88
 statistical genetics, 292
 statistics of extremes, 278–286, 293
 Stein effect, 635
 stem-and-leaf display, 28
 Stirling's formula, 617
 stochastic matrix, 229
 straight-line regression, 115, 159, 161–166, 186, 219, 220, 317, 322, 353, 354, 361, 394, 410, 412, 413, 697
 Student *t* distribution, 64–65, 74, 76, 85, 140, 187, 651
 linear model, 374
 simulation, 78
 Student *t* statistic, 67, 129, 139, 140, 164, 368, 696
 coverage, 696
 regression, 379
 robustness, 84
 Student *t* test, 330, 332, 341, 342
 studentized statistic, 32
 sufficiency principle, 569, 639
 sufficient partition, 107, 109
 sufficient statistic, 103–108, 176
 minimal, 107, 166, 410, 566
 sum of squares, 163, 360, 380
 orthogonal, 382
 penalized, 532
 surrogate variable, 564
 survival data, 188–203, 218, 376, 540–554
 survivor function, 203
 Swan of Avon, 629
 symbolic rank deficiency, 149
 teaching methods data, 427
 teak plant data, 697
 test, 60
 Monte Carlo exact, 668, 680
 unimodality, 697
 test statistic, 325
 threshold stability, 291

726

time series, 266–274, 293
 time-dependent covariate, 547, 562
 Titanic data, 697
 tolerance distribution, 488, 508
 tolerance interval, *see* prediction interval 60
 toxoplasmosis data, 515, 527, 636
 empirical Bayes analysis, 628
 transformation, 58, 122, 697
 exponential, 34
 interest-preserving, 129
 symmetrizing, 558
 variance-stabilizing, 59
 transition matrix, 229
 transition probability, 228
 trinomial distribution, 508
 two-sample model, 3, 73–75, 140, 341, 365, 372, 419, 425
 Bayesian analysis, 595
 two-way layout, 429, 464, 485, 538
 ulcer data, 495, 668, 697
 unemployment rate, 61

uniform distribution, 669
 Bayesian analysis, 594
 exponential family, 180
 exponential tilting, 167, 170
 likelihood, 103, 109, 149
 not complete, 312
 order statistic, 43
 order statistics, 38, 50, 51
 simulation, 77
 unbiased estimation, 304, 315
 unit-treatment additivity, 421, 424
 urine data, 698
 variability band, 525
 variable selection, 400
 C_p , 403, 412
 backward elimination, 400, 408, 412
 forward selection, 400, 408, 412
 likelihood criteria, 402
 stepwise, 400, 408, 412, 697
 variance function, 59, 170, 182, 481, 512
 linear, 171, 511
 quadratic, 511, 517
 variance reduction, 85–89
 variance-stabilizing transformation, 170
 variance-time curve, 288, 298

Index

Venice sea level data, 161, 164, 165, 186, 205, 465, 475, 477
 volatility, 272
 von Mises distribution, 172, 174
 weak law of large numbers, 28, 152
 Weibull distribution, 50, 553
 Bayesian analysis, 615
 estimation, 697
 hazard, 189
 information, 157
 likelihood, 96, 100, 117, 125, 127, 130, 154
 moment estimation, 319
 weight of evidence, 583
 white noise process, 267
 Wiener process, 696
 Wilcoxon signed-rank test, 331, 332, 351
 Wilcoxon two-sample test, 351
 Wishart distribution, 260
 Yahoo share price data, 92
 Yarmouth sea level data, 281