

## Index

Note: page numbers in *italics* refer to figures and tables.

- abulia 74–5
  - basal ganglia circuit 272
  - brain lesion 522
  - globus pallidus lesions 343
  - hypoactivity 521–2
  - minor 274
  - pallidal lesions 266, 268
  - prosody effects 342–3
  - stroke 171
  - see also* apathy
- abulic syndrome
  - basal ganglia 132–3
  - caudate lesions 272
  - limbic striatopallidum disconnection 272–3
  - subcortical 270–2
- accumbens nucleus 145
  - motivational processes 272
- acetylcholine 5, 131
- acoustic analysis of speech 340–1
- acoustic cues, emotional–prosodic information 354
- action pattern access impairment 479
- adrenoleukodystrophy, psychosis 424, 425
- affect 3–4
  - pallidal lesions 265
- affective disorders
  - basal ganglia 145–50
  - post-stroke 74
  - temporal lobe 371
  - thalamic dysfunction 291
- affective indifference, athymhormic syndrome 275–6
- affective information, motivational processes 272
- aggression/aggressive behavior
  - alcohol consumption 413–14
  - brain damage 413
  - head injury 409, 410
  - ictal 374–5
  - neural correlates 399–400
  - neurosurgical intervention 414
  - pharmacological management 414
  - stroke 77
  - temporal lesions 385–6
  - temporal lobe epilepsy 379
  - violence distinction 415
- agitation/agitated behavior 145, 522
  - brain lesion 522
  - strokes 171
- agnosia, sensory 84
- akinesia, anterior cerebral artery ischemic stroke 235–7
- akinetic mutism 132, 133
  - cerebrothalamic interactions 298
  - strokes 171
  - thalamic dysfunction 291
- alcohol
  - abuse 140
  - consumption and aggressive/violent behavior 413–14
  - withdrawal 495
- allesthesia 468
- optic 490
- Alzheimer's disease
  - athymhormia symptoms 279–80
  - behavior assessment 38–9
  - Frontal Behavioral Inventory 37–8
  - head injury 51
  - Neuropsychiatric Inventory 32–4
  - Neurobehavioral Rating Scale 35–6
  - psychosis 427, 430
- Alzheimer's Disease Assessment Scale (ADAS) 39
- amimia 149
- amines, biogenic
  - dysfunction of system 115
  - lesion location and depression severity 111
- gamma-aminobutyric acid, *see* GABA
- amnesia
  - denial 467
  - see also* anosognosia for amnesia

**534** Index

- amnesic syndrome
  - secondary 288
  - thalamic dysfunction 289, 290
- amphetamine abuse 170
- amygdala 11–12
  - afferents 11–12
  - central nucleus and fear control 70–1
  - efferents 12
  - emotion modulation 408
  - extended concept 371
  - fear recognition 83
  - fear response 373
  - information processing 129
  - Klüver–Bucy syndrome 381–2
  - nuclei 12
  - stimulus/reward association 278
  - tumor 386
  - violent behavior correlation 406, 408
- amygdalectomy
  - Klüver–Bucy syndrome induction 448
  - violent behavior reduction 414
- amytal test 466
- aneurysms
  - anterior communicating artery 502–3
  - berry 441
  - cerebral 445–6
  - frontal lobe causing memory/motivational changes 230–1
- anger, ictal 374
- anger bursts, stroke 77
- anhedonia 149
- anorexia 140
- anosodiaphoria 78–9
- anosognosia 10, 78–9, 465–7
  - counselling of relatives/caregivers 506–7
  - definition 466
  - delusion 423
  - depression coexistence 79, 80
  - dimension characterization 506
  - domains 467
  - educational therapy 506–7
  - for hemiparesis 507
  - for hemiplegia 78, 79
  - medical care seeking 80
  - psychotherapeutic interventions 506
  - rehabilitation 507
  - restorative treatment 506
  - for scotoma 483–7, 488, 489–90, 491, 492
  - therapeutic aspects 505–8
  - see also* denial
- anosognosia for amnesia 500–5
  - anatomy 501–3
  - anterior communicating artery aneurysm 502–3
  - associative memory link preservation 504
  - etiology 501–3
  - false recognition 505
  - metacognitive process failure 503
  - rehabilitation 507–8
  - verification processes 504
- anosognosia for aphasia 496–500
  - anatomy 496–8
  - behavior 496–8
  - language deficit 497
  - mechanisms 498–500
  - mood changes 498
  - processing capacity reduction 499
  - rehabilitation 507
  - self-imposed receptive loss 500
  - verbal working memory impairment 499
- anosognosia for blindness 492–6
  - alcohol withdrawal 495
  - anatomy 493–4
  - behavioral aspects 492–3
  - brain lesions 493
  - causes 493
  - confabulations 496
  - cortical blindness 494–5
  - hallucinations 495
  - mechanisms 495–6
  - memory impairment 494–5
  - neurosyphilis 494
  - occipital damage 493
  - optic nerve trauma 494
  - peripheral blindness 494, 496
  - premorbid personality 495
  - preserved visual imagery 494, 495–6
  - symptomatic associations 494–5
  - transient forms 492–3
- anosognosia for confabulation 500–5
  - anterior communicating artery aneurysm 502–3
  - verification processes 504
- anosognosia for hemianopia 468–9, 483–7, 488, 489–90, 491, 492
  - anatomy 485–6
  - blind field 490
  - cortical lesions 485–6
  - discovery theory 489–90
  - filling-in processes 490, 491
  - incidence 484–5
  - mechanisms 489–90, 491, 492
  - optic allesthesia 490
  - parietal lobe damage 485, 486
  - perceptual completion 487, 488–9, 490
  - rehabilitation 507
  - residual visual function 490
  - symptomatic associations 487, 488–9
  - visual defect awareness levels 484
- anosognosia for hemiplegia 467–9, 470, 471–81, 482, 483
  - action pattern access impairment 479
  - anatomy 472–5

**535**      **Index**

- anosognosia for hemianopia distinction 468–9
- behavioral aspects 467–9
- belief formation 483
- bimanual tasks 478
- causative factors 477–9
- cognitive disorders 483
- confabulations 478
- cortical area involvement 473–4
- denial persistence 483
- emotional change 477
- expression 468
- hemispheric asymmetry 469, 471–2
- higher cognitive function impairment 477
- incidence 469, 472
- intentional motor control impairment 479
- intentional premotor process abnormalities 483
- mechanisms 479–81, 482, 483
- memory disturbance 480
- modular representational network disruption 481, 482
- motivated defense reaction 479–80
- motor neglect 481, 483
- neural activity network 481
- neural mechanism failure 480–1
- perceptual completion induction 481
- right temporoparietal junction 473–4
- spatial neglect 475, 476–7, 478
- standardized procedures 470–1
- stroke 473
- subjective disowning of opposite hemibody 481
- symptomatic associations/dissociations 475–7
- thalamus lesions 473–5
- types 468
- anoxia, obsessive–compulsive disorders 312
- anterior cerebral artery
  - ischemic stroke 235–7
  - thrombosis and hyperactivity 529
- anterior cingulate (AC) circuit 122, 124, 127
  - lesions 124
- anterior cingulate (AC) pathway syndrome 132–3
- anterior cingulate–subcortical circuit 14–15, 315
- anterior communicating artery aneurysm
  - anosognosia for amnesia and confabulation 502–3
  - frontal executive disorders 503
- anterior lesions, depression 99
- antidepressants, obsessive–compulsive disorders 319
- antipsychotic drugs 431
- Anton–Babinski syndrome, *see* anosognosia
- Anton’s syndrome, *see* anosognosia for blindness
- anxiety/anxiety disorders 70–4
  - basal ganglia 147–8
  - brain metabolic activity 147–8
  - focal brain lesion 71–4
  - ictal 373
  - motor manifestations 145–6
    - phobic 378
    - post-stroke 71
    - temporal lesions 384–5
    - temporal lobe epilepsy 378
- apathetic dementia 153–4
- apathy 10, 74, 75
  - Alzheimer’s disease 280
  - athymhormic syndrome 274
  - basal ganglia 149
  - depression 75
  - Parkinson’s disease 158
  - post-stroke 75
  - strokes 171
  - thalamic dysfunction 291
  - see also* abulia
- aphasia
  - denial 467
  - depression 82
  - left basal ganglia lesions 152
  - mood disorders 39
  - nonfluent 82
  - psychiatric assessment 86
  - thalamic 298
  - unawareness 471
  - see also* anosognosia for aphasia
- aphasic delirium 288
- ApoE4* genotype 51
- aprosodia, Parkinson’s disease 355
- arteriovenous malformation
  - prefrontal lobe 231–3
  - sexual orientation changes 452
- assessment tools 21–3
  - mood disorders 23–32
  - rating scales 22
  - validity measures 22
- athymhormia/athymhormic syndrome 132, 133, 274–6, 277, 278
  - affective indifference 275–6
  - Alzheimer’s disease 279–80
  - dementia relationship 279–80
  - depression 280
  - diagnosis 278–80
  - incidence 278–9
  - inertia 275–6
  - striatal–limbic disconnection syndrome 276, 278
- attention disorders
  - spatial 288
  - thalamic dysfunction 287–8
- attention–deficit hyperactivity disorder 151–2
  - basal ganglia 151–2
  - dysexecutive dysfunction 152
  - Tourette’s syndrome 164
- attitudes, prosodic information 328
- autism, temporal lobe 387

**536**      **Index**

- autoeroticism 453–4  
 avolition 10
- barbiturate injection, denial 466  
 basal forebrain 222–3, 224  
   infarcts and hypersexuality 446  
 basal ganglia 122  
   abulic syndromes 132–3  
   activity 123  
   affective disorders 145–50  
   akinetie syndromes 132–3  
   anhedonia 149  
   anterior cingulate circuit 122, 124, 127  
   anterior cingulate pathway syndrome 132–3  
   anxiety disorders 147–8  
   apathetic dementia 153–4  
   apathy 149  
   aphasia 152  
   attention–deficit hyperactivity disorder 151–2  
   behavior control 126–8  
   bipolar mood disorders 148–9  
   bradyphrenia 153–4  
   calcification 168  
   circuit dysfunction 316–17  
   CNS integration level 126  
   cognition control 130  
   cognitive syndromes 150–4  
   delirium 153  
   delusions 154  
   depression 146–7  
   diseases 157–75  
     and obsessive–compulsive disorder 138  
   disinhibition syndromes 133–45  
   dorsolateral prefrontal circuit 122, 124–5  
   emotion control 128–30  
   emotional blunting 149  
   emotional communication disorders 149–50  
   emotional lability 149  
   emotional–prosodic comprehension 339–40,  
     354–5  
   emotional–prosodic expression 342–3  
   flight of ideas 154  
   fronto-subcortical circuits 122–6, 131  
     pathways 122–3  
   hallucinations 154  
   5HT receptors 131–2  
   indifference 149  
   intermittent explosive disorder 149  
 lesions  
   left 152  
   motivational disorders 272–4  
   prosodic deficits 357  
   secondary depression 58  
 limbic input 127–8  
 mania 148  
 mental automatism 154  
 mental emptiness 153–4  
 mental slowing 153–4  
 mood 145–50  
 motivational disorders with lesions 261, 262  
 motor circuits 123–4  
 motor and emotional modulation of  
   speech/writing 152–3  
 neurotransmission 130–2  
 nonmotor circuits 123, 124  
 nucleus topographical correlation with  
   behavioral/mood disorders 154–6  
 obsessional slowness 153–4  
 orbitofrontal circuit 122, 125–6, 131  
   lesions 134  
 psychosis 154  
 regulation of action 314–15  
 role 123  
 schizophrenia 429  
 sensory processing 127  
 sexual behavior 457  
 strokes 170–2  
 toxic disease 170  
 trauma 172  
 tumors 172  
 basal ganglia–thalamocortical circuits 295, 297  
 basolateral circuit, *see* lateral circuit  
 basotemporal cortex, secondary mania 213  
 basotemporal dysfunction, right 208  
 basotemporal region, disinhibition 383  
 basoventral trend, prefrontal cortex 240  
 Beck Depression Inventory-II (BDI-II) 25, 26–7  
 behavior control, basal ganglia 126–8  
 behavior disorders/disturbances  
   assessment 32–9  
   DSM-IV diagnostic criteria 32, 33  
   evaluation 21  
   Frontal Behavioral Inventory 37–8  
   language impairment 370  
   lay examiners 41  
   Neurobehavioral Rating Scale 35–6  
   Neuropsychiatric Inventory 32–4  
   Neuropsychology Behavior and Affect Profile  
     36–7  
   stroke 371–2  
   temporal lobe 369–70, 371  
   temporal lobe epilepsy 372–80  
   traumatic head injury 372  
 Behavioral Index Form 86  
 behavioral management, frontal lobe lesions 253  
 behavioral markers of limbic system injury 15  
 Behavioral Pathology in Alzheimer's Disease Rating  
   Scale (BEHAVE-AD) 34, 39  
 belief formation, anosognosia for hemiplegia 483  
 berry aneurysms 441  
 bihippocampal hemorrhage 81, 83  
 bimanual tasks, anosognosia for hemiplegia 478

**537**      **Index**

- Binswanger's disease 171  
 bipolar disorder 208, 209  
   basal ganglia 148–9  
   frontal lobe imaging 239  
   stroke 149  
   temporal lesions 383  
   *see also* depression; mania  
 birth hypoxic injury 170  
 blind field 490  
 blindness  
   cortical 492, 493, 494–5  
   denial 465–6, 467, 492  
   peripheral 496  
   psychic 82  
   *see also* anosognosia for blindness  
 blindsight 490  
 body dysmorphic disorder 140  
 brachial plexus damage 475  
 bradyphrenia, basal ganglia 153–4  
 brain  
   functional differentiation of areas 212  
   neuroplasticity 54  
 brain injury  
   cognitive dysfunction 1  
   emotional correlates of regional dysfunction 1–2  
   learning defects 413  
   mania 207, 529  
   memory defects 413  
   *see also* traumatic brain/head injury  
 brain lesions, acute  
   cognition 82  
   emotional aptitude 82–3  
   emotional behavior 65–6  
   mood disorders 82  
 brain stem stroke 112  
   biogenic amine pathways 115  
 brain tumors, *see* meningioma; neoplasms  
 bromocriptine, frontal lobe lesions 251–2  
 bulimia 140  
   Klüver–Bucy syndrome 381  
   thalamic dysfunction 292, 298–9  
 bupropion 459  
 Buss–Durkee Hostility Inventory 379  
  
 calcification of the basal ganglia, idiopathic 427  
 Capgras syndrome 386, 427–8  
 carbon monoxide intoxication 170  
   globus pallidus lesions 312  
   lentiform nucleus 312  
   obsessive–compulsive disorders 312  
   pallidal lesions 263–4, 265  
   prosody effects 342  
 cardiac events, lethal 72  
 castration 460  
 catastrophic reactions 76  
 catatoniform syndromes 132–3  
  
 caudate atrophy, bilateral 312  
 caudate lesions  
   abulic syndrome 272  
   motivational disorders 265–6, 267, 268, 269  
 caudate nucleus 127  
   behavioral/mood disorder correlation 154–5  
   bilateral lesions 155  
   hemorrhages 527–8  
   hypermetabolism 317  
   hypersexuality 451  
   hypometabolism 317  
   infarcts 312, 317, 527–8  
   isolated lesions 154–5  
   lesions and cognitive performance 266, 267, 268, 269  
   mixed lesions 155–6  
 Center for Epidemiologic Studies Depression Scale (CES-D) 26, 27–9  
 central gray network, thalamus 294  
 cerebellar stroke 112  
 cerebral aneurysm, ruptured 445–6  
 cerebral atrophy  
   post-stroke depression 66–7  
   psychosis predisposition 423  
 cerebral basilar stroke 112  
 cerebral hypoxia, global and pedophilia 452  
 cerebral lesions, anosognosia 505  
 cerebral tumors 237–8  
 cerebrothalamic interactions 298  
 cerebrovascular disease 72  
 cerebrovascular lesions  
   hypersexuality 444–6  
   hyposexuality 439–41  
   sexual orientation changes 452  
 channel-dependent functions 5  
 cholinergic circuits, psychosis 430  
 choreoacanthocytosis 170  
 cingulate cortex 12, 13, 14  
   cognitive regions 14  
   reciprocal connections 12, 13, 14  
   sensory processing region 14  
   skeletal motor region 14  
 cingulate gyrus 221  
 clomipramine 459  
 Clyde Mood Scale 31  
 cognition  
   acute brain lesions 82  
   changes in Parkinson's disease 158–9  
   control 130  
 cognitive dysfunction  
   anosognosia for hemiplegia 483  
   brain injury 1  
   obsessive–compulsive disorder 136  
 cognitive flexibility, frontal lobe lesions 250  
 cognitive function, anosognosia for hemiplegia 477

**538**      **Index**

- cognitive impairment
  - behavioral disturbance 370
  - focal brain lesions 39–40
  - temporal lobe impairment 369–70
- cognitive syndromes, basal ganglia 150–4
- cognitive-behavioral interventions, frontal lobe lesions 252–4
- compulsion 135, 316, 317
- compulsive behavior 142–4
- compulsive pre-sleep behavior 292, 299
  - thalamic dysfunction 296
- computed tomography (CT) for focal brain lesions 57–8
- conduct disorders 139–42
- confabulations
  - anosognosia for hemiplegia 478
  - Korsakoff's syndrome 501, 505
  - see also* anosognosia for confabulation
- confusion
  - caudate nucleus infarcts/hemorrhages 527–8
  - global 293
  - infarcts in inferior division of middle cerebral arteries 524–7
  - postictal 374–5
  - terminology 520–1
  - thalamic dysfunction 294
  - unilateral temporo-occipital infarcts of posterior cerebral artery 523–4
- confusional state, terminology 520–1
- coprophenomena 141–2
- copulation activity 457
- Cornelia de Lange syndrome 170
- coronary heart disease, personality characteristics 73
- corpus callosum, schizophrenia 428
- cortex, thalamic activation 131
- cortical lesions
  - anosognosia for hemianopia 485–6
  - depression 98–9
  - severity 108
- cortical striatal thalamic–cortical loop circuits 316
- cortical–subcortical circuits, functional importance 369
- cortical–subcortical loops 271
- corticobulbar syndrome 149
- courageous behavior 73
- craving 140
- Creutzfeldt–Jakob disease 172
- criminal defence strategies 385
- crying
  - ictal 374
  - pathological 75–6
- cyproterone acetate 459
- cysticercosis, cerebral 453
- Cystkopf, Spyder, case report 400–3, 404, 405
  - electroencephalography 402
  - emotion lack 401, 412
  - history 400–1
  - MRI 402, 403
  - neurological evaluation 402
  - neuropsychological examination 401–2
  - PET measurement 402–3
  - psychophysiological study 403, 404, 405
  - skin conductance response 403, 404, 405
- dacrystic seizures 374
- decision-making 412
  - somatosensory pattern 412
  - ventromedial prefrontal lesions 243–4
- delirium
  - aphasic 288
  - basal ganglia 153
  - caudate nucleus infarcts/hemorrhages 527–8
  - frontal lobe lesions 529–30
  - hyperactive behavioral state 521
  - inferior division of middle cerebral arteries, infarcts in 524–7
  - right middle cerebral artery infarct 522
  - right thalamic lesion 288
  - rostral basilar artery embolism 523
  - strokes 171
  - terminology 520–1
  - vertebral artery angiography 523
- delusions
  - anosognosia 423
    - for hemiplegia 468
  - basal ganglia 154
  - extrapyramidal disorders 427
  - multiple sclerosis 424
  - psychosis 419
  - reduplicative 427, 428
  - right hemisphere damage 426
  - stroke in temporoparietal cortex 422
  - temporal lesions 386–7
  - temporal lobe epilepsy 377–8
- dementia
  - apathetic 153–4
  - athymhormia relationship 279–80
  - depression 40
  - Frontal Behavioral Inventory 37–8
  - frontotemporal 427
  - Hamilton Depression Rating Scale 40
  - mood disorders 39
  - Neuropsychology Behavior and Affect Profile 37
  - premorbid history 41
  - subcortical 172
  - syndromes 6, 7
  - thalamic 290
  - unilateral temporo-occipital infarcts of posterior cerebral artery 523–4
  - see also* subcortical dementia; vascular dementia

## 539 Index

- demyelinating syndromes, psychosis 424–5
- denial 465
  - behavioral reactions 79
  - blindness 492
  - memory impairment 500, 501
  - stroke symptoms 77
  - see also* anosognosia
- depression
  - acute brain lesions 66–70
  - anosognosia coexistence 79, 80
  - anterior lesions 99
  - apathy 75
  - aphasia 82
  - athymhormia 280
  - basal ganglia 146–7
  - basal-limbic pathways 147
  - Beck Depression Inventory-II 27
  - Center for Epidemiologic Studies Depression Scale 26, 27–9
  - cortical lesions 98–9
  - dementia 40
  - diagnosis 66
  - diagnostic accuracy 27
  - dysexecutive function 147
  - elderly 40, 147
  - frontal lobe
    - dysfunction 147
    - imaging 239
    - lesions 252
  - fronto-striatal pathways 147
  - Geriatric Depression Scale 26, 31
  - Hamilton Depression Rating Scale 23–5
  - ictal 373
  - left frontal lesions 53
  - left hemisphere lesions 96, 101, 102, 103
  - lesions
    - location 67–9
    - volume relationship to location 109–10
  - mania 77
  - memory process 50
  - middle cerebral artery vs. posterior circulation stroke 112–15
  - Minnesota Multiphasic Personality Inventory 25, 32
  - motor manifestations 145
  - Parkinson's disease 157, 158
  - Post-Stroke Depression Rating Scale 29–30
  - prosody 355
  - right hemisphere lesions 96, 101, 115–19
    - frontal pole proximity 118–19
    - location 118–19
    - psychiatric disorders in relatives 116–17
    - volume 117–18
  - severity
    - anterior–posterior lesion location 103–12
    - cortical lesions 108
    - frontal pole proximity of lesion 104–9, 110–11
    - subcortical lesions 108
  - stroke 147, 170–1, 238–9
    - acute phase 67
    - lesion location 95–6, 97, 98–103
  - subcortical lesions 99–100
  - temporal lesions 382–3, 384
  - temporal lobe epilepsy 378
  - thalamic dysfunction 291
  - time post-stroke 100–2, 110–11
  - visual analog scales 30–1
- depression, post-stroke 49–50, 66
  - genetic predisposition 66
  - lesion location 207
  - memory process 50
  - personal predisposition 66
  - risk factors 66–7
  - serotonergic mechanism 86
  - treatment 69–70
- dietary behavior, indiscriminate 381
- disconnection syndromes 5, 6, 7
- discovery theory, anosognosia for hemianopia 489–90
- disinhibition
  - basotemporal region 383
  - orbitofrontal region 383
  - symptoms in mania 204–5
  - syndromes 125–6, 127, 161
    - basal ganglia 133–45
    - impulse control disorders 139–42
    - secondary mania 211
  - thalamic dysfunction 291–2
- dopamine 5
  - attention–deficit hyperactivity disorder 152
  - deficiency and Lesch–Nyhan syndrome 169–70
  - psychosis 430
  - receptors 16
    - D1 and D2 131
  - systems 430
- dopaminergic system, obsessive–compulsive disorders 318
- dorsal cortex, mania 212–13
- dorsolateral prefrontal (DLPF) circuit 122, 124–5
  - dysexecutive syndrome 150–1
  - role 125
  - subcortical 315
  - see also* prefrontal cortex, dorsolateral
- dorsolateral prefrontal (DLPF) syndrome 150–1
- dorsomedial nucleus
  - copulation activity 457
  - Korsakoff's syndrome 501–2
- drug use, violent behavior 413–14
- DSM-IV diagnostic criteria 23, 24, 32, 33
  - depression diagnosis 49–50, 66
  - mood disorders 55

## 540 Index

- dunkle Kenntnis 466, 468
- dysexecutive dysfunction
  - attention-deficit hyperactivity disorder 152
  - depression 147
- dysexecutive syndrome 125, 150–1
  - basal ganglia diseases 151
  - dorsolateral prefrontal (DLPF) circuit 150–1
  - frontal lobe 136
- dysprosodic output deficit 356
- dysprosody, Parkinson's disease 355
- dystonia, mood disorders 172–3
  
- eating disorders 140
  - Creutzfeldt–Jakob disease 172
- echophenomena 144
- elderly, depression 40, 147
- electroconvulsive therapy for post-stroke
  - depression 70
- emotion
  - anatomy 10–12, 13, 14–15
  - blunting and basal ganglia 149
  - change in anosognosia for hemiplegia 477
  - control and basal ganglia 128–30
  - cultural variability in expression 72
  - definitions 2–4
  - expression 83–4, 327
    - ischemic stroke 234–5
  - facial expression 244–5, 327
  - ictal 373, 374, 375
  - lack and decision-making 412
  - neuroanatomy 2
  - neurological disorder interactions 3
  - pallidal lesions 265
  - prosodic information 328
  - recognition/expression in frontal lobe lesions 244–5
  - temporal structures and networks 370–1
- emotion-related learning, lateral orbital circuit 357
- emotional aptitude, acute brain lesion 82–3
- emotional behavior
  - acute brain lesions 65–6
  - evaluation 55–6
  - index 67, 68
  - stroke 65–6
- emotional communication disorders, basal ganglia 149–50
- emotional consequences of focal brain lesions 1–2
- emotional control models 369
- emotional disposition apparatus 411–12
- emotional disturbances, temporal lobe epilepsy 378
- emotional dysprosody 327–8
  - focal lesion studies 338–43
- emotional functions, processing networks 2
- emotional lability
  - basal ganglia 149
  - stroke 76
- emotional perception 82–3
- emotional processing
  - cerebral tumors 237–8
  - frontal networks 237–48
  - human, after frontal lobe lesions 242–4
  - stroke 238–9
- emotional prosody 329
- emotional-facial expressions, posed/spontaneous 333
- emotional-prosodic behaviors, organization 330–1
- emotional-prosodic competence, unitary 330, 331
- emotional-prosodic comprehension
  - basal ganglia 339–40, 354–5
  - focal lesion studies 338–40
  - left-/right-hemisphere damaged 338–9
- emotional-prosodic expression 340–3
  - acoustic analysis of speech 340–1
  - basal ganglia 342–3
  - durational characteristics 341
  - focal cerebral lesions 350–2
  - mood change 356
  - Parkinson's disease 343
  - speech rate 341–2
  - see also* prosody
- emotional-prosodic information, acoustic cues 354
- emotional-prosodic perception, focal cerebral lesions 344–9
- emotional-prosodic stimuli, pitch information 354
- emotional-prosodic studies
  - design 331–2, 333–4
  - group testing 334–5
  - laterality 343, 353
  - normal subjects 336–7
  - patient selection 335–6
  - PET scanning 337
  - progressive neurological diseases 337, 340
  - task demands 332–3
  - time post-onset 336
- empathy 10
  - development/maturation of capacity 247
  - dorsolateral prefrontal lesions 246–7
  - frontal lobe lesions 245–8, 250–1
    - location 246–7
  - orbital frontal lesion 247
- encephalitis
  - herpes simplex virus 372, 381, 451
  - hypersexuality 451–2
  - sexual orientation changes 455
- encephalitis lethargica 161–3, 451
- postencephalitic phase 162–3
- tics 163



**541 Index**

- encephalopathy 521
- environment-dependency behavior 144
- environmental modification, frontal lobe lesions 253
- environmental stressors, hippocampal atrophy 51
- epilepsy
  - gelastic 374
  - hypersexuality 446–8
  - hyposexuality 441–2
  - perinatal lesions 429–30
  - psychosis 421–2
  - sexual orientation changes 452–3
  - temporal lobe 371
  - tumors of developmental origin 425–6
  - see also* seizures; temporal lobe epilepsy
- erotic sensations, ictal 375
- euphoria
  - ictal 374
  - thalamic dysfunction 291
- executive functions 5–6, 7, 8, 9, 10
  - dementia syndromes 6, 7
  - developmental impairment with prefrontal arteriovenous malformation 231–3
  - disconnection syndromes 6, 7
  - drugs improving 151
  - emotional disorders 10
  - motor syndromes 6, 7
  - neurobiologic characteristics 8, 9
  - neuropsychiatric disorders 6, 7
  - neurotransmitters 8, 9
  - parallel circuits 8
  - pervasive impairment with bilateral frontal lesion 229, 230
- executive strategy training, frontal lobe lesions 253
- explosive disorder, intermittent 149
- facial expression 333
  - emotional 244–5, 327
  - frontal lobe lesions 244–5
  - loss of spontaneous communication 149
  - Parkinson's disease 158
  - recognition 83, 84
- fatal familial insomnia 288, 291, 294
- fear 70–4
  - auditory perception 80, 81
  - auditory processing 71
  - central nucleus of amygdala control 70–1
  - definitions 71
  - denial manifestation 80
  - focal brain lesion 71–4
  - hippocampus role 71
  - ictal 373
  - perception and bihippocampal hemorrhage 81, 83
  - physiological arousal 70, 71
  - recognition 83
  - temporal lesions 384–5
  - vocal perception impairment 83
- fearlessness state 73
- feeling-of-knowing 504
- filling-in processes, anosognosia for hemianopia 490, 491
- flight of ideas, basal ganglia 154
- fluvoxamine 459
- focal brain lesions
  - analysis in mood disorders 57–8
  - anxiety 71–4
  - cognitive impairment 39–40
  - defining 53
  - emotional consequences 1–2
  - examiner qualifications 41
  - fear 71–4
  - informants 40
  - patient assessment 39–41
  - patient groups 58
  - premorbid history 41
- Frontal Behavioral Inventory (FBI) 37–8
- frontal cortex
  - agranular 239
  - emotional–cognitive information integration 10
  - inferior mesial 222–3, 224
- frontal lobe/frontal lobe lesions
  - activity monitoring 316
  - aneurysms causing memory/motivational changes 230–1
  - animal models 218–21
  - anterior left and secondary depression 58
  - behavioral management 253
  - behavioral organization 218–21, 222–3, 224–37
  - bilateral lesion causing pervasive executive impairment 229, 230
  - bromocriptine 251–2
  - cognitive flexibility 250
  - cognitive self-management training 253
  - cognitive–behavioral interventions 252–4
  - compulsive/obsessive symptoms 318
  - delirium 529–30
  - depression treatment 252
  - diseases causing focal lesions 225–6
  - drug interventions 251–2
  - dysfunction
    - depression 147
    - progressive supranuclear palsy 161
  - emotion recognition/expression 244–5
  - empathy 250–1
    - alterations 245–8
    - development/maturation of capacity 247
  - environmental modification 253
  - executive strategy training 253
  - focal damage 217–18, 225–6
    - case histories 226–37

**542**      **Index**

- frontal lobe/frontal lobe lesions (*cont.*)  
 group interactional therapy 254  
 human emotional processing after lesions 242–4  
 hyperactive states 529–30  
 hypomania treatment 252  
 imaging with depressed/bipolar disorder patients 239  
 inferior or mesial frontal cortex 222–3, 224  
 interventions 251–4  
 memory impairment 250  
 mesial destruction and motivational behavior 270  
 motivational disorders 269–70  
 neural organization 218–21, 222–3, 224–37  
 orbital frontal region 222–3, 224  
 outcome prediction 248–51  
 premorbid personality 251  
 premoior cortex 221, 222–3  
 primary motor cortex 221, 222–3  
 psychotherapy 253–4  
 recovery 248–51  
 regulation of action 314–15  
 right and psychosis 427  
 site and outcome 249–50  
 social conduct impairment 409  
 social–environmental interventions 252–4  
 specialized regions 221, 222–3, 224–5  
 subcortical structure interconnections 220, 270–2  
 superior mesial frontal region 221, 222–3, 224  
 violent behavior correlation 408–10  
 frontal networks  
 animal studies for emotion-related 240–2  
 emotional processing 237–48  
 frontal region, superior mesial 221, 222–3, 224  
 frontal syndrome 269–70  
 frontal system dysfunction, environmental structure 52  
 frontal–subcortical circuits 14–15, 131, 314–15  
 cholinergic interneurons 131  
 dysfunction 317–18  
 neurotransmitters 318  
 serotonin receptors 318  
 social–emotional skills 343  
 frontal–subcortical connections 220, 270–2  
 frontal–subcortical networks 2  
 fronto–striatal pathways, depression 147  
 functional lateralization hypothesis, prosody 329  
 fundamental functions 4, 5–6, 7, 8, 9, 10  
 dementia syndromes 6, 7  
 emotional disorders 10  
 motor syndromes 6, 7  
 neurobiologic characteristics 8, 9  
 neuropsychiatric disorders 6, 7  
 neurotransmitters 8, 9  
 organization 4  
 parallel circuits 8  
 transmitters 5  
 GABA 5, 8, 9  
 fibers 131  
 frontal subcortical circuit neurotransmitter 318  
 GABA-ergic neurons 314–15  
 gambling, pathological 140  
 ganglioglioma, psychosis risk 422  
 gangliomas, psychosis development 426  
 Ganser’s syndrome 292  
 Gastaut–Geschwind syndrome, temporal lobe epilepsy 376–7  
 gelastic seizures 374  
 Geriatric Depression Scale 26, 31  
 geriatric psychopharmacology 431  
 Gilles de la Tourette’s syndrome, *see* Tourette’s syndrome  
 glioma, hypothalamic 454  
 globus pallidus  
 behavioral/mood disorder correlation 155  
 carbon monoxide intoxication 312  
 sensitivity 265  
 functional neurosurgery 175  
 hemorrhage 151  
 hypodensity 264, 265  
 motivational behavior 272  
 motivational disorders 263–4, 265, 266  
 obsessive–compulsive disorders 318  
 sexual behavior role 443  
*see also* pallidal lesions  
 glutamate 5, 8, 9  
 excitotoxic activity 86  
 frontal subcortical circuit neurotransmitter 318  
 glycine, excitotoxic activity 86  
 GM2 gangliosidosis 170  
 grandiosity 4  
 group interactional therapy, frontal lobe lesions 254  
 Hallervorden–Spatz disease 161  
 hallucinations  
 anosognosia for blindness 495  
 basal ganglia 154  
 post-stroke 77  
 psychosis 419  
 right hemisphere damage 426–7  
 somesthetic 468  
 stroke in temporoparietal cortex 422  
 temporal lesions 387  
 Hambourg Obsessive Compulsive Inventory (HZI-K) 305

**543 Index**

- Hamilton Depression Rating Scale (HDRS) 23–6,  
27, 28, 29–30, 31
- dementia 40
- Neuropsychiatric Inventory correlation 34
- post-stroke depression 66
- reliability 25–6
- somatic symptoms 55
- stroke 40
- Structured Interview Guide 23
- validity 25–6
- head injury
- aggressive behavior 409, 410
- Alzheimer's disease 51
- anosognosia for hemiplegia 469
- obsessive–compulsive disorders 313
- see also* traumatic brain/head injury
- hemianopia
- denial 467
- see also* anosognosia for hemianopia
- hemibody, subjective disowning of opposite 481
- hemiparkinsonism, left 158
- hemiplegia, *see* anosognosia for hemiplegia
- hemisphere damage, linguistic–prosodic deficits  
329–30
- hepatolenticular degeneration, *see* Wilson's disease
- herpes simplex encephalitis 372
- Klüver–Bucy syndrome 381, 451
- hippocampo–amygdala connections, thalamic  
dysfunction 296–8
- hippocampus
- atrophy and environmental stressors 51
- fear role 71
- information processing 129
- 5HT receptors 131–2
- Huntington's disease 166–8
- disgust recognition impairment 328
- dysexecutive function 167
- emotional–prosodic studies 337
- exhibitionism treatment 459
- impulse control disorders 166
- mood disorders 166
- obsessive–compulsive disorders 312
- pathology 167–8
- psychiatric disorders 166
- psychosis 167, 427
- subcortical dementia 167
- hyperactivity/hyperactive states 145, 521, 522
- caudate nucleus infarcts 528
- frontal lobe lesions 529–30
- neuroanatomical substrate 521–2
- orbitofrontal cortex lesions 529–30
- pontine brainstem disease 530
- hyperkinetic mutism 145
- hypermetamorphosis 144
- hyperorality, Klüver–Bucy syndrome 381
- hyperphagia, thalamic dysfunction 292
- hypersexuality 444–52
- basal forebrain infarcts 446
- caudate nuclei 451
- cerebrovascular lesions 444–6
- cyproterone acetate therapy 459
- encephalitis 451–2
- epilepsy 446–8
- Klüver–Bucy syndrome 444, 445
- mania 444, 446
- medical treatment 459
- medroxyprogesterone acetate therapy 459
- meningioma 446
- neurosurgery 449
- multiple sclerosis 450
- neurosurgery 448–50
- prefrontal lobotomy 449
- ruptured cerebral aneurysm 445–6
- stroke 444–6
- surgical treatment 460
- temporal lobe removal 441
- thalamotomy in Parkinson's disease 449–50
- trauma 448
- ventriculo–peritoneal shunt placement 449, 450
- hypersomnia, thalamic dysfunction 288, 294
- hypnogenesis, neural substrates 294
- hypomania
- frontal lesion from head trauma 228–9
- treatment in frontal lobe lesions 252
- hyposexuality 439–44
- cerebrovascular lesions 439–41
- epilepsy 441–2
- Klüver–Bucy syndrome 381
- multiple sclerosis 443–4
- neurosurgery 443
- stroke 439–40, 441
- temporal lesions 382
- temporal lobe epilepsy 379–80
- trauma 442–3
- hypothalamotomy, posterior for sexual offender  
treatment 460
- hypothalamus
- medial preoptic area 457
- sexual orientation 454
- violent behavior correlation 406
- hypothyroidism, depression 50
- hypoxia, perinatal 170
- hypoxic–ischaemic disease 170
- ictal events
- emotions 373, 374, 375
- sexual manifestations 446–7
- imipramine 69–70
- impulse control disorders 139–42
- impulsions 139–42

**544** Index

- impulsive disorders, serotonin 142
- impulsivity 139–42
- indifference, basal ganglia 149
- informants, focal brain lesions 40
- insomnia, fatal familial 288, 291, 294
- instrumental functions 4–6, 7, 8, 9, 10
  - abnormalities 4
  - cortical regions 8
  - dementia syndromes 6, 7
  - disconnection syndromes 5, 6, 7
  - disorders 5
  - emotional disorders 10
  - hemispheric specialization 8
  - neurobiologic characteristics 8, 9
  - neuropsychiatric disorders 6, 7
  - neurotransmitters 8, 9
  - organization 4
  - transmitters 5
- intellectual decline, thalamic dysfunction 289–90
- intentional premotor process abnormalities 483
- intonation meanings 327
- ischemic stroke
  - anterior cerebral artery 235–7
  - deep frontal pathways 233–5
  - social–emotional behavior 233–5
- jargonaphasia 497, 498
  - awareness 498–9
  - comprehension deficit 498
  - self-imposed receptive loss 500
- Klüver–Bucy syndrome 83–4, 85, 369, 380–2
  - amygdala 381–2
  - bulimia 381
  - causes 444
  - herpes simplex encephalitis 451
  - human pathology 381
  - hyperorality 381
  - hypersexuality 444, 445
  - hyposexuality 381
  - neurosurgery 448
  - postictal Todd's paralysis 448
  - sexual behavior 456
  - trauma 448
- Korsakoff's syndrome
  - alcoholic 501
  - confabulations 501, 505
  - feeling-of-knowing 504
  - frontal executive disorders 503
- language
  - deficit in anosognosia for aphasia 497
  - disturbance in ventral lateral nucleus 298
  - impairment and behavioral dysfunction 370
- lateral circuit 371
- laterality of lesions in emotional states and behaviors 146
- laughter
  - ictal 374
  - pathological 75–6
- Lausanne Emotion in Acute Stroke Study (LEASS) 66, 67, 74, 86
- learning disability, Tourette's syndrome 164
- left basal ganglia lesions, aphasia 152
- left hemisphere
  - function 429
  - psychosis 429
  - temporal cue processing 354
- left hemisphere-damaged patients
  - cognition 82
  - depression 67–9, 96, 101, 102, 103
  - dysprosodic speech 355
  - mood disorders 82
- lentiform nucleus
  - behavioral/mood disorder correlation 155–6
  - carbon monoxide intoxication 312
  - obsessive–compulsive disorders 313
- Lesch–Nyhan syndrome 169–70
- leukoaraiosis, apathy in Alzheimer's disease 280
- leuprolide 459
- Leyton Obsessional Inventory (LOI) 305
- Lhermitte's utilization behavior 292
- libido
  - alteration in stroke 440
  - decreased 438
  - with prolactin 442
  - subarachnoid hemorrhage 441
- life experiences 72
- limbic circuit, psychosis 429
- limbic loop 278
- limbic striatopallidum
  - affective representation conversion 278
  - lesions and motivational disorders 272–3
- limbic structures, regulation of action 314–15
- limbic system 2, 10–11, 370
  - information transfer to basal ganglia 145
  - integrative circuitry of emotion 145
  - prefrontal cortex relationship 240
  - sexual behavior 457
  - specialization 15
  - violent behavior correlation 406, 407
- limbic-hypothalamic motor integration 128
- linguistic–prosodic deficits 329–30
- locus ceruleus, norepinephrinergic fibers 151
- magnetic resonance imaging (MRI)
  - Cystkopf case 402, 403
  - focal brain lesions 57–8
- magnocellular dorsomedial (DM) thalamus 123, 124
- mamillary bodies, Korsakoff's syndrome 501–2

## 545 Index

- mamillothalamic tract 502
- manganese intoxication 312
- mania, secondary 203, 204
  - basotemporal cortex 213
  - brain injury 207
  - cause 208
  - cortical lesions 208, 209
  - demographic correlates 205–6
  - disinhibition syndrome 211
  - genetic factors 206
  - lesion extent 208, 209
  - lesion location 206–8, 209–10, 211
  - mechanism 211–13
  - orbitofrontal cortex 211–12, 213
  - prognosis 207–8
  - psychiatric correlates 205–6
  - treatment 213
- mania-like disorders 202
  - terminology 203
- mania/manic disorders 202
  - basal ganglia 148
  - tumor/trauma 172
  - brain injury 529
  - depression 77
  - diagnostic criteria for manic episode 203–4
  - disinhibition symptoms 204–5
  - epidemiology 204
  - hypersexuality 444, 446
  - motor manifestations 145
  - phenomenology 204–5
  - post-stroke 76–7
  - postlesional syndromes 372
  - right basotemporal dysfunction 208
  - temporal lesions 383, 384
  - terminology 203
- manic depression, secondary 208, 209
  - see also* bipolar disorder
- Maudsley Obsessive Compulsive Inventory (MOCI) 305
- medial circuit 370–1
- medial orbital–medial thalamo–cingulate system 296
- medial temporal sclerosis, complex partial seizures 380
- mediodorsal trend, prefrontal cortex 240
- medroxyprogesterone acetate 459
- Melodic Intonation Therapy (MIT) 355
- memory
  - deficit in schizophrenia 387
  - disturbance
    - anosognosia for hemiplegia 480
    - thalamic dysfunction 289, 290, 296–7
  - impairment
    - anosognosia for blindness 494–5
    - denial 500, 501
    - frontal lobe lesions 250
    - Parkinson's disease 159
    - process in depression 50
    - prospective 402
    - thalamus in language interactions 298
    - working 242
      - verbal 499
- meningioma
  - acquired OCD 313
  - hypersexuality 446
  - neurosurgery and hypersexuality 449
  - sexual orientation changes 454
- mental activity loss 264, 266, 267, 273
  - athymhormic syndrome 278
  - depression comparison 280
- mental automatism, basal ganglia 154
- mental emptiness, basal ganglia 153–4
- mental slowing, basal ganglia 153–4
- mental stereotypies 142–4
- mesencephalo–diencephalic infarcts, paramedian 269
- mesolimbic dopamine receptor denervation
  - hypersensitivity 430
- metachromatic leukodystrophy, psychosis 424–5
- metaprosodic ability 332
- methylphenidate, post-stroke depression 69
- mianserine, post-stroke depression 69–70
- middle cerebral artery
  - infarct
    - inferior division 524–7
    - right and delirium 522
    - stroke and depression 112–15
- Mini-Mental State Examination 34, 36, 82
- Minnesota Multiphasic Personality Inventory 25, 32
- misidentification syndromes 427–8
- modular representational network disruption 481, 482
- mood 3
  - basal ganglia 145–50
  - definition 49
  - motor behavior relationship 129–30
  - social cognition/behavior 50
- mood disorders
  - acute brain lesions 82
  - animal models 51–2
  - aphasia 39
  - assessment tools 23–32
  - Beck Depression Inventory-II 25, 26–7
  - bipolar 148–9
  - circuit disorders 52–3
  - definition 49
  - dementia 39
  - diffuse brain injury 53–4
  - discrete lesions 52
  - DSM-IV diagnostic criteria 23, 24, 55
  - environmental factors 51

**546**      **Index**

- mood disorders (*cont.*)
  - evaluation 21
  - site 52
  - timing 54
- focal lesion
  - analysis 57–8
  - defining 53
- functional imaging 58
- genetic factors 50–1
- genetic predisposition 53
- Geriatric Depression Scale 26, 31
- gold standard diagnosis 55
- Hamilton Depression Rating Scale 23–5, 27, 28, 29–30, 31
- interventions in brain-damaged patients 58–9
- intraoperative stimulation 57
- lay examiners 41
- localization evaluation 56
- Minnesota Multiphasic Personality Inventory 25, 32
- motor manifestations 145–6
- multifactorial 51
- neurological patients 55–6
- neuroplasticity 54
- patient selection bias in studies 53
- patient versus observer ratings 56
- Post-Stroke Depression Rating Scale 29–30
- primary 49–50, 53, 55
- rating scales 55–6
- Schedule for Affective Disorders and Schizophrenia 32
- secondary 49, 50, 55
- stroke 149, 170–1, 238–9, 371–2
- thalamic dysfunction 291
- traumatic head injury 372
- visual analog scales 30–1
- WADA testing 57
- moral scrupulosity 140–1
- motility disorder, schizophrenia 174
- motivated defense reaction 479–80
- motivation, human 276, 277, 278
- motivational behavior, globus pallidus 272
- motivational disorders 261
  - basal ganglia lesions 272–4
  - caudate lesions 265–6, 267, 268, 269
  - clinical concepts 261–2
  - focal subcortical lesions 261, 262
  - frontal disorders 269–70
  - neuroanatomical correlates 270–4
  - pallidal lesions 263–4, 265
  - paramedian mesencephalo–diencephalic infarcts 269
  - subcortical lesions 268–9
  - terminology 261–2
- motivational processes
  - affective information 272
  - conversion to behavioral output 271
  - nucleus accumbens 272
- motor behavior, mood relationship 129–30
- motor control, impairment of intentional 479
- motor cortex, primary 221, 222–3
- motor neglect
  - anosognosia for hemiplegia 481, 483
  - thalamic behavioral syndromes 293
- motor rehabilitation, anosognosia for hemiparesis 507
- motor stereotypies 142–4
- motor syndromes 6, 7
- movement disorders, stereotactic surgery 175
- multiple sclerosis
  - delusions 424
  - hypersexuality 450
  - hyposexuality 443–4
  - paraphilias 454–5
  - pedophilia 455
  - psychiatric disturbance 424
  - psychosis 424
  - psychotic episodes 430–1
  - sexual orientation changes 454–5
  - thought disorders 424
- murderers
  - mass 410–11
  - see also* Cystkopf
- mutism 145
  - anterior cerebral artery ischemic stroke 235–7
  - see also* hyperkinetic mutism
- nailbiting 141
- neocortex, instrumental functions 4
- neoplasms
  - developmental origin 425–6
  - sexual orientation changes 454
  - thalamic tumor 290
  - see also* meningioma
- neuroacanthocytosis 170
- neuroanatomy, exogenous stressor relationship 51
- Neurobehavioral Rating Scale (NRS) 35–6
- neurodegenerative disease
  - OCD 312
  - psychosis 427
  - see also* Alzheimer's disease; Huntington's disease; Parkinson's disease
- neurological disease, emotional–prosodic studies 337, 340
- neuronal networks, functional 2
- neuroplasticity of brain 54
- Neuropsychiatric Inventory (NPI) 32–4
  - neurobehavioral assessment 56
- neuropsychiatric investigations 49–51
- Neuropsychology Behavior and Affect Profile (NBAP) 36–7

**547**      **Index**

- neurosurgery 460
  - functional 175
  - hypersexuality 448–50
  - hyposexuality 443
  - interventions for violent behavior 414
  - Klüver–Bucy syndrome 448
  - meningioma 449
  - posterior hypothalamotomy 460
  - prefrontal lobotomy 449
  - sexual orientation changes 453–4
  - stereotactic and movement disorders 175
  - temporal lobectomy 380, 381, 447–8
  - thalamotomy in Parkinson's disease 449–50
  - see also* psychosurgery
- neurosyphilis, anosognosia for blindness 494
- neurotransmission, basal ganglia 130–2
- neurotransmitter projections 15–16
- neurotransmitter receptors, regional distribution 16–17
- neurotransmitters 8, 9, 318
- nigra pars compacta 131
- norepinephrine 5
  - attention–deficit hyperactivity disorder 152
  - lesion location and depression severity 111
- nortriptyline, post-stroke depression 69
- nucleus accumbens, *see* accumbens nucleus
- nymphomania 452
  
- obsessions, Tourette's syndrome 163–4
- obsessive–compulsive behavior
  - psychic self-activation loss 75
  - structural lesion-induced 315–17
  - thalamic dysfunction 296
- obsessive–compulsive disorder (OCD) 58, 134–9, 304
  - acquired 306, 307
    - basal ganglia pathology 308–9, 312–13
    - frontal lesions 310, 313–14
  - anoxia 312
  - antidepressants 319
  - basal ganglia
    - diseases 138
    - lesions 308–9, 312–13
    - trauma 172
  - behavioral therapy 59
  - carbon monoxide intoxication 312
  - cognitive dysfunction 136
  - combination therapy 319
  - Creutzfeldt–Jakob disease 172
  - definition 305
  - degenerative conditions 313–14
  - dopaminergic system perturbation 318
  - electroconvulsive therapy 319
  - etiology 135, 311–14
  - frontal lobe lesions 310
  - globus pallidus 318
  - head injury 313
  - idiopathic 306, 307
  - imaging 137–8
  - impulse control disorders 140–1
  - infarcts 312, 313
  - neurodegenerative disease 312
  - neurologic disease association 136
  - neuropsychological deficits 307, 308–10, 311
  - obsessional slowness 153
  - personality profile 136
  - PET 58, 59
  - physiopathology 314–18
  - premorbid personality 311
  - psychosurgery 139, 319–20
  - regional metabolism 137
  - schizotypic personality 136
  - serotonergic dysfunction 318–19
  - serotonergic neurotransmission 138–9
  - serotonin receptors 319
  - serotonin reuptake inhibitors 319
  - severity scales 305, 306
  - strokes 171
  - surgical ablation 319–20
  - Sydenham's chorea 172
  - symptoms 306, 307, 308–10, 313–14
  - therapeutic aspects 318–20
  - Tourette's syndrome 163–4, 165
  - treatment 139–40
- obsessive–compulsive personality, Parkinson's disease 156, 157
- occipital damage, anosognosia for blindness 493
- onychophagia, *see* nailbiting
- optic allesthesia 490
- optic nerve trauma 494
- orbital circuit, lateral 357
- orbital networks, prefrontal cortex 240–1
- orbital prefrontal injury, anterior temporal lobe injury combination 410
- orbitofrontal circuit 122, 125–6, 131
  - lesions 134
  - subcortical 14
  - subcortical lateral 315
- orbitofrontal connections, medial and thalamic dysfunction 296
- orbitofrontal cortex
  - activity 316–17
  - lateral 295
  - lesions
    - hyperactivity 529–30
    - inhibitory control of interference 530
  - networks 240–1
  - secondary mania 211–12, 213
- orbitofrontal disinhibition syndrome 133–4
- orbitofrontal lobe
  - destruction and motivational behavior 270
  - lesions and empathy 247

**548** Index

- orbitofrontal neurons, conditional 241–2
- orbitofrontal region 222–3, 224
  - disinhibition 383
- orbitofrontal overactivity 317
- organic aggressive syndrome 409
- orgasm
  - functional imaging techniques 458
  - neurophysiology 457–8
- orgasmic seizures 447
  
- pali-phenomena 144
- pallidal lesions
  - abulia 343
  - affect 265
  - carbon monoxide intoxication 263–4, 265
  - emotion 265
  - left and obsessive–compulsive disorders 313
  - motivational disorders 263–5
  - prosody effects 342
  - see also* globus pallidus
- pallidal neurons, reward mechanisms 272
- PANDAS 173–4
- panic attacks, temporal lobe epilepsy 378
- panic disorder–agoraphobia 378
- paramedian mesencephalo–diencephalic infarcts 269
- paramnesia, reduplicative 428
- paranoia, right hemisphere damage 426
- paranoid delusions, post-stroke 77
- paraphilias
  - cyproterone acetate therapy 459
  - multiple sclerosis 454–5
  - postencephalitic parkinsonism 455
- parietal lobe damage, anosognosia for hemianopia 485, 486
- parkinsonian syndromes, striatonigral degeneration 160
- parkinsonism
  - amimia 149
  - basal ganglia calcification 168
  - postencephalitic 161–3, 312, 455
- Parkinson's disease
  - apathy 158
  - aprosodia 355
  - cognitive change 158–9
  - depression 157, 158
  - drug-induced psychiatric disorders 160
  - dysprosody 355
  - emotional–prosodic expression 343
  - emotional–prosodic studies 337, 340
  - facial expression 158
  - memory 159
  - mood/cognitive/behavioral manifestations 156–60
  - obsessive–compulsive disorders 312
  - premorbid personality 156–7
  - subcortical dementia 159–60
  - visuospatial/visuomotor skills 159
- parvocellular dorsomedial (DM) thalamus 123
- pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections, *see* PANDAS
- pediatric infection-triggered autoimmune neuropsychiatric disorders, *see* PITANDS
- pedophilia
  - global cerebral hypoxia 452
  - hypothalamic glioma 454
  - medical treatment 459
  - multiple sclerosis 455
- pedunculopontine stroke 475
- perceptual completion
  - anosognosia for hemianopia 487, 488–9, 490
  - induction 481
- perinatal lesions, psychosis 429–30
- perseverations 142–4
- perseverative behavior 316
- personal space neglect 476
- personality characteristics 72–3
- personality disorders, temporal lobe epilepsy 376–7
- personality traits, genetic factors 50–1
- phobic anxiety 378
- Pick's disease 161
- PITANDS 173–4
- pleasure, ictal 374
- pontine brainstem disease, hyperactivity 530
- positron emission tomography (PET)
  - depression abnormalities 96
  - measurement in Cystkopf case 402–3
  - mood disorders 58
  - murderers 410
  - right hemisphere serotonin receptors 69
  - scanning in emotional–prosodic studies 337
- Post-Stroke Depression Rating Scale (PSDRS) 29–30
- post-traumatic stress disorders, hippocampal atrophy 51
- posterior cerebral artery, unilateral temporo-occipital infarcts 523–4
- posterior circulation stroke 112–15
- prefrontal connections, thalamic behavioral syndromes 294–6
- prefrontal cortex
  - basoventral trend 240
  - circuits 315
  - cognitive aspects of behavior 217–18
  - connectional anatomy 219
  - cortical structure interconnections 219–20
  - cytoarchitecture 219
  - dorsolateral 222–3, 225, 294
  - lesions and empathy 246–7
  - neurons 220



**549**      **Index**

- prefrontal cortex (*cont.*)  
 empathy  
   changes with lesions 246–7  
   function 247–8  
 fundamental functions 4  
 impairments with focal lesions 220  
 information storage 220  
 limbic areas 219  
 limbic system relationship 240  
 medial–orbital networks 240–1  
 mediadorsal trend 240  
 orbital networks 240–1  
 organization 219  
 paralimbic interconnections 219  
 subcortical structure interconnections 219–20  
 subgenual imaging in depression 239  
 ventromedial  
   lesion effects on decision-making 243–4  
   linkage between dispositions to situation and emotion 411  
   *see also* dorsolateral prefrontal (DLPF) circuit  
 prefrontal lobe  
   abnormalities and violent behavior 410  
   arteriovenous malformation 231–3  
   hemispatial neglect 232  
   social adjustment 232, 233  
   lesions from traumatic brain injury 226–8  
   ventromedial  
     behavior regulation 409–10  
     dysfunction in Cystkopf case 402  
 prefrontal lobotomy, sexual behavior 449  
 premotor cortex 221, 222–3  
 Present State Examination 28, 31–2  
   mood state in traumatic brain injury 55–6  
 progressive subcortical gliosis 161  
 progressive supranuclear palsy 160–1  
 prolactin, libido decrease 442  
 prosodic function, normal speech 357  
 prosodic information 238–9  
 prosody  
   acoustic measurement 334  
   affective functions 333  
   brain lesions 331  
   depression 355  
   expressive disturbance speech production model 356  
   functional lateralization hypothesis 329  
   group testing 334–5  
   *see also* emotional–prosodic entries  
 psychic blindness 82  
 psychic self-activation loss 75  
 psychopathic individuals, burn-out principle 413  
 psychosis 4, 419  
   adrenoleukodystrophy 424, 425  
   Alzheimer's disease 427, 430  
   basal ganglia 154  
   cholinergic circuits 430  
   contributing factors 432  
   definitions 419  
   demyelinating syndromes 424–5  
   dopamine 430  
   elderly patients 431  
   epilepsy 421–2  
   etiology 429  
   focal abnormalities 419, 420  
   frontotemporal dementia 427  
   Huntington's disease 427  
   idiopathic calcification of the basal ganglia 427  
   limbic circuit 429  
   metachromatic leukodystrophy 424–5  
   multiple sclerosis 424  
   neoplasms 425–6  
   neurodegenerative diseases 427  
   Parkinson's disease 427  
   perinatal lesions 429–30  
   post-stroke 77  
   predisposition with cerebral atrophy/seizures 423  
   right hemisphere 429  
     stroke 422–3  
   right temporo-parieto-occipital junction stroke 423  
   schizophrenia 428–9  
   schizophrenia-like 421–2, 425, 426, 427  
     following stroke 423  
   stroke 422–4  
   temporal lobe neuronal activity predisposition in epilepsy 422  
   trauma 426–7  
   treatment 430–1  
   white matter lesions 423–4  
   Wilson's disease 427  
 psychosurgery  
   obsessive–compulsive disorders 139, 319–20  
   personality change 270  
   *see also* neurosurgery  
 psychotherapy, frontal lobe lesions 253–4  
 psychotic symptoms, temporal lesions 386–7  
 pulvinar, cortical connections 298  
 putamen  
   behavioral/mood disorder correlation 155  
   infarcts 312  
   lesions and prosody effects 342  
 rabies encephalitis 451–2  
 rating scales 22  
 recall of stroke acute phase 80  
 receptor locations 16–17  
 reduplication syndromes 427, 428  
 religious scrupulosity 140–1  
 repetitive behavior 142–4  
 response selection, somatic markers 412

**550**      **Index**

- reticular activating system 293
- reticulate nuclei of thalamus 293
- Revised Memory and Behavior Checklist 38
- reward mechanisms, pallidal neurons 272
- right hemisphere/right hemisphere lesions
  - anosognosia for hemiplegia 469, 471–2, 473
  - delusions 426
  - depression 67–9, 96, 101, 115–19
    - lesion location 118–19
    - lesion volume 117–18
    - psychiatric disorders in relatives 116–17
  - emotional expression 83–4
  - function 429
  - hallucinations 426–7
  - linguistic–prosodic deficits 329–30
  - paranoia 426
  - posterior 111–12
  - psychosis 422–3, 429
  - serotonin receptor up-regulation 69
  - speech function processing 354
  - stroke 67, 422–3
- satyriasis 452
- Schedule for Affective Disorders and Schizophrenia 32
- schizophrenia
  - basal ganglia 429
    - dysfunction 174–5
  - brain metabolism 175
  - corpus callosum 428
  - functional imaging 429
  - gross pathology 428
  - memory deficit 387
  - microscopic findings 428–9
  - mood disorders 174–5
  - motility disorder 174
  - pathology 174–5
  - psychosis 428–9
  - temporal lobe 428
    - lesions 386–7
  - thalamus 299
- schizophrenia-like psychosis 421–2
- schizotypic personality, obsessive–compulsive disorder 136
- scotoma, *see* anosognosia, for scotoma
- seizures
  - complex partial in medial temporal sclerosis 380
  - dacrystic 374
  - epilepsy with psychosis 422
  - gelastic 374
  - orgasmic 447
  - psychosis predisposition 423
  - refractory and neurosurgical intervention 414
    - see also* epilepsy
  - selective serotonin reuptake inhibitor (SSRI), *see* serotonin reuptake inhibitors
  - self-activation loss 276
    - psychic 75
  - self-injurious behavior 141
    - Cornelia de Lange syndrome 170
    - Tourette’s syndrome 164
  - sensory agnosia 84
  - serotonergic dysfunction, obsessive–compulsive disorders 318–19
  - serotonin 5
    - impulsive disorders 142
    - lesion location and depression severity 111
  - serotonin receptors 16
    - binding in right stroke 239
    - frontal subcortical circuits 318
    - obsessive–compulsive disorders 319
  - serotonin reuptake inhibitors 59, 459
    - obsessive–compulsive disorders 319
    - post-stroke depression 69
  - sertraline 459
  - sexual behavior 437, 438–55
    - basal ganglia 457
    - brain area stimulation 456
    - changes
      - medical treatment 459
      - surgical treatment 460
      - treatment in neurological disease 458–9
    - definition 438
    - desire and medial preoptic area of hypothalamus 457
    - globus pallidus role 443
    - hypersexuality 444–52
    - hyposexuality 439–44
    - ictal event manifestations 446–7
    - ictal symptoms 375
    - Klüver–Bucy syndrome 456
    - limbic system 457
    - masochism 459
    - neural circuitry 458
    - neuroanatomy 455–8
    - sexual orientation change 452–5
    - temporal lesions 382
    - temporal lobe epilepsy 379–80
  - sexual dysfunction
    - multiple sclerosis 443–4
    - subarachnoid hemorrhage 441
    - traumatic brain injury 442
  - sexual function lateralization 439–40
  - sexual orientation changes 452–5
    - brain tumors 454
    - cerebrovascular lesions 452
    - encephalitis 455
    - epilepsy 452–3
    - hypothalamus 454

**551 Index**

- sexual orientation changes (*cont.*)
  - multiple sclerosis 454–5
  - neurosurgery 453–4
  - trauma 453
- sexual response, neurological basis 437
- sexuality, multifactorial nature 438
- skin conductance response, Cystkopf case 403, 404, 405
- sleep–wakefulness activity
  - central gray network 294
  - disorders 288
- slowness, obsessional 153–4
- social behavior
  - conduct impairment with frontal lobe lesions 409
  - lateral orbital circuit 357
- social cognition/behavior, mood 50
- social–emotional behavior
  - ischemic stroke 233–5
  - prefrontal damage 233
- social–emotional skills, frontal subcortical circuits 343
- social–environmental interventions, frontal lobe lesions 252–4
- sociopathy, developmental forms 412
- somatic marker hypothesis 411–12
- somatoparaphrenia 468, 481
- somatosensory pattern 412
- spatial neglect
  - anosognosia for hemiplegia 475, 476–7, 478
  - attention disorders 288
  - thalamic behavioral syndromes 293–4
- speech
  - acoustic analysis 340–1
  - aphasia with strokes 172
  - emotional information processing 330–1
  - motor and emotional modulation 152–3
  - production model 356
  - prosodic function 357
  - prosody and WADA test 337–8
  - see also* emotional–prosodic entries; prosody
- state-dependent functions 5
- stercoral compulsion 140
- stereotactic surgery and movement disorders 175
- stereotypy 142–4
  - strokes 172
- stimulus-bound behavior 144
- stress, metabolic control of diabetes 72
- striatonigral degeneration, parkinsonian syndromes 160
- striatopallidum, limbic 271–2, 278
- striatum 126–7
  - cell organizational systems 131
  - inhibition lack 127
  - matrix 131
  - role 127
- striosomes 131
- stroke
  - acute phase 86
  - recall 80
- aggression 77
- agitation 171
- akinetetic mutism 171
- anger bursts 77
- anosognosia for hemiplegia 469, 473
- apathy 171
- basal ganglia 170–2
- behavioral disturbances 371–2
- bipolar mood disorders 149
- cardioembolic 74
- cerebellar 112
- cerebral basilar 112
- delirium 171
- denial 66, 77, 79
- depression 66, 147, 170–1, 238–9
  - diagnosis 49–50
- early disregard of symptoms 77
- emotional behavior 65–6
- emotional lability 76
- emotional processing 238–9
- etiology 74
- Hamilton Depression Rating Scale 40
- hypersexuality 444–6
- hyposexuality 439–40, 441
- lacunar 171
- left 239
- left frontal lesions and depression 53
- mania 76–7
- medical care seeking 80
- mood
  - disorders 149, 170–1, 371–2
  - outcome 238–9
- Neuropsychology Behavior and Affect Profile 37
- obsessive–compulsive disorder 171
- patients
  - Beck Depression Inventory-II 27
  - Center for Epidemiologic Studies Depression Scale 28–9
  - Hamilton Depression Rating Scale 25–6
  - visual analog scales 30, 31
- pedunculopontine 475
- personality characteristics 72–3
- posterior circulation 112–15
- premorbid history 41
- psychosis 422–4
- right hemisphere 67, 422–3
  - serotonin receptor binding 239
- self-evaluation 77–8
- speech aphasia 172
- stereotypies 172

**552**      **Index**

- stroke (*cont.*)  
  subcortical dementia 172  
  *see also* ischemic stroke
- stroke lesion location  
  anterior–posterior and depression severity 103–12  
  depression 95–6, 97, 98–102  
  frontal pole proximity 95  
  depression severity 104–9, 110–11  
  interhemispheric 96, 98–102  
  intrahemispheric 96, 97, 98–102  
  lesion volume relationship 109–10  
  time post-stroke 100–2, 110–11
- Structured Interview Guide (SIGH-D) 23
- Structured Clinical Interview, mood state in  
  traumatic brain injury 56
- subarachnoid hemorrhage  
  libido 441  
  sexual function 441
- subcortical abulic syndrome 270–2
- subcortical dementia, strokes 172
- subcortical gliosis, progressive 161
- subcortical lesions  
  depression 99–100  
  severity 108  
  motivational disorders 268–9
- subjective experience 78, 79–80
- substantia innominata 212–13
- substantia nigra  
  behavioral/mood disorder correlation 155  
  compacta 131  
  5HT receptors 131–2
- subthalamic functional neurosurgery 175
- subthalamic nucleus, behavioral/mood disorder  
  correlation 155
- supplementary motor area 221
- supranuclear paralysis  
  obsessive–compulsive disorders 312  
  progressive palsy 160–1
- Sydenham's chorea  
  mood disorders 172  
  obsessive–compulsive disorders 312
- tardive dyskinesias 173
- temporal lobe epilepsy  
  aggression 379  
  anxiety 373, 378  
  behavioral syndromes 372–80  
  delusions 377–8  
  depression 373, 378  
  emotional disturbances 378  
  excessive sexual behavior 447–8  
  fear 373  
  Gastaut–Geschwind syndrome 376–7  
  hyposexuality 379–80, 441  
  ictal disturbances 373–5  
  interictal manifestations 375–80  
  panic attacks 378  
  personality disorders 376–7  
  phobic anxiety 378  
  psychosis 377–8, 421  
  seizure control 448  
  sexual behavior 379–80  
  tumors of developmental origin 426
- temporal lobe/temporal lobe lesions  
  affective disturbances 371  
  aggressive behaviors 385–6  
  anterior  
  injury with orbital prefrontal injury  
  combination 410  
  violent behavior correlation 406  
  anxiety 384–5  
  autism 387  
  behavioral disturbances 371  
  behavioral syndromes 369–70  
  bipolar syndromes 383  
  cognitive capacities 369–70  
  delusions 386–7  
  depression 382–3, 384  
  emotional functions 369  
  fear 384–5  
  focal pathologies 371–2  
  hallucinations 387  
  hyposexuality 382  
  infarcts  
  confusion/delirium 524–7  
  hypersexuality 446
- left  
  dysfunction in Cystkopf case 402  
  postinjury schizophrenia-like psychosis 426, 427
- mania 383, 384
- medial  
  schizophrenia-like psychosis 422  
  sclerosis and complex partial seizures 380  
  temporal lobe epilepsy 421
- mesial  
  emotion modulation 409  
  structural sexual dimorphism 447
- psychosis  
  epilepsy 421  
  neuronal activity predisposition 422
- psychotic symptoms 386–7
- right  
  infarcts causing confusion/delirium 524–7  
  psychosis 427  
  schizophrenia 386–7, 428  
  sexual behavior 382, 446  
  violent behavior 385–6

**553**      **Index**

- temporal lobectomy
  - Klüver–Bucy syndrome 381
  - left and hypersexuality 447–8
  - sexual function 380
- temporoparietal junction, right and anosognosia
  - for hemiplegia 473–4
- temporoparieto-occipital junction, right and stroke 423
- testosterone 459
- thalamic behavioral syndromes/dysfunction 285, 291–2
  - affect disorders 291
  - akinetic mutism 291
  - amnesic syndrome 289, 290
  - anatomical correlation 293–9
  - apathy 291
  - aphasia 298
  - attention disorders 287–8
  - bulimia 292
  - cognition disorders 289–91
  - confusion 294
  - dementia 290
  - depression 291
  - euphoria 291
  - global confusion 293
  - hippocampo–amygdala connections 296–8
  - hyperphagia 292
  - hypersomnia 294
  - intellectual decline 289–90
  - medial orbitofrontal connections 296
  - memory disturbance 289, 290, 296–7
  - mood disorders 291
  - motor neglect 293
  - prefrontal connections 294–6
  - sleep–wakefulness disorders 288
  - spatial neglect 293–4
  - utilization behavior 299
- thalamic system, nonspecific 293–4
- thalamic tumor, dementia 290
- thalamocortical limb, disinhibition 317
- thalamotomy in Parkinson's disease, hypersexuality 449–50
- thalamus
  - anatomy 285, 287
  - anosognosia for hemiplegia 473–5
  - basal ganglia–thalamocortical circuits 295, 297
  - central gray network 294
  - damage symptoms 287–92
  - memory/language interaction 298
  - nuclei
    - classification 285, 286
    - nonspecific 293
    - reticulate 293
    - symptomatology 285
    - ventrolateral 123
    - paramedian–dorsomedian hemorrhage 151
    - parvocellular dorsomedial 123
    - schizophrenia 299
- thought disorders, multiple sclerosis 424
- Todd's paralysis 448
- Tourette's syndrome 134, 135, 163–5
  - attention-deficit hyperactivity disorder 164
  - brain metabolism 165
  - compulsions 163–4
  - learning disability 164
  - mood disorders 164
  - obsessions 163–4
  - obsessive–compulsive disorder 163–4, 165
  - self-injurious behavior 164
  - tics 139, 164, 165
  - treatment 139
- toxoplasmic abscess 313
- transvestism 453, 459
- traumatic brain/head injury
  - behavioral disturbances 372
  - diffuse injury 54
  - frontal lesion causing hypomania 228–9
  - hypersexuality 448
  - hyposexuality 442–3
  - interventions to improve mood state 58–9
  - jargonaphasia 498
  - Klüver–Bucy syndrome 448
  - left frontal lesions and depression 53
  - lesion location 103
  - mood disturbances 372
  - optic nerve 494
  - postlesional manic syndromes 372
  - psychosis 426–7
  - right frontal lesion 226–7
  - secondary depression 55
  - sexual dysfunction 442
  - sexual orientation changes 453
- trazodone 69
- trichotillomania 141
- triptorelin 459
- Urbach–Weithe disease 83
- utilization behavior, thalamic dysfunction 299
- valence hypothesis 328
- validity measures for assessment tools 22
- vascular dementia, mood disorders 171
- ventral anterior nucleus 294, 295
- ventral cortex, mania 212–13
- ventral lateral nucleus, language disturbance 298
- ventriculoperitoneal shunt
  - hypersexuality 449, 450
  - sexual behavior 454
- ventrolateral thalamic (VL) nucleus 123

**554**      **Index**

- verbal working memory impairment 499
- verification processes, anosognosia for amnesia 504
- vertebral artery angiography in delirium 523
- violent behavior
  - aggression distinction 415
  - alcohol consumption 413–14
  - amygdala lesions 406, 408
  - anterior temporal lobe lesions 406
  - brain damage 413
  - drug use 413–14
  - frontal lobe lesions 408–10
  - hypothalamus damage 406
  - mass murderers 410–11
  - neural correlates 399–400, 406, 407, 408–10
  - neurosurgical intervention 414
  - pharmacological management 414
  - prefrontal abnormalities 410
  - temporal lesions 385–6
- visual analog scales 30–1
- visual defect awareness levels 484
- visual function, residual 490
- visual imagery, preserved 494, 495–6
- visual–limbic disconnection 382
- visuoperceptual disorders, thalamic dysfunction 289
- visuospatial disorders, thalamic dysfunction 289
- visuospatial/visuomotor skills, Parkinson’s disease 159
- vocal communication, neural basis 328
- vocal emotional expression 327
- voice quality 357
- WADA testing, mood disorders 57
- Wernicke’s aphasia 422, 497, 498
  - symptoms 526
- white matter lesions, psychosis 423–4
- white matter pathways, deep 222–3, 224–5
- Wilson’s disease 168–9
  - pathology 169
  - psychiatric syndromes 168–9
  - psychosis 427
- writing, motor and emotional modulation 152–3
- Yale–Brown Obsessive Compulsive Scale (Y-BOCS) 305, 306
- Zung Self-Rating Depression Scale 26, 28, 31