

Author Index

- Abdo, K. M., 3, 366
 Abelson, P., 3, 361
 Abramowitz, M., 246, 361
 Aerts, M., 176, 361
 Aisbert, C. W., 204, 369
 Aitkin, M., 213, 361
 Akaike, H., 120, 361
 Anderson, D., 184, 213, 361, 362
 Anderson, R. D., 204, 365
 Ansley C. F., 131, 361
 Anton, H., 335, 361
 Atkinson, A. C., 51, 55, 361
 Auestad, B. H., 185, 373
 Azzalini, A., 89, 158, 162, 361

 Bartlett, P., 324, 371
 Bates, D. M., 55, 91, 101, 103, 110, 186, 352,
 361, 368, 370
 Beck, N., 185, 361
 Belsley, D. A., 55, 309, 361
 Berger, J. O., 279, 361
 Berger, R. L., 335, 362
 Berndt, E. R., 214, 361
 Berry, S. M., 269–71, 273, 275, 361
 Best, N. G., 325, 364, 373
 Biggar, R. J., 185, 364
 Billard, L., 238, 368
 Bishop, C. M., 324, 361
 Björklund, C., 46, 367
 Booth, J. G., 204, 207, 271, 272, 361
 Bosch, R. J., 239, 369
 Bourbina, J., 3, 366
 Bowman, A. W., 89, 158, 162, 169, 361, 374
 Box, G. E. P., 52, 361
 Breslow, N. E., 204, 206, 325, 361, 368
 Briggs, D. J., 325, 364
 Brillinger, D., 238, 368
 Brockmann, M., 86, 372
 Brockwell, P. J., 27, 361
 Brumback, B. A., 110, 193, 227, 362
 Bryant, P. G., 5, 362
 Bujja, A., 185, 362
 Burge, H. A., 165, 167, 227, 362, 372
 Burnham, K. P., 184, 362

 Cai, T. T., 307, 362
 Cai, Z., 237, 362
 Cantoni, E., 185, 362
 Cao, R., 121, 362
 Carlin, B. P., 192, 292, 297, 362, 365
 Carlin, J. B., 292, 365
 Carroll, R. J., 51, 54, 131, 141, 199, 200, 202,
 237, 262, 263, 267, 269–71, 273, 275,
 302, 307, 323, 361–3, 371, 374
 Casella, G., 91, 101, 110, 184, 205, 231, 271,
 292, 335, 352, 362, 371, 372
 Chambers, J. M., 184, 221, 362
 Chatterjee, S., 15, 55, 362
 Chaudhuri, P., 68, 129, 156, 158, 178, 362
 Chen, H., 169, 362
 Chen, M. H., 292, 323, 367
 Chen, Z., 237, 362
 Chib, S., 289, 290, 362
 Chinchilli, V. M., 91, 110, 373
 Chiu, S. T., 121, 131, 362
 Claeskens, G., 176, 361
 Clayton, D. G., 204–6, 325, 361, 363
 Cleveland, W. S., 86, 363
 Conquest, D., 238, 368
 Cook, R. D., 24, 28, 55, 363
 Coull, B. A., 190, 191, 227, 229, 363
 Cox, D. R., 52, 361
 Craig, A. T., 335, 367
 Crainiceanu, C., 106–8, 147, 168, 363
 Craven, P., 117, 363
 Cressie, N., 200, 247, 248, 260, 363, 371
 Cristianini, N., 324, 363
 Cuevas, A., 121, 362
 Cullis, B. R., 193, 373
 Cummins, D. J., 87, 141, 363, 370

 Davidian, M., 186, 267, 270, 363
 Davidson, R., 319, 363
 Davis, J. M., 185, 363
 Davis, R. A., 27, 361
 Dean, C. B., 325, 369
 Deely, J. J., 282, 297, 363
 de Hoog, F. R., 116, 367
 Delecroix, M., 324, 363

- Dempster, A. P., 204, 206, 272, 363
 Denison, D. G. T., 64, 363
 Dierckx, P., 89, 363
 Diggle, P. J., 91, 152, 190, 205, 259, 364
 DiMatteo, I., 65, 364
 Dobson, A., 213, 364
 Dockery, D. W., 190, 370
 Dominici, F., 274, 364
 Donnelly, C. A., 192, 364
 Draper, N. R., 15, 66, 99, 364
 Duchon, J., 260, 364
- Eckter, M. D., 238, 364
 Edner, H., 46, 367
 Efromovich, S., 89, 364
 Eilers, P. H. C., 58, 71, 74, 80, 185, 221, 364, 369
 Elliott, P., 325, 364
 Ellner, S., 255, 370
 Engel, J., 86, 372
 Engels, E. A., 185, 364
 Engle, R. F., 169, 364
 Eubank, R. L., 28, 55, 72, 87, 89, 158, 324, 364
 Eustis, S. L., 3, 366
 Ezekiel, M., 171, 185, 364
- Fahrmeir, L., 213, 325, 364
 Fan, J., 84, 86, 89, 158, 237, 273, 321, 323, 362, 364, 365
 Filloon, T. G., 141, 363
 Fisher, M., 10, 365
 Fownes, S., 185, 371
 Fox, J., 89, 365
 Francis, B., 213, 361
 French, J. L., 251, 308, 323, 365
 Freund, Y., 324, 371
 Friedman, J. H., 64, 131, 171, 185, 322, 324, 365, 367
 Fuller, W. A., 275, 365
- Gallant, R. A., 270, 363
 Ganguli, B., 269, 270, 274, 275, 365
 Gao, J., 169, 366
 Gasser, T., 86, 372
 Gauvreau, K., 194, 370
 Gelfand, A. E., 192, 365
 Gelman, A., 292, 365
 Genovese, C. R., 65, 364
 Gijbels, I., 84, 89, 158, 323, 362, 364
 Gilks, W. R., 184, 288, 365
 Gill, J., 213, 365
 Gilmour, A. R., 204, 365
 Giltinan, D. M., 186, 363
 Goldstein, H., 204, 365
 Golub, G. H., 350, 351, 365
- González-Manteiga, W., 121, 362
 Gourieroux, C., 205, 365
 Grambsch, P., 323, 373
 Granger, C. W. J., 169, 364
 Gray, R. J., 58, 80, 365
 Green, P. J., 72, 73, 89, 213, 250, 251, 260, 365
 Greenberg, E., 289, 290, 362
 Greenhouse, J., 238, 368
 Grosse, E., 86, 363
 Gu, C., 89, 220, 237, 260, 324, 365, 366
 Gunst, R., 55, 364
 Guo, W., 193, 366
 Gutierrez, R., 275, 374
- Haaland, P., 255, 370
 Hadi, A., 55, 362
 Hall, P., 120, 177, 185, 323, 366
 Halmos, P., 335, 366
 Hampel, F. R., 321, 366
 Handcock, M. S., 15, 246, 362, 366
 Hansen, M. H., 64, 89, 131, 322, 366, 372
 Hardin, J., 213, 366
 Härdle, W., 86, 87, 89, 120, 169, 177, 185, 323, 366, 368
 Hart, J. D., 3, 89, 158, 366
 Hart, R. W., 366
 Harville, D. A., 102, 110, 204, 335, 352, 366, 367
 Haseman, J. K., 3, 366
 Haslett, J., 95, 99, 367
 Hastie, T. J., 36, 58, 80, 136, 140, 144, 148, 183–6, 220–2, 235, 237, 322, 324, 350, 351, 362, 366, 367
 Hastings, W. K., 288, 367
 Hayes, K., 95, 99, 367
 Heagerty, P., 91, 152, 190, 364
 Heckman, N. E., 168, 169, 367
 Heltshe, J. F., 238, 364
 Henderson, C., 204, 367
 Hilbe, J., 213, 366
 Hinde, J., 213, 361
 Hobert, J. P., 204, 207, 271, 272, 361
 Hoel, P. G., 335, 367
 Hogg, R. V., 335, 367
 Holmes, C. C., 322, 367
 Holst, U., 46, 262, 304, 367, 370, 371
 Hössjer, O., 46, 262, 304, 367, 370, 371
 Hu, I.-C., 321, 365
 Huang, J. Z., 89, 131, 366
 Huber, P., 321, 335, 367
 Hurvich, C. M., 120, 367
 Hutchinson, M. F., 116, 367
- Ibrahim, J. G., 292, 322, 323, 367
 Ichimura, H., 323, 366, 367

Author Index

377

- Jackman, S., 185, 361
 James, G. M., 186, 367
 Jarrow, R., 10, 154, 318, 367
 Jiang, W., 324, 367
 Jones, M. C., 84, 89, 121, 131, 222, 321, 354, 367, 374
- Kackar, R. N., 102, 367
 Kadane, J. B., 207, 373
 Kammann, E. E., 179, 251, 258, 259, 321, 365, 367
 Karim, M. R., 205, 374
 Kass, R. E., 65, 207, 297, 298, 364, 368, 373
 Kauermann, G., 237, 368
 Keenan, K., 3, 366
 Kelly, C., 58, 80, 368
 Kent, J. T., 246, 368
 Kenward, M. G., 193, 373
 Kerkycharian, G., 87, 89, 366
 Keyghobadi, N., 185, 371
 Khuri, A. I., 104, 368
 Kimeldorf, G., 260, 368
 Kitanidis, P. K., 251, 260, 368
 Knafl, G., 144, 368
 Koenker, R., 321, 368
 Kohn, R., 64, 131, 185, 221, 321, 361, 372
 Kolmogorov, A. N., 243, 368
 Kooperberg, C., 64, 89, 131, 322, 366, 372
 Korostelev, A., 185, 366
 Krige, D. G., 242, 368
 Krishnan, T., 206, 369
 Kuh, E., 55, 309, 361
 Kutner, M., 15, 370
- Laird, N. M., 91, 186, 192, 204, 206, 297, 363, 364, 368
 Lang, S., 325, 364
 Lange, K. L., 321, 368
 Lange, N., 238, 368
 Leakey, J., 3, 366
 Lee, J. W., 106, 372
 Lee, T. C. M., 322, 368
 Lee, W., 324, 371
 Lei, X., 325, 368
 Leroux, B. G., 325, 368
 Leroy, A. M., 55, 321, 371
 Li, R. Z., 237, 362
 Liang, K.-L., 91, 106, 107, 147, 152, 169, 190, 205, 364, 366, 368, 372
 Lin, X., 159, 185, 193, 204, 206, 222, 275, 361, 368, 374
 Lindley, D. V., 282, 297, 363
 Lindsey, J. K., 213, 368
 Lindstrom, M. J., 101, 186, 352, 368
 Linhart, O., 44, 368
- Linton, O. B., 185, 368
 Lipsitz, S. R., 292, 323, 367
 Little, R. J. A., 321, 322, 368, 369
 Liu, J., 292, 369
 Loader, C., 84, 89, 144, 158, 222, 324, 354, 369
 Lock, M. D., 89, 373
 Louis, A. K., 89, 369
 Louis, T. A., 208, 292, 297, 362, 368, 369
 Lyn-Cook, B., 3, 366
- Maass, D., 89, 369
 MacKinnon, J. G., 319, 363
 MacNab, Y. C., 325, 369
 Magnus, J. R., 330, 369
 Mallick, B. K., 65, 322, 363, 367
 Mallows, C. L., 45, 118, 369
 Mammen, E., 324, 369
 Mardia, K. V., 247, 369
 Marron, J. S., 68, 86, 87, 120, 121, 129, 131, 156, 158, 177, 178, 324, 362, 365–7, 369
 Marschner, I. C., 239, 369
 Marshall, R. J., 247, 369
 Marx, B. D., 58, 71, 74, 80, 185, 221, 364, 369
 Matheron, G., 243, 369
 Mathew, T., 104, 368
 Maybeck, P. S., 109, 369
 McCabe, G. P., 18, 369
 McCullagh, P., 198, 199, 204, 210, 213, 232, 369, 372
 McCulloch, C. E., 91, 95, 97, 101, 102, 110, 204, 207, 210, 213, 231, 259, 271, 272, 352, 369, 372
 McDonald, J. L., 165, 167, 227, 372
 McGilchrist, C. A., 204, 369
 McLachlan, G. J., 206, 369
 Mee, R. W., 204, 366
 Metropolis, N., 288, 369
 Miller, J. J., 104, 369
 Molenberghs, G., 91, 104, 106, 107, 110, 373
 Monfort, A., 205, 365
 Montgomery, D. C., 213, 369
 Moore, D. S., 18, 369
 Morris, C. N., 297, 369
 Moyeed, R. A., 205, 259, 364
 Müller, H. G., 89, 369
 Müller, P., 89, 369
 Myers, R. H., 213, 369
- Nachtsheim, C., 15, 370
 Nadaraya, E. A., 85, 89, 369
 Nason, G. P., 89, 370
 Neas, L. M., 227, 362
 Nelder, J. A., 198, 199, 210, 213, 233, 369
 Neter, J., 15, 370
 Neudecker, H., 330, 369

- Newey, W. K., 185, 370
 Ng, P., 321, 368
 Nicholson, W. K., 335, 370
 Nielsen, J. P., 185, 368
 Nychka, D. W., 10, 73, 87, 141, 247, 251, 255, 257, 260, 293, 297, 363, 365, 370
 O'Connell, M. A., 204, 206, 233, 247, 255, 370, 374
 Ogden, R. T., 87, 89, 322, 370
 Opsomer, J. D., 185, 262, 370
 O'Sullivan, F., 58, 80, 370
 Pagan, A., 89, 370
 Pagano, M., 194, 370
 Parise, H., 308, 370
 Park, B. U., 121, 370
 Parker, R. L., 80, 370
 Patterson, H. D., 110, 370
 Peixoto, J. L., 37, 370
 Picard, D., 87, 89, 366
 Pinheiro, J. C., 91, 103, 110, 186, 352, 370
 Pope, C. A., 190, 370
 Portnoy, S., 321, 368
 Prasad, N. G. N., 102, 371
 Rabash, J., 204, 365
 Rae, A. L., 204, 365
 Ragnarson, P., 46, 367
 Raizenne, M. E., 190, 370
 Ramsay, J. O., 323, 324, 371
 Rao, C. R., 99, 100, 371
 Rao, J. N. K., 102, 371
 Ratkowsky, D. A., 162, 371
 Raudenbush, S. W., 204, 371
 Raz, J., 193, 374
 Rice, J. A., 58, 80, 169, 193, 362, 364, 368, 370, 371
 Rice, S. O., 144, 371
 Richardson, A. M., 321, 374
 Richardson, S., 184, 365
 Rieder, A., 89, 369
 Ripley, B. D., 324, 371
 Robert, C. P., 184, 205, 271, 290, 292, 371
 Robinson, G. K., 95, 99, 109, 110, 371
 Roeder, K., 270, 362
 Roland, J., 185, 371
 Ronchetti, E. M., 321, 366
 Rorres, C., 335, 361
 Rosenberg, P. S., 185, 364
 Rosenbluth, A. W., 288, 369
 Rosenbluth, M. N., 288, 369
 Rousseeuw, P. J., 55, 321, 366, 371
 Rubin, D. B., 204, 206, 272, 292, 322, 363, 365, 369
 Rubinstein, R. Y., 207, 371
 Ruppert, D., 10, 46, 51, 54, 86, 106–8, 110, 131, 141, 147, 154, 168, 185, 199, 200, 202, 227, 229, 237, 262, 263, 267, 269–71, 273, 275, 293, 302, 304, 307, 308, 314, 318, 322, 323, 361–3, 367, 370, 371, 374
 Ryan, L. M., 165, 167, 227, 238, 273, 308, 319, 362, 368, 370, 372, 374
 Ryan, T. P., 55, 371
 Sacks, J., 144, 368
 Sahu, S. K., 192, 365
 Sall, J., 101, 374
 Saltzman, N., 255, 370
 Samet, J. M., 274, 364
 Schafer, J. L., 322, 371
 Schall, R., 204, 371
 Schapiro, R., 324, 371
 Schuster, E. F., 136, 371
 Schwartz, J. D., 185, 190, 191, 227, 273, 319, 362, 363, 371, 374
 Scott, D. W., 86, 366
 Searle, S. R., 91, 95, 97, 101–3, 110, 213, 231, 259, 335, 352, 369, 372
 Seber, G. A. F., 55, 372
 Seifert, B., 86, 372
 Seilkop, S. K., 3, 372
 Self, S. G., 106, 107, 147, 372
 Shawe-Taylor, J., 324, 363
 Sheather, S. J., 121, 131, 321, 367, 372
 Shen, X., 89, 322, 372, 374
 Shively, T. S., 185, 221, 372
 Shun, Z., 204, 372
 Sigrist, M., 46, 372
 Silvapulle, M. J., 106, 372
 Silverman, B. W., 64, 72, 73, 87, 89, 213, 250, 251, 260, 323, 365, 370–2
 Simioni, M., 324, 363
 Simonoff, J. S., 15, 89, 120, 184, 222, 362, 367, 372
 Sinha, B. K., 104, 368
 Smith, A. F. M., 65, 363
 Smith, H., 15, 66, 99, 364
 Smith, M., 5, 64, 131, 185, 321, 372
 Smith, M. A., 5, 362
 Smith, P. L., 64, 131, 372
 Sowers, M., 193, 374
 Spall, J. C., 109, 372
 Speckman, P., 169, 185, 363, 372
 Spengler, J. D., 190, 370
 Spiegelhalter, D. J., 184, 365
 Stahel, W. A., 321, 366
 Stark, P. C., 165, 167, 227, 362, 372
 Staudenmayer, J., 269, 270, 274, 275, 321, 365, 367

Author Index

379

- Staudte, R. G., 321, 372
 Steele, B. M., 204, 207, 372
 Stefanski, L. A., 275, 362
 Steffey, D., 297, 298, 368
 Stegun, I., 246, 361
 Stein, M. L., 244, 246, 247, 260, 372
 Stern, H. S., 292, 365
 Stone, C. J., 64, 89, 131, 322, 366, 372
 Stram, D. O., 106, 372
 Strang, G., 335, 372
 Stuetzle, W., 171, 185, 365
 Sugar, C. A., 186, 367

 Tanner, M. A., 207, 272, 292, 373, 374
 Tantiyaswasdikul, C., 324, 373
 Tapia, R. A., 89, 373
 Tarter, M. E., 89, 373
 Tawn, J. A., 205, 259, 364
 Taylor, J. M. G., 321, 368
 Teller, A. H., 288, 369
 Teller, E., 288, 369
 Therneau, T. M., 323, 373
 Thomas, W., 324, 373
 Thomas-Agnan, C., 324, 363
 Thompson, J. R., 89, 373
 Thompson, R., 110, 370
 Tibshirani, R. J., 36, 136, 140, 144, 148, 183,
 185, 186, 220, 222, 235, 237, 322,
 324, 362, 366, 367, 373
 Tierney, L., 207, 278, 373
 Tjøstheim, D., 185, 373
 Tobias, R., 101, 374
 Trognon, A., 205, 365
 Truong, Y. K., 64, 89, 131, 273, 321, 322,
 365, 366, 372
 Tsai, C., 120, 184, 367, 372
 Tsutakawa, R. K., 272, 363
 Tsybakov, A., 87, 89, 136, 366, 373
 Turlach, B. A., 121, 324, 369, 370
 Turtorro, A., 3, 366
 Tutz, G., 213, 237, 364, 368

 Ullah, A., 89, 117, 370, 373

 van Dyk, D. A., 271, 373
 Van Loan, C. F., 350, 351, 365
 Vapnik, V. N., 324, 373
 Verbeke, G., 91, 104, 106, 107, 110, 373
 Verbyla, A. P., 193, 373
 Vidakovic, B., 89, 369, 373
 Vining, G. G., 213, 369
 Vogelsang, T., 106–8, 363
 Vonesh, E. F., 91, 110, 373

 Wahba, G., 72, 89, 117, 131, 141, 159, 220,
 237, 260, 363, 368, 373, 374
 Wakefield, J. C., 325, 364, 373
 Waller, L., 325, 373
 Wallis, J. R., 246, 366
 Walter, G. G., 89, 374
 Wand, M. P., 46, 65, 84, 86, 89, 110, 176,
 179, 190, 191, 222, 227, 229, 251,
 258, 259, 262, 269, 270, 273–5, 293,
 304, 308, 319, 321, 323, 324, 330,
 354, 361–3, 365, 367, 369–71, 374
 Wang, N., 275, 374
 Wang, Y., 193, 374
 Ware, J. H., 91, 186, 192, 206, 364, 368
 Wasserman, L., 270, 362
 Wasserman, W., 15, 370
 Watson, G. S., 85, 374
 Watts, D. G., 55, 361
 Webster, R., 243, 374
 Wei, G. C. G., 207, 272, 374
 Weisberg, S., 15, 55, 323, 363, 374
 Weiss, A., 169, 364
 Welham, S. J., 193, 373
 Welsch, R. E., 55, 309, 361
 Welsh, A. H., 237, 321, 323, 362, 374
 Wilcox, R. R., 321, 374
 Wild, C. J., 55, 372
 Wild, P., 288, 365
 Williams, E. J., 46, 374
 Wolfinger, R. D., 101, 204, 206, 233, 247,
 370, 374
 Wong, C., 185, 372
 Wood, S. N., 176, 185, 221, 372, 374
 Woodroffe, M. B., 324, 373
 Wu, C. O., 193, 371

 Xiang, D., 220, 374

 Yang, M.-L., 204, 371
 Ye, J., 322, 372
 Ylvisaker, D., 144, 368
 Yosef, M., 204, 371
 Young, S. G., 162, 169, 374
 Yu, K., 321, 374
 Yu, Y., 10, 154, 318, 322, 323, 367, 374

 Zanolotti, A., 273, 319, 374
 Zeger, S. L., 91, 152, 190, 205, 274, 364,
 368, 374
 Zervos, D., 10, 365
 Zhang, D., 159, 185, 193, 222, 368, 374
 Zhou, S., 322, 374
 Zucchini, W., 44, 368

Notation Index

- | | |
|----------------------------------|----------------------------------|
| \odot , 327 | $\hat{\lambda}_{C_p}$, 119, 132 |
| AIC(λ), 120 | $\hat{\lambda}_{GCV}$, 131 |
| AIC _C , 120 | logit, 197 |
| ASE, 128 | MISE{ \hat{f} }, 77 |
| C_p , 45 | MSE{ $\hat{f}(x)$ }, 77 |
| $C_p(\lambda)$, 119 | MSSE($\hat{\mathbf{f}}$), 77 |
| CV(λ), 115 | $\mu(\cdot)$, 198 |
| χ_0^2 , 106 | p_{larger} , 35 |
| df_{fit} , 81 | p_{smaller} , 35 |
| df_{res} , 82 | PRESS, 45 |
| D_i , 26 | R^2 , 36 |
| \mathbf{e} , 22 | $\hat{\rho}(k)$, 27 |
| $e_{(i)}$, 45 | RMSE, 122 |
| ExtraSS, 35 | RSS, 34, 114 |
| \hat{f}_{-i} , 115 | RSS _{larger} , 35 |
| $\hat{f}(x; \lambda)$, 114 | RSS _{smaller} , 35 |
| \mathbf{H} , 21 | RSS(λ), 115 |
| H , the logistic function, 195 | RSS(p), 45 |
| H_{ii} , 23 | \mathbf{S}_λ , 76 |
| \mathcal{L} , 198 | $\hat{\mathbf{y}}$, 76 |
| $\ell_R(\mathbf{V})$, 113 | $\hat{\mathbf{Y}}$, 25 |
| | $\hat{\mathbf{Y}}_{(i)}$, 25 |

Example Index

- age and income in Canada, 117, 151, 152, 221, 222, 284–7
- AIDS among Italian men, 239, 240, 255
- biomonitoring of mercury, 314
- bronchopulmonary dysplasia, 194–7, 201, 202, 210, 211
- Cape Cod cancer study, 1, 170, 176, 179–83, 259, 308
- carcinogenicity study, 3, 308
- electricity usage, 15, 27, 29, 52, 53
- fossil data, 68, 129, 133, 134, 137, 141, 143, 156, 157
- Janka wood hardness, 46, 145, 147, 148
- LIDAR data, 46–8, 54, 57, 62–4, 66, 67, 80–3, 87, 88, 112, 114, 115, 117, 118, 124–6, 154, 156, 254, 261–6, 282–5, 304, 340
- Milan air pollution study, 11–14, 177, 178, 273, 274, 319
- NO_x in engine exhaust (ethanol data), 234–6
- onion yields, 162–5, 168, 224, 226
- pig weights, 92, 94, 97, 103, 186
- ragweed pollen, 165, 166, 227–9, 232–4
- respiratory health of Utah school children and air pollution, 190, 191
- retirement fund, 5, 313, 314
- salinity study in Pamlico Sound, NC, 4, 26, 308–13
- SBMD, spinal bone mineral density, 186–91
- scallop catches, 239, 242
- term structure of interest, 7–12, 48, 49, 315–19
- U.S. temperature data, 37–43, 171–3
- union and wages data, 214, 217, 218, 290, 291, 357

Subject Index

- adaptive rejective sampling, 288
- additive fits
 - displaying, 37
 - vertical alignment, 38
- additive model, 164, 165, 171, 223, 226, 259, 353
 - nonparametric, 171
 - parametric, 36, 171
- AI (artificial intelligence), 324
- AIC, 120
 - corrected, 120, 184
 - for GAMs, 220
- Akaike's information criterion: *see* AIC
- anisotropic, 248
- ASE (average squared error), 128
- autocorrelation, 26–8, 190
 - function, 26
 - sample, 26
 - plot, 27
- autoregressive process, 191
- B -spline, 70–2, 74, 87
- backfitting algorithm, 185
- basis, 58, 59, 61, 62, 64, 66–75, 78–80, 86, 87, 89, 90, 240–2, 248, 250, 332
 - Demmler–Reinsch, 86, 336, 338, 350
 - quadratic spline, 67, 68
 - radial, 72–4
 - truncated power, 69, 70, 72, 74, 249
- basis functions, choosing, 123
- Bayes models, hierarchical, 280
- Bayes theorem, 334
- Bayesian estimation, 109
- Bayesian methods, 204, 207, 208, 276–82, 284, 285, 287–91
- Bessel function, 246
- best linear prediction (or predictor): *see* BLP
- best linear unbiased estimator: *see* BLUE
- best linear unbiased prediction (or predictor): *see* BLUP
- bias–variance trade-off, 78, 122
- binary data, 194
- binary offset, 18
 - semiparametric model, 162, 163
- binary regression: *see* logistic regression
- bivariate smoother, default, 256
- bivariate smoothing, 238, 240, 250, 252, 255, 256
 - generalized, 259
- BLP, 96, 99, 243
- BLUE, 99
- BLUP, 99, 100, 102, 103, 108, 109, 113, 138, 208, 251, 259
 - precision of, 103
- Bochner's theorem, 244
- boosting, 324
- broken stick model, 59, 60
- C_p , 45, 118, 120, 121
- canonical link, 197
- characteristic function, 244, 246
- chi-square mixture, 106
- Cholesky decomposition, 329, 337, 339
- coefficient of variation, 197
- conditional distribution, 334
- conditional expectation, 334
- confidence band
 - plot, 29, 32
 - simultaneous, 142, 143
 - misinterpretation to avoid, 144
 - by simulation, 144, 147
 - by upcrossing theory, 144
- confidence interval, 135–7, 293, 348
 - Bayesian, 141, 293, 296, 304
- continuously compounded interest, 9
- Cook's distance, 24–6, 310, 311
- correct PQL: *see* CPQL
- correlation function, 245
- coupon bond, 8
- coupon payment, 8
- covariance function, 244–7, 252
 - generalized, 251
 - Matérn, 246
- covariance matrix, 333, 335
 - conditional, 334
- covariance matrix parameter: *see* variance component
- CPQL, 204, 206

Subject Index

383

- credible intervals, 278
 cross-sectional data, 91, 152
 cross-validation: *see* CV
 CV, 45, 114, 115, 117, 119, 121
 computation of, 116
- data mining, 324
 degree of spline, choosing, 124
 degrees of freedom, 42, 43, 174, 201, 202, 212, 256
 for component of additive model, 175, 176
 for residuals, 82
 degrees of freedom of the fit: *see* smoother, degrees of freedom of
 deleted residual: *see* residual, deleted
 Demmler–Reinsch basis: *see* basis, Demmler–Reinsch
 density estimation, 221
 derivative plot, 41
 derivative vector, 330
 diagnostics
 autocorrelation, 26
 constant variance, 52
 influence, 24, 28
 regression, 20, 28, 323
 diagonalization, 327
 dimension, of a vector space, 333
 dummy variable: *see* indicator variable
- E-step, 207
 EBBS, 154, 318
 EBLUP, 101–3, 110, 138, 251
 effective number of parameters, 83, 94
 eigenvalues, 78–80, 326
 eigenvectors, 78–80, 326
 elementwise function notation, 327
 EM algorithm, 204, 206–8, 270–2
 empirical Bayes, 102, 282, 296
 estimated BLUP: *see* EBLUP
 expectation vector, 333
 exponential family, 197
 dispersion parameter, 197, 198
 natural parameter, 197
 extra sum of squares, 34, 35
- F*-statistic, 36
F-test, 147–50, 182, 220
 FDA (functional data analysis), 323
 first derivative estimation, choosing the smoothing parameter, 154–6
 Fisher’s method of scoring, 200, 201, 205, 206, 210, 211
 fitted values, 20, 24, 43
 fixed effect, 103
- fixed effects, estimation of, 98
 forward rate, 9, 10, 315, 317
 full-search algorithm, 127–31, 295, 299–302
 FUNFITS software, 255
- GAM, 214, 215
 GAMM, 217
 gamma model, 194
 gamma regression, 197–9, 264
`gam()`, generalized additive model function in *S-PLUS*, 182
 GCV, 116, 117, 119–22, 309, 316, 340, 347
 for GAMs, 220
 relationship with C_p , 119–20
 general linear model, 19
 generalized additive mixed model: *see* GAMM
 generalized additive model: *see* GAM
 generalized cross-validation: *see* GCV
 generalized least squares: *see* GLS
 generalized linear mixed model: *see* GLMM
 generalized linear model: *see* GLIM
 generalized maximum likelihood: *see* REML
 geoadditive model, 258, 354
 geostatistics, 74, 238, 239, 247
 Gibbs sampling, 184, 271, 272
 GLIM, 194–204, 206, 210–12, 266, 288–91
 gamma, 199
 Gaussian, 199
 GLMM, 194, 203–8, 212, 213, 262, 264, 268–71, 288–91
 to correct for nonconstant variance, 262
 GLS, 99
- harvesting effect, 13
 hat matrix, 21, 42, 76, 201, 202, 212
 componentwise, 43
 diagonals, 24, 25, 28
 Hessian matrix, 330
 heteroscedasticity, 118, 199–201, 261–6
 homoscedasticity, 262
 hypothesis testing
 for additive models, 181
 for GAMs, 220
 in mixed models, 104
- importance sampling, 207
 improper prior, 109
 indicator variable, 18
 inference about curves using the first derivative, 151–3, 173, 174, 180, 181
 influence, 5
 interaction, 164, 165, 224, 226–35, 259
 inverse link, 198, 212
 isotropy, 243, 244, 247, 248

- iteratively reweighted least squares, 200–2, 211
- Kalman filter, 109
- kernel
 function, 84
 weights, 85
- kernel density estimation, 131
- knot selection, 255, 257
- knots, 61
 boundary, 71
 choosing, 123, 125, 127
 automatic, 127–9
 interior, 71
- kriging, 74, 239, 242, 243, 247, 248, 252
- Lagrange multiplier, 65
- Laplace's approximation, 207
- large-sample theory, 106
- latent variables, 268–72
- least squares, 16
 estimator, 17, 30, 34
 nonlinear, 49
- leverage, 5, 6, 309
see also hat matrix, diagonals
- likelihood, 335
- linear dependence, 332
- linear mixed model: *see* LMM
- linearly dependent vectors, 332
- linearly independent vectors, 30, 332
- link, 197
- link function, 198
- `lme()`, linear mixed model function in *S-PLUS*, 101, 354
- LMM, 98, 163, 279–82, 284, 285, 287
- LOESS, 86
- log odds, 196
- logistic regression, 194–8, 201, 203, 210, 211, 290, 291, 357
- logit, 197
- longitudinal data, 27, 91, 152
- lower triangular matrix, 329
- LRT, likelihood ratio test, 105, 106, 182
- `lsqnonlin` in *MATLAB*, 49
- M-step, 207
- machine learning, 324
- Mallows's C_p : *see* C_p
- marginal maximum likelihood: *see* REML
- Markov chain Monte Carlo: *see* MCMC
- MASE, 128
- Matern family, 246
- MATLAB*, 49, 340, 357
- matrix square root, 251, 329
- maturity, 8–11
- maximum likelihood estimator: *see* MLE
- maximum separation principle, 255
- MCMC, 102, 184, 204, 207, 277–82, 284, 285, 287–91, 357
- mean average squared deviation: *see* MASE
- mean response, inference, 32
- measurement error, 268–72
- Metropolis–Hastings algorithm, 207, 289–91
- minimalist statistics, 320
- minimum norm quadratic unbiased estimation: *see* MINQUE
- minimum variance quadratic unbiased estimation: *see* MIVQUE
- MINQUE, 100
- MISE (mean integrated squared error), 77
- missing data, 322
- MIVQUE, 100
- mixed model, 91, 93, 113, 114, 225, 251
 fixed component, 93, 191
 random component, 93, 191
- mixed model representation of a penalized spline: *see* penalized splines, as BLUPs
- MLE, 99–102, 105, 113–15, 121, 335
- model selection, 44
 additive models, 183, 184
 all-subsets algorithms, 184
 for GAMs, 221
 by MCMC, 184
 stepwise algorithms, 184
- modeling assumptions
 homoscedasticity, 20
 normality, 20
- Monte Carlo EM, 207
- MSSE (mean summed squared error), 77, 118, 119
- myopic algorithm, 127–31, 295, 299–302
- Nadaraya–Watson estimator, 85
- natural basis, 332
- negative binomial distribution, 198
- Newton–Raphson method, 200, 201, 205, 206, 210, 211
- `nlme` module in *S-PLUS*, 354
- `nls()` in *S-PLUS*, 49
- nonlinear least squares: *see* least squares, nonlinear
- nonlinear regression: *see* regression, nonlinear
- nonparametric regression: *see* regression, nonparametric
- normal distribution, multivariate, 334
- nugget, 247
- odds, 2, 196
- odds ratio, 2
- OLS: *see* ordinary least squares

Subject Index

385

- ordered regimens, 184
- ordinary least squares, 20, 26
 - standard deviation of estimator, 30
 - unbiasedness of, 30
- Ornstein–Uhlenbeck process, 193
- orthogonality, 338
- outliers, 308, 313, 317, 321
- overdispersion, 198, 199

- p*-values, calculation by simulation, 107, 168
- par value, 8, 9
- parametric model
 - testing adequacy, 145
 - REML-based test, 146, 147
 - using *F*-tests, 147–9
- partial quasilikelihood: *see* PQL
- partial residual: *see* residual, partial
- pattern recognition, 324
- penalized likelihood, 205
- penalized maximum likelihood, 219
- penalized splines
 - as BLUPs, 108
 - preferred method of scatterplot smoothing, 161, 162
 - inference for, 137
 - mixed model representation to account for bias, 138, 139
 - see also* spline, penalized
- penalty
 - with change of basis, 70, 76
 - global, 155
 - nonquadratic, 321
 - spatially adaptive, 155, 294, 295
- Poisson regression, 197–9, 203, 266
- polynomial regression: *see* regression, polynomial
- positive definite, 328
- positive definitization, 251
- positive part, 59
- positive semidefinite, 328
- posterior mode, 109
- PQL, 56, 204–6, 208, 212, 213, 216
- prediction, 95
 - best, 95, 97, 243, 320
 - best linear, 96
 - interval, 135, 137
 - of new observations, 32
- predictor variable, 16, 17, 19, 20, 24, 28, 30, 32, 35–9, 46, 48, 51
- PRESS, predicted residual error sum of squares, 45
- principal square root, of a matrix, 329
- probit regression, 194–6, 290, 291
- PROC MIXED in SAS, 101
- PROC NLIN in SAS, 49

- profile log-likelihood, 101
- pseudolikelihood, 201
 - see also* iteratively reweighted least squares

- QR decomposition, 329, 350
- quadratic form, 334
- quantile regression, 321
- quasilikelihood, 266

- R software, 354
- R^2 , 36, 182
- radial basis functions, 236, 242, 248, 254, 314
- radial smoother, 248, 252, 253
 - higher-dimensional, 253
- radial symmetry, 250
- random effect, 93
- random effects, prediction of, 99
- random intercept, 92
- range parameter, 245
- rank, of a matrix, 327
- ranking and selection, 98
- regression
 - nonlinear, 48
 - nonparametric, 58
 - polynomial, 46
 - quadratic, 60
 - ridge, 66, 100
- regression coefficients, inference, 30
- REML, 100–2, 113, 115, 121, 122, 131, 247, 320
 - sensitivity to number of knots, 177
- REML test, 107, 108
- residual, deleted, 45
- residual sum of squares, 34, 44, 114, 115, 119
- residuals, 20–2, 28
 - nonlinear regression, 49
 - partial, 40, 173
 - plot, 21, 22
 - studentized, 23
- response, 16, 20, 21
- response surface, 38
- restricted log-likelihood, 101
- restricted (or residual) maximum likelihood: *see* REML
- ridge regression: *see* regression, ridge
- RMSE, 122
- robustness, 321
- rotation invariance, 242
- roughness penalty, 66
- RSS, expectation of, 83
- rug plot, 38

- sandwich formula, 219
- SAS
 - PROC MIXED, 356
 - software package, 49, 101, 354

- scatterplot, 57, 62, 89
 smoothing, 57, 58, 76, 80, 81, 84, 85, 87, 89
 score equations, 210
 semiparametric mixed model, 186
 semiparametric model
 binary offset: *see* binary offset,
 semiparametric model
 general parametric component, 164, 167
 hypothesis testing, 168
 inference for, 167
 semivariogram, 247
 serially correlated errors, 190
 simple linear regression, 17, 18, 21
 single index, 323
 SiZer, 156, 158
 skewed data, 194
 smoother
 advice on choosing, 87
 degrees of freedom of, 80, 81, 174
 error of, 76
 full-rank, 80, 87
 linear, 28, 76
 local constant, 85
 local linear, 84, 85, 87
 local polynomial, 84, 235, 307, 314
 low-rank, 80, 87, 252, 253, 257
 matrix, 76, 140
 rank of, 78, 80
 series-based, 86, 87
 smoothing
 constrained, 324
 geographical count data, 325
 highly adaptive, 322
 software, 353
 smoothing parameter, 66
 selection, 112–20
 for additive model, 176
 smoothing spline: *see* spline, smoothing
 space-filling designs, 255, 257
 span, of a set of vectors, 332
 spatial process, 247
 special functions, 246
 spectral density function, 244
 spline, 62
 cubic smoothing, 71, 250
 natural cubic, 71, 72
 penalized, 28, 65, 66, 88, 91, 113
 smoothing, 28, 88
 spline models, modularity of, 226
 S-PLUS, 49, 101, 339, 341, 353, 354
 SemiPar module, 354
 standard errors, 31, 201, 202, 208, 211
 stationarity, 243, 244
 statistical learning, 324
 stepwise algorithm, 184
 subject-specific curves, 191, 192
 supremum, 143
 survival analysis, 323
 SVD (singular value decomposition), 257,
 329, 339

t-statistic, 31
 tensor products, 236, 240, 314
 term structure, 8
 testing
 for existence of feature, 156
 for no effect, 149
 using *F*-tests, 150
 thin plate spline, 250, 254, 257, 260
 trace, of a matrix, 33, 326
 transformations, 51, 57, 199, 263
 Box–Cox, 52
 power, 51
 variance-stabilizing, 53
 triangular matrix, 328
 truncated line, 59

 UMVUE, 99
 uniform prior, 109
 uniformly minimum variance unbiased
 estimator: *see* UMVUE
 upper triangular matrix, 328

 variability bands, 39–41, 133–5, 172, 340
 variance component, 91, 93, 102, 103, 113
 variance estimation, 33, 119
 effect of bias in curve estimate, 119
 variance functions, 199–201, 261–6
 variogram, 247
 varying coefficient model, 234–6
 vector space, 331
 vectors, linear independence of, 80

 wavelets, 87
 whip model, 61
 Wilcoxon test, 122
 WinBugs software package, 357

 X-matrix, 58

 zero-coupon bond, 8, 315