

Index

Numbers in italics refer to *tables* and *figures*.

- ABCC6* gene 19, 138
- ABCD1* gene 262, 263
- acropustulosis of infancy 120
- activin receptor-like kinase (ALK1)* gene 39, 159
- ADAMTS2 (procollagen 1 N-proteinase)* gene 18
- Addison disease 259–60
- adenoma sebaceum 60, 61
- adrenoleukodystrophy
 - neonatal 258
 - X-linked *see* X-linked adrenoleukodystrophy (X-ALD)
- adrenomyeloneuropathy (AMN) 258, 259, 263
- albinism
 - in Chediak–Higashi syndrome 296
 - genetics summarized 17
 - ocular 17–18
 - oculo-cutaneous 16, 17
- albinism-deafness syndrome (ADFN) 18
- ALDH10* gene 273
- ALDP 262
- ALK1 (activin receptor-like kinase)* gene 39, 159
- alkyldihydroxyacetonephosphate synthase (alkyl-DHAP synthase; alkylglyceronephosphate synthase; AGPS) 15, 270, 271
- alleles 6
- Alliance of Genetic Support Groups 25
- allopurinol 195
- 5-aminolevulinic acid 85
- Amish hair-brain syndrome 33, 39
- amyloidosis 321
- Anderson–Fabry disease *see* Fabry disease
- aneurysms, in Ehlers–Danlos syndrome 144–5
- angiofibromas, facial 60, 61
- angioid streaks 139, 140, 141
- angiokeratoma corporis diffusum *see* Fabry disease
- angiokeratomas, in fucosidosis 214, 215
- Apert's syndrome 99
- apocrine nevi 89, 91, 97
- argininosuccinic acid lyase (ASAL) 12
- argininosuccinicaciduria 12–13
- arterial dissections, in Ehlers–Danlos syndrome 146–7
- arteriovenous malformations (AVMs)
 - brain 32, 36
 - hereditary hemorrhagic telangiectasia
 - association of pulmonary and cerebral 163–4
 - cerebral 161, 162–3
 - and migraine 163
 - pulmonary 160–1, 162
 - screening for 164
 - spinal 163
 - hereditary neurocutaneous angiomas (cerebral) 166, 167, 169, 170, 171
- arylsulfatase E 271
- aspirin 183–4
- ataxia with ocular apraxia (AOA) 114
- ataxia–telangiectasia (AT) 36, 112–16
 - clinical features
 - cancer risk 113–14
 - cutaneous and scleral 2, 112
 - mental capacity 113
 - neurological 4, 112–13
 - ophthalmological 3, 114
 - sinopulmonary infections 113
 - tumors 3, 113
- differential diagnosis 114
- genetics 5, 11, 115
- laboratory diagnosis 114–15
- management 115
- pathology 114
- ATFresno 113
- ATM* gene 11, 36, 115
- ATM* protein 11, 114, 115
- ATOX1 229
- ATP7A* gene 15, 230–1
- ATP7A* protein 15, 229
- ATP7B* protein 229
- auditory brain-stem responses (ABR) 56
- autosomal dominant/recessive disorders *see genetics of neurocutaneous disorders*

- autosomes 6–7
- AVMs *see* arteriovenous malformations (AVMs)
- Bannayan–Riley–Ruvalcaba syndrome *see* Bannayan–Zonana syndrome (BZS)
- Bannayan–Zonana syndrome (BZS) 10, 36, 133, 134
- basal cell carcinomas 77, 78, 79, 84–5
- basal cell nevus syndrome *see* nevoid basal cell carcinoma syndrome (NBCCS)
- basaloid follicular hamartomata 79, 84
- Bazex syndrome 84
- Bean syndrome *see* blue rubber bleb nevus syndrome (BRBNS)
- Becker's nevi 91, 94
- behavioral problems
 - Lesch–Nyhan syndrome 188–9, 195, 196
 - Sturge–Weber syndrome 180
 - tuberous sclerosis complex 63
- beige mouse 298
- betaine therapy 211
- betaine-homocysteine methyltransferase 206, 207
- bile acid synthesis
 - cerebrotendinous xanthomatosis patients 251, 252–3
 - normal 251, 252
- bile alcohols, in cerebrotendinous xanthomatosis 252, 253, 255
- biotin
 - metabolism 200, 201
 - structure and function 200
 - supplementation in multiple carboxylase deficiency 204
- biotinidase 200, 201
- biotinidase deficiency (late onset MCD)
 - clinical features 2, 3, 202, 203
 - diagnosis 203
 - genetics 5, 203–4
 - pathology 203
 - radiographic findings 203
 - treatment 204
 - see also* holocarboxylase synthetase deficiency (early onset MCD)
- birth defects, categories summarized 28
- Blaschko's lines 89, 91, 98, 117, 128
- blue rubber bleb nevus syndrome (BRBNS) 154–8, 170
 - clinical features
 - cerebrovascular 5
 - gastrointestinal 4, 154, 156–7
 - neurological complications 154, 157
 - venous malformations 2, 154, 155, 156, 157
 - tumors 3, 154
 - genetics 5, 11, 157
 - history 154
 - pathology 157
 - treatment 157–8
- bone marrow transplantation
 - Chediak–Higashi syndrome 299
 - Lesch–Nyhan syndrome 196
 - X-linked adrenoleukodystrophy 263
- Bonnet–Deschaume–Blanc syndrome 170
- brachymorphism–onychodysplasia–dysphalangism (BOD) syndrome 316
- C-cell hyperplasia 105, 108
- café-au-lait macules 43, 44, 51
- calcipotriol 101
- calcitonin 105
- calcitonin stimulation tests 106
- calcium intake in pseudoxanthoma elasticum 142
- cancer predisposition in neurocutaneous disorders 35–6
 - see also specific disorders*
- cape nevi 71, 72
- cardiac diseases associated with neurocutaneous disorders 4
 - see also specific disorders*
- carotid-cavernous fistulae 145–6
- carpal tunnel syndrome 323, 325
- cataracts, in cerebrotendinous xanthomatosis 248, 249
- cation pumps 229
- CBS *see* cystathione β -synthase (CBS)
- CCS 229
- cerebello-trigemino-dermal (CTD) dysplasia 32, 36, 306–12
 - cases reported 306
 - clinical features 2, 3, 4, 306–10
 - genetics 5, 311
 - management 311
 - pathology 310
 - prognosis 311
 - radiographic findings 307, 308, 310
- cerebral cavernous malformations 32, 37
- cerebrotendinous xanthomatosis (CTX) 248–57
 - bile acid synthesis 251, 252–3
 - clinical features 3, 4, 5, 248–9
 - diagnosis 253
 - genetics 5, 13, 254
 - genotype–phenotype correlations 254–5
 - investigations 251
 - management 255–6
 - pathology 253–4
 - radiographic findings 249–51
 - sterol 27-hydroxylase knockout mice 255
 - therapy 255, 256
- cerebrovascular lesions with neurocutaneous disorders 5
 - see also specific disorders*
- ceruloplasmin 229, 230
- CGI-58 gene 19
- chaperones, copper 229
- Charcot joint 280
- Chediak–Higashi syndrome (CHS) 296–300
 - clinical features
 - accelerated phase 298
 - coagulation defects 298
 - cutaneous and ocular 2, 3, 296
 - immunodeficiency 297
 - neurological 4, 297–8
 - recurrent infections 296
 - diagnosis 296
 - prenatal 298–9
 - genetics 5, 14, 298
 - management 299
 - pathology 298
 - prognosis 299
- Chediak–Higashi-like syndrome (CHLS) 14
- chenodeoxycholic acid (CDCA) 248, 253, 255, 256

- CHILD (congenital hemidysplasia with ichthyosiform nevus and limb defects) syndrome 90–1, 94, 98, 99
- cholestanol 248, 252, 253, 255
- chondrodysplasia punctata syndromes 99, 268, 271
- chromosomal disorders 25, 26
- CHS1* gene 14, 298
- cleft palate 29
- clinical recognition of neurocutaneous disorders
 - disorders summarized 32–3
 - general characteristics 31, 33–4
 - important findings
 - cancer predisposition 35–6
 - intracranial 34
 - macrocephaly 34
 - microcephaly 34
 - neurological 34
 - skin 31, 34–5
 - others 35
 - see also* congenital anomalies; genetic disorders; specific disorders
- club foot 29, 30
- COACH syndrome 32
- cobalamin (vitamin B12) 206
- Cobb syndrome 170, 174
- Cockayne syndrome (CS)
 - clinical features 2, 3, 4, 235, 238–40, 241, 243
 - complementation groups 235
 - genetics 5, 15, 242, 244, 245
 - history 236
 - neurological findings 241–2
 - neuropathology 242
 - radiographic findings 241
 - see also* DNA damage and repair
- codons 7
- Coffin–Lowry syndrome 315
- Coffin–Siris syndrome (CSS) 313–17
 - clinical features 2, 4, 313, 314, 315
 - cognitive development 316
 - differential diagnosis 315–16
 - genetics 315
 - pathology 313–14
 - radiographic findings 313, 315
- COL3A1* gene 147
- collagen cross-linking
 - in Menkes disease 226, 227
 - normal 225–6
- collagen gene mutations, Ehlers–Danlos syndromes 17, 18, 147
- computerized tomography (CT) scans
 - cerebral arteriovenous malformations 168, 169
 - cerebrotendinous xanthomatosis 249
- Coffin–Siris syndrome 313
- Cowden disease 133
- Dandy–Walker malformation 175
- encephalocranioscutaneous lipomatosis 303, 304
- epidermal nevus syndromes 96
- fucosidosis 216
- giant axonal neuropathy 292
- hypomelanosis of Ito 127
- lipoid proteinosis 320
- medullary thyroid carcinoma 107
- Menkes disease 225
- neurofibromatosis type 2, 52
- pheochromocytomas 107
- Sturge–Weber syndrome 181
- tuberous sclerosis complex (TSC) 64
- congenital anomalies
 - causes summarized 29
 - classification
 - categories summarized 28
 - isolated anomalies 29–30
 - multiple anomalies 30–1
 - sequences 28, 30
 - congenital hemidysplasia with ichthyosiform nevus and limb defects (CHILD) syndrome 90–1, 94, 98, 99
 - connective tissue pathology in Menkes disease 225–6
 - Conradi–Hunermann syndrome 99, 268, 271
 - copper
 - cellular transport 229
 - measurement of intracellular accumulation 231
 - normal metabolism 228–9
 - therapy 231–2
 - toxicity 228
 - see also* Menkes disease
 - Cornelia de Lange syndrome 315
 - counseling 25
 - Cowden disease (CD) 32, 37, 131–7
 - clinical features 3, 4, 131–2
 - dermatological 2, 131
 - neurological 133
 - systemic 133
 - genetics 5, 131, 133–4
 - history 131
 - management 135
 - neuropathology 135
 - radiographic findings 133
 - related disorders
 - Bannayan–Zonana syndrome 10, 36, 133, 134
 - juvenile polyposis syndrome 133
 - Lhermitte–Duclos disease 9, 132–3, 135
 - COX17 229
 - Crowe's sign 45
 - CS (Cockayne syndrome) genes 245
 - CTX *see* cerebrotendinous xanthomatosis (CTX)
 - cutaneomeningo spinal angiomyomatosis (Cobb syndrome) 170, 174
 - cutaneous hemangiomas–vascular anomaly complex, 2, 3, 5, 172–8
 - clinical features 173–5
 - course 175
 - genetics 5, 177
 - management 177
 - pathology 175
 - radiographic findings
 - cerebellar malformations 175
 - vascular abnormalities 175–7
 - cutaneous lichen amyloidosis 106
 - cutaneous neurofibromas 43, 45
 - CYP27* gene 13, 254, 255
 - see also* sterol 27 hydroxylase (CYP 27)
 - γ-cystathione 206, 207

- cystathione β -synthase (CBS) 13, 206, 207, 211
 - gene mutations 211
 - see also* homocystinuria due to CBS deficiency
- cytogenetic testing 26
- Dandy-Walker malformation 72–3, 175, 313
- deep nodular neurofibromas 45
- deformations 28, 29, 30
- 5-deoxyadenosylcobalamin (AdoCbl) deficiency 206–7
- De Sanctis–Cacchione (XP neurological) syndrome 238, 241, 242, 243, 245
- developmental field defects 28, 30
- developmental venous abnormalities (DVAs) 166, 168, 169, 170
- dihydroxyacetonephosphate acyltransferase (DHAPAT) 15, 270, 271
- 1,25-dihydroxycholecalciferol 101
- dipyridamole 212
- disruptions 28, 29, 30
- DNA damage and repair 234–6
- DOOR syndrome 316
- dopamine beta-hydroxylase deficiency 230, 231
- Dorfman–Chanarin syndrome 18–19
- DVAs *see* developmental venous abnormalities
- dysmorphology examinations 27–8
- dysplasias 28, 29, 30
- dysplastic gangliocytoma of the cerebellum (Lhermitte–Duclos disease) 9, 132–3, 135
- eccrine nevi 91, 97
- ECM1 (extracellular matrix protein 1)* gene 14, 321
- Ehlers–Danlos syndrome (EDS) subtypes 17, 18, 144, 147
- Ehlers–Danlos syndrome (EDS) type IV 144–9
 - clinical features 2, 4, 144, 145
 - aneurysms 5, 144–5
 - arterial dissections 146–7
 - carotid-cavernous fistulae 145–6
 - diagnosis 144
 - genetics 5, 147
 - prevalence 144
- Ehlers–Danlos syndrome type IX *see* occipital horn syndrome (OHS)
- elastic fibers
 - Menkes disease 227
 - normal connective tissue 225–6
- emboli, complicating pulmonary AVMs 162
- encephalocranioscutaneous lipomatosis (ECCL) 32, 37, 301–5
 - clinical features
 - cerebrovascular 5, 303–4
 - cultaneous 2, 302
 - ophthalmologic 3, 302
 - orthopedic 302
 - tumors 3, 302
 - diagnostic criteria 303
 - genetics 5, 19, 304–5
 - management 305
 - original descriptions 301
 - pathology 304
 - prognosis 305
 - radiographic findings 303–4
 - relationship with Proteus syndrome 19, 301–2
- encephalofacial angiomas *see* Sturge–Weber syndrome (SWS)
- ENG (endoglin)* gene 10, 39, 159
- ependymomas 53, 54
- epidermal nevus syndromes (ENS) 32, 37, 88–104
 - clinical features 89
 - cutaneous 2, 89–91
 - endocrine abnormalities 95
 - malignancy 3, 95–6
 - neurological 91–3
 - ocular 3, 93–4
 - skeletal 94–5
 - others 95
 - definition issues 88
 - genetics and mosaicism 5, 19–20, 97–8
 - histopathology 96–7
 - management 100–1
 - pathogenesis
 - cutaneous phenotypes 98–9
 - extracutaneous phenotypes 99–100
 - radiographic findings 96
 - subsets 88
 - epidermolytic hyperkeratosis 88, 98
 - epididymal cystadenomas 66–7
 - epistaxis, treatment of 159
 - ERCC3 (excision repair cross-complementary)* gene 244
 - erythrokeratoderma with ataxia 32, 37
 - erythropoietic protoporphyria 321
 - etretinate 84
 - eumelanin 16
 - excision repair cross-complementary (ERCC3)* gene 244
 - excitotoxicity 210–11
 - expressivity 8
 - extracellular matrix protein 1 (ECM1)* gene 14, 321
 - Fabry disease 286–90
 - clinical features 2, 3, 4, 5, 286, 287
 - diagnosis 288
 - genetics 5, 15–16, 288
 - neurological complications 286–8
 - pathology 288
 - treatment 288–9
 - facial palsy 51
 - familial dysautonomia 277–85
 - clinical features 3, 4, 277
 - cutaneous 280
 - gastrointestinal 277–8
 - neurological 281
 - ophthalmologic 278, 280
 - orthopedic 278, 280
 - renal 281
 - respiratory 278
 - vascular 280–1
 - summarized 279
 - diagnostic criteria 277, 278
 - genetics 5, 14, 283
 - management 283–4
 - pathology 282–3
 - prognosis 284
 - radiographic findings 281–2
 - familial medullary thyroid carcinoma (FMTC) 105, 106, 109
 - Fanconi anemia 32
 - fatty aldehyde dehydrogenase (FALDH) 273

- FBN1 (fibrillin-1)* gene 8
- Ferguson-Smith syndrome 83
- fetal akinesia (immobility) sequence 30
- fetal hydantoin syndrome 315
- fetal rhabdomyomas 81
- fibrillin-1 (FBN1)* gene 8
- fibroblast growth factor receptor 2 (FGFR2) 99
- fibrolipomatous hamartomas of nerve 323, 324
- 5-fluorouracil 84, 101
- folate supplementation 211
- follicular tumors 90
- founder effect 11
- freckles, skinfold (Crowe's sign) 45
- Friedrich's ataxia 114, 292
- Fryns syndrome 315–16
- FUCA1/2* genes 14
- fucose 218
- α-L-fucosidase 14, 218
- fucosidosis 214–21
 - biochemistry 218
 - clinical features 2, 3, 4, 214
 - type 1 (rapid progression) 214–15
 - type 2 (chronic) 215–16
 - differential diagnosis 219
 - genetics 5, 14, 218
 - management 219
 - pathology 216–18
 - pathophysiology 218–19
 - prognosis 219
 - radiographic findings 216
- fucosyl-gangliosides 218
- α-galactosidase A (GLA)
 - deficiency in Fabry disease 15–16, 288
 - replacement therapy 288–9
- GAN (giant axonal neuropathy 1)* gene 14, 294
- gastrointestinal abnormalities with neurocutaneous disorders 4
 - see also specific disorders*
- Gaucher disease 13, 16
- GBA (β-glucosidase)* gene 13
- gene mutations 7
 - see also specific genes*
- genetic disorders
 - approach to patients 24–5
 - counseling 25
 - dysmorphology examinations 27–8
 - importance in medicine 24
 - recognition of inheritance mechanisms 25, 26
 - see also congenital anomalies; specific disorders*
 - genetic testing 25–6
 - biochemical/metabolic 26
 - cytogenetics 26
 - DNA testing 27
 - genetics of neurocutaneous disorders 5, 6–23
 - background
 - expressivity 8
 - genetic heterogeneity 8
 - inheritance patterns 5, 6–7
 - mosaicism 8
 - mutation types 7
 - penetrance 7–8
- autosomal dominant disorders
 - characteristics 8
 - examples 9
 - genetically heterogeneous 10–11
 - single gene mutations 8–10
 - unidentified gene mutations 11
- autosomal recessive disorders
 - characteristics 11
 - examples 12
 - genetically heterogeneous 14–15
 - single gene mutations 11–14
- genetic heterogeneity and multiple inheritance types 16–19
- mosaicism, disorders due to 19–20
- pedigrees 25, 26
- X-linked disorders
 - characteristics 15
 - dominant, with genetic heterogeneity 16
 - examples 16
 - recessive single gene defects 15–16
 - see also specific disorders*
- genotypes 6
- giant axonal neuropathy (GAN) 291–5
 - clinical features 4, 291, 292
 - differential diagnosis 291–2
 - genetics 14, 294
 - pathology 292–4
 - prognosis 294
 - radiographic findings 292
 - treatment 294
 - giant lysosomes 297, 298
- gigaxonin 14
- GLA *see α-galactosidase A (GLA)*
- glaucoma, in Sturge–Weber syndrome 181, 184
- gliomas 44, 45–6, 54
- global genome repair (GGR) 236
- β-glucosidase (GBA) gene 13
- glutathione 229
- glyceryl trioleate/glyceryl trierucate mixture 263
- GNAS1* gene 19
- Gómez–López–Hernández syndrome *see cerebello-trigemino-dermal (CTD) dysplasia*
- Gorlin syndrome *see nevoid basal cell carcinoma syndrome (NBCCS)*
- gout 189, 190
- Griscelli (Chediak–Higashi-like) syndrome 14
- Gröblad–Strandberg syndrome *see pseudoxanthoma elasticum (PXE)*
- HAH1 229
- hair abnormalities 2
 - see also specific disorders*
- hamartin 11, 40, 64
- hedgehog signaling pathway 83–4
- hemangioblastomas 67, 68
- hemangiomas *see cutaneous hemangiomas–vascular anomaly complex*
- hereditary hemorrhagic telangiectasia (HHT) 33, 39, 159–65
 - clinical features
 - cerebrovascular 5, 160, 161, 162–3
 - cutaneous 2, 159–60
 - epistaxis 159
 - gastrointestinal bleeding 4, 161
 - hepatic 163

- hereditary hemorrhagic (*Cont.*)
 - ophthalmological 3, 159–60
 - pulmonary AVMs 160–1
 - diagnostic criteria 164
 - genetics 5, 10, 159
 - history 159
 - neurological complications
 - cerebral AVMs 161, 162–3
 - migraine 163
 - secondary to pulmonary AVMs 161, 162
 - spinal AVMs 163
 - resource for patients/practitioners 164
 - screening for AVMs 164
- hereditary hypo/hyperpigmented macules 32, 38
- hereditary neurocutaneous angiomas (HNA) 32, 38, 166–71
 - clinical features
 - cerebral 5, 166–7
 - cutaneous 2, 166, 167
 - spinal syndromes 167–8
 - differential diagnosis
 - neurocutaneous vascular hamartomas 170
 - phacomatoses 169
 - genetics 5, 11, 169
 - management 170
 - pathology
 - cutaneous lesions 168–9
 - intracranial lesions 169
 - prognosis 170–1
 - radiographic findings 168
- hereditary sensory and autonomic neuropathies (HSANs) 283
- heredopathia atactica polyneuritiformis *see*
 - Refsum disease
- hexacosanoic acid 262
- HHT *see* hereditary hemorrhagic telangiectasia (HHT)
- HHT1/HHT2 genes 159
- Hirschsprung disease (HSCR) 107
- HLCS (*holocarboxylase synthetase*) gene 13, 202
- β -HMG-CoA reductase inhibitors 255
- holocarboxylase synthetase 201
- holocarboxylase synthetase deficiency (early onset MCD)
 - clinical features 2, 3, 200–1
 - diagnosis 201–2
 - genetics 5, 13, 202
 - radiographic findings 201
 - treatment 204
 - see also* biotinidase deficiency (late onset MCD)
- holocarboxylase synthetase (HLCS) gene 13, 202
- holoprosencephaly spectrum 30
- homocysteine neurotoxicity 210
- homocysteinuria 13, 206–7
- homocystinuria due to CBS deficiency 206–13
 - clinical features
 - cardiac 4, 210
 - central nervous system 208
 - eye 3, 208
 - skeletal 208
 - skin and hair 2, 209
 - variability 209
 - vascular 5, 208–9
 - summarized 209
 - diagnosis 207
- genetics 5, 13, 211
- management 211–12
- pathology 210–11
- radiographic findings 209–10
- HPRT *see* hypoxanthine guanine phosphoribosyl transferase (HPRT)
- Huntington's disease 210
- Hutchinson–Gilford progeria syndrome *see* progeria
- 7 α -hydroxylase 251, 252, 253, 255
- 3 β -hydroxysteroid dehydrogenase 99
- 3 Δ -hydroxysteroid isomerase 99
- hyperparathyroidism 107, 110
- hyperuricemia 189–90
- hypomelanosis of Ito (HI) 2, 32, 37–8, 123–30
 - chromosome abnormalities 20, 128
 - clinical features
 - musculoskeletal 124, 125–6
 - neurological 124–5
 - ocular 3, 126
 - oral 124, 125
 - skin and hair 2, 123–4
 - tumors 3, 125
 - others 126
 - differential diagnosis 126
 - etiology and genetics 5, 123, 127–8
 - management 128–9
 - pathology 127
 - prevalence 123
 - prognosis 126
 - radiographic findings 127
- hypophosphatemic vitamin D-resistant rickets 95, 99–100, 101
- hypoxanthine guanine phosphoribosyl transferase (HPRT)
 - activity assessment in cultured fibroblasts 191
 - catalytic reactions 186, 187
 - deficiency variants
 - Lesch–Nyhan 190
 - neurological 191–2
 - partial 190–1
 - summarized 191
 - gene mutations in Lesch–Nyhan syndrome 16, 186, 194
- ichthyosiform erythroderma 269
- ichthyosis follicularis with atrichia and photophobia (IFAP) 18
- ichthyosis and male hypogonadism 32, 38
- ichthyotic neutral lipid storage disease (INLSD) 18–19
- IKBKA gene 14, 283
- ILVEN *see* inflammatory linear verrucous epidermal nevi (ILVEN)
- incontinentia pigmenti achromians *see* hypomelanosis of Ito (HI)
- incontinentia pigmenti (IP) 32, 38, 117–22
 - clinical features
 - hair 2,
 - neurological 120
 - ophthalmological 3, 118–20
 - skin 2, 117–18
 - others 118
 - summarized 118
 - differential diagnosis 120–1
 - genetics 5, 16, 121
 - management 121–2
 - pathology 120

- infantile onset MCD *see* biotinidase deficiency (late onset MCD)
- inflammatory linear verrucous epidermal nevi (ILVEN)
 - calcipotriol treatment 101
 - clinical features 89–90, 91, 94, 99
 - histopathology 97
- interferon treatment of hemangiomas 177
- intraleisional photocoagulation 177
- involucrin 97
- isotretinoin 84, 245
- isovaleric academia 201
- juvenile polyposis syndrome (JPS) 133
- Kassabach–Merritt syndrome 157
- keratin gene mutations 20, 98–9
- keratinization, copper-dependence of 230
- keratinocytic (verrucous) epidermal nevi 89, 92, 96, 101
- kinky hair syndrome *see* Menkes disease
- Klippel–Trenaunay–Weber syndrome 32, 38, 163, 179
- Krit1* gene 37
- lansoprazole 157
- laser treatment 101, 177, 184
- leptomeningeal melanosis 72
- Lesch–Nyhan syndrome 186–99
 - clinical features
 - aggression 188–9
 - early 187
 - megaloblastic anemia 190
 - mental retardation 187–8
 - resulting from hyperuricemia 189–90
 - self-injurious behavior 188, 189
 - spasticity 187
- defective enzyme 190
- diagnosis 190
- genetics 5, 16, 186, 194
- heterozygote detection 194–5
- management
 - allopurinol 195
 - behavior modification 195, 196
 - bone marrow transplantation 196
 - gene therapy 196
 - 5-hydroxytryptophan and carbidopa 195
- pathology 193–4
- prenatal diagnosis 195
- prognosis 196
- progress to date 186
- radiographic findings 192–3
- leukotriene B₄ 274
- leuprolide acetate 101
- Lhermitte–Duclos disease (LDD) 9, 132–3, 135
- linear and whorled hypermelanosis 118
- lines of Blaschko *see* Blaschko's lines
- linkage studies 27
- lipoid proteinosis 318–22
 - clinical features 2, 3, 318, 319, 320
 - differential diagnosis 321
 - genetics 5, 14, 321
 - management 321
- neurological complications 318–19
- pathology 319–21
- radiographic findings 319, 320
- Lisch nodules 44, 45
- livedo reticularis 209
- localized acquired cutaneous PXE 139
- Lorenzo's oil 263
- lymphangiomatosis (LAM) 62
- Iyonization 15
- lysyl hydroxylase 18
- lysyl oxidase (LOX) 225, 230
- McCune–Albright syndrome (MAS) 19, 96
- macrodactyly–nerve fibrolipoma 323–5
 - clinical features 3, 4, 323, 324
 - diagnosis 323, 324
 - genetics 5
 - management 324–5
 - pathogenesis 324
 - pathology 324
- magnetic resonance imaging (MRI)
 - arteriovenous malformations 162–3, 168
 - cerebello–trigemino–dermal dysplasia 307, 308, 310
 - cerebrotendinous xanthomatosis 249–51
 - Cowden disease 133, 134
 - epidermal nevus syndromes 96
 - fucosidosis 216
 - giant axonal neuropathy 292
 - hypomelanosis of Ito 127
 - lipoid proteinosis 320
 - medullary thyroid carcinoma 107
 - Menkes disease 225
 - neurocutaneous melanosis 74
 - neurofibromatosis type 2 53, 56–7
 - optic pathway gliomas 44, 46
 - pheochromocytomas 107
 - Sjögren–Larsson syndrome 273
 - Sturge–Weber syndrome 181, 182
 - tuberous sclerosis complex 64
 - X-linked adrenoleukodystrophy 261
- malformations 28, 29
- malignant melanomas 71, 73, 74
- malignant peripheral nerve sheath tumors (MPNSTs) 46, 54
- mandibuloacral dysplasia 150
- Marfan syndrome 8
- MCD *see* multiple carboxylase deficiency (MCD)
- medullary thyroid carcinoma (MTC) 105–6, 107, 108, 110
- medulloblastoma 80–1
- melanin synthesis 16
- melanocytes 74
- MEN-2 *see* multiple endocrine neoplasia type 2 (MEN-2)
- Mendelian inheritance 25
- menangiomas 51, 53, 54
- Menkes disease 222–33
 - carrier identification 231
 - clinical features
 - cerebrovascular 5, 227
 - classical disease 222–3, 224–5
 - intermediate phenotypes 224–5
 - occipital horn syndrome 223–4
 - cutaneous 2, 227

- Menkes disease (*Cont.*)
 - diagnosis 231
 - genetics 5, 15, 230–1
 - incidence 230
 - pathology
 - arteries 227
 - bone and cartilage 227
 - connective tissue 225–6
 - eyes 228
 - lung 227
 - neuropathology 227–8
 - skin and hair 224–5, 227
 - physiopathology
 - connective tissue changes 230
 - copper homeostasis 229; *see also* copper
 - neurological changes 230
 - prenatal diagnosis 231
 - prognosis 231
 - radiographic and other findings 225
 - treatment 231–2
- merlin (schwannomin) 10, 55
- Merrick, Joseph 39, 42
- mesenteric cysts 81
- ¹³¹I-metaiodobenzyldiguanidine (MIBG) scintigraphy
 - 107
- metallochaperones 229
- metallothionein 229
- methionine adenosyltransferase 206, 207
- methionine synthase 206, 207
- methylcobalamin (MeCbl) deficiency 206–7
- methylenetetrahydrofolate reductase (MTHFR) deficiency 206
- methyrosine 110
- ¹³¹I-MIBG scintigraphy 107
- MIDAS syndrome 121
- migraine 163
- moniliform blepharosis 318, 319
- mosaicism 1, 8
 - disorders
 - encephalocranioscutaneous lipomatosis/Proteus syndrome 19, 304
 - epidermal nevus syndromes 19–20, 97–8, 100
 - hypomelanosis of Ito 20, 123, 128
 - McCune–Albright syndrome 19
 - neurofibromatosis type 1 10
 - neurofibromatosis type 2 10, 55
 - skin pigmentary patterns 123
- mouse models
 - Chediak–Higashi syndrome 298
 - CYP27 knockouts 255
 - hereditary hemorrhagic telangiectasia 159
 - X-linked adrenoleukodystrophy 262
- Moya Moya syndrome 46
- multidrug resistance-associated protein 6 (MRP6; ABCC6) 19, 138
- multiple carboxylase deficiency (MCD) 200
 - see also* biotin metabolism; biotinidase deficiency (late onset MCD); holocarboxylase synthetase deficiency (early onset MCD)
- multiple endocrine neoplasia type 2 (MEN-2) 105–11
 - clinical features
 - C-cell hyperplasia 105
- gastrointestinal symptoms 4, 107
- Hirschsprung disease 107
- hyperparathyroidism 107
- medullary thyroid carcinoma 105–6
- multiple somatic features 107
- ophthalmological 3, 107
- pheochromocytomas 106–7
- skin 2, 106
 - clinical spectrum 105, 106
 - genetic 9, 109
 - genetic screening 109–10
 - management 110
 - pathology 108–9
 - radiographic findings 107
- multiple hamartoma syndrome *see* Cowden disease (CD)
- multiple hemangiomatosis 170
- MYO5A gene 14
- Naegeli syndrome 121
- National Association for PXE (NAPE) 142
- NBCCS *see* nevoid basal cell carcinoma syndrome (NBCCS)
- NEMO gene 16, 121
- neonatal adrenoleukodystrophy (NALD) 258
- neonatal onset MCD *see* holocarboxylase synthetase deficiency (early onset MCD)
- neonatal progeria 151
- nerve fibromas 323, 324
- neurocutaneous angiomas *see* hereditary neurocutaneous angiomas
- neurocutaneous disorders
 - clinical features summarized 2–5
 - clinical recognition *see* clinical recognition of neurocutaneous disorders
 - concept of 1
 - genetics *see* genetics of neurocutaneous disorders
 - summarized 32–3
- neurocutaneous melanosis (NCM) 33, 38, 71–6
 - clinical features
 - cutaneous 2, 71–2
 - malignancies 3, 71–2, 73
 - neurological 72–4
 - diagnostic criteria 71
 - genetics 5
 - management 75
 - neuroimaging findings 74
 - pathogenesis 74–5
 - neuroectodermal melanolytic disease 33
 - neurofibromas 43, 44, 45, 54
 - neurofibromatosis type 1 (NF1) 33, 39, 42–9
 - clinical features
 - cerebrovascular 5, 46–7
 - learning disabilities 47
 - Lisch nodules 43, 44
 - neurological 4
 - ophthalmological 3
 - orthopedic 46–7
 - pigmentary 2; café-au-lait macules 43, 44; freckling 45
 - tumors 3; malignant peripheral nerve sheath tumor 46; neurofibromas 43, 45; optic pathway gliomas 44, 45–6; plexiform neurofibromas 44, 45; other malignancies 46

- diagnostic criteria 42–3, 44
- diagnostic features 43–4
- genetics 5, 10, 47
- history 42
- neurofibromatosis type 2 (NF2) 33, 39, 50–9
 - clinical features 2, 3, 4, 50–2
 - diagnostic criteria 50, 51
 - future 57
 - genetics 5, 10, 54–6
 - management
 - screening 56–7
 - surgery 57
 - modifying factors 56
 - pathology 54
 - predictive diagnosis 55–6
 - prevalence 54
 - radiographic findings 53
 - separation from NF1 50
 - variant forms 56
- neurofibromin 10, 47
- neurofibromin (NFI)* gene 10, 39, 47, 304–5
- neurofilaments 291, 293–4
- neuromelanin 74
- nevroid basal cell carcinoma syndrome (NBCCS) 32, 36, 77–87
 - clinical features
 - brain tumors 80–1
 - cardiac fibromas 81
 - craniofacial 77
 - cutaneous 2, 77, 78–80
 - fetal rhabdomyomas 3, 81
 - frequencies of 78
 - hypogonadism 80
 - mesenteric cysts 81
 - musculoskeletal 80, 82–3
 - ocular 77
 - odontogenic keratocysts 80, 82
 - ovarian tumors 81, 82, 83
 - renal 80
 - tumors, miscellaneous 3, 81
 - diagnostic criteria 78
 - differential diagnosis 84
 - genetics 5, 10, 83–4
 - history 77
 - management 84–5
 - prevalence 77
 - radiographic findings 81–3
- nevus comedonicus
 - clinical features 90, 94
 - gene mutation 98, 99
 - histopathology 97
 - mosaicism 99
- nevus sebaceus (NS) of Jadassohn
 - clinical features 37, 89, 90, 92, 95
 - gene mutation 98, 99
 - histopathology 96–7
- nevus syringocystadenoma papilliferum 89, 91, 97
- NFI* gene 10, 39, 47, 304–5
- NF2* gene 10, 54–6
- Nijmegen breakage syndrome (NBS) 33, 114
- nodular plexiform neurofibromas 45
- Norrie syndrome 121
- nucleotide excision repair 235–6
- nucleotide excision repair (NER)-related syndromes 234
 - clinical features summarized 235
 - complementation groups 235
 - genetic classification 235, 242–4
 - history 236–7
 - see also DNA damage and repair; specific syndromes*
- occipital horn syndrome (OHS) 147
 - clinical features 223–4
 - radiographic findings 225
- octreotide 157
- ocular albinism 17–18
- oculo-cutaneous albinism 16, 17
- odontogenic keratocysts 80, 82, 84
- omeprazole 157
- Online Mendelian Inheritance in Man 24
- ophthalmic abnormalities in neurocutaneous disorders 3
 - see also specific disorders*
- optic pathway gliomas 44, 45–6
- oral retinoids 84
- organoid nevi 89, 96
- Osler–Weber–Rendu syndrome *see hereditary hemorrhagic telangiectasia (HHT)*
- ovarian tumors 81, 82, 83
- palmar pits 79–80
- pancreatic tumors 66
- paradominant inheritance 98
- Parkes–Weber syndrome 163
- Pascual–Castroviejo syndrome *see cutaneous hemangiomas–vascular anomaly complex*
- PATCHED (PTCH)* genes 10, 36, 83, 99
- penetrance 7–8
- peptidyl alpha-amidating enzyme 230
- peripheral neuropathy in neurocutaneous disorders 4
 - see also specific disorders*
- perumbilical PXE 139
- peroxisomal disorders 266
 - see also specific disorders*
- peroxisomal targeting sequences (PTS) 15, 266, 270
- peroxisomes 266
- pervasive developmental disorder (PDD) 316
- PEX7* gene 15, 270
- PHACE syndrome *see cutaneous hemangiomas–vascular anomaly complex*
- phacomatoses (term) 1
- phacomatosis pigmentokeratotica 91, 93, 94
- phenotypes 6
- phenoxybenzamine 110
- phenylketonuria 26
- pheochromocytomas
 - multiple endocrine neoplasia type 2
 - clinical features 106–7
 - imaging 107
 - pathology 108–9
 - preoperative preparation 110
 - screening for 110
 - neurofibromatosis type 1 46
 - von Hippel–Lindau disease 66

- pheomelanin 16
- PHEX* gene 100
- photocoagulation 177
- photodermatoses 237
- photodynamic therapy (PDT) 84–5, 142
- photophrin II 85
- PHYH* gene 268
- phytanic acid 268, 271
- phytanoyl-CoA hydroxylase 268
- pigmented hairy epidermal (Becker's) nevi 91, 94
- pink* protein gene (*P* gene) 17
- plantar pits 79–80
- plasmalogens 270, 271
- plexiform neurofibromas 44, 45
- port-wine nevi 179, 180, 181
- positron emission tomography (PET), Sturge–Weber syndrome 181–2
- Potter sequence 30
- pravastatin 255
- procollagen 1 N-proteinase (ADAMTS2)* gene 18
- progeria 150–3
 - clinical features 2, 4, 5, 150, 151
 - differential diagnosis 5, 150–1
 - genetics 151–2
 - management 152
 - pathogenesis 151
- progeroid syndrome 151
- propionic academia 201
- Proteus syndrome 33
 - clinical features 39, 91, 94, 95
 - genetics 19, 39, 98, 99
 - relationship with encephalocraniocutaneous lipomatosis 19, 301–2
- pseudoxanthoma elasticum (PXE) 138–43
 - clinical features
 - cardiovascular 4, 139–40
 - cerebrovascular 5, 140
 - cutaneous 2, 138–9
 - gastrointestinal hemorrhage 4, 140
 - retinal 3, 139, 140
 - diagnosis 141
 - genetics 5, 19, 138
 - history 138
 - management 141–2
 - pregnancy 140
 - prevalence 138
 - support groups 142
- PTCH (PATCHED)* genes 10, 36, 83, 99
- PTEN* gene
 - identification 133–4
 - mutations 134
 - Bannayan–Zonana syndrome 10, 36, 133, 134
 - Cowden disease 9–10, 37, 131, 134
 - juvenile polyposis syndrome 133
 - Lhermitte–Duclos disease 9, 133
 - malignancies 134
 - Proteus syndrome 19
 - product 134
- PTS-1/PTS-2 (peroxisomal targeting sequences) 15, 266, 270
- ptychotropism 91
- puberty, precocious 95, 101, 126
- PXE *see* pseudoxanthoma elasticum (PXE)
- pyridoxine therapy 211
- RAB27A* gene 14
- Rasmussen syndrome 84
- receptor tyrosine kinases 109
- RECQL2* gene 12
- Refsum disease
 - clinical features 2, 3, 4, 266–7
 - diagnosis 268
 - genetics 5, 268
 - management 268
 - pathology 267–8
- Rendu–Osler–Weber syndrome *see* hereditary hemorrhagic telangiectasia (HHT)
- RET* gene mutations 9, 109
- RET protein 9, 109
- retinitis pigmentosa 266, 267
- rhizomelic chondrodysplasia punctata (RCDP) 268
 - clinical features
 - cataracts 3, 269
 - cutaneous 2, 269
 - neurological 269–70
 - skeletal 268–9
 - others 4
 - diagnosis 271
 - differential diagnosis 271–2
 - genetics 5, 15, 270–1
- rhombencephalosynapsis (RES) 306, 310
- Richner–Hanhart syndrome (RHS) 19
- Riley–Day syndrome *see* familial dysautonomia
- Rombo syndrome 84
- Rud syndrome 32, 38
- rufous oculocutaneous albinism (ROCA) 17
- Ruvalcaba–Myhre–Smith syndrome 10
- Ruvalcaba–Riley–Smith syndrome *see* Bannayan–Zonana syndrome
- schwannomas 54
 - see also* vestibular schwannomas
- schwannomin (merlin) 10, 55
- scleral telangiectasias 113
- self-injury 188, 189
- Senior syndrome 316
- sequences 28, 30
- L-serine hydro-lyase *see* cystathione β -synthase (CBS)
- sex chromosomes 7
- shagreen patch 60, 61
- simvastatin 255, 256
- single photon emission computed tomography (SPECT), Sturge–Weber syndrome 181–2
- Sipple's syndrome *see* multiple endocrine neoplasia type 2 (MEN-2)
- Sjögren–Larsson syndrome (SLS)
 - clinical features 2, 3, 272–3
 - diagnosis 273
 - genetics 5, 273
 - management 273–4
 - pathology 273
 - radiographic findings 273

- skin lesions
 - types 2
 - see also specific disorders*
- spastic paraparesis with pigmentary abnormalities 33
- sphingolipids 218
- spinal xanthomatosis 249
- steroid treatment of hemangiomas 177
- sterol 27 hydroxylase (CYP 27)
 - CYP27* gene 13, 254, 255
 - deficiency in CTX 248, 251, 252–3
 - knockout mice 255
 - in normal bile acid synthesis 251, 252
- stroke 162, 287, 288
- Sturge–Weber syndrome (SWS) 32, 38, 179–85
 - clinical features
 - cerbrovascular 5, 181, 182–3
 - cutaneous 2, 179, 180
 - neurological 179–81
 - ophthalmologic 3, 181
 - genetics 5
 - history 179
 - pathology 182
 - prognosis 184
 - radiographic findings 181–2
 - treatment
 - aspirin 183–4
 - glaucoma management 184
 - laser 184
 - seizure control 182
 - surgery 182–3
- subcutaneous neurofibromas 45
- subependymal giant cell astrocytomas (SEGAs) 63
- sulfite oxidase 206, 207
- sulfur amino acid metabolism 206, 207
- superoxide dismutases 230
- syndrome of inappropriate anti-diuretic hormone (SIADH) 95
- syndromes 28, 30
- TAT (tyrosine aminotransferase)* gene 19
- TBL1 (transducin beta-like 1)* gene 18
- telangiectasias 112, 113, 159–60, 161
- telomeres 151
- tendon xanthomata 248, 249, 250, 251
- teratogenic syndromes 29
- tetracosanoic acid 262
- thalidomide 177
- thyroidectomy in MEN-2 110
- TIE2* gene 11
- tophaceous gout 189
- transcription-coupled repair (TCR) 236
- transducin beta-like 1 (TBL1)* gene 18
- transient ischemic attacks (TIAs) 162, 287
- tretinoïn cream 84, 101
- trichorrhexis nodosa syndrome 33, 39
- trichothiodystrophy (TTD)
 - clinical features 2, 3, 235, 240
 - complementation groups 235
 - genetics 5, 15, 242, 244, 245
 - history 236
 - radiographic findings 242
- see also DNA damage and repair*
- TSC1/TSC2* genes 10–11, 64
- tuberin 11, 40, 64
- tuberous sclerosis complex (TSC) 33, 39–40, 60–5
 - clinical features
 - cardiac 4, 60, 62
 - cutaneous 2, 60, 61
 - neurological 63
 - pulmonary 62
 - renal 62
 - retinal 3, 60, 62
 - tumors 3
 - other 4
 - diagnostic criteria 61
 - genetics 5, 10–11, 64
 - management 64–5
 - prevalence 60
 - radiographic findings 64
 - tumors associated with neurocutaneous disorders 3
 - see also specific disorders*
- tyrosinase (TYR) 16, 17, 209
- tyrosine aminotransferase (TAT)* gene 19
- tyrosine hydroxylase 282
- tyrosinemia type II 19
- ungual fibromas 60
- Urbach–Wiethe syndrome *see* lipoid proteinosis
- uric acid, in Lesch–Nyhan syndrome 186, 189–90
- UV exposure
 - and NBCCS 78, 83
 - and xeroderma pigmentosum 237, 238, 242–3
- VATER association 30
- verrucous (keratinocytic) epidermal nevi 89, 92, 96, 101
- very long chain fatty acids (VLCFAs) 262
- vestibular schwannomas 51, 52, 53, 54, 56
- VHL disease *see* von Hippel–Lindau (VHL) disease
- VHL* gene 8–9, 40, 69
- VHL protein 8
- vitamin B6 (pyridoxine) 211
- vitamin B12 (cobalamin) 206
- vitamin D3 (calcipotriol) 101
- VLCFA-CoA synthetase (VLCS) 262
- VLCFAs (very long chain fatty acids) 262
- VMCM1* gene 11
- vomiting crises 278, 283
- von Hippel–Lindau (VHL) disease 33, 40, 66–70
 - clinical features
 - endolymphatic sac lesions 3, 69
 - epididymal cystadenomas 66–7
 - hemangioblastomas 3, 67, 68
 - pancreatic lesions 3, 66
 - pheochromocytomas 3, 66
 - renal lesions 3, 66
 - retinal angiomas 3, 67, 68
 - genetics 5, 8–9, 40, 69
 - prevalence 66
 - surveillance protocol 69
 - treatment 69
 - von Recklinghausen disease* *see* neurofibromatosis type 1 (NF1)

- warfarin embryopathy 271
Werner's syndrome
 clinical features 150
 genetics 11–12, 152
 telomeres 151
Wiedemann–Rautenstrauch syndrome 151
Wilson disease 229
woolly hair nevi 91
Wyburn–Mason syndrome 170
- X-ALD (ABCD1)* gene 262, 263
X-inactivation 128
X-irradiation of NBCCS fibroblasts 83
X-linked adrenoleukodystrophy (X-ALD) 258–65
 clinical features
 adrenal insufficiency 258–60
 cutaneous 2, 260–1
 neurological 258
 phenotypes 259
 genetics 5, 15, 262–3
 management 263
 pathology 262
 pathophysiology 262
 radiographic findings 261
X-linked chondrodysplasia punctata 271
X-linked cutis laxa *see* occipital horn syndrome (OHS)
X-linked hypophosphatemia 100
- X-linked ichthyosis (IFAP syndrome) 18
X-linked inheritance *see* genetics of neurocutaneous disorders
xeroderma pigmentosum (XP) 234–47
 clinical features
 cutaneous 2, 237–8
 neurological (DeSanctis–Cacchione syndrome) 238
 ophthalmological 3, 238
 others 238
 summarized 235
 tumors 3
 epidemiology 237
 genetic classification 3, 235, 242–4
 genetic defects 15, 244–5
 history 236–7
 neurological investigations 241
 neuropathology 242
 radiographic findings 241, 242
 treatment 245
 see also DNA damage and repair
XIST gene 128
XP genes 244–5
- Zellweger syndrome 266, 268
zileuton 274
Zimmerman, Carol E. *v*