

Index

- Abbot's booby, 132
Aberdare cisticola, 229
Accipiter gentilis, 121
Accipiter nisus, 55
Aceros corrugatus, 132
acid rain, 174
Acrocephalus arundinaceus, 215
Acrocephalus brevipennis, 131
Acrocephalus familiaris, 126, 133
Acrocephalus paludicola, 141
Acrocephalus rodericanus, 135
Acrocephalus schoenobaenus, 165, 215
 see also climate change
Acrocephalus scirpaceus, 215, 216
Acrocephalus sechellensis, 121
Adélie penguin, 163
Africa, 27, 31, 36, 37, 40, 48, 55, 57, 91, 96,
 100, 107, 108, 160, 165, 177, 228,
 250, 252, 254, 260, 264
African Eurasian Waterbird Agreement, 255
African penguin, 47, 173
AFRING, 252
age at first breeding, 145, 181
age class
 adult, 144, 145, 147–153, 181, 184
 immature, 144, 145, 151, 152, 181
 juvenile, 184, 216
 yearlings, 152, 184, 222
agenda, 21, 22
agricultural landscape, 205
agriculture, 55, 203, 206
 agri-environment scheme, 58
 costs of greening, 30
 countryside stewardship scheme, 58
 details of intensification, 169
 European, 169
 example of large-scale impacts on
 birds, 170
 impact of tropical coffee production on
 bird biodiversity, 172
 impacts on bird populations, 168
 tropical coffee production, 169, 170
agro-forestry, 241
Alagoas curassow, 106, 110, 124
Alaotha grebe, 133
Alaska, 173, 261
Alauda arvensis, 56
Alauda razae, 131, 135
albatrosses
 species concepts, 63
 population decline, 144
Alca impennis, 175, 247
Alecedo atthis, 174
allele frequencies
 mtDNA, 13
allelic diversity, 15, 17
Alagoas curassow, 131
Amami thrush, 131
amateur birders, 226, 235
Amaurornis olivieri, 132
Amazona ventralis, 15
Amazona vittata, 15, 134
Amazonia, 207
American-Pacific Flyway Programme, 267
Anas aucklandica, 118, 136
Anas aucklandica chorotis, 118
Anas wyvilliana, 136
Andean flamingo, 255
Angola, 65
Anodorhynchus leari, 134, 175
Antarctic, 144
anthropogenic change, 182, 206
Antipodes Island parakeet, 121
Aphelocoma coerulescens, 185
Apteryx owenii, 109
Aquatic warbler, 141

- Arabuko–Sokoke Forest, 235
Archaeopteryx, 6
 Arctic, 159, 255, 263, 270
 Aride Island, 121
 Asia, 228, 230
 Asian–Pacific Migratory Waterbird Conservation Strategy, 266
 assessing endangerment, 183, 188
Athene blewitti, 136
Atrichornis clamosus, 110, 121
 Australia, 37, 48, 96, 127, 132, 136, 145, 183, 207, 209, 212, 249, 252, 253, 260, 266
 Australian wheatbelt, 207
 Austria, 37, 49, 171
 avian diversity, number of species, 5, 63
Aythya baeri, 134
 Bald eagle, 172
 Bali myna, 107, 117, 124, 125, 127, 128, 134, 175
 banding, *see* ringing
 Barnacle goose, 194, 200
 Bean goose, 200
 Bearded vulture, 198
 behavioural ecologists, 190
 behavioural observation, 225, 227
 Belarus, 171
 Belgium, 171
 Berne Convention, *see* Conventions
 Bewick's wren, 208
 biodiversity,
 avian species diversity, 3
 evolution of avian diversity, 6
 genetic diversity, 2
 hotspots, 3, 69
 indicators, 96, 99, 101, 102
 levels of, 2
 biodiversity hotspots, *see* hotspots
 biologists, 155
 biometrics, 225, 227
 Bird atlas, 35–37, 41, 42
 choice of grid, 36
 choice of region, 36
 conservation applications, 41
 distribution of observers, 38
 Field guides, 40
 level of coverage, 36
 not based on grids, 38
 presentation of distribution maps, 41
 quantitative methods, 39
 repeat atlases, 41
 bird atlases, 227
 breeding birds of europe, 250
 breeding birds of southern africa, 250
 Birds Directive, *see* EU Directives
 bird guides, 226
 bird inventories, 35
 bird survey
 design, 45
 distance sampling, 47
 generic methods, 46
 territory mapping, 46
 BirdLife International, 31, 75, 123, 170, 224, 226, 228, 230, 243, 249–251, 264
 BirdSource, 48
 bird watching
 economics of, 27
 Bittern, 47, 215
 Black grouse, 43
 Black korhaan, 42
 Black robin, 110, 112, 118, 126, 128
 Black stilt, 110, 118, 124, 126, 135, 136
 Black tit, 111
 Black-hooded coucal, 131
 Black-tailed godwit, 201
 blood-sampling, 225
 Blue duck, 126
 Bluethroat, 215
 Blue tit, 149
 body condition, 195
 body mass, 194
Boiga irregularis, 115
 Bonn Convention, *see* Conventions
Botaurus stellaris, 47, 215
 Botswana, 37
 bottleneck, 15, 17, 100, 114, 122, 123
Branta sandvicensis, 124
 Brazil, 106, 131, 134–136, 175, 212, 262
 Brazilian merganser, 135
 breeding behaviour
 coloniality, 144
 cooperation, 154
 floaters, 155
 helpers, 155
 Breeding Bird Survey (UK), 45, 48
 Breeding Birds Survey (North America), 227
 breeding grounds, 141, 195
 breeding probability, 145

- breeding status
 breeding, 141, 142, 144, 145, 147,
 184, 218
 non-breeding, 142, 144, 145, 155, 195
 breeding success, 142, 145, 147, 195
 Brent goose, 194, 200
 British Trust for Ornithology, 227
 brood size, 149
 Brown teal, 118
 Brown tree snake, 115
 Brush-tail possum, 116
 BSC, *see* species concepts
 Bulgaria, 171
 Bulo Burti boubou, 132
Burhinus oedicnemus, 151
 Burry Inlet, 194
Buteo Buteo, 44
 Buzzard, 44
 Bwindi Forest, 240
- cagebird industry, 175
 Cahow, 133
 California condor, 110, 124, 125, 128, 135,
 149, 172
 California Current System, 163
Callaeus cineria, 133
 Cameroon, 65
 Campbell Island teal, 136
Campetherus, 131
 Canada, 114, 248–252, 261–263, 266, 267,
 269
 Long Point, 252
 Point Pelee, 252
- CAP, *see* Common Agricultural Policy
 capacity building, 225
 brain drain, 240
 creating an enabling environment, 237
 focusing on priorities, 227
 internship, 233
 linkages, 225
 research assistants, 233, 235
 site support groups, 244
 through research, 227
- Cape gannet, 57
 Cape Verde cane warbler, 131
 Capercaillie, 199
 Capricorn silvereye, 199
Carpococcyx viridis, 131
 carrying capacity, 186, 187, 196, 216, 218
 retrospective assessment, 186
- CBD, *see* Conventions
- Central Asian Indian Flyway Programme, 266
- Centres of Plant Diversity, 98
Centropus steerii, 131
- cephalopods, 144
 Chaffinch, 162
 Chatham albatross, 131
 Chatham Island black robin, 105
 Chatham Island red-crowned parakeet, 111
 Chatham Island taiko, 116, 129
 Chatham Island tit, 118, 120
 Chatham Island warbler, 120
 Chatham Island snipe, 118
 chemical spills, 173
 Chetwode Islands, 123
 China, 182
 Chinstrap penguin, 163
 Christmas Island white-eye, 133
Cinclus cinclus, 174
Circus cyaneus, 46
 Cirl bunting, 58
Cisticola aberdare, 229
 CITES, *see* Conventions
 citizen scientists, 227, 243
 climate change, 23, 158, 159, 167, 257
 Africa, 160
 causes, 159
 disease epidemiology, 176
 distribution, 163
 effects on migrants, 165
 egg-laying dates, 161
 global warming, 180
 low-lying islands, 167
 mistimed reproduction, selection, 161
 montane cloud forest, 168
 ocean temperatures, 163
 predicted population decline, 163
 regional vulnerability, 160
 site effects, 167
 timing of life cycles, 160
 waterfowl
 USA, 164
- clines, 63
 clutch size, 149
 CMS, *see* Conventions, Bonn
 Codfish Island, 123
Coenocorypha aucklandica huegeli, 111
Coenocorypha aucklandica iredalei, 115
Collocalia sawtelli, 133
Columba mayeri, 134
 commercial whaling, 163

- Commission for the Conservation of Antarctic Marine Living Resources, 49
- Common Agricultural Policy (CAP), 265
- Common Birds Census, 45, 227
- community involvement, 127
- comparative method, 140, 141, 144, 146, 151, 155
- competition
- interferece, 190–192, 199
- complementarity, *see* site selection
- confidence interval, 181
- conservation
- action, 58, 59, 61, 67, 69, 71, 72, 139, 140, 146, 152, 155, 156, 188, 224, 228–230, 242, 245
 - biology/biologist, 139, 180, 181, 186, 189, 195, 208, 228
 - costs and values, 29
 - employment, 29
 - global biodiversity, 139
 - management, 140, 150–152, 155, 156, 183–186, 188, 189, 195, 196, 198–200, 206, 207, 214, 217, 220, 222, 226, 227, 242
 - managers, 155, 156
 - practitioners, 151, 152
 - remedial actions, 139
 - research, 139, 151, 157, 224–229, 242, 245
 - research as action, 242
 - resources for, 139
 - conservation action, 248, 250, 267, 269
 - conservation genetics, 19
 - conservation management
 - ex situ* 15 - conservation planning, 3, 9, 62, 74, 94, 99, 103, 213, 219, 262
 - conservation policy, 246
 - basic requirements, 249
 - history of development, 246
 - present policies and legislation, 248 - conservation targets, 38, 45, 62, 64, 67, 71, 72, 254
 - Convention on Biological Diversity, *see* Conventions
 - Convention on the Conservation of Migratory Species of Wild Animals, *see* Conventions
 - Conventions, 252, 256
- African convention on the conservation of nature and natural resources, 259
- Berne Convention, 254, 258, 265
- Bonn Convention, 248, 253, 255, 257, 259, 260, 266
- CITIES, 127, 254, 256
- contracting parties, 249, 256
- Convention for the Prevention of Marine Pollution by Dumping of Wastes and other Matter, 257
- Convention for the Protection of Birds Useful to Agriculture, 247
- Convention for the Protection of the Mediterranean Sea Against Pollution, 259
- Convention for the Protection of the Ozone layer, 257
- Convention of Algiers, 254
- Convention on Biological Diversity, 62, 112, 253, 254, 257
- Convention on Hunting and Protection of Birds, 258
- Convention on the Conservation of Migratory Birds, 248, 261
- Convention on the International Trade in Endangered Species (CITES), 254
- Convention on Wetlands of International Importance especially as Habitat for Waterfowl (Ramsar Convention), 247
- Framework Convention to Combat Desertification, 257
- International Convention for the Prevention of Pollution from Ships, 257
- International Convention for the Protection of Birds, 247
- International Tropical Timber Agreement, 257
- Ramsar, 54
- Ramsar Convention, 247, 252, 256, 257, 264, 267, 270
- scientific advice, 254
- United Nations Framework Convention on Climate Change, 257, 269
- World Heritage Convention, 256
- Copyschus sechellarum*, 133, 134
- Corn bunting, 56
- correlations, 140, 141, 143, 148, 214, 220
- Corsica, 146

- Corvus corax*, 44
 Costa Rica, 168, 260, 266
 cost-benefit analysis
 bird-watching, 26
 contingent valuation, 25
 ecosystem services. *See* Ecosystem services
 ecotourism, 28
 global values, 26
 hunting and fishing, 27
 counting birds
 methods, 44
 counts, *see* Surveys
 Cousin Island, 122
 Cousine Island, 122
 Cozumel thrasher, 131
 Crested ibis, 115, 182, 199
 Critically endangered birds, 105
 criteria, 107
 management techniques. *See* Species Management techniques
 threats, 107
 Croatia, 171
 Crozet Islands, 144, 145
 Cuckoo, 167
Cuculus canorus, 167
Culex quinquefasciatus, 176
Cyanopsitta spixii, 134, 136
Cyanoramphus forbesi, 128, 136
Cyanoramphus malherbi, 136
Cyanoramphus novaezelandiae, 111
Cyanoramphus unicolor, 122
Cygnus olor, 141, 149
 Czech Republic, 171, 251
 death rate, 153
 decision-making
 optimal, 190
 population consequences of, 190
 deforestation, 12, 23, 25, 91, 159, 170
 demographic mechanism, 146, 147, 149
 demographic rates, 140, 141, 143, 145–153,
 156
 age-specific, 150
 annual estimates, 145, 147, 149, 181, 184
 period-specific, 147
 Denmark, 146, 171
 density-dependence, 140, 146, 151, 152, 155,
 156, 186–189, 193–197
 mechanisms, 190
 density-independence, 152, 155, 186
 developing country, 225
Diomedea exulans, 56, 144
 Dipper, 174
 disease
 avian malaria, 176
 impacts on bird populations, 176
 dispersal, 146, 182, 186, 208, 210–216, 218,
 222
 mobility, 141, 209
Dissostichus eleginoides, 144
 distance sampling, *see* bird survey
 distribution
 breeding, 144
 correlations between birds and habitat,
 214
 ideal free and ideal despotic theory,
 209
 impact of climate change, 163
 individuals, 209, 214
 log normal, 150
 of bird species in marshland, 215
 patterns, 142
 resource, 142
 vital rates, 182
 DNA fingerprinting, 15
 DNA–DNA hybridisation, 5
 Dodo, 175, 247
 dominance, 192
 Earthwatch Institute, 236
 East Africa Natural History Society, 235
 Eastern weka, 112
 EBAs, *see* Endemic Bird Areas
 EBCC, *see* European Bird Census Council
 EBD, *see* European Bird Database, 170
 Echo parakeet, 115, 124, 126, 128, 129,
 134
 ecology, 139, 142, 145, 156, 188, 189, 222
 ecoregions, 74, 79
 ecosystem(s)
 arid, 207
 boreal forests, 159
 desert, 165, 166
 forest, 181, 202, 207, 229, 242
 grassland, 229
 semi-arid, 207
 tallgrass prairie, 207
 tropical savannahs, 207
 tundra, 159
 wetland, 202, 242

- ecosystem services, 22
 - climate regulation, 23
 - cost-benefit analysis, 24
 - global values, 26
 - nutrient cycling, 23
 - pest control, 24
 - pollination, 23
 - production of food and raw materials, 24
 - recreation and cultural, 24
 - soil formation and retention, 23
 - the genetic library, 24
 - value of, 32
 - waste treatment, 23
 - water supply and regulation, 23
- ecosystem types, 207, 213
- ecotones, *see* site selection
- ecotourism
 - economics of, 28
- Ectopistes migratorius*, 175, 247
- edge effects in landscapes, 207
- Edible mussel, 192, 194
- education, 127, 225, 226, 243
- egg-shell thinning, 172
- elasticity analysis, 150–153, 155, 183
- Emberiza cirlus*, 58
- Emberiza citrinella*, 56
- Emberiza schoeniclus*, 147
- emigration, 143, 145, 183, 186
- Endangered Species Act, 18, 29
- Endemic Bird Areas, 3, 251, 264
- endemism, 69
- endocrine disruptors (EDCs), 174
- energy budgets, 193
- environmental change, 180, 188, 189, 197
- environmental impact assessment, 42
 - use of bird atlas data, 42
- Eopsaltria griseogularis*, 209
- Erect-crested penguin, 135
- Eskimo curlew, 113, 134, 247
- Estonia, 171
- ESU, *see* Evolutionarily Significant Unit
- ethical values, 24
- ethics, environmental, 20
- EU, *see* European Union
- EU Directives
 - Birds Directive, 54, 96, 258, 269
 - Habitats Directive, 260
- Eudyptes chrysolophus*, 135
- Eupodotis afra*, 42
- Eurasian griffon vulture, 177
- FURING, 252
- Europe, 29, 31, 36, 41, 48, 100, 107, 108, 113, 149, 167, 169, 173–175, 177, 184, 247, 250–254, 258, 264, 265, 269, 270
- European Bird Census Committee, 170
- European Bird Census Council (EBCC), 249
- European Bird Database (EBD), 170
- European nuthatch, 204, 209, 210, 216, 219
- European Union, 54, 250, 265
- evolutionary fronts, 4
- Evolutionarily Significant Unit, 9–11, 18
- Exe estuary, 193, 194
- external factors, 140, 142, 146
- extinction, 2, 5–7, 14, 15, 61, 63–65, 67, 69, 70, 75, 105, 106, 109, 111, 112, 126, 128, 130, 139, 152, 175, 176, 181–186, 188, 210
- absolute risk, 188
- ecosystem processes, 2
- local, 218
- of local populations in a metapopulation, 210
- probability, 155, 181, 183
- quasi-extinction, 181, 182
- relative risk, 188
- risk, 181–186, 188
- Faichuk white-eye, 131
- Falco naumanni*, 184
- Falco peregrinus*, 34, 126, 172
- Falco punctatus*, 15, 105, 172
- farming, 147, 151
 - effect of crop types on geese, 194
- farmland, 184
- farmland birds, 55
- Fatuhiva monarch, 133
- FCCC, 257
- FCCD, 257
- fecundity, 147–152, 154, 181
- Felis catus*, 116
- feral cats, 122
- field experiments, 145, 146, 155
- field guides, *see* Bird Atlas
- Finland, 171
- fire, 182, 185, 204
- fishing, 144–146
- flagship species, *see* site selection

Cambridge University Press

0521783402 - Conserving Bird Biodiversity: General Principles and their Application

Edited by Ken Norris and Deborah J. Pain

Index

[More information](#)

328 | Index

- fledglings, 149, 152
Florida scrub jay, 185, 199
 food availability, 207
 food intake rate, 192, 195
 food supply, 142, 147
 foraging efficiency, 192
 foraging range, 144, 145
Forbes parakeet, 111, 128, 136
 forest, 152, 183, 204, 208, 209, 214, 216, 221
Forest owlet, 136
 forestry, 206
Foudia rubra, 133
 France, 171
Fregata andrewsi, 132, 133
Fringilla coelebs, 162
 frontier forests, 77
 functional groups
 landscape management, 216
 funding agencies, 240

Galapagos cormorant, 136
Galapagos petrel, 135
Gallirallus australis, 112
Gallirallus owstoni, 133
Gallirallus sylvestris, 133, 136
 game theory, 190
Gannet, 47, 57
 GAP analysis, 220
Gavia stellata, 43, 46
 GEF, *see* Global Environment Fund
 Gene flow, 4, 11, 13
 genetic bottlenecks, 10
 genetic diversity, 2, 4, 5, 10, 11, 14, 15, 123
 genetic drift, 10, 14, 15, 17, 18, 114, 136
 genetic markers, 4
 MHC loci, 10
 microsatellites, 10, 15
 geographical area
 diagnosing population declines, 140
 Geographical Information System (GIS), 183, 215, 219–221
 geographical range, 139, 195
 trends, 142
Geopsittacus occidentalis, 132
 Germany, 49, 171, 248
Geronticus eremita, 132, 135
Gerygone albofronta, 120
 Giant ibis, 132
 Glanville fritillary, 14
 Global 200 Ecoregions, 77

 Global Environment Facility, 240, 269
 globally threatened species, 31
Goshawk, 200
 grazing, 206
Great auk, 175, 247
Great bustard, 255
Great reed warbler, 215
Great tit, 14, 160, 161
Greater short-tailed bat, 115
 Greece, 171
Grey partridge, 173
Grey squirrel, 12
Grus americana, 114, 136
Grus leucogeranus, 132, 255
 Guam, 115
Guam rail, 106, 110, 124, 128, 129, 133
Guam swiftlet, 133
Gurney's pitta, 129, 132
Gymnogyps californianus, 135, 149, 172
Gyps bengalensis, 177
Gyps fulvus, 177
Gyps indicus, 177

 habitat, 142, 202, 206–209, 211, 213, 223, 245
 availability, 155
 breeding, 152
 carrying capacity, 152
 connectivity, 185, 211
 corridors, 208, 209, 215, 217
 coverage, 214, 216, 218
 degradation, 140
 destruction, 140
 diagnosing a fragmentation problem, 214
 dissection, 209
 farmland, 184
 foraging, 154
 fragmentation, 10, 180, 182, 202–204, 206, 207, 209, 210, 212–218, 221, 222, 226
 fragmentation threshold, 204, 214
 loss, 143, 180, 182, 194, 200, 202–204, 206, 207, 209, 210, 212, 214
 management, 185, 187
 network, 215, 216, 220–222
 patterns resulting from human land use, 203
 perforation, 209, 212
 priorities, 229
 quality, 185, 201, 211, 213, 214
 scrub, 185

- habitat selection, 209
Hairy woodpecker, 216
Haliaeetus albicilla, 121
Haliaeetus leucocephalus, 172
 Hawaii, 107, 125, 176
Hawaiian duck, 136
Hawaiian stilt, 199
Helmeted honeyeater, 127, 183, 198, 220
Hemignathus lucidus, 106
Hen harrier, 46
 heterozygosity, 14, 15, 17
Himantopus novaezelandiae, 135, 136
Hirundo rustica, 167
Hispaniolan parrot, 15
 home range, 218, 222
 Hotspots, 99
 see also biodiversity, hotspots
 human disturbance, 176, 191
 human exploitation
 impact on bird populations, 175
 Hungary, 171
 hunters, 143
 hunting, 27, 134, 153, 156, 242, 253
 hunting and fishing
 economics of, 27
 hunting statistics, 175
 hybridisation, 136
Hydrobates pelagicus, 47
Hymenolaimus malacorhynchos, 126
- IBA, *see* Important Bird Areas
Icterus oberi, 131
 Ile aux Aigrettes, 121
 immigration, 17, 143, 145, 183, 186
 Important Bird Areas, 43, 54, 94, 100,
 227–229, 233, 243–245, 249–251,
 264, 270
 inbreeding, 14, 15, 17, 18, 111, 136
 India, 136, 177, 260
 indicators, 59, 95
 birds as, 30
 birds as indicators of biodiversity, 96
 distribution patterns, 96
 priority areas, 99
 Indonesia, 125, 131, 134, 175
 Intergovernmental Panel on Climate
 Change (IPCC), 159, 160, 164, 165,
 270
 International Commission on Large Dams,
 55
 International Council for Bird Preservation,
 see BirdLife International
- International Union for the Conservation
 of Nature, *see* World Conservation
 Union
 International Waterbird Census, 45, 251,
 252, 256, 264
 International Waterfowl and Wetlands
 Research Bureau, *see* Wetlands
 International
 interns, 232–238
 introduced predators, 196
 IPCC, *see* Intergovernmental Panel on
 Climate Change
 Ireland, 36, 38–41, 45, 48, 171, 263
 island(s) oceanic, 144
 island biogeography theory, 202–204
 island endemics, 109
 island populations, 196
 Israel, 252
 Eilat, 252
 Italy, 171
 IUCN, *see* World Conservation Union
 IUCN Red List, 42, 106, 107, 114, 125
 Ivory-billed woodpecker, 131
 IWC, *see* International Waterbird Census
 IWRB, *see* Wetlands International
- Javanese lapwing, 134
 Junin grebe, 132
- Kagu, 65
 Kaka, 110
 Kakamega Forest, 229
 Kakapo, 109, 110, 112, 113, 115, 124, 126,
 128, 129, 133, 135, 136
 Kakerori, 110, 127–129, 131, 135
 Karori Wildlife Sanctuary, 113
 Kenya, 228, 229, 234, 243
 Kenya Wildlife Service, 243
 Keoladeo National Park World Heritage
 Site (KNP), 177
 keystone species, 70
 see also site selection
 Kingfisher, 174
 Kirtland's warbler, 199
 Kokako, 133
 K-selection, 109
- Lagopus lagopus*, 44
 Lake Magadi, 235
 Lake Victoria, 243
 land use, 140, 202, 203, 207, 213, 214,
 219, 222, 223

330 | Index

- landscape ecology, 215
landscape management, 202, 214
 conservation planning, 212
 finding solutions, 216
 key patches, 215, 217, 218
 stepping stones, 218
 tools for prediction, 219
landscape structure
 individual and population responses, 208
 scaling window, 212
Laniarius liberatus, 132
Lanius newtoni, 135
LARCH, 215, 221
Latvia, 171
Laysan finch, 123
Lead poisoning, 173
Lear's macaw, 134, 175
Lepidopyga lilliae, 132
Lesser kestrel, 184, 198
Leucopeza semperi, 133
Leucospar rothschildi, 125, 134, 175
Liberian greenbul, 131
Lichenostomus cassidix, 127
Lichenostomus melanops, 183, 220
Lichenostomus virescens, 209
life cycle, 141
life history, 186, 189, 222
life tables, 151
line transects. *See* Bird survey
Lithuania, 171, 251
Little spotted kiwi, 109, 112
local conservation groups, 227
logging, 152
Long-billed vulture, 177
long-lining, 141, 144–146, 175
Lophornis brachylopha, 131
Lophotibis cristata, 132
Lord Howe Island woodhen, 186, 187,
 199
Lord Howe rail, 109, 133, 136
Luscinia svecica, 215
Luxemburg, 171

Macquarie Island, 145
Macronyx sharpei, 229
Madagascar pochard, 134
Magpie, 55
Major Tropical Wilderness Areas, 77
management
 captive breeding, 185
 decision-making, 186–189
 demographic, 14, 183–185
 environmental, 183
 grazing, 191
 habitat, *See* Habitat Management
 population, 183, 185
 reintroduction, 185
 translocation, 183, 185
Management Unit, 11–13
managing conservation projects, 226
Mandarte Island, 15
Mangere Island, 111
mapping bird distribution, 34
mark-recapture studies, *see* ringing
mark-recovery, *see* ringing
mark-resighting, *see* ringing
Marquesas ultramarine lorikeet, 121
marshlands, 215
Martes martes, 212
mating opportunities, 207
Maud Island, 123
Mauritius, 105, 110, 115, 122, 124, 126, 128,
 129, 133, 134, 172, 175
Mauritius fody, 133
Mauritius kestrel, 15, 105, 121, 124, 126,
 128, 129, 172
Mediterranean, 207
MedWet Initiative, 264
Megadiversity countries, 77
Melamprosops phaeosoma, 106
Melitaea cinxia, 14
Melospiza melodia, 15
Mergus squamatus, 135
METAPHOR, 215, 216
metapopulation, 14, 168, 209–211, 216,
 219–221
 extinction, 211
 patch colonisation, 210
 persistence, 210, 216
 response to landscape change, 220
Mexico, 63, 106, 114, 131–133, 176, 248, 250,
 261, 262, 266, 267
Microtus oeconomus, 212
Midway Island, 123
migration, 125, 160, 165–167, 195, 208,
 246, 249, 252, 260, 264, 270
Miliaria calandra, 56
Millerbird, 133
Milvus milvus, 121
Mimodes graysoni, 132
mist-netting, 225, 226

- mitochondrial gene sequences
 cytochrome *b*, 6
 ribosomal RNA genes, 6
- Mitu mitu*, 131
- Moa, 175
- model(s)
 age-structured, 181
 application of behaviour-based models,
 191
 behaviour-based, 189, 192–197
 demographic, 181–189, 194, 195, 198,
 199
 deterministic, 181, 182, 197, 211
 examples of behaviour-based models,
 199
 habitat suitability, 220
 matrix, 151
 metapopulation, 182, 183, 215, 219, 220
 optimality, 189
 parameter values, 156, 186, 188, 189
 parameters, 186
 population, 156
 regression, 167
 simulation, 154, 155
 source-sink, 211
 spatial depletion, 191, 192
 spatially explicit, 182, 185, 220, 221
 stage-structured, 154, 181
 state-dependent, 200
 stochastic, 182, 197, 216
- Moldova, 171
- monitoring, 34, 35, 47–49, 54, 57, 58, 209,
 226–228, 244, 245
 applications of demographic monitoring,
 55
 conservation applications, 41
 environmental change, 57
 research, 54
 site prioritisation, 53
 species prioritisation, 42
 constant effort sites, 49
 national schemes, 49
 nest record scheme, 49
 of conservation actions, 58
 productivity, 55
 survival rates, 49
- Montserrat oriole, 129, 131
- mortality, 141, 144–150, 152, 153, 193–195,
 200, 201, 218, 221
- Morus bassana*, 163
- Morus bassanus*, 47
- Morus capensis*, 57
- Mt Kenya, 229
- mtDNA haplotypes, 12
- MU, *see* Management Unit
- Mute swan, 149
- Mystacina robusta*, 115
- Nairobi, 243
- Nairobi Ringing Group, 235
- National bird conservation strategy, 228
- National Environment Funds, 240
- National Museums of Kenya, 225, 243
- Natura 2000, 264
- natural disturbance, 204, 213
- Nature Kenya, 243
- nature reserves, design using island
 biogeography theory, 203
- NAWMP, *see* North American Waterfowl
 Management Plan
- Nene, 124, 128, 129
- Neophema chrysogaster*, 136
- nest cavities, 155
- nest records, 227
- nesting sites, 142, 152
- nesting success, 153
- Nestor meridionalis*, 110
- Network of Genetic Reserves, 264
- New Caledonia, 65
- New Zealand, 109–113, 119, 123, 124, 126,
 131, 133–136, 145, 175, 252
- New Zealand saddleback, 110
- Ngulia, 235
- Night mosquito, 176
- Night parrot, 132
- Nihoa finch, 126, 135
- Nihoa millerbird, 126
- Nipponia nippon*, 115, 182
- Noisy scrub bird, 110, 129
- Non-breeding areas, 142
- North America, 38, 48, 75, 113, 126,
 134, 136, 156, 164, 170, 176, 227,
 248, 250, 253, 255, 261, 262, 266,
 270
- North American Bird Conservation
 Initiative (NABCI), 250, 262
- North American Waterfowl Management
 Plan (NAWMP), 248, 250, 261, 262,
 266
- North Island brown kiwi, 118
- North Island kokako, 110
- Northern bald ibis, 129, 132, 135

- Northern gannet, 163
 Northern spotted owl, 30, 181, 199
 Norway, 171, 185
Notiomystis cincta, 109
 Nukupu'u, 106
Numenius borealis, 134, 247
Numenius tenuirostris, 113, 141, 255
- Ocean
 Arctic, 159
 Atlantic, 175
 Indian, 57, 107, 144, 176
 Pacific, 65, 133, 163, 168, 175, 260, 263, 266
 South Atlantic, 144, 145
 Southern, 144, 145, 163, 175
 O'hau 'alauahio, 106
 Okinawa woodpecker, 131
 optimal foraging decisions, 190
 Orange-bellied parrot, 136, 199
 Orange-fronted parakeet, 136
 Organization of African States (OAS), 254
 organochlorine insecticides, 34
 ornithologists, 141, 147, 225, 226
 essential skills, 225, 226
Otis tarda, 255
Otus insularis, 132
 'o'u, 106
 Ovenbird, 216
Oxyura jamaicensis, 118
Oxyura leucocephala, 136
 Oystercatcher, 192–194, 200, 201
- Pacific, 260, 266, 267
 Palaearctic migrants, 235
 Pan European Ecological Network (PEEN), 235
Papasula abbotti, 132
 parasites and disease, 142
Paroreomyza maculata, 106
 Parrot, 156
 Partners in Flight, 42, 52, 261, 266
Parus caeruleus, 149
Parus major, 14, 160
 Passenger pigeon, 175, 247
Passer montanus, 56
 passerines, threatened, 158
 Patagonian toothfish, 144
 percolation theory, 204
Perdix perdix, 173
- Peregrine falcon, 34, 35, 126, 172
 pest management, 241
Petroica macrocephala chathamensis, 118
Petroica macrocephala dannae, 111
Petroica traversi, 119
Phalacrocorax harrisi, 135
 phenology, 167
Philesturnus carunculatus, 110
Phylloscopus trochilus, 165
 philopatry
 breeding, 145
 natal, 145
Phoenicopterus andinus, 255
Phyllastrephus leucolepis, 131
Phylloscopus trochilus, 222
 phylogenetic analysis, 12
 phylogeny, 5, 7, 69
 of modern birds, 8
 physiological constraints, 149
Pica pica, 55
Picoidea borealis, 183
Picoidea villosus, 216
 Pied stilt, 118
 Pine marten, 212
 Pink pigeon, 115, 122, 126, 128, 129, 134
 Pink-footed goose, 200
 Pink-headed duck, 134
 Piping plover, 199
Pitta gurneyi, 132
 Plain spinetail, 131
Podiceps tacazawskii, 132
 Poland, 43, 171
 pollution, 142
 impacts on birds, 172
 lead poisoning, 149, 150
Pomarea dimidiata, 131, 135
Pomarea nigra, 131
Pomarea whitneyi, 133
 Po'o-uli, 106
 population change, 140, 142, 144–147, 149, 150, 188
 external causes, 140, 142–144
 pitfalls in diagnosing the cause, 140, 142
 supplementary checks to aid diagnosis, 141
 population decline
 diagnosis, 140, 141, 145–147, 155
 farmland birds in Europe, 169
 priority setting, 228
 recent, 140
 population density, 146, 194, 196, 209

- population dynamics
 - spatially separated sub-populations, 210
- population growth, 150, 151, 181–183, 197, 219
- population management, 13
- population multiplication rate, 150, 181
- population size, 15, 35, 42, 44, 45, 53, 54, 64, 71, 135, 144, 146, 151, 152, 155, 186–188, 194, 195, 197, 224, 249, 252
- Population viability analysis (PVA), 67, 126, 181–189, 195, 197–199, 201
 - RAMAS, 185, 199
 - RAMAS GIS, 185
 - reliability, 186
 - retrospective analysis, 189
 - sensitivity analysis, 186
 - software, 181, 189
 - specific examples, 197
 - VORTEX, 182, 199
- population(s)
 - breeding, 144, 145, 147, 149
 - breeding numbers, 144
 - causes of decline, 139, 140, 141, 147, 155, 180
 - closed, 146, 181, 182
 - declining, 139, 145, 148–150
 - increasing, 151, 213
 - rates of change, 140
 - recovery, 150
 - small, 140, 185
 - stable, 147, 149, 150, 152
 - trends in abundance, 142
 - world, 141, 144
- Porphyrio mantelli*, 115, 134, 135
- Portugal, 39, 133, 171
- Possession Island, 144, 145
- Prairie Pothole Region, 164
- predation, 55, 107, 109, III, 114, 115, 122, 143, 152, 158, 165, 176, 207, 208
- pre-reproductive period, 147
- prey density, 190
- priority-setting
 - decline rates, 67
 - evolutionary distinctiveness, 64
 - evolutionary uniqueness, 69
 - feasibility, 64
 - genetic variation, 68
 - integrating multiple measures, 71
 - methods, 65
- objectives, 64
- scale and scope, 62
- taxonomy, 63
- what is it for?, 72
- processes, population, 139, 140, 155, 216
- productivity, 149, 151, 207
- Prosobonia cancellata*, 132
- protected areas, 224
 - extent, 75
 - network, 9, 168, 264
- PSC, *see* species concepts
- Pseudibis gigantea*, 132
- Psittacula echo*, 134
- Psittirostra psittacea*, 106
- Pterodroma cahow*, 133
- Pterodroma externa*, 135
- Pterodroma madeira*, 133
- Pterodroma magentae*, 116
- Puerto Rican parrot, 15, 134
- Puffinus griseus*, 163
- PVA, *see* Population viability analysis
- Pygoscelis adeliae*, 163
- Pygoscelis antarctica*, 163
- Pygoscelis penguins*, 49
- radio-tracking, 147, 225
- Ramsar, 54, 264
- Raphus calcullatus*, 247
- Raphus cucullatus*, 175
- rarity, 68
- Rarotonga, 116
- Raso lark, 131, 135
- Rattus rattus*, 115–117
- Raven, 44
- reciprocal monophyly, 9, 10
- recovery, of population, 139
- recruitment, 146, 149, 150
- Red Data Books, 61
- Red grouse, 44
- Red kite, 121
- Red List, 229, *see* IUCN Red List
 - East Africa, 228
 - global, 229
- Red List, 61, 65
- Red squirrel, 12
- Red-cockaded woodpecker, 183, 185, 198
- Red-throated Diver, 43
- Reed bunting, 147
- Reed warbler, 215, 216, 221

- regression analysis, 145
- Re-introduction Specialist Group, 123
- reproductive rate, 195
- reproductive success, 64, 162
- resource availability, 155
- resource limitation, 152
- response variable, 146, 152
- restricted-range birds, 81
- Rhododessa caryophyllacea*, 134
- Rhynochetos jubatus*, 65
- ringing, 145, 147, 215, 225–227, 252
 - mark-recapture studies, 145
 - mark-recovery, 147
 - mark-resighting, 147
 - recaptures, 145
- Rodrigues warbler, 135
- Romania, 171
- roost sites, 142
- Rorhamus sociabilis*, 185
- Royal Society for the Protection of Birds (RSPB), 247
- Ruddy duck, 136
- Rukia ruki*, 131
- Russia, 41, 248, 262
- Saddleback, 112, 115, 129
- SAFRING, 252
- Sahel, 165, 270
- Sakalava rail, 132
- São Tome fiscal, 135
- Sapheopipo noguchii*, 131
- Sapphire-bellied hummingbird, 132
- Sardinops sagax*, 57
- Scandinavia, 212
- Scientific and Technical Review Panel (STRP), *see* Conventions
- Scientific Council of the Bonn Convention, 270
- Scotland, 185
- sea level rise, 192
- Sedge warbler, 165, 215
- Seiurus aurocapillus*, 216
- Semper's warbler, 133
- sensitivity analysis, 186, 188
- setting conservation priorities
 - example from Kenya, 228
- sex ratio, 149
- Seychelles magpie robin, 110, 115, 128, 129, 133, 134
- Seychelles Scops-owl, 132
- Seychelles warbler, 121, 128, 129
- Sharpe's longclaw, 229
- shellfishing, 194, 200
- ship rat, 115
- Shore plover, 109, 136
- Short-crested coquette, 131
- Siberian crane, 132, 255
- Singing honeyeater, 209
- site protection, inadequacy of, 157
- site selection, 74
 - areas of high endemism, 81
 - biological considerations, 79
 - biological richness, 77
 - complementarity, 83
 - why this improves efficiency, 84
 - ecological and evolutionary processes, 88
 - ecotones, 89
 - establishing conservation goals, 88
 - existing reserves, 92
 - financial costs, 91
 - future challenges, 102
 - global priority systems, 76
 - human considerations, 91
 - local support, 94
 - scale, 77
- species occurrences narrowly-distributed species, 86
- species that are evolutionarily distinct, 87
- species whose conservation can enhance that of others, 88
 - flagship species. *See* keystone species, 88
 - umbrella species, 88
- threatened species, 87
- threats, 92
 - why identification of priority areas is necessary, 75
- Sitta europaea*, 204
- Skylark, 56
- Slender-billed curlew, 113, 129, 141, 254
- Slovakia, 171
- Slovenia, 171
- Snail kite, 185, 198
- Snares Island, 111
- Socorro dove, 106, 124, 133
- Socorro mockingbird, 132
- Song sparrow, 15
- Sooty shearwater, 163, 198

- Source–sink dynamics, 209, 211, 221
 South Africa, 173
 South Georgia, 145
 Southern blue-fin tuna, 144
 SPA, *see* Special Protection Areas
 Spain, 136, 171, 174, 184
 Sparrowhawk, 55
Spartina anglica, 192
 spatial scale, 146, 180, 194, 211–213
 Special Protection Areas, 54, 250
 species
 endangered, 180, 183, 185, 186, 188, 195, 196
 endemic, 182
 identification, 225, 227
 national and regional lists, 226
 rarity, 140
 temperate, 202
 threatened, 9, 29, 54, 61, 63, 64, 75, 99, 101, 103, 106, 109, 111–113, 115, 127, 129, 139–141, 147, 152, 156, 157, 160, 173, 175, 177, 220, 224, 226, 228, 229, 242, 248, 251
 species concepts, 3, 18
 biological species concept, 63, 64, 73
 phylogenetic species concept, 63, 64, 73
 species management techniques
 active management, 111
 captive management, 110
 captive propagation, 124
 close-order management, 110
 genetic management, 117
 habitat measures, 110
 habitat protection and restoration, 113
 nest site management, 115
 integrated management, 126
 passive management, 111
 pest and disease management, 115
 population manipulation, 118
 predators and competitors, 115
 translocation, 110
 Species of European Conservation Concern, 169
Spheniscus demersus, 47, 173
 Spix's macaw, 106, 124, 129, 134, 136
Sporophila insulata, 132
 Spotted owl, 204, 216, 218
 stable isotope technology, 163
 starvation, 193
 statistical methods, 147, 186, 192
 Stead's bush wren, 115, 121
 Stewart Island snipe, 115, 121
 Stitchbird, 109, 129
 stochasticity, 182
 demographic, 14, 182, 210
 environmental, 14, 182, 210
 in response of populations to landscape change, 204
 Stone-curlew, 151
 stopover sites, 208
 Storm petrel, 47
Streptopelia turtur, 56
Strigops habroptilus, 133, 135, 136
Strix occidentalis, 30
Strix occidentalis caurina, 181, 204
 students, 228
 Subantarctic snipe, 111
 subspecies, 4, 9, 11, 42, 63, 64, 252
 Succulent Karoo, 89, 90
 Sumatra ground-cuckoo, 131
 SURGE, 166
 Surveys, 142, 224
 repeat, 142
 Survival, 142, 145–147, 149–153, 181, 184
 pre-reproductive, 150, 151
 Sustainability, 22
 sustainable development, 22, 28, 60
 sustainable population size, 195
 sustainable resource use, 224
 sustainable use
 bird populations, 226
 wildlife populations, 253
 Swallow, 167
 Sweden, 171, 252
 Falsterbo, 252
 Ottenby, 252
 Switzerland, 38, 41, 55, 171
Synallaxis infuscata, 131

Tachybaptus rufolavatus, 133, 134
 Tahiti monarch flycatcher, 116
 Tahitian monarch, 110, 131
 Taita Hills forests, 229
 Taita thrush, 110
 Takahe, 115, 124, 126, 128, 129, 134, 135
 taxic diversity, 4
 taxonomic uniqueness, 65
 taxonomy, use of bird atlas data, 42
 technicians, 226

- Telespiza cantans*, 121
Telespiza ultima, 126, 135
territoriality, 196, 209
group territories, 154
territory mapping, *see* bird survey
territory quality, 196
Tetrao tetrix, 43
Tetrao urogallus, 121, 212
Thalassarche eremita, 131, 132
The Antarctic Treaty, 263
The Netherlands, 40, 48, 161, 171, 207, 215,
221, 247, 251, 260, 269
Theropod dinosaurs, 6
Thinornis novaeseelandiae, 136
Thryomanes bewickii, 208
Thunnum maccoyii, 144
timber harvesting, 203
time lags, in response to landscape change,
221
time periods, diagnosing population
declines, 140
time series, 147
tourism, 226
Toxostoma guttatum, 131
TRAFFIC, 254
trainees, 229, 232, 235, 238
training, 225, 226, 228, 245
transition probabilities, 155
Tree sparrow, 56
Tricholimnas sylvestris, 186
Trichosurus vulpecula, 116
Trios Island, 123
Tropical Biology Association, 236
Trust Funds, 240
Tsavo West National Park, 235
Tuamotu sandpiper, 132, 168
Tumaco seedeater, 132
Turdus helleri, 110
Turtle Dove, 56
Uganda, 240
Ukraine, 171, 251
umbrella species, *see* site selection
UN Food and Agriculture Organization,
169
uncertainty
management decisions, 155
population viability analysis, 186, 188
UNEP, 22, 257, 263, 269
UNESCO, 257, 264, 269
ungulate migration, 90
United Kingdom, 55, 149, 171, 247,
251
United Nations Commission on
Sustainable Development, 253
United States of America, 23, 27, 42, 52,
110, 114, 173, 181, 248–250, 252,
261–263, 267
Manomet, 252
urban development, 203
Vanellus macropterus, 134
Vini ultramarina, 121
Visayan wrinkled hornbill, 132
Vision for Wetland Conservation for
Canada, 267
vital rates, 181, 182, 184–186, 188, 189,
197
birth rate, 182, 184, 196
death rate, 182
survival, 112, 165, 175
Vogelbescherming, 247
waders, 191
Wandering albatross, 56, 141, 144–146
waterways bird survey, 227
website(s), 48, 77, 83
general circulation model climate
change, 164
reptile and amphibian distributional
data, 102
Tropical Biology Association, 236
Weka, 123
Western Hemisphere Shorebird Reserve
Network, 261, 266
Western sandpiper, 194, 201
Western yellow robins, 209
Wetland Bird Survey, 48
Wetlands International, 252, 264, 266
White-backed vulture, 177
White-cheasted white-eye, 133
White-eye, 87
White-headed duck, 136
White-shouldered ibis, 131
White-tailed Sea Eagle, 121, 185
Whooping crane, 110, 113, 114, 124–126,
128, 129, 136
Wigeon, 200
wildfowl, 191
Willow warbler, 165, 166, 222

Cambridge University Press

0521783402 - Conserving Bird Biodiversity: General Principles and their Application

Edited by Ken Norris and Deborah J. Pain

Index

[More information](#)

[Index](#) | 337

wintering grounds, 141

Wisconsin, 212

woodland birds, 214

World Conservation Union, 22, 31, 42, 61,
65, 67, 75, 106, 107, 114, 123, 125,
139, 177, 183, 188, 224, 248, 254,
264

World Wide Fund for Nature, 22, 254, 264

WORLDMAP, 83

WWF, *see* World Wide Fund for Nature

Xenicus longipes variabilis, 115

Yellowhammer, 56

Zenaida graysoni, 133

Zino's petrel, 133

Zoothera majori, 131

Zostera, 194

Zosterops albogularis, 133

Zosterops spp., 87