

Index

- α -Winsorized means, 316
- α -trimmed means, 316
- absolute rank, 181
- absolutely
 - continuous, 85, 268
 - continuous part, 85
- accessible, 150
- adaptation, 223
- adjoint map, 361
- adjoint score operator, 372
- antiranks, 184
- Assouad's lemma, 347
- asymptotic
 - consistent, 44, 329
 - differentiable, 106
 - distribution free, 164
 - efficient, 64, 367, 387
 - equicontinuity, 262
 - influence function, 58
 - of level α , 192
 - linear, 401
 - lower bound, 108
 - measurable, 260
 - relative efficiency, 195
 - risk, 109
 - tight, 260
 - tightness, 262
 - uniformly integrable, 17
- Bahadur
 - efficiency, 203
 - relative efficiency, 203
 - slope, 203, 239
- Bahadur-Kiefer theorems, 310
- Banach space, 361
- bandwidth, 342
- Bartlett correction, 238
- Bayes
 - estimator, 138
 - risk, 138
- Bernstein's inequality, 285
- best regular, 115
- bilinear map, 295
- bootstrap
 - empirical distribution, 332
 - empirical process, 332
 - parametric, 328, 340
- Borel
 - σ -field, 256
 - measurable, 256
- bounded
 - Lipschitz metric, 332
 - in probability, 8
- bowl-shaped, 113
- bracket, 270
- bracketing
 - integral, 270
 - number, 270
- Brownian
 - bridge, 266
 - bridge process, 168
 - motion, 268
- cadlag, 257
- canonical link functions, 235
- Cartesian product, 257
- Cauchy sequence, 255
- central
 - limit theorem, 6
 - moments, 27
- chain rule, 298
- chaining argument, 285
- characteristic function, 13
- chi-square distribution, 242
- Chibisov-O'Reilly theorem, 273
- closed, 255
- closure, 255
- coarsening at random (CAR), 379
- coefficients, 173
- compact, 255, 424
- compact differentiability, 297
- complete, 255
- completion, 257
- concordant, 164
- conditional expectation, 155
- consistent, 3, 149, 193, 329

- contiguous, 87
- continuity set, 7
- continuous, 255
- continuously differentiable, 297
- converge
 - almost surely, 6
 - in distribution, 5, 258
 - in probability, 5
 - weakly, 305
- convergence
 - in law, 5
 - of sets, 101, 232
- convergence-determining, 18
- converges, 255
 - almost surely, 258
 - in distribution, 258
 - to a limit experiment, 126
 - in probability, 258
- coordinate projections, 257
- Cornish–Fisher expansion, 338
- covering number, 274
- Cox partial likelihood, 404
- Cramér’s
 - condition, 335
 - theorem, 208
- Cramér–Von Mises statistic, 171, 277, 295
- Cramér–Wold device, 16
- critical region, 192
- cross-validation, 346
- cumulant generating function, 205
- cumulative hazard function, 180, 300

- defective distribution function, 9
- deficiency distance, 137
- degenerate, 167
- dense, 255
- deviance, 234
- differentiable, 25, 363, 387
 - in quadratic mean, 64, 94
- differentially equivalent, 106
- discretization, 72
- discretized, 72
- distance function, 255
- distribution
 - free, 174
 - function, 5
- dominated, 127
- Donsker, 269
- dual space, 361, 387
- Dzhaparidze–Nikulin statistic, 254

- ε -bracket, 270
- Edgeworth expansions, 335
- efficient
 - function, 369, 373
 - influence function, 363
 - information matrix, 369
 - score equations, 391

- Efron’s percentile method, 327
- ellipsoidally symmetric, 84
- empirical
 - bootstrap, 328
 - difference process, 309
 - distribution, 42, 269
 - distribution function, 265
 - likelihood, 402
 - process, 42, 266, 269
- entropy, 274
 - with bracketing, 270
 - integral, 274
 - uniform, 274
- envelope function, 270
- equivalent, 126
- equivariant-in-law, 113
- errors-in-variables, 83
- estimating equations, 41
- experiment, 125
- exponential
 - family, 37
 - inequality, 285

- finite approximation, 261
- Fisher
 - information for location, 96
 - information matrix, 39
- Fréchet differentiable, 297
- full rank, 38

- Gateaux differentiable, 296
- Gaussian chaos, 167
- generalized inverse, 254
- Gini’s mean difference, 171
- Glivenko–Cantelli, 46
- Glivenko–Cantelli theorem, 265
- good rate function, 209
- goodness-of-fit, 248, 277
- gradient, 26
- Grenander estimator, 356

- Hájek projection, 157
- Hadamard differentiable, 296
- Hamming distance, 347
- Hellinger
 - affinity, 211
 - distance, 211
 - integral, 213
 - statistic, 244
- Hermite polynomial, 169
- Hilbert space, 360
- Hoeffding decomposition, 157
- Huber estimators, 43
- Hungarian embeddings, 269
- hypothesis of independence, 247

- identifiable, 62
- improper, 138

- influence function, 292
- information operator, 372
- interior, 255
- interquartile range, 317
- joint convergence, 11
- $(k \times r)$ table, 247
- Kaplan-Meier estimator, 302
- Kendall's τ -statistic, 164
- kernel, 161, 342
 - estimator, 342
 - method, 341
- Kolmogorov-Smirnov, 265, 277
- Kruskal-Wallis, 181
- Kullback-Leibler divergence, 56, 62
- kurtosis, 27
- L -statistic, 316
- Lagrange multipliers, 214
- LAN, 104
- large
 - deviation, 203
 - deviation principle, 209
- law of large numbers, 6
- Le Cam's third lemma, 90
- least
 - concave majorant, 349
 - favorable, 362
- Lebesgue decomposition, 85
- Lehmann alternatives, 180
- level, 192
 - α , 215
- likelihood
 - ratio, 86
 - ratio process, 126
 - ratio statistic, 228
- linear signed rank statistic, 221
- link function, 234
- Lipschitz, 6
- local
 - criterion functions, 79
 - empirical measure, 283
 - limiting power, 194
 - parameter, 92
 - parameter space, 101
- locally
 - asymptotically
 - minimax, 120
 - mixed normal, 131
 - normal, 104
 - quadratic, 132
 - most powerful, 179
 - scores, 222, 225
 - signed rank statistics, 183
 - test, 190
- log rank test, 180
- logit model, 66
- loss function, 109, 113
- M -estimator, 41
- Mann-Whitney statistic, 166, 175
- marginal
 - convergence, 11
 - vectors, 261
 - weak convergence, 126
- Markov's inequality, 10
- Marshall's lemma, 357
- maximal inequality, 76, 285
- maximum
 - likelihood estimator, 42
 - likelihood statistic, 231
- mean
 - absolute deviation, 280
 - integrated square error, 344
- median
 - absolute deviation, 310
 - absolute deviation from the median, 60
 - test, 178
- metric, 255
 - space, 255
- midrank, 173
- Mill's ratio, 313
- minimax criterion, 113
- minimum-chi square estimator, 244
- missing at random (MAR), 379
- mode, 355
- model, 358
- mutually contiguous, 87
- \sqrt{n} -consistent, 72
- natural
 - level, 190
 - parameter space, 38
- nearly maximize, 45
- Nelson-Aalen estimator, 301
- Newton-Rhaphson, 71
- noncentral chi-square distribution, 237
- noncentrality parameter, 217
- nonparametric
 - maximum likelihood estimator, 403
 - model, 341, 358
- norm, 255
- normed space, 255
- nuisance parameter, 358
- observed
 - level, 239
 - significance level, 203
- odds, 406
- offspring distribution, 133
- one-step
 - estimator, 72
 - method, 71

442

Index

- open, 255
 - ball, 255
- operators, 361
- order statistics, 173
- orthocomplement, 361
- orthogonal, 85, 153, 361
 - part, 85
- outer probability, 258

- P*-Brownian bridge, 269
- P*-Donsker, 269
- P*-Glivenko-Cantelli, 269
- p*th sample quantile, 43
- parametric
 - bootstrap, 328, 340
 - models, 341
- Pearson statistic, 242
- percentile
 - t*-method, 327
 - method, 327
- perfect, 211
- permutation tests, 188
- Pitman
 - efficiency, 201
 - relative efficiency, 202
- polynomial classes, 275
- pooled sample, 174
- posterior distribution, 138
- power function, 215
- prior distribution, 138
- probability integral transformation, 305
- probit model, 66
- product
 - integral, 300
 - limit estimator, 302, 407
- profile likelihood, 403
- projection, 153
 - lemma, 361
- proportional hazards, 180

- quantile, 43
 - function, 304, 306
 - transformation, 305

- random
 - element, 256
 - vector, 5
- randomized statistic, 98, 127
- range, 317
- rank, 164, 173
 - correlation coefficient, 184
 - statistic, 173
- Rao-Robson-Nikulin statistic, 250
- rate function, 209
- rate-adaptive, 346
- regular, 115, 365
- regularity, 340
- relative efficiency, 111, 201

- right-censored data, 301
- robust statistics, 43

- sample
 - correlation coefficient, 30
 - path, 260
 - space, 125
- Sanov's theorem, 209
- Savage test, 180
- score, 173, 221
 - function, 42, 63, 362
 - operator, 371
 - statistic, 231
 - tests, 220
- semimetric, 255
- seminorm, 256
- semiparametric models, 358
- separable, 255
- shatter, 275
- shrinkage estimator, 119
- Siegel-Tukey, 191
- sign, 181
 - statistic, 183, 193, 221
- sign-function, 43
- signed rank
 - statistic, 181
 - test, 164
- simple linear rank statistics, 173
- single-index, 359
- singular part, 86
- size, 192, 215
- skewness, 29
- Skorohod space, 257
- slope, 195, 218
- smoothing method, 342
- solid, 237
- spectral density, 105
- standard (or uniform) Brownian bridge, 266
- statistical experiment, 92
- Stein's lemma, 213
- stochastic process, 260
- Strassen's theorem, 268
- strong
 - approximations, 268
 - law of large numbers, 6
- strongly
 - consistent, 149
 - degenerate, 167
- subconvex, 113
- subgraphs, 275

- τ -topology, 209
- tangent set, 362
 - for η , 369
- tangent space, 362
- tangentially, 297
- test, 191, 215
 - function, 215

- tight, 8, 260
- total
 - variation, 22
 - variation distance, 211
- totally bounded, 255
- two-sample U -statistic, 165

- U -statistic, 161
- unbiased, 226
- uniform
 - covering numbers, 274
 - entropy integral, 274
 - Glivenko–Cantelli, 145
 - norm, 257
- uniformly
 - most powerful test, 216
 - tight, 8
- unimodal, 355
- uprank, 173

- V -statistic, 172, 295, 303
- van der Waerden statistic, 175
- Vapnik–Červonenkis classes, 274

- variance stabilizing transformation, 30
- VC class, 275
- VC index, 275
- Volterra equation, 408
- von Mises expansion, 292

- Wald
 - statistic, 231
 - tests, 220
- Watson-Roy statistic, 251
- weak
 - convergence, 5
 - law of large numbers, 6
- weighted empirical process, 273
- well-separated, 45
- Wilcoxon
 - signed rank statistic, 183, 221
 - statistic, 175
 - two-sample statistic, 167
- window, 342

- Z -estimators, 41