

Index

- C^0 -sufficiency, 267
- S -morphism, 4
- S -surface, 4
- \mathbb{Q} -independent elements (in an ordered group), 294
- \mathcal{M} -adic valuation, 287
- μ -constant
 - for clusters, 261
 - for linear systems, 264
 - for pencils, 263
- μ -constant theorem, 259
- g -free point, 226
- g -next p , point, 226
- g -satellite point, 226
 - of p , 226
- p -value, 139
- y -root, 19
 - simple, 28
- A -sufficiency, 278
- A -sufficiency degree, 278
- Abhyankar–Moh inequality, 326
- Abhyankar–Moh theorem, 329
- absolute coordinate, 2
- actual point, 325
- additivity of multiplicity, 10
 - at an infinitely near point, 78
- adjoint
 - curve, 152
 - germ of curve, 152
- admissible ordering, 131
- affine automorphism of \mathbb{A}_2 , 326
- algebraic automorphism of \mathbb{A}_2 , 326
- algebraic endomorphism of \mathbb{A}_2 , 325
- algebraic germ, 61, 281
- analytic curve, 7
- analytic invariant, 10
- analytic isomorphism, 4
- analytic morphism, 4
- analytic sufficiency, 278
- analytically isomorphic germs of curve, 10
- approximate root, 190
- approximate solution, 113
- archimedean valuations, 286
- Artin theorem, 113
- associated function, 30
- automorphism of \mathbb{A}_2 , 326
- base point
 - dicritical, 282
 - of a linear system, 254
 - of a pencil, 255
 - of an ideal, 254
 - of polar germs, 217, 318
- blowing down, 76
- blowing up
 - a cluster, 131
 - a point, 68
- branch, 39
 - of $\mathcal{N}(\xi)$, 80
 - of a curve, 39
 - of a germ, 39
- centre
 - of a blowing-up, 68
 - of a valuation, 286
 - infinitely near, 288
- characteristic coefficients, 160
- characteristic exponents
 - of a germ, 161, 177
 - of a series, 159
- characteristic monomials, 160
- characteristic pairs, 160

- characteristic terms, 160
- class
 - of a branch, 193
 - of an algebraic curve, 245
- cluster, 98
 - consistent, 124
 - irreducible, 310
 - strictly consistent, 260
 - weighted, 119
- cluster of base points
 - of a linear system, 254
 - of a pencil, 255
 - of an ideal, 254
- codimension
 - of a linear system, 258
 - of a weighted cluster, 150
- complete ideal, 305
- complete linear system, 306
- completion of an ideal, 306
- component
 - of a curve, 8
 - of a germ of curve, 9
- composed
 - curve, 7
 - germ of curve, 9
- conductor
 - of a germ, 108
 - of a semigroup, 189
- congruent clusters, 308
- conjugate roots, 22
- conjugate series, 18
- consistent cluster, 124
- convergence of the y -roots, 31
- convergent fractionary power series, 30
- critical point, 4
- curve, 7
 - adjoint, 152
 - analytic, 7
 - composed, 7
 - going sharply through a cluster, 127
 - irreducible at a point, 9
 - non-singular, 11
 - reduced, 40
 - smooth, 11
 - through a cluster, 120
 - through an infinitely near point, 78
 - unbranched, 40
- curve singularity, 11
- cuspidal index, 244
- de Jonquières automorphism, 326
- degree
 - of a group of points, 249
 - of a linear series, 250
 - of a map, 64
- depth of a cluster, 120
- dicritical base point, 282
- direct image of a germ, 64
- discrete valuation, 286
- discriminant criterion, 283
- discriminantal index, 206
- division algorithm for valuations, 293
- divisor of zeros, 250
- divisorial valuations, 302
- dual germ, 194
- dual graph
 - of a cluster, 136
 - of a singularity, 138
- E-sufficiency degree, 268
- E-sufficient, 267
- effective divisor, 249
- effective multiplicity, 120
- effective values, 142
- embedded resolution, 134
- empty germ of curve, 9
- Enriques alternance rule, 212
- Enriques diagram
 - of a cluster, 98
 - of a germ, 99
- Enriques theorem, 173
- equation
 - associated with a side of a Newton polygon, 21
 - of a curve, 7
 - of a divisor of \mathbb{P}_1 , 250
 - of a germ of curve, 8

INDEX

341

- equisingular
 - curves, 94
 - germs, 93
- equisingularity, 93
 - of complete linear systems, 308
 - of germs of curve, 93
 - of valuations, 304
- equisingularity class, 94
- equisingularity invariant, 94
- equisingularity map, 93
- equisingularity type, 94
- equivalence of clusters, 144
- exceptional divisor
 - of a blowing-up, 68
 - of a composition of blowing-ups, 84
- excess, 127
- excess vector, 309

- first neighbouring ring, 103
- fixed part
 - of a linear family, 58
- fixed points of a linear series, 250
- formal germ of curve, 184
- free point, 87
- fundamental point, 115
- fundamental triangle, 115

- generic germ, 57, 61
- generic polar, 201
- germ of curve, 8
 - adjoint, 152
 - composed, 9
 - empty, 9
 - going sharply through a cluster, 127
 - irreducible, 9
 - quasihomogeneous, 217
 - reduced, 40
 - singular, 11
 - smooth, 11
 - through a cluster, 121
- Gorenstein, 190
- group of points, 249
 - cut out on a first neighbourhood, 255
- group of satellite points, 178
- group of zeros, 250

- Halphen formula, 55
- height
 - of a Newton polygon, 16
 - of a side of a Newton polygon, 16
- highest splitting principle, 149
- Hilbert–Samuel polynomial, 111

- ideal of a germ of curve, 9
- improper branches, 326
- improper line, 325
- improper point, 325
 - of a curve, 326
- inclusion
 - of curves, 7
 - of germs of curve, 9
- infinitely near point, 77
 - on a curve, 78
- infinitesimal neighbourhood, 77
- initial form, 6
- integral closure of an ideal, 306
- integral dependence relation, 306
- integral elements, 306
- integrally closed ideal, 305
- intersection matrix, 143
- intersection multiplicity
 - of curves at a point, 54
 - of germs of curve, 54
- inverse image
 - of a curve, 8
 - of a germ of curve, 9
- inversion formula, 178
- irreducible
 - cluster, 310
 - ending at p , 310
 - complete ideal, 314
 - component, 39
 - curve, 9, 40
 - germ of curve, 9
- irrelevant linear system, 58
- isomorphic clusters, 308
- isomorphic germs of curve, 10
- isomorphic smooth curves, 45

- isomorphic valuations, 286
- isomorphism of surfaces, 4
- jacobian germ, 266
- jacobian ideal, 200
- jacobian locus, 243
- jacobian Newton polygon, 247
- jacobian system, 200
- Jung's theorem, 330
- leading form, 6
- linear branches, 44
- linear conditions, 119
- linear family, 57
- linear series, 250
 - cut out on a first neighbourhood, 255
- linear system, 58
 - irrelevant, 58
 - neat, 254
- local coordinates, 3
- local equation of a curve, 7
- local ring
 - of a curve, 46
 - of a germ of curve, 46
 - of a point on a surface, 5
 - of a surface at a point, 5
- locus
 - of a curve, 7
 - of a germ of curve, 9
- maximal contact, 117, 165
- Milnor fibre, 246
- Milnor formula, 207
- Milnor number
 - of a germ of curve, 207
 - of a weighted cluster, 259
- morphism
 - of surfaces, 4
 - over S , 4
- moving principle, 149
- multiple component, 39
- multiple infinitely near point, 78
- multiple point
 - of a group of points, 249
 - on a curve, 11
- multiplicity
 - of a y -root, 28
 - of a base point, 254, 255
 - of a curve
 - at a proper point, 10
 - at an infinitely near point, 78
 - of a germ of curve, 10
 - at an infinitely near point, 78
 - of a linear system, 252, 253
 - of a point in a group of points, 249
 - of a valuation, 287, 288
 - of an infinitely near point on a curve, 78
 - of an infinitely near point on a germ, 78
 - of an irreducible component, 39
 - of the origin on a germ of curve, 10
- natural ordering of infinitely near points, 77
- neat linear system, 254
- neighbourhood (infinitesimal), 77
- neighbouring rings, 106
- Newton diagram, 15
- Newton polygon
 - of a germ, 16
 - of a series, 16
- Newton–Puiseux algorithm, 22
- next p , point, 226
- nodal index, 244
- node, 12
- Noether's formula, 79
 - for valuations, 290
 - virtual, 122
- non-critical point, 4
- non-degenerate germ (with respect to a Newton polygon), 65, 245
- non-singular curve, 11
- non-singular point, 11
- Nullstellensatz, 63
- number of conditions, 150
- number of double points, 113

INDEX

343

- obstructed division algorithm, 293
- one-dimensional valuations, 286
- order
 - of a fractionary power series, 18
 - of a function along a branch, 51
 - of a series, 2
 - of an irreducible germ of curve, 44
- order of singularity, 111
- ordinary cusp, 94
- ordinary points, 77
- ordinary singularity, 13
- origin of a cluster, 98
- patching together, 4
- pencil
 - of germs of curve, 58
 - of tangent lines, 6
- Plücker formula, 205
- point
 - g -free, 226
 - g -next, 226
 - g -satellite, 226
 - actual, 325
 - at infinity, 325
 - free, 87
 - improper, 325
 - infinitely near, 77
 - multiple, 78
 - next p , 226
 - on a curve, 7, 78
 - proper, 77
 - proximate, 82
 - satellite, 87
 - of a free point, 87
 - simple, 78
 - singular, 93
- points depending on a characteristic exponent, 174
- points depending on the first characteristic exponent, 167
- polar curve, 199
- polar germ, 197
- polar invariant, 224, 239
- polar quotient, 224, 239
- polydromy order, 18
- precedence of infinitely near points, 77
- principal tangent
 - to a curve at a point, 10
 - to a germ of curve, 10
- principio della massima separazione dei rami, 149
- principio di scaricamento, 145
- principio di scorrimento, 149
- projection formula, 64
- projective space, 1
- projectivity, 1
- proper points, 77
- proximate point, 82
- proximity equality, 83
- proximity for valuations, 290
- proximity inequality, 124
- proximity matrix, 139
- proximity relations, 295
- Puiseux series, 18
 - of a branch, 42
 - of a germ, 40
- Puiseux theorem, 25
- pull-back
 - of a curve, 8
 - of a germ of curve, 9
- pull-back morphism, 3, 5
- quadratic transformation, 115
- quasihomogeneous germ of curve, 217
- rank-one valuation, 286
- reduced
 - curve, 40
 - germ of curve, 40
- regular series, 27
- resolution graph, 138
- resolution of singularities, 91, 134
 - embedded, 134
- ring in the j -th neighbourhood, 106
- ring in the first neighbourhood, 103
- root of a series, 19
- satellite point, 87
 - of a free point, 87
- semigroup of an irreducible germ, 184

- separation of roots, 28
- sequence of multiplicities of an irreducible germ, 78
- similar clusters, 308
- simple y -root, 28
- simple infinitely near point, 78
- simple point
 - of a group of points, 249
 - on a curve, 11
- singular germ of curve, 11
- singular infinitely near point, 93
- singular point, 11
- smooth
 - curve, 11
 - germ of curve, 11
 - surface, 3
- special germ, in a pencil or linear system, 264
- strict transform
 - of a curve, 71, 78, 132
 - of a germ of curve, 75, 78, 132
- strictly consistent cluster, 260
- substitution of series, 2
- sum
 - of curves, 7
 - of germs of curve, 9
 - of weighted clusters, 310
- surface, 3
- surface over S , 4
- symmetric, semigroup, 189
- system of characteristic exponents, 159
- system of virtual multiplicities, 119
- system of virtual values, 142

- tacnode, 13
- tame unloading, 151
- tangency
 - of curves, 10
 - of germs of curve, 10
- tangent cone
 - to a curve at a point, 10
 - to a germ of curve, 10
- tangent directions, 6
- tangent line
 - to a germ of curve, 10
 - to a surface, 6
 - to a valuation, 287
- topological equivalence, 96
- total transform
 - of a curve, 70, 78, 132
 - of a germ of curve, 75, 78, 132
- transform of a linear system, 253
- transverse
 - germs of curve, 12
 - polar, 200
- tree of a singularity, 78
- Tschirnhausen transform, 191

- unbranched
 - curve, 40
 - germ of curve, 39
- uniformizing map, 50
- uniformizing morphism, 51, 53
- uniformizing parameter, 50
- unloading, 147
 - multiplicities, 145
 - on a point, 145
 - principle, 145
 - procedure, 147
 - step, 144
 - values, 145

- valuation, 285
 - \mathcal{M} -adic, 287
 - discrete, 286
 - one-dimensional, 286
 - rank one, 286
 - zero-dimensional, 286
- value
 - group, 285
 - of a germ of curve, 139, 286
 - of a germ of function, 140, 285
- variable part
 - of a linear family, 58
 - of a linear series, 251
- virtual codimension, 150
- virtual multiplicity, 119
- virtual Noether formula, 122
- virtual number of conditions, 150
- virtual transform
 - of a curve, 120

INDEX

345

- of a germ of curve, 121
- virtual values, 142

- Weierstrass division theorem, 33
- Weierstrass equation, 40
- Weierstrass polynomial
 - convergent, 33
 - formal, 27
- Weierstrass preparation theorem, 27, 33
- weighted cluster, 119
 - of singular points, 268
- width
 - of a Newton polygon, 16
 - of a side of a Newton polygon, 16

- Zariski factorization theorem, 314
- Zariski topology, 60
- zero-dimensional valuation, 286
- Zeuthen formula, 55