

Index

- 1-of-*c* coding, 175, 176, 307
- activation function, 88
- active sensing, 275
- AdaBoost, 150
- adjoint data assimilation, 97
- Advanced Very High Resolution Radiometer (AVHRR), 280, 282
- aerosols, 278
- air quality, 307–312
- albedo, 282
- algae, 315
- aliasing, 60
- Along Track Scanning Radiometer-2 (ATSR-2), 280
- altimeter, 283–284
- anomaly, 3
- Arctic Oscillation (AO), 293–295
index, 294
- atmospheric radiation, 298–299
- atmospheric teleconnection, 260–264
- augmented data matrix, 68
- auto-associative NN, 215
- auto-covariance, 63
- autocorrelation, 4, 137, 154
first zero crossing, 6
- automatic relevance determination (ARD), 143, 211
- autospectrum, 59–63
- averaging in time, 151–155
- back-propagation, 92, 97–102, 115
- bagging, 146, 148
- batch training, 100
- Bayes theorem, 12–15, 139, 140
- Bayesian method, 202
- Bayesian neural network (BNN), 138–145, 176–177
- beta distribution, 108
- bias
frequency bias, 188
- bias error, 133–134, 147–148
- bias parameter, 87
- biweight midcorrelation, 264–266
- biweight midcovariance, 264
- boosting, 150
- bootstrap, 146, 150–151, 206, 291
- bottleneck layer, 215
- bottleneck neuron, 215
- Brent's method, 119
- Brier score, 192, 211
- Broyden–Fletcher–Goldfarb–Shanno (BFGS) method, 121
- canonical correlation analysis (CCA), 49–56
kernel, 252, 272
- canonical correlation coordinates, 50
- canonical variate, 50, 252–254
- CART, *see* classification and regression tree
- central limit theorem, 127, 152
- chlorophyll, 276, 278
- classification, 12–16, 205
multi-class, 175–176, 186
- classification and regression tree (CART), 202–206, 309
- classification error, 172
- climate change, 297–298
- climate sensitivity, 280
- climate variability, 293–297
- climatological seasonal cycle, 68
- cloud, 279–280
- clustering, 16–18, 169, 233
- co-kriging, 210
- committee, 146
- conditional density network (CDN), 109, 150–151, 301, 310
- conditional probability, 13
- conditional probability distribution, 108–112
- conjugate gradient method, 97, 116–120
- contingency table, 187
- continuous ranked probability score (CRPS), 211
- coral, 315
- correlation, 3
biweight midcorrelation, 264–266
Pearson, 3
rank correlation, 5, 264
sample correlation, 3
significance, 4
Spearman, 5

- cost function, 86, 93
covariance, 3
 auto-covariance, 63
 cross-covariance, 64
covariance matrix, 22, 35
critical success index (CSI), 188
cross entropy, 173–176, 205
cross-spectrum, 63–65
cross-validation, 136–138, 205
curse of dimensionality, 97, 165
- Daniell estimator, 62
data assimilation, 97, 314
Davidon–Fletcher–Powell (DFP) method, 120
decision boundary, 14, 91, 170
decision regions, 14
decision surface, 14
decoding layer, 216
decorrelation time scale, 6, 137
delay coordinate space, 69
delta function (δ_{ij}), 25
deterministic optimization, 124
differential evolution, 126
discharge, 312
discriminant function, 15–16, 170
downscaling, 299–304
 dynamical, 300
 expansion, 303
 inflation, 303
 randomization, 303
 statistical, 300
dual Lagrangian, 180
dual solution, 160
dual variable, 159
- early stopping, 102, 134, 145, 146, 148, 310
ecology, 314–317
effective sample size, 4, 6
El Niño, 26
El Niño–Southern Oscillation (ENSO), 72–73, 75, 80,
 104, 187, 219–222, 247–251, 257–259, 290–293,
 295
empirical orthogonal function (EOF), 20, 25
 extended (EEOF), 74
encoding layer, 216
ensemble, 145–150, 206
Envisat, 277
EOF, *see* empirical orthogonal function
epoch, 100
 ϵ -insensitive Huber function, 201, 278
equation of state of sea water, 287–289
error function, 86, 93
 ϵ -insensitive, 196
European Remote-Sensing Satellites (ERS), 284
evidence, 140
evolutionary computation (EC), 124–126
expectation, 1
extended empirical orthogonal function (EEOF), 74
extrapolation, 303–304
extreme value distribution, 108
- factor analysis, 41
false alarm rate (F), 188
false alarm ratio (FAR), 188
feature, 240
feature space, 158, 184
feature vector, 14, 170
feed-forward, 87
filter, 66–68
fish, 315, 316
Fisher's z transformation, 4
Fletcher–Reeves method, 118
forecast verification, 187–193, 211–212
forest, 278–279, 286
Fourier spectral analysis, 246
fraction correct, 187
frequentist, 12
fundamental frequency, 60
- gamma distribution, 108, 110
Gauss–Newton method, 122, 141
Gaussian mixture model, 110
Gaussian process (GP), 157, 158, 206–211, 310
gelbstoff, 276, 277
general circulation model (GCM), 299
generalized cross-validation (GCV), 291
genetic algorithm (GA), 124–126
Geostationary Operational Environmental Satellites
 (GOES), 280, 282
Gini index, 205
global climate model (GCM), 299
global minimum, 185
global warming, 279, 282
gradient descent method, 97, 115–116, 120, 123
Gram matrix, 160
Gumbel distribution, 109
- hail, 307
harmonic analysis, 68
Heaviside step function, 87, 89
Heidke skill score (HSS), 190, 192
Hessian matrix, 114, 140, 141, 177
hidden layer, 92, 102–103
hierarchical, 140
hit rate, 187
Huber function, 132, 201
 ϵ -insensitive, 201, 278
hurricane, 307
hybrid coupled model, 292–293
hydrograph, 312
hydrology, 312–314
hyperbolic tangent function, 94
hyperparameter, 135, 139–143, 164
hyperplane, 178
- ignorance score (IGN), 212
inconsistency index, 224, 228, 235
index of agreement, 224
Indian summer monsoon, 297
indicator function, 172
infiltration, 312
information criterion, 224–225, 228

- infrared, 279–282
insect, 316
integral time scale, 6
isomap, 213
- Jacobian matrix, 141
Johnson distributions, 108
- K*-means clustering, 17, 106, 169, 233, 234
Karush–Kuhn–Tucker (KKT) conditions, 180, 181, 183, 198, 320
kernel, 110, 161–164, 238
 automatic relevance determination, 211
 Gaussian, 164, 184, 199, 304, 317
 Matérn, 211
 polynomial, 163, 184
 radial basis function (RBF), 164, 184, 199, 304, 317
 ridge regression, 164–165
kernel function, 161, 184
kernel matrix, 162, 238
kernel method, 158, 177–186, 196–202, 206–211
kernel principal component analysis, 167, 237–240
kernel trick, 161, 166, 184
kriging, 206
 co-kriging, 210
Kronecker delta function, 25, 59, 208
- La Niña, 27
Lagrange function (Lagrangian), 180, 320
Lagrange multiplier, 22, 51, 180, 319–321
Landsat, 276, 278
Laplace approximation, 141, 145, 310
leaky learning, 195
learning rate, 98, 194
least squares, 8, 107
leave-one-out cross-validation, 137, 315
Levenberg–Marquardt method, 123, 138, 141
likelihood, 13, 109, 128
line search, 119
linear discriminant analysis, 16
linear inverse modelling, 80
linear projection (LP), 294
linear regression
 dual solution, 159–160
linearly separable, 91
loading, 25
locally linear embedding (LLE), 213
logistic regression, 90, 315
logistic sigmoidal function, 89, 171
longwave radiation (LWR), 298
loss function, 93
- M5 tree, 206, 314
Madden–Julian Oscillation (MJO), 80, 297
margin error, 186
Markov chain Monte Carlo method, 141, 145, 206, 210
matrix
 Hermitian, 25
 orthonormal, 37
 positive semi-definite, 24
 maximum covariance analysis (MCA), 49, 56
 maximum likelihood, 109, 127–129, 151
 maximum margin classifier, 178–186
 McCulloch and Pitts model, 87
 mean, 1
 conditional, 130
 population mean, 1
 sample mean, 2
 mean absolute error (MAE), 129, 266
 mean squared error (MSE), 93, 127–129
 median, 264
 conditional, 131
 Medium Resolution Imaging Spectrometer (MERIS), 277, 278
 Mercer’s theorem, 162
 mixing coefficient, 110
 mixture model, 110–112
 MLP (see multi-layer perceptron), 92
 model output statistics (MOS), 12, 299
 Moderate Resolution Imaging Spectroradiometer (MODIS), 278
 momentum, 116
 moving average, 62, 67
 multi-class classification, 175–176, 186
 multi-layer perceptron (MLP), 92–97, 107, 214, 252
 classification, 171–176
 multichannel singular spectrum analysis (MSSA), 74–75
 multiple correlation coefficient, 10
- neural network (NN), 86–112
 Bayesian (BNN), 138–145
 recurrent, 282
neuron, 86–88
 hidden, 92, 102–105
Newton’s method, 114, 120
Niño 1+2 region, 27
Niño 3 region, 27
Niño 3.4 region, 27
Niño 4 region, 27
node, 88
nonlinear canonical correlation analysis (NLCCA), 252–273
 robust, 264–273
nonlinear complex principal component analysis (NLCPA), 240–243
nonlinear least squares, 121–124
nonlinear principal component analysis, 257, 287, 291
 kernel PCA, 237–240
 closed curve (NLPCA(cir)), 227–231
 complex variables (NLCPA), 240–243
 open curve (NLPCA), 214–227
 overfitting, 223–227
 nonlinear principal predictor analysis, 252
 nonlinear projection (NLP), 294, 295
 nonlinear singular spectrum analysis (NLSSA), 244–251
normal equations, 8, 10, 122
normalized variable, 3
North Atlantic Oscillation (NAO), 293, 296

- northern annular mode (NAM), 294
Nyquist frequency, 60
- objective function, 86, 93
ocean colour, 276–278
ocean heat content, 290, 292
offset, 87
oil spill, 286
on-line training, 100
one-versus-one classification, 186
one-versus-the-rest classification, 186
orthonormal matrix, 37
otolith, 316
outlier, 4, 129, 264–273
overfit, 11, 100, 127, 130, 223
ozone, 211
- Pacific–North American (PNA) teleconnection, 261, 295–296
pairwise classification, 186
passive sensing, 275
Peirce skill score (PSS), 191, 192
perceptron, 87–92
Perfect Prog, 12
periodogram, 60
persistence, 4
phytoplankton, 276, 277
Polak–Ribiere method, 118
pollution
 ocean, 276
positive semi-definite, 162
post-processing, 299–304
pre-image, 167–169
precipitation, 280–282
predictand, 7
predictive uncertainty, 143–145, 150–151
predictor, 7
primal solution, 160
principal curve, 231–233
principal component (PC), 23, 25
principal component analysis (PCA), 20–40
 combined PCA, 24, 48, 80
 complex, 48, 82–85
 Hilbert, 82–85
 Kaiser test, 39
 missing data, 38–39
 Monte Carlo test, 39
 rotated, 40–48
 significance tests, 39–40
 space–time PCA, 74–75
 spectral, 82–85
 time-PCA, 68–73
principal oscillation pattern (POP), 75–81, 104
principal surface, 233
principal vector, 25
probabilistic forecast, 211–212
probability
 a posteriori, 13
 a priori, 13
 conditional, 13
 density, 2
 posterior, 13
 prior, 13
 probability distribution
 beta, 108
 conditional, 108–112
 extreme value, 108
 gamma, 108, 110
 Gumbel, 109
 Johnson, 108
 Weibull, 108
 probability of detection (POD), 188
 probability of false detection (POFD), 188
- quadratic programming, 180
quadrature, 70
quantization error (QE), 235
Quasi-Biennial Oscillation (QBO), 80, 229–230, 296–297
quasi-Newton methods, 120–121, 124
 limited memory, 121
- radar, 275, 283, 306
radial basis functions (RBF), 105–108, 185, 200
 renormalized, 106
radiative transfer, 277
radiometer, 275
random forest, 206
rating curve, 313
reanalysis, 313
recharge–discharge oscillator, 291
reconstructed component, 246
recurrent neural network, 282
regional climate model (RCM), 300
regression, 7
 multiple linear regression (MLR), 10
 ridge, 11, 159, 164
 stepwise multiple, 11
regularization, 135–136, 176
relative operating characteristic (ROC), 189, 307
relevance vector machine (RVM), 202, 314
remote sensing, 275–286
 infrared, 279–282
 microwave, 282–286
 visible light, 276–279
resistant, 4
ridge regression, 159
robust, 4, 264
rotated principal component analysis (RPCA), 40–48
 procrustes rotation, 43
 varimax rotation, 42
rotation
 oblique, 41
 orthonormal, 41
running mean, 62, 67
runoff, 312
- sample size
 effective, 4
scatterometer, 284–285
score, 25
sea ice, 282

- sea level, 286–287
 sea surface temperature (SST), 27, 218–222, 283, 290–292
 Sea-viewing Wide Field-of-view Sensor (SeaWiFS), 277
 self-consistency, 233
 self-organizing map (SOM), 195, 224, 233–236, 281
 sensitivity, 99
 sequential training, 100
 shortwave radiation (SWR), 298
 sigmoidal function, 89
 simulated annealing, 124
 singular spectrum analysis (SSA), 68–75
 singular value, 37
 singular value decomposition (SVD), 36–38, 49, 56
 singular vector, 37, 56
 skill score, 190–192
 Hansen and Kupers, 191
 Heidke, 190, 192
 Peirce, 191, 192
 slack variable, 182
 snow, 282–283
 softmax function, 111, 175
 soil moisture, 286
 Southern Oscillation, 31
 Southern Oscillation Index (SOI), 31, 72
 sparseness, 181
 Special Sensor Microwave Imager (SSM/I), 283
 species richness, 314
 spectrum, 58–65
 amplitude spectrum, 63
 autospectrum, 59–63
 band-averaging, 62
 co-spectrum, 63
 coherency spectrum, 64
 cross-spectrum, 63–65
 ensemble averaging, 62
 phase spectrum, 63
 quadrature spectrum, 63
 SSE (sum of squared errors), 8–9
 SSR (sum of squares, regression), 9
 SST (*see* sea surface temperature), 27
 stage, 313
 standard deviation, 2
 standardize, 93, 135
 standardized anomaly, 3
 standardized variable, 2
 statistical learning theory, 171
 steepest descent method, 97, 115
 stepwise multiple regression, 11
 stochastic optimization, 124–126
 stochastic training, 100
 stopped training, *see* early stopping
 Student's *t* distribution, 4
 supervised learning, 16, 86, 193
 support vector, 179, 181, 183, 199
 support vector machine (SVM), 157, 177–186
 support vector regression (SVR), 157, 196–202
 surface gravity wave, 289
 surface wind speed, 283
 suspended sediment, 276–278
 symmetric function, 161
 synoptic scale, 300
 synthetic aperture radar (SAR), 103, 285–286
 target, 16, 88
 Terra, 278
 testing, 138
 Thematic Mapper, 277, 278
 threat score (TS), 188
 time-averaging, 151–155
 topographic error (TE), 235
 tornado, 305–306
 trace, 141
 tree
 CART, 202–206
 M5, 206
 trend, 60
 tropical cyclone, 307
 true skill statistics, 191
 turbidity, 278
 underfit, 127
 unit, 88
 unsupervised competitive learning, 193–195
 unsupervised learning, 16, 86, 106, 171, 193
 urban land cover, 279
 validation, 100, 134, 136
 variance
 population variance, 2
 sample variance, 2
 variance error, 133–134, 147–148
 varimax rotation, 42
 verification, 138
 voting, 146
 water wave, 289
 watershed, 312
 wave–wave interactions, 289–290
 Weibull distribution, 108
 weight, 87, 98
 weight decay, 135–136
 weight penalty, 135–136, 176, 182, 196, 205, 217, 224–227
 wheat, 286
 wind direction, 284
 wind speed, 283, 284, 286
 wind wave, 289–290
 window, 65
 zonal, 229, 291, 292