

Index

- abdomen, 46
 action of the k -plane transform on L^p functions, 201
 adjoint of an unbounded linear operator, 196
 affine Grassmannian, 151
 algebraic variety, 221
 almost all, 66
 almost everywhere, 66
 applications of tomography, 124
 approximate identity, 95
 Armitage-Goldstein nonuniqueness theorem for the Radon transform, 217
 artifacts, 33
 attenuated Radon transform, 289, 292
 attenuated x-ray transform, 291
 attenuation coefficient, 48, 52
 averaging, 29
- backprojection, 26, 28, 29, 99, 152
 backprojection operator
 for the k -plane transform, 152
 for the Radon transform, 99
 backprojection theorem, 176
 ball, 66, 129
 beam hardening, 52
 bispherical coordinates, 134
 Bolker assumption, 338, 357
 Boman-Strömberg, 313
 generalized Radon transform, definition of, 315
 inversion theorem, 315
 weight, 314
 boomerang transform, 119
 brain, 17, 43, 46
- carcinoma, 42
 Cartesian product, 60
 Cavalieri condition, 239
- central slice theorem, *see* slice-projection theorem
 change of variables in integration, 68
 characteristic function, 90
 complex projective line, 339
 complex projective space $\mathbb{C}P^n$, 339
 composition, 78
 computerized tomography (CT), 8
 cone beam geometry, 279
 conjugate index, 201
 conjugate space
 dual space, 130
 consistency conditions, 238
 contrast, 42
 convolution, 34, 83
 convolution reconstruction method, *see* filtered back projection
 convolution theorem for the Fourier transform, 131
 convolution theorem for the Radon transform, 84
 coset, 137
 CT, *see* Computerized Tomography
 CT scanner, 9, 26, 38, 43, 52
 cylinder, 73
- $\bar{\partial}$ cohomology, 341
 D modules, 342
 density plot, 14
 derivative theorem for the Fourier transform, 132
 diameter, 129
 differentiability properties of the Radon transform, 262
 differential operator, 130
 dilation operator, 83
 dilation theorem for the Fourier transform, 132
 Dirac delta distribution, 133
 direction
 angle, 18
 unit vector, 61

- distributions, *see* tempered distributions
- divergent beam geometry, 279
- divergent beam transform, 279
- domain, of a function, 13
- dot product $x \cdot y$
 - = $\langle x, y \rangle$, 60
 - see also* inner product
- double fibration, 334, 337
 - of Guillemin type, 338
 - topological restrictions, 338
- dual space
 - conjugate space, 130
- early application of tomography to astronomy, 116
- early Russian tomography, 53
- error correction, 33
- Euclidean n -space, 59
- Euclidean plane, 59
- evenness of the Radon transform, 78
- existence theorem for the k -plane transform, 162
- exponential Radon transform, 294
 - exponential Radon transform of Hertle, 296
 - exponential Radon transform of Kurusa, 312
- exponential type
 - function of, 251, 252
- exponential x-ray transform, 295
- extended Fubini theorem, 99
- extended k -plane transform, 191
- extended Radon transform, 191
- fan beam, 10
- fan beam geometry, 10, 279
- FDK inversion algorithm, 285
- filter
 - convolution, 34
 - point spread function, 104
- filtered backprojection, 38, 43, 98
- filtering, 33
- finite Radon transform, 343
- formal adjoint
 - of the attenuated Radon transform, 300
 - of the divergent beam transform, 281
 - of the exponential Radon transform, 300
 - of the generalized Radon transform, 300
 - of the k -plane transform, 152
 - of the Radon transform, 99
- formal adjoint theorem
 - for the k -plane transform, 157
 - for the Radon transform, 100
- Fourier transform, 86, 131
- Fubini theorem, extended, 99
- Fubini's theorem, 69
 - iterated integrals, 69
- function, 12, 13
- functions vanishing at infinity, 118
- fundamental solution, 322
- Fuglede's theorem, 171
- Funk transform, 278
- gamma function, 67
- general linear group, 138
- generalized polar coordinate theorem, 147
- generalized Radon transform, 299, 331
 - local invertibility of, 302
 - weight of, 300
- geometry
 - integral, 77
- ghost, 222, 271
- ghost theorem, 222
- graph, 14
- Grassmann manifold
 - Grassmannian, 136
- Grassmann manifolds as homogeneous spaces, 140
- Grassmannian
 - affine, 151
 - = Grassmann manifold, 136
- gray level, 14
- gray matter, 41
- gray scale, 14
- group action, 138
- Haar measure, 142
- Haar measure on Grassmannians, 142
- Hardy–Littlewood–Sobolev theorem, 209
- Hausdorff–Young inequality, 133
- Hausdorff–Young theorem, 133
- Helgason duality theorem, 334
- Helgason Radon transform, 333
- Helgason–Ludwig–Solmon Range Theorem for the k plane transform, 260
- Hertle exponential Radon transform, 296
- Hilbert transform, 169
- history
 - of the attenuated Radon transform, 292
 - of tomography and the Radon transform, 115
 - of tomography in medical diagnosis, 53
- Hölder continuity, 313
- Hölder's inequality, 130
- hole theorem, 296
- homogeneous coordinates, 339
- homogeneous spaces, 137
 - Grassmann manifolds as, 140
 - homogeneous spaces in duality, 332
 - unit sphere as, 138
- horocycles, 336
- hyperbolic disk, 336
- hyperplane, 61

- hyperplane integral, 72
- hyperplane lemma, 63

- identification problem, 297
- impedance tomography, 339
- incidence, 332
- injectivity theorem, 296
- inner product $\langle f, g \rangle$, 129, 157
- inner product $\langle x, y \rangle$
 - $= x \cdot y$, 59, 60
- integrable, 67
- integrable distributions, 118
- integral geometry, 56, 77
- integration on hyperplanes, *see* hyperplane integral
- inverse problems, 56
- inversion, 95
- inversion of translation invariant Radon transforms, 309, 312
- inversion theorem, 202
 - for the k -plane transform, 165, 167, 168
 - for the Radon transform, 107, 110, 169
 - for the divergent beam transform, 282
 - for the extended k -plane transform, 198
 - for the k -plane transform of L^2 functions, 185
 - for the k -plane transform on L^p , 208
 - of Boman–Strömberg for the generalized Radon transform, 315, 323
 - of Novikov for the attenuated Radon transform, 328
 - of Tuy, 284
- isometry theorem, 194
- isotropy group, 138

- Jacobian determinant, 68
- John transform, 149, 152

- k -dimensional Radon transform
 - $= k$ plane transform $=$ Radon–John transform, 127
- k plane, 136
- k -plane projection
 - definition of, 151
- k -plane transform, 77, 127
 - definition of, 151
 - extended, 191
 - $= k$ -dimensional Radon transform $=$ Radon–John transform, 127
 - inversion formulas, 165, 167, 168, 169, 185, 202, 208
 - of radial functions, 159
- k -Plane Transform as an unbounded operator, 188
- Kirillov condition, 284

- Kurusa exponential Radon transform, 312
- Kurusa’s range theorem, 264

- lambda operator, 164
- lambda tomography, 214
- Lambert-Beer law, 48, 51, 58
- Laplacian operator, 168
- Lebesgue integration, 64
- Legendre polynomials, 250
- length $|x|$ (of a vector in \mathbb{R}^n), 60
- limited angle theorem, 296
- line integral transform, 280
- linear attenuation coefficient, 52, *see* attenuation coefficient
- linear transform
 - k -plane transform as, 153
- linear transformation theorem for the Radon transform, 81
- Lizorkin class, 207
- local algorithm, 213
- local invertibility of generalized Radon transforms, 302
- local tomography, 213

- Mars, 36
- measurable set, 65
- measure
 - of a set, 65
- measured region, 285
- Minkowski space, 340
- mixed-norm estimates, 205
 - definition of the $L^q(L^r)$ mixed-norm, 211
 - for the k -plane transform, 211
- moment conditions, 239
- monochromatic, 52
- motion group, 151
- multi-index, 130
- multiplier theorem, 132

- Nobel prize, 53
- noise, 33
- noise reduction, 33
- noninvertible generalized Radon transforms, 330
- norm $|x|$ on \mathbb{R}^n , 60
- Novikov’s inversion theorem, 328

- object, 13
 - $=$ function, 12, 13
- orthogonal group, 139
- orthogonal matrix, 70, 139
- orthogonal projection operator, 152
- orthogonal transformation, 70
- orthonormal basis, 63

Paley–Wiener theorem, 251, 253, 256
 parallel beam geometry, 11, 279
 partial differential equations, 266
 Penrose transform, 339
 PET
 = positron emission tomography, 289
 photon, 47
 photon attenuation, 47
 Plancherel formula, 131
 plane wave, 267
 point spread function
 filter, 104
 polar coordinates, 71
 generalized, 147
 positron emission tomography (PET), 289
 projection, 19
 projective space, 339
 pseudolocal tomography, 216

radial functions, 79, 159
 radiation dose planning, 124
 radiation therapy, 124
 radio transmission, 34
 radiograph, 216
 radionuclide, 289
 Radon projection, 73
 Radon transform, 18, 19, 38, 58, 72
 and $\bar{\partial}$ cohomology, 341
 attenuated, 289, 292
 Boman–Strömberg, generalized, 313
 differentiability properties, 262
 examples, 89
 exponential, 294
 extended, 191
 finite, 343
 generalized, 299, 331
 history of, 53, 115
 inversion formulas, 107, 109, 169
 local invertibility of generalized Radon
 transforms, 302
 noninvertible, 330
 of a ball, 91
 of a square, 92
 of Gaussian functions, 91
 of Gel'fand, Graev, and Vilenkin, 88
 of Helgason, 333
 of Hertle, 296
 of Kurusa, 312
 of radial functions, 79
 of Radon–John, 152
 partial differential equations and, 266
 properties, 77
 rotation invariant, 309
 sinogram representation of, 23

uncertainty principles, 344
 uniqueness results, 216
 Radon, Johann, 6
 Radon–John transform, 152
 = k -plane transform = k -dimensional Radon
 transform, 127
 range theorem, 238, 240, 263
 of Finch and Solmon, 287
 of Helgason, 263
 of Helgason–Ludwig–Solmon, 260
 rapidly decreasing functions
 = Schwartz class \mathcal{S} , *see* Schwartz class
 rebinning algorithm, 282
 reconstruction, 95
 reconstruction kernel, 104
 reconstruction of a function from its Radon
 transform, 95, 98
 restriction of a function, 129
 Riesz fractional derivative, 208
 Riesz kernel, 172
 Riesz multiplier theorem, 178, 182
 Riesz multiplier theorem for the Schwartz class,
 179
 Riesz potential, 172
 Roentgen, Wilhelm, 6
 rotation invariant function, *see* radial function
 rotation invariant Radon transform, 309

Schwartz class \mathcal{S} , 130, *see* rapidly decreasing
 functions
 shift theorem
 = translation theorem, 78, 153
 for the k -plane transform, 153
 for the Radon transform, 78
 signal, 34
 single photon emission computerized tomography,
 289
 sinogram, 23, 46
 skull, 41
 slice-projection theorem
 for the extended k -plane transform, 191
 for the k -plane transform, 155
 for the Radon transform, 86
 slowly increasing function, 132
 Smith, Solmon, Wagner nonuniqueness theorem,
 219
 smoothing operator, 195, 262
 smoothing property of the Radon transform, 195
 Sobolev spaces, 286
 solution to the wave equation, 267
 SPECT, 289
 sphere, 61
 volume of, 129
 spherical Radon transform, 278

- support, 129
 support function of a compact set, 249
 support theorem, 296
- tempered distributions, 132
 tempered function, 132
- Theorem
- Armitage–Goldstein nonuniqueness theorem, 217
 - backprojection theorem, 176
 - Boman–Strömberg inversion theorem, 315
 - central slice theorem, 86, 155, 191
 - change of variables in integration, 68
 - existence of Riesz potentials, 175
 - existence of the k -plane transform, 162
 - formal adjoint theorem, 100, 157
 - Fubini's theorem, 69, 99
 - Fuglede's theorem, 171
 - generalized polar coordinates, 147
 - ghost theorem, 222
 - Hardy–Littlewood–Sobolev, 209
 - Hausdorff–Young, 133
 - Helgason range theorem, 263
 - Helgason duality theorem, 334
 - inversion, 107, 110, 165, 167, 168, 169, 185, 198, 202, 208, 282, 284, 315, 323, 328
 - inversion of the k -plane transform on L^p , 208
 - inversion of the Radon transform, 107, 109, 169
 - isometry, 194
 - k -plane inversion theorem – derivative form, 169
 - k -plane inversion theorem – Laplacian form, 168
 - k -plane inversion theorem for rapidly decreasing functions, 167
 - k -plane transform inversion – I, 165
 - k -plane transform inversion theorem, 185
 - Kurusa's range theorem, 264
 - local invertibility of generalized Radon transforms, 302
 - Logan–Maass uncertainty principle, 346
 - Louis uncertainty principle, 347
 - lower dimensional integrability, 162
 - multiplier theorem, 132
 - of Markoe and Quinto on local invertibility, 302
 - of Quinto on rotation invariant Radon transforms, 309
 - Paley–Wiener, 251, 253, 256
 - radial function theorem for k -plane transforms, 159
 - radial function theorem for Radon transforms, 79
 - range theorem, 242, 249
 - range theorem of Helgason–Ludwig–Solmon, 260
 - relation between the k -plane transform and the Radon transform, 156
 - Riesz multiplier theorem, 179, 182
 - Riesz multiplier theorem for the Schwartz class, 179
 - slice-projection, 86, 155, 191
 - Smith, Solmon, Wagner nonuniqueness theorem, 219
 - translation–shift, 78, 153
 - uniqueness for the divergent beam transform, 285
 - uniqueness for the k -plane transform, 216
 - Zalcman nonuniqueness theorem, 217
- tomogram, 9
- tomography, 6, 8, 58
- applications, 124
 - CT, 8
 - history of, 53, 115
 - impedance tomography, 339
 - lambda tomography, 214
 - local, 213
 - positron emission tomography (PET), 289
 - pseudolocal, 216
 - single photon emission computerized tomography, 289
 - SPECT, 289
- topological group, 137
- transform
- Fourier transform, 86, 131
 - John transform, 149, 152
 - = k -plane, *see* k -plane transform
 - k -Plane Transform, 127
 - Penrose transform, 339
 - Radon, *see* Radon transform
 - Radon–John, 127
 - x -ray, *see* x -ray transform
- translation, 70, 78
- translation-shift theorem
- for the k -plane transform, 153
 - for the Radon transform, 78
- transmission of a signal, 34
- Tuy condition, 284
- twistor space, 340
- twistors, 339
- uncertainty principles, 344, 346, 347
- uniqueness theorem
- for the divergent beam transform, 285
 - for the k plane transform, 216
 - for the Radon transform, 87
- unit ball, 66
- unit sphere, 61

400

Index

unit sphere, definition, 61
unit vector
 direction, 61
volume
 of a ball, 66, 67
 of a set, 65
 of a sphere, 67, 129
wave equation, 267

x-ray, 6, 11, 216
x-ray projection, 6, 19, 20
 definition of, 152
x-ray transform, 77, 149, 151, 282
 attenuated, 291
 definition of, 151
 exponential, 295
Zalcman nonuniqueness theorem for the Radon
 transform, 217