

# Index

## A

- (AB5) condition, 18, 75, 100, 127
- adjoint representation, 105
- admissible morphism, 6
- antipode map, 74
- artinian object, 24
- associated faisceau, 101, 102
- Auslander–Buchweitz context, 34, 202, 212, 220, 250
  - weak, 34, 211, 242

## B

- base, 109
- basic, 120
- Bass series, 56
- Betti number, 56, 252
- bialgebra, 72
- bialgebra map, 73
- bicomodule, 76
- Borel subgroup, 106
  - negative, 110
- bounded, 9
- bounded above, 9
- bounded below, 9
- Buchsbaum, D. A., xiv, 50, 252–254

## C

- canonical module, 63
- canonical sheaf, 63
- category
  - $\underline{\text{Ab}}$ , 2
  - additive, 2
  - artinian, 24
  - derived, 10
  - filtered, 4
  - noetherian, 24

preadditive, 2

$R$ -, 2

$\mathcal{U}$ -, 1

- character group, 105
  - coalgebra, 72
  - coalgebra map, 73
  - coassociativity, 72
  - cocommutative, 72
  - codimension, 48
  - cofinal, 4
  - cofree, 16
  - cogenerator, 32
  - Cohen factorization, 53
  - Cohen–Macaulay, 48
    - approximation, 120
    - maximal, 48, 117
  - Cohen–Macaulay type, 57
  - comodule, 75
  - comodule algebra, 99, 104
  - comodule map, 75
  - complete intersection, 54
  - complete intersection ideal, contravariantly finite, 29
  - coproduct, 72
  - cotensor product, 81
  - cotilting bimodule, 116
  - cotorsion module, 84
  - counit
    - of adjunction, 3
  - counit law, 72
  - counit map, 72
  - covariantly finite, 29
  - covering, 21
- ## D
- degree, 225, 235

$\Delta$ -good, 191  
 dense subspace, 88  
 depth, 46, 48  
 depth sensitivity, 58  
 descent datum, 45  
 determinantal ideal, 250  
 direct image, 23  
 division ring, 27  
 dominant order, 110  
 dominant weight, 159, 187  
 Donkin subcoalgebra, 174, 195, 223  
 Donkin system, 187  
 dual algebra, 87  
 dual coalgebra, 90  
 dual Hopf algebra, 98  
 dualizing bimodule, 116  
 dualizing complex, 59  
     fundamental, 59  
     normalized, 60  
**E**  
 embedding dimension, 49  
 equidimensional morphism, 52  
 essential, 19  
 étale, 52  
 étale topology, 23  
 exact category, 5  
**F**  
 $F$ -admissible, 15  
 $F$ -exact, 15  
 $F$ -injective, 16  
 $F$ -right derived functor, 17  
 faisceau, 23  
 faithfully flat, 37  
 filtered inductive limit, 4  
 filtered inductive system, 4  
 filtered projective system, 4  
 final subcategory, 4  
 finite free complex, 43  
 flat, 37  
 flat complex, 43  
 flat dimension, 40  
 flat morphism, 51  
 formal character, 112

fppf sheaf, 23  
 fppf topology, 23  
 free complex, 43  
 functor  
     additive, 2  
     constant, 3  
     continuous, 23  
     exact, 7  
      $R$ -linear, 2  
     universal module, 113  
     universally free, 113  
     universally projective, 113

**G**

$(G, A)$ -algebra, 127  
 $(G, A)$ -module, 127  
 $G$ -algebra, 104  
 $G$ -algebra map, 127  
 $G$ -equivariant, 252  
 $G$ -faisceau, 146  
 $G$ -generator, 19  
     small family of, 19, 20, 24  
 $G$ -ideal, 127  
 $G$ -invariance functor, 127  
 $G$ -linear map, 103  
 $G$ -maximal ideal, 151  
 $G$ -module, 102  
     rational, 102  
 $(G, \mathcal{O}_X)$ -module  
     coherent, 147  
     quasi-coherent, 147  
 $G$ -radical, 151  
 $G$ -ring, 54  
 Gabriel–Quillen embedding, 8  
 generalized hyperalgebra, 98  
 generalized Koszul complex, 253  
 geometric point, xv  
 good, 172, 193  
 good filtration, 176  
 Gorenstein, 49  
 Gorenstein dimension, 65  
 Gorenstein ideal, 48  
 Gorenstein module, 57  
 Grassmann variety, 256

Grothendieck, 19, 20

Grothendieck topology, 21

group-like element, 73

**H**

Henselian, 30

highest weight coalgebra, 165

semisplit, 187

weak, 165

highest weight theory, 167

semisplit, 186

Hochster, M., 251

homomorphism

Cohen–Macaulay, 54

complete intersection, 54

Gorenstein, 54

local, 53

Hopf algebra, 74

Hopf module, 100

hyperalgebra, 144

**I**

IFP, 93, 138

indecomposable, 31

induced module, 111, 159, 187

induction, 104

inductive limit, 4

infinitesimally flat, 144

injective cogenerator, 33

injective hull, 19

invariance, 97

inverse image, 23

**J**

Jacobson radical, 30

**K** $K$ -injective, 12, 126 $K$ -injective resolution, 12

Karoubian, 7

Koszul complex, 58

**L** $\lambda$ -extension, 208

minimal, 200, 208

left minimal, 29

left  $\mathcal{X}$ -approximation, 29

length, 109, 225

Levi subgroup, 110

Lie algebra, 105

local ring, 30

locally artinian, 24

locally finite, 24

locally noetherian, 24

longest element, 109

**M** $M$ -sequence, 46

maximal, 47

maximal torus, 106, 107

split, 107

MCM, 48

metafinite, 181

minimal, 251

minimal free complex, 56

minimal prime, xvi

Mittag-Leffler, 42

Mittag-Leffler condition, 41

module

trivial, 96

module algebra, 99

morphism

compactifiable, 61

**N** $\nabla$ -good, 191

New Intersection Theorem, 47

noetherian object, 24

normal, 50

normally flat, 67

**O**

opposite coalgebra, 76

 $\mathcal{O}_X$ -module, xv**P**

parabolic subgroup, 106

maximal, 106, 256

partition, 225

perfect, 251

perfect complex, 43

perfect ideal, 48

perfect module, 48

Poincaré series, 56

pointwise dualizing, 60, 117

- $G$ -equivariant, 234
- poset ideal, 157
- positively graded, 230
- presheaf, 3
- presheaf inverse image, 23
- product map, 72
- projective complex, 43
- projective cover, 19, 30
- projective limit, 4
- pure, 38
- pure submodule, 38
- Q**
- quasi-coherent, 44
- quasi-finite, 52
- quasi-hereditary algebra, 165
  - weak, 165
- quasi-isomorphism, 10
- R**
- $R$ -coalgebra, 72
- radical, 27, 106
- rank, 105, 106
- rational, 93
- rational part, 91
- rational resolution, 65
- rational singularity, 65
- reductive, 106, 107
  - split, 107
- refinement, 21
- regular, 49
- regular morphism, 51
- relative dimension, 52
- relatively acyclic, 17
- representable, 3, 101
- representation
  - polynomial, 225
- resolution
  - Buchsbaum–Rim, 253
  - Eagon–Northcott, 252
  - Lascoux–Pragacz–Weyman, 253
  - Lascoux’s, 253
  - of Buchsbaum–Rim type, 254
- restriction, 104
- right minimal, 29
- right  $\mathcal{X}$ -approximation, 29
- root
  - negative, 109
  - positive, 109
- S**
- saturated, 7
- saturation, 9
- Schur algebra, 174, 195, 223
- Schur functor, 225
- semigroup scheme, 73
- semiperfect, 30
- semipure, 215
- semisaturated, 7
- semisaturation, 9
- semisimple, 26, 27
- Serre’s ( $R_i$ ) condition, 50
- Serre’s ( $S_i$ ) condition, 50
- Sharp’s conjecture, 60
- sheaf, 21
  - of Kähler differentials, 52
- sheafification, 22
- short exact sequence, 6
- simple object, 26
- site, 20
- skeletally small, 2
- small, 2
- small set, 1
- small topology, 21
- smash product, 99
- smooth morphism, 51
- socle, 27
- split, 165, 187
- split highest weight coalgebra, 158
  - weak, 158
- stable, 102, 139
- stable point, 140
- straightening formula, 255
- strictly Henselian, 30
- su-acyclic
  - comodule, 217
  - complex, 216
- su-good, 218
- subbialgebra, 83

*Index*

281

- subcoalgebra, 83
- subcomodule, 75
- subvariety, xv
- svelte, 2
- Sweedler's notation, 76
- T**
- t-closed, 235
- thick subcategory, 7
- tilting module, 115, 204, 223
- top, 27
- torus, 105
  - split, 105
- transpose, 225
- U**
- u-acyclic
  - comodule, 184
  - complex, 179
- u-good, 196
- unipotent, 106
- unit
  - of adjunction, 3
- unit map, 72
- universal family, 113
- universal functor, 113
- universal map, 114
- universally dense, 88
- universe, 1
- V**
- variety, xv
- very thick, 7
- W**
- Wakamatsu's lemma, 30
- weight, 106
- Weyl group, 109
- Weyl module, 111, 159, 187
- Weyl's character formula, 112
- X**
- $\mathcal{X}$ -approximation, 34
  - minimal, 34
- $\mathcal{X}$ -coresolution, 28
- $\mathcal{X}$ -coresolution dimension, 28
- $\mathcal{X}$ -injective, 29
- $\mathcal{X}$ -injective dimension, 29
- $\mathcal{X}$ -projective dimension, 29
- $\mathcal{X}$ -projective object, 29
- $\mathcal{X}$ -resolution dimension, 28
- Y**
- $\mathcal{Y}$ -hull, 34
  - minimal, 34
- Yoneda product, 14, 15, 127
- Yoneda's lemma, 2