

Index

- 2.5D GIS, 38, 289
 3D GIS, 38, 289
 3D stratigraphic models, 38–39
- accessibility, 245, 289
 accessibility index, 241, 245
 accessible regions, 214–225
 accumulated cost-surface models, 214, 221–225, 289
 accuracy, 96–97, 100–101, 289
 spatial, 23, 26, 35
 topological, 27
 see also testing sample
 acuity of vision, 232
 added-variable plots, 157
 ADE-4 (software), 167
 Adobe Illustrator (software), 277
 Advanced Spaceborne Thermal Emission and
 Reflection Radiometer (ASTER), 71
 aerial photographs, 68
 affine transformation, 87
 affordances, 9
 agent-based simulation models, 10, 47, 49, 289
 AGricultural Non-Point Source Model (AGNPS),
 204–205, 289
 AirPhoto (software), 68
 Albers equal-area conic projections, 19–20
 Alcock, S., 41
 ALGAO (Association of Local Government
 Archaeological Officers), 33, 36
 Allen, J. R. L., 100, 256
 alpha index, 243
 alternate hypotheses, 123, 303
 altitude matrix, 100
Analytical Archaeology (Clarke), 209
 anisotropic costs, 215, 217–221, 253, 289
 ANSWERS (Areal Non-point Source Watershed
 Environmental Response Simulation) model,
 204–205, 289
A Phenomenology of Landscape (Tilley), 8
 arc
 definition, 237
 see also polylines
 ArcGIS (software), 55, 100
 ArcCatalogue, 285–287
 Geostatistical Analyst, 100–101
 raster calculator, 190
 Spatial Database Engine, 58
 three-dimensional Analyst, 38
 Query Builder, 113
- archaeology
 New Archaeology, 7, 209, 212
 phenomenological, 8
 positivist, 8
 post-processual, 8–10, 209
 research-orientated, 6–7
 traditional, 7
 uses of GIS, 1–2, 5–10
 excavations, 36–41
 landscape archaeology, 41–45
 management of resources, 33–36
 spatial modelling, 45–50
 uses of remote sensing (RS), 72–77
 ArcIMS (software), 277
 ArcInfo (software), 100
 TOPOGRID algorithm, 110–111, 299
 arc-node data structure, 58, 289
 ArcScan (software), 80
 ArcSurvey (software), 37
 ArcView (software), 36
 Spatial Statistics, 162, 167
 SVGMapper, 277
 Areal Non-point Source Watershed Environmental
 Response Simulation (ANSWERS) model,
 204–205, 289
 artefacts in surface models, 103, 109
 Asch, D. L., 182
 aspect, 101, 190–196, 289
 reversed, 218
 Association of Local Government Archaeological
 Officers (ALGAO), 33, 36
 ASTER (Advanced Spaceborne Thermal Emission
 and Reflection Radiometer), 71
 Atkinson, P. M., 100
 attribute data, 3, 12–14, 289
 aspacial, 14, 25
 linked to vector objects, 26
 linking to spatial data, 85–86
 relational database design, 55–57,
 298
 Aurenhammer, F., 213
 autocorrelation
 positive, 90
 spatial, 156–160, 162, 300
 automated mapping, 24, 265, 289
 average clustering coefficient, 243
 average degree, 242
 Average-Link Cluster Analysis, 169
 average path length, 243

328 *Index*

- Ayertaran, H. (Spikins *et al.*), 109
 azimuthal map projection, 18–20, 297
- Bailey, T. C., 149, 249
 Batchelor, D., 226
 Baxter, M., 122, 177
 Beardah, C., 177
 Beck, A., 37
 (Philip *et al.*), 73
 Beck, M., 37
 Bell, T., 220, 254–255
 (Lock *et al.*), 268
 Bell, T. L., 243–244, 248
 Bennett, D. A., 104, 106
 Berger, L. R. (Nigro *et al.*), 39
 beta index, 242
 Bevan, A., 167
 binary connectivity, 159, 301
 Bintliff, J., 41
 Bishop, I. D., 232
 Bitelli, G. (Carrara *et al.*), 106, 108
 Bonn Archaeological Statistics Package (BASP;
 software), 68
 Boolean algebra, 114, 290
 Bove, F. J., 94
 Boxgrove, England, 172–173
 Brown, D. G., 255–256
 Brown, W. M. (Mitasova *et al.*), 195
 Brunson, C.
 (Fotheringham *et al.* 1998), 157
 (Fotheringham *et al.* 2002), 186
 buffers, 209–211, 290
 Burrough, P. A., 60, 96, 100, 139, 195–196, 257–258
 bytes, 67, 290
- C_1 matrix, 244–245
 C/A (coarse acquisition) code, 63
 calculator-like interfaces, 189, 190
 Campbell, J. B., 130, 146
 Canada Geographic Information System, 24
 Canadian Centre for Remote Sensing (CCRS), 76
 Canadian Centre for Topographic Information, 79
 capacity constraints, 237
 Carla, R. (Carrara *et al.*), 106, 108
 Carrara, A. (Carrara *et al.*), 106, 108
 Carter, F. W., 244–246
 Cartesian coordinate system, 4, 22–23, 290
 cartography, *see* maps
 Casella, G., 162
 case studies
 Boxgrove, England, 172–173
 Greater London Sites and Monuments Record, 36
 Islay, Scotland, 47–50, 133
 Kythera Island Project (KIP), 43–45, 75, 275
 ceramic sherds, 267, 269, 271, 273
 interpolation of contour data, 104–106, 108, 110
 isometric view DEM, 102
 lithic artefact density, 267, 275
 numerical data classifications, 144
 polygon topology, 86
 slope values, 270
 Okinawa, Japan, 172
 Rarotonga (Pacific island), 130–133
 Serbian trade routes, 244–246
 Vancouver Island, Canada, 249–251
 Walmgate, York, 278
 West Heselton Project, 39–41
 West Shetland, Scotland, 119–122
 CCRS (Canadian Centre for Remote Sensing), 76
 cellular automata, 47, 290
 centroids, 24, 290
 Charlton, M. E.
 (Fotheringham *et al.* 1998), 157
 (Fotheringham *et al.* 2002), 186
 Chase, P. G. (Dibble *et al.*), 139
 Cherry, J., 41
 Chipman, J. W. (Lillesand *et al.*), 146
 Chi-squared test, 123–127, 301
 Chorley, R. J. and Haggett, P., *Models in Geography*,
 209
 choropleth maps, 16, 265–269, 290
 Church, R., 248
 Clark, A. J., 71
 Clark, P., 164–165
 Clarke, D. L., 212
Analytical Archaeology, 209
Models in Archaeology, 209
 classification, 135, 137, 301
 algorithm, 148
 grey-tone classes, 268
 numerical classifications
 multivariate, 139, 145–146
 univariate, 139, 141–145
 qualitative classifications, 135, 138–139
 of remotely sensed imagery, 146–148
 cluster analysis, 162–164, 301
 Average-Link Cluster Analysis, 169
 nearest neighbour analysis, 164–166, 303
 Single-Link Cluster Analysis (SLCA), 168–169
 cluster definition
 density analysis, 168, 173–178, 301
 hierarchical, 145, 168–170, 301
 partitioning, 168, 170–173, 301
 clustering coefficient, 241, 247
 average, 243
 coarse acquisition (C/A) code, 63
 Codd, E. F., 52
 coefficient of determination, 154, 301
 coefficient of variation, 268–269, 301
 Collischonn, W., 253
 colour composites, 72, 146, 305
 colour ramping, 270, 290
 command-line interfaces, 189, 290
 composite keys, 53
 computational theory of mind, 9
 confluences of watercourses, 260–262
 confounding, 182, 301
 conical map projection, 18–19, 297
 connectivity, 241–242, 290
 Conneller, C. (Spikins *et al.*), 109
 Conolly, J., 167
 contingency tables, 123, 301

Index

329

- continuous field data, 4–5, 127, 197, 269–271, 291
 contours, 16, 291
 CONTOUR (software), 106
 contrast, 231–232
 convexity, 196–197
 coordinate systems, 263
 Cartesian, 4, 22–23, 290
 geographic, 17–18, 22, 293
 CORONA satellites (US), 73
 correlation, 149–150, 302
 correlation coefficient, 151, 154, 156, 302
 corridors, 210, 291
 cost-of-passage maps, 214–221, 291
 costs, ratio data for, 255
 cost-surface, *see* accumulated cost-surface models
 coverage, 249
 Crawford, O. G. S., 74
 CrimeStat (software), 162
 cross-tabulation, 225–226, 291
 C Tech Development Corporation, 39
 cumulative percent-correct prediction curves, 184–185
 curvature of the Earth, 228–229
 cycles, 235, 291
 cylindrical map projection, 18, 20–21, 297
- D'Andrea, A., 94
 dangling lines, 84, 291
 data
 non-linear, 155
 normalisation of, 53–54, 268, 296
 publication formats, 40
 scales of measurement
 interval data, 46, 200–201, 304
 nominal data, 46, 123, 164–166, 304
 ordinal data, 46, 127, 130, 304
 ratio data, 46, 255, 268, 304
 standardising, 268
 storage, 57
 data acquisition
 primary geospatial data, 61–77, 297
 secondary geospatial data, 77–86, 298
 data analysis
 statistical methods, 122
 Chi-squared test, 123–127, 301
 Kolmogorov–Smirnov test, 8, 130–133, 137, 302
 Student's *t*, 133–135, 137, 304
 Wilcoxon test, 127–130, 137
 see also classification; queries
 'data assembled are data understood', 42
 Database Management System (DBMS; software), 51,
 54–55, 57–60, 291
 databases, 291
 attribute only, 34
 flat-file, 52, 292
 geodatabases, 51–60
 management of, 12–13, 34
 object-orientated, 55, 296
 relational, 55–57, 298
 standardisation of, 33–34
 data compression, 60
 data distributions
 equal area, 142–145
 equal interval, 142, 144–145, 195, 301
 geometric intervals, 143–145, 301
 natural break, 142, 144–145
 quantile, 141
 quartile, 141–142
 standard deviation, 141–142, 144–145
 data errors, 77
 data layers, 34
 data sources
 digital maps, 79–80
 satellite imagery, 68
 data structures, 24–31, 51
 arc-node, 58, 289
 continuous field, 4–5, 127, 197, 269–271, 291
 DBMS (Database Management System; software), 51,
 54–55, 57–60, 291
 degrees of freedom, 124–125
 Delaunay triangulation, 107, 291
 see also TIN (Triangulated Irregular Network)
 DEM (digital elevation model), 5, 27, 90, 100, 291
 accuracy, 101–102, 106, 111, 230
 from contour lines, 103–107
 linear interpolation between contours, 109–110
 with TINs, 107–109
 dendrograms, 168
 Dent, B. D., 268
 dependent variables, 150, 302
 derivatives, 198–190
 first-order, 101, 190–196
 second-order, 101, 196–197, 258
 de Ruitrand, D. J. (Nigro *et al.*), 39
 design variables, 183, 302
 Dibble, H. L., 139
 differential GPS (DGPS), 37, 64–65, 293
 Digital Chart of the World, 79
 digital elevation model (DEM), 5, 27, 90, 100, 291
 accuracy, 101–102, 106, 111, 230
 from contour lines, 103–107
 linear interpolation between contours, 109–110
 with TINs, 107–109
 DigitalGlobe Quickbird (software), 67–68, 70, 72
 digital recording
 elevation data, 42
 spatial and attribute data, 37
 digital sensors, 69–71
 digital terrain model (DTM), *see* digital elevation
 model (DEM)
 digitising, 80–86, 291
 heads-up, 80, 293
 digitising tablets, 80, 291
 digraphs, 236–237
 directional topological relationships, 14, 257
 Dirichlet tessellations, 211, 291
 discontinuous data, 197
 discrete objects, 25
 discriminant function analysis, 145
 distribution, 302
 heteroscedastic, 150, 154–155
 homoscedastic, 154
 diversity, 201, 302

330 *Index*

- Domingue, J. O., 257
 Donoghue, D. (Philip *et al.*), 73
 dot-density maps, 75, 272–273, 291
 Douglas, D. H., 223, 253
 Doxa, M. (Turner *et al.*), 247
 Dublin Core Metadata Element Set, 281
- EarthExplorer database, 76
 eastings, 22, 292
 see also northings
 Eastman, J. R., 146
 Eastman's push-broom procedure, 223
 Ebert, D., 100
 EDA (exploratory data analysis), 119
 Edelsbrunner, H., 213
 edge definition, 237
 edge detection, 201–202
 edge effects, 91, 229, 292
 edges, 234, 292
 see also polylines
 effective slope, 217–218, 292
 EGNOS (European Geostationary Navigation Overlay Service), 63, 293
 Eisenberg, J. D., 277
 electromagnetic spectrum, 64, 66
 ellipsoids, 17, 21–22, 263, 292
 encapsulation, 55
 energetic expenditure equations, 220–221
 English Heritage, 36
 Enhanced Thematic Mapper Plus (ETM+), 68–69
 entity data models, 5–6, 55–56, 292
 entity-relationship diagrams, 56
 enumeration units, 265, 268
 environmental determinism, 9, 179–180, 292
 Environmental Visualisation Systems (software), 39
 equal-area data distributions, 142–145
 equal-interval data distributions, 142, 144–145, 195, 301
 equal step, *see* equal-interval data distributions
 equidistant conic projection, 19
 erosion modelling, 202–206
 error checking, 84–85, 104
 error sum of squares (ESS), 169
 ESS (error sum of squares), 169
 ETM+ (Enhanced Thematic Mapper Plus), 68–69
 ETRS 89 (European Terrestrial Reference System 1989), 22, 292
 Euclidean geometry, 4, 6, 211, 292
 Eurimage, 76
 European Geostationary Navigation Overlay Service (EGNOS), 63, 293
 European Terrestrial Reference System 1989 (ETRS 89), 22, 292
 Evans, F., 164–165
 Exegesis SDM, 36
 Exon, S., 39, 233
 expected values, 124
 exploratory data analysis (EDA), 119
 eXtensible Markup Language (XML), 277, 285–287, 300
 external interface, *see* front end
 extrapolation, 90
- factor analysis, 145
 false colour composites, 146
 Farrelly, C. (Fisher *et al.*), 8, 225
 Feiner, S. K. (Foley *et al.*), 117
 Fernie, K., 33
 field trials, 216
 filters, 292
 high-pass, 201–202, 293
 low-pass, 198–201, 295
 spatial filtering, 197–198
 Fischer, M. M., 251
 Fisher, P. F., 8, 225, 230–231
 Fisher, P. F. and Unwin, D., *Virtual Reality in Geography*, 39
 flood-fill interpolation algorithm, 109–110, 292
 flow accumulation map, 258, 292
 flow networks, 236–237, 292
 fluxgate gradiometers, 71
 Foley, J. D., 117
 foreign keys, 53
 Fotheringham, A. S., 149, 157, 186, 249
 friction maps, *see* cost-of-passage maps
 front end, 56–57, 292
F-test, 133–134, 137
 Fulford, M. G., 100
 fuzzy boundaries, 17, 29–30, 292
- Gaffney, V., 7
 (Exon *et al.*), 39, 233
 gain, *see* predictive gain
 Galiatsatos, N. (Philip *et al.*), 73
 Gallotti, R. (D'Andrea *et al.*), 94
 Gambini (software), 213
 gamma index, 242–243
 'garbage in, garbage out', 11
 Gatrell, A. C., 149, 249
 GCPs (ground control points), 80, 86, 293
 geodesy, 17, 292
 geodetic datums, 21–22, 293
 Geodetic Reference System (GRS80), 21–22
 geographic coordinates, 17–18, 22, 293
 geographic information science (GISc), 11
 geographical, definition, 12
 geographical information systems (GIS), 11–16
 2.5D, 38, 289
 3D, 38, 289
 archaeological uses of, 1–2, 5–10
 excavations, 36–41
 landscape archaeology, 41–45
 management of resources, 33–36
 spatial modelling, 45–50
 customisation and programming, 35
 data transfer, 35
 as a 'tool' vs. as 'science', 6–7
 geographically weighted regression (GWR), 157
 geography, 3, 7
 geoids, 17, 293
 geometric interval data distributions, 143–145, 301
 geophysical survey, 71
 georeferencing, 17, 76, 80, 293
 Geoscience Australia, 79
 geospatial information (GI), 12

Index

331

- Geostatistical Analyst (software), 100–101
 geostatistics, 97–100, 302
 Getis's G_i^* statistic, 177, 179, 302
 GI (geospatial information), 12
 Gibson, J. J., 233
 Gilbert, N., 47
 Gili, S. (Verhagen *et al.*), 219
 Gillings, M., 39, 41, 227, 231, 233, 260
 Gilman, P., 33
 GISc (geographic information science), 11
 GIS DataPRO (software), 62
 Global Positioning System (GPS), 21
 coarse acquisition (C/A) code, 63
 differential GPS (DGPS), 37, 64, 293
 handheld, 42
 navigation-grade, 42, 63, 293
 protected code, 63
 real-time kinematic (RTK), 64
 survey-grade, 42, 64
 WAAS-enabled handheld, 42, 63, 293
 GNU (software licence), 136
 'God trick', 8
 goodness-of-fit, *see* R^2 value
 goodness of variance fit (GVF), 142
 Goodrick, G. T., 39, 233
 Gorenflo, L. J., 243–244, 248
 Gould, P. R., *On the Geographical Interpretation of Eigenvalues*, 246
 GPR (Ground Penetrating Radar), 71, 305
 GPS (Global Positioning System), 21
 coarse acquisition (C/A) code, 63
 differential GPS (DGPS), 37, 64, 293
 handheld, 42
 navigation-grade, 42, 63, 293
 protected code, 63
 real-time kinematic (RTK), 64
 survey-grade, 42, 64
 WAAS-enabled handheld, 42, 63, 293
 GRASS (software)
 command-line interfaces, 189
 flood-fill interpolation algorithm (r.surf.contour), 109–110
 Gstat, 100
 map algebra for locating confluences, 261–262
 Moran's I (r.moran), 162
 online tutorial, 148
 r.cva module, 228
 viewsheds, 226–227
 gravity models, 212–213, 293
 Greater London Sites and Monuments Record, 36
 grey-tone classes, 268
 ground control points (GCPs), 80, 86, 293
 ground penetrating radar (GPR), 71, 305
 ground truthing, 148, 305
 GRS80 (Geodetic Reference System), 21–22
 G-Sys (software), 39
 GVF (goodness of variance fit), 142
 GWR (geographically weighted regression), 157
 Hageman, J. B., 104, 106
 Haggett, P., *Locational Analysis in Human Geography*, 209
 Haining, R., 100, 149, 186
 Haraway, D., 8
 Harris matrix, 6
 Harris, T. M., 232
 Hassan, F., 276
 headers for raster data, 59–60, 80, 293
 height of observer, *see* observer offset
 Hernandez, M. J., 53
 HERs (Historic Environment Records, UK), 33
 heteroscedastic distribution, 150, 154–155, 302
 hierarchical cluster analysis, 145, 168–170, 301
 high-pass filters, 201–202, 293
 Higuchi, T., 233
 Hillier, B.
 Space Is the Machine, 247
 Hillier, B. and Hanson, J., *The Social Logic of Space*, 247
 HILLSHADE (software), 110
 histogram equalisation, 146, 294
 Historic Buildings, Sites and Monuments Record (HBSMR; software), 36
 Historic Environment Records (HERs; UK), 33
 Hodder, I., 37, 276
 Hodder, I. and Orton, C., *Spatial Analysis in Archaeology*, 46, 94, 209
 Holder, T., 106
 homoscedastic distribution, 154, 302
 Horn, B. K. P., 195
 Horn's method, 191–192
 Hughes, J. F. (Foley *et al.*), 117
 Husdal, J., 252
 hydrological modelling, 258–260, 294
 see also local drainage direction (LDD) maps
 hydrology, 256–262
 hyperspectral, *see* multispectral
 hypothetico-deductive method, 7
 hypsometric analysis, 106
 idealism, 8
 Idris (software), 59, 100
 anisotropic cost-surface analysis, 221
 AUTOCORR, 162
 FILTER module, 198
 INTERCON, 109
 SQL statement, 113
 STRETCH tool, 146
 TREND, 92
 IDW (inverse distance weighting), 94–97, 105–106, 294
 IFSAR (Interferometric Synthetic Aperture Radar), 72
 IKONOS, 76
 image classification, 145–146, 305
 image enhancement, 145–146
 imagery types
 digital, 69–71
 multispectral, 66–67
 panchromatic, 66
 photographic, 66–69
 satellite and airborne-derived, 71–72
 impedance, 237
 independent variables, 150, 302

332 *Index*

- inferences, rigorous approach to, 7–8
 information technology (IT), 37
 Information Technology Service Data Modelling
 Pages, 53
 infrared (IR), 73, 305
 inheritance, 55
 integration, 11
 intensity analysis, 173–176, 302
 interaction, 183, 302
 interactive maps, 13, 276–278, 294
 intercept, 151–152, 302
 interdependence, 151, 302
 interfaces
 calculator-like, 189, 190
 command-line, 189, 290
 Interferometric Synthetic Aperture Radar (IFSAR), 72
 interferometry, 71
 Intergraph (software), GeoMedia WebMap, 277
 International Standards Organisation (ISO), 281
 ISO 15836-2003, 281
 ISO 19155, 281–283, 285–286
 Internet
 archaeological databases, 33–34
 interactive maps, 13, 276–278, 294
 Internet GIS, *see* Web GIS
 Internet Map Server (IMS) (software), 277
 interpolation, 275
 algorithms, 104, 109–110, 292
 constrained, 290
 of contour data, 104–106, 108, 110
 definition, 90, 294
 exact, 292
 inexact, 294
 linear, 94
 unconstrained, 300
 interpolation methods, 90–91
 DEMs, 109–111
 geostatistic, 97–100
 global, 91–94
 local, 94–97
 interval data, 46, 200–201, 304
 intervisibility, 9, 247, 294
 algorithms, 228
 definition, 226
 see also reciprocity
 inverse distance weighting (IDW), 94–97, 105–106,
 294
 irradiance, *see* solar gain
 isarithmic maps, 16, 273–276, 294
 Islay, Scotland, 47–50, 133
 isochalazes, 16
 isochronic maps, 274
 isochrons, 274
 isohyets, 16
 isolines, 245, 276, 294
 isometric maps, 273, 294
 isometric view, 102, 294
 isoplethic maps, 273–274, 294
 isotherms, 16
 isotropic costs, 215, 294
 isovist field, definition, 228
 isovists, 247, 294
 iterative reallocation, 171
 Jaccard coefficient, 145
 Jenks Optimal Method, 142, 302
 Jensen, S. K., 257
 João, E. M., 89
 Jones, M. C., 175
Journal of Artificial Societies and Social Simulation,
 47
 Kant, I., 3
 Kantner, J., 255
 kernel density estimation (KDE), 175, 177–178
 kernels, 197, 294
 keys, 294
 composite, 53, 294
 foreign, 53, 294
 primary, 53, 294
 Kiefer, R. W., 146
k-means analysis, 145, 164, 170–173, 302
 Kolmogorov–Smirnov test, 8, 130–133, 137,
 302
 König index, 241, 243
 kriging, 97–101, 302
 co-kriging, 301
 Krist, F. J., 255–256
 Kuna, M. (Bintliff *et al.*), 41
 Kvamme, K. L., 7, 106, 186
 KVR-1000 satellites (Russia), 73
 Kythera Island Project (KIP), 43–45, 75, 275
 ceramic sherds, 267, 269, 271, 273
 interpolation of contour data, 104–106, 108, 110
 isometric view DEM, 102
 lithic artefact density, 267, 275
 numerical data classifications, 144
 polygon topology, 86
 slope values, 270
 Ladefoged, T. N., 171
 Lake, M. W., 47–48, 197, 229, 232
 Lambert, J., 20
 Land Processes Distributed Active Archive Centre, 79
 Landsat, 69–70, 76
 Landsat-7 ETM+, 68–69
 Landsat TM, 70
 landscape archaeology, 41–45
 landscape visualisation, 75–76
 Laplacian filter, 198, 201–202, 294
 laser altimetry, 72
 Latalowa, M. (Tschan *et al.*), 233
 Lathrop, R. G., 253
 latitude, 17, 22, 294
 laws of motion, 3
 LDD (local drainage direction) maps, 256–262,
 295
 least-cost paths, 252–256, 294
 Level, E., 213
 LiDAR (light detection and ranging), 72, 305
 light detection and ranging (LiDAR), 72, 305
 Lillesand, T. M., 146

- linear interpolation, 94
 linear regression, 149–158, 303
 line-in-polygon operations, 116–117
 lines, 295
 dangling, 84, 291
 isolines, 245, 276, 294
 overshoot, 84, 296
 polylines, 25, 297
 of secancy, 18
 of tangency, 18
 vector, 25, 57
 Llobera, M., 188, 197, 215, 218, 225, 233
 Lloyd, C. D., 100
 Lloyd, J. (Lock *et al.*), 268
 local drainage direction (LDD) maps, 256–262, 295
 local functions, 177, 179
Locational Analysis in Human Geography (Haggett), 209
 location–allocation modelling, 248–251, 295
 location records, 3, 12
 Lock, G., 41, 220, 232, 254–255, 268
 logistic regression analysis, 48, 183, 303
 longitude, 17, 22, 295
 low-pass filters, 198–201, 295
- Mackie, Q., 249–251
 Maddocks, A. (Fisher *et al.*), 8, 225
 Madry, S., 255
 magnetometers, 71
 Manber, U., 116
 Mann-Whitney *U* test, 127–130, 303
 map algebra, 30, 187–189, 295
 map calibration, *see* georeferencing
 map generalisation, 88–89, 295
 MapInfo (software), 36
 Map2SVG, 277
 MapXtreme, 277
 map projection
 azimuthal, 18–20, 297
 conical, 18–19, 297
 cylindrical, 18, 20–21, 297
 equidistant, 19
 and geodetic reference systems, 17–22
 orthomorphic, 19
 true-direction, 19
 maps
 automated production of, 24, 265, 289
 cost-of-passage, 214–221, 291
 digital data sources, 79–80
 digitising of, 80–86
 effective design of, 263–265
 hard-copy, 13
 interactive, Internet, 13, 276–278, 294
 isarithmic, 16, 273–276, 294
 isochronic, 274
 isometric, 273, 294
 isoplethic, 273–274, 294
 LDD, 256–262, 295
 legends, 263–264
 national and regional grid systems, 22–24
 orientation, 263–264
 projection and geodetic reference systems, 17–22
 proportional symbol, 271–272, 297
 raster, 67, 187, 298
 reference information, 263
 reversed aspect, 218
 shaded relief, 195, 298
 slope, 106
 stream channel, 258, 299
 thematic, 16–17, 263, 265, 299
 choropleth maps, 16, 265–269, 290
 continuous field data, 269–271
 dot-density maps, 75, 272–273, 291
 isarithmic maps, 16, 273–276, 294
 titles, 263–264
 topographic, 16, 35, 263, 299
 MapXtreme (software), 277
 mass points, 107, 295
 Mattingly, D. (Gillings *et al.*), 41
 McDonnell, R., 60, 96, 100, 139, 195–196, 257–258
 McIntosh, J., 277
 McPherron, S. P. (Dibble *et al.*), 139
 mean, 200
 mean intensity, 174
 Medyckyj-Scott, D. J., 229
 Mercator Projection, 20
 metadata, 88, 264, 280–287, 295
 Micó, R. (Verhagen *et al.*), 219
 Microsoft Access (software), 36
 MIMAS, 76
 Mitas, L. (Mitasova *et al.*), 195
 Mitasova, H., 195
 Mithen, S. J. (Lake *et al.*), 229
 mode, 200
 modelling
 dynamic, 47, 292
 erosion, 202–206
 gravity, 212–213
 hydrological, 258–260, 294
 see also local drainage direction (LDD) maps
 location–allocation, 248–251, 295
 predictive, 34–35, 145–146, 179–186
 spatial, 45–50, 304
 surface models, 90–111
 theoretical, 98
 three-dimensional stratigraphic, 38–39
Models in Archaeology (Clarke), 209
Models in Geography (Chorley and Haggett), 209
 monotonic decrement, 151
 Monte-Carlo simulation, 50, 161–162, 303
Monument Inventory Data Standard (MIDAS), 34
 Moore neighbourhood (Queen's move), 253, 257
 Moran's *I*, 46, 156, 158–160
 morphology, 13
 movement, *see* accumulated cost-surface models
 Müller, J., 119
 multispectral imagery, 66–67, 305
- NAD 27 (North American Datum 27), 21, 295
 NAD 83 (North American Datum 83), 21, 295
 naive estimator, 174
 National Geodetic Survey (US), 22

334 *Index*

- National Grid (UK), 23
 National Monuments Record (NMR; UK), 36
National Monuments Record Thesauri, 34, 36
 National Soil Erosion Laboratory (NSERL; US), 203
 natural break data distributions, 142, 144–145, 301
 Natural Environment Research Council (NERC; UK), 76
 NDVI (Normalised Difference Vegetative Index), 146, 189
 nearest neighbour analysis, 164–166, 303
 near-infrared (NIR), 146, 189
 Neiman, F. D., 94
 network diameter, 243
 networks, 234, 295
 analysis of, 238–239
 location–allocation problems, 248–251
 measures of network structure, 239–248
 routing on, 251–252
 flow networks, 236–237, 292
 least-cost paths, 252–256
 pure networks, 234–236
 transportation networks, 237–238
 vector maps of, 236
 New Archaeology, 7, 209, 212
 New Geography, 7, 209, 212
 Newton, I., 3
 Nigro, J. D., 39
 NIR (near-infrared), 146, 189
 NMR (National Monuments Record; UK), 36
 nodal degree, 241, 247
 nodes, 25, 234, 295
 see also vertices
 nominal-scale data, 46, 123, 164–166, 304
 non-linear data, 155
 non-parametric tests, 122–133, 303
 normalisation of data, 53–54, 268, 296
 Normalised Difference Vegetative Index (NDVI), 146, 189
 North American Datum 27 (NAD 27), 21, 295
 North American Datum 83 (NAD 83), 21, 295
 northings, 22, 296
 see also eastings
 NSERL (National Soil Erosion Laboratory; US), 203
 null hypothesis, 50, 123, 303

 object classes, 55
 Object Query Language (OQL), 55
 objective function, 248
 objects, 55
 observed values, 123
 observer offset, 232, 296
 ODBC (Open Database Connectivity), 55, 296
 O’Kelly, M. E., 249
 Okinawa, Japan, 172
 Ontario Ministry of Agriculture and Food, 203
On the Geographical Interpretation of Eigenvalues (Gould), 246
 Open Database Connectivity (ODBC), 55, 296
 OQL (Object Query Language), 55
 Oracle Spatial (software), 112
 ordinal scale data, 46, 127, 130, 304

 Ordnance Survey MeridianTM, 36
 Ordnance Survey (UK), 16, 79
 orientation independent topological relationships, 14
 orienteering problem, 252
 orthogonal transformation, 87
 orthorectification, 77, 296
 OSGB36 Datum, 22
 O’Sullivan, D. (Turner *et al.*), 247
 otherness of the past, 9
 outliers, 155, 303
 overshoot lines, 84, 296

 Pajek (software), 236
 palaeoenvironmental reconstruction, 206, 225, 230, 260, 262
 palaeovegetation, 230–231
 PAM (Partitioning Around Medoids), 173, 303
 panchromatic imagery, 66, 305
 parallel processes, 198
 parametric tests, 122, 303
 Partitioning Around Medoids (PAM), 173, 303
 paths, 235, 296
 Pearson correlation coefficient, 151, 154, 156, 302
 Pearson, R., 171
 Penn, A. (Turner *et al.*), 247
 perception shed, 233
 phenomenology, 8
 Philip, G., 73
 photogrammetry, 37, 74–75, 296
 photographic imagery, 67–69
 Pilar, V., 253
 Piperno, M. (D’Andrea *et al.*), 94
 pits, 257, 296
 plan convexity, 196–197, 296
 planarity, 236, 238
p-median problem, 249
 point-in-polygon operations, 116–117
 point operations, 187, 297
 polar coordinates, 17–18, 22, 296
 polygons, 25, 57, 297
 digitising, 84–85
 operations, 116–118, 225, 297
 Thiessen polygons, 211–213, 299
 polylines, 25, 297
 population, 123, 303
 positivist archaeology, 8
 PostgreSQL (software), PostGIS, 112
 post-processual archaeology, 8–10, 209
 Powlesland, D., 39
 predictive gain, 185, 303
 predictive models, 34–35, 145–146, 179–186, 297
 Premo, L., 162, 163
 primary data, 61–77, 297
 primary keys, 53, 294
 principal component analysis, 145
 profile convexity, 196–197, 297
 projection
 conic, 18–19, 297
 equal-area, 19–20, 297
 equidistant, 19, 297
 true-direction, 19, 297

Index

335

- projective transformation, 87
 proportional symbol maps, 271–272, 297
 proximal tolerance, 107, 297
 proximity analysis, *see* buffers
 push-broom procedure, 223
 Pythagorean theorem, 23
- quadtree data encoding, 60, 297
 quantiles, 141, 301
 quartiles, 141
 queries, 112–122, 298
 attribute queries, 112, 119–120
 distance queries, 112, 118–119
 spatial queries, 112, 116–122, 299
 topological queries, 112, 116–118
 query languages, 53–55
 see also SQL (Structured Query Language)
 Quickbird (software), 67–68, 70, 72
 quintiles, 141
- r^2 value, 93, 151
 R (programming language), 137
 R^3 (software), 100
 Raczkowski, W. (Tschan *et al.*), 233
 Radarsat, 68
 RAID (redundant array of inexpensive disks), 57
 Rains, M., 278
 Rakos, L., 255
 range, 201, 303
 rank-order variables, 140
 Rarotonga (Pacific island), 130–133
 raster calculators, 190
 raster data, 5, 24, 27–28
 advantages and disadvantages, 30–31
 buffer representations, 210
 file formats, 77
 headers, 59–60, 80, 293
 maps, 67, 187, 298
 storage, 59–60
 ratio data, 46, 304
 for costs, 255
 for enumeration units, 268
 Ray, E. T., 277
 real-time kinematic (RTK), 64
 reciprocity, 229–230, 298
 reclassification, 139–140, 298
 redundant array of inexpensive disks (RAID), 57
 regionalised variable theory, 98
 regions
 geometric, 209–213
 modelling of, 208–209
 topographical, 213–214
 accessible regions, 214–225
 visible regions, 225–233
 regression analysis, 45–46, 303
 common problems, 159
 geographically weighted, 157
 linear regression, 149–158, 303
 logistic, 48, 183, 303
 non-linear regression, 303
 spatial regression, 157, 304
- regression constants, 152, 303
 regression equation, 156
 Relational Model, 52
 Relativity, General Theory of, 3
 relief maps, shaded, 195, 298
 Relph, T., 208
 remote sensing (RS), 64
 archaeological applications, 72–77
 digital imagery sources, 68
 imagery data classification, 146–148
 imagery types, 66–72, 305
 Renfrew, C., 213
 Renfrew's law, 151
 reprojection, 22
 residuals, 82, 155, 303
 resistivity metres, 71
 resolution, 28, 41, 189, 298
 see also scale (cartography)
 reversed aspect maps, 218
 ridges, 260, 298
 Ripley's K , 162, 166–168, 304
 Risch, R. (Verhagen *et al.*), 219
 RLC (run length compression), 60, 298
 RMSE (root mean square error), 42, 81–83, 88–89,
 96, 106, 298
 Robert, C. P., 162
 Rogerson, P. A., 149
 root-mean-square-error (RMSE), 42, 81–83, 88–89,
 96, 106, 298
 Roper, D. C., 224
 Roskams, S., 37
 rotation, 87
 routes
 prediction of, 255–256
 replication of, 255
 RS (remote sensing), 64
 archaeological applications, 72–77
 digital imagery sources, 68
 imagery data classification, 146–148
 imagery types, 66–72, 305
 RTK (real-time kinematic), 64
 rubber sheeting, *see* projective transformation
 Ruggles, C. L. N., 229
 Fisher *et al.*, 8, 225
 run length compression (RLC), 60, 298
- sample, 123, 304
 SAR (synthetic-aperture radar), 71
 satellite imagery, 68, 72
 Scaife, B. (Spikins *et al.*), 109
 Scalable Vector Graphics (SVG), 277–278, 299
 scale (cartography), 18, 41, 263–264
 ramped, 270
 see also resolution
 scale (statistics), 304
 interval data, 46, 200–201, 304
 nominal-scale data, 46, 123, 164–166, 304
 ordinal-scale data, 46, 127, 130, 304
 ratio data, 46, 255, 268, 304
 scaling, 87
 secondary geospatial data, 77–86, 298

336 *Index*

- secondary transformation, 22
- sensitivity analysis, 230, 298
- sequential processes, 198
- Serbian trade routes, 244–246
- settlement locations, 244–246
- Shapiro–Wilks test, 134, 137
- Shennan, S., 47, 122, 155, 170
- Shimbel index, 243
- short-path matrix, 245
- Shreve Index, 258–259
- Shuttle Radar Topography Mission (SRTM), 71
- significance level, 123, 304
- simple graphs, 234–236
- Single-Link Cluster Analysis (SLCA), 168–169
- SIR-C (Spaceborne Imaging Radar), 68–69
- site catchments, 209, 214, 224–225, 298
- Sites and Monuments Records (SMRs; UK), 33
- Sites of Special Scientific Interest (SSSI), 34
- SLCA (Single-Link Cluster Analysis), 168–169
- slope, 101, 151–152, 190–196, 298, 304
 - definition, 190–191
 - maps, 106
- slope classes
 - equal-area, 195
 - equal-interval, 195
- ‘small world’ phenomenon, 236
- Smallworld (software), 55
- Smith, D. M., 137
- SMRs (Sites and Monuments Records; UK), 33
- solar gain, 195–196
- space, 3–6
 - absolute concept of, 3, 5–6
 - geometries of, 4
 - relative concept of, 3, 5–6
- Space Imaging, 71
 - IKONOS (software), 67, 68
- Space Is the Machine* (Hillier), 247
- space syntax, 246–248, 298
- spatial analysis, 149, 304
 - cluster analysis, 162–168
 - cluster definition methods, 168–173
 - linear regression, 149–158, 303
 - local functions, 177, 179
 - predictive modelling, 179–186
 - spatial autocorrelation, 156–160, 162, 197–198
- Spatial Analysis in Archaeology* (Hodder and Orton), 46, 94, 209
- spatial data, 12–14
 - acquisition, 12–13, 61–77, 297
 - linking to attribute data, 85–86
 - management, 12–13, 280
 - metadata, 280–281
 - storage, 57–60
- Spatial Database Engine, 58
- spatial filtering, 197–198
- spatial locations, 12
- spatial operations, 187, 299
- spatial queries, 112, 116–122, 299
- spatial regression, 157, 304
- specificity, 4
- Spikins, P., 109
- splines, 97, 299
- split sampling, 181
- SPOT, 71–72, 76
 - SPOT 5, 68, 70
- spreading functions, 214, 222–223, 299
- SQL (Structured Query Language), 53–55, 299
 - attribute queries, 112, 119–120
 - clauses and operators, 113–115
 - distance queries, 112, 118–119
 - spatial queries, 116–122
- SRP (spectral response pattern), 70
- SRTM (Shuttle Radar Topography Mission), 71
- SSSI (Sites of Special Scientific Interest), 34
- standard deviation data distributions, 141, 144–145, 301
- standard error, 153–154
- standardisation of data, 268
- standard parallel, 19
- Stančić, Z., 7
- STAR-3i, 72
- State Plane system (US), 23
- statistical software, 135
- Strahler Index, 258–259
- stream channel maps, 258, 299
- stream order indices, 258–259, 299
- Strogatz, S. H., 236
- Structured Query Language (SQL), 53–55, 299
 - attribute queries, 112, 119–120
 - clauses and operators, 113–115
 - distance queries, 112, 118–119
 - spatial queries, 116–122
- Student’s *t*, 133–135, 137, 304
- supervised classification, 148, 305
- surface models, 90–111, 202–206
- Survey Analyst (software), 62
- SVG (Scalable Vector Graphics), 277–278, 299
- Sydoriak, K., 94
- synthetic-aperture radar (SAR), 71
- temporal relationships, 14
- terrain coefficients, 215
- terrain curvature, 101
- terrain form models, 189–190
- tessellations, 60, 107, 211–213
- testing sample, 181, 304
- The Social Logic of Space* (Hillier and Hanson), 247
- Thematic Mapper, 69
- thematic maps, 16–17, 263, 265, 299
 - choropleth, 16, 265–269, 290
 - continuous field data, 269–271
 - dot-density, 75, 272–273, 291
 - isarithmic, 16, 273–276, 294
- theodolites, 62
 - see also* total stations
- thermal-infrared (TIR) spectral region, 71
- thermal video radiometers (TVR), 71
- thesauri, 36
- Thiessen polygons, 211–212, 299
 - weighting, 213
- Thomas, J., 9, 41
- three-dimensional stratigraphic models, 38–39

Index

337

- tiger stripes, 105–106, 110
 Tilley, C., *A Phenomenology of Landscape*, 8
 TimeMap project, 16
 TINLATTICE (software), 106
 TIN (Triangulated Irregular Network), 30, 100, 106–109, 299
 TIR (thermal-infrared) spectral region, 71
 Tomlin, C. D., 252
 Tomlin's algorithm, 221–223
 topographic data, 71–72
 topographic maps, 16, 263, 299
 digital, 35
 TOPOGRID algorithm, 110–111, 299
 topological queries, 112, 116–118
 topological relationships, 14, 84–85, 257
 topological rules, 26–27
 topology, 4, 25–27, 299
 total stations, 37, 62–63, 299
 training areas, 148, 306
 training samples, 181, 304
 translation, 87
 Transverse Mercator Projection, 20
 travelling-salesman problem, 251, 300
 tree factor, *see* palaeovegetation
 trend surface analysis, 91–94, 300
 Triangulated Irregular Network (TIN), 30, 100, 106–109, 299
 Troitzsch, K. G., 47
 Tschan, A. P., 233
 Tuan, Y. F., 208
 Tuffreau, A. (Dibble *et al.*), 139
 Turner, A., 247
 turn table, 238–239, 300
 TVR (thermal video radiometers), 71
 Type 1 error, 123, 125, 304
 Type 2 error, 123, 304
- UK Gemini (metadata standard), 283
 Ungar, P. S. (Nigro *et al.*), 39
 United States Geological Survey (USGS), 16, 76, 79
 universal soil loss equation (USLE), 203–204, 300
 Universal Transverse Mercator (UTM) Projection, 21–23, 300
 unsupervised classification, 147, 306
 upstream elements, 260
 Ur, J., 73, 74
 USGS (United States Geological Survey), 16, 76, 79
 USLE (universal soil loss equation), 203–204, 300
 UTM (Universal Transverse Mercator) Projection, 21–23, 300
- Vancouver Island, Canada, 249–251
 van Dalen, J. (Gillings *et al.*), 41
 van Dam, A. (Foley *et al.*), 117
 van Leusen, P. M., 7, 216, 219–220, 255
 variables
 dependent, 150, 302
 design, 183, 302
 independent, 150, 302
 rank-order, 140
 transformations of, 155
- variogram, 304
 experimental variogram, 98–99, 304
 Variowin (software), 100–101
 VassarStats: Web Site for Statistical Computation, 135
 vector data, 5, 25–31, 300
 buffer representations, 210
 file formats, 79
 lines, 25, 57
 points, 25, 57
 polygons, 25, 57
 storage, 57–59
 vector maps
 cleaning, 290
 for networks, 236
 vector objects
 linked to attribute data, 26
 vector topology, 25–27
 vegetative index, 146, 306
 vehicle routing problem, 251–252
 Venables, W. N., 137
 Venclova, N. (Bintliff *et al.*), 41
 Verhagen, P., 219
 Verhoeven, K., 277
 vertices, 25, 300
 see also nodes
 very important points (VIPs), 83, 107–108
 viewsheds, 50, 161, 225–233, 300
 cumulative, 227, 291
 definitions, 226–227
 multiple, 227, 295
 single (binary), 226–227, 232, 290
 total, 228
 VIPs (very important points), 83, 107–108
 virtual reality, 8, 39, 233, 300
Virtual Reality in Geography (Fisher and Unwin), 39
 VIS (visible-red), 189
 visibility, *see* viewsheds
 visibility analysis, 228–233
 visibility graph, 247, 300
 visible-red (VIS), 189
 vision, acuity of, 232
 Visual Basic (programming language), 161
 visualism, 233
 volumes, 25
 von Neumann neighbourhood (Rook's move), 253
 Voronoi diagrams, *see* Thiessen polygons
 VPPlants (software), 213
 Vulcan (software), 39
- WAAS (wide-area-augmentation system), 42, 63, 293
 walking speed equation, 219
 Walmgate, York, 276, 278
 Wand, M. P., 175
 Ward's Method, 169–170
 warping, *see* projective transformation
 Warren, R. E., 182
 watercourses, confluences of, 260–262
 watersheds, 208, 258–260, 300
 Watts, D. J., 236
 wave frequencies, 66
 Web-CD, 276, 300

338 *Index*

- Web GIS, 276–278, 300
weed tolerance, 107, 300
weighted digraphs, 237
West Heslerton Project, 39–41, 276
 WEB-CD, 40
West Shetland, Scotland, 119–122
WGS 84 (World Geodetic System 1984), 22, 300
Wheatley, D., 8, 225, 227, 231, 233
wide-area-augmentation system (WAAS), 42, 63, 293
Wilcoxon test, 127–130, 137
Wood, J., 106
Woodman, P. E., 47–48, 133, 183, 197, 225, 232
 (Lake *et al.*), 229
Woodward, A. (Exon *et al.*), 39, 233
Worboys, M. F., 118
World Geodetic System 1984 (WGS 84), 22, 300
Wroxeter Hinterland Project, 255
X-Band Synthetic Aperture Radar (X-SAR), 68–69
XML (eXtensible Markup Language), 277, 285–287, 300
XMLInput (software), 285
X-SAR (X-Band Synthetic Aperture Radar), 68–69
XTENT model, 213
Xu, J., 253
Yang, X., 106
York Archaeological Trust, 41–49 Walmgate, 276
Yorston, R. (Exon *et al.*), 39, 233
Zevenbergen and Thorne's method, 191
Zubrow, E. B. W., 9, 256