

Cambridge University Press

978-0-521-80078-5 - An Algebraic Introduction to K-Theory

Bruce A. Magurn

Index

[More information](#)

INDEX

- abelianization, 322, 323
- absolute value, 572
 - archimedean, 573
 - trivial, 573
 - ultrametric, 573
- action, 135
- acts
 - through injections, 188
 - through bijections, 188
- additive abelian group, 1
- algebra, 2, 489
 - homomorphism, 3, 489
 - presentation, 491
- Azumaya, 618
- central, 616
- cyclic, 630–631
- division, 285
- exterior, 507
- finite-dimensional, 613
- graded, 494
- power norm residue, 631
- separable, 628
- sub-, 489, 613
- symmetric, 505
- tensor, 500
- algebraic integer, 210
- anisotropic
 - part, 158
 - space, 157
- annihilator, 232
- antihomomorphism, 323
- anti-isomorphism of categories, 9
- arrow, 2
 - identity, 3
 - inverse, 6
- augmentation, 276
- automorphism, 6
- balanced, $R-$, 142
- basis, 17, 74
- Bass K_1 of a category, 334
- Bass-Milnor-Serre theorem, 393
- Bass-Whitehead group, 325
- bimodule, 144
- binary operation
 - on a category, 59
- associative, 59
- commutative, 59
- identity of, 59
- block, 277, 280
 - addition, 34
 - multiplication, 34–35
- boundedly generated, 59
- Brauer
 - functor, 623
 - Grothendieck group, 619
 - group, 619
- Burnside ring, 138
- cancellation
 - $n-$, 105
 - Witt, 80
- Cartan
 - map, 92
 - matrix, 93
- category, 2
 - concrete, 4
 - modest, 58
 - small, 13
- center, 186, 288, 615
- central extension, 407
- centralizer, 300, 622
- character, 302
 - ring, 303
 - table, 305
 - afforded by a module, 302
 - irreducible, 302
 - regular, 303
 - trivial, 303
 - virtual, 304
- class function, 302
- class number, 226
- codomain, 3
- colimit, 438
- column
 - equivalent 321
 - finite, 38
- commutant, 622
- commutator, 322
- commutator subgroup, 322
 - mixed, 358
- complement, 48

- completion
 - group, 71–72
 - metric, 575
- composite
 - _ arrow, 2
 - _ element, 206
- conductor, 437
 - _ square, 437
- cone, 107, 593
- congruence subgroup, 358, 369
 - _ property, 370
- congruent matrices, 66
- countable
 - _ cartesian product, 86
 - _ direct sum, 86
- countably generated, 60
- crossed product, 630
- cyclotomic polynomial, 429, 473
- Dedekind domain, 214
- defining relations, 22, 25, 401, 491
- degree
 - _ of a character, 302
 - _ of a representation, 253
 - _ of an Azumaya algebra, 624
- derived
 - series, 327
 - subgroups, 327
- determinant, 328, 513, 515
 - Whitehead-Bass, 330
- devissage, 89–90
- dicyclic group, 264
- direct limit, 107
- direct sum, 43, 267
 - _ of matrices, 36
 - external, 43
 - internal, 43, 267
- direct summand, 48
- Dirichlet's Theorem, 395
- discrete subgroup, 579
- discriminant, 158
- disjoint union, 136
- divisible, 525
 - uniquely, 525
- domain, 3, 40
- double centralizer property, 300
- double of a ring, 361, 431
- dual
 - _ basis, 68
 - _ functor, 166
 - _ linear map, 67
 - _ module, 166
- efficiently related, 96
- Eilenberg swindle, 113
- endomorphism, 2
- erase, 35
- Euler characteristic, 100
- even maximal ideal, 597
- exact sequence, 44
 - short, 44
 - split, 47
- excision, 456
 - _ map, 457
- extended ideal, 230
- extension
 - _ homomorphism, 234
 - _ of scalars, 174
- exterior power, 507
- factor set, 630
 - trivial, 630
- fiber
 - _ product, 437
 - _ square, 434
- field
 - _ of fractions, 209
 - formally real, 527
 - global, 598
 - local, 598
 - ordered, 527
 - p*-adic, 580
 - real closed, 533
- field extension
 - abelian, 598
 - cyclic, 599
 - maximal abelian, 598
- filtration, 89
- finite support, 18
- Fitting's lemma, 77
- form
 - alternating, 509
 - bilinear, 64
 - multilinear, 499
 - nonsingular, 67
 - Pfister, 538
 - quadratic, 69
 - symmetric, 64
- fractional ideal, 226
 - principal, 227
- free
 - _ abelian monoid, 74
 - _ algebra, 490
 - _ group, 401
 - _ module, 17, 21
 - _ monoid, 24, 490
 - _ ring, 24
- full subcategory, 5
- functor, 7
 - additive, 161
 - contravariant, 7
 - covariant, 7
 - exact, 160
 - forgetful, 8
 - homology, 11
 - homotopy, 11
 - identity, 8
 - inclusion, 8
 - inverse, 9
 - left exact, 170

- right exact, 170
- fundamental theorem, 485
-
- G*-map, 136
- G*-set, 13, 136
 - transitive, 137
- Galois cohomology, 634
- general linear group, 324
- graded components, 494
- Green ring, 263
- Grothendieck group
 - _ of a category, 84
 - _ of a ring, 86
 - _ with respect to *, 75
- Grothendieck ring, 148–153
- group ring, 95
 - twisted, 630
-
- Hensel's Lemma, 601
- homogeneous
 - _ element, 494, 496
 - _ ideal, 494
 - _ submodule, 496
- horseshoe lemma, 100
- hyperbolic plane, 154
-
- ideal class group, 226
- idempotent, 43, 268
 - central, 162, 276
 - centrally primitive, 288
 - primitive, 268
- index of an Azumaya algebra, 624
- inert, 240
- initial object, 6
- inseparable degree, 548
- integral
 - _ closure, 208
 - _ element, 207
 - _ ideal, 226
 - _ ring extension, 207
- integrally closed, 209
- invariant basis number (IBN), 38
- inverse limit, 582, 593
- invertible ideal, 212
- irreducible element, 206
- isometric
 - _ embedding, 574
 - _ isomorphism, 575
- isometry, 64
- isomorphic, 9, 58
- isomorphism, 6
 - _ of categories, 9
 - _ diagonal, 440
- isomorphism class, 58
 - restricted, 58
- isotropic
 - _ space, 154
 - _ vector, 154
- Jacobi identity, 409
-
- Jacobson density theorem, 629
- Jacobson radical, 178
- just infinite, 370
-
- Kronecker dimension, 533
- Kronecker product, 150
- Krull dimension, 128
- Krull-Schmidt decomposition, 76
- Kummer's theorem, 238
-
- lattice, RG-, 259
- Laurent polynomial, 333
- length function, 70
- level
 - _ of a field, 529
 - _ of a subgroup, 361
- lies above, 230
- linear
 - combination, 17
 - map, 1, 2, 145
 - relation, 17
- linearly
 - dependent, 17
 - independent, 17
- linked idempotents, 276
- little tensor, 143, 497
- localization, 186–187
 - _ map, 188
 - _ sequence, 481, 483, 608
-
- Maschke's theorem, 274
- matrix
 - _ completion, 118
 - _ units, 36, 319
 - change of basis, 38, 255
 - diagonal, 67, 321, 414
 - elementary, 320, 324
 - monomial, 321, 415
 - partitioned, 34
 - permutation, 320, 414
 - scalar, 28
- Matsumoto's theorem, 557, 564
- maximal spectrum dimension, 129
- maximum condition, 215, 648
- Mayer-Vietoris sequence, 469, 517–518
- Merkurjev–Suslin theorem, 642
- metafunction, 7
- metric, 224, 572
- Milnor
 - K*-group, 519
 - ring, 519
- Milnor's conjecture, 531
- module
 - artinian, 649
 - bilinear, 64
 - completely reducible, 277
 - cyclic, 22
 - faithful, 207, 628
 - finitely generated (f.g.), 22
 - flat, 172
 - Galois, 264

- graded, 496
- indecomposable, 76
- injective, 299
- left, 1
- noetherian, 649
- nonsingular bilinear, 67
- presentation of, 22
- principal indecomposable, 95, 270
- projective, 51
- rank n projective, 511
- reflexive, 167
- right, 2
- semisimple, 277
- simple, 41, 178, 232
- strongly indecomposable, 77
- torsion, 93, 193, 232
- monoid, 5, 23, 72
 - homomorphism, 23, 72
 - ring, 23, 490
 - cancellative, 74
- Nakayama's lemma, 181
- natural
 - isomorphism, 11
 - transformation, 10
- negative K -group, 485
- nilpotent
 - element, 179
 - ideal, 180
- nilradical, 180
- norm
 - on Milnor K -theory, 552
 - residue homomorphism, 643
- algebra, 332, 547
- field, 236, 548
- functoriality of, 548, 555
- ideal, 235, 241
- isomorphism invariance of, 547, 555
- transitivity of, 548
- normal integral basis, 264
- normalizes a subgroup, 358
- null sequence, 575
- number field, 210
 - totally imaginary, 393
- object, 2
- odd maximal ideal, 597
- opposite ring, 9
- orbit, 137
- orthogonal
 - group, 81
 - idempotents, 268
 - sum, 64
- orthogonality relations, 308–310
- p -adic
 - integer, 581
 - number, 580
 - valuation, 535, 580
- P -adic valuation, 221, 224, 596
- perfect group, 412
- permutation group, 135
- Picard group, 514
- place, 579, 598
- poset, 5
- prestability, 132
- prime
 - ideal, 128, 214
 - spot, 598
- primitive solution, 585
- product
 - formula, 591, 595, 598, 605–606
 - of rings, 280
- projection, 54
 - formula, 559
- projective
 - basis, 54
 - class group, 106
- pullback, 438
- quadratic reciprocity, 395, 591
- quaternions, 264, 631
- Quillen K -theory, 446, 521, 524, 608, 642
- radical ideal, 180
- ramification index, 231
- ramify, 240
- rank
 - absolute stable, 129
 - extended free, 176
 - free, 38
 - generalized, 87
 - local, 200, 511, 516
 - presentation, 97
 - stable, 121, 122, 343
 - stably free, 108
 - torsion free, 103
- reciprocity
 - law, 580, 591
 - map, 599
 - q , 561
- reflection, 81
- relative
 - exact sequence, 431, 449–450
 - K -group, 361, 445, 447
 - Whitehead lemma, 358
- relators, 22, 25, 401
- representation
 - defined over a field, 294
 - of a form, 65
 - of a group, 253
 - of a linear map, 30
 - of a ring, 264
 - ring, 263
 - absolutely irreducible, 291
 - afforded by a module, 257
 - faithful, 253
 - full, 290

Index

675

- indecomposable, 262
- irreducible, 262
- linear, 253
- matrix, 30, 65, 253
- permutation, 135
- projective, 262
- regular, 257
- simple, 262
- trivial, 257
- residue
 - classes, 231
 - degree, 231
 - field, 231, 534
 - ring, 231
- resolution, 99
 - theorem, 102
 - finite, 99
 - projective, 99
- restriction of scalars, 163
- Rim square, 436
- Rim's theorem, 472
- ring, 1
 - of arithmetic type, 393
 - presentation, 25
 - artinian, 287, 649
 - associated graded, 496, 532
 - discrete valuation, 221, 534
 - division, 41
 - factorial, 206
 - generalized euclidean, 322
 - graded, 494
 - hereditary, 248
 - J*-noetherian, 129
 - left regular, 99
 - local, 183
 - noetherian, 129, 649
 - semilocal, 201, 220
 - semisimple, 278
 - simple, 287
 - truncated polynomial, 496
- row equivalent, t -, 321

- sandwich condition, 367
- Schanuel's Lemma, 97
- Schur multiplier, 412
- Schur's Lemma, 281
- self-centralizing subfield, 642
- semigroup, 71
 - homomorphism, 71
 - cancellative, 74
- semiring, 133
 - homomorphism, 134
- separable degree, 548
- shorten
 - absolute n -, 129
 - n -, 121, 122
- shortened, can be, 121, 128
- similarity class
 - of Azumaya algebras, 620

- of matrices, 60–63
- of matrix representations, 255
- stable, 60
- simple component, 288
- singular homology, 11
- skipping lemma, 122
- Skolem-Noether theorem, 629
- snake lemma, 50
 - for groups, 363
- solvable group, 327
- spectrum
 - maximal, 129
 - prime, 191
- sphere, 81
- split
 - Azumaya algebra, 624, 626
 - prime, 240
 - maximally, 626
- splitting field
 - of a group, 293, 315
 - of an Azumaya algebra, 624
- square class, 158, 583
- stability
 - for K_0 , 104–132
 - for K_1 , 342–356
 - for relative K_1 , 364
 - injective, 348–356
 - surjective, 343–348
- stabilization map, 343
- stabilizer, 137
- stable normal structure theorem, 360
- stable range, 105
- stably
 - equivalent, 105
 - free, 108
 - isomorphic, 105
- standard relations, 402
- Steinberg group, 403
 - relative, 432, 448–449
- Stein relativization, 432
- Steinitz theorem, 243
- structure constants, 493
- stufe, 529
- subdirect
 - product, 468
 - sum, 369
- sum of submodules, 267
- symbol
 - map, 564
 - 2-adic, 586–589
 - Dennis-Stein, 565
 - extended tame, 542
 - Hilbert, 570, 583, 586
 - Legendre, 584
 - Mennicke, 377
 - power norm residue, 599
 - power residue, 393–394
 - real, 395, 526
 - Steinberg, 420
 - tame, 536

676

Index

- symmetric power, 505
- tame kernel, 608
- tensor power, 500
- tensor product
 - _ of algebras, 611
 - _ of bimodules, 144–146
 - _ of matrices, 150
 - _ of modules, 142, 497–498
 - internal, 614
- terminal object, 6
- torsion
 - _ element, 40, 604
 - _ free, 40
 - _ subgroup, 604
- totally ordered abelian group, 527
- trace, 217, 301
- transfer map, 332
- transpose, 37
 - skew, 390
- transvection
 - elementary, 320
 - elementary row, 320
- triangle inequality, 572
- twist, 630
- underlying
 - _ division algebra, 620
 - _ permutation, 415
- unimodular
 - left, 115
 - right, 115
- unit, 8
- unstable normal structure theorem, 368
- valuation, 533
 - discrete, 220–221, 534
 - p -adic, 535
 - P -adic, 224
- value group, 572
- valued field, 572
 - complete, 574
- weakly finite, 113
- weakly n -finite, 113
- Wedderburn-Artin Theorem, 283
- Wedderburn's Theorem, 428–429, 636
- Weil reciprocity, 549
- Weyl group, 422
- Whitehead group, 329
- Whitehead Lemma, 325
- wild kernel, 606
- Witt-Grothendieck
 - _ group, 82
 - _ ring, 153
- Witt index, 158
- Witt ring, 156
- zero divisor, 40