

Index

- 1PI, *see* one-particle irreducible
 2HDM, *see* two-Higgs doublet model
 A-term, 489, 507, 508, 543, 769
 adjoint operator (ad), 418, 903, 904
 alignment
 flavor, 508
 limit, Higgs, 279–281, 289, 293, 297, 657
 RPV, 644, 646
 α mixing angle
 CP-conserving 2HDM, 287, 294, 953
 MSSM, 296, 520, 521, 773
 AMSB, 568–570, 574
 anapole moment, 744, 747
 muon, in softly broken SUSY-QED, 761–765
 angular momentum density, 21, 382
 angular momentum tensor, 6, 21, 48, 795
 annihilation process, tree-level, 85–86
 anomalous dimension
 general SUSY theory, 462, 463
 MSSM, 512
 NSVZ, 464
 scalar, 448, 449
 anomalous magnetic moment, 742–761
 muon, one-loop MSSM, 765–767
 QED contribution, 748–756
 SQED contribution, 756
 supersymmetric limit, 759
 anomalous Ward identity, 235, 236
 anomaly, 229–259
 AAA triangle diagram, 256
 and $\pi^0 \rightarrow \gamma\gamma$, 240
 axial, 237–240
 baryon and lepton number current, 240
 cancellation of, 246–249, 257
 coefficient, 244, 927
 discrete gauge, 249–255, 635
 gauge, 243–249
 mixed gauge-gravitational, 246, 250, 257
 triangle diagram, 231
 VAAA box diagram, 242
 VVA triangle diagram, 239, 256
 VVVA box diagram, 242, 256
 anomaly-free
 discrete symmetry, 250–255, 635
 gauge group, 243–245, 248
 gauge theory, MSSM, 249
 gauge theory, Standard Model, 247
 antichiral representation, 429
 antichiral superfield, 406–408
 anticommuting coordinates, 398–402
 Autonne–Takagi factorization, 886
 auxiliary field
 and the scalar potential, 355, 359
 D-term, 356, 409
 equation of motion, 354, 359, 432, 483
 F-term, 349, 407, 493, 550
 integrating out, 360, 412, 425, 554
 removed by supergauging, 409
 axino, 573, 596, 652
 axion, xiv, 571, 572, 596
 B-term, 489, 516, 572, 573, 603
 B – L symmetry, 242
 Baker–Campbell–Hausdorff formula, 427, 905
 baryon number (B), 223
 anomalous symmetry, 240
 violation, 298, 314, 499, 634, 637
 baryon triality, 636, 637, 640, 641, 659
 Berezin integral, 399
 Bernoulli numbers, 418
 beta function
 general SUSY theory, 461–463
 MSSM, 511–516
 NSVZ, 463
 QED, 781
 SUSY-breaking parameters, 464–466
 Bhabha scattering, 674–676
 Bianchi identity, 415
 bilinear covariants
 four-component spinor, 145–150, 822–824
 transformation under P, T, and C, 819–823
 translation between two- and
 four-component spinor notation, 146
 two-component spinor, 19, 819–820
 bino, 340, 497, 530, 531, 541, 594, 595
 light neutralino, 653
 bispinor, 17, 802
 Bouchiat–Michel formulae
 four-component spinor, 861–863
 two-component spinor, 855–858
 BPS states, 391
 BRST symmetry, 200
 cascade decays, 578, 579

- Casimir operator, 6, 195, 311, 460, 906–908, 918, 919, 925
- center-of-momentum (CM) frame, 825–830
- central charges, 386, 390, 396
- charge conjugation (C), 30–32, 40–41, 148, 150, 187, 819–823
- matrix, 139, 140, 143, 803–806
- chargino
- decays, 575–577, 712
- masses and mixing, 528–532, 546, 547, 661
- chiral representation, 429
- chiral superfield, 406–408
- chiral supermultiplet, 336, 406
- content of MSSM, 339
- counting of degrees of freedom, 350
- gauge interactions, 357–359
- CKM matrix, 222, 277, 955
- Clifford algebra, 387, 390
- Clifford vacuum, 387, 391
- CMSSM, 508, 538–540, 595
- boundary conditions, 509, 517, 534, 556
- Coleman–Mandula Theorem, 335, 367, 368
- Compton scattering, 879–882
- Condon–Shortley phase convention, 375, 863
- cosmological constant, 559
- counterterm
- fermion mass, 117, 176, 180
- Feynman rules, 438–440
- scalar squared-mass, 98
- tan β , 772, 786
- vector boson squared-mass, 106
- covariant derivative
- antichiral, 404, 405
- chiral, 404, 405
- gauge, 74, 191, 197, 198, 358
- gauge/chiral, 424
- SU(2)×U(1) gauge, 217
- CP conjugation, 41–43, 150, 819–823
- CP violation
- 2HDM, 278, 279
- explicit, 264, 285
- MSSM, 504–510
- NMSSM, 608
- spontaneous, 264, 285
- Standard Model, 224
- CPT conjugation, 41–43, 148–150, 186, 819–823
- custodial SU(2) symmetry, 217
- D*-term, 359, 415, 434
- auxiliary field, 356, 409
- equation of motion, 359, 483
- D*-term breaking, 480, 482–484
- dark matter, xiv, 500, 501, 541, 592–597
- average density, 592
- bulk region, 594
- co-annihilation, 593–595
- detection, 596–598
- freeze out, 593
- funnel region, 595
- gravitino, 566, 581, 593, 596
- higgsino, 597, 598
- local density, 596
- neutralino, 592–597, 699
- NMSSM singlino, 609
- pair annihilation, 593–595, 699, 717
- decays
- cascade, 578, 579
- gluino, 578
- neutralino and chargino, 575–577, 651
- scalar boson, 81–83, 166
- slepton, 577, 578
- squark, 578
- to goldstino, 579–581
- vector boson, 83–85, 167
- decoupling limit
- 2HDM, 279, 280
- MSSM Higgs sector, 297, 523, 524, 528, 775
- NMSSM Higgs sector, 657
- degrees of freedom
- chiral supermultiplet, 350, 407
- equality of bosonic and fermionic, 336, 381, 384, 400, 432
- gauge supermultiplet, 355, 356, 415
- linear supermultiplet, 431
- massless spin-1 boson, 5
- off-shell, 23, 153, 415, 416
- on-shell, 23, 28, 153
- scalar and vector boson, 209
- dilaton-dominated SUSY breaking, 557
- dimensional reduction, 445–459, 719
- evanescent parameters, 452
- problematic, 453–457
- dimensional regularization, 446, 719, 832
- formulae in d dimensions, 968, 969
- dipole moment
- electric, 506, 507, 744, 746, 786
- magnetic, 742–761
- Dirac equation, 52, 53, 60, 137, 151, 157
- Dirac fermion, 22, 28, 29, 141, 376, 883
- equivalence to a pair of mass-degenerate Majorana fermions, 22, 42, 153
- discrete gauge symmetry, 249–250, 632–637
- anomalies, 249–255
- anomaly cancellation, 250–255, 258, 635
- B* and *L* violation, 638
- baryon triality, 636, 637, 640, 641, 659
- GMP, GLP, GBP, 634
- motivation for RPV, 640
- MSSM, 632–635
- proton hexality, 640, 659
- soft SUSY-breaking terms, 660
- Standard Model with massive neutrinos, 253

- discrete symmetry
 charge conjugation (C), 30, 40–41, 148, 150, 819–823
 CP, 41–43, 150, 819–823
 CPT, 41–43, 148, 150, 819–823
 parity (P), 30, 33–36, 49, 148, 149, 819–823
 time reversal (T), 30, 36–39, 49, 148–150, 819–823
 Z_2 , 283, 291, 427, 635
 Z_3 , 601, 636, 637, 640
 Z_6 , 640, 659
 Z_N , 250, 253, 254, 258, 426, 632–634
- divergence
 infrared, 722, 724, 726, 780, 832, 968, 974
 linear, 231, 334, 344
 logarithmic, 334, 344, 473–476
 quadratic, 331–335, 341, 364, 442, 473–476
 ultraviolet, 434, 445, 722, 724, 726, 968
- $\overline{\text{DR}}$ scheme, 451
 translation to $\overline{\text{MS}}$ scheme, 457–459
 translation to NSVZ scheme, 463, 464
- $\overline{\text{DR}}'$ scheme, 459, 471, 472
- DRED, 449, 719, 720
 problematic, 453, 454, 456, 457
- DREG, 446, 719, 720
- dual tensor, 239, 794
- duality relation, 18, 138, 798, 803
- Dynkin index, 195, 309, 311, 327, 460, 906–908, 919, 925
- effective potential, 466–473
 and quadratic divergences, 363
 Coleman–Weinberg, 469, 485
 $\overline{\text{DR}}'$ scheme, 471, 472
 $\overline{\text{MS}}$ scheme, 470
 MSSM, 519
 O’Raifeartaigh model, 485
 RG invariance, 469
 Standard Model at one loop, 470
 use of Landau gauge, 468
- electromagnetic vertex structure, 743–748
 form factor, 743, 761, 785
- electroweak symmetry breaking
 in RPV SUSY, 642
 in the MSSM, 516–528
 in the SM, 215
- energy–momentum tensor, 21, 382, 383
- epsilon-scalars, 450–452
- equation of motion
 for auxiliary field, 354, 359, 432, 483
 for superfield, 413
- Euler angles, 843–845, 878
- Euler’s constant, 446, 475, 969
- evanescent parameters, 452
- extended supersymmetry, 337, 385–391
- F -term, 359, 434
 auxiliary field, 349, 493, 550
 equation of motion, 354, 432
 F -term breaking, 480, 484–488, 553, 558, 568
 Faddeev–Popov ghosts, 200, 208
 Fayet–Iliopoulos mechanism, 482–484
 Fayet–Iliopoulos term, 415, 482, 483, 490, 494
 absence in nonabelian gauge theory, 420
- FCNC, tree-level
 constraints on the MSSM, 507, 508, 533
 Higgs-mediated, 265, 277–278, 282
- Fermi constant, 215, 662, 678, 952
- fermion mass matrix, 24, 222, 883–893
- Feynman diagrams
 Bhabha scattering, labeling, 672
 boson–fermion scattering, 86–91, 168–171
 fermion–fermion scattering, 91–93
 general structure, 79
 Møller scattering, labeling, 670
 one-loop vertex correction, 126, 183
 scalar boson decay to fermions, 81–83, 166
 tree-level fermion–fermion scattering, 171
 vector boson decay to fermions, 83–85, 167
- Feynman rules
 counterterm, 438–440
 external bosons, 62
 external four-component fermions, 165
 external states beyond tree level, 124, 182
 external two-component fermions, 61, 668
 four-component fermion interactions, 161
 four-component fermion propagator, 159
 four-component Majorana fermion, 159, 165
 gauge boson propagator, 70, 201, 208, 779
 Goldstone boson propagator, 208
 MSSM Higgs–fermion interactions, 954, 955
 MSSM, chargino and neutralino gauge interactions, 956
 MSSM, chargino and neutralino Higgs boson interactions, 959
 MSSM, chargino and neutralino interactions with fermions and sfermions, 960
 MSSM, Higgs–fermion interactions, 952
 neutrino, seesaw model, 949–951
 nonabelian gauge field theory, 199
 RPV SUSY Yukawa interactions, 967
 scalar propagator, 70
 SM, electroweak fermion interactions, 947
 SM, gluon–quark QCD interactions, 947
 SM, Goldstone–fermion interactions, 950
 SM, Higgs–fermion interactions, 949
 SUSY-QCD, 965
 SUSY-QED, 719
 two-component fermion interactions, 70
 two-component fermion propagators, 62, 669
 two-component fermion, QED vertex, 671
- Fierz identities, 20, 427, 810–816, 877
 four-component spinor, 815–816
 two-component spinor, 810–814

- fine-tuning, 282, 298, 304, 344, 567, 612, 621
 flat direction, 72, 556
 in MSSM Higgs potential, 517
 O’Raifeartaigh model, 485, 486
 flavor alignment, 508
 flavor index, 24–28, 114, 166–167, 791–792
 flavor SU(3) symmetry and the Ω^- , 345
 flavor violation, MSSM, 504–510
 flux factor, 836, 840
 focus point region, 541, 595
 four-component spinor, 136, 803
 bilinear covariants, 145–150, 822–824
 Bouchiat–Michel formulae, 861–863
 Dirac field, 156
 discrete symmetries, 145–150, 822–824
 Majorana field, 155
 wave function, 155–158
 Weyl field, 151
 Furry’s Theorem, 246, 257
 gamma matrices, 137, 803
 chiral representation, 137, 805
 Dirac representation, 185, 806
 identities in $d \neq 4$ dimensions, 818
 Majorana representation, 185, 806
 trace identities, 138
 gap equation, 679
 gauge
 Feynman, 200, 779
 Landau, 70, 200, 208, 468, 732, 771
 R_ξ , 70, 207–208
 ’t Hooft–Feynman, 70, 208, 959
 unitary, 70, 207–208, 219, 959
 Yennie, 780
 gauge coupling
 holomorphic, 420, 464
 running, 308, 310–314
 gauge coupling unification
 failed, non-supersymmetric GUTs, 308, 313
 successful, supersymmetric GUTs, 308, 314, 510
 gauge group
 anomaly-free, 243–245
 nonabelian, 192–196
 gauge kinetic function, 422
 gauge supermultiplet, 337, 340, 356, 380, 389
 degrees of freedom, 356
 gauge theory
 abelian, 191–192
 nonabelian, 196–199
 spontaneously broken, 202–210
 gauge transformation
 in superspace, 409
 nonabelian, 193, 194, 197, 198
 U(1), 192
 gauge-covariant chiral-covariant derivative, 424
 gauge-fixing term, 200, 207, 432
 gaugino, 337, 528
 couplings, MSSM, 497
 mass unification, 513, 530, 532, 556, 562
 generator
 broken, 204, 205, 209, 212, 480
 electric charge Q , 215
 fermionic, 350, 367–371, 390
 hypercharge Y , 215
 Lie group, 193, 901
 rotation and boost, 4
 translation, 6
 unbroken, 204, 205, 209, 212
 weak isospin T^3 , 215
 Giudice–Masiero mechanism, 571, 573, 574
 gluino, 340
 decays, 578
 mass, 532–533
 pair production, 708–712
 production at hadron colliders, 582, 583
 GMSB, 538, 540, 550, 560–566, 574
 goldstino, 480, 481
 and the gravitino, 550–553
 Fayet–Iliopoulos model, 483
 in superpartner decays, 552, 553, 579–581, 587, 588, 591, 592
 O’Raifeartaigh model, 486
 Goldstone boson, 203, 209, 212, 268
 Goldstone field, 204, 271, 603, 604
 Goldstone’s Theorem, 203–204
 Gordon identities
 four-component spinor, 187
 two-component spinor, 127
 Gram determinant, 825, 826
 grand unification, 298–318, 617–632
 adjoint breaking, 300, 325
 doublet–triplet splitting problem, 304, 621, 625
 E_6 Yukawa couplings, 626, 627
 fermion mass relations, 316–318, 328
 gauge coupling unification, 308, 617, 622
 gauged $B - L$, 624
 Georgi–Jarlskog relations, 318, 328
 missing doublet mechanism, 304, 622, 625
 missing VEV mechanism, 304, 625
 normalization of the $U(1)_Y$ generator, 309
 proton decay, 314–315, 627–632
 RPV, 624, 625, 640
 SO(10) symmetry breaking, 306, 624
 SO(10) Yukawa couplings, 625
 SU(n) symmetry breaking, 325
 SU(5) scalar potential, 326, 618
 SU(5) symmetry breaking, 300, 303, 325, 619
 SU(5) Yukawa couplings, 316, 317, 327, 620
 supersymmetric, 617–632
 Yukawa coupling unification, 626

- grand unification group
 - E_6 , 307, 626, 627
 - flipped $SU(5)$, 626, 659
 - $SO(10)$, xiii, 298, 306–307, 623
 - $SU(5)$, xiii, 299–306, 323, 618
- Grassmann-odd variables, 398–402
 - differentiation and integration, 398, 399
- gravitino, 337
 - as the LSP, 552, 566, 579, 581, 593
 - in superpartner decays, 552, 553, 579–581, 587, 588, 591, 592
 - mass, 552, 558
- graviton, 246, 256, 380
- gravity-mediated SUSY breaking, 549–554
- Haag–Lopuszański–Sohnius Theorem, 335, 568
- helicity, 7
 - amplitude, 835, 838, 857, 862, 870
 - operator, 7, 188, 371, 379
 - spinor wave function, 54–59, 128, 157–158, 188, 850–852
- hidden sector, 549
- hierarchy problem, xiii, xiv, xvi, 331–335, 519
 - analogy to electron mass, 334
 - and soft SUSY breaking, 340–342
 - in GUTs, 304
- Higgs basis, 267
 - 2HDM scalar fields, 267, 268, 271
 - 2HDM scalar potential, 267
 - MSSM Higgs sector, 295
 - neutral scalar mixing angles, 269
 - neutral scalar squared-mass matrix, 269
 - NMSSM Higgs sector, 605
- Higgs boson, 209
 - charged, 271, 290
 - neutral CP-even, 281, 286
 - neutral CP-odd, 281, 286
 - SM-like, 279, 289, 293, 297, 528
- Higgs boson interactions
 - 2HDM, Yukawa, 277–278
 - Types I and II, 292
 - 2HDM, coupling to vector bosons, 274, 290
 - 2HDM, self-couplings, 274, 275, 321
 - MSSM, coupling to vector bosons, 527
 - MSSM, wrong-Higgs Yukawa, 526, 776–779
 - MSSM, Yukawa, 526
 - Standard Model, 219, 223, 227, 273, 274, 281
- Higgs bosons, MSSM, 520, 521
 - couplings to fermions, 526, 527
 - couplings to gauge bosons, 527
 - signals at e^+e^- colliders, 589, 590
 - signals at hadron colliders, 587
- Higgs bosons, NMSSM, 605
- Higgs mass, 218
 - bound, MSSM, 343, 521, 525, 526
 - bound, NMSSM, 606, 607
 - sum rule, MSSM, 770
- Higgs mass radiative corrections
 - MSSM, 521, 523–526, 544–546, 768–776
 - RG-improved, 775, 788
- Higgs mixing angle
 - 2HDM, CP-conserving, 286, 287
 - 2HDM, CP-violating, 269–271
 - MSSM, 520, 521, 773
- Higgs potential
 - 2HDM, 265, 267
 - MSSM, 294, 516, 517
 - RPV SUSY, 642
 - Standard Model, 214
 - $SU(5)$ GUTs, 326
- higgsino, 338, 497, 528–532, 541, 591, 593–595
 - as dark matter, 597, 598
- holomorphic
 - gauge coupling, 420, 464
 - gauge kinetic function, 422
 - renormalization scheme, 464
 - superpotential, 354, 408, 412, 422, 436, 488
- hypermultiplet, 388, 391
- index conventions
 - adjoint indices, 74, 205
 - flavor indices, 24–28, 114, 166–167, 791–792
 - group indices, 799
 - undotted and dotted indices, 8, 9, 797
- instantons, 250, 420, 463
- Intriligator, Seiberg and Shih model, 487
- Jacob–Wick partial wave expansion, 838, 881
- Jacobi identity, 194, 396, 901
- Kähler function, G , 557, 558
- Kähler metric, 425, 558
- Kähler potential, 422, 423, 435
- Kaon mixing, 505, 506
- Kim–Nilles mechanism, 571–573
- kinematic function
 - basic four particle, 828
 - triangle, 684, 825, 973
- Kronecker product, 240, 941
- Lagrangian
 - dimension-five, 259
 - Dirac fermion, 152
 - effective four-fermion, 679
 - four-component fermion field, 151
 - Majorana fermion, 151
 - nonrenormalizable SUSY, 421–425
 - seesaw, 259–261
 - supersymmetric, 347–366
 - two-component fermion field, 20
 - Weyl fermion, 151
- Large Hadron Collider, 575, 581, 583–587
- Leibniz rule, graded, 400–402
- lepton number (L), 223
 - anomalous symmetry, 240
 - violation, 298, 314, 499

- Levi-Civita tensor, 229, 754, 793, 794, 799
- Lie algebra, 192–196, 901–946
 - basis, 195, 901
 - branching rule, 928–932
 - Cartan matrix, 912, 922
 - Cartan–Weyl basis, 910, 915
 - commutation relations, 193, 901, 909
 - compact, 196, 245, 909
 - cubic index, 244, 907
 - d_{abc} , 907
 - dual Coxeter number, 920
 - Dynkin labels, 916–918
 - generators, 195, 901
 - index sum rules, 928–932
 - irreducible representation, 195, 916–918
 - tables of selected irreps, 933–938
 - isomorphism, 915
 - Killing form, 909
 - Lorentz, 3–5
 - maximal weight, 916
 - Poincaré, 6–7
 - rank, 195, 910
 - representation
 - adjoint, 74, 194, 244, 902, 909, 910, 918
 - antifundamental, 195, 902, 918
 - fundamental, 195, 902, 918
 - pseudoreal, 28, 29, 244, 890, 902, 917
 - root lengths, 922
 - root vectors, 910
 - semisimple, 196
 - simple, 196
 - structure constants, 193, 901
 - subalgebras, 928–932
 - symmetrized trace of generators, 907
 - weight vectors, 916
 - Weyl reflection, 913
- Lie group, 192–196, 901–946
 - generators, 193, 901
 - Lorentz, 3–5
 - Poincaré, 6–7
 - representation, 901
 - semisimple, 193, 901
 - unitary symplectic, 387, 893, 915
- light neutralino, 639, 652–653
 - bino, 653
 - CP violation, 664
- light-cone gauge fixing, 357, 463
- linear superfield, 431
- Lippmann–Schwinger equation, 744
- little hierarchy problem, xvi, 519
- Lorentz group and algebra, 3–5
 - commutation relations, 4
 - matrix representations, 5
 - spin-1/2 representation, 7, 18
- Lorentz transformation, 3, 799–802
 - four-component spinor, 142
 - spin- s field, 4
 - two-component spinor, dotted, 9, 10, 18, 19
 - two-component spinor, undotted, 8, 18, 19
- LSP, 500, 592–597, 651
- LSZ reduction formalism, 95, 99, 124, 182
- Majorana fermion, 21, 28, 140, 886
 - bilinear covariants, 823
 - creation phase, 189, 190
 - discrete symmetries, 823
 - external, 685
- Mandelstam variables, 674, 827
- mass matrix
 - chargino, 531, 661
 - fermion, 24, 222, 641, 661, 883–893
 - heavy neutrino, 263
 - light neutrino, 263
 - neutralino, 529, 647
 - quarks and leptons
 - 2HDM, 276
 - Standard Model, 222
- matrix decompositions, 883–893
 - orthogonal diagonalization, 883
 - 2×2 real symmetric matrix, 894
 - reduction to real normal form, 890–893
 - singular value decomposition, 884–886
 - Takagi diagonalization, 886–890
 - unitary diagonalization, 883
 - 2×2 hermitian matrix, 893
 - 2×2 normal matrix, 894
- matrix exponential, 418, 903–906
- matrix-valued
 - field-strength superfield, 419
 - gauge field, 197
 - gauge field strength tensor, 198
 - vector superfield, 417
- matter parity, 499–501, 640, 659
 - $B - L$ origin, 501
 - B - and/or L violating, 628
 - definition, 499
 - NMSSM, 600
 - SO(10), 624
 - SUSY GUTs, 620, 624
 - violation, 499
- matter supermultiplet, 336
 - counting of degrees of freedom, 350
 - gauge interactions, 357–359
- maximal mixing scenario, 525, 545, 546
- maximally helicity-violating, 873
- messengers of GMSB, 561
- metastable supersymmetry breaking, 480, 487
- method of counterterms, 190, 437
- metric signature conventions, 795–797
- missing energy signal, 583–587, 589, 591
- Møller velocity, 840
- $\overline{\text{MS}}$ scheme, 446, 457–459, 782
 - translation to $\overline{\text{DR}}$ scheme, 457–459

- MSSM, 493–547
 chiral supermultiplets, 339
 Constrained, 508, 538–540
 Feynman rules, 952–966
 flavor and CP violation, 504–509
 gauge coupling unification, 308, 510
 gauge supermultiplets, 340
 gaugino couplings, 497
 Higgs bosons, 520, 521
 mass eigenstates, 538
 parameter count, 502–503
 parameter phases, 547
 phenomenological, 543
 renormalization group equations, 511–516
 sample mass spectra, 540
 soft supersymmetry breaking, 501–502
 superpotential, 494–496
 tree-level Higgs sector, 294–297
- mSUGRA, 556
- μ problem, 498, 518, 519, 570, 571, 601
- μ -term, 494, 495, 497, 498, 632
- muon decay
 L -violating, 504, 505, 650
 polarized, 676–678
- Nambu–Jona–Lasinio model, 679
- Nelson–Seiberg Theorem, 486, 487
- neutralino
 decays, 575–577, 651
 mass matrix in RPV SUSY, 647
 masses and mixing, 528–532, 547
 NMSSM mass matrix, 609
 very light LSP, 652
- neutrino
 Dirac, 253
 Majorana, 255
 mass eigenstate, 260
 mixing with neutralinos in RPV SUSY, 647
 radiative mass in RPV SUSY, 648
 seesaw-extended MSSM, 610–617
 seesaw-extended Standard Model, 259–264
 tree-level mass in RPV SUSY, 647
- neutron–antineutron oscillation, 639
- NLSP, 541, 579–581, 587, 591, 592
- NMSSM, 570, 600–609
 CP violation, 608
 domain walls, 601
 Higgs basis, 605
 Higgs mass upper bound, 606
 μ problem, 570, 601
 neutralino mass matrix, 609
 one-loop RGEs, 609
 scalar potential, 601
 singlino LSP, 609
 tadpoles, 600
 vacuum stability, 607
- no-scale supersymmetry breaking, 557
- Noether current, 22, 31, 59, 136, 237
- Noether procedure, 21, 47, 350, 359
- nonrelativistic potential
 scalar or pseudoscalar exchange, 93–94
- nonrenormalization theorem, 435–437
- NSVZ scheme, 463–464
- NUHM, 509
- O’Raifeartaigh model, 484–488
- Ω^- prediction from flavor SU(3), 345
- one-particle irreducible, 96, 437, 460, 477
 Green function, 467, 468
 self-energy function
 Dirac fermion, 114, 172, 173, 730, 731
 Majorana fermion, 174
 scalar, 96, 102
 two-component fermion, 110
 vector boson, 105, 201
- parameter count
 2HDM scalar potential, 268
 effective theory of neutrino masses, 319
 MSSM, 502–503
 RPV SUSY, 663–664
 seesaw-extended Standard Model, 319
 Standard Model, 223–224
- parity (P), 30–36, 49, 148, 149, 819–823
- Parke–Taylor formula, 873
- partial wave unitarity, 838
- Passarino–Veltman loop functions, 969–984
 A_0 , B_0 , and C_0 , 970
 derivatives of A_0 and B_0 , 974, 980
- Pati–Salam group, 501, 623, 625
- Pauli matrices, 8, 75, 195, 214, 794, 798
- Pauli–Lubański vector, 6, 44, 372, 378, 392
 supersymmetric generalization, 393
- Peccei–Quinn symmetry, 283, 502, 570–574
- phase space
 cross section formula, 836, 838
 decay rate formula, 834, 835
 dimensionally regularized, 832–834
 Lorentz-invariant, 829–831
 n -body, volume, 831
- Φ -basis, 266, 287, 291, 320
- photino, 340, 432, 493, 494, 547, 579, 717, 720
- Planck scale, xiii, 302, 312, 344, 509, 549, 567
- Planck-scale-mediated SUSY breaking,
 553–560
- PMNS matrix, 260, 949, 951
- pMSSM, 543
- Poincaré group and algebra, 6–7
 Casimir operator, 6
 commutation relations, 6, 368
- polarization sum, spin-1 boson, 865, 872, 879
- polarization vectors, 863–869, 877–879
- pole mass, 97, 98, 117, 173
 electron, 780
 gluino, 739–742

- top quark, 730–739
- Polonyi SUSY breaking, 557
- projection operator
 - chiral, 137, 803
 - form factor, 748, 749, 784
 - massless helicity, 58, 158
 - spin-1/2, 57, 58, 157
 - superspace, antichiral, 430
 - superspace, chiral, 430
 - superspace, transverse, 430
- propagator, fermion
 - four-component Dirac, 160
 - four-component Majorana, 160
 - two-component Dirac, 69
 - two-component Majorana, 66
- propagator, scalar, 70
- propagator, vector boson, 70, 201, 779
 - transverse and longitudinal, 105, 201
- proton decay
 - in non-supersymmetric GUTs, 314–315
 - in SUSYGUTs, 627–632
 - light neutralino, 639
 - R -parity violation, 499, 638
 - via dimension-five operators, 629
- proton hexality, 640, 659
- pseudo-Goldstone boson, 486, 571, 600
- QED, 133, 191, 192, 237, 334, 335, 719–724, 748, 779–782
- quadratic divergence, 331–335, 364, 473–476
 - and supersymmetry breaking, 363, 364
 - cancellation, 442
- quasi-4-dimensional space (Q4S), 456
- R -axion, 486
- R -parity, 499–501
 - $B - L$ origin, 501
 - in GUT models, 624
 - violation, 499, *see also* RPV
- R -symmetry
 - continuous, 370, 425–427, 500, 508
 - discrete, 500
 - explicit breaking, 486
 - gauged, 426
 - generator, 370
 - maximal group, 387, 396, 397
 - O’Raifeartaigh model, 486
 - table of charges, 426
- Racah time reflection, 186
- radiative electroweak symmetry breaking in the MSSM, 517, 518
- reference momentum, 877, 878, 880
- regularization
 - dimensional (DREG), 446, 720
 - dimensional reduction (DRED), 449, 720
 - problematic, 453, 454, 456, 457
 - ultraviolet cutoff, 334, 474–476
- relativistic kinematics, 825–828
- renormalization constants
 - QED, 781
 - wave function, 97–99, 106, 116–126, 174–182, 722–726
 - Wess–Zumino model, 435–445
- renormalization group equations, 459
 - general SUSY theory, 461–463
 - MSSM, 511–516
 - relation to counterterms, 447–449
 - RPV SUSY, 662, 663
 - SUSY-breaking parameters, 464–466
- renormalization scale Q , 446, 971
- renormalization scheme
 - \overline{DR} , 451, 457–459
 - HiggsMass (HM), 786
 - \overline{MS} , 457–459, 782
 - on-shell, 99, 100, 121, 782
- representation
 - adjoint, 74, 194, 244, 902, 909, 910, 918
 - antifundamental, 195, 902, 918
 - complex, 28, 195, 244, 902
 - conjugate, 10, 28, 902
 - contragredient, 8
 - defining, 195, 902
 - Dynkin labels, 916–918
 - fundamental, 195, 902, 918
 - irreducible (irrep), 5, 916–918
 - Lorentz group, 5
 - Poincaré group, 6
 - pseudoreal, 28, 29, 244, 890, 902, 917
 - real, 28, 244, 902
 - self-conjugate, 244, 902
 - tensor product, 906, 908, 927, 933, 941, 945
 - unitary, 902
- ρ parameter, 217, 228, 264
- RPV, 637–653
 - alignment, 644, 646
 - basis choice, 644
 - bounds on couplings, 661
 - GUTs, 640
 - Higgs potential, 642
 - lepton–Higgs mixing, 641
 - light neutralino, 652–653
 - $\mu \rightarrow e\gamma$, 650
 - neutralino decay, 651, 692
 - neutralino–neutrino mixing, 647
 - neutrino mass, 647–650
 - neutron–antineutron oscillation, 639
 - parameter count, 663–664
 - proton decay, 638
 - renormalization group equations, 662, 663
 - sneutrino mass, 645, 663
 - spontaneous, 637
 - superpotential, 499, 637
- same-sign dilepton signal, 584, 585
- sbottom, 338, 536, 537, 542

- scalar field
 - basis, 266
 - complex representation, 210
 - real representation, 203
- scalar potential, 203
 - 2HDM, Φ -basis, 265
 - 2HDM, Higgs basis, 267
 - and auxiliary fields, 355, 359
 - from superpotential, 355
 - minimum conditions, 2HDM, 266, 268
 - minimum conditions, RPV SUSY, 642
 - MSSM Higgs, 294
 - RPV SUSY, 642
 - Standard Model, 214
 - SU(n) gauge theory, 325
 - SU(5) GUT, 326
- scalar supermultiplet, 336
 - counting of degrees of freedom, 350
 - gauge interactions, 357–359
- scattering process, tree-level, 86–93, 168–171
- Scherk–Schwarz mechanism, 570
- Schouten identity, 9, 10, 47, 798, 877
- seesaw model of neutrino mass
 - Casas–Ibarra parameterization, 319
 - discrete gauge symmetry, 255
 - effective theory, 259–261
 - in four-component spinor notation, 154, 155
 - RPV neutralino–neutrino mixing, 648
 - seesaw-extended MSSM, 610–617
 - seesaw-extended Standard Model, 259–264
 - sneutrino mass matrix, 613
- selectron, 338, 432, 494, 720
- self-energy
 - charged scalar field, 101
 - electron in QED, 334
 - electroweak boson, 726–730
 - four-component Dirac fermion field, 172–174
 - four-component Majorana fermion field, 174
 - gluino, 739–742
 - neutral scalar field, 95
 - scalar field, 95–104
 - top quark, 730–739
 - two-component fermion field, 107–116
 - vector boson field, 104–107
- semidirect product, 6, 23
- sfermion, 338
- sigma matrices, 8, 13, 794, 798, 875
 - identities, 15, 807–808
 - identities in $d \neq 4$ dimensions, 816–817
- singlino, 573, 608–609
- singular value decomposition, 27, 884–886
 - 2×2 complex matrix, 895
 - 2×2 real matrix, 897
 - chargino masses, 546, 547
 - fermion mass matrix, 72, 884
 - quark and lepton masses, 222, 276
- singular values, 25, 27, 260, 261, 884, 887
 - degenerate, 26, 887, 896, 897, 899, 900
- slepton, 338
 - decays, 577, 578
 - left- and right-handed, 338
 - masses, 533–537, 564
- sliding singlet, 621
- smuon, 338, 742
- sneutrino, 338
 - CP mass eigenstates, 615, 642, 645
 - CP violation, 615
 - decay, 682
 - Higgs mixing, 642
 - mass difference, RPV, 645
 - mass matrix in seesaw model, 613
- soft supersymmetry breaking, 341
 - and quadratic divergences, 363
 - and the hierarchy problem, 340–342
 - classification of terms, 363, 488–489, 555
 - interactions, 363–365, 489, 554
 - MSSM, 501–502
 - RPV SUSY, 638
 - universal, 507–510, 556
- spacetime notation, 793
- sparticle, 500, 508, 538–543, 575
- spin four-vector, 54, 795, 852, 853
- spin operator, 6
 - covariant, spin-1/2, 852–855
- spin-sum identities, 59, 158
- spinor
 - charge-conjugated, 40, 138
 - Dirac adjoint, 138
 - four-component, 136, 874
 - left- and right-handed, 137, 139
 - massless, 57, 58, 157, 188, 874–877
 - Racah time-reversed, 186
 - self-conjugate, 140
 - space-reflected, 33, 138, 186
 - time-reversed, 36, 138, 186
 - two-component, dotted, 9
 - two-component, undotted, 8
- spinor helicity method, 57, 873–882
- spinor products, 11, 16, 869, 874–876
 - conjugation, 13
 - hermiticity properties, 16
- spinor wave function
 - four-component, 155–158, 858–861
 - nonrelativistic limit, 847–850
 - two-component, 53–59, 874
 - two-component, fixed-axis, 842–847
 - two-component, helicity, 850–852
- spoiler mode, 585
- spontaneous symmetry breaking
 - R -symmetry, 486
 - gauge theories, 202–210
 - supersymmetry, 479–488

- spurion
 - field, 24, 27, 436, 458, 554, 760
 - method, 464, 465, 554
- squared-mass matrix
 - neutral Higgs boson, 269, 286, 293
 - scalar, 204, 210, 212, 214
 - sfermion, 536
 - sneutrino, 645
 - vector boson, 205, 212
- squark, 338
 - decays, 578
 - left- and right-handed, 338
 - masses, 533–537, 564
 - production at hadron colliders, 582, 583
- Standard Model (SM), 214–224
 - parameter count, 223–224
 - quarks and leptons, 219
 - Yukawa interactions, 221–223
- stau, 338, 537, 541
- stop, 338, 536, 542–546, 578
- strange formula, 914
- strong CP problem, xiv, 224, 571, 596, 652
- sum rule for squared masses, 481, 482, 485, 548
- summation convention
 - repeated matrix/flavor indices, 791, 792
 - repeated undotted/dotted indices, 12
 - spacetime (or space) indices, 793
 - thrice-repeated adjoint indices, 74, 193, 417
- supercoordinates, 398–402
- supercurrent, 350, 359
 - and goldstino couplings, 550, 551
- superfield, 399
 - antichiral, 406–408
 - chiral, 406–408
 - equation of motion, 413
 - linear, 431
 - operator, antichiral representation, 429
 - operator, chiral representation, 429
 - vector (or real), 408
- supergauge transformation, 409, 418, 419, 423
- supergravity, 380, 421, 551, 553, 556–560
 - minimal, 556
 - $N = 8$, 389
- superhelicity, 378, 388
- supermultiplet, 336
 - $N = 1$, chiral, 336, 376
 - $N = 1$, massive, 337, 372, 376, 389, 394
 - $N = 1$, massless, 376, 380, 395
 - $N = 1$, massless gauge, 337, 380
 - $N > 1$, massless, 388
 - long, 391
 - short, 390
 - ultrashort, 390, 391
- superpartner, 248, 336–343, 575–581
- superpotential, 354, 355, 360, 435, 637
 - gauge invariance, 358, 360
 - holomorphicity, 354
 - Wilsonian effective, 436
- superspace, 398–402
 - derivatives, 400, 401
 - effective action, 434
 - integration, 401, 434, 435
 - Lagrangian, 410, 411
 - abelian gauge theory, 414–417
 - chiral supermultiplet, 411–413
 - nonabelian gauge theory, 417–420
 - nonrenormalizable, 421–425
 - translation, 402, 427, 428
- superspin, 373, 376, 394, 397
- supersymmetric
 - gauge theories, 355–357
 - gauge-fixing term, 432
 - Lagrangians, 347–366
 - QCD, 965
 - QED, 493, 494, 719–726
 - Yang–Mills, $N = 4$, 389, 396
- supersymmetry
 - at e^+e^- colliders, 588–592
 - at hadron colliders, 581–588
 - compressed, 597
 - extended, 337, 385–391
 - historical analogies, 343–345
 - introduction, xiv, 335–343
 - $N = 1$, 368–370
 - radiative corrections, 434–473
 - spontaneous breaking, 479–488
 - supersymmetry algebra, 336, 351, 352, 370
 - $N = 1$, Casimir operators, 372, 377
 - $N = 1$, representations, 371–380
 - $N > 1$, Casimir operators, 396
 - $N > 1$, representations, 387, 389
 - extended ($N > 1$), 386, 395, 396
 - fermionic generators, 335, 368–370, 386
 - in four-component spinor notation, 392
 - in terms of differential operators, 403
- supersymmetry breaking
 - anomaly-mediated, 568–570, 574
 - communication to MSSM, 548, 549
 - dilaton-dominated, 557
 - effective theory, 488, 489, 553–555
 - extra-dimensional, 566, 567
 - flavor-aligned, 508, 556
 - gauge-mediated, 550, 560–566, 574
 - gravity-mediated, 549–554, 556, 558
 - hard, 364, 554–556
 - maybe soft, 363, 364, 554, 556
 - metastable, 480, 487
 - no-scale, 557
 - Planck-scale-mediated, 553–560
 - Polonyi, 557
 - soft, 341, 363–365, 501, 507–510, 554, 555
 - spontaneous, 479–488

- supersymmetry transformation
 - as a superspace translation, 402, 427, 428
 - chiral supermultiplet, 347–349
 - gauge supermultiplet, 357
- supertrace, 364, 442, 482, 485
- supertranslation operator, 427, 428
- SUSY-QCD, 965
- SUSY-QED, 432, 493, 494, 719, 724–726
- tadpole
 - cancellation condition, 732, 769
 - coupling, 363, 446, 600
 - diagram, 465, 468, 521, 732, 769
 - function, one-loop, 773, 774, 787
- Takagi diagonalization, 25, 886–890
 - 2×2 complex symmetric matrix, 897, 899
 - fermion mass matrix, 72, 114
 - neutralino masses, 529
 - neutrino masses, 154, 155, 260–262, 611
 - relation to SVD, 888–890
- Takagi vectors, 887
- $\tan \beta$
 - 2HDM, 266, 284, 285, 287, 291
 - MSSM, 295, 503, 518, 772, 952
 - NMSSM, 602
 - RPV SUSY, 645
- Θ vacuum angle, 223, 224, 420, 502
- threshold singularity, 968, 974, 975, 980
- time reversal (T), 30–32, 36–39, 49, 148–150, 819–823
- top-squark mixing, 536, 543–546
- translation in superspace, 402, 427, 428
- translation operator, spacetime, 6, 403
- trilepton signal, 585
- trification, 627
- two-component spinor, 8, 797
 - bilinear covariants, 819–820
 - Bouchiat–Michel formulae, 855–858
 - Dirac field, 60
 - discrete symmetries, 819–820
 - labeling, external fermion, 669
 - Majorana field, 52
 - naming conventions, 667–672
 - product identities, 809–811
 - wave function, 53–59
 - helicity, 850–852
 - nonrelativistic limit, 847–850
- two-Higgs doublet model, 264–297
 - alignment limit, 279–281
 - bosonic couplings, 273, 274, 290
 - charged scalars, 271
 - CP-conserving, 278, 285–294
 - decoupling limit, 279, 280
 - GWP conditions, 282–284, 291, 293
 - invariant mixing angles, 269–271
 - neutral CP-even scalars (h, H), 281
 - neutral CP-odd scalar (A), 281
 - SM-like Higgs boson, 279
 - softly broken \mathbb{Z}_2 symmetry, 284, 322
 - tree-level MSSM Higgs sector, 294–297
 - Types I, II, X, and Y, 282–285, 291
 - unconstrained, 265–273
 - Yukawa couplings, 275–278
- $U(1)_R$ charge, 436, 486
- $U(1)_R$ generator, 370, 433
- unification
 - gauge coupling, 308, 510
 - gaugino mass, 513, 530, 532, 556, 562
 - Yukawa coupling, 316
- units, 792
- vacuum energy, 381, 383, 559
- vacuum expectation value, 202–204, 212
 - 2HDM, 266, 285
 - MSSM, 518
 - Standard Model, 215, 265
- vector supermultiplet, 337
 - content of MSSM, 340
 - degrees of freedom, 356
- visible sector, 549
- Ward identity, 201, 231
 - anomalous, 235, 236
 - QED, 730, 781
- wave function renormalization
 - electron, 719–726
 - four-component Dirac fermion, 174–180
 - four-component Majorana fermion, 180, 181
 - scalar field, 97
 - two-component Dirac fermion, 116–123
 - two-component Majorana fermion, 123, 124
 - vector boson, 106, 107
- weak mixing angle, 215
- Wess–Zumino gauge, 357, 409, 416, 418–420
- Wess–Zumino model, 347–352
 - action, 435
 - renormalization, 437–445
- Weyl fermion, 137
- Wigner’s little d matrix, 838
- winding number, 420
- wino, 340, 497, 528–532, 541, 591, 593–595
- Witten index, 385, 487
- wrong-Higgs Yukawa couplings, 526, 776–779
- Young tableau, 916, 927
- Yukawa couplings, 71, 73, 74, 83, 93, 192
 - 2HDM, 275–278
 - 2HDM, Types I, II, X, and Y, 282–285, 291
 - GUTs, 316, 317, 327, 620, 625–627
 - MSSM, 494, 495, 526, 776
 - MSSM, wrong-Higgs, 526, 776–779
 - RPV SUSY, 967
 - Standard Model, 221–223
- Zassenhaus formula, 905
- zino, 340, 547, 580