

Index

Numbers in *italics* refer to pages with figures and tables

- acquired immune deficiency syndrome *see*
 AIDS
- Africa, 303, 317, 318, 328, 332, 370
 bubonic plague, 7, 48, 49, 50, 80, 358
 Ebola, 5
 hepatitis B, 104
 influenza, 1917, 10
 plague at Athens, origins, 3
 plague of Justinian, 5–6
 West Nile virus, 11
- AIDS, 8, 9, 352–4
- Aix, 343, 344, 344, 345, 346, 349, 350
- Alford, 243, 244
- Amsterdam, 193, 316, 331, 336, 337
- Andalucia, 319, 322, 323, 324
- animals, 360
 Black Death, 85
 dying in plagues, 3, 65, 359, 360
 hares and *Yersinia*, 51
 not infected, 220
 rats dying at Marseilles, 341, 360
 reservoirs for influenza, 10
 slaughtered, 197, 204, 221, 227
see also black rat, brown rat
- antigenic shift, 10
- Antwerp, 316, 331, 337, 375
- Appleby, 181, 182, 187, 188
- apprentices, 155, 161, 162, 253, 378, 392
- Apt, 298, 343, 344, 345, 346, 349, 350
- arboviral diseases, 5, 151
- Arles, 344, 345, 346, 350
- Ashburton, 122
- Asia
 bubonic plague, 7, 13, 47, 303, 357
 hepatitis B, 104
 pandemic origins, 11
 sylvatic reservoir, 54
 West Nile virus, 11
- Athens, plague at, 2–5, 251, 389
 behaviour, 219
 identification, 4–5
- Augsburg, 316, 329, 330
- Australia
 Hendra virus, 9
 influenza, 1917, 10
- Austria, 328–31, 329, 330, 333, 334
- autopsy report
 bubonic plague victim, 70–1
 haemorrhagic plague victims, 219, 306, 381
- Avignon, 298, 343, 344, 345, 346, 350
 Black Death, 87
- Barcelona, 61, 324–8, 326, 327
 Black Death, 86
 bubonic plague, 60, 324–8, 356
- Barnwell Fair, 212
- Basel, 313, 316, 329, 330, 331, 335
- basic reproductive number (R_0), 25–6, 27, 231
 Chester, 228
 definition, 25
 disease dynamics, 36–7
 latent and infectious periods, 37
 London, 155–62, 202
 open and closed populations, 43
 SEIR dynamics, 31–8
 social behaviour, 108, 190
 type (ii) epidemics, 148
- Bath, 238
 diocese of Bath and Wells, 89, 106, 355, 363
- Bedfordshire, 91, 243, 360
- Belgium, 302, 332
- Benelux countries, 14, 331, 333, 334, 334

- Berwick-on-Tweed, 93, 176, 177
 Billingham, 95
 Birmingham, 238
 Bishop's Castle, 170
 black blisters/spots, 6, 152, 217, 218, 306
 Black Death, 2, 190
 arrival in Europe, 86–7, 370
 Baltic, 87
 Bath and Wells, 107
 brought by Genoese galleys, 85, 104
 CCR5Δ32, 353, 355
 Channel Islands, 81, 89, 98, 108
 confusion with smallpox, 102
 Constantinople, 82
 Crimea, 104
 England, 88–98
 Florence, 84, 87
 Genoa, 104
 Greenland, 6, 81, 98, 108, 109
 Iceland, 6, 81, 98, 108, 109
 immunity, 104, 377
 incubation period, 85, 108
 infectivity, 355
 Ireland, 6, 108
 Italy, 87
 metapopulation pandemic, 86–7
 mortality, 87, 90, 91, 91, 106, 359, 376
 North Africa, 86
 Norway, 6, 87, 109
 origins, 82
 pattern of spread, 13, 45, 308
 person-to-person contact, 85
 rate of spread, 87, 88
 Reed and Frost dynamics, 85, 90, 107
 resistance, 355, 377–8
 Scotland, 6
 seasonality, 89, 105, 106, 355
 serial generation time, 85, 107
 Sicily, 6, 82–6, 104
 Spain, 86
 Strasburg, 299
 Sweden, 6, 87
 symptoms, 83–5
 black rat (*Rattus rattus*), 55–7, 76, 262, 357
 Bombay, 73–4, 73
 bubonic plague and, 56–7
 distribution, 56–7, 108
 habitat, 56, 90
 origin, 56
 plague of Justinian, 49, 284
 population dynamics, 57, 73
 spread, 49
 blains, 217–19, 380
 Bohemia, 328–31, 329, 333
 untouched by Black Death, 103
 Bologna, 312, 314, 377
 Bombay
 age-specific mortality, 111, 112
 bubonic plague, 50, 72–4, 73, 75, 76, 78, 78
 78
 Bordeaux, 87, 298, 337
 Boston, 238, 250, 372, 374
 Bourg-en-Bresse, 292, 298, 299, 335
 Bremen, 330, 337
 Brentford, 213
 Brest, 336
 Brignoles, 290, 343, 346
 Bristol, 373, 375
 Black Death, 88, 90
 bubonic plague, 51
 epidemics, 167, 168, 169, 173, 237, 238, 249
 Sweating Sickness, 149
 Britain
 climate, 59, 60
 island metapopulation, 13
 Brough-under-Stainmore, 187, 188
 brown rat (*Rattus norvegicus*), 56, 357
 arrival in Europe, 56, 357, 362
 habitat, 56
 Ipswich, 51
 origin, 56
 buboes, 380
 bubonic plague, 66, 67, 68, 70
 description, 67, 165
 Eyam, 282
 Florence, 110
 Italy, 306, 307
 lancing, 197, 388
 location on body in bubonic plague, 67
 London, 197, 204, 217–20, 221
 Marseilles, 340
 Penrith, 117
 Plague of Justinian, 6
 repeated attacks, 159
 suppuration, 197, 204
 bubonic plague, 7–8, 12, 13, 27, 284
 20th century 7–8, 47, 50–1, 74–7, 222, 389
 Africa, 48, 49, 358
 age-specific mortality, 111, 112
 Asia, 7, 13, 47
 autopsy report, 70–2
 Barcelona, 60, 324–8
 Black Death, 107–9
 Bombay, 72–4, 74, 75, 78, 78, 111, 112
 buboes, 67–8, 70
 changes in character, 17
 China, 7, 47–8, 49–50
 climate and, 80, 389
 coasts of France, 8, 322, 328
 coasts of Italy, 8, 303, 318
 coasts of Spain, 8, 322, 324–8
 confusion with typhus, 113

- bubonic plague (*cont.*)
 course of disease, 67–8
 density dependence, 77–8, 79
 dynamics in humans, 356, 359
 endemic, 47
 enzootic plague, 55
 epidemiology, 74–7
 epizootic plague, 55
 Ethiopia, 49
 fleas, 7, 8
 incubation period, 67, 108
 India, 7, 8, 45, 47–8, 56, 72–7, 75, 76, 78
 indirectly transmitted disease, 26
 Levant, 13, 303
 Libya, 16, 338
 Marseilles, 49, 60, 284, 338–50
 mortality, 47–8, 50–1, 66, 75, 79, 112, 359–60
 not cause of haemorrhagic plague, 356–62, 370, 377
 pathology, 70–1
 population dynamics, 61–3, 73–4, 356
 possibly at Athens, 5
 possibly in plague of Justinian, 6
 rate of spread, 45
 rats dying, 360
 Reed and Frost modelling, 79, 80, 356
 rodents, 7, 8, 360
 seasonality, 14
 Silk Road, 48, 389
 sylvatic reservoirs, 54–5, 55
 symptoms, 68
 USA, 50, 51, 55, 62
 virulence, 63–4
 wave-like spread, 46
see also Yersinia pestis
- Buckingham, 166
 Buckinghamshire, 91, 165, 258
 Burgundy, 87, 298
 Bury St Edmonds, 168, 247
- Calais, 337, 374
 Black Death, 87, 89
 epidemics, 167, 177
 Calcutta, 50, 77
 Cambridge, epidemics, 111, 152, 166, 167, 168, 170, 238, 239, 243, 258
 Cambridgeshire, 91, 168, 247
 Canterbury, 16, 167, 168, 170, 243, 256
 carbuncles, 6, 380
 Eyam, 282
 Florence, 110
 London, 217–20, 221
 Marseilles, 340
 Carcassone, Black Death, 87
 Carlisle, 175, 181, 185, 373
 Black Death, 93, 101
- mortality, 118, 185
 pest-houses, 186
 plague epidemics, 101, 111, 181, 182, 184, 185–6, 187
 public health measures, 118, 185–6
 Cartagena, 322
 case-fatality ratio, 27
 Catalonia, 322
 CCR5 receptor, 352–4, 359
 CCR5Δ32 deletion, 352–4, 359, 377
 centroids, 45, 295–7, 300, 301, 302, 331, definition, 296
 Channel Islands, 89, 98, 108, 168
 Chelmsford, 139
 Cheshire, 91, 229–34, 241–2, 248, 250, 251, 252
 population density, 44, 98, 360
 Chester, 238, 368, 371, 373
 behaviour of plague victims, 219, 251
 epidemics, 167, 168, 228–9, 229, 239, 248, 250, 251, 252
 plague houses, 251
 Chester-le-Street, 95
 Chesterfield, 169, 363
 China
 bubonic plague, 7, 8, 13, 47–8, 49
 influenza, 1917, 10, 11
 pneumonic plague, 69
 chicken pox, 21, 22
 Reed and Frost model, 30, 33
 cholera, 2, 6, 8, 12, 23, 110, 113
 climate, 61, 383–4, 389
 England, 59, 60
 Great Plague, 211
 spread of bubonic plague, 79–80, 389
 closed population dynamics, 43–4, 43
 Colchester, 198, 239, 256, 257, 257, 355, 363, 374
 Cologne, 316, 330, 331
 Colyton, 139, 167, 249, 363
 Congleton, 232, 238
 Constantinople, 5, 82, 316
 co-primary infectives, definition, 24
 Cordoba, 318
 cordon sanitaire, 261, 280, 317, 341, 344, 346, 366, 383
 Cornwall, 91, 166, 167, 168, 240, 251
 Corsica, 86, 312, 313
 co-secondary infectives, definition, 24
 County Durham, 95, 176
 plague, 183, 243, 248, 250
 population density, 98, 100, 360
 Coventry, 92, 150
 Crimea, 82, 85, 104
 Crimea-Congo haemorrhagic fever, 388
 cross-correlation function (ccf), 39
 Crowland Abbey, 97

- Croydon, 153, 197, 202, 213–215
 Cumberland, 111, 175, 178, 181
 plague, 111, 115, 181, 184
 population density, 98, 360
- Dacre, 188
 Darlington, 95, 181, 182, 182, 183, 187, 189
 Dartmouth, 163, 169
 decaying epidemics, 38, 369
 density dependence, 391–2
 Black Death, 98
 bubonic plague, 77–8, 79, 103
 haemorrhagic plague, 12, 155, 173, 189,
 190, 359, 366, 368, 372, 379
 plague at Marseilles, 349
 smallpox, 367–8, 376
- Deptford, 213
 Derby, 92, 168, 169, 170, 250, 262, 265
 Derbyshire, 91, 167, 239, 265, 378
 Devonshire, 91, 99, 166, 167, 239, 240, 249
 diphtheria, 6, 37
 explanation of mortality crises, 106, 109
- Doncaster, 94, 166
 Dorsetshire, 239, 240, 249
 Dover, 167, 168, 198, 256
 driven epidemics, 38
 Dumfries, 182, 187, 189
 Dunkirk, 319
 Dunster, 249, 388
 Durham, 175, 176, 181, 182, 355, 373
 Black Death, 96
 epidemics, 179–81, 180, 182–3, 187, 190,
 228, 248, 250, 363
 mortality, 182–3
- dysentery, 109, 111, 113, 152
- East Anglia, 168, 205, 239, 243, 247, 250,
 257, 258
 ports, 225, 238, 256, 258, 372, 374
 river system, 250, 335, 337, 372, 373
- Ebola, 1, 9, 10, 385–9, 38
 mortality, 5, 9
 possibly at Athens, 5
 Sudan, 5, 9
 symptoms, 5, 385
 Zaire, 5, 9, 385–6
- Edenhall, 187, 187
 Edinburgh, 181
 Egypt, 3, 82
 bubonic plague, 50
 origin of plague of Justinian, 5
- Ely, 258
 diocese, 89, 106, 353
 encephalitis, 9, 11
 endemic plague, 367–70
 in France, 27, 285–303
 in London, 154–5, 369
- enzootic plague
 definition, 55
 India, 77
 population dynamics, 62–3
 rodents, 18, 54
- epidemiology
 bubonic plague, 74–6
 concepts, 21–38
 definition, 12
 London plagues, 192
 pneumonic plague, 68–70
- epizootic plague
 Bombay, 73
 definition, 55
 India, 77
 population dynamics, 63
- Essex, 165, 168, 198, 239, 250, 256–7, 258
- Ethiopia, 3
 bubonic plague pandemic, 49
 origins of plague of Justinian, 5
- Evesham, 167, 168
- Exeter, 166, 168, 169, 170, 239, 374
 diocese, 89, 106
- Eyam, 256, 261–83, 266, 266, 270, 273,
 370
 comparison to Penrith, 265, 268, 269, 272
 contrast with Marseilles, 346
 household contact rate, 269, 272, 279
 immunity, 145, 281, 282, 377
 mortality, 264, 279–80, 378
 pattern of outbreak, 126, 128, 131, 135,
 277, 363
 pest-houses, 280, 282
 plague stone, 280
 population, 279–80
 quarantine measures, 118, 280–1, 283, 383
 recovery, 146
 resistance, 279, 282
 seasonality, 279
 sex-specific mortality, 139
 symptoms, 262, 282
 wills, 275–6, 282
- famine, 14, 114, 291, 384
 in northern England, 14, 176, 181–2
- Faversham, 207
- Filoviridae, 9, 385–9
- Flanders, 296, 331, 333
- flea, 57–60
 biology, 58–9
 blocked, 58, 65, 113
 characteristics, 57
 climate, 60, 77
 ecology, 57, 58–9
 epizootic, 60
 human, 361
 India, 75–7

- flea (*cont.*)
 life cycle, 59, 105
 rat, 7, 15
 relative humidity, 59, 77
 reproduction, 59–60, 105
 survival, 58–9
 temperature, 59–60, 60, 76, 153, 357
Xenopsylla cheopis, 59, 64, 90
- Florence, 110, 305, 306–8, 307, 308, 312, 314, 315, 377, 382
 Black Death, 84, 87
- France, 8, 318, 323, 331, 332, 333, 335, 336, 337, 374
 Black Death, 86, 87
 black rat, 56
 endemic centre of plague, 14, 333, 369, 379, 383
 famines, 290, 291
 health bureaux, 291
 plague epidemics and malnutrition, 384
 plague pseudoendemic, 27, 285–303, 369
 plagues, 286–303, 287, 288, 289, 334, 378
 quarantine, 292–3
 regions, 293–5, 294, 295, 296, 297, 299, 300
 seasonality, 291, 383
 wheat prices, 289, 291, 292, 293, 384
- Gascony, 337
 Gateshead, 182, 243, 248
 Geneva, 313, 329, 330, 331, 335
 Genoa, 303, 304, 312, 313, 314, 316, 317, 359, 382
 Black Death, 85, 86, 104
- Germany, 328–31, 329, 330, 333, 334, 336, 374, 379, 384
- Glasgow, bubonic plague, 51
- Gloucester, 169, 170
 diocese, 89, 106, 354
- Gloucestershire, 91, 168, 239, 249
 grape harvest, 288, 290
- Great Budworth, 251
- Greenland, 6, 57, 98, 108, 109, 357, 389
- Greenwich, 153, 163, 165, 192
- haemorrhagic plague, 14
 causative agent, 384–9
 classification of epidemics, 148, 362–3
 definition, 7
 density dependent, 173, 189, 359, 366, 368, 372, 379
 incubation period, 24, 126–35, 363
 infectious period, 23, 24, 126–35, 363
 latent period, 24, 126–35, 363
 not bubonic plague, 356–62, 370, 377
 quarantine, 360–1, 381–3
 reasons for disappearance, 383–4
- Reed and Frost model, 30, 148, 355, 366
 seasonality, 362–3, 364–6
- Hamburg, 316, 328, 330, 337
- Hampshire, 91, 205, 240, 249, 256
- Hantavirus, 8, 11, 151–2
- Harwich, 256, 258
- Hastings, 168
- Havre, 168
- Hawkshead, plague, 178–9, 190
- Hereford, diocese, 89, 106, 354
- Herefordshire, 91, 168, 249
- Hertfordshire, 91, 165, 168
- Heswall, 234, 235
- HIV, *see* human immunodeficiency virus
- Holt, 169
- Holy Roman Empire, 297, 328, 333, 370, 379
- Hong Kong, 11, 50
- household contact rate, 126, 137, 237, 246, 252, 361, 376
 Cheshire parishes, 228, 241, 242, 248, 252
 definition, 24–6
 Eyam, 269, 272, 279
 London, 155, 159, 161, 162
 Penrith, 126, 134, 137, 269
- Hull, 226, 373
 Black Death, 94, 95, 100
 bubonic plague, 51
 epidemics, 100, 114, 166, 168, 246–7
 port, 246, 335, 381
- human immunodeficiency virus (HIV), 8, 22, 23, 394
 receptor for entry, 352–4
- Huntingdonshire, 91, 167, 238, 258
- Iberian peninsula, 317, 318–28, 320, 321, 332, 369
 Black Death, 86
 bubonic plague, 8, 322
 mortality, 318–19, 322, 324–5
 separate metapopulation, 13, 323, 332
- Iceland, 6, 81, 98, 108, 109, 357, 374, 376, 389
- immigration, 146, 205, 378, 392
- immunity, 26, 32–9, 376–8
 Black Death, 104
 Eyam, 281, 282
 London, 155, 205
 malnutrition, 105
 Penrith, 121, 139, 145
 plague at Athens, 3
- incubation period, 2, 22, 191
 Black Death, 85, 107, 108
 bubonic plague, 67
 definition, 19, 21–2, 24
 haemorrhagic plague, 363
 Penrith, 128, 137

- India, 77
 bubonic plague, 7, 8, 18, 45, 47–50, 72–7, 73, 75, 76, 78
 density dependence, 77–8, 103
 sylvatic reservoir, 54
 flea survival, 59
 origin of black rat, 56
 Plague Commission, 15, 72–7, 111, 358
 infectious period, 22, 128, 134, 155, 355
 Black Death, 108
 definition, 22, 23, 24, 25, 28
 haemorrhagic plague, 363
 infectiousness, 25, 145, 355
 influenza, 4, 6, 11, 21, 23, 41, 110, 166, 385
 infectious period, 46
 pandemic of 1917–19, 2, 8, 10, 11, 394
 rate of spread, 46
 Reed and Frost model, 30
 Spitzbergen, 11
 Innsbruck, 329
 interepidemic period (*T*), 37, 38, 40–1
 Ipswich, 238, 257, 258
 bubonic plague, 51
 pneumonic plague, 51
 Ireland, 4, 108, 151, 228, 251, 252, 368, 371, 377
 Italy, 8, 290, 303–18, 333, 370, 376, 377, 379
 autopsies, 306
 bubonic plague, 303, 318
 famine, 384
 major and minor pests, 14, 303, 318
 mortality, 103, 314, 315
 plague epidemics, 14, 304, 310, 311, 312
 public health measures, 14, 290, 303, 305, 314, 317–18, 332, 394
 quarantine, 305, 314, 317, 318, 382
 seasonality, 315
 signs and symptoms, 305–6, 379, 380
 Justinian, plague of, 5–6, 49, 284, 389
 Kemsing, 207, 209
 Kendal, 118, 178, 181, 182, 182, 184, 187
 Kent, 153, 166, 198, 205, 207, 225, 239, 240, 243, 256
 ports, 207, 256, 335
 Keswick, 184
 King's Lynn, 247, 250, 258, 316, 372, 373, 374, 374
 Kingston, 153, 167
 Lambesc, 284
 Lancashire, 111, 114, 175, 176, 178, 243, 245, 250, 360
 Lancaster, 93, 114
 Lanchester, 95
 Languedoc, 291, 342, 346
 latent period, 22, 128, 355
 definition, 22, 24
 haemorrhagic plague, 363
 London, 155
 Reed and Frost model, 28
 Leeds, 248, 360
 Leghorn, 317, 338
 Leicester, 91, 97, 168, 170, 238, 240, 247
 Leicestershire, 91, 239, 360, 395
 Levant, 211, 303, 317, 318, 328, 332, 339, 370, 374, 382, 384
 bubonic plague, 7, 13
 Lichfield, 91, 168, 169, 170, 173
 Black Death, 91, 99
 diocese, 89, 106, 354
 Liège, 87, 331
 Lincoln, 16, 114, 167, 169, 170, 243, 245
 Black Death, 91
 diocese, 89, 99–100, 106, 354
 Lincolnshire, 91, 238, 239, 240, 243, 250
 Liverpool, 51, 110, 167, 176, 178, 239, 251, 252
 Lisbon, 319, 324
 Lombardy, 303, 313
 London, 160, 193, 195, 199, 201, 206, 216, 316, 373
 apprentices and servants, 155, 161, 223
 Black Death, 90
 bubonic plague, 51
 density of susceptibles, 155
 endemic plague, 369
 epidemics, 113, 114, 152–65, 195, 199, 201, 206, 216, 223, 378
 Great Fire, 222
 household contact rate, 155, 159, 161, 162
 immunity and resistance, 155, 205
 latent and infectious periods, 155, 159–62
 mortality, 139, 165, 193, 194, 205, 209, 217, 378
 open population, 43, 44
 plague houses, 207
 plague symptoms, 165, 193, 197, 217–20
 plagues in 16th century, 152–65, 156, 160, 166
 port, 335, 358
 quarantine, 42, 220, 382
 Reed and Frost dynamics, 159, 165
 seasonality, 192, 199, 201, 215
 smallpox epidemics, 39–41, 40, 223, 368
 Sweating Sickness, 150, 151
 virulence, 220–1
 London, parishes and districts
 All Hallows, Bread Street, 156
 All Hallows, Honey Lane, 156
 Christ Church, Newgate Street, 156
 Hackney, 194
 Islington, 194

- London, parishes and districts (*cont.*)
 Kensington, 156
 Lambeth, 194
 Newington-Butts, 194
 Our Lady in Aldermanbury, 154, 156
 St Antholin, Budge Row, 154, 194
 St Bene't, Paul's Wharf, 154
 St Dionis, Backchurch, 156, 160, 161, 162
 St Giles-in-the-Fields, 212
 St Helen, Bishopsgate, 194, 196
 St Katharine by the Tower, 165
 St Margaret, Westminster, 16, 204
 St Martin-in-the-Fields, 156, 161, 163, 202, 203
 St Mary, Somerset, 154, 198–9, 200, 207, 208
 St Michael Bassishaw, 154, 209, 210, 213, 214, 363
 St Michael, Cornhill, 156, 161–2, 164
 St Olave, Hart Street, 156
 St Pancras, Soper Lane, 154, 155–9, 156, 158, 194
 St Paul, Covent Garden, 154
 St Peter, Cornhill, 156
 St Peter, Paul's Wharf, 154
 Southwark, 212, 213
 Stepney, 193, 194, 207, 212
 Westminster, 207
 Whitechapel, 207, 212
 Loughborough, 167, 239, 243, 251
 Lowestoft, 238, 247
 Lübeck, 328, 330
 Luxembourg, 296, 298, 302, 331, 332, 333, 335
 Lyons, 50, 292–3, 298, 302, 313, 316, 331, 359
 Black Death, 87
 Macclesfield, 232, 237
 macrophages, 52, 70, 386–8, 387
 Madrid, 318, 319, 322, 324
 Magdeburg, 316, 329, 330
 malaria, 2, 21, 68
 malnutrition, 41, 105, 259, 365, 384
 Malpas, 231, 241, 242–2, 358, 373
 Manchester, 122, 178, 234–7, 236, 250, 251
 mortality, 122, 236, 236
 pest-houses, 236, 237
 Marburg, 10, 11, 385–6, 387
 Marlborough, 167
 Marseilles, 61, 298, 302, 313, 316, 338–50, 358
 Black Death, 86, 87
 cordon sanitaire, 341, 344, 346, 383
 identification of *Yersinia pestis* in victims, 49, 284
 mortality, 341, 349
 outbreak of bubonic plague, 60, 356
 plague of 1720, 323, 338–50, 342, 343
 pneumonic plague, 70, 341–2
 quarantine, 338, 342
 rats dying, 341, 360
 symptoms, 340
 Marvéjols, 343, 347, 348, 350–1
 mathematical modelling, 4, 30, 39
 measles, 21, 31, 37, 38, 41, 45, 152, 166, 262, 365
 explanation of mortality crises, 4, 106, 109
 Reed and Frost model, 30
 Mende, 343, 346, 347, 348, 350–1
 Messina, 82–4, 86, 313, 370
 metapopulation, 13, 173, 260, 333
 definition, 13
 France, 27, 286–303
 northern England, 175–91, 226
 spread of Black Death, 86–7, 108
 spread of epidemics, 167, 255–8
 Michael of Piazza, account of Black Death, 82–4, 86, 104
 Middlesex, 163, 165, 198
 Milan, 304, 307, 309, 309, 312, 313, 314, 359, 380
 Black Death, 87, 103
 mixing patterns, 41–2, 42, 121, 132
 definition, 41, 42
 Montpellier, 86, 298, 343, 349
 mortality, 248
 age-specific mortality
 14th century, 111, 112
 Penrith, 137–9, 138
 Black Death, 87, 91, 106, 359, 376
 bubonic plague, 47–8, 50–1, 66, 78, 79, 359
 Chester, 229, 251
 Cumberland, 118
 Durham, 182–3
 Exeter, 170
 Eyam, 279–80, 378
 France, 290, 293
 haemorrhagic plague, 173
 Iberian peninsula, 318–19, 322, 324–5, 325, 326, 327
 Italy, 304, 312, 314, 315
 London, 153, 156, 160, 162, 165, 192, 209, 215–17, 221, 378
 Lyons, 293
 Manchester, 236
 Marseilles, 341, 345, 348
 Newcastle-upon-Tyne, 179, 247
 Penrith, 101, 103, 116–17, 117, 118, 119, 139
 plague at Athens, 4
 plague at Constantinople, 5

- sex-specific mortality, 139
 Stratford-upon-Avon, 170–1, 171
 Switzerland, 329
 York, 227
- Nantes, 298, 337
 Nantwich, 231–2
 Naples, 303, 304, 309, 312, 313, 314, 315, 381
 Neston, 252–5, 254, 363
 Netherlands, 328, 331, 332, 374, 375
 Newcastle-upon-Tyne, 114, 187, 226, 227, 372, 373
 Black Death, 96
 epidemics, 176–9, 181–2, 226–7, 239, 243, 247, 248
 port, 182, 226, 247, 256, 335
 Nimes, 291, 298, 343, 349
 Norfolk, 95, 111, 167, 169, 240, 243, 256, 257, 360
 Northampton, 168, 238, 251
 Northamptonshire, 91, 167, 238, 360
 Northumberland, 98, 175, 176, 177, 181, 183, 243, 360
 Nottingham, 94, 166, 170, 222
 Norway, 6, 87, 109, 357, 376, 389
 Norwich, 146, 238, 373, 374
 diocese, 89, 106, 354
 epidemics, 168, 239, 240, 243, 247, 257, 258
 Nuremberg, 87, 316, 329, 330
- open population dynamics, 43–4, 44
 Oporto, 319
 oscillation, 1, 38, 389–92
 Oswestry, 122, 167
 Ottery St Mary, 249, 250, 355, 363
 Oundle, 167, 258
 Oxford, 114, 166, 198, 205, 238, 249, 251
 Black Death, 90
 Sweating Sickness, 149, 150
 Oxfordshire, 91, 249
- Palermo, 309, 377
 Padua, 359
 Paris, 87, 290, 298, 336, 339, 382
 Pembrokeshire, 251, 371
 Penrith, 37, 97, 105, 115–48, 124, 129, 178, 181, 184, 187, 378
 age-specific mortality, 137–8, 138
 baptisms, 146, 391, 392, 393
 compared to Eyam, 265, 268, 269, 272
 contact rate, 119–26
 endogenous oscillations, 1, 389–92
 epidemiological characteristics, 126–35, 144, 363
 household contact rate, 124, 126, 127, 131, 134, 137
 immunity, 121, 139, 145
 incubation period, 128, 137
 infectious period, 128
 latent period, 128
 mortality, 101, 103, 118, 138–9
 plague mortality, 116–17, 117, 119, 120, 123, 124, 127, 139, 147
 plague stones, 118, 280
 population dynamics, 389–92
 population recovery, 146–8, 146, 389–92
 population size, 118–19, 119
 primary infective, 116, 137
 quarantine measures, 118, 121, 383
 Reed and Frost dynamics, 121, 123
 seasonality of plague, 126, 135
 wills, 140–6
 Peterborough, 168, 258
 phagocytes, and *Yersinia*, 52
 Pisa, 314
 Pistoia, 314, 315, 315, 359
 plague, definition, 2
 plague houses, 186, 207, 227, 228, 236–7, 245, 251, 258, 280, 381–2
 plague nurses, 215
 plague stones, 118, 184
 plasmid, 11, 64
 Plymouth, 168, 169
 pneumonic plague, 47, 66–8, 79, 269, 356–7
 duration of illness, 70
 epidemiology, 66–9
 India, 75, 77, 77
 infectious period, 70
 Manchurian epidemics, 69
 Marseilles, 70, 341–2
 relation to bubonic plague, 68, 356
 seasonal incidence, 77
 significance of, 17, 68–70, 356–7
 Portsmouth, 167, 256
 Portugal, 318, 319, 320, 321, 322, 324
 Presteign, 150, 170
 Preston, 92, 178, 243
 primary (index) case, definition, 23, 24, 25, 28
 Procopius, 5, 6
 Provence, 284, 290, 291, 298, 344, 346, 349
- quarantine, 7, 22, 189, 191, 226, 356, 360–1, 381–3
 Carlisle, 118, 185–6
 Eyam, 280–1, 283
 France, 292–3
 Italy, 305, 314
 London, 42, 220, 382
 Marseilles, 338, 342
 Penrith, 118, 121
 York, 226, 245

- rates of contact, 25, 30–8
 in a closed population, 43
 in an open population, 43
 at Penrith, 119–26
- rats, 15
 black rat (*Rattus rattus*), 55–7, 73–4, 76, 357
 brown rat (*Rattus norvegicus*), 55–6, 357
 dying in plagues, 65, 341, 359, 360
 enzootics, 18, 54, 55, 74
 epizootics, 73
 host for *Yersinia*, 53–4
 murine phase, 54–5
 resistant, 53–4, 74
Rattus decumanus, 73, 73
 susceptible, 53–5, 74
- Reading, 114, 166, 207
- Reed and Frost dynamics, 28–30, 107, 148, 173, 190, 249, 250, 252, 355, 366, 372
 assumptions, 29
 Black Death, 89, 90, 107, 148
 bubonic plague, 79, 80, 356
 Chester, 229
 chickenpox, 30, 33
 closed population, 43, 45
 Eyam, 263
 haemorrhagic plague, 30, 33, 34, 35, 148, 355, 366
 influenza, 30, 32
 London, 159, 165
 Manchester, 236
 measles, 30, 32
 modelling, 30, 32, 33, 34, 35, 123
 open population, 43, 44
 Penrith, 121, 123
 plague at Athens, 4
 plague of 1598, 190
 Stratford-upon-Avon, 170
 typhus, 355
- Regensburg, 328
- resistance, 121, 155, 232, 279, 282, 329, 355, 376–8
- Richmond
 Archdeacon of, 93, 101
 Black Death, 93, 94
 mortality, 118, 183
 plague, 181, 182, 183, 187, 188, 189
- R_0 , *see* basic reproductive number
- rodents, 7
 enzootics, 53–4
 host for *Yersinia*, 53–4
 resistant, 53–5, 357
 susceptible, 53–5
 sylvatic phase, 54
- Rome, 312, 314, 381
- Rouen, 296, 298, 337, 382
- Rye, 167, 168
- Salisbury, 16, 238, 239, 256
 diocese, 89, 106, 355, 363
- Sandbach, 92
- Santander, 319
- Santiago de Compostela, 319
- Sardinia, 86, 312, 313
- scarlet fever, 4, 37, 384
 malnutrition and, 105
 weather conditions, 38
- Scotland, 6, 111, 175–6, 181, 226, 357, 358, 371, 376
- seasonality, 126, 135, 190, 279, 362–3, 371
 Black Death, 105, 106, 355
 haemorrhagic plague, 221, 364–6, 377
 Italy, 315
 London, 192, 201, 215
 type (ii) epidemics, 363
- secondary attack rate (SAR), 23–4
 definition, 23–4
 household, 24, 30, 42
 measure of contagiousness, 23
- secondary infective, definition, 24, 25
- Segovia, 319
- SEIR dynamics, 31–8
 plague epidemics, 223–4, 369
 smallpox, 31, 41, 223–4
- septicaemic plague, 66, 67, 75
- serial generation time, 28–30
 Black Death, 107
 definition, 28
 haemorrhagic plague, 107, 190
 London, 159–62
 Penrith, 119–21
 Reed and Frost model, 28
- Seville, 318, 319, 322, 323, 324
- Shocklack, 242
- Shrewsbury, 166, 168, 232, 233, 238, 243, 252, 363, 373, 375
 Sweating Sickness, 150
- Shropshire, 91, 170, 229, 231, 232, 239, 243, 252, 360, 375
- Sicily, 6, 82–6, 104, 303, 309, 312, 313, 317, 370, 377
- Slaidburn, 245–6, 246, 355
- smallpox, 2, 4, 5, 6, 21, 40–1, 106, 113, 376
 classification of epidemics, 367–8
 decaying epidemics, 38
 effect of population size, 41
 explanation of mortality crises, 102, 106, 109
 immunity, 26, 376
 interepidemic interval, 41
 London, 26, 39–41, 40, 223
 malnutrition, 41, 105
 mixing patterns, 41–2
 SEIR dynamics, 31, 41
 susceptibility, 41

- weather conditions and, 38, 41, 365
 Somerset, 91, 99, 166, 169, 240, 249, 388
 Southampton, 88, 163, 168, 204, 239, 256
 Spain, 10, 317, 320, 321, 323, 332, 376, 377
 Black Death, 87
 bubonic plague, 8, 322
 metapopulation, 332
 plague epidemics, 14, 318–24
 see also Iberian peninsula
 Spanish influenza, *see* influenza
 spatial spread, 12, 13, 45
 Black Death, 45
 bubonic plague, 45
 epidemics, 44–6, 198, 361, 371–6
 pattern, 213
 saltatory, 361, 372
 trade routes, 316
 spectral analysis, 259–60, 285–6, 287, 294,
 305, 328, 333, 334, 390
 definition, 39
 St Bartholomew Fair, 197, 374
 Staffordshire, 91, 231, 234, 238
 steady state, of endemic disease, 38
 Stockport, 237
 Strasburg, 298, 299, 335
 Stratford-upon-Avon, 139, 167, 168, 170–3,
 171, 172
 Sturbridge Fair, 197, 258, 374
 Suffolk, 257, 360
 Sunderland, 95, 243
 supermetapopulation, definition, 13–4, 333
 Surrey, 91, 163, 198, 239, 256
 Sussex, 198, 205, 239
 Sweating Sickness, 149–51, 384
 etiology, 150–2
 Reed and Frost dynamics, 151
 Sweden, 6, 87
 Switzerland, 328–31, 329, 330, 333, 334
 grape harvest, 288
 sylvatic phase, 54
 symptoms, 24, 83–5, 379–81
 black blisters or spots, 6, 152, 217–220,
 306
 blains, 217–19, 380
 buboes, 117, 190, 197, 202, 217–20, 282,
 306, 307, 340, 380
 bubonic plague, 67–8
 carbuncles, 6, 110, 217–20, 221, 282, 340,
 380
 Florence, 110
 London, 165, 193, 197, 202, 204, 217–20
 plague at Athens, 3
 plague of 1598, 189–90
 plague of Justinian, 6, 389
 pneumonic plague, 67
 Sweating Sickness, 150
 tokens, 218–21, 242, 243, 256, 262, 282,
 306, 380
 Syria, 338, 340
 Black Death, 82
 bubonic plague, 48, 54
 tertiary infective, definition, 24, 25
 Tewksbury, 169, 170, 238
 Thames, 192, 198, 207, 213, 215, 238, 239,
 256
 Thucydides syndrome, 3, 4
 time-series analysis, 39, 259–60, 335, 336,
 378–9
 cross-correlation function (ccf), 39, 293,
 336, 393
 filtering, 39
 epidemics, 223
 smallpox epidemics, 39–41
 spectral analysis, 39, 259–60, 285–6, 287,
 294, 305, 328, 333, 334, 390
 Tiverton, 169, 249
 tokens, 221, 226, 243, 256, 262, 362
 description, 165, 218–21, 242, 282, 306,
 380
 London, 217–18, 221
 Totnes, 122, 169
 Toulon, 346
 identification of *Yersinia pestis* at, 49
 Toulouse, 87, 298
 toxic shock syndrome, 4
 transmission, 21, 26
 probability, 19, 23, 25, 43
 transmission coefficient (β)
 as a driver, 38
 definition, 31
 density of susceptibles, 37, 41
 smallpox, 41
 Troyes, 298, 302, 316
 Tuscany, 14, 303, 305, 313, 359, 378
 type (i) epidemics, 170, 231, 243, 245, 248,
 249, 250, 251
 atypical, 159, 232, 236, 240, 252
 definition, 148, 190, 362–3
 London, 159, 162, 193
 type (ii) epidemics, 170, 184, 237, 243, 248,
 258, 263, 268, 327
 atypical, 179, 240, 250, 252
 definition, 148, 190, 363
 London, 153, 162
 typhoid, *Salmonella typhi*, 11, 113
 confusion with bubonic plague, 68
 typhus, 2, 4, 5, 152, 154, 355
 explanation of mortality crises, 17, 106,
 109, 380
 confusion with bubonic plague, 68, 113,
 380
 United States of America, 80

420

United States of America (*cont.*)
 influenza of 1917–19, 10
 bubonic plague, 50, 51, 55
 flea survival, 59
 prairie dogs and *Yersinia*, 54, 62

Valencia, 322

Venice, 312, 313, 317, 329, 359, 374, 381–2
 Black Death, 86, 359, 376

Verona, 315

Vienna, 87, 330

virulence, 27, 376–8
 haemorrhagic plague, 220–1
Yersinia, 52, 63–4

vitamins, 105, 365

Wales, 99, 101

Warcop, 187, 188

Ware, 372

West Kirby, plague, 230, 231

West Nile Virus, 11

Westmorland, 111, 115, 175, 178, 181, 184
 population density, 98, 360

wheat prices, 14, 176, 259, 260, 375
 as a driver, 41
 France, 289, 291, 292, 293, 384
 smallpox epidemics, 41, 105

Whitchurch, 231, 252, 253

whooping cough, epidemics, 37, 109, 365

Wiltshire, 198, 205, 238, 239, 240, 249, 256

Winchester, 16, 102, 240, 249, 256
 diocese, 89, 102, 106

Windsor, 153, 192

Woodchurch, 234

wool prices, 14, 176

wool trade, 375

Worcester, 16, 169, 249
 diocese, 89, 106

Index

Worcestershire, 91, 239, 249, 360

Wragley, 177

Yarmouth, 239, 240, 246, 247, 256, 258, 373

yellow plague (*Pestis flava*), 377

Yersinia pestis, 72, 221, 261–3, 317, 322, 340, 350, 389
 antibodies, 71
 antigenic components, 52
 biology, 72, 79, 79
 causative agent in plagues, 108–9, 356–62
 characteristics, 51, 53, 359
 cultures, 71
 genome, 49, 52
 molecular biology, 11, 63–4, 353
 Mongul movements, 48
 mutant strains, 65
 R_0 , 26
 sylvatic reservoirs, 54–5
 virulence, 52, 63–5
 victims at Marseilles, 49, 284, 328, 340

York, 178, 368, 372, 373, 374, 392, 393
 archdeacons, 94
 Black Death, 91, 94, 99
 diocese, 106
 epidemics, 110, 111, 167, 176, 177, 181, 190, 226–8, 245, 249
 pest-houses, 227, 245
 port, 335, 381
 quarantine, 226, 245

Yorkshire, 175, 176, 177, 240, 245, 248, 249, 250, 256, 360
 Black Death, 100
 conditions, 99, 176
 epidemics, 183, 243

zoonotic diseases, 5, 9, 12, 21, 384
 rodent enzootics, 18, 54