

Index

- $SO(4)$ Euler angles, 160
 $SO(4)$ symmetry, 156
 XY
 magnets, 18, 33, 36, 56
 model, 20, 40, 43, 47, 51, 58, 71, 169, 331
 model of magnetism, 45
 partition function, 56
 spin systems, 26
 spins, 55, 148
 XY spin systems, 313
 ^4He films, 51, 53
 n -component spin system, 324
 n -vector spin models, 46
 p -fold anisotropies, 56
 p -state clock models, 40
 5- and 7-fold disclinations, 196–197
 5–7 disclination pairs, 141
 5-fold disclinations, 229, 235
 7-fold defect, 235
 7-fold disclinations, 229, 235
 72° wedge disclination lines, 150
- Abelian continuous symmetry, 33
 Abrikosov
 flux crystal, 262
 flux lattice, 38, 149, 246, 265, 272–273, 280, 282, 302–303, 306–307, 312–314, 322–323, 325–326
 flux vortices, 141
 Airy stress function, 223, 227
 algebraically decaying order-parameter correlations, 58
 algebraically decaying translational correlations, 134
 aluminum pentagons, 124
 amorphous selenium, 172
 Ampère’s law, 213
 amphiphillic bilayers, 171
 amphiphillic molecules, 180, 217, 330
 amplitude fluctuations, 13, 36, 46, 106, 160, 202, 204
 amplitude variations, 112
 Anderson model of localization, 258
 anisotropic liquids, 105
 asymmetry of disclinations, 236
 azimuthal quantum numbers, 157
- background geometry, 194
 background metric, 175, 176
 ball-bearing arrays, 129, 133
 Bardeen–Stephen
 flux-flow resistivity, 282
 friction constant, 314
 Baxter model, 59
 bending energy, 182, 187, 219
 bending rigidity, 179, 220, 229, 351
 bi-pyramids
 tetrahedral, 150
 biharmonic equation, 223, 226
 billiard balls, 127
 biological fishnet, 10
 bismectics, 106
 Bloch walls, 196
 blue phases, 106
 Bogoliubov approximation, 304
 Bogoliubov spectrum, 297, 340, 345, 347
 Bohr radius, 253
 bola lipids, 165
 bond-angles, 78
 bond-angle field, 93, 190
 bond-angle order parameter, 93
 bond-angle-stiffness constant, 92
 bond-orientational order, 108, 309
 long-range, 217
 bond-orientational order parameter, 72
 Bose glass, 271
 Bose-glass phase, 249, 310

366 Index

- Bose-glass transitions, 248, 311
- boson
 - analogy, 271, 274, 284, 295, 336
 - correlation function, 353
 - eigenstates, 336
 - field, 342
 - field theory, 326
 - localization, 271, 285, 310
 - mapping, 322
 - model, 301
 - order parameters, 356, 359
 - pair potential, 200
 - statistical mechanics, 296
 - subspace, 257
 - superfluids, 274, 295
- bosonic
 - degrees of freedom, 209
 - strings, 174
 - subspace, 258
- bosons, 20–21, 257–258, 324, 339
 - charged, 249
 - in two dimensions, 249
 - interacting, 337
 - quantum mechanics of, 344
- bound vortices, 54
- Bragg
 - glass, 271
 - peaks, 30, 33, 35, 303, 341, 343
 - planes, 155, 168
 - rows, 16
- Bragg-glass phase, 272
- braiding, 323
- broken orientational symmetry, 68, 307
- broken rotational symmetry, 195
- broken symmetries, 68, 196
 - continuous, 195
- broken translational and orientational invariance, 195
- buckled
 - defects, 194, 230
 - disclinations, 229
 - dislocation, 229
 - membranes, 188
 - vacancy, 231
- buckling, 17
- buckling of
 - a vacancy, 231
 - defects, 221
 - grain boundaries, 231
- buckling radius, 189–190, 229
- buckling transition, 233
- bulk modulus, 220
- bulk superconductors, 108
- Burgers construction, 132, 352
- Burgers vector, 15–16, 73, 75–76, 80, 88, 95–96, 103–104, 131–132, 134, 142, 197, 222, 225–226, 230–232, 307, 326, 351
- butterfly diffraction pattern, 340, 343
- capillary waves, 199
- Cauchy conjugate, 205
- charged
 - bosons, 249
 - superfluids, 194, 214
- chiral polymer nematics, 323
- chirality, 323
- cholesteric liquid crystals, 99
- climbing of a dislocation, 352
- clock model, 56, 60
- coarse-grained free energy, 46
- coexistence curve, 170
- coherent-state path integral, 296, 337
- colloidal crystals, 73, 126
- colloidal particles, 147, 194, 217
- column of interstitials, 299
- column of vacancies, 299
- columnar
 - crystals, 326, 347
 - defects, 271
 - hexagonal crystal, 343, 349, 351
 - hexagonal elastic free energy, 333
 - hexagonal phases, 325–326
 - pins, 247, 250–251, 253–256, 258
- commensurate
 - crystalline phases, 39
 - curvatures, 139
 - phase, 89
 - substrate, 36
- commensurate–incommensurate
 - transition, 39, 88, 90–91
- composite defect, 236
- computer simulations, 80
- condensate-order parameter, 313
- condensed matter, 1
- condensed-matter physics, 30
- constant imaginary vector potential, 271
- constant negative curvature, 128, 146
- continuous
 - broken symmetries, 195

- freezing transition, 271
- melting transition, 313
- smectic-A–nematic transitions, 114
- symmetry, 32
- continuously variable
 - critical exponent, 202
 - exponent, 330
 - Flory exponent, 322, 332
- continuum elastic theory, 143, 183
- Cooper pairs, 195, 211
- Corbino-disk geometry, 272
- core energy, 44
- correlated
 - disorder, 248, 274, 310
 - hopping, 256
 - structures, 310
- correlation length, 25, 51, 54, 68, 81, 85, 208
- cosurfactant, 171
- Coulomb gas, 57, 91, 169
- Coulomb gauge, 213
- Coulomb-gas Hamiltonian, 45, 49, 55
- Coulomb-gas representation, 89
- Coulomb-gas-like, 89
- creation operators, 299
- crinkled phase, 191, 233
- critical exponent
 - continuously variable, 202
- critical exponents, 3, 10, 25, 301
- polymer, 173
- critical phenomena, 26, 30, 126
- critical points, 3, 23, 31
- crumpled membrane, 165, 218
- crumpling transition, 186
- crushed vacancy, 231
- crystal fields, 196
- crystalline
 - membranes, 210, 227, 229, 234
 - monolayers, 12
 - phase, 260, 279
 - solid, 14, 30
 - tethered surfaces, 233
- crystallization, 40
- crystals, 32
- curvature charge, 228
- curvature scale, 143
- curved manifold, 142
- curved space, 157
- cybotactic clusters, 106
- Debye length, 350
- Debye screening, 333
- Debye–Hückel
 - approximation, 78
 - form, 55
 - theory, 50, 54
- Debye–Waller factor, 32, 34–35
- defect
 - core energies, 236
 - driven melting, 99
 - mediated phase transitions, 18, 30, 32, 194
 - proliferation transition, 359
 - unbinding transition, 194
- defects, 13, 18, 30
 - buckled, 194, 230
 - buckling of, 221
 - columnar, 271
 - disclination, 20, 140
 - statistical mechanics of, 1
 - topological, 12
- deflection length, 334
- delta-function pseudopotential, 286
- dense random-packing, 137
- dense random-packing models, 127
- dielectric constant, 66, 98
- differential geometry, 9, 167, 174
- diffraction experiments, 105
- diffusion constant, 262, 289, 338
- diffusive-random-walk propagator , 338
- diffusivity, 5, 7, 10
- directed
 - polymer crystal, 357
 - polymer melt, 326
 - polymers, 249, 322, 324, 338, 340, 344
- Dirichlet construction, 140, 146, 197
- Dirichlet polygons, 69
- disclination, 18
 - asymmetry, 237–238
 - buckled, 229
 - charge density, 140
 - defects, 20, 140
 - diffusion constant, 98
 - energy, 227
 - hexatic, 234
 - lines, 20, 127, 146, 162
 - pair, 73
 - unbinding transition, 18
- disclination-unbinding transitions, 99, 191, 229

368 Index

- disclinations, 2, 12, 15–17, 74–75, 79, 82, 97, 100–102, 153, 161, 187–188, 194, 196, 218, 221–222, 224, 230, 233, 236
 asymmetry of, 236
 discotic liquid crystals, 322
 discotic liquid-crystal columnar phases, 350
 disentangled flux liquid, 278
 disk-shaped molecules, 324
 dislocation
 lines, 108, 127, 195
 lines in smectics, 112
 loops, 95, 108, 112, 271, 307–308, 351–352
 model of smectic melting, 114
 statistical mechanics, 85
 dislocation defects, 17
 dislocation diffusion constant, 103
 dislocation glide, 134
 dislocation–disclination mechanism, 91
 dislocation-loop model, 307
 dislocation-mediated melting, 135, 260, 276
 dislocation-unbinding, 81
 theory, 217
 transition, 85, 102
 dislocations, 2, 12–13, 15–17, 30, 32, 36, 47, 73–75, 79, 82, 89, 94, 96, 100–101, 108, 131, 165, 173, 187–190, 194, 196, 218, 222, 230, 277, 326
 disorder-driven entanglement, 299
 disordered array of disclination lines, 162
 DNA, 31, 322, 324, 333, 350
 line-hexatic phase of, 323
 dodecahedron, 124
 dynamic scaling, 62, 64, 68
 dynamics of flux liquids, 301
 edge and screw components, 308
 edge dislocation, 115
 elastic constants, 9, 11, 75–76, 88, 185, 222
 wavevector-dependent, 275
 elastic moduli, 219
 electric fields, 325
 electrodynamics, 65
 electrons on the surface of helium, 81
 electrorheological fluids, 325, 357
 energy/entropy argument, 16, 226, 236
 entangled
 flux liquids, 271, 307
 polymer melts, 4
 vortices, 2
 entanglement, 262, 278, 281, 295–296, 298, 309, 324, 339
 disorder-driven, 299
 entanglement length, 262, 278, 288
 entropic instabilities, 235
 entropy argument, 14, 78, 104, 115
 epsilon expansion, 178
 equilibrium hexatic phases, 137
 erythrocytes, 171
 Euler’s theorem, 197, 221
 Euler–Poincaré characteristic, 140
 fcc crystal, 147
 fcc or hcp crystals, 136
 fermion, 257
 eigenstate, 258
 subspace, 257
 ferrofluids, 325, 357
 ferromagnets, 195–196
 Feynman
 diagrams, 7
 formula, 304, 340
 graphs, 185, 338, 344
 path integrals, 246, 291, 324
 filamentous bacteriophages, 324
 first-order melting transition, 108
 first-order transition, 80, 82, 124
 fixed points
 hydrodynamic, 12
 flat phase, 166, 182
 floating solid, 90
 floating-solid–commensurate transition, 88
 Flory
 approximation, 179
 experiment, 191
 exponent continuously variable, 322, 332
 theory, 324
 fluctuating topologies, 218
 fluctuation–dissipation theorem, 7, 306
 fluctuations, 3, 5, 41–42, 87
 flux
 cutting, 282
 flow, 283
 lines, 259, 286–287

- flux liquids, 246–247, 262, 265, 309, 311
 - entangled, 271, 307
 - hexatic, 359
- flux-cutting barriers, 249
- flux-decoration experiments, 273, 312
- flux-flow resistivity, 284
 - Bardeen–Stephen, 282
- flux-flow-velocity profile, 316
- flux-lattice
 - elastic constant, 265
 - melting, 261, 276
- flux-line
 - configurations, 310
 - crossing, 281
 - heads and tails, 299
 - viscosity, 263
- flux-line velocity
 - hydrodynamic, 316
- fluxon, 268
- fluxon density, 339
- fluxons, 256
- Fokker–Planck equation, 92
- four-dimensional Platonic solid, 149
- four-dimensional sphere, 156
- Fourier modes, 10
- Frank constants, 102, 114, 180, 327, 331–333, 343, 349
- Frank–Kasper
 - crystal, 161
 - network, 162
 - phases, 150–153, 162
- free disclinations, 98
- freely suspended liquid-crystal films, 126
- freezing transition, 155
- frustration, 18, 20, 128–129, 137, 146–148, 153–154, 158, 183
 - effects, 138–139
 - topological, 124
- frustration-induced bias, 152

- Galilean invariance, 42
- Galilean transformation, 239, 348
- Gaussian
 - bending rigidity, 197
- Gaussian curvature, 9, 137, 180, 185, 190, 197, 237–238
 - negative, 153
- Gaussian rigidity, 237
- Gaussian curvature
 - positive, 151

- Gemini lipids, 322
- genus, 170
- geodesic distance, 138
- geodesic lines, 140
- geometrical frustration, 125
- geometry, 1
- Ginzburg–Landau theory, 245–246
- glass transition, 124, 146
- gliding of a dislocation, 352
- Goldstone
 - excitations, 92
 - models, 195
 - modes, 33, 220, 233
- grain boundaries, 82, 127, 132, 165, 218
 - buckling of, 231
- grand canonical partition function, 200
- graphite oxide, 165
- Green function, 205, 213, 338
- ground-state wave function, 259, 268

- hairpin, 328, 344
 - energy, 344
 - excitations, 325, 328
- harmonic oscillator
 - mode, 246
 - two-dimensional, 260
- head-tail unbinding transition, 356
- heads and tails
 - flux-line, 299
- Heisenberg ferromagnets, 32, 180
- Heisenberg model, 180–181
- helium films, 37, 60, 62, 68, 194, 198–201, 204, 206, 209, 211, 213, 226, 249
- hexagon, 128
- hexagonal columnar phases, 322
- hexagonal columnar solid, 323
- hexatic, 20, 91, 95, 165
 - disclination, 234
 - eigenfrequencies, 93
 - excitations, 97
 - fluid, 128
 - flux liquids, 311, 359
 - frequencies, 96
 - glass, 125, 273
 - line liquid, 276
 - liquid, 232, 308
 - liquid crystal, 79
 - liquids, 173, 210, 232
 - membranes, 171, 173, 190–191, 197, 233

370 Index

- hexatic (*cont.*)
 - monolayers, 197
 - order, 165, 277–278, 306, 309, 323
 - phase, 18, 31, 71, 80–83, 98, 111, 130, 135–136, 166, 194, 217, 230, 285
 - stiffness constant, 190
 - stress function, 233
 - superfluid phase, 309
 - superfluid velocity, 97
 - vortex glass, 307
- hexatic–liquid transition, 86
- hexatic–orienting field, 83
- hexatic–solid phase boundary, 136
- hexatic–solid transition, 72, 80, 83
- hexatic-to-crystal transition, 277
- hexatics, 17, 71, 94, 102, 190, 196
- Higgs mechanism, 195
- high-temperature
 - superconductivity, 4
 - superconductors, 20, 31, 194, 344
- homotopy group, 161
- Hubbard model, 254–255, 257
- Hubbard repulsion, 256
- hydrocarbon spacers, 333
- hydrodynamic, 7–8, 17, 65, 69, 92, 94, 98, 245, 326
 - approach, 285, 334, 344
 - averaging volume, 345
 - description, 283
 - fields, 302
 - fixed points, 12
 - flux-line velocity, 316
 - free energy, 309
 - modes, 92
 - theory, 271, 281, 306
 - treatment of hexatic liquids, 141
- hydrodynamic flux-line velocity, 316
- hydrodynamics, 3, 25, 61, 347
- hydrodynamics of
 - point vortices, 311, 359
- hyperbolic manifold, 154
- hyperbolic spaces, 150
- hyperspherical harmonics, 157
- ice-like melting, 246
- icosahedral
 - bond order, 111
 - bond-orientational order, 18, 110
 - clusters, 110, 136–137
 - correlation length, 143
 - crystal, 146, 149
 - quasicrystals, 146
 - symmetry, 83
- icosahedron, 128, 138–139, 148
- imaginary time, 255, 291, 294
- imaginary-time path integral, 259
- impurities, 132, 134
- impurity diffusion constant, 134
- incoming separatrix, 208
- incommensurate
 - melting, 88
 - periodic potential, 36
 - phase, 90
 - solid, 39, 83–84, 87
- inextensional disclination, 228
- inextensional limit, 234
- insect-population biology, 26
- interacting
 - bosons, 337
 - polymer rings, 108
 - vortex lines, 294
 - vortex rings, 106
- interacting vortex rings, 106
- intermediate hexatic phase, 126
- interstitials, 2, 21, 30, 74, 80, 92, 134, 165, 195–197, 212, 218, 222, 225–226, 236, 323, 326, 352–353, 355–356
- intervortex
 - shear viscosity, 272
 - viscosity, 282–283, 311, 314, 359
- intervortex viscosity, 314
- inverse Lindemann criterion, 298
- irreversibility line, 248, 311–312, 315, 359
- Ising
 - phase transition, 86
 - spins, 23
 - systems, 32
 - transitions, 90
- Ising model, 26
 - two-dimensional, 28
- Ising-like, 56
- Ising-like phase transitions, 88
- isotropic polymer melts, 325
- isotropic polymers, 324
- Josephson coupling, 287
- Josephson relation, 53, 63
- Kosterlitz recursion relations, 50, 209

- Kosterlitz–Thouless transition, 62, 64, 295, 332, 345
- ladder interactions, 299
- Lamé coefficient, 34–35, 348
- Landau
 critical temperature, 46
 expansion, 158
 free energy, 36
 theory, 12, 71–72, 106, 108, 112, 154, 159–160, 200, 218
- Landau–Peierls fluctuations, 85
- Langmuir film, 330
- Langmuir–Blodgett films, 171, 217, 330
- Laplace equation, 185
- Larkin–Ovchinnikov model, 306, 308
- lattice of 7-coordinated particles, 143
- Lennard–Jones
 6–12 potential, 80
 fluid, 93
 liquids, 148
 potential, 83
 systems, 126
- Lindemann
 condition, 276
 constant, 260
 criterion, 275, 297, 313, 348, 350
 ratio, 265
- line crystals, 297
- line lattice, 348
- line liquids, 300, 303, 305, 345
- line singularities, 106, 111
- line-hexatic phase of DNA, 323
- linear defects, 285, 310
- linear polymer chains, 10, 20, 165, 170, 177
- linear polymers, 178
- lines, 323
 disclination, 20, 127, 146, 162
- lipid
 bilayers, 187
 monolayers, 38
- lipid bilayer
 membranes, 197
- liquid
 membranes, 182, 186, 197–198, 233
- liquid crystals, 30–31, 324
- liquid helium, 217
- liquid membranes, 171
- liquid-crystal films, 73, 105
- liquid–gas critical point, 346
- liquid-to-hexatic transition, 142
- localization exponent, 310
- localization length, 249, 251–252, 310
- localization transition, 310
- lock-in fault lines, 354–355
- London limit, 285
- London penetration depth, 142, 210, 212, 215–216, 250, 273
- long-range
 bond-orientational order, 217
 orientational order, 31, 309
 translational order, 83
- longitudinal sound, 96, 99
- longitudinal sound waves, 92
- loop gas, 13
- loop mechanism, 112
- loop-unbinding transition, 108
- Lorentz force, 253, 262, 282, 312
- Lorentzian-squared corrections, 280, 297
- lower critical dimension, 39, 111
- macroscopic pinning centers, 271
- magnetic
 bubbles, 278
 decoration, 279
 field, 211, 214–215, 237, 272, 310, 315, 322
 monopoles, 271, 299, 303
- magnetization, 58
- magnets, 32
- magnons, 195
- many-body
 boson quantum mechanics, 325
- many-particle
 quantum mechanics, 284
- matrix vector potential, 184
- mean field theories, 12
- mechanically crumpled sheets, 195
- Meissner phase, 247
- melted vortex liquids, 272
- melting
 flux-lattice, 276
 of monolayers, 232
 temperature, 80, 265
 transition, 313
- melting transition
 continuous, 313

372 Index

- membrane phases, 237
- membranes, 12, 15, 17–19, 170, 177, 182, 189–190, 194, 196–197, 217–218, 230, 232
 - buckled, 188
 - crystalline, 210, 227, 229, 234
 - hexatic, 171, 173, 190–191, 197, 233
 - lipid bilayer, 197
 - liquid, 182, 186, 197–198, 233
 - polymerized crystalline, 187
 - tethered, 190
- mesoscopic disorder, 311, 359
- metallic glass formers, 126
- metallic glasses, 124, 136, 146–147, 152, 162, 238
- methyl-methacrylate, 172
- metric tensor, 167–168
- micelles, 324
- microemulsion, 171
- molybdenum disulfide, 165
- Monge representation, 168, 179, 235
- monolayers, 14, 17–20, 196, 217–218, 221, 228, 236
 - hexatic, 197
- Navier–Stokes, 8
- Navier–Stokes equations, 3–4, 10
- negative curvature, 141
- negative disclinations, 233, 236
- negative Gaussian curvature, 125, 153
- nematic
 - liquid crystals, 92, 195
 - matrix, 330
 - medium, 332
 - phase, 112
 - polymer liquid crystals, 324
 - polymers, 325
- nematic
- nematic-like order parameter, 101
- nematic–smectic-A transition, 72
- neutral superfluids, 216
- non-Abelian gauge model, 149
- non-Abelian matrices, 154, 159
- non-Hermitian Schrödinger equation, 271
- nonlinear stress tensor, 227
- Novaco–McTague effect, 87
- octahedra, 148
- Odijk length, 351
- off-diagonal long-range order, 200, 206
- Ohm’s law, 314
- one-Frank-constant approximation, 327
- order parameter, 201, 203, 212, 233
- order-parameter correlations
 - algebraically decaying, 58
- orientability, 170
- orientation fluctuations, 84
- orientational
 - correlation length, 82, 130
 - correlation range, 274
 - correlations, 68–69, 278
 - entropy, 130
 - epitaxy, 83
 - order, 15, 69–71, 74, 77, 79, 84, 131, 135, 307
 - order parameter, 14, 81, 86–87, 307
 - symmetry, 33
- Ornstein–Zernike approximation, 346
- oscillating substrate experiment, 238
- oxygen vacancies, 261, 274, 287, 311, 359
- pair
 - disclination, 73
- parastatistics, 295, 336
- particle arrays
 - tetrahedral, 150
- particle packing
 - polytetrahedral, 20
 - tetrahedral, 150
- particle-creation and -destruction operators, 206
- partition function, 27–28, 47, 134, 266, 268, 287, 337, 358
 - quantum, 199
- partition functions, 257
- partition sum, 294, 336, 342
- path integral, 251, 266, 268, 288, 327, 329
- path-integral formulation of quantum mechanics, 249
- pentagonal bond spindles, 147
- pentagons, 124
- perfect tetrahedra, 148
- permutation-symmetric Hamiltonian, 295
- perturbation theory, 49
- phantom chain, 331
- phantom polymerized membranes, 176
- phantom vortices, 262

- phase
 - commensurate, 89
 - hexatic, 18, 31, 71, 80–83, 98, 111, 130, 135–136, 166, 194, 217, 230, 285
- phase fluctuations, 36
- phase transitions, 28, 31, 195
- phase-fluctuations, 45
- phenomenological, 21
- phonon fluctuations, 101
- phonon-roton spectrum, 280, 304–305, 340, 342
- physisorbed monolayer, 94
- physisorbed rare-gas monolayers, 127
- pinning centers
 - macroscopic, 271
- pinning energies, 312
- pins
 - columnar, 256
- planar
 - pinning center, 290
 - twin boundaries, 310
- Planck's constant, 295–296, 337
- plaquettes, 27
- plasma of disclinations, 222
- plasmon gap, 306
- plumber's nightmare, 197, 237
- point disorder, 247
- point vortices
 - hydrodynamics of, 359
- point-like
 - disorder, 271
 - microscopic disorder, 311, 359
- Poisson ratio, 11
- poly(γ -benzyl glutamate) (PBG), 324
- polyacrylamide gel, 172
- Polyakov's recursion relation, 41
- polymer
 - chemical potential, 324
 - critical exponents, 173
 - crystal, 352–353
 - free ends, 353
 - glass, 265
 - head, 354
 - heads and tails, 355
 - in a nematic solvent, 328
 - loops, 339
 - nematics, 21, 322, 326, 332, 335, 337, 341, 347, 357
 - persistence length, 328
 - propagators, 338
 - tail, 354
- polymer liquid crystals
 - nematic, 324
- polymer-glass hypothesis, 313
- polymer-glass transition, 316
- polymer-like glass transition, 315
- polymeric glass, 282
- polymeric glass phase, 265
- polymeric glass transition, 296
- polymeric shear modulus, 265
- polymerized
 - crystalline membranes, 187
- polymerized membranes, 12, 166, 178, 186, 218
- polymerized vesicles, 166
- polymers in a nematic medium, 322
- polyomavirus, 124
- polysaccharide, 326
- polytetrahedral particle packing, 20
- polytope {3,3,5}, 149, 156, 159
- positive
 - Gaussian curvature, 151
- Potts model, 56
- Prandtl number, 5–6, 11
- prewetting transition, 170
- quantized vortex filaments, 245, 247
- quantum
 - bosons, 246
 - crystals, 309
 - double well, 253
 - electrodynamics, 22
 - field theory, 25
 - fluids, 207, 294
 - hexatics, 309
 - liquids, 289
 - mechanics, 4, 20, 252, 255, 292–293, 324
 - partition function, 199
 - zero-point motion, 292
- quantum mechanics, 246
 - many-body boson, 325
- quantum mechanics of
 - bosons, 344
- quantum oscillator
 - two-dimensional, 259
- quantum-mechanical matrix element, 259, 268, 294
- quantum-mechanical particles, 291, 335
- quasi-long-range order, 34, 46

374 Index

- quasi-long-range translational order, 112
- radius of gyration, 173, 177–178, 191
- random impurity potential, 135
- random spontaneous curvature, 166
- Rayleigh–Bénard
 - convection cells, 100
 - convective rolls, 99
 - problem, 102
- reciprocal-lattice positions, 157
- reciprocal-lattice vectors, 32, 35–36, 68, 89–90, 155, 159
- red blood cells, 10, 171
- Regge calculus, 152
- renormalization, 6, 50
 - group, 2, 8, 17, 22, 26, 30, 41, 52, 57, 60, 181, 186, 207–208, 245, 329
 - group equations, 50
 - group flows, 115
 - group recursion relations, 104
 - procedure, 49
 - theory, 23, 25, 112
 - transformation, 25
- renormalization-group calculation, 286
- renormalization-group methods, 126
- renormalized elastic constants, 77
- renormalized perturbation theory, 22
- Reynolds numbers, 26
- rotational invariance, 342
- roughening, 169
- roughening transition, 167
- saddle-point energy, 264
- Schrödinger equation, 249, 251, 267, 291
- Schrödinger operator, 268
- screening, 210
- screening of defect energies, 196
- screw dislocation, 108, 115
- second sound, 195
- second-quantization formalism, 200
- second-quantized Hamiltonian, 347
- self-avoidance, 174, 178
- shear moduli, 126
- shear modulus, 31, 81, 94, 171, 220, 273, 312, 314, 350, 353
- shear stress, 95
- shear viscosity, 96, 98
 - intervortex, 272
- shear-phonon modes, 195
- short-range icosahedral order, 161–162
- sine-Gordon model, 169
- Sir Charles Frank, 136
- smectic
 - free energy, 112
 - liquid crystals, 31, 33, 38–39, 211
 - order, 271
- smectic-A liquid crystals, 32, 36, 105, 111
- smectic-A–nematic transition, 115
- smectic-A–nematic transitions
 - continuous, 114
- smectic-A-to-stacked-hexatic transition, 105
- smectic-B liquid crystals, 105
- smectic-C liquid crystals, 99, 106
- smectic-F liquid crystals, 105–106
- smectic-H liquid crystals, 105
- smectics, 18
- soap-bubble films, 38
- sodium montmorillonite clays, 172
- soft broken symmetry, 325, 341
- specific heat, 51, 54, 82, 199, 230
- spectrin, 171
- spectrin protein skeletons, 217
- spectrin skeleton of red blood cells, 165
- spherical harmonics, 162
 - three-dimensional, 156
- spin glass, 147
 - uniformly frustrated, 147
- spin waves, 180
- spin-correlation function, 42
- spin-wave fluctuations, 214
- splay elastic constant, 343
- splayed columnar defects, 271
- spontaneous curvature
 - random, 166
- spontaneously broken symmetry, 348
- stacked-hexatic phase, 105
- statistical honeycomb, 151–152
- statistical honeycomb polytope $\{3,3, q\}$, 150
- statistical mechanics, 30
- statistical mechanics of defects, 1
- stereography, 322
- strain fields, 228, 231
- strain matrix, 15, 183, 223
- strain tensor, 132, 224

- stretching energy, 182–184, 186, 220
- string defect, 300
- string tension, 300, 353
- structure factor, 36
- structure function, 71, 86, 134, 155, 162, 305–307, 322
- superconducting
 - coherence length, 212, 250
 - dynamics, 198
 - films, 37–38, 196, 198, 209–210, 229, 238, 272, 276
 - sample, 315
- superconductors, 2, 20, 30, 38, 195, 196, 266, 312, 322
- supercooled liquids, 111
- supercurrents, 66
- superfluid, 50, 94, 202
 - density, 42, 47–48, 51–52, 54–55, 94, 106, 198–199, 201–202, 206–208, 217, 220, 239, 241
 - flux liquid, 297
 - fraction, 37
 - helium, 106, 108, 195
 - helium films, 37, 220
 - momentum density, 213
 - velocity, 61, 66, 201, 223
- superfluid ^4He films, 37
- superfluidity, 21, 51, 200, 296
- superfluids, 2, 20, 32–33, 43, 62, 71, 196, 220
 - boson, 274, 295
 - charged, 194, 214
 - neutral, 216
- supersolid, 356
- supersolid phases, 322–323
- surface tangents, 219
- surface tension, 166, 199, 222
- surfaces, 323
- susceptibility, 58
- symmetric vacancy, 231
- symmetry-breaking crystal fields, 55
- symmetry-breaking fields, 57, 60
- symmetry-breaking perturbation, 58
- tadpole graphs, 185
- tangent field, 302, 346
- tangent sphere, 159
- tangled vortex, 21
- temperature–pressure phase diagrams, 80
- tethered membranes, 183, 190
- tethered surfaces, 20, 165, 171, 174, 176, 186, 218, 229
 - crystalline, 233
- tethering, 12
- tetrahedra, 20, 124, 127, 137, 149, 153
- tetrahedral
 - bi-pyramids, 150
 - clusters, 127
 - particle arrays, 150
 - particle packing, 150
- tetrahedron, 147
- thermal
 - fluctuations, 30, 182, 246, 248, 276, 282, 325
 - renormalization, 253
 - wandering, 288, 292
- third sound, 60–61, 64, 68
- three-dimensional
 - crystals, 36
 - dense random packing, 128
 - melting, 33
 - spherical harmonics, 156
- tight-binding model, 256
- tilt angle, 232
- tilt modulus, 298
- tilted hexatic, 106
- topological
 - charges, 228
 - defects, 12, 196
 - excitations, 73
 - frustration, 124
- torroidal surface, 237
- torroidal topology, 197
- transfer matrix, 258, 266, 294, 335
- transition metal alloys, 150
- translational
 - broken symmetry, 347
 - correlation length, 86, 96, 130, 132, 143, 190, 272
 - correlations, 15, 68, 70, 309
 - invariance, 31
- translational order, 15, 68, 78, 105, 110, 130–131, 134, 190, 273–274
 - long-range, 83
- translational order parameter, 90, 217, 356
- translational symmetry, 31
- transverse projection operator, 184
- triangular lattice, 12
- triangulations, 175
- tunneling-matrix element, 254

376 Index

- twin boundaries, 248, 262–263, 273–274, 282, 285, 293
 - planar, 310
- twin planes, 311, 359
- twin-free superconducting sample, 315
- twinning planes, 276
- two-dimensional
 - XY* model, 38, 89, 115
 - boson superfluid, 280
 - bosons, 296
 - crystals, 35, 187, 226
 - harmonic oscillator, 260
 - Ising model, 13–14, 28
 - melting, 31, 47, 126–127, 166, 309
 - quantum oscillator, 259
 - solids, 36
 - superconductors, 210
 - superfluidity, 37, 198
 - superfluids, 36, 47, 203
- type-II superconducting films, 149
- type-II superconductors, 2, 20, 142, 151, 161, 245, 271–272, 325
- umbilical defect, 161
- unbinding transition
 - defect, 194
 - disclination, 18
- unbound dislocation loops, 108
- undulations, 186
- uniformly frustrated
 - order parameters, 154
 - spin glass, 147
- universal, 11
- universal jump, 52
- universal jump in the superfluid density, 194, 208
- universal jump in the superfluid density of helium films, 115
- upper critical dimension, 174
- vacancies, 2, 12, 21, 30, 80, 92, 134, 165, 195, 197, 212, 218, 222, 225–226, 236, 323, 326, 352–353, 355–356
- vacancy, 357
 - buckled, 231
 - strings, 359
 - symmetric, 231
 - trajectory, 356
- vacancy and interstitial lines, 352
- vacancy–interstitial pair, 352–353
- van der Waals
 - attraction, 61
 - forces, 187
 - interactions, 173
- vector Coulomb-gas, 85, 90
- vector potential, 190, 210–212, 215–216, 220, 233, 303
 - matrix, 184
- viscosities, 126
- viscosity, 5, 7, 10, 95, 98, 136, 277, 281–282
 - flux-line, 263
 - intervortex, 282–283, 359
 - of a flux liquid, 277
- viscous
 - damping, 199
 - electricity, 285, 314
 - length scales, 265
 - liquid, 310
- Vogel–Fulcher form, 315
- von Karman
 - equations, 9, 227–230
 - equations for hexatics, 234
 - fixed point, 10–11
- Voronoi construction, 108, 150
- vortex, 30, 44, 46, 288
 - core, 44, 202
 - crystal, 259, 274, 307, 355
 - currents, 216
 - degrees of freedom, 45
 - density, 207, 224, 302, 346
 - diffusion constant, 67
 - excitations, 58
 - friction, 311, 359
 - fugacity, 49
 - gas, 204
 - glass, 265, 273, 282, 311
 - lines, 311
 - mobility, 67
 - physics, 245
 - projections, 290
 - rings, 195
 - singularities, 204, 220
 - structure function, 280
 - wandering, 264
- vortex lines, 194, 253, 262, 278, 280, 284, 286, 288, 301, 314, 359
 - in superconductors, 108
 - in superfluid helium, 112
 - interacting, 294
- vortex liquids, 271, 273–274, 276, 278, 280, 283, 302, 306, 307

- vortex physics, 20
- vortex rings
 - interacting, 106
- vortex-glass
 - hypothesis, 284
 - phase, 247, 276
 - transition, 277, 315
- vortex-line liquids, 306
- vortex-unbinding, 57–58
- vortex-unbinding transitions, 62, 169, 330
- vortices, 2, 13, 32, 36, 43, 45, 48, 51, 54, 57, 64, 66, 74, 77, 149, 194, 202, 209, 245, 256, 258, 279, 339
 - entangled, 2
- wandering
 - vortex, 264
- wave function, 267, 310
- wavevector-dependent
 - elastic constants, 275
- wetting transitions, 169–170
- Wigner
 - 3j symbols, 158
 - crystallization, 38
- Wigner–Seitz
 - cell, 152
 - construction, 221
- WKB tunneling exponent, 255
- wrinkling transition, 166
- xanthan, 326
- Young’s modulus, 15
- zero-point energy, 293