

Index

- Aboriginal Australians, 326
- accidents, 40, 135, 268, 334, 460, 566; childhood, 267; on frontier, 265, 266; Georgia Bight, 430–1, 434
- Acoma, 482
- adaptability, 15, 49
- adaptation, 17–18, 308, 397, 473, 596; American Southwest, 489; anthropometric measures, 19; California Indians, 508, 509; environmental constraints, 16–17; to infectious diseases, 36; to local pathogens, 531; by native peoples, 408, 435; Plains Indians, 541, 542, 556
- additive scoring, 68n6
- Adena populations, 442, 443
- adults: anthropometry of, 21–2; health status, 64; Monroe County Almshouse, 170, 171–2, 173, 176–8; stature, 19–22 (*see also* stature); underestimation, 154
- African-Americans, 4, 6, 62, 106, 197, 563, 596, 598; biohistory, 211, 212; comparison with European Americans, 211–12, 213, 215–19; demographic systems, 121; fertility, 114, 232–6, 237, 241, 254; on frontier, 230; health of, 6–7, 210, 574–5, 577, 578; health index, 74–5, 80, 564; infectious disease, 203; late nineteenth and early twentieth century, 231–67; life expectancy, 117; mortuary samples, 212–15; porotic hyperostosis, 200, 202; quality of life in Old Southwest, 226–77
- African origin, 85
- age: coding, 84–5; and dental pathologies, 46, 458; and DJD, 41, 42; estimation of, from LEH, 24, 27; and osteoarthritis, 44, 203; and pathologies: Ohio Valley, 467–70; and trauma, 460
- age adjustment, 62, 64, 66, 71, 149, 596
- age-at-death, 64, 105, 106, 154; American Southwest, 497; average, 93, 104; Belleville, Ont., 143, 146; Ecuador, 354, 355, 356; estimation of, 354; Georgia Bight, 44, 415; Monroe County Almshouse, 169; New World, 527; Ohio Valley, 446, 470; patterns in, 290; Plains Indians, 543; soldiers, 194–5
- age-at-death distribution, 65–6, 316–17, 583, 584, 585; central Mexican population, 317, 318, 319; fertility and, 95, 106, 317, 318–19; mean age-at-death and, 532–4; Ohio Valley, 455, 456; Plains Indians, 536, 544
- age distributions, 83–4; African-Americans in Old Southwest, 241; Belleville, Ont., 144; Georgia Bight, 414, 418; Monroe County Almshouse, 169, 173; mortality, 95, 106; Ohio Valley, 455–6
- age-estimation techniques, 154
- age heaping, 532
- age range, 84–5
- age ratios, 105–6
- age-specific death rates, 104
- age-specific disease risks, 13
- age-specific measures, 597
- age-specific scores: health index, 71–2, 82
- age structure: African-Americans of Old Southwest, 236–9; Belleville, Ont., 104; effects of fertility on, 95–8, 101–2, 103; Georgia Bight, 414; mortality effects on, 95–8, 101, 103, 117
- age structure pyramid, 557
- aggregate technique, 65, 66–7
- aggregation: American Southwest, 489, 499
- aging, 4, 81, 583; in dental pathologies, 458–9, 478; and DJD, 466, 467; measures of health deterioration in, 127; of skeletal material, 101
- aging techniques, 143–4
- agricultural age, 605, 606; Dolores Anasazi, 489

Cambridge University Press

978-0-521-80167-6 - The Backbone of History: Health and Nutrition in the Western Hemisphere

Edited by Richard H. Steckel and Jerome C. Rose

Index

[More information](#)

610

Index

- agricultural intensification, 15, 483; American Southwest, 483–6, 489, 499; and DJD, 43; and population density, 14, 17; and tooth loss, 47
- agricultural revolution, 112
- agricultural transition: Georgia Bight, 406–39
- agriculturalists, 4, 26, 386, 601
- agriculture, 81, 566; American Southwest, 499; Basin of Mexico, 309, 312, 313, 314–15, 316; Belleville, Ont., 141; and cultural buffering, 17; decline in health with shift to, 367–9, 578, 596; as defensive response to climatic change, 524; demographic impact of, 112, 121; and dental pathologies, 46, 47; Ecuador, 347, 353, 354, 357, 367–9, 370; impact of emergence of, 95, 529, 605–6; in New World, 344; and pottery, 377, 379; transition from, to urban-industrial, 130, 134–5; transition to, 518, 519, 575–6, 587
- Agua Blanca site, 353
- AIDS, 32
- Alaskan Eskimos: DJD in, 43
- alcohol: Plains Indians, 540
- Allison, M. J., 46
- almshouses, 165–6, 175, 178; death rate, 169, 585–6
- Alonso, Fray Francisco, 417
- Alt, K. W., 45
- Altar de Sacrificios, 333
- Amelia Island, Fl., 413, 418, 420, 422, 429
- ameloblasts, 23, 386
- American Association of Physical Anthropology, 211
- American exceptionalism, 114
- American Journal of Physical Anthropology*, 211
- American Southwest, 22, 67, 75, 433, 586, 598; cultural longevity and biological stress in, 481–505; health and demography in, 492–7; hemispheric context, 497–8; settlement and environment in prehistoric, 483–7; study populations, 487–92
- Americas: paleodemography of, 94–124
- Anasazi, 67, 487–9; community types, 486; health, 483, 492; migration, 487
- Anasazi sites, 482
- Ancient Americas: fertility, 110–13, 121; life expectancies, 116–17
- ancient period, 106, 112
- Andean highlands, 348
- Anderson (sample), 445
- Andes, Ecuadorian 348
- anemia, 12, 27–32, 62, 65, 67, 69, 70, 71, 149, 387, 564, 596; adaptive responses to, 30; African-Americans of Old Southwest, 246, 247, 249, 251, 272, 273; American Southwest, 483, 490–1, 492, 496, 498; Anasazi, 492; blacks, 216; California Indians, 519; central Mexican populations, 320, 321, 322, 323; childhood, 267; coding, 88; free blacks, 575; Hawikku, 490–1; as health indicator, 75–9, 127, 583, 586; Maya, 291, 302; Native Americans, 572, 574, 578; Ohio Valley, 470, 472, 473, 475–6, 478; pioneers of western frontier, 231; Plains Indians, 549, 553, 555; San Cristobal, 492; slaves, 214; soldiers, 196, 199–202; South Americans, 341; whites, 129; *see also* iron deficiency anemia
- Angel, J. L., 14, 43, 188, 211–12
- Anglican Church Archives, 132, 142
- animals, domesticated, 112
- Anopheles minimus, 17
- anthropology/anthropologists, 14, 47, 49; Brazil, 377; ecological perspectives in, 15; historical groups, 211–12; subdivisions, 603, 604
- anthropometry, 19, 20–22, 188, 189
- antibiotic era, 599
- Apaches, 490
- apartment compounds, 315
- Appalachian plateau, 441
- archaeobotanical evidence: Georgia Bight, 409–11, 412
- archaeological evidence/record, 39; health patterns in Ecuador, 344, 347; New World populations, 344; soldiers, 192, 197; trauma in, 41
- archaeology/archaeologists, 12, 397–8, 577; Brazil, 377, 379; Maya, 285–6; processual, 377, 379
- Archaic phase: Ohio Valley, 440, 441, 444, 456, 466, 470, 472, 473, 474, 475
- architecture: American Southwest, 486, 496; Basin of Mexico, 316
- Archives of Ontario, 143
- Archivo Franciscano, 346
- Archivo General de Indias (Seville), 346
- Archivo Histórico Nacional (Quito), 346
- Arikara, 117, 535–41, 545, 549, 550, 551, 552, 553, 554
- Arkansas, 210, 219; fertility and mortality, 232, 235, 236, 237
- Armellos, George J., 4, 5, 6, 13, 14, 15, 344, 578, 587, 593–602, 605
- Arroyo Hondo, New Mexico, 31
- arthritis, 44, 64, 265, 520, 578
- artifacts, 7, 62; Brazil, 381; Ohio Valley, 441–2; shell mounds, 380
- artisanal activities, 314, 315, 327
- Ashton-under-Lyne cemetery sample, 149
- Asian origin, 85
- Athapaskan, 496
- Atlanta, 212
- Attila the Hun, 205
- auditory exostosis, 88, 330, 334
- Aufderheide, A. C., 13, 594
- Aument, B. W., 445
- auricular surface, 143–4, 169
- Avilés, Pedro Menéndez de, 412

- Ayalán site, 353, 360, 364
Aztecs, 309
- Babitonga Bay, 380
bacterial infections, 45, 231, 272
Baker, B. J., 188
Banco Central, 353
Barbados, 26, 211
Barclay, G. W. 147
Barreto, Christiana, 398
Basin of Mexico, 304, 308–10, 317, 330, 333–6;
ecology of, 312–16; dental pathology, 332;
populations, 295, 296; porotic hyperostosis,
320, 322; skeletal samples, 310–12; traumas,
325
Bass, William, 14, 535
Battle of Little Bighorn, 186, 188, 193–4,
195, 196
Bay of Quinte, 135, 137
beam analysis, 430
behavior: biohistory of, in Georgia Bight, 406–39;
Pueblo people, 488; trauma and, 39
Belize: Maya in, 283, 284
Bellantoni, N. F., 13
Bellevue Plantation, S.C., 212, 214, 242
Belleville, Ont., 7, 74, 104–5, 114, 131, 133,
154–5, 549, 570, 585; age of settlement, 140–1;
demographic findings, 143–8; ecological
variables, 138–9; economic and social
activities, 141–2; fertility, 114; health index,
129, 574; historical information, 134–6; life
expectancy, 116, 117, 586; location, 137–8;
quality-adjusted life years, 80; quality of life
index, 148–54; related sources, 142–3; results,
143–8; site description, 137–43; size and
density of settlement, 139–40
Belleville Cemetery, 242
Belleville Intelligencer, The, 142
Belmont (cultural tradition): Ohio Valley, 443
Benalcázar, Sebastián de, 346
Bennett, J. W., 15
Berlin, Ira, 210
Bhargava, S. K., 20
bias, 152, 211, 215, 418; in age distribution
of deaths, 66; excavation, 319; problem of,
105–6; sources of, 446
Billings, John Shaw, 186
bioanthropology/bioanthropologists, 604, 608
bioarchaeological evidence, 136–7; California,
506; Ecuador, 346–7; health of slaves, 208–9
bioarchaeological indicators: Central Mexican
populations, 316–33
bioarchaeology/bioarcheologists, 7, 14–15, 49,
62, 95, 133–34, 210, 220, 287, 333, 371, 406–8,
434, 435, 594, 596, 597, 601; database, 583;
information on slaves, 209; laboratory in,
595n1; military, 187–9
biocultural/biosocial perspective, 13, 440–1,
444–55, 588
biocultural studies, 444–55
biohistory: Afro-American, 211, 212; in Georgia
Bight, 406–39
biological continuity: American Southwest, 482
biological data, 211
biological distance: Ohio Valley, 444–5
biological measures, 62
biological quality of life: estimating, 63–4
biological relationships, 588
biological sciences, 603
biological stress, 4, 7, 584; American Southwest,
481–505; Brazil, 386, 390–1; in childhood, 403;
climate change as, 80; effect on bones, 6;
markers of, 378; Maya, 285; measures of, 67,
179; Plains Indians, 547; recorded in bones,
547; skeletal indicators of, 130; Zuni, 490
biology(ies), 5, 12, 13; skeletal, 121, 129
birth rate, 154, 557; African-Americans in Old
Southwest, 232, 237; and age-at-death, 65–6;
Georgia Bight, 414, 415–16
Black Mesa, Ariz., 482, 494, 496, 499
Blackbird, Chief, 545
Blackfoot, 403, 546, 554
blacks: health index, 128, 129; *see also*
African-Americans
Bloom, David E., 600
Bocquet-Appel, J. P., 106
bodily deformities, 190, 191, 198
body: and/as evidence, 593–602
body size: California Indians, 511–12;
Euro-Americans, 517–18
Bogin, Barry A., 303
bone industry, 380–1
bone infections, 149; California Indians, 514
bone loss, premature, 596
bone pathologies, 13, 44
bone preservation, 143, 148, 286
bones, 6, 13, 18, 70
Boose (sample), 455, 463
Borah, W., 310, 343
Bourgeois-Pichat, J. 147
bow and arrow, 443, 515
Box Test, 444, 445
Boyce, Gerry, 104, 130–61
Brazil, 7, 341, 359; description of sites and
methods of analysis, 381–7; economy,
nutrition, and disease in, 376–400;
implications, 390–8; results, 387–90
breast-feeding, 145, 220, 245
Bridges, Patricia S., 43, 434
Bridgewater almshouse, 169
Briend, A., 20
Brighton Almshouse, 165–66
Brighton Town Clerk's Record, 168, 176, 177, 179
British Loyalists, 134, 135, 140, 141
Brodie's abscesses, 489

Cambridge University Press

978-0-521-80167-6 - The Backbone of History: Health and Nutrition in the Western Hemisphere

Edited by Richard H. Steckel and Jerome C. Rose

Index

[More information](#)

612

Index

- Brothwell, Don, 14
 Brown, Peter J., 593–602
 Bryan, Allan, 381
 Buffalo, N.Y., 165, 175, 176; sample, 455, 456, 463, 467, 473, 477
 Buikstra, Jane, 13, 14, 105, 232, 414, 594
 burial mounds, 441, 443
 burial sites, 7: incomplete excavation of, 66
 burials: California, 507; and error, 354
- Calakmul, 284
 Calderón, Bishop, 417
 California, 394; coast, 40, 44; prehistory, 508–11; regional comparisons, 515–17
 California Indians: comparisons with Euro-Americans, 517–18; comparisons with Western Hemisphere populations, 518–18
 California, Native: health, nutrition, and demographic change in, 506–23
 Calleguas Creek site, 515
Cambridge World History of Food, 607
 campsites: Brazil, 379, 381
 Canada, 131, 133, 164; economic growth, 141–2; health and nutrition, 135–6
 Canadian Arctic, 43
 Canadian Shield, 138–9, 141
 Canadian Social Sciences and Humanities Research Council, 132
 Canadians, middle-class, 242, 243, 251
 cannibalism, 496
 Canning, David, 600
 carbohydrates, 357, 518; Brazil, 391, 394, 395, 396; and dental caries, 420–1, 447, 478; Georgia Bight, 421; and height, 417
 Caselitz, P., 46
 Cassidy, C. M., 26, 47
 catch-up growth, 19, 22; slaves, 209, 220
 causal inferences, 49; infectious disease, 32–5; trauma, 36–9
 cavities: in Basin of Mexico, 334; central Mexican populations, 332–3; *see also* dental caries
 cavities-adjusted missing-decayed index (CAMDI), 332, 334, 335
 Cedar Grove, Ark., 114, 210, 216, 227, 228–9, 231–67, 268–73; health index, 267
 Cedar Grove Baptist Church, 227
 cemeteries, 136, 440–1; African-American, 227–9; family, 229; *Highland Park*, 163, 175, 177–8; historic, 133, 134; Ohio Valley, 443; poorhouse/almshouse, 136
 census data: African-Americans in Old Southwest, 236–7, 241, 255, 268; Belleville, Ont., 142, 147; Brighton Almshouse, 165–6; Rochester, N.Y., 168, 169; St. Thomas' Anglican Church, 132
 Center for Population Economics, Graduate School of Business, University of Chicago, 177
 Central Algonquian (populations), 446
 Central America, 7, 281, 555, 593; health index, 281, 282, 564
 Central Mexican populations, 335–6; bioarchaeo-logical indicators, 316–33; health index, 371
 central-place theory, 133
 Central Valley, 520
 ceramics, 312, 315; Ohio Valley, 441, 442, 443, 447
 Chaco Canyon, 483, 486, 496
 Chamuscado entrada, 490
 Chamuscado-Rodriguez party, 491
 Chandra, R. K., 29
 Channel Islands, 40, 511–19, 520
 chaos theory, 101
 Charles XII, 205
 Charleston, S.C., 114, 251
 Chavez, A., 20
 Chavez Pass, 496
 Chen, L. C., 20
 Cherokee, 455
 Cheyenne, 193, 403, 546, 554, 555
 Chiang, C. L., 146, 147
 Chiapas, Mexico, 284, 285, 302
 Chicago, 136, 229
 chiefdoms: Georgia Bight, 411
 child-woman ratios: African-Americans of Old Southwest, 232–6
 childbed fever, 176
 childhood: chronic stress in, 292; free blacks, 575; on frontier, 267; health quality of life in, 583; porotic hyperostosis, 422; skeletal characteristics formed in, 70
 childhood disease, 151; pioneers of western frontier, 229
 childhood health, 4, 62, 64, 81, 86, 197, 204, 241; slaves, 220, 221; South Americans, 341; soldiers, 197; and stature, 320
 childhood indicators, 5, 78, 129, 586; Central Americans, 281; Euro-Americans, 564; Native Americans, 403, 578; slaves, 575
 childhood lesions: mortality cost of, 597
 childhood mortality, 135, 240, 267, 290; African-Americans in Old Southwest, 236, 237; central Mexican populations, 321; Maya, 296, 302; Monroe County Almshouse, 168
 childhood nutrition, 70, 127, 197, 200–2, 241; African-Americans of Old Southwest, 246
 childhood stress, 127, 136, 163, 179, 205, 220, 246, 267, 268, 292; slaves, 214, 221
 children: Anasazi, 494; Archaic, 475–6; cause(s) of death, 176; central Mexican populations, 317, 322; Maya, 302, 304; Monroe County Almshouse, 175–6, 178; nutritional stress, 168; poor representation in skeletal collections, 319; Pueblo, 496; slaves, 209
 Chile, 341, 360

- Chiribaya, 341
- cholera, 32, 135, 176, 268, 272; California Indians, 509; epidemics, 229; pandemics, 308; Rochester (Monroe Co.), 164, 167, 168, 178; soldiers, 193
- Cholula, 311–12, 315–16, 318, 319, 321, 322, 323, 325, 326, 327, 328, 329–30, 332, 333, 334, 335, 336
- Cholula Basin, 316
- Christ Church, Spitalfields, East London, 134n2, 142
- Christianity: among Maya, 297, 298
- chronic stress: in childhood, 292; indicators of, in South Americans, 341
- church membership, 220, 221
- Church of San Francisco, 114
- Circular Congregational Church, Charleston, S.C., 114, 116, 215
- cities: Basin of Mexico, 310, 318; health in, 567, 575; large, 133; and life expectancy, 117; mortality levels/risks, 135, 219; poor relief, 164–6; size of, 308
- Civil War, 205, 210
- civilization(s), 3, 4, 524, 605; Basin of Mexico, 309; colliding, 308; health penalties with, 576; and quality of life, 308; shift to farming and, 407, 575
- Clarke, N. G., 20
- class stratified societies, 85, 86; *see also* social stratification
- classic era, 95; life expectancies at birth, 116, 117
- Classic Maya Collapse, 284, 286–7, 297, 298, 301
- Classic Period, 283, 284, 286, 287, 289, 295, 296–7, 299; Basin of Mexico, 309, 311, 315–16, 317, 319, 320, 330, 332, 333, 334, 335; fertility, 110–12; patterns, 296–7
- Classic Period Collapse, 302, 303
- Classic Period samples, 301; description of, 288–90; results of comparisons, 290–6
- classlessness: growth and, 20
- Clift's Plantation (V.), 212
- climate, 7, 16, 82, 251, 566, 567, 578, 584; American Southwest, 488, 489; Belleville, Ont., 139; and disease, 347–8, 351; Ecuador, 345, 369; and health, 587; and infections: Ecuador, 361–2; slave health and, 210
- climatic change, 80, 286–7, 575n5; agriculture as defensive response to, 524
- cliometrics, 604
- clothing, 17, 65
- Coale, A., 99–100, 527
- coastal living, 566, 567, 568, 587
- coccidioidomycosis, 514
- cognition, 29, 65
- Cohen, Mark N., 4, 5, 6, 13, 15, 308, 335, 336, 344, 578, 587, 596, 601, 605
- College Landing, M., 212; V., 212
- Colles fracture, 40, 364
- colonial Indian sample (Ecuador), 346, 354–6, 361
- Colonial period, 303, 336; comparisons, 299; Spanish control in, 297
- Colonial Period samples, 301; description of, 298–9
- Colorado, 481
- Colorado Plateau, 483, 489, 499
- Columbus, Christopher, 5, 577, 578
- Columbus problem, 606
- Comanche, 545
- Common Era, 336
- community ecology, 492, 499
- comparability, 12, 36, 49; problem of, 61
- comparative studies/comparisons, 5, 6, 7, 18, 547, 595; of adult stature, 22; African/European Americans, 211–12, 213, 215–19; California Indians, 511–19; contact period, 348; controlled, 15; demographic findings/historical documents, 143–8; Georgia Bight and other settings of Western Hemisphere, 432–3; between physical and documentary evidence, 163; problem of, 21; stresses of military life, 197–205
- complex societies, *see* social complexity
- compression fractures, 37–8
- Condon, Cindy, 226–77
- Condon, Keith, 226–77
- conflict: in American Southwest, 492, 496; group: Plains Indians, 530, 540, 541, 542, 552–3, 554; intertribal, 525
- Consolidation Act of 1873, 62n1
- Constitutional Act, 132n1
- consumption, 148, 168, 176
- contact, 490; disease impact of, 344; effects of, 6, 79, 343–4, 434, 455, 477, 496; epidemiological consequences of, 606; health deterioration following, 572; impact of: Georgia Bight, 406–39; Plains Indians, 535, 536; research traditions regarding effects of, 525
- contact groups (Georgia Bight), 408, 412–13
- contact period, 298; California Indians, 509; comparisons across, 348; Georgia Bight, 418, 425, 432, 433
- contact shock: oversimplified theories of, 555; surviving, 556
- contemporary populations: enamel hypoplasias in, 25–6
- context, 547, 586, 588; skeletal data in, 529–34, 545, 555, 556
- continental ancestry, coding, 85
- Cook, D. C., 13, 47
- Cook, Della, 594
- Cook, Noble David, 310
- Copán, 281, 283, 284, 286, 287, 288, 293, 295, 296, 301, 302

- Copán Rural, 290, 295, 296, 299, 322; sample, 289, 290, 291, 292, 301
- Copán Urban, 291, 292, 293, 295, 296, 299, 322; sample, 287–8, 290, 292, 301
- Corbett, M. E., 46
- core drillings, 607
- Coronado, Francisco, 490, 491
- Corruccini, R. S., 26
- Cotocollao site, 351, 353, 369
- Cozumel, 289
- cranial injuries, 38, 40, 169, 202, 515, 517
- cranial metrics, 444, 445
- cribra orbitalia, 28, 69, 163, 219, 583; African-Americans in Old Southwest, 247–51, 250, 268, 272; in Basin of Mexico, 333, 335; California Indians, 519; central Mexican populations, 320–3, 332; Dolores Anasazi, 489; in Ecuador, 359–61, 363, 369; Georgia Bight, 422–4, 433; Hawikku, 491; as indicator, 127; Monroe County Almshouse sample 171, 175; Ohio Valley, 467, 469, 470; pioneers of western frontier, 229; Plains Indians, 550, 553, 554; San Cristobal, 492; scoring, 88; slaves, 214; soldiers, 196, 197, 199–202
- Crimean War, 205
- Croft, Edward, 214
- Cro-Magnon groups, 528–9
- Crosby, A. W., 343
- Cross Family homestead Cemetery, 229, 230
- Crow, 403, 546, 554, 555
- crude birth rate, 99, 106, 116; Belleville, Ont., 104, 105; central Mexican populations, 319
- crude death rates: central Mexican populations, 319–20; Rochester, 167
- Cuicuilco, 311, 314–15, 317, 319, 320, 321, 322, 323, 325, 326, 327, 329, 330, 332, 333, 334, 336
- cultural activity: and DJD, 42
- cultural buffering, 17–18
- cultural change, 371; California, 507; Ecuador, 351; effect on New World populations, 343, 344–5; Maya, 297–8
- cultural continuity: American Southwest, 482
- cultural destruction: California Indians, 510, 511, 520
- cultural evolution: Basin of Mexico, 309
- cultural differentiation: California Indians, 509
- cultural factors in disease, 347
- cultural longevity, 500; in American Southwest, 481–505
- cultural resource management archaeology, 229
- cultural stereotypes, 593–4
- cultures, 17–18, 81; California Indians, 509; and disease process, 594; Ohio Valley, 441–4
- Cumbayá site, 351, 353, 369
- Cumberland Island, 416
- Curtin, Philip D., 603–8
- Custer National Cemetery, 193–4
- Dallas, Tex., 114, 117, 227, 228, 236, 246, 247, 251, 253, 254, 255, 261, 262, 265, 268, 272, 273; African-American population, 232, 245, 246, 249; child mortality, 236
- Dallas City Directories, 228–9, 255–60
- Dallas County, Tex., 237, 249; slave population, 232
- Dallas Freedman's Cemetery, 210
- data resolution, 603
- date of birth, 85
- Davidson, James M., 226–77
- Davin, Eric, 219
- De Masi, Marco Aurélio N., 380
- death(s): causes of: Maya, 285; childhood, 211; model distribution of, 583; pioneers of western frontier, 229–31; premature, 600; soldiers, 187, 191
- death rate, 154, 557; age-specific, 65; Monroe County Almshouse, 169; urban, 576
- deaths by age, 4, 6 (*see also* age-at-death distribution)
- deconstruction, 605
- Deep Ellum, 251
- degenerative disease, 12
- degenerative joint disease (DJD), 5, 6, 41–4, 62, 69, 80, 149, 564, 578, 596; African-Americans in Old Southwest, 229, 231, 245, 254–65, 273; American Southwest, 489, 498; Basin of Mexico, 334; Belleville, Ont., 129, 152–3, 155, 549; blacks, 216, 219; central Mexican populations, 326–8; coding, 89–90; Dolores Anasazi, 489; Ecuador, 365–7, 370; Euro-Americans, 574; Georgia Bight, 426–8, 430, 434; in health index, 71, 81; as indicator, 75–9, 127, 583, 587; Monroe County Almshouse, 172–4, 177; Native Americans, 403, 574; Ohio Valley, 463–7, 474, 478; pioneers of western frontier, 229, 231; Plains Indians, 549; repetitive patterns of work and, 566; scoring, 70; soldiers, 196; South Americans, 341; time trends, 572
- Del Angel, Andres, 307–38
- Delaware (people), 455
- Demeny, P., 100, 527
- demographic catastrophe, 116–17
- demographic change, 3, 121–2; in Native California, 506–23
- demographic collapse: arrival of Europeans and, 555; California Indians, 509, 510, 511, 520; Native Americans, 577; in New World, 408
- demographic findings: Belleville, Ont., 143–8, 154
- demographic rebound: California Indians, 520
- demographic regimes, 95, 121
- demographic transition, 411, 598
- demography, 47, 101; African-Americans in Old Southwest, 229, 231, 232–41, 273; coding, 83–5; Dolores Anasazi, 489; Ecuador, 348–51;

- Georgia Bight, 414–16; Plains Indians, 536–7, 540, 545; plantation records and cemetery findings for, 211; prehistoric Southwest, 492–7; skeletal remains and, 121, 354
- dental abscesses, 12, 70, 337, 358; central Mexican populations, 332–3; coding, 88; Dolores Anasazi, 489; Ohio Valley, 447; pioneers of western frontier, 229; Plains Indians, 551; San Cristobal, 492; soldiers, 196, 197, 204
- dental age, 21, 84
- dental caries, 12, 44–7; African-Americans of Old Southwest, 246, 247, 248; American Southwest, 489, 491, 494; Basin of Mexico, 334; Belleville, 149–50, 155; Brazil, 387–9; California Indians, 512, 513; central Mexican populations, 332; coding, 87–8; Dolores Anasazi, 489; Ecuador, 358; Georgia Bight, 420–2, 433; Hawikku, 491; Maya, 296, 299; Monroe County Almshouse, 177; Ohio Valley, 447, 458, 470, 478; pioneers of western frontier, 229; Plains Indians, 551, 552; San Cristobal, 492; soldiers, 189, 196, 197, 204
- dental decay: Brazil, 386, 387, 391, 394, 395, 396; as indicator, 127; maize and, 566
- dental defects, 62, 69, 596; in health index, 71
- dental development: age estimation from, 143
- dental disease: coding, 87–8; South Americans, 341
- dental growth: Georgia Bight, 416–20
- dental health, 564; American Southwest, 494; Belleville, 549; blacks, 129, 216; California Indians, 512–13; Ecuador, 347, 357–9, 367, 369, 370; Euro-Americans, 574; in health index, 70, 81; as indicator, 583, 587; Monroe County Almshouse, 168, 172, 173; Native Americans, 403, 572, 574, 578; pioneers of western frontier, 229, 231, 268; Plains Indians, 549; soldiers, 189; whites, 129
- dental microwear, 16
- dental opacities, 25
- dental pathologies, 47, 211, 332–3; Belleville, 149–51; Dolores Anasazi, 489; Maya, 295–6, 297; Ohio Valley, 447–53, 473, 477, 478; soldiers, 196, 204
- Denver, Colo., 21
- depopulation: Maya, 301, 303
- depression fractures, 37–8
- Deptford period, 409
- developmental enamel defects (DED), 22
- DeVito, Carol, 204
- Devore, I., 15
- diagnosis, 14, 49, 594; differential, 33, 35
- diarrhea, 145, 193, 243, 323, 422
- Dickson Mounds, Ill., 30, 35, 41, 596
- diet, 65, 81, 499, 588; African-Americans in Old Southwest, 229, 231, 246–51, 272, 273; in almshouses, 176; in American Southwest, 492; in Basin of Mexico, 315, 335; blacks, 220; in Brazil, 380, 394–5, 397; California Indians, 512–13; Canada, 135–6; carbohydrate composition of, 47; cariogenic, 149–50; central Mexican population, 332–3; and dental caries, 46, 189, 351; and dental pathology, 386, 458; in Ecuador, 347, 348, 357, 359, 360–1, 367; Euro-Americans, 574; food foragers, 601; in Georgia Bight, 408, 409–11, 412, 417; and health index, 566; historical studies of, 133; improvement in, 575; iron-deficient, 519; Maya, 289, 290, 299, 301; Native Americans, 578; and nutritional status, 20; in Ohio Valley, 476; Plains Indians, 537, 578, 539, 551, 554; processed grains in, 177; on reservations, 547, 555; slaves, 214, 221; soldiers, 186, 190, 191–2, 193, 194, 204; sugar in, 204; *see also* maize dietary deficiency(ies), 6, 596; and LEH, 386
- diffuse idiopathic skeletal hyperostosis (DISH), 530n4
- diploe, 27, 29
- disease(s), 4, 20, 67, 80, 81, 191, 594; American Southwest, 496, 497; Belleville, Ont., 151; Brazil, 376–400; climate in spread of, 361–2; conquest of, 576; death due to, 343; diagnosis of, 594; ecology, 595; and enamel defects, 243, 246; exposure to, 530, 567; exposure to, in reservations, 555; frontier, 268; globalization of, 99; indicators of skeletal, 6; introduced by Europeans, 284, 297, 299, 301, 310, 348, 435, 556, 572; Maya, 285; and military service, 205; Native Americans, 370–1, 578; New World populations, 343, 344, 606; not leaving mark on skeleton, 477; patterns of, 18, 198; Plains Indians, 538, 541, 545–6; prehistoric, 14; reducing, 237, 241; Rochester, N.Y., 168; shift from infectious to chronic, 598; soldiers, 186, 192, 193, 197, 202, 205; study of, in prehistoric skeletal materials, 13–16; trade in spread of, 566; vulnerability to, 555; *see also* infectious disease
- disease environments: and life expectancy, 526–7
- “Disease in Ancient Nubia” (Armélagos), 14
- Disease in Antiquity* (Brothwell and Sandison), 14
- DJD, *see* degenerative joint disease (DJD)
- DNA, 4, 588
- Dobyns, H. F., 310, 343
- documentary evidence, 179, 434; almshouse system, 175, 176; Highland Park cemetery, 163; Monroe County Almshouse, 168–9, 176; slaves and free blacks, 209, 210; *see also* historical documentation/record
- Dolores Anasazi, 486, 487–9, 494, 497, 498
- Dolores Archaeological Program, 487
- Dolores Project Area, 489
- domestic labor, 153
- Domingo church, 346
- Dowa Yallane Mesa, 490
- Drake, M., 142

Cambridge University Press

978-0-521-80167-6 - The Backbone of History: Health and Nutrition in the Western Hemisphere

Edited by Richard H. Steckel and Jerome C. Rose

Index

[More information](#)

616

Index

drought, 351, 486, 499, 537
 Duff (sample), 445, 446, 455
 Dunn, F. L., 15
 Dunning Poorhouse Cemetery, 136, 229
 dysentery, 193, 347

Early Colonial Period, 114, 298
 early contact group (Georgia Bight), 412–13, 414, 415, 416, 417, 421, 422, 424, 432–3, 434
 Early Formative Period, 312, 333, 353
 Early Horizon, 311
 Early Late Prehistoric phase: Ohio Valley, 445
 Early Period (California), 507, 508, 509, 513, 514, 519
 Early Woodland phase: Ohio Valley, 441, 442–3, 444
 earthquakes, 586
 Eastern Agricultural Complex, 441, 443
 Eastern North America: Native Americans in, 440–80
 Eastern Woodlands, 434, 455
 eburnation, 42, 173, 174
 ecological differences: Ohio Valley, 455, 458;
 South American sites, 341
 ecological environments, 4, 7, 13, 14–15, 588;
 and health decline, 578
 ecological model: Classic Maya Collapse, 286–7
 ecological variables: Belleville, Ont., 138–9;
 definition of, 579; health index, 566–72
 ecology: Basin of Mexico, 312–16; Ecuador, 345;
 and infectious disease, 330
 economic activities: Belleville, Ont., 141–2
 economic anthropology, 604
 economic change/development, 3, 133, 308, 575;
 health consequences of, 178, 267; from
 hunting-gathering to food production, 378,
 386–7; Ohio Valley, 442
 economic history, 604, 605, 608
 economic stress, 287; Plains Indians, 542
 economies/economists, 4, 5, 6, 211, 576–7
 economy: Basin of Mexico, 315; Brazil, 376–400;
 California Indians, 508, 509; Dallas, Tex.,
 228–9; Ecuador, 347
 Ecuador, 7; health and nutrition in, 343–75;
 health and nutrition background, 347–51;
 results, 356–67; site characteristics, 351–6
 El Arbolillo, 312
 El Salvador: Maya in, 283, 284
 elevation, 341, 566–7, 568, 574, 578, 587
 emigration, 133, 142, 226–7
 enamel defects, 16, 25; African-Americans in Old
 Southwest, 243–6; Georgia Bight, 417–18, 433;
 living conditions and, 25–6
 enamel hypoplasias, 23–4, 27, 69, 136, 163, 241,
 597; American Southwest, 492, 494, 495; in
 Basin of Mexico, 333, 335; central Mexican
 populations, 323–4; coding, 87; in

contemporary and prehistoric populations,
 25–6; Dolores Anasazi, 489; Ecuador, 363–4;
 Maya, 292–3, 297, 301; Monroe County
 Almshouse, 168, 177; pioneers of western
 frontier, 229; San Cristobal, 492; *see also* linear
 enamel hypoplasias (LEH)
 enthesophytes (cortical lesions), 203
 environment, 17–18, 563; California Indians,
 512, 516, 517; and disease, 347; Ecuador,
 345–6, 351, 367, 370; and growth, 19, 20;
 hierarchy of consequences of, 19; Plains
 Indians, 537; in prehistoric Southwest, 483–7
 environmental change, 444, 566; American
 Southwest, 499; and decline in health, 568; end
 of Pleistocene, 508; and movement/relocation,
 486–7
 environmental context/factors, 584, 586; Basin of
 Mexico, 336; Classic Maya Collapse, 286–7;
 Georgia Bight, 408; in health status: Brazil,
 397; in infant mortality, 145, 154; and life
 expectancy variation, 527; mortality-related
 welfare, 529–31, 534, 545, 549, 556; in skeletal
 lesions, 281; and tooth size, 418–19, 420
 environmental productivity: and health status,
 507
 environmental stress, 387, 411; and longevity,
 584, 585
 epidemic disease/epidemics, 32, 117, 167, 229,
 361, 371, 525, 556; American Southwest, 486,
 487; California Indians, 509, 510, 520; Canada,
 135; from contact, 606; Ecuador, 349, 356, 364,
 370; Europe, 530; frontier, 268; Georgia Bight,
 416; historical studies of, 133; introduced by
 Europeans, 509; and life expectancy, 532;
 Plains Indians, 536, 546; smallpox, 532;
 Spanish Florida, 416
 epidemiological issues, 12, 13–14; DJD, 44;
 porotic hyperostosis, 32; trauma, 41
 epidemiological transitions, 598–9
 epidemiology, 308, 607
 epiphyseal closure, 84
 equestrian nomads, 540, 545–7, 554–5, 572–4
 Erie Canal, 164
 Erie County Almshouse, 175, 176
 Espejo, Antonio de, 491
 ethnicity: and fertility, 114–16
 ethno-culturally diverse systems, 95
 ethnographic analogy, 378
 etiology, 16; dental caries, 45–6; LEH, 22–5, 27;
 porotic hyperostosis and anemia, 27–30;
 premortem tooth loss, 46–7
 Euro-Americans, 4, 6, 62, 106, 197, 273, 563, 596,
 598; adult height, 243; in California, 509;
 comparison with African-Americans, 211–12,
 213, 215–19; comparisons with California
 Indians, 517–18; demographic systems, 121–2;
 fertility, 114–16; health index, 186, 564; health
 of, 6–7, 74, 80, 574–5, 577, 578; hypoplasias,

- 247; infectious disease, 203; life expectancy, 116, 117, 531–2; porotic hyperostosis, 200, 202; in South America, 341; trauma rates, 267
- Europe, 135; demographic studies, 133; infant mortality rates, 145
- European colonization: disease and death at time of, 16; impact of, 500; Pueblo region, 482, 483
- European contact, *see* contact
- European origin, 85
- European samples: Ecuador, 354–6, 361, 364, 369–70
- Europeans, 80, 577; arrival of, in New World, 407–8; in California, 509, 520; diseases introduced by, 284, 297, 299, 301, 310, 348, 435, 556, 572; and native peoples, 408, 525, 531, 536; and native populations: Georgia Bight, 412–13; in New World, 555
- evolution, 3, 32, 528–9
- evolutionary perspective, 599–600
- factory in the field, 209, 220–1
- farming, 434–5; shift from foraging to, 407, 424, 434; *see also* agriculture
- “faux” hazard rates, 102–5
- femoral growth velocity: African-Americans in Old Southwest, 241–2; Georgia Bight, 416, 433, 434
- femoral midshaft subperiosteal diameter, 430
- femur growth: Ohio Valley, 458, 459, 460, 475
- femur length, 86; Ohio Valley, 453–5; Plains Indians, 553
- femur robusticity, 86–7
- fertility, 65, 66, 83, 133; African-Americans in Old Southwest, 232–6, 237, 241, 254; and age distributions of deaths, 106, 317, 318–19; Americas, 110; ancient American, 110–13; Belleville, Ont., 104, 105; California Indians, 509; central Mexican populations, 317, 318, 319–20; Ecuador, 354; effects on age structure, 95–8, 101–2, 103; estimate of, 99–100; and ethnicity, 114–16; Georgia Bight, 414, 433; and horticulturally complex societies, 112; and life expectancy, 117–21, 530; measurement of, 556–7; and mortality, 116, 117, 354; New England, 531; in paleodemography, 95–9; Plains Indians, 536, 541, 544, 545, 546, 552, 553, 555; transformation in, 117; undernutrition and, 18; U.S., 234; variations in, 121–2
- fertility rate, 584, 605; and deaths by age, 6
- Figuti, Levy, 394
- Finnegan, M., 230
- First African Baptist Church of Philadelphia, 75, 114, 210, 212, 220, 246, 254
- Fisher Exact Test, 386, 387
- Fitzpatrick, John, 188
- Fliess, K. H., 237
- Florida, 408, 412, 426
- Fogel, M., 137
- Fogel, Robert, 177
- Folly Island troops, 129, 217, 214–15, 217, 221
- food: California Indians, 508; Georgia Bight, 408, 433; processed, 149, 150; starch, 386
- Food Crisis in Prehistory, The* (Cohen), 596
- food production and distribution, 576; American Southwest, 499; Brazil, 378; intensification of, 377, 596; transition from hunting-gathering to, 378, 386–7, 598
- food scarcity: seasonal and periodic, 537
- food sources/supplies, 397, 566, 584; Ecuador, 347, 348, 349; New World, 344; Plains Indians, 539, 540, 541, 542
- foods, cariogenic, 347
- foragers/foraging, 106, 112, 601; Georgia Bight, 416, 418; transition to farming, 407, 424, 434
- Formative Period: Basin of Mexico, 311, 312, 320, 330, 335; Ticoman phase, 311
- Fort Ancient (cultural tradition), 443, 455
- Fort Erie, Ont., 192–3
- Fort Laurens, Ohio, 114, 191–2, 194, 195, 196
- Fort William Henry, 188
- Forte Marechal Luz, 381
- FORTTRAN computer program, 71–2
- fractures, 36–9, 41, 79, 211–12, 334, 566; African-Americans in Old Southwest, 265, 267, 273; Ecuador, 356, 364–5; of forearm, 40; Georgia Bight, 431; healed: Ohio Valley, 459–60; in health index, 70; Plains Indians, 550, 553, 555; soldiers, 190–1, 202
- France, 412
- Franciscans, 346
- free black cemeteries, 136
- Free Black Union Troops, 114
- free blacks, 7, 114, 209–10, 273; health index, 129, 215, 216, 575; health of, 208–25
- Freedman's Cemetery, 227–9, 231–67, 268–73; Early Period, 228, 231, 232, 245, 247, 249, 253, 254, 255, 261, 266, 267, 268, 272; health index, 267; Late Period, 228, 231, 232, 245, 247, 249, 253, 254, 255, 261, 262, 266, 267, 268, 272; Middle Period, 228, 231, 232, 245, 247, 249, 251, 253, 254, 255, 261, 262, 266, 267, 268, 272
- Freedman's Town, 227, 251, 260n9
- Freedmen's Bureau, 210
- frontier, 226–7, 267; health experience of, 227–77; pioneers of, 229–31
- functional capacities, 20, 39, 63
- functional impairment, 63, 64, 81, 82, 587; premortem tooth loss, 46–7; trauma, 41
- functional inferences: DJD, 44; porotic hyperostosis and anemia, 27–30, 32
- fur trade, 539

- Gage, T. B., 102
 Galisteo Basin, 491
 gastritis, 168
 gastrointestinal infections: in California Indians, 514
 gatherer-hunters, *see* hunter-gatherers
 gender differences, 16, 290; Ecuador, 359, 364; osteoarthritis, 43; *see also* sexual dimorphism
 general stress perspective, 12, 49
 Genesee River, 164
 Genesee River Valley, 163, 165
 genetic similarities/differences, 444–5, 516
 genocide: California Indians, 509, 510, 520
 Genoves, S., 22
 Geographic Information Systems (GIS), 588
 geographic variations: Ecuador, 356, 357; Ecuador: and health patterns, 344, 345–6; Ecuador: infections, 361–2
 Georgia, 408, 412, 598
 Georgia Bight: biohistory of health and behavior in, 406–39; environmental setting, 408; health index, 432–3; history of behavior and activity in, 426–32; history of health in, 414–26; population groups, 408–14; skeletal series, 413–14
 Georgia Coast, 26, 43, 497
 Gilbert, R., 13
 “Glacial Kame,” 441
 Global History of Health project, 588
 Glorietta Pass, 114, 193, 194–5, 196, 203, 204, 232; life expectancy, 116
 Glover, J. W., 237
 Goodman, Alan H., 6, 11–60, 69, 151, 387, 481–505, 547, 594, 595, 597, 604
 goodness of fit, 104; tests for, 106
 Gould, B. A., 187
 Government of Canada Sessional Papers, 142
 Gramly, Richard M., 191, 192
 Grand Trunk Railway, 141
 Grass Mesa, 488
 Grasshopper Pueblo, 486
 Grauer, A. L., 13
 Great Britain: in Georgia Bight, 413
 Great Lakes, Southern, 440–80
 Great Lakes Lowlands, 138
 Great Lakes region, 540
 Great Plains, 112, 598; equestrian nomads, 572–4; mortality, 524–60; skeletal health, 524–60; welfare history of, 524–60
 Greater Southwest, 481–3, 484–5
 gross reproduction ratios, 98, 102, 103, 104, 105, 106, 117
 group(s), 32; general tendencies across, 564–78; measuring health of, 65–6
 group behavior: and trauma, 40, 41
 growth and development, 12, 19, 49, 596; African-Americans in Old Southwest, 229, 231, 241–6, 273; coding, 86; ecological differences in, 455; Georgia Bight, 416–20; Ohio Valley, 456, 458; stressors affecting, 472
 growth disruption, 19–20, 22, 27, 211, 595–6; California Indians, 519, 520
 growth rates, 116, 117–21
 growth retardation, 595–6
 Guale, 412, 416
 Guangala site, 351, 353
 Guatemala: Maya in, 283, 284, 285, 302; Spanish influence in, 297–8
 Gutman, Myron P., 226–77
 habitation sites: American Southwest, 486; Georgia Bight, 409, 411; Ohio Valley, 441, 442–3
 Haines, Michael R., 162–84, 219, 226–77
 hard work, 67, 356, 583
 Hardwick, J. L., 46
 Harpending, H. C., 105, 146
 Hartnady, P., 253
 Harvard Step Test, 30
 Haseley, P. A., 188
 Havasupai (people), 482
 Haviland, W. A., 22
 Hawikku (village), 482, 486, 490–1, 494, 496, 498, 499
 hazard models, 102–5, 106
 hazard rates, 584
 HEA database, 489
 head circumference, 19–20; Ecuador, 354, 356, 367, 368, 370, 371
 health, 11, 15, 47, 130, 525, 605; African-Americans, 574–5; anthropological findings, 211–12; Basin of Mexico, 309–10; biohistory of, in Georgia Bight, 406–39; blacks/whites, 213, 216, 217–18; California Indians, 511–19, 520; childhood, 241; concept, 547; decline in, with shift to agriculture, 596; in Ecuador, 343–75; in Ecuador: background, 347–51; effects of nineteenth-century military service on, 185–207; Euro-Americans, 574–5; evolution of, 3, 4; free blacks, 208–25; frontier, 227–77; geographic and ethnic patterns of, 82; history of, in Georgia Bight, 414–26; and income, 600; inequality and, 587, 599–600; long-term trends in, 4–5, 7, 583; material circumstances and, 529–30; Maya, 285; measurement of, 4, 5, 6, 82; middle class, 130–61; Monroe County Almshouse, 175–8; mortality and, 133; in Native California, 506–23; patterns of, in Western Hemisphere, 563–79; of populations, 308; pre-Hispanic Mesoamerica, 307–38; prehistoric, 12, 14; prehistoric Southwest, 492–7; Rochester, N.Y., 166–9; significance of, 18; slaves, 208–25; social complexity and, 335–6; socioeconomic

- status, and, 7, 219; soldiers, 188, 189–91, 194, 197, 205–6; wealth and, 219, 237, 530; in welfare history, 525–6
- Health and Nutrition in the Western Hemisphere database, 94–5, 99, 104, 110, 116, 121, 319, 518–19
- Health and Nutrition in the Western Hemisphere Project, 132, 308, 507
- health index, 6, 7, 12, 13, 25, 36, 101, 527, 563, 564, 583–4, 596–7; African-Americans in Old Southwest, 267; American Southwest, 482–3, 497–8; application, 68–72; attributes of, 62, 66, 67, 68, 69–70, 72, 75–9, 81; Brazil, 389, 392–4; Belleville, Ont., 148–55; California Indians, 516–18; Central American sites, 281, 282; Central Mexican samples, 335–6; data coding scheme, 83–91; database, 588; decline in, with transition to agriculture, 587; ecological variables, 566–72; free blacks, 215, 216; Georgia Bight, 432–3; Highland Park, 148, 178; implications, 79–81; indicators, 49; and life expectancy, 585–6; and life expectancy at birth, 548; Mark I version, 68–9, 81, 82, 127, 583, 585, 586, 587, 596–7, 598; Maya, 303; methodology, 62–8; Monroe County Almshouse, 178, 179; North American populations, 403, 404–5, 408; Ohio Valley, 476–8; Plains Indians, 549, 552, 553; regressing on life expectancy, 584–6; research needs, 81–3, 587–8; results, 72–9; from skeletal remains, 61–93; slaves, 216–17; soldiers, 186; South Americans, 341, 342; time trends, 565–72; values across groups, 564; whites/blacks, 128, 213, 215–19
- health indicators, 583; modern Maya, 301–3
- health measures: scoring, 127–9
- health profiles: reconstructing from skeletal remains, 11–60
- health quality of life, 583
- health status, 68, 70; appraisals of, 64; Brazil, 378, 379, 390, 396–7; California Indians, 519; indicators of, 18–47; measures of, 65; prehistoric, 41; quantifying, 62
- health utility index, 63
- height, 19, 22, 241; African-Americans in Old Southwest, 242–3; average, 4, 5, 62; California Indians, 512; central Mexican populations, 320; coding, 86; cycles in, 80; for dental age, 86; Ecuador, 356–7; free blacks, 575; Georgia Bight, 416–17, 433; Maya, 303; military recruits, 190; Monroe County Almshouse, 175, 177–8; Native Americans in North America, 403; Plains Indians, 552, 553, 554; slaves, 209; *see also* stature
- Heiple, K. G., 40
- helminthic infections, 347
- hemoglobin S allele, 18
- hemolytic anemias, 29
- Henige, David, 310
- Henneberg, M., 148
- hepatitis B virus, 599
- hereditary anemias, 27–8
- Herring, Ann, 104, 130–61
- Higgins, Rosanne L., 148, 162–84, 168, 175–6, 585
- high-pressure system (classic era), 95, 121
- Highland Park Cemetery, 136, 150, 163, 197, 202, 203; health index, 148
- Higman, B. W., 243
- historical studies, 25
- historians, 5, 6, 12, 79, 130, 132–3, 211, 434, 576–7
- historic cemeteries, 210–12
- Historic Period (California), 507, 514
- Historical Atlas of Canada*, 133
- historical background, 441–4
- historical circumstances, 584; and mortality estimation, 531–2, 534, 545, 549
- historical demography, 114–16, 122
- historical documentation/record, 588, 607; Belleville, Ont. (St. Thomas), 104, 132, 143–8, 154; biological data and, 211; Canada, 134–6; combining with skeletal evidence, 227, 265; Ecuador, 344, 346; fertility, 114; Georgia Bight, 408, 412, 413, 421, 425, 426; Maya, 285, 286; for military, 185, 187, 188, 189–91, 192, 197, 204, 205; Monroe County Almshouse, 178, 179
- historical epidemiology, 607, 608
- historical era, 112; life expectancies at birth, 116, 117
- historical groups, 210; anthropological findings, 211–12
- historical methods, 104, 105
- historical period, 106
- historical studies: overspecialization in, 604–5
- history, 4
- HIV, 599
- Hodge, Frederick Webb, 490
- Hoffman, Frederick L., 167
- Hollimon, S. E., 44
- Honduras, S., 99–100, 284
- hookworm (*Necator americanus*), 249, 251, 347, 359
- Hooton, E. A., 13–14
- Hopewell phase: Ohio Valley, 443
- Hopi (people), 482, 499–500
- Hopi Pueblos, 488
- Hoppa, Rob, 130–61
- Horowitz, S., 99–100, 146
- horses, 540, 572, 578
- horticulturists, 112, 121, 529, 537, 545, 549, 550, 551, 553, 555
- host resistance, 17–18, 47
- house groups (Maya), 286, 289
- “House of the Bacabs,” 288
- housing: Plains Indians, 537–8

- Howell, D., 29
 Hrdlicka, Ales, 496
 Huichol (people), 482
 human biology, 577
 human development index, 3
 human history: tripartite division in, 605–6
Human Paleopathology (Jarcho), 14
 Humboldt current, 351
 humeral robusticity, 87; Georgia Bight, 430, 431
 humerus circumference, 217–18
 Hummert, J. R., 21
 hunter-gatherers, 15, 529, 566, 578; attrition rates, 47; in Brazil, 378; dental caries, 46, 386; DJD in, 81; health of, 4, 575; LEH, 26; living conditions, 524; nutritional stress, 601; Ohio Valley, 442, 443; stable population, 528; and transition to agriculture, 378, 386–7, 391, 576
 Huss-Ashmore, R., 13
 Hutchinson, D. L., 26
 Hutson, William, 215
 Hutton, William, 135, 139, 141, 143, 153
 hyperostosis: Ohio Valley, 467–76
 hypocalcification, 25
 hypoplasias, 71, 564; American Southwest, 483, 491, 494, 498; Belleville (St. Thomas), 149, 151, 155; blacks, 129, 216, 219; California Indians, 516; Central Americans, 281; ecological zones, 572; free blacks, 575; Georgia Bight, 417–18; Hawikku, 491; as health indicators, 75–9; Maya, 299, 302; Native Americans, 574, 578; Ohio Valley, 467–76; South Americans, 341, 369; time trend, 572; urban living and, 572; *see also* enamel hypoplasias; linear enamel hypoplasias (LEH)
 hypothesis testing, 593, 594–5, 596
 ideology, 483, 594
 immigration, 219, 221; Belleville, Ont., 142; Rochester, N.Y., 164, 166, 167, 168, 179
 immune systems, 65, 204; “experienced,” 202
 immunity: cell-mediated, 30
 immunological competence theory, 101, 446
 impoverishment: Maya, 301–2
 Inca conquest, 345, 346, 348
 income, 130; and health, 67–8, 600; inequality in 576
 Indians: body composition, 417; California, 507, 508–11; *see also* Native Americans
 indigenous peoples: American Southwest, 481–3, 499
 individual identification: coding, 83
 induction, 595
 industrial age, 605, 606
 industrial capitalism, 132
 Industrial Revolution, 150, 605
 industrialization, 4, 80, 211, 219, 221, 575, 576–7
 inequality, 3, 4, 576, 577, 598; Basin of Mexico, 310, 314; biological, 4; biological data, 211; among Europeans, 80; of health, 6, 62, 82, 587, 599–600; social, 308
 infant feeding, 137
 infant mortality, 136, 137 144–5, 147, 308, 446; Maya, 302
 infant mortality rates (IMR), 145–6, 149, 154, 166–7; African-Americans in Old Southwest, 236, 254, 268, 272, 273; Rochester, N.Y., 168
 infant skeletons, 536, 544; missing, 527, 532, 541, 547
 infants: Belleville (St. Thomas), 144–6; underrepresented, 354
 infection(s), 6, 13, 62, 67, 69, 564, 578, 587, 595–6; acute/chronic, 32, 154; African-Americans in Old Southwest, 229, 231, 249, 251–4, 272, 273; American Southwest, 490, 494; Basin of Mexico, 334, 335; blacks, 129, 216; Central Americans, 281; central Mexican populations, 322, 329–30, 331, 332; coding, 89; with dental disease, 150–1; Dolores Anasazi, 489; Ecuador, 361–2, 363, 369, 370; free blacks, 575; frontier, 231, 268; Georgia Bight, 424–6, 434; Hawikku, 490; health index, 81; as indicator, 127; Maya, 297, 299, 301, 302; Native Americans, 403, 574; Ohio Valley, 467–76, 478; resistance to, 566; San Cristobal, 491; skeletal signs of, 137; soldiers, 196; South Americans, 341; time trend, 572; urban living and, 572
 infectious disease, 32–6, 308, 596; African-Americans in Old Southwest, 253–4; in almshouses, 179; and anemia, 29; Basin of Mexico, 310; California Indians, 514, 518, 519; central Mexican populations, 330; Ecuador, 346, 347–8, 369; exposure to, 80; Georgia Bight, 425–6; introduced by Europeans, 525; Monroe County Almshouse, 168, 169, 170–71, 176, 178; population density and, 507; porotic hyperostosis and, 30–1; resistance to, 18; resistant to antibiotics, 599; soldiers, 190, 203–4, 221; spread of, 17, 344, 346
 infectious lesions, 64; indicator, 583; scoring, 89
 infectious reactions: in Maya, 293
 inflammatory response, 32–3
 inoculation, 532
 interdisciplinary perspective, 5, 6
 International Classification of Disease (ICD), 600
International Journal of Osteoarchaeology, 39
 Internet, 603
 Interuniversity Consortium for Political and Social Research (Ann Arbor, Mich.), 177
 intestinal diseases, 347, 359
 inventory (coding), 83
 Irene Mound site, 411
 Irene period, 409, 411

- iron, 416, 492; in diet, 231, 249, 322
 iron deficiency, 29–30, 249–51; and mortality, 31
 iron-deficiency anemia, 29–30, 31, 387;
 African-Americans in Old Southwest, 249,
 251; American Southwest, 496; Brazil, 390;
 California Indians, 518–19; central Mexican
 populations, 310, 323; Ecuador, 359, 363, 364,
 369–70; Georgia Bight, 422, 433, 434; Monroe
 County Almshouse, 171–2, 176; pioneers of
 western frontier, 229
 iron status, 32; Georgia Bight, 422–4, 433
 Iroquois, 455
 Iscan, Mehmet Y., 13, 86
 Itaraé tradition, 381
- Jacks, M., 154
 Jaina, 287, 288, 289, 290, 291, 292, 295, 296, 297,
 302
 Jalisco, Mexico, 482
 Jantz, R., 13
 Jarcho, S., 14
 Jesuits, 346
 Johansson, S. Ryan, 99–100, 146, 524–60, 584,
 588, 594, 597
 juveniles: Georgia Bight, 416, 418–20; *see also*
 subadults
- Katz, Michael, 165
 Katzenberg, M. A., 13, 204
 Keene, H. J., 46
 Kelley, M. A., 45
 Kennedy, K. A. R., 13, 43
 Kentucky, 441
 Kerley, E. R., 14
 kin groups: Pueblo peoples, 488
 Kingston, 141, 142
 kinship, 529n3
 Kintigh, K., 490
 Kirian Treglia (sample), 455
 Klepp, Susan, 130–61
 knowledge, explosion of, 603, 605
 Krogman, Wilton M., 86
- La Florida site, 353, 361, 365
 La Libertad site, 353
 La Plata River Valley, 40
 La Quemada (site), 482
 La Tolita (site), 353
 lacustrine resources, 312, 313, 330, 333
 Ladd, Edmund, 487
 Lake Ontario, 138, 139, 141
 Lallo, J., 30, 35
 Lamanai, Belize, 298–9, 301
 Lambert, P. M., 13
 Larsen, C. S., 12–13, 26, 45, 386, 406–39, 417
 Larson Site, 540
- Las Vegas, 344, 357
 Late Archaic phase, 476, 477; Ohio Valley, 441,
 442, 444, 445, 446, 447, 455, 463
 Late Classic Period, 283, 287–8, 301, 302
 late contact group (Georgia Bight), 413, 414–15,
 416–18, 421, 422, 424, 425, 426, 433, 434
 Late Formative Period, 317, 333
 Late Middle Period (Calif.), 511, 512, 515, 517,
 520
 Late Period (Calif.), 507, 508, 512, 514, 519, 520
 Late Prehistoric, 475, 476, 477, 478; Ohio Valley,
 440, 443, 444, 447, 455, 473, 474
 Late/Terminal Classic Period, 288, 289, 290
 Late Woodland, 35; Ohio Valley, 443, 444, 445,
 447
 Laudonnière, René, 425
 Lawson, Thomas, 607
 lead burden, 211, 212, 214
 learning deficiencies: iron deficiency in, 29–30
 Lee, R., 15
 LEH, *see* linear enamel hypoplasias (LEH)
 length of life, 3, 61, 62, 74, 82, 583–4, 597; access
 to resources and, 68; African-Americans, 210;
 health index, 62–3, 65; variations in, 66, 67
 lesions: incidence of, 66, 67; infectious diseases,
 33, 34, 35, 36; interpreting, 16; pioneers of
 western frontier, 230–1; in porotic
 hyperostosis, 27, 28, 29, 31; severity of, 596;
 study of, 12; trauma, 36–7, 38, 40; *see also*
 skeletal lesions
- Leslie, T. E., 212
 Levenstein, H. A., 246
 Libben, Ohio (site), 30–1, 40, 445, 446
 life chances: in ancient times, 94–5; measures
 of, 600
 life expectancy, 4, 6, 62, 72, 74, 82, 95, 98, 106,
 110, 116–21, 149, 166, 308, 319, 576, 584, 587,
 597; African-Americans in Old Southwest,
 241; Basin of Mexico, 309; Belleville, Ont., 104,
 105, 146–8; central American populations,
 319, 320; central Mexican populations, 317,
 318; in developed countries, 606; differences
 in, 67, 95; Ecuador, 354–6; environment and,
 529–31; estimates of, 584; food foragers, 601;
 Georgia Bight, 414; Hawikku, 419; health
 index, 68, 548, 585–6; health indicators of, 600;
 high, 116; historical circumstances and, 531–2;
 by indirection, 99–100; influences on, 588;
 Maya, 285, 302, 303; mean age-at-death and,
 556; model populations, 533–4; moderate,
 116–17; in New World, 527; pioneers of
 western frontier, 229; Plains Indians, 526–7,
 535, 536–7, 540–1, 542, 545, 546–7, 552, 553,
 554; regressing health index on, 584–6;
 Rochester, N.Y., 168; San Cristobal, 491;
 skeletal data, 526–8, 531, 534, 556; skeletal
 health and, 548–9; and welfare history, 526
Life in the Clearings (Moodie), 135n3

- life tables, 6, 597; Rochester, N.Y., 168, 179–82; San Cristobal, 491; *see also* model life tables
- lifestyle, 81; Basin of Mexico, 309–10; central Mexican populations, 330; DJD and, 44; Georgia Bight, 434; and infectious diseases, 32; Neanderthal, 40; Ohio Valley, 478
- Lima, Tânia A., 394
- limiting resources, 16, 17, 18
- linear enamel hypoplasias (LEH), 5, 12, 22–7, 49, 62, 64, 268, 596; Brazil, 386–7, 388, 392, 393, 396; as indicator, 127, 583, 586; Ohio Valley, 467–76, 477, 478; soldiers, 196, 197, 204
- linear measures: Ohio Valley, 456
- Liston, Maria, 188
- literacy, 605
- lithic industry, 380
- “Little Ice Age,” 139
- living conditions: Basin of Mexico, 310; California Indians, 520; and enamel defects, 25–6; on frontier, 267–8; and health, 237–41; and iron status, 422; in Mesoamerica, 307–8; in missions, 425, 426
- LNC Ceramico, 116
- Lockport, N.Y., 175
- Loma Torremote, 313
- long bones, 137; fractures, 40; length, 22, 70; lesions of, 89; measuring, 21; size, 430, 434
- longevity, 127, 525; material circumstances and, 529–30; Maya, 285; skeletal data regarding, 526–9; in welfare history, 525, 526
- Lovejoy, C. Owen, 40, 71, 445, 446
- low-pressure system (earliest times), 95, 121, 122
- Lower Canada, 132, 133, 134, 135–6, 140
- Lowland Classic Maya civilization, 287
- Lowland South America, 378
- Lukacs, J. R., 45
- lysine, 411
- Machester, K., 13
- macrobioarchaeology, 7
- macroparasitism, 600
- macroporosity, 44
- Madisonville sample, 445
- maize agriculture, 35; American Southwest, 481; biological concomitants of adoption of, 413; Georgia Bight, 407, 413, 416, 426; Ohio Valley, 443, 447, 458, 459, 478
- maize in diet, 231, 446, 486, 492; Basin of Mexico, 315, 334, 335; California Indians, 519; central Mexican populations, 322, 327, 328; and dental decay, 46, 420, 453, 566; dependence on, 344, 359, 360; in Ecuador, 347, 357, 359, 361, 367, 369, 370; Maya, 289, 290, 295, 299; Georgia Bight groups, 408, 411, 412, 413, 416, 421, 422, 425, 434–5; and porotic hyperostosis, 32
- malaria, 531, 600, 606; California Indians, 509; in Canada, 135; genetic resistance to, 18
- Malibu, 512, 514
- malnutrition, 17, 554; assessing, 21; chronic, 65; effects of, 20; and enamel hypoplasias, 26; and infection, 425; Maya, 285, 302, 303
- Man the Hunter* (Lee and DeVore), 15
- Mancos area, 488
- Mann-Whitney test, 386
- manuscript censuses: Belleville, Ont., 104
- Mareh, M. M., 21, 70
- marginality: Maya, 301–2
- marine foods/resources, 44, 320; Basin of Mexico, 335; California Indians, 512, 513, 519, 520; Georgia Bight, 408, 409, 422, 433; Maya, 289, 290, 295, 299; Mesoamerica, 322, 323
- market economies: Ecuador, 347
- Marquez Morfin, Lourdes, 283–306, 307–38
- Martin, Debra L., 6, 11–60, 69, 387, 481–505, 547, 594, 595, 604
- Martinez, C., 20
- Massachusetts: almshouses, 169
- Masset, C., 106
- material culture: Brazil, 278; Ohio Valley, 443
- mathematical analysis, 604, 605
- maximum diaphyseal length: coding, 86
- May, J., 17
- Maya, 67, 322–3, 335, 586; biological stresses, 7; health index, 371; history, 284; modern: health indicators, 301–3; present-day, 285; and Spanish conquest, 297–301
- Maya civilization, 304; disruptions in, 284, 285, 286–8, 301; social disruption and, 283–306
- McCaa, Robert, 6, 13, 94–124, 307–38, 533, 534, 584, 587, 594, 597
- McElmo area, 488
- McPhee Dam and Reservoir, 487–8
- McPhee Village, 488
- mean-age-at-death, 106, 527–8, 597; African-Americans in Old Southwest, 232, 263, 264; age-at-death distribution and, 532–4; Euro-Americans, 531; and life expectancy, 555–6; Plains Indians, 535, 536, 541, 544–5, 547, 549, 552, 553, 554; in stable population theory, 556, 557
- measles, 176, 178, 243, 272, 486, 500, 509
- measurement, 186, 525; error, 21, 585
- Medical and Surgical History of the War of the Rebellion*, 187
- medical evidence, 607
- medical practices, 13, 598
- medical problems: modern, 4
- Meiklejohn, C., 47
- Mensforth, R. P., 29, 30–1
- Merbs, C. F., 39, 43, 326
- Mesa Verde, 483, 488, 489

- Mesa Verde National Park, 488
- Mesoamerica, 5, 22, 62, 75, 360; health and nutrition in pre-Hispanic, 307–38; life expectancy, 116; social disruption and Maya civilization of, 283–306
- Mesolithic: population increase in, 596
- Methodist Church (Belleville, Ont.), 142–3
- methodology(ies), 4, 5, 6, 7, 47, 526, 583, 595–6; health index, 62–8; new, 15–16, 604; of osteology, 584
- methods of analysis: Brazil samples, 381–7; Ecuador, 346–7; military service, 187–91; traditional, 132–4
- metric features: Ohio Valley, 457, 458
- Mexican-American War, 190
- Mexican Americans: mortality, 241
- Mexicans, 189
- Mexico, 7, 26–67, 481; Maya in, 283, 284, 285, 302
- Mexico City, 336
- microanalysis, 597
- Middle America, 5
- middle class: health of, 130–61
- Middle Formation Period, 333; Basin of Mexico, 312, 316
- Middle Horizon Period: Basin of Mexico, 311, 313
- Middle Mississippian period, 35
- Middle Period (Calif.), 507, 508–9, 514, 520
- Middle Woodland phase: Ohio Valley, 443, 444, 447
- Mielke, J., 13
- migration, 144, 154, 354, 584; American Southwest, 487; to Belleville, Ont., 142, 147, 148; indigenous peoples of American Southwest, 499–500
- migration, selective/seasonal, 6; and age distribution of deaths, 66
- militarism: Basin of Mexico, 316, 325, 334
- military/military service, 214–15, 574; descriptions of sites, 191–4; disease and, 205; impact on skeleton, 197–205; muster rolls, 4; nineteenth-century, 185–207; sources of evidence and methods of analysis, 187–91; stature and age at death, 194–5; *see also* soldiers
- military protection, 576
- military records, 607
- military samples, 136, 243; health index, 129
- Milner, G., 13
- Mission Santa Catalina, 412
- missionary archives, 346
- missions/mission system, 298; in California, 509, 510, 512; Georgia Bight, 407, 408, 412, 413; Hawikku, 490; influence of, 413, 417, 422, 425, 426, 430
- Mississauga Indians, 140
- Mississippian, 409, 411
- Missouri River: tribes along, 525, 535, 545
- mixed origin, 85
- Mockingbird Mesa, 488
- model life tables, 98, 99–100, 101, 103, 210; slaves, 209
- model populations, 102–3
- model stable/stationary population(s), 527, 532, 533, 534
- Model West level 4 life table, 68, 82
- modernization, 133; and Maya, 285
- Moirá River, 130, 135
- Molnar, S., 45, 386
- Monongahela (cultural tradition): Ohio Valley, 443
- Monongahela (sample), 455, 456, 458, 463, 467, 469–70, 473
- Monroe County Almshouse/Poorhouse, Rochester, N.Y., 136, 148–9, 162–84, 242, 243, 251, 265; health, 175–8; health index, 178; historic records, 168–9; skeletal analysis, 169–75; syphilis, 254
- Monson almshouse, 169
- Moodie, Susanna, 135n3, 143
- Moore, W. J., 46
- Moore-Jansen, Peer H., 189
- morbidity, 47, 130; American Southwest, 483, 486, 498, 500; and behaviors, 41; central Mexican populations, 321, 322, 323, 330, 335; health indicators of, 600; infectious diseases in, 32, 36; Maya, 285, 290, 292, 293, 296, 299, 301, 302; precontact New World populations, 344; trauma and, 37; undernutrition and, 18
- Mormons, 230, 231, 241
- morphology, 22, 143–4, 593–4
- Moro do Ouro, 387, 388, 389, 391, 395
- mortality, 4, 13, 47, 66, 83, 116–21, 241; and age distribution of deaths, 95, 106; almshouses, 179; American Southwest, 491; Belleville, Ont., 104, 105, 146, 147; biological data, 211; blacks, 210; central Mexican populations, 317, 319, 320; and cultural viability, 483; decline in, 598, 605; difference in, 597; early U.S. populations, 133; effects on age structure, 95–8, 99, 101, 103, 117; Georgia Bight, 414; Great Plains, 524–60; and health, 133; health indicators of, 600; infectious diseases in, 32, 36; iron deficiency and, 31; Maya, 285, 290, 291, 296, 301, 302, 303–4; pattern of, 16; Plains Indians, 547–55; pioneers of western frontier, 229; and population growth, 121; precontact New World populations, 344; Rochester, N.Y., 166–9; rural/urban, 135; selective, 446, 584; trauma and, 37; undernutrition and, 18; U.S., 234; welfare history and, 524–6
- mortality estimation: in context, 526, 528, 529–34, 535–47, 555–6; historical circumstances and, 531–2
- mortality rates, 6, 130, 154, 308; Belleville, Ont., 154; California Indians, 509; Euro-Americans, 80, 577; slaves, 209

Cambridge University Press

978-0-521-80167-6 - The Backbone of History: Health and Nutrition in the Western Hemisphere

Edited by Richard H. Steckel and Jerome C. Rose

Index

[More information](#)

624

Index

- mortality-related welfare: environmental influences on, 529–31
- mortality statistics, 354
- mortuary ceremonialism, 441, 442, 443
- mortuary samples/sites, 133, 212–15, 441; Georgia Bight, 408, 409, 410
- mound building, 379, 441, 443
- mound sites, 377
- Mount Hope Cemetery (Rochester, N.Y.), 167, 168
- multiattribute system, 68, 69–70
- multiple correspondence analysis: Ohio Valley, 470–6
- multiple indicator approach, 36, 62, 79
- multiple regression analysis, 568–70
- Mummery, J. R., 46
- Museu Arquelógico de Sambaqui de Joinville, 381
- Museu Nacional do Rio de Janeiro, 381
- N. W. Ayer & Son, 140, 141
- Nahua (Aztecs), 309
- Napoleon, 205
- National Cemetery, Beaufort, S.C., 215
- National Center for Health Statistics (NCHS), 209
- National Museum of Anthropology, Mexico City, 310
- Native American Graves Protection and Repatriation Act (NAGPRA), 11n, 489
- Native Americans, 62, 79–80, 85, 106, 193, 197, 242, 283, 344, 360, 370–1, 496, 596, 598; adult height, 243; advantages of, 80; American Southwest, 586; in database, 4, 5; in Eastern North America, 440–80; in Ecuador, 348–51, 364, 370; effect of diseases introduced by Spanish conquest on, 297; European invasion disastrous for, 435; fertility, 112, 114; health, 7, 577–8; health: post-Columbian world, 572–4; health index, 74, 75, 81, 186, 564; hypoplasias, 246; infectious disease, 203; life expectancy, 116, 117; long-term decline in health, 82; in North America, 403, 404–5; scarcity of older skeletons, 534, 536, 537; skeletal health, 526; in South America, 341; trauma rates, 267
- Native Central Americans: health index, 564
- Native North Americans: health index, 564
- native populations: and Europeans, 408, 525; and Europeans: Georgia Bight, 412–13; in Spanish Florida, 413
- Native South Americans: health index, 564
- Nelson, Nels, 491
- Neolithic revolution, 596, 598
- Neves, Walter Alves, 376–400
- “new archaeology,” 15
- New England: life expectancy in, 531, 532
- New Mexico, 193, 403, 481, 486, 487, 491
- New Orleans, 149, 150, 212
- New Spain, 413
- New World, 95, 112, 308, 606; Europeans in, 407–8, 555; life expectancy in, 527, 531; physical environment, 529; populations of, 343–4
- New York State, 165, 166, 177
- Newson, Linda A., 343–75
- Newton Plantation (Barbados), 212
- Niagara County Almshouse, 175, 176
- Noelli, Francisco, 398
- North America, 5, 62, 555; infant mortality rates, 145; Native Americans in, 7, 403, 404–5
- North Coast populations, 367–9
- North Coast sample (Ecuador), 353, 364
- North Ecuadorian Coast, 116
- North Shore Lake Ontario climatic zone, 139
- Northern California, 515, 516, 517, 519
- Northern Channel Islands, 513, 519
- Northern Plainsmen* (Bennett), 15
- Northwestern University, 14
- nutrients: in growth, 20
- nutrition, 4, 18, 47, 86, 499; African-Americans in Old Southwest, 242; anthropological findings, 211–12; Basin of Mexico, 310; in Brazil, 376–400; California Indians, 511–19; central American populations, 320–3; childhood, 70, 127, 197, 200–2, 241, 243, 320; in Ecuador, 343–75; historical studies of, 133; Maya, 285, 302; in Native California, 506–23; poor, 18, 20, 67, 145; in pre-Hispanic Mesoamerica, 307–38; slaves, 208–9; soldiers, 199–202, 205; and stature, 204
- nutritional deficiency, 387, 595–6; anemias, 28; Monroe County Almshouse: adults, 171–2; Monroe County Almshouse: subadults, 172, 176
- nutritional status, 19, 47; assessment of, 22; diet and, 20; Ecuador, 359–61, 369–70
- nutritional stress, 168, 1779, 320, 601; in almshouses, 176; children, 175, 178, 229; Ecuador, 363–4, 369
- nutritionists, 607, 608
- Oberly, James, 440–80
- occupations/employment: African-Americans in Old Southwest, 255–65, 272, 273; and degenerative bone changes, 43–4
- Ohio, 441, 442
- Ohio River Valley, 598
- Ohio Valley: culture-historical background, 441–4; health index, 476–8; samples and paleodemography, 455–6
- Ohio Valley, Upper, 440–80
- Old Southwest: quality of African-American life in, 226–77
- Old World, 95, 112, 121, 308, 344

- Old World diseases, 348; effect in New World, 408, 425, 483, 487, 500
- Omaha (tribe), 535, 544–5, 550, 551, 553–4
- Omran, A. R., 598
- Oñate, Juan de, 487
- Ontario, 133, 141
- O’odham (people), 482
- oral health: Georgia Bight, 420–2
- Ortner, D. J., 13, 34, 36, 43, 594
- osteoarchaeologists, 99
- osteoarthritis, 39, 41–4; soldiers, 197, 203
- osteochondritis, 36
- osteological analysis, 212, 215, 231
- osteological collections, 112
- osteological evidence, 39, 116, 117; soldiers, 193, 194
- osteological
- osteological/indicators markers, 287, 378, 387, 390–91, 397; Brazil (sample), 386
- osteological paradox, 36, 74, 584, 586, 597
- osteological populations: age distribution of, 101, 102
- osteological series, 101; Maya, 303
- osteomyelitis, 33, 89
- osteophyte formation, 173, 174
- osteophytes (hypertrophic osteogenesis), 44
- osteophytosis, 367
- osteoporosis, 39
- Ottawa (people), 455
- overspecialization, 603–8
- Owsley, Douglas, 193, 524–60, 584, 588, 594, 597
- Paine, R. R., 105
- Palenque, 283, 284
- Paleo-Indian Period, 506, 507, 508; Ohio Valley, 440
- paleodemographic populations: life expectancies, 116
- paleodemography, 14, 47, 104, 479, 535, 597; of the Americas, 94–124; blending with paleopathology, 586; central Mexican populations, 316–20; fertility-centered, 95–9; growth-rate problem in, 529–34; Ohio Valley, 445–7, 455–6
- paleoecology, 606–7, 608
- paleoenvironment: American Southwest, 986
- paleoepidemiology, 12–13, 15–16, 19, 49, 489; American Southwest, 489, 496; dental caries, 45–6; infectious diseases, 35; porotic hyperostosis, 30–1; premortem tooth loss, 46–7; profile: Hawikku, 490–1; subadult growth, 21; trauma, 39–40
- paleogenetic studies, 378
- paleonutrition, 14, 47
- paleopathological indicators: Maya, 290, 299, 300, 301, 303
- paleopathology, 13, 14, 47, 210, 594, 595; application of strong inference to, 595; bibliography of, 13; blending with paleodemography, 586; California Indians, 514; development of, 14–15; DJD, 42–4; since 1984, 15–16; pioneers of western frontier, 230–1
- “Paleopathology” (Kerley and Bass), 14
- Paleopathology at the Origins of Agriculture* (Cohen and Armelagos), 4, 5, 6, 15, 46, 578, 587, 596, 598, 601, 605
- “Paleopathology at the Origins of Agriculture” (conference), 15
- Palkovich, A. M., 31
- Palmer, C. A., 47
- pandemics, 298, 308
- Pappas, A. S., 47
- parasites, 16, 249, 251, 272, 320, 323, 347, 519, 554, 567, 578; central Mexican populations, 322
- parasitism, 359, 600; and anemia, 29; in Dallas, 251, 272; Georgia Bight, 422; pioneers of western frontier, 231
- parish records: Belleville, Ont. (St. Thomas), 104, 132, 142, 144, 145, 146, 147, 148; Ecuador, 346
- parry fractures, 40
- pathogens, 253, 347, 575; adaptation to, 531; climate and, 566; novel, 343, 344, 446
- pathological lesions, 66, 67, 72, 80, 585, 587; not time to accumulate, 586
- pathology(ies), 67, 81, 478; American Southwest, 489, 492–7; California Indians, 508, 519; Georgia Bight, 426–9, 433, 434; soldiers, 197–205
- pathophysiology: DJD, 41–4; infectious diseases, 32–5; LEH, 22–5; osteoarthritis, 41–4; porotic hyperostosis and anemia, 27–30; trauma, 36–9
- Paulsen, A. C., 351
- Pawnee, 535, 541–4, 545, 550, 551, 552–3
- Pearson Village sample, 445, 446, 455, 456, 467, 473
- Pecos Pueblo, N.M., 13–14, 487
- pellagra, 247, 411
- Pennsylvania, 441, 456
- Pennsylvania Abolition Society, 220
- periosteal reactions, 16, 69, 361, 362; African-Americans in Old Southwest, 251–3, 254, 268, 272; California Indians, 514; central Mexican populations, 330; coding, 89; Georgia Bight, 424–6, 433; with infectious diseases, 12, 33, 34–5, 36; Monroe County Almshouse, 170, 171; Plains Indians, 550, 551, 554; soldiers, 203–4
- periostitis, 31, 33, 253; California Indians, 514; central Mexican populations, 329–30; Dolores Anasazi, 489
- person-years lived, 82, 585
- personal historical accounts: Belleville, Ont., 143

- Peru, 341
 Peruvian Indians: DJD in, 43
 Perzigian, A. J., 26
 Pfeiffer, Susan, 192
 Philadelphia, 209, 212, 216, 219–20, 221, 242
 physical activity/labor, 6, 273;
 African-Americans, 228–9; blacks/whites, 217–18; and DJD, 152–3, 265, 334; history of: Georgia Bight, 426–32, 434; iron deficiency and, 29; Maya, 295; pioneers of western frontier, 231; slaves, 214, 220–1; soldiers, 203, 205
 physical anthropologists, 6, 64, 69, 79, 129, 210, 211, 377, 397, 584
 physical anthropology, 4, 5, 121, 211, 577, 593–4; economy and nutrition in Brazil, 378; health patterns in Ecuador, 344; methodological developments in, 62
 physical characteristics, 69
 physical environment, 606–7
 physical health while living, 62–3
 physical stress(ors): soldiers, 187–8, 190, 192, 193, 194, 197, 203
 physiological disruption/perturbation, 418, 595, 596
Pigs for the Ancestors (Rappoport), 15
 Pittsburgh, 219
 pioneers of western frontier, 229–31
 Plains Indians, 496, 537; life expectancy, 526; skeletal health, mortality and welfare history, 547–55; smallpox, 532; welfare history of, 525
 plant cultivation, 386, 395–6; Brazil, 379, 390, 397; Ohio Valley, 443
 plantation records, 209, 211, 220
 plants, domestic, 377, 567, 568, 572, 574, 578, 587; Georgia Bight, 409–11; Ohio Valley, 441, 443
 plaque, 205, 357
 Playa del Carmen, 322–3
 Pleistocene, 441, 508
 pluvial periods, 351, 369
 Poirier, D. A., 13
 Pole, 298
 political change, 3, 7
 pollen deposits, 607
 Pollitt, E., 29
 pollution, 308, 538, 541
 Polynesians, 435
 Pompeii, 586
 Ponca, 403, 544–5, 553, 554
 poor (the): in mid-nineteenth-century northeastern U.S., 162–84
 poor relief: northeastern U.S., 164–6
 poorhouses, 574; *see also* almshouses
 population: Basin of Mexico, 312, 313, 315; California Indians, 509–11; central Mexican populations, 318, 320; Georgia Bight, 409, 412; Maya, 288, 290–1; Ohio Valley, 441–2; Pueblo peoples, 488; San Cristobal, 491; Zuni, 490
 population aggregation: Georgia Bight, 424–5
 population comparisons, 598
 population decline: Ecuador, 348; Maya, 286; from new diseases, 310; New World, 343–4; Plains Indians, 540
 population density, 35, 80, 320, 411, 604, 606; agriculture and, 17, 344; Basin of Mexico, 308, 309, 312, 330, 335; California Indians, 509, 518, 519; and disease, 254, 272, 273, 507; Dolores Anasazi, 488; Ecuador, 347, 351, 353, 362; Georgia Bight, 433; and intestinal infections, 359; and parasites, 322; Plains Indians, 538
 population groups: Georgia Bight, 408–14
 population growth, 7, 133, 319, 528–9, 584, 585, 598; agricultural intensification and, 14; Belleville, Ont., 141–2, 147–8; California Indians, 508–9; environment and, 530; and infections, 347; and life expectancy, 146–7; in Mesolithic, 596; and mortality, 597; New World, 531; Plains Indians, 545; rate of, 99, 105, 106–10, 588; Rochester, N.Y., 167
 population history, 588
 population pyramid(s), 95, 147
 population size, 411; by age, 4; American Southwest, 483, 487; Ecuador, 348–54, 369; Georgia Bight, 414, 416; and infections, 369, 370; Maya, 285; New World populations, 343–4; Native Americans, 79; Ohio Valley, 443
 population systems, 101
 pork tapeworm (*Taenia solium*), 249
 porotic hyperostosis, 12, 16, 27–32, 69, 268, 272, 583, 590; African-Americans in Old Southwest, 347–51; Basin of Mexico, 333, 335; Brazil, 387, 388–96; California Indians, 518–19; central Mexican populations, 320–3, 332; Dolores Anasazi, 489; Ecuador, 359–61, 363, 369; Georgia Bight, 422–4, 433; Hawikku, 491; as indicator, 127; Maya, 291–2, 293, 297, 299, 301, 302; Monroe County Almshouse sample, 171, 172, 175; Ohio Valley, 467, 469, 470; pioneers of western frontier, 231; Plains Indians, 553; scoring, 88; San Cristobal, 492; slaves, 214; soldiers, 196, 197, 199–200, 202
 “Porotic Hyperostosis . . .” (Angel), 14
 Postclassic Period, 284, 287, 303; Basin of Mexico, 309, 311, 316, 318, 322, 325–6, 328, 330, 333, 334, 335; Maya, 289, 290, 298–9, 301, 303
 post-Columbian world: Native American health in, 572–4
 postcranial metrics: Ohio Valley, 456–7
 pottery: American Southwest, 486; Brazil, 381–2, 396; and nutritional status, 379
 pottery making, 378–9, 392, 397; Brazil, 377–8, 390; phases: American Southwest, 483–6

- poverty, 178, 179, 600
 Powell, M. L., 13
 preagricultural age, 605
 Preclassic, 303, 309
 pre-Columbian civilizations, 283
 pre-Columbian era, 6, 572, 574, 575, 577–8, 587
 precontact agricultural group (Georgia Bight), 408, 409, 413, 414, 417, 420, 421, 422, 424, 426, 432–3, 434
 precontact preagricultural group (Georgia Bight) 408, 409–11, 413, 414, 417, 420, 422, 425, 432–3
 predictability, 397
 prehistoric period: life expectancies at birth, 116
 prehistoric populations, 7; enamel hypoplasias in, 25–6; subadult growth, 20–2
 prehistoric Southwest: health and demography in, 492–7; settlement and environment in, 483–7
 prehistory: California, 508–11, 519; drawback to studies of, 21–2
 preservation, 143, 152, 347, 441; differential, 354
 preservation bias, 319
 Preston, Samuel, 219
 Preston-Haines Child Mortality Index, 237
 Prince Edward Peninsula, 137, 139, 141
 process, 12n3, 593
 productivity, 397; slaves, 209, 220, 221
 proportional hazard modeling, 102, 103, 104, 105, 106, 112, 116
 Prospect Hill: Methodist Cemetery, 137
 protein, 241, 243, 289, 295, 347, 348, 403, 416, 513; and height, 417; in maize, 411
 Proto-historic groups: stature, 455, 463
 Proto-historic phase, 477; Ohio Valley, 440, 443, 444
 Prous, André, 381
 pubic symphysis, 84, 169
 pubic symphysis metamorphosis, 143, 144
 public health, 251, 600; measures for, 167, 210, 308, 567, 576
 Puebla, 316
 Pueblo peoples, 482, 483, 483, 487–9, 498, 499, 500; and Spanish colonization, 486; warfare, 496
 Pueblo periods, 483–86, 488, 89, 494
 Pueblo region: diseases in, 487; European colonization of, 482
 Pueblo Revolt, 482, 490, 491
 Putschar, W. G. J., 13, 34

 quality-adjusted life-years, 62, 65, 66–7, 68, 72–4, 80, 476, 477, 478, 597; QALY (Maximum Quality Adjusted Life Years), 387, 389, 396–7
 quality of life, 130, 478; African-Americans, 210; of African-Americans in Old Southwest, 226–77; American Southwest, 482–3, 497, 498, 499; anthropometric status and, 20; assessing, 61–2, 79, 604; on basis of documentary records, 163; Brazil, 389; central Mexican populations, 322; civilizations and, 308; distinction between material and health aspects of, 577; DJD and, 42, 365; health aspects of, 3, 68; Maya, 304; Native Americans, 80; social complexity and, 335–6; of soldiers, 187; trauma and, 39, 364
 quality of well-being scale, 63
 Quaternary fauna, 13
 Quebec, 133
 Quintana Roo coast, 322
 Quiteñan elites, 114
 Quito, 116, 347, 353, 361
 Quito Basin, 346, 348, 370
 Quito Valley, 353

 racism, 247, 273
 raids: California Indians, 509, 510
 Rappoport, R. A., 15
 Rarámuri (Tarahumára), 482
 Rathbun, Ted A., 114, 116, 208–25, 232
 Ratliff, E. A., 189
 Real Alto site, 353, 364
 Reconstruction (era), 272; social trends in, 261–2
 red blood cells, 27, 31, 387
 “Red Ocher,” 441
 Red River, 227
 redistribution, 576
 Reff, Daniel T., 481–505
 Refuge period, 409
 regional systems: American Southwest, 486
 regression analysis, 574, 597
 regression coefficients, 567, 568, 570–4
 religious practices: and infections, 347
 Relyea, G. V. N., 151
 Remley Plantation, 116, 219, 242
 remodeling, 31, 33–4, 64, 81, 432
 repartimiento labor draft, 413, 426–8
 Republic of Mexico, 309
 Resaca de la Palma, 189
 research, 587–8, 596, 606
 reservations, 511, 546, 547, 554, 555
 resources, 67, 80, 112; access to, 68, 114, 251, 567, 600; Basin of Mexico, 310, 312–13; California Indians, 509, 520, control over, 576; depletion of, 80, 575–6; Dolores Anasazi, 489, 499; and fertility, 114; Plains Indians, 545
 Revolutionary War, 186
 rheumatism, 193
 rib infection, 253, 254
 rich societies, 67, 80
 rickets, 247
 Rio Comprido, 387, 391, 395
 Rio de Janeiro, 394
 Rio Grande, 486, 487

- ritualized activity: American Southwest, 496;
Ohio Valley, 443
- River Basin Surveys Program, 535
- Roberts, C., 13
- robusticity: blacks, 217–18; coding, 86–7;
humeral: Georgia Bight, 430, 431; Maya, 295;
regional nature of, 434
- Rochester, N.Y., 148–9, 163–4; health and
mortality, 166–9; infectious disease in, 178; life
tables, 168, 179–82
- Rochester Museum and Science Center, 163, 169
- Rochester poorhouse, 7, 82, 165–6, 549, 586;
cribra orbitalia at, 219; death rate, 585–6;
fertility, 114; health index, 74, 129; *see also*
Monroe County Almshouse
- Rodriguez entrada, 490
- Rodríguez-Martin, C., 13
- Roman Catholic missions, 407, 412
- Rose, Jerome C., 3–8, 21, 46, 61–93, 151, 178,
219, 226–77, 526, 549, 554, 563–79, 583–89,
594–95, 596, 597, 598, 601, 604, 608
- Rosenblat, A., 310
- roundworm (*Trichinella spiralis*), 249
- Ruff, Christopher B., 417
- rural to urban transition, 130, 134–5
- rural/urban contrast, 273; and health of
African-Americans, 210; workload, 265
- Sacramento Delta, 515, 516, 520
- Sacramento River Valley, 507, 519
- Sahlino, M., 15
- St. Andrew's Presbyterian Church (Belleville,
Ont.), 143
- St. Augustine, 412, 413
- St. Bride's Church, Fleet Street, City of London,
134n2, 137
- St. Catherines Island, 412, 413, 419, 422
- St. Catherines period, 409
- St. Thomas' Anglican Church, 143, 178, 197, 202,
204; *see also* Belleville, Ont.
- St. Thomas' Anglican Church Cemetery Project,
130–61
- Salango site, 353
- sample size, 75n12, 587, 597; small, 20, 21, 22,
199, 585
- sampling errors, 356, 584, 585
- sampling issues, 154, 597
- samples: Ohio Valley, 455–6
- San Cristobal, 491–2, 494, 496, 498, 499
- San Cristobal Creek, 491
- San Cristobal Pueblo, 482
- San Francisco church/convent (Quito), 344, 346,
348, 353, 354
- San Idelfonso, 482
- San Luis de Talimali, 432
- San Luis Tlatilco, 310
- Sandberg, Lars G., 185–207
- Sanders, William T., 310
- Sandison, A. T., 14
- Sandusky (cultural tradition): Ohio Valley, 443,
455
- sanitation, 135, 186, 272, 359; Basin of Mexico,
335; central Mexican populations, 330, 332;
Ecuador, 348, 361, 362; environmental, 530;
Georgia Bight, 425; and infant mortality, 145;
and infection, 362; and iron status, 422;
population density and, 519
- Santa Barbara Channel, 507, 509, 511–12, 515,
516, 518, 519, 520
- Santa Catalina de Santa Maria, 413
- Santa Catarina (Brazil), 376–400
- Santa Clare, 482
- Santa Cruz Island, 514
- Santa Elena peninsula, 344, 351, 353
- Santa Elena site, 357, 359, 364, 367
- Santo Domingo, 348, 354, 482
- Sattenspeil, L., 146
- Saunders, Shelley R., 13, 104, 105, 130–61, 204
- Savannah period, 409
- Sawchuk, Larry, 104, 130–61
- Schmorl's nodes, 193, 203, 205
- Science*, 14
- Sciulli, Paul W., 6, 21, 61–93, 117, 178, 191,
192, 215, 440–80, 526, 549, 552, 554, 584,
585, 604
- Scott, Douglas D., 188
- Scott, J. D., 261
- Scott, Winfield, 192
- scurvy, 193
- Sea Island, G., 432
- Sea Island Mound, 432
- seasonal subsistence-settlement cycle, 446
- seasonality, 397
- sedentism, 35, 320, 411; agriculture and, 344;
biological cost of changes in, 596; California
Indians, 509, 518, 519; Ecuador, 347, 367; and
infections, 347, 370; and intestinal infections,
359; and periosteal reactions, 424–5
- selection: in stature differences, 455
- Seri (people), 482
- settlement(s): age of Belleville, Ont., 140–1;
aggregation, 483; Dolores Anasazi, 488, 489;
Georgia Bight, 416; growth, 584; prehistoric
Southwest, 483–7; size, 82, 566, 587; size and
density of Belleville, Ont., 139–40
- settlement pattern, 251, 566, 567; American
Southwest, 486–7, 492; Anasazi, 492; Basin
of Mexico, 309, 313, 314, 315, 316, 319;
California Indians, 509; Ecuador, 345, 348,
353, 359; Georgia Bight groups, 409, 411, 412;
and infections, 369; Ohio Valley, 443; Plains
Indians, 541; sedentary, 598
- settlement type: and fertility, 112–13; and life
expectancy, 117
- sex: coding, 84; and health, 16

- sex determination, 21; Belleville, Ont., 143
- sex differences: dental caries: Georgia Bight, 421;
in height: Plains Indians, 552; trauma, 367
- sex distributions, 83–4, 173
- sex ratio(s): Plains Indians, 541
- sexual dimorphism, 295; California Indians, 512,
513; pathologies: Ohio Valley, 463, 467; in
stature: Ecuador, 357
- sexual division of labor: Plains Indians, 421, 552
- Shanidar Neanderthals, 40
- shellfish, 380, 381
- shell-mounds, 377, 378, 379, 380, 381, 387, 391,
394; builders, 380, 390, 394–5
- shelter, 17, 65
- shroud burials, 203
- sick people: infrastructure for treating, 477, 478
- sickle-cell anemia, 18, 28, 214, 251
- Sidney Township, 140
- Simcoe, John Graves, 141
- Sioux, 193, 540, 542, 545, 546, 550
- Sirianni, Joyce E., 114, 148, 162–84
- site abandonment, 487, 499–500
- site/collection identification: coding, 83, 588
- site-contextual information, 584
- skeletal analysis, 211; Monroe County
Almshouse, 169–75
- skeletal biology, 210, 593–4
- skeletal changes: in transitions, 605–6
- skeletal data, 6, 7, 286; age-at-death distribution,
532–4; distortions caused by, 526; Great
Plains, 535; longevity, 526–9; Plains Indians,
535–6, 540–1, 544–5, 546, 547, 554, 556;
problem with, 13, 32, 36, 74, 117, 301, 548,
586, 597; putting into context, 529–34
- skeletal disease, indicators of, 6
- skeletal evidence, 4, 62, 63, 64, 65, 70, 81, 83, 89,
318–19, 583, 593, 606, 607; Basin of Mexico,
309–10; lack of, 13, 32, 36, 74, 117, 301, 548,
586, 597; Maya, 285–6, 290–6; Maya: colonial
period, 298–9; Mesoamerica, 307–8; Monroe
County Almshouse, 178–9; Old Southwest,
227–9; patterns in, 7
- skeletal growth: Georgia Bight, 416–20
- skeletal health, 587; Great Plains, 524–60; and life
expectancy, 548–9, 556; Plains Indians,
547–55; variation in, 55
- skeletal indicators, 127, 594
- skeletal infections, 5; in Maya, 293, 294, 302–3;
Monroe County Almshouse: adults, 176–8;
Native Americans, 578; soldiers, 217
- skeletal lesions, 64, 71, 179, 597; categories of, 69;
by class, region, sex, 218–19; severity of, 62;
study of, 12, 13, 16
- skeletal materials: study of diseases in prehistoric,
13–16
- skeletal measures, 3, 65
- skeletal pathologies: and longevity, 584, 585;
measures of, 597; soldiers, 195–6
- skeletal populations: anthropometric studies of,
20–2
- skeletal remains, 49, 227–9, 318–19, 489, 583,
593; American Southwest, 487–8; Brazil,
381–7; combining historical documentation
with, 227, 265; comparative study of, 7; and
demography, 354; Ecuador, 367–70; Georgia
Bight, 406, 408, 412, 434–5; health index from,
61–93; preservation of, 134; reconstructing
health profiles from, 11–60; study of, 3–4,
11–12, 397–8, 604
- skeletal response(s): infectious diseases, 32, 33;
lack of evidence of, 13, 18, 32, 36, 74, 117, 301,
348, 586, 597
- skeletal samples: analysis of historical, 137; Basin
of Mexico, 310–12; Belleville, Ont., 131–2,
136, 143–8, 151, 154, 155; California, 507;
Ecuador, 344–5, 346–7, 348, 351–6; Ecuador:
characteristics, 351–6; free blacks, 210,
212–13; Highland Park cemetery, 163, 175,
177–8; Monroe County Almshouse, 169;
slaves, 209, 210, 212, 214
- skeletal series, 595
- skeletal tissues: evidence of stress in, 18–47
- skeleton(s): impact of military life on, 185,
186–9, 192, 197–205; incomplete, 66, 82, 188,
597
- slash-and-burn cultivation: Brazil, 381
- slavery, 208, 209, 227; average human stature, 4;
biological data, 211
- slaves, 7, 150; adult height, 243; cemeteries, 136;
Dallas County, 232; fertility, 114; health index,
74–5, 129, 216–17, 575; health of, 208–25;
health of: earlier approaches and results,
209–10; life expectancy at birth, 116
- Slaves Without Masters* (Berlin), 210
- Sledzik, Paul S., 114, 185–207
- smallpox, 101, 135, 268, 297, 486, 548, 606;
American Southwest, 487, 500; California
Indians, 509; control of, 532; epidemics, 229;
epidemics: Plains Indians, 536, 539, 540, 541,
542, 545; vaccination for, 308
- Smedman, L., 20
- Smith, Daniel Scott, 529
- Smith, P., 26, 47
- Smith, T. H., 261
- Smith, Vernon, 283–306
- Smithsonian Institution, 14, 15
- Snake Hill, 114, 192–3, 196, 203, 204
- Snow, C. C., 188
- Sobolik, K. D., 13
- social activities: Belleville, Ont., 141–2
- social change/conflict, 3–4, 483
- social class, 22, 600; Ecuador, 369
- social complexity, 578, 587; Basin of Mexico, 309,
310, 314, 319, 335; in Ecuador, 344, 353; effect
on health and quality of life, 335–6, 575, 576;
shift to farming and, 407, 434

- social destruction: California Indians, 510, 511, 520
- social development, 308
- social disruption, 411; Europeans and, 572; and Maya civilization, 283–306
- social organization, 397, 594, 599; Basin of Mexico, 312–13, 315, 316; California Indians, 509
- Social Science History Association, 211
- social scientists, 5, 80, 130, 576–7
- social status: Basin of Mexico, 312–13, 315, 316; central Mexican populations, 317, 318, 333, 334, 335; coding, 85–6; Ecuador, 353, 361; health and, 7; Maya, 288, 289
- social stratification, 598, 599–600; codes, 85–6
- social systems: Basin of Mexico, 333
- socioeconomic change/conditions, 7; African-Americans in Old Southwest, 268; Basin of Mexico, 315; California, 507, 520; among Maya, 303
- socioeconomic status/levels, 130, 197; effect on health, 148, 149, 219; and enamel hypoplasias, 26; and stress, 212
- sociopolitical conditions, 287; Basin of Mexico, 333; stress, 297
- soils, 253, 315–16; Ohio Valley, 441, 455, 458
- soldiers, 7, 114, 221; dental pathology, 196; recruitment standards, 189–91, 197, 198, 203, 205; skeletal pathology, 195–6; *see also* military/military service
- Sonora, 481
- Sosa, Castaco de, 491
- sources of evidence, traditional, 132–4; military service, 187–91
- South America, 5, 62, 103, 555, 598; health index, 342; life expectancies at birth, 116; Native Americans and Euro-Americans in, 7, 341
- South Carolina, 527
- South Carolina Institute of Archaeology and Anthropology, University of South Carolina, 214
- South Carolina slaves, 74, 114, 220–1
- South Coast sample (Ecuador), 353, 369
- Southern California, 517
- Spain: colonization by, 412
- Spanish America, 412
- Spanish Conquest, 284, 297–301, 303, 309, 316, 344, 346, 348, 351, 359, 371; effects of, 369–70; legacy of, 301–2; stress accompanying, 310
- Spanish exploration/colonization: American Southwest, 486, 487, 491, 496; and Maya, 285
- Spanish Florida, 412, 416, 417, 432; native populations in, 413
- spatial/temporal variation: in health and nutrition: California Indians, 507, 511–19
- Spearman correlations, 460, 467
- specialization, 209, 603
- Spitalfields (England), 137, 149
- spondylolysis, 36; Georgia Bight, 428–9
- stable isotope analysis, 371, 409, 411, 417, 588
- stable population analysis/theory, 101, 527, 528, 529, 530, 536, 556–7
- standard of living, 67, 130, 577; biological data, 211; indicators of, 3; measuring, 61–2, 64; technological change and, 80
- Stanley, Erastus, 163
- staphylococcal infections, 514
- Staphylococcus*, 33, 89
- starvation, California Indians, 508, 509, 510
- state of knowledge, 134–43
- State of São Paulo, 394
- State University of New York at Buffalo, 163
- Statistical Report on the Sickness and Mortality in the Army of the United States*, 607
- statistical significance: criterion, 567
- stature, 6, 62, 69, 81, 149, 211, 564, 572, 578, 596; adult, 19–22; African-Americans in Old Southwest, 242–3; average human, 4; Basin of Mexico, 334, 335; blacks, 216; California Indians, 512, 516, 517; Central Americans, 281; central Mexican populations, 320, 321; changes in, 130; deficiencies in, 67; Dolores Anasazi, 489; Ecuador, 356–7, 364, 367, 369; Euro-Americans, 80, 577; in health index, 70, 71; as indicator, 127, 583, 586; Maya, 303, 304; Monroe County Almshouse: adult, 175, 177–8; Native Americans, 403, 572, 574; nutrition and, 197; Ohio Valley, 453–5, 472, 476, 478; Plains Indians, 554; slaves, 209, 220; soldiers, 186, 188, 194–5, 200–2, 204–5; South Americans, 341; whites, 129; *see also* height
- stature scores: tabulating, 81
- Steckel, Richard H., 3–8, 21, 61–93, 178, 208–25, 232, 267, 432, 526, 549, 552, 554, 563–79, 583–89, 594–5, 596, 597, 598, 601, 604, 608
- Steegman, A. Theodore, Jr., 177, 188, 204
- Steyn, M., 148
- Stodder, Ann L. W., 481–505
- Storey, Rebecca, 283–306, 307–38
- streptococcal infections, 514
- Streptococcus*, 33, 89
- Streptococcus mutans*, 45
- stress, 21, 155; African Americans in Old Southwest, 251; Basin of Mexico, 335; biomechanical, 44, 326–8; childhood, 127, 136, 163, 179, 205, 220, 246, 267, 292; childhood: slaves, 214, 221; evidence of, in skeletal tissues, 12, 18–47; and growth and development: Georgia Bight, 417–19, 475; and hypoplasias, 245–6, 494; and LEH, 24–5, 26, 27, 473–4; Maya, 290, 296–7, 298, 301, 303, 304; metabolic, 363; military life, 186, 197; multiple measures of, 49; nutritional, 323; socioeconomic status and, 212; with Spanish colonization, 310; *see also* biological stress

Cambridge University Press

978-0-521-80167-6 - The Backbone of History: Health and Nutrition in the Western Hemisphere

Edited by Richard H. Steckel and Jerome C. Rose

Index

[More information](#)

Index

631

- stress indicators, 22, 23, 24, 27, 48, 49, 268–72, 594; Basin of Mexico, 333, 335; multiple, 595–6; Ohio Valley, 478
- stress model, 16–17
- stressors, 12, 16–17, 18; cultural, 17; cultural buffering of, 17–18; not leaving scars on skeletal elements, 18
- strong inference, 595
- Stuart-Macadam, P., 29
- study populations: American Southwest, 487–92
- stunting, 512, 578
- subadult growth: and adult stature, 19–22; anthropometric studies of, 20–1
- subadults: African-Americans in Old Southwest, 232, 236, 237, 253, 272; central Mexican populations, 317, 318, 321, 322, 323, 330, 333; correspondence analysis: Ohio Valley, 474–6; Ecuador, 359, 361, 364; equestrian nomads, 555; health status, 64; infectious diseases, 32; Monroe County Almshouse, 171, 172, 175–6; San Cristobal, 491, 492
- subsistence activities, 41, 364
- subsistence changes, 7, 22; and dental caries, 46; health in, 596
- subsistence patterns/systems, 434; Basin of Mexico, 312–13, 314–15, 327, 333, 336; Brazil, 377, 378, 379, 390, 394, 396, 397; California Indians, 508, 509, 510, 519; Ecuador, 345, 348, 351, 364, 369, 370; Georgia Bight, 413; and health decline, 566, 568, 578; Ohio Valley, 442–3; and tooth wear, 386
- Suchey-Brooks standards, 143
- Sudanese Nubia, 21
- sugars, 149, 150, 204, 518, 574; Belleville, Ont., 136; Ecuador, 347, 357; Georgia Bight, 421
- Sullivan, Louis, 491
- Sulzer, J. L., 29–30
- summary age, 84
- SunWatch (sample), 403, 445, 455–7, 463–73, 476
- Surgeon General: military records of, 607
- surgical intervention, 40, 91, 325
- survival curve, 101
- Swärdstedt, T., 25
- Swedlund, A., 529
- Sweeney, E. A., 26
- syphilis, 13, 35, 89, 163, 176, 211; African-Americans in Old Southwest, 253–4, 268, 273; California Indians, 509, 510, 514
- systemic stress perspective, 16–18
- Tanner, J. M., 20
- taphonomic processes, 12n2
- Tatham Mound site, 432
- technological change, 7, 80, 576–7, 605
- technology, 81, 130, 572, 594, 599; in demographic transformation, 121; electronic, 603; and nutrition: Basin of Mexico, 310; pottery making: Brazil, 379, 381, 397
- teeth, 18, 45; caries, 45–6 (*see also* dental caries); decayed, missing, filled (DMF) rates, 46–7; *see also* dental pathologies, tooth loss, tooth size, tooth wear
- temporal trends, 210, 211; in health and nutrition: Ecuador, 344, 345
- temporomandibular joint disease, 196
- Tenochtitlan, 309, 318
- Teotihuacan (Tlajinga 33), 309, 311, 314, 315, 316, 317, 318, 319, 325, 330, 333, 336
- Teotihuacan Center for Archaeological Research, 310
- Terminal Classic Period, 286–7
- terrain, difficulty of, 91, 434, 566
- Tewksbury almshouse, 169
- Texas: fertility and mortality, 232, 235, 236, 237
- Texas Department of Transportation, 227
- texts: interpretation of, 604–5
- thalassemia, 28
- theoretical developments, 594–5
- Thornton, Russell, 506–23
- Thurlow Township, 140
- tibia infections: Ecuador, 361, 364; in Maya, 293, 294; Ohio Valley, 467–9
- tibia periostitis, 329
- tibias: scoring, 34–5, 89
- Tiburcius, Guilherme, 379
- Tikal, 22, 283, 284
- Time on the Cross*, 220
- time period: and DJD: Ohio Valley, 463, 467; and health, 221; health index, 75
- time trends: pre-Columbian, 565–72
- Timucua, 416
- Tipu, 298, 299, 301
- Tlajinga, 317–18, 319, 320, 321, 322, 323, 325, 326, 327, 329, 330, 332, 333, 334, 335, 336
- Tlapacoya, 312
- Tlatilco, 110, 281, 310–11, 312–13, 317, 319, 320–21, 323, 32, 326, 327, 330, 332, 333–4, 335, 336
- Tlaxcala, 316
- Tojolabal Maya, 302
- Tolstoy, Paul, 312, 313
- tooth extraction, 150
- tooth loss, 12, 44–7, 70, 81; American Southwest, 494, 496; Basin of Mexico, 334; Belleville, Ont., 149, 150; blacks, 218; central Mexican populations, 332; Dolores Anasazi, 489; Ecuador, 357, 358, 359; Georgia Bight, 422, 423; Hawikku, 491; Maya, 296; Ohio Valley, 447, 478; pioneers of western frontier, 231; soldiers, 189, 196, 204
- tooth size, 418–19, 420, 433
- tooth wear: Brazil, 386, 387–8, 391–2, 396; California Indians, 513

- topography, 82, 566, 567, 574, 578, 587; South American sites, 341
- towns, 117, 568, 572, 574, 575
- trace elemental analysis, 16
- trade, 35, 530, 566, 576; American Southwest, 489; Basin of Mexico, 314, 315, 316, 334; California Indians, 509, 520; and infections, 347; Plains Indians, 539, 540, 545; and spread of disease, 538, 566; tribes with Europeans, 525
- transition: from foraging to farming, 407, 424, 434; from hunting-gathering to cultivation, 386–7, 391; to settled agriculture, 4, 6, 566, 575–6, 587; from settled agriculture to urban-industrial way of life, 130, 131, 132–3, 134–5
- trauma, 4, 12, 13, 36–41, 44, 49, 62, 69, 149, 153, 361, 564, 596; African-Americans in Southwest, 229, 231, 265–7; American Southwest, 489, 492, 496; blacks, 129; central Mexican populations, 325–6; coding, 91; Dolores Anasazi, 489; ecological variables and, 572; in Ecuador, 364–5, 370; evidence of, 137; Georgia Bight, 430–2; Hawikku, 491; in health index, 70, 79; as indicator, 127, 583, 587; Maya, 293–5; military samples, 129; Native Americans, 403, 574; Ohio Valley, 459–60, 474, 478; pioneers of western frontier, 230, 231; Plains Indians, 550, 554; San Cristobal, 492; slaves, 575; soldiers, 188, 196, 197, 202–3, 205, 221, 574; South Americans, 341; whites, 129
- treponemal disease/infection, 35, 254; American Southwest, 494; Hawikku, 490; San Cristobal, 491
- treponematosi: American Southwest, 494, 496; in California Indians, 514; Georgia Bight, 425
- tribal zone, 525
- tribes, 411, 511, 525
- Trinkaus, E., 40
- tryptophan, 411
- tuberculosis, 32, 35, 89, 163, 168, 176, 253, 362, 496–7, 599; African-Americans of Old Southwest, 254, 268, 273; American Southwest, 494, 496; California Indians, 514; Canada, 135; frontier, 268; Georgia Bight, 425; Hawikku, 490; San Cristobal, 491–2
- Turner, C. G., 46
- typhoid fever, 168, 272, 347
- typhus fever, 135, 168, 176, 178; California Indians, 509; Rochester, N.Y., 164; soldiers, 193
- Tyson, R. A., 13
- Ubelaker, Douglas H., 13, 114, 116, 343–75
- undernutrition, 18, 19, 32, 136, 425; classification of, 21
- undifferentiated societies, 85, 86
- uniformitarian hypothesis, 101–2
- Union soldiers, 177, 214–15
- United Nations: human development index, 3
- United States: poor in mid-nineteenth-century northeastern, 162–84
- United States Army, 186–7, 546, 554, 555
- University of Colorado, 14
- University of Kansas, 14, 15
- University of Massachusetts, 14, 15
- University of Tennessee, 15
- University of Wisconsin, 14
- unknown origin, 85
- Upper Canada, 132, 133, 134, 135–6, 140, 141, 145, 153; settlements, 141
- Upper Formative Period: Basin of Mexico, 316
- urban societies, 605; African-Americans in Old Southwest, 268; Basin of Mexico, 334, 335; central Mexican populations, 327, 336; health, 576, 578; health index, 567, 568, 572, 574; and spread of disease, 254; transition from settled agriculture to, 130, 131, 132–3, 134–5
- urbanization, 4, 133, 149, 155, 267, 336, 568, 587; agriculture and, 434; Basin of Mexico, 310; Belleville, Ont., 154; health consequences of, 575, 578; shift to farming and, 407
- utility function, 68
- Uxbridge Almshouse, 177–8
- Uxmal, 283
- vaccination, 308, 532, 542, 544, 545
- Valley of Mexico, 329
- Van Gerven, D. P., 21
- Vegas Culture site, 353
- vegetation, 566, 568, 578
- venereal syphilis, 35; California Indians, 510, 514; Canada, 135; Georgia Bight, 425
- Verano, J. W., 13, 344
- vertebral osteophytosis, 42, 43, 44
- villages, 126, 574; California Indians, 509, 518, 519; and life expectancy, 117; Ohio Valley, 443; Plains Indians, 541, 545
- violence, 4, 79, 293, 530; American Southwest, 486, 496; California Indians, 512, 514–15, 517, 520; central Mexican populations, 325, 326, 327; Euro-Americans, 574; frontier, 231; Georgia Bight, 431–2, 434; interpersonal, 16, 39–40, 325; patterns of, 41, 364; Plains Indians, 539, 540, 555; in prehistoric groups, 40; trauma from, 39–40, 91; against women, 364
- Virginia, 212
- volcanic eruptions, 586
- Vyas, P., 29
- Walker, Phillip L., 40, 44, 110, 506–23
- Walsh, Lorena, 162–84
- Ward Site, 103

Cambridge University Press

978-0-521-80167-6 - The Backbone of History: Health and Nutrition in the Western Hemisphere

Edited by Richard H. Steckel and Jerome C. Rose

Index

[More information](#)

Index

633

- warfare/wars, 3, 16, 81, 185, 189, 206, 371, 584;
 American Southwest, 486, 496, 499; California
 Indians, 509, 512, 514–15, 520; health in, 578;
 and local economies, 525; with native peoples,
 532; Plains Indians, 540, 546–7, 550, 556;
 trauma in, 39
- Washburn, S. L., 593
- waste removal, natural system of, 397
- water contamination, 320, 323, 344; Basin of
 Mexico, 308; California Indians, 514; central
 Mexican populations, 330, 336; Ecuador, 359;
 Georgia Bight, 422
- water resources, 135, 167, 341, 584
- wealth, 130, 567, 600; and health, 67–8, 219, 237,
 530; inequality in, 576
- weaning, 26, 137, 145, 154, 302; and porotic
 hyperostosis, 31
- weanling diarrhea syndrome, 253
- weapon wounds: African-Americans in Old
 Southwest, 230, 231, 267; Georgia Bight,
 431–2; Plains Indians, 553, 555; soldiers, 202–3
- Webb, Stephen, 326
- Weber, Max, 600
- weight, 19
- welfare history: conceptual and methodological
 foundations of, 526; Great Plains, 524–60;
 and mortality, 524–6; on the Plains, 535–47;
 Plains Indians, 547–55
- Wells, Calvin, 14
- Wendish population (Serbin, Tex.), 237–41
- Weslowsky, Al B., 178
- Wesolowski, Verónica, 376–400
- West (U.S.), 227
- West Africa, 18
- West Virginia, 441, 456
- Westerhus, Sweden, 25
- Western Europe, 530–1
- Western Hemisphere, 6, 79–80, 397, 407, 575,
 583, 587, 596, 597; ascent of Europeans in,
 578; comparisons with California Indians,
 518–19; Georgia Bight comparisons, 432–3;
 health experience in, 66, 72–4, 127; long-term
 trends in health in, 4–5; patterns of health in,
 563–79; population, 577; skeletal populations,
 378, 379, 387
- Western Hemisphere database, 583n1, 586;
 Greater Southwest in database, 482–3
- Western Hemisphere Project, 335, 492, 555;
 skeletal infections in, 494; southwestern
 peoples in, 497–8
- Western Hemisphere sample, 477–8
- westward migration: deaths during, 229–31
- Whitehorse, Joseph W. A., 192
- whites: health index, 128, 129, 574
- Whittlesey (cultural tradition): Ohio Valley,
 443
- “whopper” assumption, 100, 102, 106
- Willey, P., 188, 193–4
- Williamson, M. A., 43–4
- Williamson, Ronald F., 192
- Wilmington period, 409
- Wilson bands, 246, 301
- Witts, L. J., 29
- Wood, J. W., 13, 36
- Woodland Cemetery, 228
- Woodland period, 409; Ohio Valley, 440, 444
- Woods Canyon, 488
- work capacity/workload, 3, 6, 20, 208–9, 268,
 408, 499, 520; African Americans, 272; and
 DJD, 261, 262, 426–8, 434; hemoglobin
 concentration in, 30; and trauma, 367;
 undernutrition and, 18
- World Bank, 600
- World Health Organization (WHO), 599, 600
- Xcaret, 281, 287–8, 289–90, 291, 292, 295, 296,
 297, 322, 323; Colonial Period, 298, 299, 301
- Yaqui (people), 482
- Yaral, 341
- yellow fever, 606
- Yellow Jacket area, 488
- Yucatan Peninsula, 289, 290, 297, 322; climate
 change, 286–7; Maya civilization in, 284
- Yuman (people), 482
- Zacatenco, 312
- Zimmerman, M. R., 40
- zoólitos, 380
- Zuni (people), 482, 490, 500
- Zuni Pueblos, 490
- Zuni River, 486, 490