CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

Index

$I = \sum_j |j\rangle\langle j|$, 38
Pr( ): Pr(E), 73
Pr(|): Pr($A \mid B$), 74
Tr( ): Tr(A), 42
$\mathrm{Tr}_{\mathcal{B}}$( ): $\mathrm{Tr}_{\mathcal{B}}(D)$, 90
| ⟩: $|\psi\rangle$, 27
⟨ |: $\langle\omega|$, 29
⟨ | ⟩: $\langle\omega|\psi\rangle$, 29
⟨ | | ⟩: $\langle\phi|A|\psi\rangle$, 31
⟨ ⟩: $\langle V\rangle$, 79–80
$\langle , \rangle_\rho$: $\langle A, \bar{A}\rangle_\rho$, 210
$\langle , \rangle_k$: $\langle A, \bar{A}\rangle_k$, 214
[ ]: $[\phi] = |\phi\rangle\langle\phi|/\langle\phi|\phi\rangle$, 34
$\sim$: $\sim P = \tilde{P} = I - P$, 35
$\wedge$: $P \wedge Q$, 58
$\vee$: $P \vee Q$, 58
$\odot$: $\mathcal{H}_1 \odot \mathcal{H}_2$, $F_1 \odot F_2$, 112
$\otimes$: $\mathcal{A} \otimes \mathcal{B}$, $|a\rangle \otimes |b\rangle$, $A \otimes B$, 82–87
†, *see* dagger operation

adjoint, **33–34**, 39
Aharonov, Y., 375
alpha decay (toy model), **105–107**, **131–134**, **171–173**
  Born rule, 132
  consistent family, 172
  with detector, 131, 172
  exponential decay, 133
  time of decay, 172
  unitary dynamics, 106–107, 132
AND, *see* conjunction
antilinear, **28**, 30
approximate, *see* consistency conditions, energy, momentum, position
aspects, 365
atoms, *see* interferometer for atoms
average, **79–80**
  from density matrix, 80, 204
  of indicator, 79
  as linear functional, 79
  of observable, 130
  quantum, 80

badminton, 265
base, *see* contextual
baseball, 108
basis, *see* orthonormal
beam splitter, 159
  classical analogy, 245, 248
  and detectors, **243–246**
    conditional probabilities, 245
    consistent family, 245
    unitary dynamics, 243
  inside box, 252–255
  movable, 263, 273–282, 343–348
  See also: toy beam splitter
Bell inequalities, **332–335**, 375
Bell, J. S., 297, 329, 332, 374, 375
Berndl, K., 375
biorthogonal, *see* Schmidt decomposition
Birkhoff, G., 7, 61, 372, 374
Blank, B., 371
Bohm, D. J., 310, 329, 375
  See also: EPR, hidden variables
Bohr, N., 8, 371, 372
Boolean algebra, **65–71**
Boolean lattice, *see* Boolean algebra
Born rule, **126–131**, 137, 373
  as fundamental postulate, 126
  limitations of, 130, 133, 245
  and measurements, 128
  probabilities, 126–130
  weights, 126, 137
  See also: generalized
Born, M., 373, 374
bra, 29
branch dependence, 196, 197
Bransden, B. H., 371
Brownian motion, **108–109**, 110, 373
  diffusion equation, 125
  as quantum process, 111
  single-time probabilities, 125
Brun, T. A., 358, 376
Bub, J., 375

Cartesian product, 81

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

cause, 164, 168, 278–279, 289
follows effect, 248
See also: contextual
center-of-mass wave function, 13
chain kets, 154–155
chain operators, **137–140**
mutually orthogonal, 141
pure states, 138
time ordering, 138
channel projectors, 180
chaos, 358, 366
choice of framework, 193, 219, 278, 295, 325, **364–365**
does not influence reality, 364
not a law of nature, 255
See also: multiple frameworks
CHSH inequality, **332–333**, 375
Chuang, I. L., 372
classical dynamics, **94**, 358
deterministic, 94, 108, 359, 362
classical limit, 226, **356–359**, **365–366**
classical mechanics, 11, 349, 357
Clauser, J. F., 332, 375
coarse graining, 357
See also: phase space
coarsening, *see* decomposition of identity, sample space
codependent, *see* contextual
Cohen-Tannoudji, C., 371, 372
coherent, *see* decoherence, superposition state
coin, 65, 109, 265–267
as quantum object, 111
See also: quantum coin
collapse of wave function, 168–169, **246–249**
classical analogy, 248
consistent family, 247
from failure to detect, 168, 246, 374
leads to paradoxes, 261
misleading, 289
nonlocality, 246
not a physical effect, 168, 248
not needed, 9, 249
spin singlet, 317
unsatisfactory features, 246, 249
See also: EPR, Lüders rule
collective coordinates, 357
colored slips of paper, 316
column vector, 38
common refinement
consistent histories, 147
decompositions of identity, 71
commuting, *see* Hermitian operators, projectors, unitary operators
compatible decompositions, 71
compatible frameworks (families), 147, 224
compatible properties, 61
complement
of projector ($\sim P$ or $\tilde{P}$), 35
of set ($\sim\mathcal{P}$), 54
See also: orthogonal complement
complementary (Bohr), 372
complete, *see* sample space of histories
composite systems, **81ff (Ch. 6)**
compound event, 65
compound history, 110, 116
conditional density matrix, **213–215**, 258, 259
pure states, 215
time dependence, 214
unconditional, 214
conditional probability, *see* probability
conjunction (AND), **57–59**, 66
of histories, 114
consciousness, 262, 369
consistency
from decoherence, 356–357
See also: consistency conditions, quantum reasoning
consistency conditions, **140–142**, 148, 373
approximate consistency, 142, 356
and Born rule, 143–144
chain kets, 155
checking, **148ff (Ch. 11)**
using density matrix, 210, 211, 214
and dynamical laws, 142, 145
final projectors, **149–151**, 155
fixed initial state, **152–155**
Heisenberg representation, 151, 153
initial projectors, 149
two times, 149
weak consistency, 141
See also: chain operators
consistent family, **141**
refinement, **146–147**
support, **149**
See also: compatible, consistency conditions, framework, incompatible, split
consistent histories, **137ff (Ch. 10)**
See also: consistent family, consistency conditions, framework
consistent set, *see* consistent family, framework
contextual (dependent), 93, **192ff (Ch. 14)**, 215
base, 192
vs. caused by, 193, 200, 201, 289, 291
classical analogies, **193–195**
codependent, 196
and conditional probability, **195–196**
definition, **192**, **195**
dependence on
earlier events, 196–198
initial event, 196
later events, 190, 198–201
events in histories, **196–201**
irreducible, 194, 198
vs. nonlocal influence, 328
contradiction, 10, 225, 305, 324, 328, 336–348
correlated photons, 329
correlations, *see* spin singlet
counterfactual, **262**, **265–272**, 374, 376
ambiguous, 267
dependence on framework, 271
dependence on pivot, 271
(*continued*)

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

counterfactual (*cont.*)
diagram, 266, 268
measurement, 268
if no measurement, 271
MQS, 271, 281, 289, 292
node, 265, 268
null, **266**, 270
pivot, **266–267**, 269
quantum, **268–272**
question, 265
spin measurement, **268–272**
stochastic (classical), 265
worlds, 265
See also: EPR, Hardy paradox, null, single-framework rule

d'Espagnat, B., 374
dagger operation †, **30–34**, 83
data, *see* initial data
de Broglie, L., 329
decoherence, 142, 187, **349ff (Ch. 26)**, 376
definition, 350
density matrix, 352–355
measure of, 352
model for, 350
partial, 188
produces consistency, 356–357
decoherence conditions, 141
decoherent histories, 142
decoherent set, 141
decomposition of identity, **36**, 68
coarsening, **71**, 78
generated by operator, 42
generated by two decompositions, 72
history Hilbert space, 116
refinement of, 70, **71–73**
trivial, nontrivial, 69
ultimate, 71
decomposition of projector, 36
DeGroot, M. H., 372
delayed choice paradox, **273ff (Ch. 20)**
consistent families, 276–281
counterfactual, 274, 279–282
unitary dynamics, 275–276, 279
See also: indirect measurement paradox
delocalized states, 18, 25
density matrix, **44**, **202ff (Ch. 15)**
diagonal basis not special, 206
eigenvalues, 202
equations of motion, 208
as initial condition, **211–213**
from initial probability distribution, 212
isolated system, **211–213**
mixed state, 202
partial description, 202, 212, 213
as pre-probability, 203–204
pure state, 202
subsystem, *see* reduced density matrix
support, 44
thermal equilibrium, 211
time dependent, 212
See also: average, conditional, consistency conditions, reduced
dependent, *see* contextual
destructive measurement, **229**, 231, 233, **240–242**
conditional probabilities, 241
consistent family, 241
general decomposition of identity, 241
unitary dynamics, 240
detector, *see* beam splitter, toy, weak
diagonalization, *see* Hermitian operators, unitary operators
Dicke, R. H., 375
die, 65, 110
Dirac notation, **27ff (Ch. 3)**
See also: bra, dyads, ket, matrix element
Dirac, P. A. M., 371
disjunction (OR), **59–60**, 66
of histories, 115
problem of interpretation, 60, 69, 115
dot product, 12
double slit, **174–177**, 373
analogy with Mach–Zehnder, 177–190
which-slit detector, 175
Dowker, F., 143, 373
dual space, **29**, 31
dyads, **31–33**, 34
adjoint, 32
projector $|\phi\rangle\langle\phi|$, 34
trace, 42
dynamics, *see* classical, unitary

eigenvalue, 40
degenerate, 40
multiplicity, 40
eigenvector, 40
Einstein, A., 8, 310, 371, 375
See also: EPR
elementary event, 65
elementary history, 116
elementary indicator, 67
Elitzur, A. C., 375
energy, approximate, 54
Englert, B. G., 375
ensemble, **73–75**, 79
subensemble, 74, 75
entangled state, **83**, 310
physical interpretation, 92
entropy, 236, 237
environment, 95, **349–359**
random, 354–356, 359
See also: decoherence
EPR (Einstein–Podolsky–Rosen), **310**, **323ff (Ch. 24)**, 375
Bohm version, **323–329**
collapse of wave function, 324, 326
counterfactual, **326–329**
locality, 329
nonlocal influence, 329
paradox, **323–326**
event algebra, **65–71**
classical, 65
quantum, 68

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

event(s), *see* compound, contextual, elementary
exclusive, *see* mutually exclusive
exponential decay, *see* alpha decay
extension of history, *see* history
extension of operator: $A \otimes I$, 88

faith, 360, 370
  physicist's, 361
false, *see* incompatible vs. false, meaningless, true/false
family of histories, **116–118**
  based on initial state, 117
  product of samples spaces, 116
  refinement, **118–119**
    many possibilities, 118
    not a physical process, 119
  two times, 126
  See also: compatible, consistent family, framework, incompatible, unitary
Feller, W., 372, 373
Fetter, A. L., 372
Feynman, R. P., 175, 187–190, 371–374
Fine, A., 375
Fourier transform, 21, 52
framework, **141**
  errors due to changing, 307
  See also: choice, compatible, consistent family, incompatible, multiple, quasi-classical, single-framework rule
free choice, 262
French revolution, 200
functions of operators, *see* operators
future influences past?, 274, 278, 279, 281, 291, 334

Gaussian wave packet, 19, 22
Gell-Mann, M., 358, 373, 374, 376
generalized Born rule, **144**
ghosts, 261
GHZ (Greenberger–Horne–Zeilinger), 336, 376
Gieres, F., 371
Giulini, D, E., 376
Greenberger, D. M., 336, 374–376
Griffiths, R. B., 372–376
Gudder, S., 372

Hajek, A., 375
Halmos, P. R., 371, 372
Hamiltonian, **94–95**
  with "classical" field, 231
  Hermitian operator, 94
Hardy paradox, **336ff (Ch. 25)**
  counterfactual, 343
  first paradox, **338–343**
    conditional probabilities, 339–340
    original version, 341, 342
    resolution, 341–343
    statement of paradox, 340
  interferometer, 336
  and nonlocality, 342, 346
  and relativity, 341
  second paradox, **343–348**
    resolution, 344–348
    statement of paradox, 343
  unitary dynamics, 337–338
Hardy, L., 336–348, 375, 376
harmonic oscillator
  classical, 11, 53, 55, 94
  dynamics, 97
  energy, **53–54**, 56, 58, 70
  Hamiltonian, 77
  histories, 111
Hartle, J. B., 358, 373, 374, 376
height of table, 228
Heisenberg chain operator, 151
Heisenberg projector, 151
Heisenberg representation, **151–152**, 153, 155
Heisenberg uncertainty principle, 22–23
Hermitian operators, 33, 39, 43, 76–77
  commuting, 42, 297, 298
  diagonalization, **40–42**
  observables, 76
hidden variables, **329–332**, 362, 375
  and Bell inequalities, 333
  Bohm theory, 329, 334, 375
  deterministic, 331
  instruction set, 330
  local, 334
  nonlocal, 334
Hilbert space, 13, 23, **27ff (Ch. 3)**, 371
  infinite-dimensional, 4, 5, 371
  See also: history
Hiley, B. J., 375
history, **108ff (Ch. 8)**, 373
  classical, **109–111**
  definition, **110, 111**
  entangled in time, 118
  extension of, 112
  of Great Britain, 164
  Hilbert space, **112**, 373
  logical operations on, **113–115**
  projector $F_1 \odot F_2 \odot \cdots$, **112**
  of quantum mechanics, 371
  weight
    additivity, 140
    from chain operator, 137, 139
    using density matrix, 211
    Heisenberg representation, 151
  See also: compound, family, jumps, probabilities, unitary, zero weight
Holt, R. A., 332
hopping (toy) model, **103–105**
  with detector, 104
  See also: alpha decay, toy beam splitter, toy detector, toy Mach–Zehnder
Horn, R. A., 371–373
Horne, M. A., 332, 336

identical particles, 82, 372
identity operator, 34
incompatibility, 372

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

incompatibility paradox, **296ff (Ch. 22)**
  spin half, 296
incompatible decompositions, 71–73, 75
incompatible descriptions, 128
incompatible vs. false, **61–62**, 365
incompatible frameworks (families), **147**, 217
  cannot be combined, 221
  interpretation, 164, **224–227**, **362–365**
  and measurements, **252–257**
  no contradictions, 225
  which is correct?, 221
  See also: single-framework rule
incompatible measurements, 254, 257
incompatible properties, **60–64**, 129
incompatible sample spaces, 128
incompatible wave functions, 16
inconsistent family, 142–144
inconsistent history, 141, **157–158**, 182, 342
independent reality, 369
indicator (function), **47**, 57, 66–67
  elementary or minimal, 67
indirect measurement, 316
indirect measurement paradox, **284ff (Ch. 21)**
  consistent families, 287–292
  counterfactual, 286, 291–293
  delayed choice, 285, **290–293**
  unitary dynamics, 286
influence, *see* nonlocal, superluminal
initial condition or state, *see* density matrix, family of histories
initial data, **218**, 219
inner product, 12, **28**
  See also: operators, toy model
instruction set, *see* hidden variables
interaction-free measurement, 246, **293–294**, 375
interference, **174ff (Ch. 13)**
interferometer, *see* double slit, Hardy paradox, (toy) Mach–Zehnder, neutron
interferometer for atoms, 350
intrinsic inconsistency, *see* inconsistent history
inverse, *see* operators
irreversibility (thermodynamic), 233, 237, 349
Isham, C. J., 373
isolated system, 95
isometry, 98

Jammer, M., 371–375
Joachain, C. J., 371
Johnson, C. R., 371–373
jumps in histories, 156

Kent, A., 143, 373
ket, 27
  phase of, 29
  scalar multiple of, 48
  sum of other kets, 49, 134–135
Kochen, S., 297, 375

Lewis, D., 374
lightning, 131
linear algebra, *see* Hilbert space
linear functional, 29
locality, *see* EPR, nonlocal influences
location, *see* position
logical operations, *see* conjunction, disjunction, negation
long-range, *see* nonlocal, superluminal
Lorentz frame, 341
Lorentz invariance, 342
Lüders rule, 259
Lüders, G., 374
Lütkepohl, H., 372, 373

Mach–Zehnder, **176**, 273, 284, 350, 373
  See also: toy Mach–Zehnder
macro projector, **236–239**, 245, 250, 264, 287
macroscopic measurement, **233–240**, 260
  conditional probabilities, 235, 238
  consistent families, 235, 237–238
  initial density matrix, 239
  initial probabilities, 239
  unitary dynamics, 234, 237
macroscopic quantum superposition, *see* MQS
map of city, 360
matrix, 39
  determines operator, 40
matrix element, 31, 39
matrix product, 40
McElwaine, J. N., 373
meaningless, **61–63**, 142
  vs. false, **62**, 307
measurement, **8–9**, 22, **228ff (Ch. 17)**, **243ff (Ch. 18)**, 374
  classical, 228
  disturbs system?, 105, 252, 257
  idealizations, 229
  not a fundamental principle, 9, 369
  of incompatible properties, 61
  outcome, 228
  and paradoxes, 261
  of prior property, 228, 231, 369
  problem, 9, 374
  produces correlation, 228, 231
  repeated, **243–252**, **255–257**
  of spin, 230–240
  See also: collapse of wave function, counterfactual, destructive, Heisenberg uncertainty principle, incompatible, interaction-free, macroscopic, nondestructive, partial, pointer basis, spin singlet, Stern–Gerlach, toy detector, von Neumann
Mermin, N. D., 299, 330, 375, 376
Merzbacher, E., 371
Meyer, D. A., 372
mirror, movable, 284–295
Mittelstaedt, P., 374
mixed state, *see* density matrix
momentum
  approximate, 21–22, 53
  representation, 21
  wave function, **20–23**, 52
  See also: probability, toy model

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

movable, *see* beam splitter, mirror
MQS (macroscopic quantum superposition), **134–136**
observation of, 367
vs. pointer states, 185, 235, 238, 276–278
toy version, 166, 184–185
See also: counterfactual, Schrödinger cat
multiple descriptions, 363
multiple frameworks (families), 217
interpretation, **224–227**
See also: incompatible frameworks
museum, 266
mutually exclusive, 14, **15–17**, **59**, 65
classical vs. quantum, 216
See also: sample space

negation, **54–57**, 66
classical vs. quantum, 56–57
of history, 113
of projector ($\sim P$ or $\tilde{P}$), **35–36**, 55–57
neutron interferometer, 177, 350, 374
Newtonian mechanics, 366
Nielsen, M. A., 372
noncommuting, *see* projectors
nondestructive measurement, **229**, 231, **257–260**
conditional probabilities, 258
consistent family, 258
unitary dynamics, 257
See also: Stern–Gerlach (nondestructive)
nonlocal influences
do not exist, 10, 292, 295, 316, 318, 329, 369
See also: EPR, superluminal
nonlocality, 10, 334
See also: collapse of wave function, Hardy paradox
nonorthogonal projection, 35
norm, normalized, **28**
See also: wave function
NOT, *see* negation
null, *see* counterfactual

observables, *see* Hermitian operators
Omnès, R., 358, 372–374, 376
one dimension, **11–22**, 51–54, 56
one-dimensional subspace (ray), 34
open system, 95, 209
operators, **30–34**
acting to the left, 31
commuting, 32
functions of, **45–46**
inner product of, **139**, **210**
inverse, 32
linear space of, 139
mutually orthogonal, 139
products of, 31–32
See also: adjoint, dyads, extension, Hermitian, orthogonal, positive, projectors, unitary
OR, *see* disjunction
orthogonal complement, 36
orthogonal kets, 29
See also: orthonormal basis
orthogonal operators, 139
orthogonal projection, 35
orthogonal projectors, **36–37**, 59
collection of, **36–37**
orthogonal wave functions, 12
orthonormal basis, **37–38**
See also: decomposition of identity
overview of book, **1ff (Ch. 1)**

paradoxes, 9–10, 261–262
methods for analyzing, 282
See also: delayed choice, double slit, EPR, Hardy, incompatibility, indirect measurement, Schrödinger cat
partial measurement, 284
partial trace, 90–91
Pauli matrices, 299
Peres, A., 375
phase, *see* ket, random, toy Mach–Zehnder, wave function
phase shifter, *see* toy Mach–Zehnder
phase space, 11, 47, 81
coarse graining, 66
photograph, 360
physical property, *see* property
physical variable, 47, **76–79**
See also: Hermitian operators
pivot, *see* counterfactual
Podolsky, B., 310, 375
See also: EPR
pointer, 233–238
basis, **133**, 184, 240
states, 166, 185, 189
See also: MQS
position, **17–20**, 22–23
approximate, **18–20**, **52**, 58
not precisely defined, 17–18
representation, 21
See also: delocalized, probability, toy model
positive operators, **43–45**
support, 44
$\mathrm{Tr}(BA)$ positive, 45
See also: density matrix
Pr( ), 73
pre-probability, 20, **129–131**
limitations of, 131
See also: density matrix
probabilities, **73–75**, 372
of compound event, 73
conditional, **74–75**, **195–196**
of histories, **121–131**, **137–143**
for momentum, 22
one or zero, *see* true/false
for position, 20
in quantum theory, 74–75
specific to framework, 217, 226
See also: average of indicator, Born rule, ensemble, pre-probability, single-time
product, *see* operators, tensor product
projectors, **34–37**
analogy with indicator, 48
commuting, 57, 72
(*continued*)

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

projectors (*cont.*)
geometrical interpretation, 34
noncommuting, **60–64**
refinement of, 36
See also: complement, decomposition, macro, negation, orthogonal
property, 19, **47ff (Ch. 4)**
classical, 47, 54–55
definition of, 47
logical operations on, **54–60**
possessed by system, 48
prior, *see* measurement
true or false, 54
undefined for system, 48, 62
See also: incompatible, physical variable
pure state, 34
See also: density matrix

quantum coin, 262, **262–265**, 268
consistent family, 264
simplified, 265
unitary dynamics, 263
quantum logic, 7, **61**, 372
"quantum probabilities", 6, 75
quantum reasoning, **216ff (Ch. 16)**, 374
vs. classical reasoning, 217, 226, 307
consistency of, **222–223**
context is important, 115
general principles, **216–219**
probabilistic, 218
relative to sample space, 218, 226
strategy for, 223
using refinement, 219–220
See also: incompatible frameworks, incompatible properties
quasi-classical framework (family), **358–359**, 366
single framework sufficient, 366

radioactive decay, *see* alpha decay
random environment, *see* environment
random phases, 355
random process, *see* stochastic process
random variable, **76–79**
random walk, 110, **121–125**, 373
conditional probabilities, 123
dynamics, 121
history, 110
hopping probabilities, 121
initial data, 122
probability distribution, 122
refinement rule, 122
sample space, 110, 121
weights, **122–124**
compound histories, 124
See also: single-time probabilities
ray, 34
realistic interpretation, 268
reality, **360ff (Ch. 27)**
macroscopic world, 365–368
and measurement, 362
and physical theories, 360
quantum vs. classical, **361–362**, **368**
similarities, 368
stochastic dynamics, 362
reasoning, *see* quantum reasoning
Redhead, M., 376
reduced density matrix, **204–210**
definition, 205
as initial condition, **209–210**
lacks correlation information, 207
time dependence, **207–209**
Reed, M., 371
refinement, *see* common, decomposition of identity, family, projector, sample space
relativity (special), 286, 334, 361, 362, 366
compatible with quantum theory?, 9, 10, 247, **261–262**, 343
See also: Lorentz frame, Lorentz invariance
Renninger, M., 374
Rosen, N., 310, 375
See also: EPR
Ross, S. M., 372, 373
row vector, 39

safety net, 265
sample space, **65–71**
coarsening, 71
of histories, **116–117**
(dynamically) complete, **149**, 153
refinement of, **71–73**
See also: decomposition of identity
sawing off branch, 307
scalar, 27
Schmidt decomposition, **85**, 206, 372
Schrödinger cat, **134–135**, 373
toy version, 166
See also: MQS
Schrödinger equation, **94–98**
preserves inner products, 98
time-independent H, 97
See also: time development operators
Schrödinger representation, 151
Schrödinger, E., 373
Schwabl, F., 371
self-adjoint, *see* Hermitian
servomechanism, 263
Shankar, R., 371, 372
Shimony, A., 332, 376
Simon, B., 371
simultaneous values, **296–297**, 310, 323
See also: value functional
single family, *see* single framework
single-framework rule, 70, 136, **217**, 221, 222, 225, 226
applications, 277, 290, 295, 305–307, 325, 328, 341–342, 344–348
and classical physics, 217, 226
counterfactual, 268
and measurements, 229
and nonlocal influences, 369
and paradoxes, 295

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

single-time probabilities, **124–125**, 131
difference equation, 124
singlet, *see* spin singlet
Specker, E. P., 297, 375
spin half, **50–51**, **60–62**, 69
angular momentum operator, 77
different components incompatible, 128
dynamics, 97
trivial, 127
histories, 111, 114, 117
jump in orientation?, 128
ket for general direction w, **50–51**
in magnetic field, 97
three spin-half particles, 87
two spin-half particles, 87
See also: spin singlet
value between measurements, 256
See also: counterfactual, measurement, spin singlet, Stern–Gerlach
spin one, 304
spin singlet, **310ff (Ch. 23)**
correlations, **311–313**, 319
histories, **313–315**
conditional probabilities, 313, 314
inconsistent family, 314, 322
measurements, **315–322**
conditional probabilities, 315, 318, 319, 321
wave function, 311
See also: collapse of wave function, EPR
spinning body (classical), 195, 363, 364
split in consistent family, 164–165
state, *see* density matrix, ket, stationary, superposition, wave function
stationary state, 98
statistical mechanics, 202, 203, 211, 236
Stern–Gerlach, 197, **230**
conditional probabilities, 232
consistent families, 231–232
nondestructive, **249–252**
apparatus, 249
conditional probabilities, 251–252
consistent families, 251
unitary dynamics, 230
stochastic process, 108
quantum vs. classical, 109
Strang, G., 371
strong detector, 188
subjective, 364
subspace, 19, **34**, 48, 55, 372
See also: orthogonal complement, projector, ray
superluminal influence, 10, 261, 286, 334, 369
See also: nonlocal, relativity
superposition state, 164, 274, 350
See also: MQS, Schrödinger cat
support, *see* consistent family, density matrix, positive operator

tails of wave packet, 20
tape measure, 228
teacup, 224
telescope, 8
tennis, 265
tensor product, **81ff (Ch. 6)**, 372
definition, **82–85**
operators, **87–91**
matrix elements, 89–91
product of, 88
product of bases, 84
product of decompositions, 93
product of sample spaces, 93
product operators $A \otimes B$, 87–89
physical significance, 92
product properties, 92
product state, 83
See also: entangled state, history Hilbert space, partial trace
thermal equilibrium, *see* density matrix
three-box paradox, **304–307**, 375
incompatible frameworks, 304, 306
time development operators $T(t, t')$, **100–102**
inverse, 101
Schrödinger equation for, 102
time-independent H, 102
$P = T(t, t')P'T(t', t)$, 101
toy beam splitter, **159–165**
channel projectors, 161
hopping between channels, 161, 162
periodic boundary conditions, 159
unitary dynamics, 159
with detector, **165–169**, **219–221**
See also: channel projectors
toy detector, **104–105**
time-elapse, **169–171**
See also: weak detector
toy Mach–Zehnder, **178–191**
with detector, **183–188**
phase shifters, 179
unitary dynamics, 178
See also: Mach–Zehnder
toy model, 69, 71, 372
inner product, 24, 25
internal degree of freedom, 86
momentum, 25–26
position, **23–25**, **49**, 55
position operator, 78
properties, **48–50**
time-dependent, **102–103**
time-independent, 23–26
two particles, 85
wave packet, 180
See also: alpha decay, hopping model, toy beam splitter, toy detector, toy Mach–Zehnder
Tr( ), 42
trace, **42–43**
product of operators, 43
$\mathrm{Tr}(C^\dagger C)$ positive, 44
See also: partial trace
transition amplitudes, 138
true/false, 66
probability 1/0, 218, 220, 224

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521803497 - Consistent Quantum Theory - Robert B. Griffiths
Index
More information

truth
depends on framework, **226**
quantum vs. classical, 309
of theory, 360
See also: true/false, truth functional
truth functional, **301–304**, **308–309**, 375
classical, 301
conditions for, 303
determines value functional, 302
histories, 308
quantum, 302
universal, **303–304**
for histories, 308
nonexistent, 304, 308
two slit, *see* double slit
two-spin paradox, **299–301**, 375

uncertainty relation, *see* Heisenberg uncertainty principle
unicity, **363**, 368
unique exhaustive description, 363
unitary dynamics, **94ff (Ch. 7)**, 372
See also: time development operators
unitary extension, **156–157**
unitary family, **120**
consistency, 144
unitary history, **119–120**, 136, 155
unitary operators, **99–100**, 372
adjoint, 99
commuting, 100
diagonalization, 100
eigenvalues, 100
inverse, 99
map of orthonormal basis, 99
matrix, 99
product of, 99
unitary time development, *see* time development operators, unitary dynamics
universal, *see* truth functional, value functional

Vaidman, L., 375
value functional, **298–299**
classical, 298
preserves relationships, 298, 300
quantum, 298
universal, **299–301**
nonexistent, 297, 301
See also: truth functional
values, *see* simultaneous, value functional
vector, 27
See also: column, row
Venn diagram, 58
von Neumann, J., 7, 61, 168, 216, 372–374
theory of measurement, 8, 229, **246–249**, 373, 374

Walecka, J. D., 372
Wannier, G. H., 373
wave function, **11ff (Ch. 2)**
norm, 13
normalized, 15
phase of, 15
physical interpretation, **13–23**
scalar multiple of, 14
sum of other wave functions, 25
See also: center-of-mass, collapse, ket, momentum, orthogonal, position, zero
wave packet, 243
See also: Gaussian, tails, toy model
weak consistency, *see* consistency conditions
weak detector, **188–191**
weight, *see* history, zero
Wheeler, J. A., 371, 374
Wigner, E. P., 374
Wolf, E., 374
worlds, *see* counterfactual

Zeilinger, A., 336
zero ket, 27
zero operator, 30
zero vector, 27
zero wave function, 13
zero weight histories, **139**, 149, 153, 157
Zurek, W. H., 371, 376

© Cambridge University Press www.cambridge.org