

## Contents

<i>Preface</i>	page xiii
<i>List of abbreviations</i>	xv
<b>I Theory and two-electron systems</b>	
1 Introduction	3
1.1 History	3
1.2 Mathematical background	4
1.2.1 Schrödinger's equation	5
1.3 The variation theorem	9
1.3.1 General variation functions	9
1.3.2 Linear variation functions	9
1.3.3 A $2 \times 2$ generalized eigenvalue problem	14
1.4 Weights of nonorthogonal functions	16
1.4.1 Weights without orthogonalization	18
1.4.2 Weights requiring orthogonalization	19
2 H <sub>2</sub> and localized orbitals	23
2.1 The separation of spin and space variables	23
2.1.1 The spin functions	23
2.1.2 The spatial functions	24
2.2 The AO approximation	24
2.3 Accuracy of the Heitler–London function	27
2.4 Extensions to the simple Heitler–London treatment	27
2.5 Why is the H <sub>2</sub> molecule stable?	31
2.5.1 Electrostatic interactions	32
2.5.2 Kinetic energy effects	36
2.6 Electron correlation	38
2.7 Gaussian AO bases	38
2.8 A full MCVB calculation	38

viii	<i>Contents</i>	
	2.8.1 Two different AO bases	40
	2.8.2 Effect of eliminating various structures	42
	2.8.3 Accuracy of full MCVB calculation with 10 AOs	44
	2.8.4 Accuracy of full MCVB calculation with 28 AOs	44
	2.8.5 EGSO weights for 10 and 28 AO orthogonalized bases	45
3	H <sub>2</sub> and delocalized orbitals	47
	3.1 Orthogonalized AOs	47
	3.2 Optimal delocalized orbitals	49
	3.2.1 The method of Coulson and Fisher[15]	49
	3.2.2 Complementary orbitals	49
	3.2.3 Unsymmetric orbitals	51
4	Three electrons in doublet states	53
	4.1 Spin eigenfunctions	53
	4.2 Requirements of spatial functions	55
	4.3 Orbital approximation	58
5	Advanced methods for larger molecules	63
	5.1 Permutations	64
	5.2 Group algebras	66
	5.3 Some general results for finite groups	68
	5.3.1 Irreducible matrix representations	68
	5.3.2 Bases for group algebras	69
	5.4 Algebras of symmetric groups	70
	5.4.1 The unitarity of permutations	70
	5.4.2 Partitions	70
	5.4.3 Young tableaux and $\mathcal{N}$ and $\mathcal{P}$ operators	71
	5.4.4 Standard tableaux	72
	5.4.5 The linear independence of $\mathcal{N}_i\mathcal{P}_i$ and $\mathcal{P}_i\mathcal{N}_i$	75
	5.4.6 Von Neumann's theorem	76
	5.4.7 Two Hermitian idempotents of the group algebra	76
	5.4.8 A matrix basis for group algebras of symmetric groups	77
	5.4.9 Sandwich representations	79
	5.4.10 Group algebraic representation of the antisymmetrizer	80
	5.5 Antisymmetric eigenfunctions of the spin	81
	5.5.1 Two simple eigenfunctions of the spin	81
	5.5.2 The $\Xi$ function	84
	5.5.3 The independent functions from an orbital product	85
	5.5.4 Two simple sorts of VB functions	87
	5.5.5 Transformations between standard tableaux and HLSP functions	88
	5.5.6 Representing $\theta \mathcal{N}\mathcal{P}\mathcal{N}\Xi$ as a functional determinant	91

<i>Contents</i>		ix
6	Spatial symmetry	97
6.1	The AO basis	98
6.2	Bases for spatial group algebras	98
6.3	Constellations and configurations	99
6.3.1	Example 1. H <sub>2</sub> O	100
6.3.2	Example 2. NH <sub>3</sub>	102
6.3.3	Example 3. The $\pi$ system of benzene	105
7	Varieties of VB treatments	107
7.1	Local orbitals	107
7.2	Nonlocal orbitals	108
8	The physics of ionic structures	111
8.1	A silly two-electron example	111
8.2	Ionic structures and the electric moment of LiH	113
8.3	Covalent and ionic curve crossings in LiF	115
<b>II Examples and interpretations</b>		
9	Selection of structures and arrangement of bases	121
9.1	The AO bases	121
9.2	Structure selection	123
9.2.1	N <sub>2</sub> and an STO3G basis	123
9.2.2	N <sub>2</sub> and a 6-31G basis	123
9.2.3	N <sub>2</sub> and a 6-31G* basis	124
9.3	Planar aromatic and $\pi$ systems	124
10	Four simple three-electron systems	125
10.1	The allyl radical	125
10.1.1	MCVB treatment	126
10.1.2	Example of transformation to HLSP functions	129
10.1.3	SCVB treatment with corresponding orbitals	132
10.2	The He <sub>2</sub> <sup>+</sup> ion	134
10.2.1	MCVB calculation	134
10.2.2	SCVB with corresponding orbitals	135
10.3	The valence orbitals of the BeH molecule	136
10.3.1	Full MCVB treatment	137
10.3.2	An SCVB treatment	139
10.4	The Li atom	141
10.4.1	SCVB treatment	142
10.4.2	MCVB treatment	144
11	Second row homonuclear diatomics	145
11.1	Atomic properties	145
11.2	Arrangement of bases and quantitative results	146

x	<i>Contents</i>	
11.3	Qualitative discussion	148
11.3.1	B <sub>2</sub>	149
11.3.2	C <sub>2</sub>	152
11.3.3	N <sub>2</sub>	154
11.3.4	O <sub>2</sub>	157
11.3.5	F <sub>2</sub>	160
11.4	General conclusions	161
12	Second row heteronuclear diatomics	162
12.1	An STO3G AO basis	162
12.1.1	N <sub>2</sub>	164
12.1.2	CO	166
12.1.3	BF	168
12.1.4	BeNe	171
12.2	Quantitative results from a 6-31G* basis	173
12.3	Dipole moments of CO, BF, and BeNe	174
12.3.1	Results for 6-31G* basis	174
12.3.2	Difficulties with the STO3G basis	175
13	Methane, ethane and hybridization	177
13.1	CH, CH <sub>2</sub> , CH <sub>3</sub> , and CH <sub>4</sub>	177
13.1.1	STO3G basis	177
13.1.2	6-31G* basis	186
13.2	Ethane	187
13.3	Conclusions	189
14	Rings of hydrogen atoms	191
14.1	Basis set	192
14.2	Energy surfaces	192
15	Aromatic compounds	197
15.1	STO3G calculation	198
15.1.1	SCVB treatment of $\pi$ system	200
15.1.2	Comparison with linear 1,3,5-hexatriene	203
15.2	The 6-31G* basis	205
15.2.1	Comparison with cyclobutadiene	208
15.3	The resonance energy of benzene	208
15.4	Naphthalene with an STO3G basis	211
15.4.1	MCVB treatment	211
15.4.2	The MOCI treatment	212
15.4.3	Conclusions	213
16	Interaction of molecular fragments	214
16.1	Methylene, ethylene, and cyclopropane	214
16.1.1	The methylene biradical	215

	<i>Contents</i>	xi
16.1.2	Ethylene	215
16.1.3	Cyclopropane with a 6-31G* basis	218
16.1.4	Cyclopropane with an STO-3G basis	224
16.2	Formaldehyde, H <sub>2</sub> CO	225
16.2.1	The least motion path	226
16.2.2	The true saddle point	227
16.2.3	Wave functions during separation	228
	<i>References</i>	231
	<i>Index</i>	235